stron
Can

REPORT

OF THE

METEOROLOGICAL SERVICE

OF THE

DOMINION OF CANADA.

BY

CHARLES CARPMAEL, M.A., F.R.A.S.,
DIRECTOR.

FOR THE YEAR ENDING DECEMBER 31, 1887.

OTTAWA:
PRINTED BY BROWN CHAMBERLIN, PRINTER TO THE QUEEN'S MOST EXCELLENT MAJESTY.
1890.

3249
H7H791
recipes

CONTENTS.

PAGE.

Report of the Director of the Meteorological Office vii
List of Books received by presentation during the year 1887 xxii
List of Stations in connection with Meteorological Office xxvii
Remarks on Tables accompanying the report xxxii

TABLE I.—Means for each month, and for the year, of the Reduced Barometer, and of the Temperature of the Air, from observations made at the same absolute time as follows :—Greenwich Civil Time 0.8 p.m., 8.8 p.m. and 4.8 a.m. (of next day) 2

TABLE II.—Resultant Direction and Velocity of the Wind from observations made at the same absolute time as follows :—Greenwich Civil Time 0.8 p.m., 8.8. p.m. and 4.8 a.m. (of next day) 11

TABLE III.—Mean Temperature of the several months, and the year, at stations in the Dominion of Canada during the year 1887 16

TABLE IV.—Highest Temperature in each month at stations in the Dominion of Canada during the year 1887 22

TABLE V.—Lowest Temperature in each month at stations in the Dominion of Canada during the year 1887 28

TABLE VI.—Mean Temperature in each quarter, and for the year, with the Highest and Lowest Temperatures in the year 1887, and the date of their occurrence 34

TABLE VII.—Mean Daily Range in each month, and for the year 1887 40

TABLE VIII TO XIX.—Daily Mean Temperature at certain stations in the Dominion of Canada during the year 1887 44

TABLE XX.—Means of Daily Temperature at stations in Tables VIII to XIX collected in five-day periods 140

TABLE XXI.—Percentage of Cloud in each month, and for the year 1887, at certain stations in the Dominion of Canada 164

TABLE XXII.—Average amount of Sky Clouded in the several Provinces of the Dominion of Canada in each month, and for the year 1887 167

TABLE XXIII TO XXIX.—Proportion of bright Sunshine registered in each hour of the day during which the sun was above the horizon at :—

Winnipeg, Windsor 168
Stratford, Woodstock 169
Toronto, Niagara Falls, S 170
Lindsay, Barrie 171
Kingston, Pembroke 172
Cornwall, Montreal, P. Q 173
Fredericton, N. B., Sydney, N. S 174

PAGE.

TABLE XXX.—Mean proportions of Sunshine at the stations in Tables XXIII to XXIX, constant Sunshine being represented by 1..... 175
TABLE XXXI.—Number of days completely Clouded..... 175
TABLE XXXII.—Rainfall in inches in each month, and in the year 1887, at the several stations in the Dominion of Canada; the stations in Ontario being divided into Counties..... 176
Rainfall Maps for Ontario for each quarter and year..... 176
TABLE XXXIII.—Quarterly Rainfall at the several stations, with the fall of Snow in each month, and the total precipitation of Rain and Melted Snow expressed in inches during the year 1887..... 188
TABLE XXXIV.—Number of days on which Rain fell in each month, and in the year 1887, at the stations in Table XXXII..... 200
TABLE XXXV.—Quarterly number of days of Rain, with the number of days of Snow during the year 1887..... 212
TABLE XXXVI.—Average depth of Rain in inches in the several Provinces of the Dominion of Canada in each month, and in the year 1887..... 224
TABLE XXXVII.—Differences between the Rainfall in inches during the year 1887, in the several Provinces of the Dominion of Canada, and the average Rainfall derived from 16 or more years..... 225
TABLE XXXVIII.—Quarterly depth of Rain in inches in the Provinces of the Dominion of Canada and the average depth of Snow in each month and in the year 1887..... 226
TABLE XXXIX.—Average number of days of Rain in the several Provinces of the Dominion of Canada in each month and in the year 1887..... 227
TABLE XL.—Quarterly average number of days of Rain in the several Provinces of the Dominion of Canada and the number of days of Snow in each month and in the year 1887..... 228
TABLE XLI.—General Meteorological Register, Sydney, N. S., 1887..... 229
TABLE XLII.—General Meteorological Register, Halifax, N. S., 1887..... 230
TABLE XLIII.—General Meteorological Register, Fredericton, N. B., 1887.. 231
TABLE XLIV.—General Meteorological Register, Montreal, P. Q., 1887.... 232
TABLE XLV.—General Meteorological Register, Ottawa, Ont., 1887..... 233
TABLE XLVI.—General Meteorological Register, Toronto, Ont., 1887..... 234
TABLE XLVII.—General Meteorological Register, Woodstock, Ont., 1887... 236
TABLE XLVIII.—General Meteorological Register, Winnipeg, Man., 1887.. 237
TABLE XLIX.—General Meteorlogical Register, Fort Simpson, B. C., 1887.. 238
TABLE L.—Comparison of the amount of Sky Clouded, Ontario, 1870–1887. 239
TABLE LI.— " " " Quebec, 1870–1887..... 239
TABLE LII.— " " " New Brunswick, 1870–1887.. 240
TABLE LIII.— " " " Nova Scotia, 1870–1887..... 240
TABLE LIV.— " " " P. E. Island, 1872–1887..... 240
TABLE LV.— " " " Manitoba, 1871–1887..... 241
TABLE LVI.— " " " British Columbia, 1872–1887. 241
TABLE LVII.— " " " Newfoundland, 1872–1887.... 242
TABLE LVIII.—Comparison of the mean proportion of bright Sunshine at the different stations in the Dominion of Canada, 1882–1887..... 243

PAGE.

TABLE LIX.—Comparison of the Rainfall in the Province of Ontario in each year, 1869 to 1887 246
TABLE LX.— " " Quebec, 1869–1887 246
TABLE LXI.— " " New Brunswick, 1869–1887 .. 247
TABLE LXII.— " " Nova Scotia, 1869–1887 247
TABLE LXIII.— " " P. E. Island, 1872–1887 248
TABLE LXIV.— " " Manitoba, 1871–1887 248
TABLE LXV.— " " British Columbia, 1873–1887 . 249
TABLE LXVI.— " " Newfoundland, 1872–1887 ... 249
TABLE LXVII.—Comparison of the Quarterly Rainfall and the depth of Snow in each month and year .....Ontario 1869–1887 250
TABLE LXVIII.— " " Quebec, 1869–1887 251
TABLE LXIX.— " " New Brunswick, 1869–1887 252
TABLE LXX.— " " Nova Scotia, 1872–1887 ... 253
TABLE LXXI.— " " P. E. Island, 1872–1887 ... 254
TABLE LXXII.— " " Manitoba, 1871–1887 255
TABLE LXXIII.— " " British Columbia, 1872–1887 256
TABLE LXXIV.— " " Newfoundland, 1871–1887 . 257
TABLE LXXV.—Comparison of the number of days in which rain fell in the Province of Ontario, 1869–1887 258
TABLE LXXVI.— " " Quebec, 1870–1887 258
TABLE LXXVII.— " " New Brunswick, 1870–1887 259
TABLE LXXIII.— " " Nova Scotia, 1870–1887 ... 259
TABLE LXXIX.— " " P. E. Island, 1873–1887 ... 260
TABLE LXXX.— " " Manitoba, 1873–1887 260
TABLE LXXXI.— " " British Columbia, 1875–1887 261
TABLE LXXXII.— " " Newfoundland, 1873–1887 . 261
TABLE LXXXIII.—Comparison of the Quarterly number of days of Rain and the number of days of Snow in each month, and year 1869-1887 inclusive .....Ontario 262
TABLE LXXXIV.— " " Quebec, 1870–1887 263
TABLE LXXXV.— " " New Brunswick, 1870–1887 264
TABLE LXXXVI.— " " Nova Scotia, 1870–1887 ... 265
TABLE LXXXVII.— " " P. E. Island, 1873–1887 ... 266
TABLE LXXXVIII.— " " Manitoba, 1873–1887 267
TABLE LXXXIX.— " " British Columbia, 1875–1887 268
TABLE XC.— " " Newfoundland, 1873–1887 . 269
TABLE XCI TO CII.—Observed Bi-hourly Temperature at Regina, N. W. T., for each month in the year 1887 270
TABLE CIII TO CXIV.—Registered Bi-hourly Temperature at Montreal in 1887 282
TABLE CXV TO CXXVI.—Registered Bi-hourly Temperature at Sydney, N. S., in 1887 294
TABLE CXXVII TO CXXXVIII.—Temperature at the Observatory, Toronto, for each hour, from a Self Registering Photographic instrument, in the year 1887 306

SEVENTEENTH ANNUAL REPORT

OF THE

METEOROLOGICAL SERVICE

OF THE

DOMINION OF CANADA

FOR THE CALENDAR YEAR ENDING 31ST DECEMBER, 1887.

CHARLES CARPMAEL, M.A., F.R.A.S., *Director.*

METEOROLOGICAL OFFICE,
TORONTO, January, 1888.

To the Honorable the Minister of Marine and Fisheries, Ottawa.

SIR,—I have the honour to submit herewith my annual report of the Meteorological Service for the calendar year, 1887, being the seventeenth report on this service.

During the year the following places were added to our list of stations :—

ONTARIO.

Class II—
- Wanstead.....A. E. Wark.
- Alton.....W. J. Dods.
- Charlinch.....C. J. Tisdall (from Class III.)
- Sombra.....W. S. Howell.
- Ingersoll.....Rev. E. C. Saunders, B.D.

Class III—
- Warkworth.....T. W. Carlaw.
- Norwich.....W. J. Stover,

NOVA SCOTIA.

Class II—
- Antigonish.....C. E. Gregory.*

MANITOBA.

Class II—
- Elkhorn.....A. D. Joliffe.

BRITISH COLUMBIA.

Class II—
- Clinton.....M. S. Wade, M.D.
- Kamloops.....E. H. Jones.
- Barkerville.....Hugh Watt, M.D.

NORTH-WEST TERRITORIES.

Class II—
- Banff.....G. MacLeod.

* Since handed over to the Principal, St. Francis Xavier College, Antigonishe.

The following stations ceased to observe for the reason stated against each :—

ONTARIO.

Class I—

Port Dover	Observer deceased.
Granton	Observer ceased on account of old age.
Beeton	Ceased observing.

QUEBEC.

Class II—

Danville	Observer deceased.

LABRADOR.

Class I—

Fort Chimo	Instruments out of order.

It is with much regret that I have to record the deaths of Mr. Henry Morgan, of Port Dover, Ont., who died 30th December, and Mr. C. J. Devey, of Danville, Que., who died 18th December. Both these gentlemen were connected with the Service from its inception and the latter gave his services gratuitously for a period of seventeen years, during which time he regularly furnished this office with Meteorological returns.

I also regret to have to mention to closing of Granton Station, owing to the advanced age of our observer, Mr. James Grant, who, since April, 1873, has had charge of a station of the first class, which involved the taking of observations four times daily. My thanks are due to Mr. Grant for having so long continued this work without remuneration, and for having throughout forwarded reports carefully made out and exceptionally free from errors.

On the 15th December I received a letter from Mr. Alexander Marling, Secretary of the Education Department of the Province of Ontario, informing me that the allowance made to the High Schools under Grammar School Act, 16 Victoria, chapter 186, section 16, would be discontinued after the end of the year, and this was reported to the Department on the same day that the information was received.

The loss of observations from these stations will leave an important blank in the statistical information which has hitherto been collected by this office.

The work performed by the Bureau of Industries of the Province of Ontario, and by the Department of Agriculture of the Province of Manitoba remains in much the same condition as stated in my last report.

To the interest taken in the work by Mr. Blue of the Bureau of Industries of the Province of Ontario and by the Honourable The Minister of Agriculture of the Province of Manitoba, the Service is indebted for much assistance in obtaining such climatological statistics as affect the agricultural interests of the Dominion.

Respecting the stations along the line of the Canadian Pacific Railway; the frequent changes of the officials at these stations seriously militates against what otherwise would be a valuable collection of statistics: but notwithstanding this defect the observations from these stations are of considerable value, in regions where owing to sparse settlement it is difficult to obtain observers other than the station agents. Self registering thermometers have been supplied to some of these stations as also to several stations in Parry Sound and Muskoka Districts.

STORM SIGNAL SERVICE.

Nearly eleven hundred warnings of approaching storms have been issued during the year, and the number of verifications is particularly satisfactory, 972 having been verified out of 1,093 warnings issued, being 88·9 per cent., as shown by Table No. 1.

On the 21st and 22nd of October the severest storm of the fall prevailed throughout the Maritime Provinces, reaching almost to the force of a hurricane in the Gulf of St. Lawrence. The warning of the approach of this storm was given from this office several hours before its arrival, and the signals were up in good time.

A terrific gale swept over the Maritime Provinces on the 28th and 29th of December, which was also felt on the lakes and throughout Eastern Canada, It caused considerable damage to shipping, even in the harbours of St. John and Halifax. All stations at which navigation was open were warned at midnight on the 27th. The storm commenced on the following evening.

The heaviest storms on the lakes occurred on the 3rd and 22nd of October. Both storms were duly warned, but unfortunately the warning for the first of these storms was delayed in transmission; nevertheless, in some cases the warning was received in ample time, and in all cases from six to twelve hours before the storm became severe.

In addition to the force the predictions of the direction from which the winds were expected have been separately examined, with the following results :—

Out of 972 predictions of directions, when the force was as expected, 79·1 per cent. have been fully verified, and 93·2 per cent. fully or partly verified.

TABLE No. 1.

The following table shows the total number of storm warnings issued, and the percentage verified :—

Year.	No. Issued.	No. Verified.	Percentage Verified.
1877	743	510	68·6
1878	860	673	78·3
1879	712	591	83·0
1880	889	736	82·3
1881	854	727	85·1
1882	841	658	78·2
1883	1,085	858	79·1
1884	798	663	83·2
1885	830	741	89·3
1886	906	799	88·2
1887	1,093	972	88·9

Probability Service.

Forecasts of the weather have been issued continuously during the year, and published in the newspapers in the Provinces for which predictions are issued, in addition to being posted at the telegraph offices.

Frequent demands have been made by Manitoba and the North-West Territories for weather probabilities, and I have repeatedly urged the necessity of giving these places the advantage of being kept informed of approaching changes in the weather.

The importance of having forecasts of alterations of temperature in these parts of the Dominion cannot be over-estimated, but it is impossible to supply anything like reliable information unless sufficient funds are appropriated for this service.

The weather signals carried on the railway cars for the benefit of the farming community have been regularly issued and duly appreciated, not only by those for whose benefit they are especially issued, but by the general public as well, and the thanks of the people are due to the several executive heads of the railway companies, whose hearty co-operation and prompt attention to irregularities, when reported, has been the means of perfecting this convenient mode of disseminating indications of weather. The year 1887 has been no exception to the preceding years regarding the demand for special predictions. These enquiries come from all over the Dominion, and from persons engaged in all kinds of pursuits.

Request was made by leading citizens of Montreal to have the weather probabilities posted in numerous and conspicuous places there, and owing to the courteous assistance of Mr. H. P. Dwight, general manager of the Great North Western Telegraph Company, I have been enabled to respond to this request, though not to such an extent as I should wish, by having bulletins of the weather placed outside all the telegraph offices, and also hung up at the post office.

Some of the Montreal newspapers have also asked for and received special weather forecasts.

Letters have been received from some of those for whom special predictions have been made, expressing their thanks and referring to the value of the predictions, whilst others have shown their appreciation of them by applying again and again whenever they had special reason for desiring to know what the weather was to be.

The following is an extract from a letter of Mr. John Kennedy, Chief Engineer of the Harbour Commissioners of Montreal, and refers to a special prediction:—

"Many thanks for the information already supplied; your last prediction enabled me to start a tug and troublesome tow from Quebec yesterday with a feeling of safety, and this is an instance of the practical value of such information." *

I may quote also a letter from Mr. J. Gairdner, our storm signal agent at Bayfield, dated 29th December, 1887, referring to the ordinary daily predictions:—

"The fishermen of this place were greatly benefitted by your weather bulletins these few weeks past. This is the first time they have tried the fishing so late in the season. They set their nets by the bulletins and have not lost one."

Predictions of snow storms have also been issued for the use of the railway companies, and latterly forecasts of thaws have been asked for and given.

In previous reports attention has been called to the necessity which exists for establishing a telegraph station at Tobermory.

Appended is a table (N° 11) showing the number of predictions and percentage of fulfilment in each district in each month of the year, of the ordinary daily probabilities, which is very satisfactory.

* This was concluding a letter asking for further forecasts of weather.

TABLE II.

Number of Predictions and Percentage of Fulfilment in each District, in each Month, and in the whole Year.

Month.	Lower Lake Region.						Upper St. Lawrence.						Lower St. Lawrence.					
	Number issued.	Verified.					Number issued.	Verified.					Number issued.	Verified.				
		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly
January	150	116	22	12	77·3	92·0	131	93	24	14	71·0	89·3	122	93	17	12	76·2	90·2
February	122	98	18	6	80·3	95·1	113	95	14	4	84·1	96·4	109	91	11	7	83·5	93·6
March	120	79	22	19	65·8	84·2	112	79	15	18	70·5	83·9	118	93	11	14	78·8	88·1
April	130	102	19	9	78·5	93·1	114	83	23	8	72·8	93·0	100	74	16	10	74·0	90·0
May	116	101	10	5	87·1	95·7	109	98	8	3	89·9	97·2	106	82	8	16	77·4	84·9
June	112	98	10	4	87·5	96·4	110	86	11	13	78·2	88·2	106	81	13	12	76·4	88·7
July	121	108	8	5	88·1	95·9	116	95	13	8	81·9	93·1	104	79	14	11	76·0	89·4
August	102	90	6	6	88·2	94·1	97	87	7	3	89·7	96·9	92	77	6	9	83·7	96·2
September	99	72	13	14	72·7	85·9	95	74	12	9	77·9	90·5	90	78	7	5	86·7	94·4
October	117	96	15	6	82·1	94·9	105	85	15	5	81·0	95·2	97	77	11	6	79·4	90·7
November	103	80	17	6	77·7	94·2	105	88	13	4	83·8	96·2	101	81	11	6	83·2	94·1
December	116	95	14	7	81·0	94·0	106	73	18	15	68·9	85·8	104	70	17	17	67·3	83·6
For Year	1408	1135	174	99	80·6	93·0	1313	1036	173	104	78·9	92·1	1249	979	142	128	78·4	89·8

TABLE II.—*Concluded.*

NUMBER of Predictions and Percentage of Fulfilment in each District, in each Month, and in the whole Year.

MONTH.	GULF.						MARITIME.						TOTAL.					
	Number issued.	Verified.					Number issued.	Verified.					Number issued.	Verified.				
		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly
January	122	89	16	17	73·0	86·1	134	89	24	21	66·4	84·3	659	480	103	76	72·8	88·5
February	115	84	19	12	73·0	89·6	118	96	18	4	81·4	96·6	577	454	80	33	80·4	94·1
March	115	82	15	18	71·3	84·3	123	90	15	18	73·2	85·4	588	423	78	87	71·9	85·2
April	108	73	20	15	67·6	86·1	109	75	21	13	68·8	88·1	561	407	99	55	72·5	90·2
May	105	83	17	5	79·0	95·2	104	83	13	8	79·8	92·3	540	447	56	37	82·8	93·1
June	109	80	20	9	73·4	91·7	106	80	16	10	75·5	90·6	543	425	70	48	78·3	91·2
July	105	79	17	9	75·2	91·4	111	92	15	4	82·9	96·4	557	453	67	37	81·3	93·4
August	92	70	15	7	76·1	92·4	92	74	12	6	80·4	91·3	475	398	46	31	83·8	93·3
September	90	68	16	6	75·6	93·3	86	72	8	6	83·7	93·0	460	364	56	40	79·1	91·3
October	97	81	10	6	83·5	93·8	95	75	14	6	78·9	93·7	511	414	65	32	81·0	93·7
November	99	80	11	8	80·8	91·9	104	89	8	7	85·6	93·3	512	421	60	31	82·2	93·9
December	97	71	11	15	73·2	84·5	104	80	14	10	76·9	90·4	527	389	74	64	73·8	87·9
For Year	1254	940	187	127	75·0	82·9	1286	995	178	113	77·4	91·2	6510	5085	854	571	78·1	91·2

Telegraph Signal Service.

I have again to request the attention of the Minister of Marine and Fisheries to the desirability of establishing telegraph stations in British Columbia. Telegraph stations in that Province would render much assistance to this service. Additional stations will have also to be added if probabilities are to be issued for the Province of Manitoba, and for portions of the North-West Territory.

Central Office.

It is with regret that I have to report the death of Mr. Thomas Menzies, who departed this life on the 12th May. Mr. Menzies was the senior observer in the service, having been one of the original members of the staff of the Observatory when it was founded here by Lieut. Riddell, R.A., in the year 1840, and he continued on active duty until a few weeks before his death, having devoted nearly half a century of his life to this service, and having rendered material assistance to it, especially in its early existence, not only by his observations, but by his mechanical skill, in which he excelled.

His position was filled by order of the Minister of Marine and Fisheries, by his son Mr. William Menzies, who had previously been employed on the supernumerary staff for about thirteen years.

Lieut. Gordon, Deputy Superintendent, has been engaged entirely outside this service during the past year.

I cannot conclude my remarks under this head without again inviting the attention of the Honourable the Minister of Marine and Fisheries to the fact that my staff still remains outside the benefits of the Superannuation Act, and that they are, as far as I know, the only large governmental staff to which this privilege is denied.

I would recommend that the salaries of the staff be increased by yearly increments until a fixed maximum is reached, instead of the present method of granting an increase by special application, a most unsatisfactory plan, which does not in my opinion work well, and which has been abandoned by the Royal Society in England in paying the salaries of the staff of the Meteorological office in London, a system of yearly increases being substituded for that previously in vogue.

The members of my staff perform their duties with diligence, zeal and ability, and are entitled to every consideration at the hands of the Government.

Time Service.

The method of performing this work, together with a table showing the discordances at the different Observatories, will be found in my report on the Magnetic Observatory.

The report on the St. John Observatory forms Appendix A.

The report on the Quebec Observatory forms Appendix B.

The report on the McGill College Observatory, Montreal, is attached herewith.

Chief Signal Office, United States Army.

I regret to have to mention another death, that of Major General William B. Hazen, Chief Signal Officer of the Army of the United States, who died on the 16th January at Washington, after having held the position of Chief Signal Officer for about six years.

I cannot pass over the death of my illustrious colleague withou bearing tribute to his courteous consideration, on all occasions, of this service, and to his earnest zeal and ability in furthering the interests of science. He is succeeded in office by Brigadier General A. W. Greely, rendered famous as the commander of the late United States Polar Expedition. It was to succour this expedition that Her Majesty's Government fitted out the "Alert," since handed over to the Dominion

Government, which vessel, under the command of Lieut. Gordon, was employed in the last two Hudson Bay expeditions.

Brigadier General A. W. Greely has, since his appointment, furnished this office with all such reports as I have had occasion to ask for, and our thanks are due to him for his endeavours to prevent such changes as have been found necessary in the United States Signal Service from giving unnecessary annoyance or trouble in this office, in connection with the interchange of telegraphic reports.

Volunteer Observers.

The service is much indebted to this class of observers, who, in the interest of their country and of science, devote their time gratuitously to this work. Many offers have been received from persons in all walks of life (including several members of the medical profession), to take meteorological observations in connection with this service, but owing to the limited amount that can be expended in the purchase of instruments, many of these volunteer offers had to be refused, and much useful information thus lost.

Great North-Western Telegraph Company.

The company has conducted the work in its usual efficient manner during the year, and the thanks of the service are due to the officers of the company, who have succeeded in making the work of this branch of the service so perfect.

Publications.

A review of the weather is published monthly, giving a general *résumé* of the weather, with tables of atmospheric pressure, temperature, precipitation and other meteorological data, received from our stations throughout the Dominion, and also an analysis of the results of the daily weather forecasts, and of the storm warnings. To it is each month appended an account of the changes which have taken place in the magnetic elements. About 800 copies of this review are distributed every month. An annual report of the Meteorological Service is also published, but it is to be regretted that it is several years behind.

Library.

There are two libraries, one for the Meteorological Service and one for the Magnetic Observatory, as the two services are distinct and supported by separate grants of Parliament. The number of volumes comprising the Meteorological Library is 1,722 and the number in the Magnetic Observatory 762 ; total, 2,484. This number appears to be small, but when it is taken into consideration that the works are nearly all on the same subject, namely, that of meteorology, the apparent paucity of numbers is accounted for.

These libraries have been formed almost entirely by donations and exchanges, as owing to lack of funds the purchase of books has been nearly *nil*, and much needed and valuable works that should have a place in the library, have had to be dispensed with.

New catalogues have been made out for ready reference, the volumes rearranged and those needing it have been bound, and much care and attention has been given to the library work lately, which has occupied a not inconsiderable portion of the time of one of the staff.

Inspection of Stations.

Forty-five meteorological and telegraph stations have been inspected during the year by the inspectors of the Service, as follows :—By Inspector Payne, in the

Maritime Provinces: Point du Chene, Dorchester, Sackville, Pictou, New Glasgow, Point Hastings, Antigonish, Halifax, Yarmouth, Digby, St. John, Point Lepreaux, St. Andrews, Woodstock, Grand Falls, Parker's Ridge, Chatham and Bathurst.

By Inspector Stupart, in Ontario: Sudbury, Cartier, Heron Bay, Schreiber, Nepigon, Fort William, Kaministiqua, Dexter, Ignace, Whitemouth, Hawk Lake, Eagle River, Savanne, White River, Missinabie, Chaplin, Biscotasing, North Bay, Port Arthur, Rockliffe; and in Manitoba, Winnipeg.

By Inspector Webber, in Ontario: Parry Sound, Bala, Sprucedale, Burk's Falls, Lynch Lake and Gravenhurst.

These form but a small number of the stations that should be visited. Stations of the first class should be inspected annually, and all stations biennially. Inspection is an absolute necessity to insure efficiency. The accuracy of the instruments at the various stations depends on comparison made by inspecting officers, who are provided with standards for that purpose. This applies more especially to instruments at telegraph stations, for if these are not verified from time to time, errors are likely to occur, which, at a critical time, may so mislead the officers making weather predictions as to seriously affect the public.

It is the duty of the inspecting officer also to instruct the observers in the performance of their work. Although each observer is supplied with a book of instructions, still there are many points that can best, perhaps, only be demonstrated practically.

If the instruments at stations were perfectly correct, and the various observers thoroughly conversant in their duties, a vast amount of labor would be saved in correspondence and in making corrections in the office records at the central office.

All of which is respectfully submitted.

CHARLES CARPMAEL, *Director.*

APPENDIX "A."

REPORT ON THE ST. JOHN OBSERVATORY.

St. John Observatory, 31st December, 1887.

Sir,—I have the honour to submit my annual report for the year ending 31st December, 1887.

The meteorological work at this Observatory has been regularly attended to. Readings of the different instruments have been made and recorded as formerly, viz., 3:44, 7:36, 14:44 a.m.; 3:44, 7:44 11:44 p.m., local time.

During the year the meteorological instruments and apparatus were inspected by Mr. Payne of the Toronto Observatory and comparisons made with the standard instruments.

Ship masters keeping a meteorological record have called at the Observatory to have their instruments compared and in every case have received careful attention.

The time service has received careful attention. Observations of the standard stars are made with the transit telescope for the determination of clock errors and rates. It being impossible to have the sidereal clock in transit room, observations are timed with the mean time chronometer, which is also used for giving the daily time signal to the shipping by dropping time ball at 1 p.m., local time. Comparisons are made with the mean time and sidereal clocks before and after observing. Daily comparisons are also made before dropping the time ball and from these comparisons the chronometer error is computed.

The storm signals when ordered up from Toronto have been promptly displayed at the Signal Station.

I have the honour to be, Sir,
Your obedient servant,
GEORGE HUTCHISON, *Director.*

APPENDIX "B."

REPORT OF THE QUEBEC OBSERVATORY.

Quebec Observatory, Quebec, 5th January, 1888.

To the Director
Meteorological Office, Toronto.

Sir—In accordance with your request, I have to report that the duties at this Observatory have continued as in the past, with a slight increase in the extent, not the nature of the duties themselves, in connection with the meteorological part of the service.

In other respects there has been no change, unless it be in an increasing accuracy in the "time service," a very important step in which direction might be attained by the adoption of the electric light as the time giving signal in the place of the present means in those situations where its adoption might not be attended with too large an expense.

I have the honour to be, Sir,
Your obedient servant,
W. A. ASHE,
Director.

APPENDIX "C."

REPORT ON THE McGILL COLLEGE OBSERVATORY, MONTREAL, FOR THE YEAR ENDING 31st DECEMBER, 1887.

To the Honourable
The Minister of Marine,
Ottawa.

Montreal, 3rd January, 1888.

Sir,—I have the honour to present the report on this Observatory for the year now closed, being my fourteenth annual report.

Meteorological Observations.—The regular meteorological Observations, as specified in my report for last year, have been carried forward without interruption. The results have been published in the Montreal *Gazette* and have also been distributed by private circulation among institutions and persons interested. A summary for the year is appended hereto. The instruments employed are those enumerated last year, and their exposure has not been changed in any way.

Time Service.—Complete sets of Observations for the determination of clock errors were made on 121 nights, in the manner detailed in my report for 1884. During the season of navigation the time-ball for the use of shipping was dropped at noon of the 75th meridian. I have pleasure in reporting that since certain changes were made in the arrangement of the dropping mechanism last spring there has not been a single failure in dropping the ball. Time signals have also been distributed over the city and country in the manner described in former reports. Exchanges of clock signals with the Toronto Observatory have been made on twenty-four nights, during the year. After correcting for known errors and for personal equation, the average of the differences obtained between the mean time clocks of the two Observatories is $0{\cdot}24^s$ and the greatest difference on any one night $0{\cdot}53^s$. The result of the year's comparisons shows that the probable error of the time as given by one Observatory, at any time, as compared with that given by the other is 0.18^s. The exchanges on ten nights were found to be favorable to the measurement of wave-time, and give a mean result of $0{\cdot}92^s \pm 0{\cdot}002^s$ for the distance between the two Observatories, about 335 miles.

Personal Equation.—In connection with the investigation of personal equation, referred to in my report for last year, observations have been made by Mr. E. H. Hamilton and myself on 21 stars between the equator and N. 87°, and on 7 stars between N. 93° and N. 103°. A set of ten transits of each star was obtained, and two such sets were generally observed in an evening. All the work has been reduced, but the data thus collected are not sufficient to permit any statement of results.

Solar Photography.—Some fairly good photographs of the sun have been obtained, but on the completion of certain changes which are being made in the photoheliograph, and by employing slower plates than those hitherto used, much better results will be obtained. It has been decided to produce only four-inch photographs, as that diameter is best suited to the objects in view.

Soil Temperatures.—Preparations have been in progress for some time and are now nearly completed, for a series of observations—to be made at this observatory—on the temperature of the soil at various depths. The cost of the necessary apparatus and fitting has been met by a grant of $200, made by the committee of the "Elizabeth Thompson Fund" to the Montreal Natural History Society, for the purpose of investigating soil temperatures at Montreal. It is proper to state that this fund was established by Mrs. Elizabet Thompson, of Stanford, Connecticut, U.S.A., "for the advancement and prosecution of scientific research, in its broadest sense." Professor Penhallow, B. Sc., respecting the Natural History Society, is associated with me in this work.

I have pleasure in reporting the appointment of Mr. E. H. Hamilton, B.A. Sc., by the University, as assistant in the Observatory.

Respectfully submitted,

C. H. McLEOD,

Superintendent, McGill College Observatory.

SUMMARY ABSTRACT

Observations made at McGill College Observatory, Montreal, Canada.—Height

Month.	Thermometer.					*Barometer.				†Mean pressure of vapor.	‡Mean relative humidity.	Mean dew point.
	Mean.	¶Deviation from 13 year means.	Maximum.	Minimum.	Mean daily range.	Mean.	Maximum.	Minimum.	Mean daily range.			
January	6·78	— 4·67	40·2	—25·9	20·4	29·9795	30·635	29·215	·377	·0620	85·6	3·3
February	13·97	— 1·84	45·3	—11·1	17·5	30·1622	31·006	29·079	·480	·0789	82·0	9·2
March	19·55	— 3·79	41·8	—11·9	14·8	29·9068	30·962	29·188	·259	·0920	77·8	13·6
April	35·46	— 4·04	56·4	8·0	15·4	29·9714	30·616	29·195	·246	·1465	67·5	25·3
May	61·06	+ 6·35	85·5	40·1	20·5	29·9981	30·351	29·554	·114	·3147	57·9	44·5
June	66·25	+ 1·77	86·7	50·3	71·1	29·9512	30·342	29·650	·155	·4523	70·2	55·5
July	73·48	+ 4·29	90·4	56·3	17·3	29·9130	30·169	29·502	·131	·5676	69·3	62·1
August	65·94	— 1·55	87·9	49·6	17·7	29·9277	30·342	29·653	·135	·4235	66·0	53·3
September	56·38	— 2·31	79·8	38·2	17·0	30·0105	30·447	29·266	·210	·3135	67·5	45·2
October	43·30	— 2·50	63·0	21·5	13·3	29·9652	30·617	29·373	·226	·2183	73·0	34·8
November	30·09	— 1·73	56·5	— 0·5	13·1	30·0137	31·058	29·311	·285	·1327	76·2	23·0
December	16·84	— 1·54	40·3	—12·2	10·6	30·1282	31·133	29·301	·262	·0919	83·7	12·6
Sums for 1887	....	....	....	....	....	....	....	....	....	....	....	....
Means for 1887	40·76	— 0·96	....	....	16·2	29·9938	....	....	·240	·2412	73·1	31·9
Means for 13 years ending Dec. 31st, 1887	41·72	....	....	....	....	29·9750	....	....	....	·2502	74·3	

*Barometer readings reduced to 32° Fahr., and to sea level. †Inches of mercury. ‡Saturation 100. §For 6 years years, inclusive of 1887. The monthly means are derived from readings taken every 4th hour, beginning with the ground, and 810 feet above sea level.

The greatest heat was 90·4 on July 4th; greatest cold 25·9 below zero on January 9th; extreme range of temwas 2·1 on November 15th. The warmest day was July 4th, when the mean temperature was 79·38. The coldest day December 1st, the lowest was 29·079 on February 27th, giving a range of 2·054 for the year. The lowest relative the greatest velocity in gusts was at the rate of 80 m. p. h on October 24th. The total mileage of wind was 136,061. observed on 29 nights. Fogs on 30 days. Hoar frost on 13 days. Thunder storms on 10 days, and lightning without on July 6th. Hail fell on 7 days. The sleighing of the winter closed, in the city, on April 14th. The first appreciable

The barometer reading, 31·133, is the highest recorded here during the 13 years over which the present series the greatest recorded for these months, and that for July is the highest monthly mean on the records. The mean and the snowfall only exceeded in quantity by that of 1885. The total precipitation is very nearly normal.

FOR THE YEAR 1887.

above sea level, 187 feet. Latitude N. 45° 30′ 17″. Longitude 4h. 54m. 18·54s. W.

C. H. McLEOD, *Superintendent.*

Wind.		Sky clouded, per cent.	Per cent. possible bright sunshine.	Inches of rain.	Number of days on which rain fell.	Inches of snow.	Number of days on which snow fell.	Inches of rain and snow melted.	Number of days on which rain *and* snow fell.	Number of days on which rain *or* snow fell.	Month.
Resultant direction.	Mean velocity in miles per hour.										
°											
S. 43 W.	18·37	66	29·1	1·41	7	50·1	21	6·08	4	24	January.
S. 67 W.	20·87	63	40·6	0·79	2	34·1	16	4·57	2	16	February.
S. 62 W.	18·18	58	48·4	0·11	4	31·1	15	3·33	2	17	March.
S. 79 W.	18·18	53	58·3	3·02	11	Inapp.	1	3·02	....	12	April.
S. 83 W.	14·62	59	66·1	1·26	6	....	....	1·26	....	6	May.
S. 51 W.	12·73	56	58·1	2·41	12	....	....	2·44	....	12	June.
S. 60 W.	12·35	54	62·5	2·66	16	....	....	2·66	....	16	July.
S. 80 W.	12·36	58	66·8	1·72	9	....	....	1·72	....	9	August.
S. 66 W.	13·89	70	49·5	1·32	12	....	....	1·32	....	12	September.
S. 58 W.	14·10	70	35·1	2·93	15	3·1	5	3·24	2	18	October.
S. 75 W.	16·26	73	33·3	1·76	9	25·9	14	4·54	6	17	November.
N. 80 W.	15·06	67	25·0	1·93	6	24·9	13	5·08	1	18	December.
....	....	....	....	21·35	109	169·2	85	39·26	17	177	Sums for 1887.
S. 67° W.	....	62·2	47·7	....	....	....	....	....	....	....	Means for 1887.
....	....	61·0	§46·7	26·90	131	125·3	85	39·44	16·4	200	Means for 13 years ending December 31, 1888.

only. ¶ "+" indicates that the temperature has been *higher*; "—" that it has been *lower* than the average for 13
3h. 0m. Eastern Standard time. The anemometer and wind vane are on the summit of Mount Royal, 57 feet above

perature was therefore 116·3. Greatest range of the thermometer in one day was 41·5 on January 20th; least range
was January 9th, when the mean temperature was 16·1 below zero. The highest barometer reading was 31·133 on
humidity was 11, on May 11th. The greatest mileage of wind recorded in one hour was 66 on February 11th, and
The resultant direction of the wind for the year was S. 67° W., and the resultant mileage 57,600. Auroras were
thunder on one day. Lunar halos on 14 nights. Lunar coronas on 6 nights. Parhelia on 2 days. Lunar rainbow
snowfall of the autumn was on October 23rd. The first sleighing of the winter was on November 11th.
of observations extend. The humidity, 11, is the lowest recorded. The mean temperature for May and July are
temperature of April is the lowest record for that month. The rainfall is the least for any one year in the past 13,

APPENDIX "D."

REPORT OF THE MAGNETIC OBSERVATORY.

Magnetic Observatory, Toronto, January, 1888.

The Honourable
The Minister of Marine and Fisheries,
Ottawa.

Sir,—I have the honour to submit herewith my annual report for the year 1887.

Observations for the re-determination of the latitude of the Observatory have been continued during the early part of the year, principally by transits in the prime vertical of E Aurigae, a star which culminates only a few seconds south of the zenith of the transit pier. The result of these, as well as numerous observations of other stars, seem to confirm the conclusion arrived at from the observations taken during the previous year and a combination of the various results of the two years would give a resultant latitude some ten seconds greater than that which has been in use.

During the year, seven solar transits and observations of stars in the meridian for time on 96 days were taken at the Toronto Observatory, in which 352 stars have been observed. The positions of the stars as given in the "Berliner Yahrbuch" have, as formerly, been used in the reductions.

Numerous determinations of the collimation error of the transit instrument have been made, chiefly by micrometrical measurements on the cross wires in the collimating telescope.

The meteorological and magnetic work has been continued as in previous years, and the preparation of the tabular matter for the report of the work during the year July, 1882, to July, 1883, has been continued, but owing to the insufficiency of the staff it is not yet completed.

The death of T. Menzies, observer, and the appointment of his son, William Menzies, to succeed him has been noticed in my report of the Meteorological Service.

Time Service.

The exchanges of time between the observatories at Montreal, Quebec, St. John and the Toronto Observatory have been carried on throughout the year at intervals of about a fortnight, the comparison being registered on the chronograph.

The errors of the clock at Toronto and the different time-pieces used by the observers are computed from the latest observations.

The examination of the clock and chronometer comparisons and observations sent in from the observatories at Quebec and St. John has been performed.

The following table shows the differences between the time as determined at Toronto and the time as given by the various exchanges. The sign + indicates that the time at stations is faster than at Toronto :—

1887.	Montreal.	Quebec.	St. John, N.B.
	Secs.	Secs.	Secs.
January 7	+ 0·89	.....	— 0·19
do 12	+ 0·55	+ 1·32	+ 1·44
do 21	+ 0·28	.....	— 0·19
February 2	— 0·19	.....	+ 1·11
do 17	+ 0·71	+ 2·26	+ 0·28
do 28	+ 0·69	+ 1·82	+ 1·51
March 16	+ 0·39	+ 3·12	.....
do 29	+ 0·46	.....	— 0·32
April 15	— 0·65	+ 1·28	+ 0·55
do 28	+ 0·56	+ 1·45	+ 3·15
May 17	+ 0·61	.....	.....
do 20	.....	+ 0·17	+ 1·32
do 31	.....	— 0·73	+ 1·95
June 15	+ 0·06	— 0·57	+ 1·58
do 29	+ 0·10	— 0·06	.....
July 12	.....	.....	— 0·26
do 28	+ 0·54	+ 0·09	+ 1·51
August 10	— 0·53	+ 1·03	— 5·85
do 25	— 0·18	— 0·61	+ 5·43
Septemb'r 12	— 0·02	+ 0·12	.....
do 22	+ 0·17	+ 0·31	— 0·08
October 12	+ 0·10	+ 0·40	.....
do 27	+ 0·19	+ 1·05	— 1·93
November 9	+ 0·52	.....	— 0·56
do 21	+ 0·77	— 1·70	+ 2·20
December 8	+ 0·16	.....	— 2·26
do 22	+ 0·48	+ 0·16	— 0·60

All of which is respectfully submitted.

CHARLES CARPMAEL, *Director.*

APPENDIX "E."

REPORT OF THE KINGSTON OBSERVATORY.

KINGSTON, 16th December, 1887.

SIR,—I have the honor to submit, for the information of the Minister of Marine and Fisheries, the following report of the Kingston Observatory :—

The projected alterations in the foundation of the transit piers mentioned in last report have been carried out, and the supports of the instrument are now in point of stability all that can be desired, the indications of the level showing scarcely any variation from day to day, summer or winter. The ground also on which the Observatory is built has been thoroughly drained, and the dome and the slits in the transit room have had a double coat of paint.

The sidereal clock formerly used has been replaced by one made by Fauth & Co., Washington, with gravity escapement and mercurial compensation pendulum. It has now been tested for more than a year, and I am happy to say that on examining the published reports of the rate of going of the clocks in the most celebrated observatories, its performance does not appear to be inferior to any. It gives me great satisfaction. Another very valuable addition to the timekeepers is a new mean time clock with similar escapement and compensation, which has been constructed and presented to the Observatory by Professor Dupuis, of Queen's University. Its daily rate of error is very small and remarkably steady.

Daily observations for time, as well as other observations, have been constantly made since last report.

I am, Sir, your most obedient servant,

JAS. WILLIAMSON,

Director Kingston Observatory.

WILLIAM SMITH, Esq.,
Deputy Minister of Marine,
Ottawa.

List of Publications presented to the Meteorological Service and Magnetic Observatory Libraries during the year 1887.

Title of Publication.	By whom Presented.
ENGLAND.	
Daily Weather Reports, December 18th, 1886, to December, 17th, 1887	R. H. Scott, London.
Weekly Weather Report, November 15th, 1886, to November 14th, 1887	do do
Monthly Weather Report, July to December, 1886	do do
Quarterly Weather Report, Parts I to IV, 1878	do do
Meteorological Observations at Stations of the second order for 1882	do do
Hourly Readings of self-Recording Instruments, 1883, Part IV; 1884, Parts I to IV; 1885, Part II	do do
Working of the Harmonic Analyser at the Meteorological Office, London, (2 copies)	do do
Report of the Third Meeting of the International Meteorological Committee, held at Paris, September, 1885	do do
Report of the Meteorological Council to the Royal Society	do do
Quarterly Journal of the Royal Meteorological Society, Vol. XII, Nos. 61, 62, 63, 64	Royal Meteorological Society, London.
The Meteorological Record, Vol. VII, Nos. 25, 26 and 27	do do do do
Report of the Committee appointed by the British Government to superintend and co-operate with an Expedition for the Observation of the Transit of Venus (2 copies)	Lords of the Treasury, London.
Report of the British Association for the Advancement of Science, 1886	British Association, London.
Hints to Meteorological Observers, with Instructions for taking Observations and Tables for their reduction	Wm. Marriott, F. R. Met. Soc., London.
Report of the Astronomer Royal to the Board of Visitors of the Royal Observatory, 1886	W. H. M. Christie, Greenwich.
Address delivered at the Annual General Meeting of the Royal Meteorological Society, January 19th, 1887	Wm. Ellis, F. R. A. S., Greenwich.
Analyses of Forty Years, Consecutive Observations of Storms in the County of Sussex	C. L. Prince, F. R. A. S., Crowborough.
Results of Meteorological and Magnetical Observations taken at Stonyhurst College Observatory, 1886	Rev. S. J. Perry, Whatley.
The Summary of a Meteorological Journal kept at Crowborough Observatory	C. L. Prince, Crowborough.
Results of Meteorological Observations made at the Radcliffe Observatory in the year 1888	E. J. Stone, M. A., F. R. S., Oxford.
Journal of Liverpool Astronomical Society. Vol. V, Part VII	The Society, Liverpool.
Meteorological Observations for the year 1886	C. E. Peek, F. R. A. S., Lyme Regis.
SCOTLAND.	
Journal of the Scottish Meteorological Society, Vol. VIII; Third series, No. IV	A. Buchan, F. R. M. S., Edinburgh.
NORWAY.	
Det Koniglige Norske Videnskabers Selskabs Skrifter, 1883 and 1885	The Director, Trondhjem.
Die Internationale Polarsforschung, 1882, 1883, Beobachtungs Ergebnisse der Norwegischen Polarstation Bossekop in Alten	Prof. H. Mohn, Christiania.
The North Atlantic Expedition. The Northern Ocean, its depths, temperatures and circulation	do do
Den Norske Nordhans Expedition, 1876-78, XVII, Zoologi Aliyonida ved D. C. Danielson	do do
SWEDEN.	
Bulletin Mensuel de l'Observatoire Météorologique de l'Université d'Upsal, Vol. XVIII, Anné, 1886	Dr. H. H. Hilderbrandson, Upsala.
DENMARK.	
Météorologisk Aarbog, 1884, deuxieme partie, 1884, Premiere et troisieme partie, 1885	Director of the Danish Meteorological Institute, Copenhagen.
Bulletin Météorologique du Nord, November, 1886 to October, 1887	do do
NETHERLANDS.	
Les Perturbations Atmospheriques etudiées au Moyen d'Observations Horaires, par A. E. A. Schokker	Meteorological Institute, Utrecht.
Nederlandsch Meteorologisck voor 1878 à 1886	do do
Catalogue de la Bibliothèque troisième, quatrième, cinquième et sixième livraison	Musée Teyler, Haarlem.
Archives du Musée Teyler, Série II, Vol. II, Quatrième partie, Série II, Vol. III, Première partie	do do

List of Publications.—*Continued.*

Title of Publication.	By Whom Presented.
FRANCE.	
Projet de Tables Internationales publies Conformément à une Decision du Congrès de Rome	Mons. E. Mascart, Paris.
Rapport du Comité Météorologique International Reunion de Paris, 1884	do do
Annales du Bureau Central Météorologique de France. Partie I, II, III et IV, 1884	do do
Observations Magnetiques faites à l'Observatoire du Parc Saint-Maur. Pendant l'année, 1885	Mons. Th. Moreaux, Paris.
GERMANY.	
International Polarforschung, 1882-83, die Beobachtungs ergebnisse der Deutschen Stationen Band I. Kingua Fjord und die Meteorologischen Stationen II, ordnung in Labrador	Dr. Neumayer und Prof. Dr. Borgen, Hamburg.
International Polarforschung, 1882-1883, die Beobachtungs ergebnisse der Deutschen Stationen Band II. Sud-Georgian und das Magnetische Observatoriums der Kaiserlichen Marine in Wilhelmshaven	do do
Meteorologische Beobachtungen in Deutschland, 1884	Dr. Neumayer, Hamburg.
Monatsbericht der Deutschen Seewarte, August, 1886, to July, 1887	do do
Monatsbericht der Deutschen Seewarte fur jeden Monat des Jahres, 1886	do do
Die Ergebnisse der Wetterprognosen im Jahre, 1886	do do
Viertiljahro-Wetter-Rundschau an der Hand der taglichen synoptischen Wetterkarten fur den Nordatlantischen Ocean Herbst, 1883, Jahrgang I, Heft I (mit 9 Karten)	do do
Uber die Abweichung vom Tagesmittel welche die Deklination und die Horizontal-Intensitat zu verschiedenen Tageszeiten aufweisen und uber die jahrliche Periode derselben	Prof. E. Schering, Gottingen.
Beobachtungen in Ganss Erdmagnetischen Observatorium der Koniglichen Universitat Gottingen Wahrend der Pola Expedition, 1882 und 1883	do do
Statistische Correspondenz December, 1886, to November, 1887	Prof. E. Blenck. Berlin.
Die Erdstrom-Beobachtungen auf der Deutschen Polar-station zu King-ua-Fjord	Dr. G. Kirchhoff, Berlin.
Ergebnisse der Meteorologischen Beobachtungen im Jahre, 1885	Wilhelm von Bezold, Berlin.
Beobachtungs Ergebnisse de von den forstlischen Meteorologischen Station, July, 1886, to June, 1887	Dr. A. Muttrich, Eberswalde.
Jahresbericht uber die Beobachtungs Ergebnisse der von dem forstlichen Versuchsanstalten des Konegreichs Preussen	do do
Jahres-Bericht des Centralbureaus fur Meteorologie und Hydrographie im Grossherzogthum, Baden, 1886	The Director, Karlsruhe.
Jahrbuch des Konigl: Sachs; Meteorologischen Institutes, 1885	Paul Schrieber, Chemnitz.
Resultate der Meteorolog; Beobachtungen Angestellt auf der Sternwarte Leipzig im Jahre, 1884, 1885	do do
Meittheilungen der K. Wurttemb: Meteorologischen Central-station aus den Fahren, 1885 und 1886	Prof. Dr. V. Zech, Stuttgart.
Observations Météorologiques faites à Metz pendant l'Anné, 1883	Prof. M. Schuster, Metz.
AUSTRIA.	
Meteorologische und Magnetische Beobachtungen Pola, November, 1886, to October, 1887	K. K. Kriegsmarine, Pola.
Beobachtungen dir Meteorologischen Stationen im Konigreich Bayern, 1886	Dr. Carl Lang, Munich.
Beobachtungen der Meteorologischen Station, Bayern, Jahrgang, VIII., Heft 3, 4; Jahrgang, IX., Heft 1 and 2	do do
Übersicht uber die Witterungsberhaltnisse, Bayern, November, 1886, to October, 1887	do do
Jahrbucher der K. K. Central Anstalt fur Meteorologie und Erdmagnetismus, Jahrgang, 1885	Dr. J. Hann, Vienna.
Magnetische und Meteorologische Beobachtungen an der K. K. Sternwarte zu Prag, in Jahre, 1886	Prof. Dr. L. Weinek, Prag.
Jahrbucher der Konig: ung Central-Anstalt fur Meteorologie und Erdmagnetismus Band, XV., Jahrgang, 1885	The Director, Pesth.
SPAIN.	
Da Circulacas da Materia	Senor J. M. Latino Coelho, Lisbon.
Sobre os Infinitamente pegnenos Conferencia	do do
Historia dos Estabelecimentos Scientificos, Tomo 10-14	do do
Journal des Sciencias Mathematicas, No. 30-44	do do
Memorias da Academia, Tomo 5, part 2 Tomo 6 part 1	do do
PORTUGAL.	
Observacoes Meteorologicas feitas no Observatorio Meteorologico E. Magnetico da Universidade de Coimbra no Anno de 1885 (2 copies)	Dr. A. S. Viegas, Coimbra.

List of Publications.—*Continued.*

Title of Publication.	By Whom Presented.
RUSSIA.	
Beobachtungen der Russischen Polarstation auf Nowaja Semlja, 1882-3, II Theil	Dr. H. Wild, St. Petersburg.
Beobachtungen der Russischen Polarstation an der Lenamundung 1882-3, II Theil	do do
Annalen des Physikalischen Central Observatorium, Jahrgang 1885, Theil I und II; 1886, Theil I	do do
Catalog der Meteorologischen Stationen in Russland und Finnland von Leyst	do do
Uber auf-und zugang der Gewasser des Russischen Reiches, von Rykatschew	do do
Wahre Tagesmittel und tagliche Variation der Temperatur au 18 Stationen des Russischen Reiches, von Wahlén	do do
Weitere Versuche uber die bestemung der Wahren Lufttemperatur	do do
Magnetische Beobachtungen des Tifliser Physikalischen Observatoriums in den Jahren 1883, 1884, 1885	J. Mielberg, Tiflis.
Meteorologische Beobachtungen des Tifliser Physikalischen Observatorium im Jahre 1885	do do
Meteorological Observations taken at Dorpat, February to June, 1887	Dr. Karl Weihrauch, Dorpat.
Einfluss des Widerslandes auf die Pendelbewegung bei ablenkenden Kraften mit Anwendung auf das Foucault'sche Pendel	do do
Zwanigjahrige Mittlewertle aus den meteorologischen Beobachtungen 1886 bis 1885 fur Dorpat	do do
ITALY.	
Annali del Ufficio Centrale Meteorologico Italiano, Serie II, Vol. VI, Parte I, II, III, IV, 1885	Prof. P. Tacchini, Rome.
Resultati Ottenuti dal Recerche del Dr. Ciro Ferrari	do do
Annuario Meteorologico Italiano, Anno II, 1887	Cav. P. F. Denza, Moncalieri.
Sulla inversione della temperatura nel Genago 1887	do do
Di una Notevole Semplificazione nel Calcolo delle Perturbazioni dei Piccoli Pianeti	Director of the Observatory, Milan.
Operazioni esequite nell'Anno 1881	do do
Osservazioni di Stelle Cadenti durante l'Anno 1871	do do
Osservazioni di Stelle Cadenti durante L'Anno 1871	Director of the Observatory, Milan.
Osservazioni Meteorologiche Eseguite Nell'Anno, 1886	Cav. E. Pini, Milan.
Variazione della Declinazioni Magnetica Osservate a Capodimento Nell' Anno, 1884	Prof. F. Briosche, Naples.
Determinazioni assolute della Inclinazione Magnetica. Quarta and Terza Communicazione, 1883 and 1884	do do
Determinazione assolute della Declinazione Magnetica, 1883, 1884, 1885	do do
Osservazioni Meteoriche Nell'Anno, 1885	do do
Riassunti decadici E. Mensili del Osservazioni Meteoriche fatte nel R. Osservatorio di Capodimonte Nell'Anno, 1884, Negli Anni, 1883 e 1884	do do
SICILY.	
Osservacioni Meteorologiche fatte Nell'Osservatorio Centrale di Siracusa, January to May, 1887	Cav. V. Guiliano, Syracuse.
INDIA.	
Monthly Reports from six Stations in India, July, 1886, to June, 1887	H. F. Blanford, F.R.S., Calcutta.
Report on the Meteorology of India in 1885	do do
Report on the Administration of the Meteorological Department of the Government of India in 1885-86	do do
Indian Meteorological Memoirs, Vol. IV, Parts II and III	do do
Charts of the Bay of Bengal and adjacent Sea North of the Equator	do do
Daily Weather Reports, India, November 2nd, 1886, to November 16th, 1887	The Meteorological Reporter, Simla.
Magnetical and Meteorological Observations made at the Government Observatory, Bombay, 1885	Charles Chambers, F.R.S., Bombay.
CEYLON.	
Administration Report, Part II, 1886, Meteorology	Hon. Lieut.-Col. F. C. H. Clarke, R.A., Colombo.
Results of Meteorological Observations in Ceylon, September, 1886, to October, 1887	do do

List of Publications.—*Continued.*

CHINA.	
Les Variations de Temperature observées dans les Cyclones 2e Note	P. Marck Dechevrens, S. J., Zi-Ka-Wei.
Astronomical, Magnetical and Meteorological Observations, China, 1882	do do
L'Inclinaison des Vents sur l'Horizon 3° Note Premiere Année d'Observations, 1886	do do
Bulletin des Observations Zi-Ka-Wei, 1885, Tome XI	do do
Bulletin Mensuel, Zi-Ka-Wei, May, 1886, to June, 1887	do do
Observations and Researches made at the Hong Kong Observatory in the year 1886	W. Doberck, Hong Kong.
JAPAN.	
Monthly Report of Meteorological and Magnetical Observations, Tokio, October, 1886, to September, 1887	J. Arai, Tokio.
LUZON.	
Observaciones Verificados durante el 1er Semestre, 1883, (2 copies)	Director of the Observatory, Manila.
EAST INDIA ISLANDS.	
Observations made at the Magnetic and Meteorological Observatory at Batavia, 1885, also Supplement, Vol. VI	Dr. J. P. Van der Stok, Batavia.
Rainfall in the East Indian Archipelago, seventh year, 1885	do do
MAURITIUS.	
Mauritius Meteorological Results for 1884	C. Meldrum, Mauritius.
CAPE OF GOOD HOPE.	
Report of the Meteorological Commission for the year 1886	W. E. Fry, Cape Town.
AUSTRALIA.	
Results of Meteorological Observations made in New South Wales during 1885	H. C. Russell, B. A., Sydney.
Results of Rain and River Observations made in New South Wales and part of Queensland during 1886	do do
Notes upon the History of Floods in the River Darling	do do
Notes upon Floods in Lake George	do do
CANADA.	
Report of the Minister of Education, Ontario, 1886	S. P. May, Toronto.
Agricultural Returns of Ontario, May 13th and August 12th, 1887	A. Blue, Toronto.
Report relating to the registration of births, marriages and deaths in the Province of Ontario, 1885	A. S. Hardy, M.P., Toronto.
Twelfth Annual Report of the Ontario Agricultural College and Experimental Farm, 1886	James Mills, Guelph.
The Canadian Record of Science, Vol. II., Nos. 6, 7, 8	Natural History Society, Montreal.
Annuaire du Seminaire de Chicoutimi pour 1886	M. A. Fafard, Chicoutimi.
Manitoba Crop Bulletin Nos. 18, 19, 20 and 21	Department of Agriculture, Winnipeg.
Manitoba Gazette, Vol. XVI., Nos. 1 to 53	Provincial Secretary, Winnipeg.
Statutes of the Province of Manitoba passed in the session held in the fiftieth year of the reign of Her Majesty, Vol. I., 1887	do do
Journal of the Legislative Assembly of Manitoba from April 14th to June 10th, 1887	do do
UNITED STATES.	
Bulletin of the Philosophical Society of Washington, Vol. VII. and IX.	The Society, Washington.
Report of the Smithsonian Institution, 1885, Part I	Smithsonian Institution, Washington.
Pilot Chart of the North Atlantic for 1887	Hydrographic Office, Washington.
Science Observer, Vol. V., Nos. 2 and 3	Boston Scientific Society, Boston.
Iowa Weather Bulletin, December, 1886, to December, 1887	Gustavus Hinrichs, Des Moines.
Report of the Superintendent of the Farm of the North Carolina Agricultural Station	Milton Whitney, Esq., Raleigh.
On the absolute wave length of light, by Louis Bell	John Hopkins University, Baltimore.
Reports of Ohio Meteorological Bureau, Oct., 1886, to Sept., 1887	E. H. Mark, Columbus.
Fourth Annual Report of the Ohio Meteorological Bureau for the year November 1st, 1885, to October 31st, 1886	do do
Michigan Crop Reports, No. 60 to 66	Secretary of State, Lansing.
Proceedings and Addresses at a Sanitary Convention held at Coldwater, September 9th and 10th, 1886, also at Big Rapids, November 18th and 19th, 1886, Travers City, August 24th, 1887, Owosso, November 22nd and 23rd, 1887	Sec. State Board of Health, Lansing.

List of Publications.—*Concluded.*

Title of Publication.	By Whom Presented.
UNITED STATES.	
Abstracts of Proceedings of the Michigan Board of Health: Regular Meeting January 11th, 1887, to October 11th, 1887	do do
History and Work of the Warner Observatory, N.Y., 1883-86	The Director, Rochester.
Reports of New York Meteorological Observatory, December, 1886, to December, 1887	Daniel Draper, Ph. D., New York.
Results of the Meteorological Observations made at the Blue Hill Meteorological Observatory, 1886	A. L. Ross, Esq., S. B., Massachusetts.
American Meteorological Journal, Vol. III, Nos. 9 to 12: Vol. IV, Nos. 1 to 7	Meteorological Journal Co., Ann Arbor.
Henry Draper Memorial, First Annual Report of the Photographic Study of Stellar Spectra conducted at the Harvard College Observatory	E. C. Pickering, Cambridge.
Bulletin of the New England Meteorological Society, March to November, 1887	The Society, Cambridge.
An Investigation of Cyclonic Phenomena in New England by Winslow Upton	W. M. Davis, Cambridge.
Water Vapour and Radiation. The Foehn in New Zealand	do do
The Foehn in the Andes	do do
International Bulletin, January, 1877, to June, 1884, excepting November and December, 1877	Chief Signal Officer, Washington.
Tridaily Weather Maps, January to July, 1887	do do
Monthly Weather Review, United States, October, 1886, to September, 1887, in duplicate	do do
	do do
Report of Chief Signal Officer, U. S., Parts I and II, 1885	do do
Summary and Review of International Meteorological Observations, October, 1885, to September, 1886	do do
International Weather Charts, daily, October, 1886	do do
International Charts:—Monthly Isobars and Winds, October, 1886, to September, 1887	do do
Contributions to Meteorology, Chapter II	Prof. E. Loomis, New Haven.
Transactions of the Connecticut Academy of Arts and Sciences, Vol. VII, Part I	The Academy, New Haven.
Transactions of the Astronomical Observatory at Yale University, Vol. I, Part I	Prof. H. Newton, New Haven.
MEXICO.	
Annuario del Observatorio Astronomico Nacional de Tacubaya par el Ano de 1888	Prof. Angel Anguiano, Tacubaya.
Longitud del Observatorio Astronomico Nacional Mexicano	do do
WEST INDIA ISLANDS.	
Magneticas y Meteorologicas del Real Colegio de Belen de la Compania de Jesus en la Habana, 1886	Benito Vines, S. J., Havana.
ARGENTINE REPUBLIC.	
Anales de la Oficina Meteorologica Argentina por su Director Gualterio, Tomo V	G. G. Davis, Cordoba.
Actas de la Academia Nacional de Ciencias de la Republica Argentina en Cordoba	The Academy, Cordoba.
Boletin de la Academia Nacional de Ciencias en Cordoba, December, 1886, Tomo IX, Entrega 4	Dr. D. Oscar Doering, Cordoba.

Meteorological Stations in correspondence with the Central Meteorological Office, Toronto.

Chief Stations.

Province.	Station.	Superintendent.
Nova Scotia	Sydney	Thomas C. Hill.
do	Halifax	Augustus Allison.
New Brunswick	St. John	G. Hutchinson.
do	Fredericton	Dr. Harrison University of New Brunswick.
Quebec	(a) Quebec	Officer Commanding Royal Artillery.
do	Montreal	C. H. McLeod, B. S., C. E.
Ontario	Woodstock	Rev. Prof. N. Wolverton, B. A.
do	Toronto	Magnetic Observatory.
Manitoba	Winnipeg	Officers of St, Johns College.
N. W. Territory	(a) Regina	North-West Mounted Police.

(a) Chief Stations in a partial sense only.

Reporting Telegraph Stations.

Station.	Observer.	Station.	Observer.
Charlottetown, P. E. I.	H. J. Cundall, C. E.	(1) Toronto	Observatory.
Yarmouth, N. S	J. E. Murphy.	Port Stanley	M. Payne.
(1) Sydney, N. S	T. C. Hill.	Saugeen	K. Stewart.
(1) Halifax, N. S	A. Allison.	Parry Sound	Rev. R. Mosley.
Chatham, N. B.	G. A. Blair.	Port Arthur	W. P. Cooke.
Grand Manan, N. B.	H. S. Seeley.	Minnedosa, Man.	Rev. J. N. Wellwood.
Bird Rock, N. B.	T. Turbide.	(1) Winnipeg, Man.	St. Johns College.
Anticosti, S. W. Pt., Que.	G. Pope.	Qu'Appelle, N. W. T.	Leslie Gordon.
Father Point, Que.	J. McWilliams.	Edmonton, do	Alex. Taylor.
Quebec, Que.	W. A. Ashe.	Medicine Hat, do	J. L. Ewart.
(1) Montreal, Que.	C. H. McLeod, C. E.	Calgary, do	H. S. Cayley.
Rockliffe, Que.	W. H. McIntyre.	Prince Albert, do	Rev. Canon Flett.
Kingston, Ont.	A. P. Knight, M. A.	Swift Current, do	W. G. Knight.

Reserve Telegraph Stations.

Station.	Observer.	Station.	Observer.
St. Andrews, N. B	Dr. Gove.	London	E. B. Reed.
Port Dover, Ont.	Henry Morgan.	Kincardine	Dr. Martyn.

Cautionary Storm Signal Stations.

Station.	Person in Charge.	Station.	Person in Charge.
New Brunswick.		*Ontario.*	
(*d*) Point Lepreaux	George Thomas.	Kingston	A. P. Knight.
(*b*) St. Andrews	Dr. Gove.	McDonald's Cove	Miss N. Prinyer.
(1) St. John	G. Hutchinson.	Cobourg	F. Reynolds.
Point du Chene	H. H. Schaefter.	Port Hope	T. F. Janes.
(*a*) Chatham	G. A. Blair.	Queen's Wharf, Toronto	A. Taylor.
(*c*) Bathurst	Hon. J. Ferguson.	Oakville	A. Blakeley.
(*d*) Dalhouse	H. A. Johnson.	Burlington Beach	J. Campbell.
Nova Scotia.		Hamilton	G. Black.
		Port Dalhousie	E. F. Dwyer.
Digby	N. A. Turnbull.	Port Colborne	D. Hughes.
Liverpool	J. L. Hemmeron.	(*b*) Port Dover	H. Morgan.
(1) Halifax	R. Engineers, Citadel.	(*a*) Port Stanley	M. Payne.
(*c*) Cow Bay	C. Archibald.	(*d*) Goderich	R. Campbell.
(*d*) Little Glace Bay	C. H. Rigby.	Kincardine	Dr. Martyn.
Sydney	W. J. Phoran.	(*a*) Saugeen	Thos. Davis.
(*a*) Yarmouth	E. Murphy.	(*d*) Prequ'Isle	J. McKenzie.
(*c*) Port Hastings	W. J. McKeen.	Collingwood	Mrs. A. Bligh.
Louisburg	W. H. Townsend.	Owen Sound	R. Thompson.
(*d*) Pictou	M. Campbell.	Sarnia	M. Fleming.
P. E. Island.		Bayfield	J. Gardiner.
		Port Burwell	G. B. McConnel.
Charlottetown	Arthur Newberry.	(*c*) Deseronto	Messrs. Rathbun.
Quebec.		Port Credit	A. Blakeley.
		Midland	W. Henderson.
Pereé	P. Vibert.	Trenton	W. J. Clarke.
Gaspe	J. Eden.	Amherstburg	W. H. McEvoy.
(*a*) Father Point	J. McWilliams.	Picton	J. A. Rawson.
(*a*) Quebec	W. A. Ashe.		
Montreal	Alex. Robinson.		

(1) Chief Station. (*a*) Telegraph Station. (*b*) Reserve Telegraph Station. (*c*) First Class Station. (*d*) Second Class Station. (*e*) Third Class Station.

Ordinary Stations.

Station.	Observer.	Station.	Observer.
Nova Scotia.		New Brunswick.	
Class I.		*Class I.*	
Truro	James Little, M.A.	(*f*) Bathurst	Hon. J. Ferguson.
Class II.		*Class II.*	
(*f*) Pictou	M. Campbell.	(*f*) Dalhousie	H. A. Johnson.
(*f*) Little Glace Bay	C. H. Rigby.	Point Lepreaux	G. Thomas.
Antigonish	J. D. Copeland.	Point du Chene	H. H. Schaefer.
Sable Island	Wm. M. Allan.	Point Escuminac	T. Philips.
White Head	J. P. Dillon.	Parker's Ridge	G. Parker.
Digby	N. A. Turnbull.	Grand Falls	A. R. Hallet.
Class III.		Woodstock	A. P. Allingham.
		Class III.	
Beaver Bank	James Grove.	Dorchester	E. V. Tait, M.A.
(*f*) Cow Bay	C. Archibald.	Quebec.	
(*f*) Port Hastings	W. J. McKeen.	*Class I.*	
Herring Cove	G. Roche.		
Newfoundland.		Huntingdon	Dr. Sherriff.
Class I.		Cranbourne	P. Cassidy.
		Class II.	
St. Johns	James Higgins.		
Class II.		Belle Isle	M. Colton.
		Chicoutimi	Rev. Abbe Huart.
Point Rich	Light Keeper.	Richmond	R. V. Webber, M.D.
St. Pierre	Medical Officer.		

Ordinary Stations.—*Continued.*

Station.	Observer.
Quebec.—*Continued.*	
Danville	E. J. Devey.
Brome	G. H. Hall.
St. Francis	Walter Moodie.
Cape Norman	H. Locke.
Heath Point	T. Gagné.
Anticosti, W. P.	A. Molnin.
Bicquet	E. Parent.
Point des Monts	L. F. Fafford.
Cape Magdalen	G. Lavergne.
Cape Chatte	T. Cotter.
Greenly Island	Light Keeper.
Quebec	Lt. Col. J. Pope.
Class III.	
Point Platon	Hon. H. J. Joly.
Ontario.	
Class I.	
Guelph	Agricultural College.
(*f*) Kincardine	Dr. Martyn.
Windsor	A. Sinclair, M.A.
Simcoe	Rev. G. Grant, B.A.
Hamilton	G. Dickson, B.A.
Stratford	Wm. McBride, B.A.
Goderich	H. J. Strang, B.A.
Peterborough	L. E. Horning, M.A.
Barrie	H. B. Spotton, B.A.
Cornwall	J. Smith, B.A.
Pembroke	E. Oldum, M.A.
Ottawa	A. McGill, M.A.
London (2)	W. J. McIntosh.
London	E. Baynes Reed.
Conestogo	G. A. McIntyre.
Lindsay	Thomas Beall.
Mount Forest	Wm Wylie.
Deseronto	Messrs. Rathbun.
Durham	Dr. Gunn.
Petrolia	S. Phillips, B.A.
Little Current	T. S. Potts.
Class II.	
Fitzroy Harbor	D. S. Baird.
Welland	R. Grant.
Galt	A. Barrie.
Point Clark	D. Small.
Point Pelee	James Cummins.
Notawasaga Island	G. Collins.
Owen Sound	J. McLean.
Eagle River	Agent, C.P.R.
Savanne	do
Uplands	Peter McDonald.
Owen Sound	John Parker.
Islington	Rev. B. Spence.
Brantford	T. M. Macintyre, M.A.
Egremont	G. McCulloch.
Zurich	G. Hess.
Listowel	A. Kay.
Northeote	F. Kosmark.
Lakefield	S. Sheldrake, M.A.
Presqu'Isle	John McKenzie.
Elora	T. Connon.
Brampton	J. Reynolds.
Gravenhurst	T. M. Robinson.
Beatrice	J. Hollingsworth.
Bancroft	J. Cleak.
Oshawa	Rev. J. Middleton.
Birnam	J. S. Mellor.
St. George	Dr. Kitchen.
Trenton	J. W. Clarke.
Stoney Creek	C. F. Van Wagner.
Sprucedale, Muskoka	A. McKenzie.
Whiteside	E. D. Sutton.

Station.	Observer.
Ontario.—*Continued.*	
(*f*) Goderich, L. H	G. N. Macdonald.
Axe Lake	J. Clapton.
Chatham	W. D. A. Ross.
Niagara Falls, S	E. Morden.
Buda	Agent, C.P.R.
Chapleau	do
Ignace	do
North Bay	Agent C.P.R.
Biscotasing	do
Missanabie	do
White River	do
Heron Bay	do
Cartier	do
Schreiber	do
Nepigon	do
Mattawa	do
Sudbury	Thomas Wood.
Lucknow	N. Macdonald.
Sharon	J. D. Graham.
Minden	M. Brown.
Alton	W. J. Dods.
Streetsville	Dr. Thom.
Ridgetown	T. Scane, P.L.S.
Ingersoll	Rev. E. C. Saunders, B.D.
Charlineh	C. J. Tisdale.
Sombra	W. S. Howell.
Class III.	
Essex—	
Cottam	W. E. Wagstaff.
Maidstone	J. F. Kane.
Kent—	
Blenheim	W. R. Fellows.
Dealtown	S. J. Pardo.
Elgin—	
Aylmer	W. H. Draper.
Cowal	S. Maccoll.
Lyons	Wm. McCredie.
St. Thomas	S. Williams.
Norfolk—	
Ranelagh	Prosper Winksell.
Lambton—	
Florence	D. H. Bedford.
Oil Springs	Alex. Smyth.
Petrolia	P. McG. Brown.
Sarnia	W. Mowbray.
Thedford	Martin Wattson.
Watford	D. Ross.
Wilsoncroft	J. L. Wilson.
Huron—	
Carlow	John Varcoe.
Egmondville	G. H. Creswell.
Sunshine	George Hood.
Bruce—	
Lion's Head	M. J. Morris.
Teeswater	Robt. Clark.
Wiarton	W. Woodman.
Grey—	
Bognor	C. W. Henning.

Ordinary Stations.—*Continued.*

Station.	Observer.
Ontario.—*Continued.*	
Simcoe—	
Glencairn	H. W. Stephens.
Orillia	H. W. Fitton.
Coldwater	J. V. Lazonby.
Middlesex—	
Ailsa Craig	John Rennie.
Delaware	A. Francis, M.D.
Putman	Wm. Uglow.
Wilton Grove	Hy. Anderson.
Oxford—	
Otterville	Thomas Wright.
Princeton	David Beamer.
Norwich	W. J. Stover.
Brant—	
Paris	John Kay.
Perth—	
Kirkton	Henry Doupe.
Wellington—	
Drayton	W. Fitzgerald.
Fergus	A. D. Ferrier.
Dufferin—	
Orangeville	N. Gordon.
Wentworth—	
Copetown	John Ireland.
N. Glanford	E. Dickenson.
Halton—	
Georgetown	J. Barber, jr.
Peel—	
Credit	W. B. Dixie, M.D.
York—	
Georgina	Capt. Sibbald.
Aurora	Rev. W. Amos.
Scarborough	R. Martin.
Muskoka—	
Bracebridge	Wm. Simmons.
Ontario—	
Cannington	R. C. Brandon.
Port Perry	Rev. John Carry.
Durham—	
Port Hope	John Foott.
Northumberland—	
Hastings	C. O. Gorman, M.D.
Warkworth	T. W. Carlaw.
Lennox and Addington—	
Denbigh	James Lane.
Gladstonbury	E. H. Ruttan.
Harrowsmith	John Donnelly.

Station.	Observer.
Ontario.—*Continued.*	
Leeds and Grenville—	
Merrickville	J. Burchill, P.L.S.
Prescott	C. Chapman.
Renfrew—	
Clontarf	A. Shultz.
Lanark—	
Oiver's Ferry	A. E. Hume.
Victoria—	
Bobeaygeon	John Stewart.
Kirkfield	J. McTaggart.
Peterborough—	
Burleigh	Wm. McIlmoyle.
Ennismore	Thos. Thedford.
Haliburton—	
Haliburton	C. R. Stewart.
Hastings—	
Belleville	John Johnston.
L'Amable	B. Spur.
Shannonville	John Kemp.
Stirling	B. F. Butler.
Manitoba.	
Class I.	
St. Andrews	John Stewart.
Stony Mountain	S. L. Bedson.
St. Boniface	Rev. G. Cloutier.
Class II.	
Russell	A. G. Butcher.
Brandon	Agent, C.P.R.
Elkhorn	do
Sourisford	Dr. Sheriff.
St. Albans	P. Criddle.
Hillview	F. W. Stevenson.
Portage la Prairie	H. J. Woodside.
Fort Osborne	Alfred Codd, M.D.
Gladstone	Rev. C. R. Littler.
Elkhorn	A. D. Jolliffe.
E. Selkirk	C. E. Stewart.
Swampy Island	H. E. Plunkett.
Class III.	
Eastern Group—	
Arnaud	J. Q. Summer.
Greenwood	H. Furlong.
Foxton	G. W. White.
Clandeboye	M. E. M. Muckle.
Selkirk E.	Wm. Gibbs.
Selkirk E. (2)	C. E. Stewart.
Morris	Jas. Laurie.
St. Anne	Theo. Parent.
Oak Bank	Wm. Goodridge.
Gretna	Franz Kliever.
Dominion City	R. W. Dick.
Stuartburn	L. G. Ramsay.
Eden	J. Honeyman.
Florenta	A. McKenzie.
Alexandria	W. Hood.
Morden	N. P. Morden.
Ossawa	C. Cowland.

Ordinary Stations.—*Concluded.*

Stations.	Observer.
Manitoba.—*Continued.*	
Eastern Group—	
Clarkleigh	J. H. Fingland.
Meadowlea	W. J. Bodkin.
Carman	C. O. Evans.
St. Laurent	G. Hackland.
Marquette	G. E. Bower.
Milford	W. T. Sutcliffe.
Douglas	R. B. Hetherington.
Treherne	Wm. Coooer.
Bagot	N. W. De Cow.
Central Group—	
Pembina Crossing	R. N. Lea.
Oak Land	T. H. Metcalf.
Carman	R. Grant.
Portage la Prairie	Thos. Collins.
Beaconsfield	J. B. Ashby.
Swan Lake	G. B. Gordon.
Ruttanville	Thos. Haygard.
Clearwater	L. Manning.
Otenaw	A. W. Playfair.
Cartwright	E. F. Heath.
Glendenning	H. Mason.
Ninette	Thos. R. Trotter.
Cartwright	J. W. Clark.
Moropano	P. Strang.
Gladstone	T. L. Morton.
Woodside	D. McRae.
Western Group—	
Rapid City	James Dury.
Souris	Dr. J. C. Stogte.
Griswold	Rev. W. A. Burnham.
Elm Valley	G. W. Grimmet.
Brandon	J. W. Sifton.
Oak River	C. T. Haight.
Strathelair	Rev. J. McKay.
Carducis	John Ross.
Assessippi	M. H. Hewitt.
Shellmouth	Wm. Denmark.
Rossburn	C. H. Lawford.
De Clare	W. P. Orr.
Beulah	J. S. Torrance.
Shoal Lake	R. Findlay.
Birtle	A. B. Wood.

Station.	Observer.
Manitoba.—*Continued.*	
Fort Ellice	G. J. Kinnaird.
Napinka	H. Pollock.
Desford	T. A. Rockey.
Turtle Mountain	J. D. Hanson.
Hartney	W. Laughland.
Wakopa	T. A. Sharp.
Smith's Hill	F. Burrows.
Strathelair	D. Armit.
N. W. Territories.	
York Factory, H.B	Wm. Wood.
Fort Churchill	J. Spencer.
Fort Chipewyan	Ven. Arch. D. Reeve.
Class II.	
Yorkton	J. S. Tarbolton.
Balgonie	Agent, C.P.R.
Moose Jaw	do
Lethbridge	C. A. McGrath.
Lesser Slave Lake	W. E. Trail.
Poplar River Post	Wm. Aiken.
Kilnap	I. Tarbolton.
Pheasant Forks	J. M. Peregrine.
British Columbia.	
Class I.	
Port Moody	A. G. Hill.
Fort Simpson	R. H. Hall.
Class II.	
Victoria	W. T. Livock.
Quamichan	W. H. Lomas.
Soda Creek	Hy. Yeats.
Clinton	M. S. Wade, M.D.
Kamloops	E. H. Jones.
Barkerville	Hugh Watt, M.D.
Class III.	
Nicola Lake	E. Dalley.
Langley	J. Mackie.
Clinton	J. F. Smith.
Douglas Lake	Ronald Macrae.

Stations from which special weekly Reports of Observations made at 7 a. m., Toronto Time.

Station.	Observer.
Nova Scotia.	
(*f*) Glace Bay	C. H. Rigby.
New Brunswick.	
(*d*) Dalhousie	H. A. Johnson.
(*l*) Fredericton	Dr. Harrison.
Ontario.	
(*c*) Cornwall	J. Smith, M. A.
(*l*) Woodstock	Prof. Wolverton, B.A.
(*c*) Granton	James Grant.
(*c*) Stratford	Wm. McBride, M.A.
(*c*) Peterborough	L. E. Horning, M. A.
(*c*) Hamilton	G. Dickson, B. A.
N. W. Territory.	
(*c*) York Factory	Wm. Woods.

Station.	Observer.
Sunshine Stations.	
Sydney, N. S	T. C. Hill.
Fredericton, N. B	Dr. Harrison.
Montreal, Q	Prof. McLeod.
Cornwall, O	J. Smith, M. A.
Pembroke, O	E. Oldum, M. A.
Kingston, O	A. P. Knight, M. A.
Barrie, O	H. B. Spotton, M. A.
Lindsay, O	Thos. Beall.
Niagara Falls S., O	E. Morden.
Toronto, O	Observatory.
Woodstock, O	Prof. Wolverton.
Stratford, O	Wm. McBride, M. A.
Windsor, O	A. Sinclair, M. A.
Winnipeg, Man	St. Johns College.

Stations in operation on the line of the C. P. Railway.

Station.	Observer.	Station.	Observer.
Kaministiqua	Agent C. P. R.	Bagot	Agent C. P. R.
Fort William	do	Austin	do
Buda	do	Carberry	do
Dexter	do	Sewell	do
Savanne	do	Brandon	do
Barclay	do	Alexander	do
Tache	do	Griswold	do
Eagle River	do	Elkhorn	do
Vermillion	do	Oak Lake	do
Hawk Lake	do	Portage la Prairie	do
Rat Portage	do	Fleming	do
Keewatin	do	Moosomin	do
Rennie	do	Broadview	do
Monmouth	do	Grenfell	do
Beauséjour	do	Indian Head	do
Rosser	do	Pasqua	do
Marquette	do	Chaplin	do
Reaburn	do	Maple Creek	do
High Bluff	do	Gleichen	do
Burnside	do		

REMARKS ON THE TABLES.

The times of observation given on Table I are those employed at all the telegraph stations in North America. Most of the stations report by telegraph to Toronto three times daily; but there are some which report only by mail, of which some take observations at three hours, some omit the night hour, and some observe only in the morning.

For the morning observations in connection with the International Synchronous Series at Cornwall, Stratford, Hamilton and Peterborough, this office is indebted to the Principals of the High Schools at those places, who, by permission granted by the Department of Education of Ontario, have kindly taken those observations in addition to those required by that Department.

Barometric Corrections.

The readings of the barometer, as given in the present tables, are reduced to sea level by means of the formula of Laplace, omitting the terms which depend on the latitude, and that for the diminution of gravity with increased height above the sea. At Toronto the standard barometer has a tube with an internal diameter of ·506 of an inch. The correction for capillarity has, by frequent measurements of the meniscus, been determined as ·007 of an inch. The correction has been applied in the tables.

Remarks on the Combinations Employed for Obtaining the Mean Temperature.

Unless otherwise stated, the mean temperatures given are the arithmetic means of the temperatures observed at 7 a.m., 2 p.m., and 9 p.m., giving double weight to the last mentioned hour.

Halifax, N.S., equal intervals of three hours.
Sydney, N.S., do four do
Woodstock, Ont., do do do
Fredericton, N.B., do three do
Montreal, Q., do four do
St. John Coll., Man., do three do
St. John, N.B., do four do
Toronto, 6 and 8 a.m., 2, 4, 10 and 12 p.m.

Ten Ontario High Schools, viz. : Goderich, Stratford, Barrie, Windsor, Simcoe, Hamilton, Peterborough, Pembroke, Cornwall and Ottawa, 7 a.m., 1 and 9 p.m.

Rockliffe, Port Stanley, Port Dover, Parry Sound, Saugeen, Father Point Quebec Observatory, Yarmouth, Chatham, St. Andrews and Charlottetown, at 7 a.m., 3 p.m., and 10 p.m., Toronto time.

At the following stations the mean temperatures are obtained from the daily maximum and minimum : Owen Sound, Brantford, London,* Mount Forest, Zurich, Glace Bay, Soda Creek, Mattawa, St. Francis, Birnam, Oshawa, Lucknow, Minden, Ridgetown, Parker Ridge, N.B., St. Albans, Portage la Prairie, Gladstone, Kilnap, Victoria, Quamichan, Port Moody.

At Point Clark, Egremont, Ont., Point Lepreaux, N.B., Axe Lake, Bala, Chatham, Chapleau, Heron Bay, Listowel, Northcote, Nepigon, Niagara, Point Pelee, St. George, Stoney Creek, Sharon, Schreiber, White River, Brome, Anticosti, W. P., Anticosti, S. P., Bicquet, Cape Chatte, Cape Magdalen, Cape Norman, Point des Monts, Sable Island Whitehead, Digby, Hillview, Fort Osborne, Swampy Island, Chaplin, Grenfell, Maple Creek, Gleichen, Balgonie, Indian Head, Moose Jaw, the entries of the extremes of temperature are taken from the highest and lowest readings of the thermometer at observation hours.

I am indebted to the Grand Trunk Railway Company for the monthly sheet showing the temperature at a number of stations along the line of that railway taken at the hours of 9 a.m., noon, and 3 p.m. I have used these observations, corrected by the Toronto normals, in deducing the following mean temperatures : Sarnia, Fort Erie and Pickering.

For Belleville, Brockville, Ont., Sherbrooke, Point Lévis, Que., the means published are the means of the 9 a.m. observations uncorrected ; these means are likely to be slightly too low in the winter months (November to March), and rather higher than the true mean in the summer months.

* London, Mr. McIntosh.

DOMINION OF CANADA.

METEOROLOGICAL TABLES

FOR THE YEAR 1887.

TABLE I.—*Means for each month, and for the year, of the reduced Barometer, time, as follows: Greenwich time,* $0^h\ 0^m$

STATIONS.	January.			February.			March.		
St. Johns, Nfld.	29·961	29·927	29·941	29·970	29·938	29·947	29·761	29·727	29·782
Sydney	29·913	29·932	29·955	30·041	30·015	30·042	29·709	29·694	29·714
Bird Rocks	29·874	29·888	29·912	30·023	29·993	30·013	29·711	29·699	29·734
S. W. Pt. Anticosti	29·874	29·881	29·886	30·016	29·961	29·984	29 723	29 705	29·728
Halifax	29·978	29·964	29·980	30·130	30·079	30·101	29·769	29 720	29·767
St. John, N.B.	29·986	29·971	29·956	30·143	30·105	3 ·111	29·809	29·751	29·790
Grand Manan	29 972	29·947	29·956	30·137	30·096	30·111	29·798	29·745	29·794
St. Andrews	29·952	29·923	29·940	30·106	30·094	30·095	29·774	29·731	29·789
Yarmouth	29·957	29·943	29·948	30·115	30·088	30·108	29·771	29·732	29·767
Fredericton	30·030	29·988	29·988	3 ·194	30 139	30·141	29·782	29·715	29·799
Chatham	29·956	29·947	29·960	30·122	30·070	30·080	29·801	29·736	29·802
Father Point	29·952	29·924	29 925	30·133	30·065	30·062	29·838	29·792	29·832
Quebec	29·986	29·958	29·971	30·190	30·117	30·130	29·901	29 847	29 908
Montreal	29·987	29·944	29·975	30·181	30·121	30·180	29·931	29·903	29·939
Rockliffe	29·988	29·902	29·976	30·181	30·125	30·163	30·036	29·963	30·011
Kingston	29·976	29·950	29·976	30·175	30·137	30·163	29·998	29·956	29·984
Toronto	29·974	29·944	29·998	30·190	30·150	30·182	30·047	30·014	30·043
Port Stanley	29·974	29·955	29·999	30·164	30·131	30·163	30·043	30·017	30·054
Woodstock	29·987	29·956	30·037	30·187	30·140	30 203	30·075	30·041	30·102
London	29·970	29 977	30·009	30·192	30·118	30·181	30·090	30·036	30·093
Saugeen	29·920	29·917	29·966	30 153	30·130	30·146	30·072	30·055	30·054
Parry Sound	29·947	29·913	29·978	30·182	30·132	30 166	30·063	30·022	30·057
Port Arthur	30·039	29·982	30·027	30·231	30·178	30·187	30·199	30·137	30·139
Winnipeg	30·116	30·060	30·098	30·287	30·250	30 260	30·205	30·163	30·180
Minnedosa	30·101	30·001	30·098	30·301	30·192	30 249	30·169	30·081	30·137
Qu'Appelle	30·058	30·057	30·124	30·328	30·257	40·247	30·164	30·094	30·124
Swift Current	30·056	30·038	30·110	30·331	30 257	30 315	30·072	30·030	30·056
Medicine Hat	30·010	29·968	30·021	30·327	30·238	30·266	30·012	29·956	29·957
Calgary	30·116	29·997	30·033	30·387	30·188	30 273	30·106	29·924	30·035

and of the Temperature of the Air, from observations made at the same absolute $8^h\ 0^m$ *p. m. and* $3^h\ 0^m$ *a. m. (of next day).*

STATIONS.	January.			February.			March.		
	°	°	°	°	°	°	°	°	°
St. John, Nfld.	24·0	26·5	23·9	16·1	18·8	15·5	28·4	30·0	25·5
Sydney	22·4	23·9	21·7	12·7	18·4	12·5	23·0	28·6	24·1
Bird Rocks	17·5	17·8	17·2	9·5	11·6	16·3	21·0	25.5	23·1
S. W. Pt. Anticosti	6·2	8·7	7·9	5·2	9·0	7·0	20·2	24·6	22·1
Halifax	21·6	27·2	23·9	18·0	24·9	20·4	25·0	32·1	27·8
St. John, N. B.	14·8	20·1	17·2	14·4	21·6	16·2	23·5	31·4	26·3
Grand Manan	22·3	24·6	25·2	20·1	24·2	22·2	26·5	31·8	29·4
St. Andrews	15·8	20·6	18·0	15·7	22·6	18·4	23·3	31·6	27·6
Yarmouth	24·7	28·4	27·6	23·0	26·9	25·1	26·9	31·9	30·1
Fredericton	4·8	13·3	11·1	7·8	17·8	11·6	21·9	30·9	24·1
Chatham	2·5	12·5	6·9	1·7	16·3	8·2	17·7	29·3	22·8
Father Point	2·0	5·9	4·5	3·3	10·2	8·1	16·6	21·8	17·6
Quebec	3·4	7·2	5·0	5·0	12·8	9·9	16·2	23·8	19·3
Montreal	3·2	10·0	7·8	9·5	16·7	14·5	17·4	23·7	20·2
Rockliffe	−6·4	7·9	−0·5	2·1	18·1	8·9	5·3	27·0	16·8
Kingston	10·4	16·4	13·6	15·3	22·6	18·7	19·4	28·6	23·3
Toronto	15·4	22·0	17·6	18·3	25·1	22·2	20·9	28·8	24·6
Port Stanley	17·6	23·0	18·6	22·1	27·5	24·6	23·3	31·7	26·2
Woodstock	15·9	21·6	15·8	19·8	26·1	21·5	21·9	30·8	23·5
London	16·9	22·6	17·5	20·8	27·0	23·1	22·1	30·4	24·2
Saugeen	14·9	19·6	15·7	15·8	24·2	18·9	17·8	26·3	21·3
Parry Sound	3·8	14·3	7·3	7·9	20·0	14·0	9·3	25·4	18·0
Port Arthur	−10·5	1·0	−3·0	−2·3	10·5	5·3	6·7	20·3	14·7
Winnipeg	−19·9	−8·7	−15·2	−13·6	1·3	−7·1	3·2	20·1	11·4
Minnedosa	−18·6	−5·2	−16·5	−16·3	1·8	−9·4	3·1	20·0	12·2
Qu'Appelle	−15·8	−9·8	−14·8	−17·9	−6·0	−10·9	8·3	20·8	16·0
Swift Current	−4·5	−1·0	−5·8	−12·1	−3·8	−7·2	18·4	27·9	23·7
Medicine Hat	−1·8	2·7	−1·4	−12·7	−3·5	−7·8	25·5	33·6	32·2
Calgary	0·7	7·7	3·5	−13·2	4·1	−3·2	15·9	33·0	25·6

TABLE I.—*Means for each month, and for the year, of the reduced Barometer, time as follows : Greenwich time,* $0^h\ 0^m$

STATIONS.	April.			May.			June.		
St. Johns, Nfld	29·890	29·898	29·913	30·035	30·019	30·033	30·012	29·993	30·002
Sydney	29·873	29·837	29·858	30·031	30·003	30·040	30·031	30·001	30·021
Bird Rocks	29·882	29·850	29·870	30·021	30·010	30·020	30·014	29·982	29·967
S. W. Pt. Anticosti	29·902	29·881	29·902	30·053	29·999	30·008	29·950	29·919	29·917
Halifax	29·904	29·854	29·884	30·073	30·031	30·087	30·075	30·031	30·051
St. John, N.B.	29·939	29·880	29·900	30·047	30·003	30·042	30·015	29·962	29·979
Grand Manan	29·940	29·873	29·905	30·064	30·028	30·068	30·041	29·997	30·010
St. Andrews	29·925	29·866	29·893	30·054	30·012	30·053	30·021	29·969	29·999
Yarmouth	29·911	29·852	29·884	30·057	30·035	30·062	30·045	30·016	30·028
Fredericton	30·009	29·933	29·953	30·079	30·019	30·073	30·041	29·969	30·004
Chatham	29·950	29·887	29·920	30·055	30·010	30·067	30·015	29·949	29·990
Father Point	29·950	29·888	29·907	30·041	29·992	30·010	29·947	29·898	29·907
Quebec	29·998	29·930	29·954	30·065	29·997	30·039	30·000	29·928	29·950
Montreal	29·988	29·933	29·953	30·043	29·981	30·002	30·004	29·941	29·955
Rockliffe	29·997	29·926	29·969	30·037	29·962	29·998	30·004	29·934	29·953
Kingston	29·998	29·962	29·969	30·043	30·002	30·000	30·005	29·961	29·969
Toronto	29·998	29·971	29·993	30·055	30·005	30·016	30·022	29·984	29·992
Port Stanley	29·997	29·960	29·982	30·018	29·978	29·985	29·994	29·965	29·974
Woodstock	30·036	29·981	30·035	30·040	29·972	30·011	30·008	29·961	29·990
London	30·010	29·973	29·995	30·044	29·975	30·009	30·003	29·962	30·003
Saugeen	29·990	29·955	29·951	30·017	29·982	29·986	29·997	29·967	29·975
Parry Sound	29·988	29·954	29·973	30·035	29·984	30·001	29·994	29·966	29·981
Port Arthur	29·938	29·917	29·942	29·941	29·908	29·914	29·936	29·906	29·914
Winnipeg	29·976	29·915	29·947	29·872	29·832	29·843	29·888	29·827	29·841
Minnedosa	29·948	29·853	29·919	29·845	29·753	29·801	29·829	29·770	29·802
Qu'Appelle	29·950	29·861	29·898	29·843	29·741	29·786	29·816	29·745	29·783
Swift Current	29·938	29·851	29·889	29·892	29·789	29·823	29·851	29·777	29·778
Medicine Hat	29·896	29·778	29·812	29·889	29·752	29·746	29·829	29·730	29·743
Calgary	29·928	29·805	29·842	29·949	29·731	29·779	29·931	29·799	29·807

and of the Temperature of the Air, from observations made at the same absolute $8^h\ 0^m$ *p. m., and* $3^h\ 0^m$ *a.m., (of next day.)*

STATIONS.	April			May.			June.		
	°	°	°	°	°	°	°	°	°
St. Johns, Nfld	35·4	36·2	32·8	45·7	48·9	40·9	50·7	53·5	45·3
Sydney	33·6	39·1	32·8	45·3	48·8	41·1	55·5	61·3	48·4
Bird Rocks	29·2	33·4	29·9	36·6	39·1	36·0	45·7	49·3	46·2
S. W. Pt. Anticosti	29·4	31·4	29·1	40·5	41·3	39·2	50·4	50·7	49·0
Halifax	35·2	43·2	35·1	47·1	57·4	45·7	55·4	64·6	51·5
St. John, N. B	33·9	43·5	34·7	46·2	53·7	45·8	55·2	61·4	52·4
Grand Manan	36·3	41·6	37·4	47·4	53·8	47·6	55·7	59·1	52·5
St. Andrews	32·7	42·7	36·3	45·9	56·7	47·6	53·5	63·4	53·5
Yarmouth	36·5	41·9	36·9	48·3	53·2	45·9	55·5	61·0	51·9
Fredericton	34·5	42·1	34·3	52·7	61·5	49·6	62·1	69·6	58·2
Chatham	28·4	39·4	31·2	45·9	59·6	45·4	56·5	69·2	56·2
Father Point	29·5	34·1	29·4	42·9	49·5	42·4	52·5	58·4	51·6
Quebec	27·9	38·1	33·2	48·6	60·4	51·8	58·7	69·9	61·7
Montreal	32·0	40·7	35·9	55·1	69·7	59·3	62·3	72·7	64·1
Rockliffe	27·5	43·8	34·1	50·7	70·5	55·3	57·0	73·0	59·9
Kingston	32·9	44·4	36·6	54·1	66·4	57·9	61·6	71·4	62·8
Toronto	35·9	45·3	37·7	55·0	65·4	55·4	61·2	69·9	61·1
Port Stanley	35·4	45·5	37·4	55·2	66·5	56·7	61·7	72·7	62·0
Woodstock	35·9	48·6	36·7	55·8	72·1	56·9	62·8	75·7	60·4
London	36·4	48·5	38·1	55·4	71·7	58·8	61·7	73·9	62·5
Saugeen	34·1	44·2	36·7	52·7	64·4	54·1	57·0	67·3	57·4
Parry Sound	30·5	42·3	34·2	53·7	67·5	55·8	60·4	70·3	60·1
Port Arthur	27·1	36·1	30·6	47·0	56·6	49·5	54·8	62·4	55·4
Winnipeg	27·7	44·3	33·6	48·0	65·7	54·4	57·2	74·3	62·8
Minnedosa	26·1	43·9	32·5	44·2	63·6	51·6	54·8	68·4	59·7
Qu'Appelle	30·8	44·5	37·8	45·4	61·5	55·3	54·4	68·0	61·7
Swift Current	31·2	46·9	39·3	42·0	60·0	53·5	50·2	64·7	60·5
Medicine Hat	35·5	51·6	46·1	45·6	64·5	60·0	51·9	66·1	62·6
Calgary	29·4	45·7	40·7	36·5	59·6	52·9	44·7	58·9	57·0

TABLE I.—*Means for each month, and for the year, of the reduced Barometer, time as follows: Greenwich time,* $0^h\ 0^m$,

STATIONS.	July.			August.			September.		
St. Johns, Nfld	29·983	29·964	29·991	29·827	29·838	29·833	29·927	29·911	29·909
Sydney	29·963	29·946	29·971	29·923	29·898	29·942	30·012	29·980	30·005
Bird Rocks	29·936	29·937	29·920	29·896	29·893	29·897	29·991	29·966	29·966
S. W. Pt. Anticosti	29·885	29·874	29·863	29·854	29·840	29·850	29·938	29·905	29·928
Halifax	30·001	29·965	29·996	29·954	29·934	29·974	30·050	30·012	30·048
St. John, N. B.	29·952	29·923	29·932	29·915	29·898	29·918	30·009	29·968	30·002
Grand Manan	29·975	29·945	29·957	29·958	29·932	29·943	30·042	30·005	30·030
St. Andrews	29·959	29·923	29·942	29·944	29·916	29·949	30·023	29·989	30·026
Yarmouth	29·989	29·970	29·982	29·956	29·946	29·956	30·054	30·026	30·044
Fredericton	29·978	29·927	29·955	29·979	29·935	29·960	30·032	29·974	30·014
Chatham	29·940	29·910	29·925	29·927	29·860	29·962	30·012	29·958	30·005
Father Point	29·895	29·850	29·853	29·897	29·862	29·879	29·964	29·924	29·942
Quebec	29·934	29·884	29·902	29·956	29·903	29·934	30·043	29·983	30·014
Montreal	29·936	29·886	29·904	29·966	29·920	29·950	30·075	30·015	30·034
Rockliffe	29·955	29·895	29·928	30·010	29·940	29·972	30·120	30·020	30·066
Kingston	29·941	29·902	29·919	29·986	29·944	29·963	30·104	30·038	30·059
Toronto	29·970	29·924	29·946	30·016	29·972	29·991	30·130	30·071	30·091
Port Stanley	29·964	29·923	29·940	30·006	29·966	29·977	30·108	30·061	30·076
Woodstock	29·973	29·872	29·920	30·028	29·944	30·009	30·153	30·069	30·120
London	29·990	29·930	29·969	30·037	29·948	30·004	30·146	30·080	30·110
Saugeen	29·972	29·936	29·939	30·027	29·992	29·992	30·118	30·064	30·079
Parry Sound	29·954	29·922	29·933	30·023	29·980	29·988	30·122	30·069	30·078
Port Arthur	29·903	29·882	29·894	29·991	29·953	29·969	30·048	30·019	30·021
Winnipeg	29·927	29·897	29·913	29·976	29·928	29·955	30·008	29·946	29·970
Minnedosa	29·912	29·862	29·876	29·962	29·871	29·920	29·984	29·864	29·923
Qu'Appelle	29·920	29·850	29·874	29·925	29·856	29·888	29·966	29·844	29·897
Swift Current	29·938	29·838	29·849	29·950	29·850	29·877	29·961	29·836	29·882
Medicine Hat	29·895	29·776	29·781	29·896	29·785	29·783	29·928	29·785	29·819
Calgary	29·968	29·813	29·834	29·964	29·806	29·841	29·954	29·817	29·865

and of the Temperature of the Air, from obeservations made at the same absolute $8^h\ 0^m$ *p. m. and* $3^h\ 0^m$ *a. m., (of next day.)*

STATIONS.	July.			August.			September.		
	°	°	°	°	°	°	°	°	°
St. Johns, Nfld.	59·5	62·2	54·0	58·2	61·6	52·8	54·3	57·2	51·3
Sydney	64·0	70·7	58·7	62·0	67·2	57·3	55·3	60·8	53·9
Bird Rocks	56·7	60 3	56·7	59·1	62·4	57·7	54·9	56·0	54·3
S. W. Pt. Anticosti	58·1	59·1	56·5	55·8	56·7	53·8	50·6	52 3	50·1
Halifax	65·1	73·9	62·3	61·7	71·1	60·2	53·3	63·6	53·5
St. John, N. B.	60·6	66·8	59·3	59·8	68·4	59·2	51·8	59 9	51·6
Grand Manan	62·1	66·5	61·1	59·9	65·1	58·9	53 8	59·5	53·1
St. Andrews	60·5	70·1	61·0	57·2	67·5	59·2	49·6	61·7	52·1
Yarmouth	62·3	67 2	59·2	59·0	65·7	57 8	52 7	59·6	53·1
Fredericton	67·0	76·0	65·2	61·6	70 0	59·4	52 3	63·3	52·1
Chatham	65·1	74·2	63·8	59·5	71·1	58·3	50·0	64·9	50·0
Father Point	56·0	60 0	55·7	54·4	59·4	52 8	48·8	51·7	48·1
Quebec	65·9	74·5	67·0	57·1	68·7	60·1	48·7	59·8	51·4
Montreal	69·7	79·7	71·3	61·4	72·6	63·2	51·4	62·8	54·8
Rockliffe	62·7	79·4	65·4	53·1	73·9	57·9	42·9	61·4	48·1
Kingston	69·5	80·6	72.1	60 9	74·4	64·4	52·4	64 1	56·3
Toronto	69 3	81·0	70·2	61 1	73 8	63·8	51·5	64·2	55·1
Port Stanley	67·4	80·4	69·1	58·4	75·8	62 0	51·6	65·9	55·3
Woodstock	69 3	86·6	68·4	58·5	78 2	60·0	48·5	66·5	51·8
London	67·9	82·5	69 2	57·3	74·8	61·2	49·4	65·4	54·1
Saugeen	64·0	74·7	64·4	55·4	69·1	56 9	47·4	61·6	51·0
Parry Sound	66·8	76·9	65.9	55·2	70·8	59·2	45·2	60 8	49·9
Port Arthur	61·3	69·6	61 8	54·0	64·8	57·3	46·3	58·6	49·8
Winnipeg	58 3	75·5	64·3	50·9	71·6	59·2	43·7	64·9	52·1
Minnedosa	55·0	70·9	60·6	46·9	67·9	55·1	39·	63·	48·8
Qu'Appelle	56·1	71·8	64·1	53·4	68·7	58·8	45·5	62·5	52·1
Swift Current	53·3	72 5	67 2	49·9	68·0	60·0	41·7	64·	53·6
Medicine Hat	54·9	78·3	69·8	53·2	69 4	65·7	48·0	66·2	58·4
Calgary	49·0	68·3	63·5	46·1	65·5	58·8	41·2	58 6	51·2

TABLE I.—*Means for each month, and for the year, of the reduced Barometer time, as follows: Greenwich time,* $0^h\ 0^m$,

STATIONS.	October.			November.			December.		
St, Johns, Nfld	29·828	29·811	29·832	29·896	29·876	29·908	29·809	29·795	29·811
Sydney	29·940	29·906	29·908	29·952	29·960	29·968	29·956	29·926	29·947
Bird Rocks	29·920	29·879	29·871	29·904	29·919	29·920	29·930	29·900	29·901
S. W. Pt. Anticosti	29·890	29·872	29·861	29·847	29·874	29·900	29·947	29·927	29·922
Halifax	29·994	29·927	29·958	30·006	29·975	29·997	30·020	29·983	30·021
St. John, N. B.	29·974	29·895	29·930	29·961	29·936	29·958	30·002	29·946	29·991
Grand Manan	29·992	29·929	29·961	29·985	29·957	29·980	30·032	30·002	30·033
St. Andrews	29·968	29·909	29·948	29·969	29·933	29·974	30·033	29·982	30·023
Yarmouth	29·992	29·940	29·968	29·984	29·960	29·980	30·020	29·989	30·018
Fredericton	29·995	29·908	29·950	30·020	29·967	30·007	30·071	30·028	30·075
Chatham	29·962	29·901	29·924	29·980	29·945	29·983	30·038	29·996	30·026
Father Point	29·904	29·874	29·888	29·920	29·923	29·936	30·040	30·014	30·030
Quebec	29·962	29·929	29·960	29·987	29·973	29·998	30·098	30·077	30·085
Montreal	29·983	29·941	29·974	29·998	29·986	30·005	30·109	30·088	30·089
Rockliffe	29·986	29·936	29·965	30·022	29·973	30·036	30·151	30·104	30·124
Kingston	29·986	29·966	29·979	30·000	30·004	30·012	30·098	30·078	30·073
Toronto	30·017	29·986	30·010	30·034	30·022	30·039	30·105	30·073	30·073
Port Stanley	30·017	29·989	30·014	30·029	30·012	30·034	30·084	30·056	30·054
Woodstock	30·059	29·993	30·046	30·072	30·024	30·030	30·122	30·076	30·088
London	30·047	30·002	30·029	30·045	30·034	30·048	30·102	30·105	30·072
Saugeen	29·976	29·967	29·971	29·986	29·987	29·994	30·052	30·020	30·020
Parry Sound	29·964	29·938	29·953	29·993	29·988	30·012	30·074	30·050	30·061
Port Arthur	29·966	29·937	29·977	30·051	30·017	30·063	30·109	30·068	30·089
Winnipeg	30·027	29·996	30·012	30·084	30·051	30·080	30·179	30·154	30·180
Minnedosa	30·035	29·953	29·986	30·063	29·996	30·048	30·167	30·116	30·160
Qu'Appelle	30·043	29·921	29·997	30·088	29·996	30·057	30·189	30·157	30·178
Swift Current	30·053	29·930	30·019	30·076	29·999	30·075	30·173	30·145	30·156
Medicine Hat	30·071	29·939	29·991	30·056	29·942	30·034	30·173	30·087	30·140
Calgary	30·064	29·904	30·012	30·084	29·936	30·026	30·187	30·085	30·126

and of the Temperature of the Air, from observations made at the same absolute $8^h\ 0^m$ *p. m. and* $3^h\ 0^m$ *a. m. (of next day.)*

STATIONS.	October.			November.			December.		
	°	°	°	°	°	°	°	°	°
St. Johns, Nfld.	44·6	46·3	42·5	37·7	39·4	36·4	30·0	31·4	29·2
Sydney	46·5	49·9	46·6	36·9	39·0	36·9	28·6	30·6	28·6
Bird Rocks	44·7	45·3	44·6	34·6	34·9	34·7	26·7	27·1	27·1
S. W. Pt. Anticosti	39·6	41·0	39·9	29·8	31·3	29·0	20·3	21·9	20·7
Halifax	45·2	53·4	45·7	36·0	41·5	36·6	24·7	30·0	26·3
St. John, N.B.	42·6	49·4	43·4	34·2	39·1	33·7	20·2	25·9	22·4
Grand Manan	45·2	50·3	46·0	37·6	40·9	37·1	25·6	29·3	26·9
St. Andrews	41·8	51·0	44·4	34·3	40·5	34·9	21·4	27·5	23·9
Yarmouth	45·3	51·3	46·0	37·6	41·9	38·7	27·1	31·8	28·7
Fredericton	40·3	51·6	42·0	30·1	36·6	29·9	16·8	23·3	18·6
Chatham	37·7	51·2	40·3	28·2	36·0	28·5	14·3	24·0	17·7
Father Point	36·2	39·6	37·2	26·6	28·2	26·2	13·8	17·2	15·6
Quebec	37·4	43·5	38·7	25·4	29·7	27·2	13·4	17·3	15·0
Montreal	40·2	47·2	41·4	29·0	32·9	29·5	16·2	19·7	17·5
Rockliffe	35·2	45·1	38·4	22·9	31·8	25·2	11·2	19·2	14·4
Kingston	42·9	48·9	44·6	33·8	36·8	33·7	21·9	25·4	23·4
Toronto	40·6	49·1	43·1	32·6	37·7	34·6	26·0	30·6	28·6
Port Stanley	41·8	51·1	43·8	33·5	40·4	35·2	27·5	31·8	28·7
Woodstock	38·6	51·0	40·2	31·7	38·8	33·0	25·3	29·8	26·2
London	39·2	50·5	41·5	32·3	39·6	34·2	26·5	30·4	27·6
Saugeen	40·5	48·1	42·9	32·0	37·1	33·1	24·9	29·5	27·7
Parry Sound	38·4	46·6	41·7	28·4	34·2	29·8	20·4	25·7	22·0
Port Arthur	30·5	41·3	34·0	18·7	27·7	22·5	8·9	16·7	12·1
Winnipeg	26·5	42·6	31·0	12·3	25·2	16·0	−1·8	4·0	−1·5
Minnedosa	22·6	41·2	29·5	10·7	25·2	15·4	−3·1	4·9	−0·9
Qu'Appelle	28·1	43·6	34·8	16·2	26·6	18·8	−0·5	3·6	1·3
Swift Current	25·4	46·8	35·8	15·8	31·2	23·1	4·2	10·3	6·4
Medicine Hat	32·9	52·3	40·8	21·6	36·4	26·9	8·7	17·2	11·3
Calgary	31·4	49·6	38·7	17·5	34·5	24·9	3·7	14·2	9·2

TABLE I.—*Means for the year, of the reduced Barometer and of the Temperature of the Air, from observations made at the same absolute time, as follows: Greenwich civil time,* $0^h\ 0^m$, $8^h\ 0^m$ *p.m. and* $3^h\ 0^m$ *a.m. (of next day).*

STATIONS.	BAROMETER.				TEMPERATURE.			
	1	2	3	Year.	1	2	3	Year.
					°	°	°	°
St. Johns, Newfoundland	29·908	29·891	29·908	29·903	40·4	42·6	37·5	40·2
Sydney	29·945	29·925	29·948	29·939	40·5	44·9	38·5	41·3
Bird Rocks	29·925	29·910	29·916	29·917	36·3	38·6	36·5	37·1
S. W. Pt. Anticosti	29·902	29·887	29·897	29·895	33·8	35·7	33·7	34·4
Halifax	29·996	29·95	29·989	29·980	40·7	48·6	40·8	43·4
St. John, N.B.	29·979	29·937	29·959	29·958	38·1	45·1	38·5	40·6
Grand Manan	29·995	29·95	29·979	29·976	41·0	45·6	41·3	42·6
St. Andrews	29·977	29·937	29·969	29·961	37·6	46·3	39·7	41·2
Yarmouth	29·988	29·958	29·979	29·975	41·6	46·7	41·8	43·4
Fredericton	30·017	29·958	29·993	29·990	37·7	46·3	38·0	40·7
Chatham	29·980	29·931	29·970	29·960	34·0	45·6	35·8	38·5
Father Point	29·957	29·917	29·931	29·935	31·9	36·3	32·4	33·5
Quebec	30·010	29·960	29·987	29·986	34·0	42·1	36·7	37·6
Montreal	30·017	29·972	29·997	29·995	37·3	45·7	40·0	41·0
Rockliffe	30·041	29·973	30·013	30·009	30·3	45·9	35·3	37·2
Kingston	30·026	29·992	30·005	30·008	39·6	48·2	42·3	43·4
Toronto	30·046	30·010	30·031	30·029	40·7	49·4	42·8	44·3
Port Stanley	30·033	30·001	30·021	30·018	41·3	51·0	43·3	45·2
Woodstock	30·062	30·002	30·049	30·038	40·3	52·2	41·2	44·6
London	30·056	30·013	30·044	30·038	40·5	51·4	42·7	44·9
Saugeen	30·023	29·998	30·006	30·009	38·0	47·2	40·0	41·7
Parry Sound	30·028	29·993	30·015	30·012	35·0	46·2	38·2	39·8
Port Arthur	30·021	29·992	30·020	30·011	28·5	38·8	32·5	33·3
Winnipeg	30·045	30·002	30·023	30·023	24·4	40·1	30·1	31·5
Minnedosa	30·026	29·943	29·993	29·987	22·1	38·8	28·2	29·7
Qu'Appelle	30·024	29·948	29·988	29·987	25·3	38·0	31·3	31·5
Swift Current	30·024	29·945	29·986	29·985	26·3	40·6	34·2	33·7
Medicine Hat	29·998	29·895	29·924	29·939	30·3	44·3	38·7	37·8
Calgary	30·053	29·900	29·956	29·970	25·2	41·6	35·2	34·0

TABLE II.—*Resultant Direction and Velocity of the Wind for the Year, from observations made at the same absolute time, as follows: Greenwich civil time,* $0^h\ 0^m$ *p.m.,* $8^h\ 0^m$ *p.m., and* $3^h\ 0^m$ *a.m. (of next day.)*

STATIONS.	RESULTANT DIRECTION.				RESULTANT VELOCITY.			
	1	2	3	Year.	1	2	3	Year.
	°	°	°	°				
Sydney	S 55 W	S 65 W	S 52 W	S 58 W	3·9	3·6	3·0	3·5
Halifax	N 44 W	N 89 W	N 79 W	N 71 W	1·9	2·0	1·7	1·7
Yarmouth	N 8 W	N 59 W	N 86 W	N 53 W	1·9	2·5	1·9	1·8
Grand Manan	N 70 W	S 66 W	N 87 W	S 87 W	3·6	5·0	4·1	4·0
Chatham	N 55 W	N 62 W	N 45 W	N 56 W	1·8	2·7	1·5	2·0
Father Point	N 63 W	N 64 W	N 57 W	N 61 W	5·2	5·3	4·9	5·1
Port Dover	S 86 W	S 72 W	N 89 W	S 81 W	1·5	2·8	1·9	2·0
Port Stanley	N 88 W	S 63 W	N 77 W	S 83 W	2·0	3·3	2·3	2·4
Saugeen	S 80 W	N 65 W	N 60 W	N 69 W	1·3	3·6	2·2	2·3
Quebec	N 17 W	N 65 W	N 18 W	N 30 W	3·9	3·5	4·9	3·8
Montreal	S 73 W	S 63 W	S 66 W	S 67 W	5·1	6·6	6·7	6·1
Kingston	N 82 W	S 34 W	S 76 W	S 56 W	·6	2·1	1·1	1.1
Rockliffe	N 50 W	N 67 W	N 68 W	N 62 W	·6	1·4	·5	·8
Toronto	N 29 W	S 81 W	N 40 W	N 47 W	2·8	1·6	2·9	2·2
Parry Sound	N 56 E	S 85 W	N 62 W	N 81 W	1·0	4·6	1·3	1·7
Port Arthur	N 6 W	S 68 E	N 5 E	N 10 E	1·3	·5	1·4	·8
Winnipeg	S 47 W	N 63 W	S 55 W	N 89 W	·7	1·3	·1	·6
Minnedosa	N 19 W	N 74 W	N 25 W	N 47 W	1·9	3·2	1·4	1·9
Qu'Appelle	N 83 W	N 79 W	S 89 W	N 82 W	1·3	2·8	1·1	1·7
Swift Current	S 44 W	S 26 W	S 31 W	S 50 W	4·3	5·8	2·6	4·1
Medicine Hat	N 71 W	N 72 W	N 66 W	N 70 W	2·4	3·2	2·4	2·7
Anticosti, S. W. P.	N 32 W	N 51 W	N 41 W	N 42 W	2·8	4·9	3·3	3·6

TABLE II.—*Resultant Direction and Velocity of the Wind for each month and Greenwich civil time,* $0^h\ 0^m$ *p.m.*, $8^h\ 0^m$ *p.m.*

STATIONS.	January.			February.			March.		
	°	°	°	°	°	°	°	°	°
S. W. Pt. Anticosti	N 44 W	N 50 W	N 79 W	N 38 W	N 33 W	N 28 W	N 3 W	N 14 W	N 20 W
Sydney	S 50 W	S 46 W	S 42 W	S 63 W	W	N 84 W	S 61 W	N 89 W	S 61 W
Halifax	N 72 W	S 81 W	S 77 W	S 82 W	N 71 W	N 76 W	N 34 W	N 28 W	N 10 W
Yarmouth	S 88 W	N 62 W	S 57 W	N 9 W	N 45 W	N 64 W	N 6 E	N 35 W	N 27 W
Grand Manan	S 79 W	S 45 W	S 80 W	N 64 W	S 73 W	N 85 W	N 34 W	N 82 W	N 63 W
Chatham	N 50 W	N 58 W	N 50 W	N 61 W	N 62 W	N 24 W	N 33 W	N 62 W	N 22 W
Father Point	N 72 W	N 47 W	N 31 W	N 25 W	N 80 W	N 28 W	N 19 W	N 64 W	N 33 W
Port Dover	S 66 W	S 48 W	S 78 W	N 89 W	S 69 W	S 73 W	N 36 W	N 63 W	N 59 W
Port Stanley	S 75 W	S 80 W	S 84 W	N 47 W	N 88 W	N 63 W	N 75 W	N 78 W	N 53 W
Saugeen	S 2 E	N 80 W	N 74 W	S 82 W	N 83 W	N 76 W	N 7 E	N 27 W	N 10 E
Quebec	N 11 E	N 48 W	N 19 W	N 14 W	N 52 W	N 39 W	N 22 W	N 60 W	N 42 W
Montreal	N 60 W	S 39 W	S 64 W	S 88 W	S 56 W	S 62 W	S 79 W	S 50 W	S 74 W
Kingston	N 62 W	S 14 W	S 32 W	S 39 E	S 11 E	S 77 W	N 44 W	N 79 W	N 33 W
Rockliffe	W	N 73 W	E	N 79 E	W	N 27 E	N 85 W	N 86 W	W
Toronto	N 81 W	S 74 W	S 89 W	N 5 W	N 63 W	N 66 W	N 18 W	N 34 W	N 28 W
Parry Sound	N 64 E	S 54 W	N 78 W	S 30 E	S 69 W	S 74 W	N 6 E	N 72 W	N 22 W
Port Arthur	N 56 E	S 58 W	N 14 W	N 12 W	N 19 W	N 14 W	N 31 W	N 12 W	N 7 W
Winnipeg	N 77 W	N 41 E	S 60 W	N 51 W	N 34 W	S 88 W	S 37 E	N 32 W	S 49 W
Minnedosa	N 46 W	N 56 W	N 50 W	N 13 W	N 62 W	N 33 W	S 33 W	S 49 W	N 47 W
Qu'Appelle	N 86 W	N 78 W	N 69 W	S 24 W	S 52 W	S 64 W	N 76 W	S 73 W	S 30 W
Swift Current	S 40 W	S 50 W	S 46 W	S 45 W	S 64 W	S 61 W	S 35 W	S 56 W	S 40 W
Medicine Hat	S 87 W	N 63 W	N 84 W	S 72 W	S 71 W	S 59 W	N 82 W	N 75 W	N 72 W

	April.			May.			June.		
	°	°	°	°	°	°	°	°	°
S. W. Pt. Anticosti	N 17 E	N 35 W	N 19 E	N 51 E	N 3 W	N 86 E	S 21 E	S 19 E	S 40 E
Sydney	N 54 W	N 46 W	N 16 W	N 88 W	N 33 W	S 77 W	S 63 W	S 25 W	S 16 W
Halifax	N 6 E	N 30 W	N 10 W	N 3 E	S 42 W	N 82 W	N 8 W	S 18 W	S 72 W
Yarmouth	N 11 E	N 5 W	N 6 W	S 84 E	N 74 W	S 38 W	S 34 E	S 21 W	S 14 W
Grand Manan	N 48 W	N 75 W	N 50 W	N 61 E	S 43 W	S 5 E	S 46 W	S 25 W	S 72 W
Chatham	N 16 W	N 25 W	N 11 E	N 27 W	N 3 W	N 69 W	S 47 W	S 77 W	S 10 W
Father Point	N 39 W	N 13 E	N 4 E	N 20 W	N 10 E	N 16 E	N 74 W	N 46 W	N 71 W
Port Dover	N 54 W	S 49 W	N 51 W	N 45 W	S 9 E	N 25 E	N 34 W	S 40 W	N 17 W
Port Stanley	N 71 E	S 73 W	N 69 W	N 72 E	S 55 E	N 46 E	N 24 E	S 5 W	N 38 W
Saugeen	S 48 W	S 79 W	S 34 W	S	S 3 W	S 5 E	S 30 W	N 53 W	N 74 E
Quebec	N 19 W	N 55 E	N 14 W	N 38 E	N 34 E	N 55 E	N 6 E	S 80 W	N 5 W
Montreal	S 69 W	S 60 W	S 71 W	N 4 E	N 80 W	S 32 W	S 75 W	S 36 W	S 55 W
Kingston	N 2 W	N 69 W	S 81 W	N 73 E	S 21 W	S	S 62 W	S 28 W	S 38 W
Rockliffe	N 52 W	N 57 W	W	N 74 E	N 88 E	N 72 W	N 32 W	N 40 W	W
Toronto	N 21 W	N 82 W	N 22 W	N 14 E	S 64 E	N 34 E	N 35 E	S 27 E	N 14 W
Parry Sound	N 79 E	S 76 W	N 82 W	S 69 E	S 81 W	S 64 E	S 76 E	S 85 W	S 51 W
Port Arthur	N 24 E	N 45 E	N 10 E	N 35 E	S 83 E	N 23 E	N 28 E	S 53 E	N 6 E
Winnipeg	N 68 E	N 9 W	N 18 W	S 49 W	N 80 W	N 80 E	S 6 E	S 19 W	N 74 E
Minnedosa	N 12 E	N 66 W	N 9 E	N 17 E	S 61 W	S 60 E	N 28 W	N 70 W	N 75 W
Qu'Appelle	S 71 W	N 50 W	S 9 W	N 88 W	N 86 W	N 45 W	S 25 E	N 80 W	S 65 E
Swift Current	S 2 E	S 46 W	S 44 E	N 84 W	N 82 W	N 86 W	N 62 W	S 68 E	N 50 E
Medicine Hat	S 73 W	S 85 W	S 75 W	N 88 W	N 78 W	N 78 W	N 8 W	N 6 W	N 77 W

for the Year from observations made at the same absolute time, as follows : and 3h 0m a.m., (of next day.)

STATIONS.	January.			February.			March.		
S. W. Pt. Anticosti	5·3	10·1	8·8	7·7	15·9	10·6	8·5	5·0	8·3
Sydney	5·6	6·2	6·1	6·9	9·5	5·6	5·1	2·6	1·9
Halifax	3·2	3·7	2·6	3·6	4·1	3·4	3·3	2·0	1·6
Yarmouth	3·8	2·0	3·6	5·3	4·1	4·8	7·1	6·3	5·6
Grand Manan	6·5	4·6	3·6	3·4	5·8	5·9	6·8	4·7	7·1
Chatham	1·9	2·9	2·1	2·6	6·7	1·9	2·9	4·2	3·7
Father Point	5·1	3·7	6·0	7·3	5·9	4·8	7·9	5·3	8·1
Port Dover	6·3	6·2	5·2	2·4	2·5	3·0	1·2	2·8	2·7
Port Stanley	8·0	7·3	4·9	2·3	3·5	3·4	4·0	5·2	4·8
Saugeen	·6	4·9	3·7	2·7	3·9	3·8	1·4	5·7	2·8
Quebec	5·1	3·6	4·9	7·1	7·8	7·7	7·0	8·3	4·7
Montreal	3·6	6·6	7·1	8·3	8·8	10·5	9·2	12·1	10·0
Kingston	·9	3·8	1·3	·7	2·2	·5	2·1	1·2	2·2
Rockliffe	1·0	1·1	·7	2·6	1·4	·4	2·7	4·2	3·1
Toronto	4·5	6·2	5·6	1·7	3·5	1·9	6·3	8·6	7·3
Parry Sound	·9	2·0	3·1	1·0	3·4	3·7	3·8	8·0	3·3
Port Arthur	1·0	1·4	1·4	1·6	2·3	2·9	3·5	1·6	1·5
Winnipeg	1·5	·9	2·3	1·6	1·1	1·7	·8	1·6	3·1
Minnedosa	2·0	5·9	4·6	2·2	3·4	1·7	·2	3·1	·9
Qu'Appelle	3·8	4·2	4·4	1·0	2·7	2·3	2·5	4·0	2·4
Swift Current	7·5	4·8	4·5	8·2	7·1	9·8	9·1	11·1	6·9
Medicine Hat	1·7	2·1	1·3	1·0	·7	·5	2·4	1·9	2·0

	April.			May.			June.		
S. W. Pt. Anticosti	6·9	6·4	5·9	2·6	1·7	1·6	3·4	2·8	4·0
Sydney	2·7	3·0	3·0	1·8	2·9	1·8	3·6	3·8	3·7
Halifax	4·3	2·9	2·8	2·9	·9	1·7	1·1	2·0	1·5
Yarmouth	7·0	5·8	4·0	·5	3·5	2·2	2·7	3·7	2·9
Grand Manan	5·7	4·4	6·0	·4	3·1	2·2	2·6	10·1	6·4
Chatham	2·9	2·9	2·3	1·5	·9	·7	·7	·5	·5
Father Point	2·0	3·4	7·5	4·1	8·5	4·2	4·7	3·5	2·2
Port Dover	1·6	3.2	2·2	1·1	·4	·8	·6	1·8	·5
Port Stanley	·5	1·2	1·7	3·2	2·5	1·6	·2	2·3	·4
Saugeen	2·1	2·9	1·5	2·8	1·2	2·2	1·1	2·9	·2
Quebec	3·5	.1	3·9	10·4	2·8	9·8	2·6	3·6	5·5
Montreal	5·0	6·9	9·4	1·3	1·9	2·5	3·1	5·9	7·1
Kingston	1·0	·7	·9	·8	1·4	.4	·4	1·6	1·2
Rockliffe	·4	·3	·1	·4	2·1	·4	·3	1·4	0·0
Toronto	4·2	2·2	1·9	2·9	4·7	3·2	1·9	3·3	2·8
Parry Sound	4·1	3·8	·5	3·9	4·4	1·4	1·4	6·2	2·0
Port Arthur	3·5	3·1	3·3	2·7	3·9	2·3	1·1	1·9	1·6
Winnipeg	1·7	1·4	5·2	·7	1·6	3·2	2·4	1·8	1·9
Minnedosa	3·1	5·0	3·2	2·3	2·8	1·1	2·6	3·1	·7
Qu'Appelle	1·2	2·9	·5	1·7	5·2	3·1	1·3	·7	1·8
Swift Current	2·2	2·2	2·0	8·5	13·8	1·5	1·0	1·1	1·8
Medicine Hat	1·5	1·3	1·4	4·0	3·4	3·2	1·0	·8	·7

TABLE II.—*Resultant Direction and Velocity of the Wind for each month and Greenwich civil time* $0^h\ 0^m$ *p.m.*, $8^h\ 0^m$ *p.m.*,

STATIONS.	July.			August.			September.		
	°	°	°	°	°	°	°	°	°
S. W. Pt. Anticosti....	S 18 E	S 3 E	S 42 E	S 61 W	S 64 W	S 25 W	S 12 W	S 32 W	S 41 W
Sydney.....	S 49 W	S 31 W	S 25 W	S 29 W	S 49 W	S 44 W	S 15 W	S 28 W	S 27 W
Halifax.....	N 50 W	S 46 W	S 36 W	N 25 W	N 74 W	N 72 W	N 77 W	S 77 W	S 67 W
Yarmouth.....	S	S 44 W	S 35 W	N 14 W	S 88 W	S 22 W	N 59 W	N 48 W	S 18 W
Grand Manan.....	S 86 W	S 58 W	S 73 W	N 63 W	S 54 W	S 42 W	N 85 W	S 56 W	S 78 W
Chatham.....	N 78 W	S 63 W	S 64 W	N 87 W	N 62 W	N 78 W	N 68 W	N 82 W	N 75 W
Father Point.....	N 87 W	S 89 W	S 52 W	S 71 W	S 84 W	S 78 W	S 53 W	S 82 W	S 57 W
Port Dover.....	S 81 W	S 68 W	S 64 W	N 45 W	S 58 W	S 45 W	S 75 W	S 78 W	N 85 W
Port Stanley.....	S 86 W	S 45 W	N 64 W	N 14 W	S 78 W	N 30 W	N 39 E	S 38 W	N 8 E
Saugeen.....	S 79 W	N 57 W	N 13 W	N 9 E	N 26 W	N 11 E	S 50 W	N 33 W	N 37 W
Quebec.....	N 22 W	N 53 W	N 16 W	N 57 W	N 74 W	N 10 W	S 76 W	S 83 W	N 83 W
Montreal.....	S 44 W	S 56 W	S 62 W	S 73 W	S 85 W	S 63 W	S 73 W	S 69 W	S 59 W
Kingston.....	S 16 E	S 37 W	S 2 W	N 7 W	S 22 W	S 39 W	N 71 W	S 53 W	S 89 W
Rockliffe.....	N 41 W	N 69 W	N 68 W	N 89 W	N 73 W	W	N 83 W	N 72 W	W
Toronto.....	N 29 W	S 41 E	N 17 W	N 16 W	S 42 E	N 14 W	N 2 E	S 27 W	N 34 W
Parry Sound.....	S 11 W	S 69 W	S 86 W	N 36 E	N 78 W	N 38 W	N 47 E	S 78 W	N 5 E
Port Arthur.....	N 5 W	S 6 W	N 39 E	N 42 W	S 81 E	N 29 W	S 86 W	S 6 E	N 13 E
Winnipeg.....	N 78 W	N 25 W	N 7 E	S 8 E	S 59 W	S 2 E	S 22 W	S 33 W	S 8 W
Minnedosa.....	N 12 W	N 75 W	S 86 E	N 40 W	N 13 E	S 65 E	N 72 W	S 82 W	N 70 W
Qu'Appelle.....	N 79 W	N 76 W	S 59 E	N 27 E	N 18 E	N 40 W	S 88 W	N 81 W	S 17 E
Swift Current.....	S 12 W	S 54 W	S 24 E	S 35 E	S 12 E	S 78 E	S 13 W	S 35 W	S 20 E
Medicine Hat.....	S 30 W	S 69 W	N 73 W	N 8 E	N 85 W	N 30 W	N 36 W	N 77 W	N 73 W

STATIONS.	October.			November.			December.		
	°	°	°	°	°	°	°	°	°
S. W. Pt. Anticosti....	W	W	N 58 W	N 31 W	N 48 W	N 52 W	N 21 W	N 39 W	N 30 W
Sydney.....	S 52 W	S 50 W	S 13 W	S 35 W	S 62 W	S 37 W	S 73 W	S 82 W	S 67 W
Halifax.....	N 54 W	W	N 84 W	S 64 W	S 82 W	N 80 W	N 17 W	N 85 W	N 22 W
Yarmouth.....	N 77 W	N 75 W	N 87 W	N 25 W	N 40 W	N 59 W	N	N 27 W	N 17 W
Grand Manan.....	N 83 W	S 78 W	N 71 W	N 71 W	S 73 W	N 49 W	N 44 W	N 50 W	N 54 W
Chatham.....	N 56 W	N 72 W	N 56 W	N 61 W	N 59 W	N 34 W	S 87 E	N 12 W	N 19 W
Father Point.....	N 55 W	N 46 W	N 37 W	N 42 W	N 79 W	N 54 W	N 21 W	N 56 W	N 48 W
Port Dover.....	S 80 W	W	S 85 W	S 68 W	S 78 W	S 83 W	S 76 W	N 67 W	S 79 W
Port Stanley.....	N 88 W	S 67 W	S 83 W	S 70 W	S 47 W	S 78 W	S 68 W	S 52 W	W
Saugeen.....	N 73 W	N 79 W	N 69 W	N 73 W	N 60 W	N 44 W	S 64 W	S 48 W	S 78 W
Quebec.....	N 49 W	S 70 W	N 24 W	N 48 W	N 44 W	N 29 W	N 15 E	N 39 W	N 12 W
Montreal.....	S 49 W	S 71 W	S 57 W	S 58 W	S 75 W	S 76 W	N 81 W	N 76 W	N 77 W
Kingston.....	S 68 W	S 38 W	S 65 W	S 54 W	S 55 W	N 81 W	N 11 E	N 37 E	N 16 E
Rockliffe.....	N 18 W	N 59 W	S 78 E	N 36 W	N 49 W	N 32 W	N 68 W	N 69 E	N 45 W
Toronto.....	N 70 W	N 89 W	S 77 W	N 75 W	S 80 W	N 69 W	S 88 W	N 43 W	N 25 W
Parry Sound.....	N 61 W	S 65 W	S 60 W	S 32 W	N 75 E	S 77 E	N 34 W	N 60 W	N 22 W
Port Arthur.....	W	S 63 W	N 82 W	N 33 W	N 82 W	N 38 W	S 78 E	S 17 E	S 88 E
Winnipeg.....	N 41 W	N 30 W	S 43 W	S 14 W	S 64 E	S 6 W	N 11 W	N 5 W	N 30 W
Minnedosa.....	N 34 W	N 71 W	N 38 W	N 34 W	N 70 W	N 43 W	N 17 E	N 1 E	N 14 E
Qu'Appelle.....	N 58 W	N 83 W	N 73 W	N 68 W	N 68 W	N 69 W	N 26 W	N 54 W	N 57 W
Swift Current.....	S 50 W	S 89 W	S 29 W	S 60 W	S 69 W	S 25 W	S 38 W	S 45 W	S 54 W
Medicine Hat.....	N 58 W	N 76 W	N 47 W	N 68 W	N 68 W	N 75 W	N 73 W	N 55 W	N 54 W

for the Year from observations made at the same absolute time as follows : and $3^h\ 0^m$ *a. m. (of next day.)*

STATIONS.	July.			August.			September.		
S. W. Pt. Anticosti	3·6	3·4	5·1	2·5	2·9	2·7	3·6	3·5	2·8
Sydney	5·3	5·1	3·6	4·0	1·9	2·5	3·4	5·0	3·5
Halifax	·2	3·1	2·4	1·6	2·6	1·2	2·3	2·1	2·6
Yarmouth	1·1	4·2	4·2	1·3	2·1	3·1	·7	1·2	1·0
Grand Manan	4·2	8·1	9·3	2·3	5·0	3·0	3·8	6·1	2·8
Chatham	1·5	1·4	1·5	2·6	2·8	1·8	2·9	4·9	2·5
Father Point	3·4	4·1	5·5	11·1	10·0	8·0	11·8	8·4	12·5
Port Dover	·7	2·8	·5	·2	3·0	·2	·7	2·7	1·5
Port Stanley	1·2	3·2	1·2	1·5	2·5	·8	1·2	1·5	1·0
Saugeen	·5	4·8	1·6	1·3	4·9	2·3	1·0	4·5	2·1
Quebec	3·4	·6	3·2	2·9	2·8	3·9	5·2	9·1	4·0
Montreal	4·2	5·4	6·1	6·0	6·0	5·5	6·1	7·9	8·7
Kingston	·9	4·4	1·1	·8	3·9	·8	1·4	2·4	2·1
Rockliffe	1·0	2·2	·2	1·1	2·9	0·0	·8	2·2	1·3
Toronto	2·3	2·4	3·3	4·5	2·4	4·8	4·3	1·4	3·2
Parry Sound	1·6	6·4	2·8	2·7	8·6	2·2	1·8	7·3	3·3
Port Arthur	2·0	·4	1·8	1·3	2·6	·8	1·6	1·6	·3
Winnipeg	1·9	4.4	3·1	·9	3·1	1·4	4·6	6·7	4·3
Minnedosa	2·7	3·5	·8	·6	·2	1·3	3·4	5·3	2·0
Qu'Appelle	1·2	2·7	·4	·5	1·3	·2	·9	2·3	2·0
wift Current	1·5	2·6	3·8	1·6	3·9	2·7	3·7	8·5	3·3
Medicine Hat	·3	1·4	·6	·8	·7	1·3	1·6	3·9	2·7

	October.			November.			December.		
S. W. Pt. Anticosti	6·3	6·0	4·3	5·0	9·6	9·3	10·3	11·4	10·0
Sydney	2·4	3·1	2·5	5·9	4·7	4·3	4·8	4·7	5·5
Halifax	2·4	2·6	2·7	2·2	2·3	1·7	2·3	1·0	1·7
Yarmouth	1·0	3·8	3·2	2·0	1·4	3·3	3·3	3·6	2·6
Grand Manan	4·6	6·1	4·8	2·2	4·7	2·5	5·4	5·3	4·1
Chatham	2·2	3·9	1·6	1·7	3·3	2·0	·2	1·2	·8
Father Point	6·5	7·1	6·3	11·2	11·3	9·7	4·7	5·9	6·5
Port Dover	2·9	5·1	3·6	2·8	3·5	2·6	1·7	2·7	2·6
Port Stanley	4·6	7·6	4·9	5·6	6·3	6·9	3·8	4·1	1·1
Saugeen	3·4	8·1	9·5	5·2	4·3	5·3	1·7	3·5	2·5
Quebec	4·0	2·8	4·6	6·4	4·0	7·4	1·9	4·3	6·6
Montreal	8·6	7·8	6·0	7·5	8·0	5·3	3·4	5·4	4·2
Kingston	3·6	4·2	3·7	1·6	2·1	3·1	·5	·3	·4
Rockliffe	1·2	1·0	·1	1·2	2·2	1·0	·7	·1	·8
Toronto	3·4	6·0	3·9	3·1	4·3	4·0	1·5	·7	1·3
Parry Sound	1·4	6·4	2·8	·8	2·2	2·5	2·9	3·3	4·3
Port Arthur	2·8	1·8	1·2	2·1	1·8	1·9	2·9	3·0	2·5
Winnipeg	2·4	5·6	1·5	2·2	·6	1·3	·7	3·0	1·4
Minnedosa	1·8	5·6	2·5	2·2	2·9	3·1	2·9	2·2	3·4
Qu'Appelle	1·7	4·4	1·9	2·8	4·3	1·9	·8	2·6	2·1
Swift Current	4·2	10·1	1·8	4·6	9·0	5·0	5·4	5·6	3·9
Medicine Hat	6·1	7·2	6·7	6·4	11·6	4·8	4·2	4·9	5·2

TABLE III.—*Mean Temperature of the several months and the year at Stations in the Dominion of Canada during the year 1887.*

Ontario.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	°	°	°	°	°	°	°	°	°	°	°	°	°
Axe Lake	5·7	11·4	16·3	33·7	59·4	61·1	66·6	58·6	48·3	36·2	25·8	16·6	36·64
Alton	....	....	18·9	36·3	57 8	63·2	69·5	61·8	51·0	38·9	30·1	23·7	....
Birnam	16·5	21·8	25·2	42·1	61·0	65·6	73·0	63·1	57·2	45·0	35·2	28·2	44·49
Barrie	12·8	17·2	19·3	38·0	61·0	62·8	74·2	67·7	57·6	43·8	32·8	25·8	42·75
Bala	8·7	14·1	18·1	35·6	59·0	62 9	69·2	61·4	51·8	41·6	30·6	22·4	39·61
Beatrice	9·2	13·4	17·2	36 0	59·4	62·5	67·6	61·2	50·4	41·0	26·1	20·9	38·74
Brampton	14·9	18·8	23·2	40·6	64·2	67·3	76·4	66·0	57·0	45·9	31·9	25·4	44·30
Brockville	....	....	....	....	....	....	....	....	....	....	....	19·7	....
Brantford	19·8	22·6	26·3	42·3	62·6	67·4	73 2	66·6	56·8	44·7	35·3	27·0	45·38
Biscotasing	....	....	....	....	....	....	....	....	....	33·7	22·0	10·9	...
Buda	4·7	6·2	19·2	37·9	66 6	69·2	70·6	65·1	56·1	35·1	21·6	9 9	38·51
Belleville	....	....	....	....	....	....	...	....	....	...	....	24·0	.. .
Coldwater	15·1	17·3	19·9	38·5	63·7	67·9	73·6	....	54·8	43·6	30·9	20·4	....
Cornwall	8·5	14·2	21·0	37·2	62·7	66 9	74·6	66·6	56·8	44·3	32·5	19·2	42·04
Conestogo	15·9	19·8	22·5	39·1	60·9	64·8	72·5	60·6	54·5	41·3	32·1	25·3	42·44
Chatham	20·2	26·8	28·6	43·6	61·5	66·0	74·5	66·7	59·3	44·7	37·2	29·1	46·51
Cartier	1·8	6·9	11·8	33·9	59·2	62·4	66·5	52·0	39·4	26·9	12·2	6·0	31·28
Charlinch	5·5	11·9	16·3	34·2	59·4	61·8	67·0	58·5	48·2	39·4	27·9	17·5	37·30
Deseronto	13·4	19·1	24·7	39·9	61·7	66·8	75·5	68·2	58·2	44·4	32·8	23·6	44·03
Durham	14·9	21·6	22·2	42 0	64·6	66·6	72·7	65·5	58·0	44·3	23·7	26·3	43·53
Egremont	13·5	17·9	20·9	37·2	60·4	64·5	71·3	63·9	53·5	40·9	31·4	25·9	41·78
Elora	15·4	19·0	21·8	39·0	61·8	65·3	72·9	65·0	54·9	41·2	31·3	24·8	42·70
Fort Erie	....	....	....	....	....	. .	....	....	....	....	....	29·0	....
Guelph	15·2	19·7	21·5	38·6	61·0	65·0	73·7	64·6	56·4	41·9	32·2	25·0	42·90
Galt	16·8	19·7	22·7	40·0	60·7	65·2	70·0	65·4	56·3	43·6	32·5	26·3	43·26
Goderich	19·1	21·0	23·5	39·6	60·9	64·8	71·7	64·4	56·8	44 8	36·2	28·9	44·31
Gravenhurst	9·9	15·3	19·0	36 2	60·0	64·3	71·6	63·5	53·5	42·9	30·9	23·0	40·84
Ingersoll	....	....	....	....	....	.. .	....	...	....	....	33·5	25·2	....
Joly	6·1	12·7	16·8	35·4	61·8	62·7	68·6	60·2	50·4	39·7	26·6	19·4	38·37
Heron Bay	11·2	2·2	9·2	30·5	53·8	58·0	60·5	57·3	49·8	35·6	19·6	14·5	31·28
Hamilton	22·0	25·2	28·8	42·8	60·0	66 0	75·7	68·3	58·2	45·9	37·4	29·4	46·64
Kingston	13·5	18 9	23 8	38·6	59·5	65·3	74·1	66·6	57·6	45·4	34·8	23·6	43·47
Lakefield	9·0	13·4	20·7	36·4	63·0	65·2	73·8	....	52·8	43·2	31·5	20·8	....
Lucknow	16·8	19·7	22·5	40·1	62·9	65·4	71 8	64·9	57·0	44·3	35·2	27·0	43·97
Lindsay	11·4	15·5	20 0	37·1	60·0	63·9	72·3	63·9	53 8	41·7	30·4	22·4	41·03

TABLE III (Continued).—*Mean Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
ONTARIO.—*Continued.*	°	°	°	°	°	°	°	°	°	°	°	°	°
London	18·9	23·6	25 6	41 1	61 9	66·0	73·2	64·5	56·3	43·7	35·3	28·2	44·86
London (2)	18·6	22·4	25·9	41·0	62·6	65·8	75 3	....	56·4	44 1	39·8	26·4	....
Listowel	14 3	18·5	20 9	36 2	60 6	64·1	69·1	61·5	55·0	39 8	30·6	24·6	41·27
Little Current	3·8	11·5	17·6	35·8	56 8	64·6	70·7	65 0	55 7	44.5	31·3	22·7	40·00
Mount Forest	12·9	15.8	23·6	40·3	64 9	65 9	74·6	67·6	58·3	44·0	32·9	25 7	43 87
Mattawa	....	15 2	12·4	28·6	52 6	60·1	65·8	59 2	50·7	37·2	23·2	....	....
Minden	6·0	13·5	17·5	34·8	59·2	64·0	70·1	60·6	50·7	40·6	28·6	20·6	39·85
Northcote	3·3	13·1	17·6	36·6	62·9	65·0	....	....	54·6	41·4	29·2	16·7	....
Newcastle	....	....	....	....	....	....	....	....	....	....	....	25·3	....
Norwood	6·9	13·9	18·3	34·2	58·0	61·8	70·9	6).5	48·9	38·1	29·8	23·6	38·74
North Bay	5·2	1·6	9·8	25·7	....	66·4	71·9	68·6	59 0	39·1	....	16·2	....
Nipegon	10·0	0·6	10·0	30 3	52·4	59·5	63·4	57·1	48·6	32·0	18·6	8·1	30·88
Oshawa	15·1	18·8	22·8	38·7	60·2	62 9	73·1	66·3	56·4	44·1	35·1	21·5	42·92
Ottawa	4 3	11·7	17·2	34·1	62·6	66 8	73·7	64·8	55·3	42·5	31·2	17·9	40·18
Owen Sound	....	....	17·6	36 2	54·8	58·1	66·6	59 1	51·7	40·7	30·5	22 9	....
Niagara Falls, S	20·9	24·7	26 8	41·0	61·2	65·8	75·9	68·0	58·3	45·3	36·0	29·2	46·09
Port Arthur	4·2	4·5	13·9	31·3	51·0	57·6	64·2	58·7	51·6	35·3	23·0	12 6	33·29
Parry Sound	8·5	14·0	17·6	35·7	59·0	63 6	69·9	61·7	52·0	42·2	30·8	22·7	39·81
Pembroke	4·4	11·6	17·2	35·5	62·1	67·1	72·5	64·5	54·1	42·2	29·3	17·2	39 81
Peterborough	8·5	14·2	21·0	37·2	62·7	66 9	74·6	66·6	56·8	44·3	32·5	19·2	42·04
Point Clark	18·6	19·9	21·7	36·0	52·6	61·0	68 2	62 9	56·8	45·4	35·8	28 9	42·32
Point Pelee	19·3	27·5	29 1	41·3	58·9	69 4	77·1	72·6	62·9	47·4	38·5	28·7	47·73
Port Stanley	19·7	24·7	27·0	39·4	59·5	65·5	72·3	65 4	57·6	45·6	36·4	29·3	45·20
Port Dover	19 5	24·8	27·4	40·2	60·8	65 8	72·7	66·6	57·2	45·4	36·7	29·4	45·54
Petrolia	19·7	24·6	26·5	43 2	61·6	66·8	74·1	67·1	57·8	44·7	36 6	28·8	45·96
Rockliffe	0·4	9·7	16·4	35·2	58 8	63·3	69·2	61·7	50 8	39·6	26·6	14·9	37·22
Renfrew	3·2	11·6	17·0	36·2	61 9	65·9	72·6	63·4	52·7	41·4	29·9	16·2	39·33
Ridgetown	18·3	24·6	26·9	41·6	60 8	66·4	73 9	65·4	57·9	45·3	35·5	26·5	45·26
St. George	17·8	22·7	25·7	41·4	61 6	66·0	74·6	66·6	56·3	43·5	34·6	27·7	44·88
Stoney Creek	20·0	25·7	27 6	41·5	58·0	64·2	76·2	68·9	58·7	46·6	37·5	29·3	46·18
Sudbury	....	....	....	....	....	....	68·1	58 2	47·8	37·3	....	15·8	....
Sharon	14·4	18·5	21·2	38·8	61·2	64·6	72·2	64 2	53·8	42·5	32·3	25·2	42·41
Saugeen	16·7	19·6	21·8	38·4	57·1	60·6	67·7	60·5	53·3	43·8	34·0	27·4	41·74
Stratford	16·5	19 6	22·4	39·1	62 2	65·8	74·1	64·4	55·0	42·3	33·4	25·8	43·38
Simcoe	20·3	25·9	27 2	42·4	62·3	66·1	74·5	67·1	57·5	44·7	35·6	28·3	45·99

TABLE III (Continued.)—*Mean Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ontario.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Sprucedale	5·4	9·3	15·0	34·9	58·7	61·3	68·7	60·5	49·5	38·9	26·3	18·0	37·21
Sarnia	..	..	..	..	..	..	..	..	..	..	..	30·6	..
Savanne	11·5	1·1	10 7	30·7	57·7	63·9	64·6	56·9	47·9	30·1	15·9	4·6	30·87
Sombra	..	..	..	..	..	..	..	..	57·7	45·6	37·0	29·4	..
Toronto	18·1	21·7	24·8	39 4	58·5	63·8	73·1	66·2	56·4	44·2	35·1	28·4	44·14
Woodstock	17·9	22·4	25·7	40·9	61·9	66·3	75·2	65·8	56·2	43·5	34·8	27·1	44·81
Windsor	20·4	27·5	29 1	44 5	63·8	69 2	77·0	69 1	60·2	46·2	37·4	28·1	47·71
Uplands	4·5	12·0	16 2	34·5	59·1	62·2	67·7	60 2	49·4	39·6	27·1	18·0	37·54
Zurich	18·8	21·2	23·1	40·9	61 7	65·3	73·1	64 6	56·5	45·3	35·7	27·2	44·45
White River	16·0	4·4	6·0	26·5	55·8	57 9	60·6	..	44·3	31·2	11·2	3·4	..
Wanstead	..	..	.	42·0	60·3	64·9	73·1	64·7	56·9	44·8	35·8	28·4	..
Quebec.													
Anticosti, S. W. P	7·6	7·0	22·3	29·9	40·3	50·0	57·9	55·4	51·0	40·2	30·0	21·0	34·38
Anticosti, W. P	6·1	6 0	21·2	30·2	41·9	55·0	59·9	58·9	52·3	40·6	30·1	20·7	35·24
Anticosti, Heath P	9·6	7·1	22·2	29·7	39·8	49·7	58·8	56·1	50·6	40·2	30·6	21·8	34·68
Brome	9·1	14·6	19·6	34·4	59 9	66·0	66·3	..	..	..	..	..	..
Bird Rock	17·5	10·4	23 2	30·8	37 2	47·0	..	59·7	55·0	44·8	..	..	..
Bicquet	..	..	..	34·2	43.5	52·1	55·6	52·8	46·5	37·7	28·2	..	..
Belle Isle	0·4	0·3	22·0	30·1	33·7	37·0	50·9	47·9	43·1	38·1	25·7	18·0	28·88
Cranbourne	3·9	7·6	16 2	30·2	53·9	61 0	67·2	57·5	49·0	37·3	25·6	13·2	35·22
Chicoutimi	7·1	1·1	13·1	31·2	50·7	63·1	66·7	58·3	50·0	36·7	22·8	7·9	32·69
Cape Chatte	..	..	..	30·8	44 0	55·6	61·4	58·9	51·5	39·1	29·0	..	..
Cape Magdalen	5·3	7·2	21·0	31·6	43·8	56·7	60·7	59·1	51 8	39·1	29·6	19·6	35·46
Cape Norman	6·9	2·8	22 6	30·3	35·6	41·5	51·4	51·9	49·8	38·5	30·6	24·0	32·16
Danville	8·2	11·1	18·8	35·5	59 2	66·3	71·1	62·2	53·8	41·6	31·2	..	..
Father Point	4·1	7·2	18 7	31·0	44·9	54·2	57·2	55·5	49 5	37·7	27·0	15·5	33·54
Huntingdon	7·8	13·1	19·1	34·9	59·6	64·0	71·3	62·4	54 3	41·9	31·3	17·1	39·73
Montreal	6·8	14·0	19 6	35·5	61·1	66 2	73·5	65·9	56·4	43·3	30·1	16·8	40·77
Quebec	5 2	9.2	19 8	33·1	53 6	63·5	69·1	62·0	53·3	39·9	27 4	15·2	37 61
Point des Monts	1·2	3·3	18·4	30·8	46·[illegible]	56·3	60·5	57·6	47·8	37·8	25·4	14·5	33·36
Richmond	7·2	12·0	18·6	33 9	58·7	64 1	70·7	61·0	51 4	40 9	29·1	16·6	38·68

TABLE III (Continued.)—*Mean Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Quebec.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Sherbrooke	....	....	...	....	....	....	....	....	....	....	....	14·6	....
Point Levis	....	....	....	....	....	....	....	....	....	....	....	13·1	....
New Brunswick.													
Bathurst	6·2	8·8	24·1	35·0	51·2	62·9	68·8	65·0	58·0	43·8	31·2	17·7	39·39
Chatham	7·3	8·7	23·2	33·0	50·3	60·6	67·7	62·9	55·0	43·1	30·9	18·7	38·45
Dalhousie	2·2	1·2	20·0	28·5	47·6	57·9	63·6	59·7	52·4	40·5	27·9	11·9	34·45
Fredericton	9·4	12·4	25·3	36·2	53·6	62·2	68·5	62·6	55·0	44·2	32·1	19·3	40·07
Grand Manan	23·4	22·2	29·2	38·5	49·6	55·8	63·2	61·3	55·5	47 2	38·5	27·2	42 63
Grand Falls	2·7	....	20·0	30·4	....	....	....	....	....	....	....	....	....
Parkers Ridge	6·9	8·2	21·3	33·3	51·0	59 8	66·6	59·8	52·6	45·0	32·1	....	....
St. Andrews	18·1	18·9	27·5	37 2	50·0	56·8	63 8	61·3	54·4	45·7	36·6	24·2	41·21
St. John	17·3	17·5	26·8	37 8	48·3	56·0	62·1	62·1	54·4	45·1	35·8	22·8	40·50
Woodstock	3·2	8·7	22·4	32 9	54·0	64·1	69·6	62·2	53·8	43·1	30·8	16·2	38·41
Point Lepreaux	19·9	19·5	24·2	35·4	47·5	52·9	58·0	58·5	53·8	46·8	36·8	21·6	39·57
Nova Scotia.													
Antigonishe	....	....	....	....	....	....	....	....	56·1	....	....	....	....
Glace Bay	20·2	15·1	24·3	33·1	43·0	53·6	64·8	60·9	55·2	46·0	35·2	28·5	39·99
Halifax	24·4	22·2	28·3	37·8	50·2	56·7	67·1	64·3	56·8	48·1	38·0	27·0	43·41
Picton	22·4	18·6	28·1	37·4	49·6	57·3	67·0	63 3	57·2	47·6	39·0	25 6	42·76
Sable Island	34·7	27·2	31·3	36·4	44·4	50 8	60·2	63·5	59·4	53·4	43 8	35·0	45·01
Truro	20·8	15·6	26 4	37·2	50·3	56·4	68·1	62 0	54·3	47·1	36·0	24·4	41·55
Yarmouth	26·9	25·0	29·7	38·4	49 1	56·1	62·9	60·8	55 1	47 6	39·4	29·2	43 43
Whitehead	25·6	19·0	27·1	33·5	42·3	49·6	59 1	62·0	57·8	49·8	39·2	29·8	41·23
Digby	19·6	19·3	27·7	37 2	50 1	69·2	66·6	62·4	54·9	46·3	36·2	25·9	43·80
Sydney	22·8	14·9	25·4	34·6	44·9	54·2	63·9	61·9	56·4	47·8	37·9	29·4	41·17

TABLE III (Continued).—*Mean Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
P. E. Island.	°	°	°	°	°	°	°	°	°	°	°	°	°
Kilmahumaig	12·9	11·7	22 4	30·5	47 4	57·1	65·9	61·4	55 1	44·4	34·0	22·0	38·73
Newfoundland.													
St. Johns	24·8	16·8	27·9	34·8	45·2	49·8	58·6	57·2	54·3	44·5	37·8	30·2	40·41
Point Rich	12·1	4·5	22·8	32·5	39·2	45·8	55·4	56·6	54·2	43·4	34·4	26·3	35·60
Manitoba.													
Minnedosa	13·4	8·0	11·8	34·2	53·1	61·0	62·2	56·6	50·5	31·1	17·1	0·3	29·71
Russell	15·8	11·7	11·4	34·6	52·5	59·8	62·2	57·5	50·0	31·4	16·3	2·3	28·80
Stony Mountain	13·0	5·2	12·4	35·3	55·8	64·9	66·4	61·1	53·4	33·0	17·9	0·9	31·91
Sourisford	12·0	6·9	16·7	38·3	56·2	63·0	65·0	61·5	52·0	34·3	20·9	1·9	32·57
Winnipeg	14·5	8·0	11·7	37·3	57·2	64·6	66·5	61·0	53·8	32·4	17·4	0·2	31·63
Elkhorn	10·9	6·6	....	....	....	61·4	63·1	57·0	....	....	....	....	....
Hillview	14·3	9·6	13·4	36·6	54·8	61·3	63·4	59·5	51·9	35·0	18 6	0·7	30·83
St. Albans	13·0	8·0	14·4	37·6	57·5	64·6	67·9	62·1	55·2	35·9	20·5	0·8	32·82
Portage la Prairie	12·1	5 7	....	....	....	66·8	....	....	....	....	....	1·2	....
Fort Osborne	13·3	5·8	11·7	34·4	54·3	63·8	65·8	60·6	52·9	31·6	17·2	0·3	31·13
Selkirk, E	14·2	7·3	11·8	34·1	53·4	61·9	61·5	59·6	51·0	31·5	17·0	1·0	30·19
Gladstone	12 1	10·9	....	36·0	54·0	62·2	63·2	59·2	53·7	34·4	18·5	0·3	....
Swampy Island	15·8	7·6	2·8	26·8	41·5	58·3	65·6	60·2	53·7	33·9	16·5	5·4	27·54
N. W. Territory.													
Edmonton	2 1	....	....	....	....	....	....	....	....	....	....	....	....
Medicine Hat	0·1	7·9	30·4	44·4	56·7	60·2	66·6	62·8	57·5	42·0	28·3	12·4	37·78
Qu'Appelle	13·5	11·6	15·0	37·8	54·1	61·4	64·0	60·3	53 4	35·5	20·5	1·4	31·52
Chaplin	15·2	12 9	19·4	41·6	58·0	63·6	70·0	61·8	51·9	38·2	23·9	7·4	34·97
Grenfell	12·9	9·3	15·6	36·2	51·4	58·0	62·6	57·1	52·0	30·2	16·2	0·7	29·70
Parkland	12·3	9 2	13·6	35·9	....	....	....	....	....	32·6	15·3	4·9	....
Calgary	4·0	4·1	24·8	38·6	49·6	53·5	60·3	56·8	50·3	39·9	25·6	9·0	33·86
Maple Creek	2·0	5·4	30·6	44·5	58·6	60·9	69·7	64·5	59·0	42·2	29·7	13·0	39·11

TABLE III (Continued.)—*Mean Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
N. W. TERRITORY.—*Con.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Gleichen	0·4	6·8	26·2	....	55·4	....	....	....	....	....	26·4	10·1	....
Balgonie	14·2	12·3	16·3	38·5	53·0	59·6	60·9	58·4	49·9	33·1	16·1	0·0	30·69
Fort Chipewyan	23·1	16·1	1·9	26·2	43·7	....	....	....	....	26·7	10·3	14·0	....
Indian Head	12·0	13·7	17·6	....	....	....	....	....	....	....	....	....	....
Pheasant Forks	15·6	12·4	13·1	36·9	53·5	60·4	62·1	57·9	50·1	31·2	17·1	1·5	29·40
Regina	16·3	15·1	13·7	36·8	53·0	59·9	62·8	60·3	53·0	32·7	23·2	2·5	30·54
Prince Albert	16·4	....	....	....	45·5	58·7	62·3	57·4	50·4	31·7	....	....	....
Moose Jaw	16·2	13·3	13·9	33·5	53·4	59·7	....	62·9	....	32·9	17·3	....	....
Lethbridge	9·7	....	....	....	....	....	....	....	....	....	....	....	....
Poplar River	18·0	7·6	2·8	28·9	47·5	57·5	64·1	....	....	....	....	....	....
Swift Current	3·8	7·7	23·3	39·1	51·8	58·5	64·3	59·3	53·1	36·0	23·4	7·0	31·73
HUDSON'S BAY.													
Fort Churchill	25·1	18·1	11·0	9·3	30·2	45·0	54·6	51·8	43·2	17·5	1·1	14·3	15·35
BRITISH COLUMBIA.													
Victoria	41·0	2·5	44·2	46·2	51·9	55·2	57·7	57·1	54·1	47·6	42·6	41·6	47·39
Quamichan	38·4	26·3	42·6	44·8	....	....	....	....	....	....	....	....	....
Port Moody	34·9	25·4	35·5	....	....	59·7	64·0	63·9	56·0	48·8	11·0	37·1	....
Fort Simpson	32·2	23·7	36·1	40·4	45·9	51·4	53·4	54·5	50·7	46·5	38·5	32·7	42·17
Clinton	....	2·0	28·0	34·9	41·6	46·3	....	....	....	41·0	29·4	19·4	....
Kamloops	....	....	....	....	....	....	....	....	....	45·4	35·4	26·6	....

TABLE IV.—*Highest Temperature in each Month at Stations in the Dominion of Canada, during the year 1887.*

Ontario.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
Axe Lake	43·0	41·0	38·0	58·0	87·0	81·0	87·0	83·0	72·0	58·0	53·0	41·0
Alton	46·0	45·0	43·5	66·2	87·2	87·5	92·2	93·2	87·5	64·2	61·2	46·5
Birnam	47·1	51·0	48·8	75·4	90·9	90·3	98·0	96·0	89·1	76·9	62·9	54·4
Barrie	45·5	42·6	42·4	69·8	84·6	92·6	95·6	93·6	84·6	72·9	65·6	48·6
Bala	38·0	45·0	43·0	65·0	90·2	84·0	88·0	89·0	78·0	67·0	59·0	43·0
Beatrice	43·0	45·0	40·0	61·0	86·5	85·0	89·0	89·8	78·0	65·0	58·4	43·0
Brampton	45·0	48·0	45·0	72·0	87·0	90·0	97·0	95·0	87·0	75·0	50·0	41·0
Brantford	50·0	50·0	50.0	73·0	93·0	92·0	98·0	96·0	87·0	78·0	60·0	52·0
Biscotasing	....	....	....	....	....	....	....	....	....	61·0	50·0	33·0
Buda	24·0	33·0	41·0	77·0	90·0	91·0	85·0	85·0	81·0	75·0	65·0	33·0
Cornwall	40·5	45·9	40·0	61·4	87·3	89·8	93·9	91·8	81·0	64·1	60·1	52·9
Conestogo	45·0	48·0	45·8	69·8	86·8	86·5	94·8	94·0	85·8	74·9	60·0	47·7
Chatham	52·0	51·0	50·0	85·0	94·0	93·0	102·0	100·0	90·0	73·0	68·0	52·0
Charlinch	....	....	....	50·3	89·4	85·9	92·0	91·8	77·9	66·6	57·6	43·2
Coldwater	39·0	41·1	45·0	65·1	91·0	93·1	98·0	95·0	85·2	64·2	53·5	42·2
Cartier	24·0	32·0	37·0	64·0	86·0	89·0	86·0	85·0	70·0	54·0	43·0	34·0
Deseronto	44·0	45·0	41·0	65·0	85·8	91·0	96·6	93·0	81·0	68·0	58·2	43·2
Durham	46·0	48·0	46·0	69·0	87·0	87·0	91·0	92·0	87·0	75·0	63·0	50·0
Egremont	45·0	47·0	43·0	63·0	88·0	87·0	92·0	93·0	87·0	72·0	61·0	45·0
Elora	45·0	45·0	43·0	70·0	89·0	89·0	95·0	94·0	85·0	74·0	60·0	47·0
Fitzroy Harbor	42·0	36·0	....	....	....	....	....	91·0	80·0	61·0	50·0	....
Guelph	44·2	47·0	45·5	72·5	88·0	88·2	96·0	95·6	88·2	76·2	66·4	53·0
Galt	50·9	44·7	45·0	71·2	89·6	87·9	96·0	99·6	88·1	76·0	60·0	49·0
Goderich	47·0	44·4	43·4	69·2	88·0	88·8	90·8	91·5	82·0	73·5	58·1	50·5
Gravenhurst	43·0	46·0	39·0	63·0	87·0	88·0	90·0	93·0	87·0	68·0	63·0	44·0
Joly	38·0	42·0	39·0	60·0	90·0	87·5	90·0	87·5	74·5	64·0	55·0	44·2
Heron Bay	31·0	25·0	44·0	52·0	67·0	70·0	78·0	65·0	65·0	60·0	47·0	42·0
Hamilton	50·8	52·8	53·8	76·2	89·5	92·5	100·0	96·5	88·7	75·0	64·0	56·0
Kingston	46·0	48·0	39·2	62·3	82·2	80·3	88·4	88·5	76·4	64·6	58·4	43·7
Lakefield	39·0	40·0	43·0	65·5	85·0	85·0	91·0	....	78·0	69·0	58·5	44·5
Lucknow	47·0	49·0	44·9	71·6	92·4	89·4	91·7	95·9	87·0	75·1	60·0	51·5
Lindsay	41·6	43·6	41·9	68·0	87·5	90·2	96·7	99·0	86·5	70·7	59·0	45·1

TABLE IV (Continued.)—*Highest Temperature, &c.*

ONTARIO.—*Continued.*	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
London	48·1	50·1	49·1	73·1	86·0	86·5	95·0	91·3	86·5	76·1	61·1	54·1
London (2)	48·8	49·8	49·7	72·8	88·6	89·3	95·6	....	79·4	75·5	60·0	49·5
Little Current	40·0	36·0	40·0	60·0	79·0	85·0	96·0	88·0	85·0	69·0	57·0	50·0
Listowel	44·0	46·0	45·0	68·0	90·0	91·0	96·0	96·0	87·0	75·0	58·0	47·0
Mount Forest	46·0	47·0	41·0	66·0	86·5	85·0	89·0	92·0	87·0	75·0	61·0	43·5
Minden	41·6	43·9	42·9	65·4	90·4	90·6	92·5	94·7	85·0	70·0	60·2	44·7
Mattawa	24·4	34·8	40·3	62·9	89·9	91·9	87·9	86·9	77·8	64·8	58·9	35·9
Northcote	31·2	42·3	36·4	53·3	84·0	78·2	....	....	70·8	56·2	55·8	41·8
Norwood	42·8	42·0	38·6	63·5	83·5	86·5	92·5	90·0	77·0	67·7	55·2	58·2
North Bay	25·0	30·0	30·0	60·0	....	83·0	83·0	85·0	76·0	51·0	....	45·0
Nipigon	28·0	30·0	41·0	58·0	77·0	85·0	88·0	78·0	71·0	68·0	47·0	36·0
Oshawa	42·5	43·5	43·0	63·0	82·7	83·0	99·5	89·9	78·7	67·7	53·7	45·2
Ottawa	38·4	41·9	36·3	59·2	89·6	90·7	93·6	92·4	79·3	63·5	58·2	45·3
Owen Sound	40·0	45·0	40·0	65·0	83·0	83·0	85·0	90·0	81·0	71·0	59·2	48·0
Niagara Falls, S.	52·0	50·0	51·0	68·0	85·0	88·0	96·0	93·0	84·0	72·0	64·0	51·0
Port Arthur	30·0	33·0	38·0	55·0	77·0	82·0	88·5	89·0	77·0	67·0	55·0	30·0
Parry Sound	43·2	45·7	38·0	58.0	84·7	87·2	93·7	88·7	80·7	65·3	57·8	46·7
Pembroke	42·6	46·6	42·6	68·6	92·0	93·7	92·0	91·7	82·7	64·1	60·6	41·6
Peterborough	43·8	46·8	44·8	69·7	90·6	90·6	98·0	97·6	85·6	74·7	59·7	46·8
Point Clark	40·0	43·0	38·3	57·0	80·0	78·0	83·0	83·0	75·0	65·0	51·0	45·0
Point Pelee	56·0	51·0	56·0	73·0	85·0	87·0	96·0	95·0	89·0	66·0	62·0	40·0
Port Stanley	44·4	49·1	46·0	64·7	79·0	85·0	90·5	87·2	77·0	67·0	54·1	45·4
Port Dover	46·9	48·0	47·8	66·8	85·8	86·0	87·9	87·9	84·8	68·7	61·8	46·9
Petrolia	54·8	54·1	50·0	74·6	91·1	92·1	101·0	95·0	90·1	78·1	62·1	54·1
Rockliffe	36·9	38·9	42·2	69·9	89·7	91·7	93·7	94·7	80·7	67·8	57·8	38·6
Renfrew	41·0	40·8	45·0	65·1	93·9	93·5	96·0	92·5	83·8	67·0	62·5	43·0
Ridgetown	50·0	52·0	55·0	72·0	89·0	90·0	100·0	93·0	87·0	76·0	60·0	51·0
St. George	45·1	46·4	49·0	72·9	90·2	90·1	96·4	95·0	89·0	77·0	60·2	50·5
Stony Creek	55·0	49·0	53·0	76·0	85·0	92·0	100·0	97·0	90·0	72·0	65·0	57·0
Sharon	44·4	45·6	45·0	70·0	85·3	84·5	93·0	92·5	83·0	70·5	63·2	45·5
Saugeen	46·5	48·1	42·5	68·0	82·0	85·5	88·5	89·5	85·5	72·0	61·2	53·0
Stratford	46·0	48·4	44·6	72·2	89·7	89·4	92·7	93·7	87·7	75·9	61·1	48·3
Simcoe	50·0	50·0	50·0	69·0	80·0	83·0	90·0	88·0	81·0	73·0	64·0	51·0
Sudbury	....	....	....	....	....	....	89·0	86·0	75·0	64·0	....	42·0

TABLE IV (Continued).—*Highest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ONTARIO.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Sprucedale	41·0	45·0	40·0	59·0	92·0	95·0	95·0	90·0	78·0	62·0	59·0	40·0
Savanne	23·0	28·0	42·0	73·0	84·0	84·0	82·0	85·0	74·0	63·0	55·5	32·0
Toronto	44·1	45·1	44·9	71·1	78·3	89·5	97·2	90·1	79·1	65·9	57·6	47·1
Woodstock	47·8	47·5	48·3	73·9	88·1	91·0	97·2	95·0	86·4	76·9	59·8	50·5
Windsor	56·0	52·2	52·9	78·8	93·3	91·7	98·6	97·1	91·0	79·9	64·5	56·6
Uplands	42·0	44·6	41·2	67·3	86·5	89·5	88·6	87·2	78·0	64·0	56·1	57·9
Zurich	47·0	44·0	48·0	73·0	92·0	93·0	97·0	97·0	90·0	75·0	65·1	52·0
White River	25·0	2·0	40·0	62·0	90·0	83·0	84·0	....	65·0	55·0	44·0	40·0
Wanstead	....	....	....	71·0	92·0	90·1	98·0	97·5	89·5	76·0	62·0	53·0
QUEBEC.												
Anticosti, S. W. P.	33·2	29·9	43·2	44·9	51·0	64·7	74·2	68·2	68·6	52·4	43·5	34·9
Anticosti, W. P.	26·0	23·0	41·0	43·0	58·0	64·0	71·0	73·0	68·0	56·0	42·0	33·0
Anticosti, Heath P.	34·0	27·0	40·0	45·0	47·0	67·0	75·0	65·0	65·0	52·0	47·0	40·0
Brome	44·0	40·0	36·0	....	77·0	91·0	....	....	....	....	....	....
Bird Rock	47·7	35·8	43·1	50·1	51·7	60·0	75·6	72·6	68·4	64·5	48·2	47·5
Biquet	....	....	....	45·0	62·0	72·0	7	68·0	64·0	47·0	36·0	....
Belle Isle	32·0	24·0	39·0	48·0	40·0	63·0	64·0	63·0	56·0	48·0	39·0	38·0
Cranbourne	37·0	38·9	39·9	55·	83·8	88·8	87·8	82·8	75·8	64·8	52·8	36·0
Chicoutimi	24·4	29·2	49·7	58·2	84·6	86·1	87·4	84·6	78·6	59·9	46·4	39·0
Cape Chatte	....	....	....	47·0	56·0	70·0	76·0	76·0	74·0	55·0	54·0	....
Cape Magdalen	28·0	27·0	38·0	51·0	65·0	70·0	75·0	75·0	73·0	55·0	52·0	35·0
Cape Norman	29·0	25·0	57·0	45·0	47·0	63·0	65·0	65·0	69·0	48·0	54·0	37·0
Danville	44·0	44·0	45·0	61·0	87·0	88·0	93·0	88·0	78·0	64·0	60·0	....
Father Point	29·2	30·1	38·3	49·0	65·1	75·7	76·5	78·5	73·8	50·8	51·1	37·6
Huntingdon	44·0	49·0	41·0	61·0	86·0	90·0	95·1	91·9	80·0	65·0	61·4	45·2
Montreal	40·2	45·3	41·8	56·4	85·5	86·7	90·4	87·9	79·8	63·0	56·5	40·3
Quebec	36·3	36·3	39·0	56·1	81·5	89·3	88·0	85·1	75·4	56·9	45·1	37·3
Point des Monts	20·0	23·0	45·0	45·0	63·0	83·0	79·0	75·0	64·0	55·0	47·0	32·0
Richmond	43·5	45·9	40·7	59·8	85·3	91·0	92·8	88·0	78·7	63·9	56·1	40·5
St. François	39·0	....	....	....	....	....	....	....	....	....	....	....

TABLE IV (Continued.)—*Highest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
New Brunswick.	°	°	°	°	°	°	°	°	°	°	°	°
Bathurst	37·0	32·0	47·0	58·0	83·0	89·0	89·5	89·0	81·0	69·0	56·0	36·0
Chatham	46·9	38·5	42·8	54·1	81·9	90·0	91·6	87·3	80·3	67·3	60·9	37·4
Dalhousie	30·0	27·5	42·0	49·0	72·5	88·0	90·0	82·0	77·5	60·0	49·0	36·0
Fredericton	45·9	42·9	47·2	63 7	84·7	91·7	91·7	82·2	76·1	63·7	60·2	47·8
Grand Manan	49·7	43·2	53·5	66·6	71·4	78·6	85·6	77·8	71·6	63·6	57·9	50·7
Grand Falls	40·0	....	45·0	61·0	....	....	....	....	....	....	....	....
Parker's Ridge	42 0	37·0	44·0	63·0	91·0	91·0	90·0	82·7	75·0	75·0	65·0	....
St. Andrews	47·8	42·3	44·8	64·7	84·6	75·6	88·6	81·6	72·6	63·7	58·7	49·7
St. John	46·5	40·1	45·3	64·5	72 7	73·0	88·9	79·5	70·3	63·0	53·7	49·5
Woodstock	42·0	44 0	44·0	54·0	85·9	91·9	93 9	82·9	76·9	67·0	59·0	45·0
Point Lepreaux	45 0	40·0	41·0	62·0	63·0	67·0	70·0	70·0	68·0	59·0	53·0	44·0
Nova Scotia.												
Antigonishe	....	....	....	....	....	....	....	....	76·0	....	....	....
Glace Bay	56·0	43·0	47·0	54·0	72 0	83·0	92·0	87 0	73·0	62·0	60·0	53·0
Halifax	54·9	46·0	46·8	72·5	78·2	81·0	93·0	89·6	77·0	64·0	56·0	54·0
Pictou	61·0	44·0	57·0	62·0	76 5	86·0	91·5	84·0	77·0	65·0	69 4	61·5
Sydney	58·0	46·0	50·9	58·7	69·5	84·0	85·0	88·8	74·8	64·0	60·5	55·4
Sable Island	53·0	47·0	48·0	49 0	67·0	67·0	75·0	78·5	72·0	66·0	63·0	53·0
Truro	61·0	46·2	51·0	63·0	77·5	86·4	89·7	88·6	73·4	65·3	60·6	58·7
Yarmouth	51·3	46 8	48·4	59·7	67·5	78·6	83·7	79·7	73·0	63·0	57·7	56 7
Whitehead	46·0	38·0	42·5	45·0	57·0	65·0	78·0	71·0	65·5	64·9	52·0	47·5
Digby	50·0	37·0	40·0	60·0	67·0	86·0	83·0	85·0	72·0	65·0	60·0	55·0
P. E. Island.												
Kilmahumaig	46·0	41·4	42·3	49·7	80·0	82.6	89·5	82 0	76·0	63·7	57·6	45·1
Newfoundland.												
St. Johns	57·0	41·0	46·0	57·0	73·2	83·0	86·0	79 0	76·0	63·0	60·0	53·0
Point Rich	35·0	32·0	40·0	48·0	52·0	58·0	64 0	66·0	66·0	58·0	51·0	42·0

TABLE IV (Continued).—*Highest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
MANITOBA.	°	°	°	°	°	°	°	°	°	°	°	°
Minnedosa	21·7	21·7	47·6	79·8	90·0	86·3	89·8	82·8	83·8	67·2	66·5	33·6
Russell	20·0	22·5	41·5	78·5	92·5	82·5	88·0	83·5	80·5	80·5	61·0	38·0
Stony Mountain	26·7	25·7	39·9	70·7	89·7	84·7	91·7	86·7	85·7	64·9	60·7	38·0
Sourisford	22·0	20·0	45·0	90·0	94·0	93·0	97·0	92·0	90·0	76·0	65·0	40·0
Winnipeg	23·2	24·8	43·0	74·8	90·6	88·0	93·2	88·0	83·8	64·0	58·6	38·0
Elkhorn	22·7	36·2	....	....	....	89·0	91·2	83·0	....	....	....	....
Hillview	23·0	20·0	41·0	82·0	93·0	85·0	90·0	82·0	81·0	67·0	60·0	35·0
St. Albans	22·5	34·0	53·0	90·0	94·0	94·5	87·0	91·0	86·5	85·0	62·5	41·5
Portage la Prairie	23·0	22·0	....	....	....	....	....	88·0	83·0	70·0	65·0	43·0
Fort Osborne	18·0	25·0	42·0	72·0	86·0	86·0	87·0	84·0	83·0	61·0	54·0	36·0
Selkirk	20·0	21·9	50·1	71·1	94·1	85·1	90·1	85·1	83·1	65·5	58·1	38·0
Gladstone	22·2	21·0	39·4	82·0	91·5	88·3	90·2	85·4	82·6	70·0	64·6	39·5
Swampy Island	11·5	12·0	34·0	48·0	65·0	79·9	80·0	74·0	73·0	55·0	40·0	32·0
N. W. TERRITORY.												
Edmonton	....	....	....	....	....	....	....	....	....	....	....	....
Medicine Hat	41·8	42·6	58·0	78·6	93·7	85·5	89·9	91·3	83·0	78·0	68·0	47·2
Qu'Appelle	22·8	27·6	47·7	77·0	92·3	86·0	90·0	84·2	82·3	70·1	62·3	37·8
Chaplin	25·0	40·0	46·0	80·0	90·0	90·0	94·0	92·0	82·0	76·0	60·0	45·0
Grenfell	20·0	24·0	43·5	80·0	90·0	85·0	90·0	80·0	83·0	66·0	57·0	33·0
Parkland	22·8	24·2	46·9	79·3	....	....	....	....	84·8	73·4	61·0	34·1
Calgary	39·0	....	....	....	....	84·5	84·5	80·3	82·5	77·0	....	....
Maple Creek	30·0	50·0	57·0	76·0	89·0	86·0	89·0	91·0	84·0	72·0	66·0	48·0
Gleichen	50·0	50·0	55·0	....	95·0	....	....	....	....	....	64·0	44·0
Balgonie	17·0	20·0	45·0	79·0	93·0	88·0	90·0	89·0	86·0	69·0	66·0	....
Fort Chipewyan	13·8	13·8	40·8	47·5	66·0	....	....	....	....	50·0	39·0	37·0
Indian Head	20·0	18·0	58·0	....	....	....	....	....	.. .	....	....	....
Pheasant Forks	17·0	20·0	45·0	79·0	93·0	88·0	90·0	91·0	86·0	69·0	66·0	30·0
Regina	22·0	18·0	44·5	80·5	96·0	85·0	93·0	89·5	86·5	71·0	67·5	43·5
Prince Albert	10·0	....	....	....	84·0	80·0	84·7	80·0	83·8	67·7	57·7	41·7
Moose Jaw	35·0	35·0	46·0	76·0	87·0	82·0	....	90·0	....	56·0	58·0	....

TABLE IV (Continued.)—*Highest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
N. W. Territory.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Lethbridge	51·0	47·0	....	....	....	....	....	....	....	....	....	....
Poplar River	13·5	13·5	38·0	58·0	82·1	82·9	81·1	....	....	....	....	....
Swift Current	37·0	50·0	56·0	75·0	85·4	82·6	90·0	85·4	81·4	76·4	67·4	42·4
Hudson's Bay.												
Fort Churchill	7·0	4·0	25·0	30·0	45·0	73·0	73·0	72·0	77·0	55·0	25·0	16·0
British Columbia.												
Victoria	52·0	48·0	59·0	59·0	80·0	86·0	77·0	82·0	78·0	64·0	60·0	51·0
Quamichan	55·0	50·0	64·0	66·0	89·0	92·0	....	94·0	....	....	....	....
Port Moody	50·0	40·0	45·5	....	....	87·0	89·0	87·0	85·0	65·0	58·0	54·0
Fort Simpson	49·0	39·0	52·0	54·0	65·0	73·0	73·0	68·0	64·0	64·0	62·0	54·0
Clinton	....	43·5	53·5	59·0	76·0	78·0	....	....	....	63·0	56·0	47·5

TABLE V.—*Lowest Temperature in each Month at Stations in the Dominion of Canada during the year 1887.*

Ontario.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
Axe Lake	35·0	23·0	19·0	6·0	28·0	43·0	45·0	34·0	22·0	5·0	5·0	16·0
Alton	8·8	11·8	2·6	7·8	35·0	43·0	48·0	37·5	26·4	11·8	0·0	2·5
Birnam	20 2	9·0	1·6	14·5	38·0	42·0	47·0	35·2	26·5	14·0	6·2	5·8
Barrie	22·9	16·3	9·6	2·8	38·0	46·0	52·0	44·0	31·5	14 6	0·3	3·4
Bala	30·0	22·0	12·0	5·5	36·5	48·0	53·0	41·0	26·0	14·0	1·0	11·0
Beatrice	27·0	21·0	12·2	4·0	29·0	41·0	45·0	34·0	21·0	7·0	2·5	14 0
Brampton	29·0	13·0	2·0	12·0	38·0	45·0	52·0	43·0	31·0	17·0	6·0	5·0
Brantford	14·0	2·0	7·0	15·0	41·0	46·0	53·0	40·0	30·0	17·0	5·0	2·0
Biscotasing	....	....	....	....	...	....	....	....	....	12·0	22·0	18·0
Buda	36·0	31·0	23·0	3 0	36·0	46·0	50·0	48·0	40·0	15·0	30·0	30·0
Cornwall	29·7	14·6	9·5	1·0	34·0	42 9	54·2	43·2	31·0	21·3	1·5	15·9
Conestogo	18·1	9·0	3·8	9·5	39·5	41·2	49·2	36·4	25·7	13 8	6·9	6·0
Chatham	21·0	2·0	8 0	19·0	45·0	53·5	61·0	46·0	32·0	20·0	5·0	11·0
Charlinch	....	....	....	11·1	28·0	38·6	45·0	30·8	16·9	0·8	10·4	22·9
Coldwater	31 2	9 1	6 0	2·0	34·1	45·2	53·1	40·0	26·0	8·2	10·0	18·0
Cartier	45·0	26·0	32·0	0·0	40·0	44·0	46·0	26·0	3·0	13·0	26·0	30·0
Deseronto	34·5	9 5	6·5	11·8	37·5	47·5	56·5	41·9	30 5	20·9	1·4	7·9
Durham	15·0	7·0	0·0	10 0	38 0	40·0	42·0	39·0	28·0	15·0	10 0	5·0
Egremont	15·0	9·0	4·0	12·0	35·0	49·0	47·0	30·0	22·0	10·0	0·0	3·0
Elora	12·0	5·0	1·0	13·0	37·0	43·0	50·0	39·0	31·0	15·0	4·0	0·0
Fitzroy Harbor	40·0	14 0	....	....	....	....	....	50·0	36·0	20·0	0·0	....
Guelph	14·1	3·5	2 2	6·0	37·0	42·0	50 0	38·3	28·8	14·2	1·0	3·5
Galt	17·0	6·0	0·0	13·5	38·0	43·0	48·2	39·0	27·5	14·0	4·0	3·0
Goderich	4·5	9·8	3·0	12·0	41 8	46·7	48·1	40·3	31·4	20·1	13·4	9 5
Gravenhurst	34·0	25·2	16·0	8·4	31·0	46·0	47·0	39·0	28 0	13 0	1·0	11·8
Joly	24 0	19 0	15·0	9·0	36·0	44·0	52·0	39·0	25·0	5·0	5·0	18·0
Heron Bay	75·0	40·0	10·0	9·0	36·0	44·0	50·0	45·0	34·0	8·0	30·0	31·0
Hamilton	6·0	1·6	4·7	16·5	30·1	36·9	47·0	35·1	25·3	12 0	3·6	1·6
Kingston	19 8	4·5	5·6	13·6	38·4	51·8	58·5	46·8	36·0	21·9	4 0	5·8
Lakefield	23·0	12·0	12·0	3·0	39·5	48 0	55·0	....	30·0	11·0	8·0	11·0
Lucknow	10·1	10·1	4·0	13·0	35·4	42·5	46·0	36·4	25·9	15 0	8·0	8·0
Lindsay	25·2	16 2	10·4	3·6	33·9	44·1	50·5	38·3	24·0	12·4	3·0	12·3

TABLE V (Continued).—*Lowest Temperature, &c.*

ONTARIO—*Continued.*	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
London	14·8	2·1	4·9	15·6	42·0	46·1	51·9	37·1	27·0	17·0	6·1	3·9
London (2)	10·2	2·1	4·8	15·0	40·6	45·4	51·8	....	26·0	16·8	6·7	2·0
Little Current	28·0	16·0	23·0	0·0	33·0	44·0	51·0	41·0	28·0	20·0	1·0	9·0
Listowel	14·0	11·0	0·0	12·0	40·0	48·0	50·0	28·0	20·0	16·0	6·0	10·0
Mount Forest	18·5	11·0	6·0	3·5	35·0	40·5	45·5	35·0	26·0	12·0	5·0	7·0
Minden	35·9	29·8	20·7	11·5	27·7	37·8	42·7	27·7	16·7	6·7	6·8	23·7
Mattawa	25·0	33·3	35·3	10·6	11·8	32·0	44·1	31·0	19·8	0·2	15·7	1·9
Northcote	39·0	13·4	10·1	21·1	47·8	54·7	....	....	39·0	12·0	13·4	12·9
Norwood	34·0	14·1	10·6	7·0	32·0	42·0	47·0	32·5	8·0	7·5	3·3	16·0
North Bay	32·0	22·0	6·0	2·0	....	46·0	47·0	53·0	37·0	30·0	....	22·0
Nepigon	41·0	37·0	32·0	4·0	34·0	44·0	49·0	34·0	21·0	2·0	26·0	27·0
Niagara Falls, S.	9·0	4·0	10·0	20·0	45·0	50·0	65·0	52·0	38·0	25·0	10·0	5·0
Oshawa	20·0	14·0	3·7	18·0	39·0	38·9	55.0	43·1	32·0	18·0	0·9	5·0
Ottawa	31·6	17·2	13·2	2·8	34·3	46·7	53·3	43·5	31·7	19·0	2·3	20·1
Owen Sound	22·0	11·0	10·0	2·0	33·0	39·0	42·0	39·0	28·0	17·0	10·0	5·0
Port Arthur	34·5	26·5	24·0	2·0	27·5	41·0	46·0	35·5	30·0	5·0	22·0	20·5
Parry Sound	30·4	22·4	17·2	3·0	29·8	43·5	47·6	38·2	24·0	9·5	3·0	12·2
Pembroke	38·3	17·2	21·3	2·2	34·0	45·8	49·8	40·0	30·9	14·9	5·2	19·2
Peterborough	30·6	12·3	9·3	9·9	36·0	45·0	51·9	41·0	27·9	13·9	0·9	9·2
Point Clark	8·0	11·0	0·0	14·0	41·0	49·0	54·0	44·5	28·0	22·0	5·5	13·0
Point Pelee	9·0	9·0	10·0	21·0	46·0	57·0	62·0	60·0	45·0	32·0	16·0	13·0
Port Stanley	15·5	2·0	5·6	15·7	40·9	46·0	51·8	42·2	30·0	16·9	2·5	4·8
Port Dover	6·8	3·6	7·8	18·0	41·0	46·9	54·7	44·0	31·0	19·0	4·6	6·6
Petrolia	17·0	5·0	3·0	15·0	40·0	45·5	50·0	41·0	29·0	13·5	9·0	5·0
Rockliffe	43·4	31·4	31·9	8·6	29·1	41·0	44·2	35·0	26·0	6·7	11·7	30·1
Renfrew	28·4	23·0	25·3	9·6	31·1	42·2	48·8	36·6	25·6	4·8	11·1	19·7
Ridgetown	20·7	2·0	4·0	15·0	37·0	44·0	47·0	35·0	29·0	14·0	4·0	4·0
St. George	3·0	2·0	8·5	18·2	46·5	52·0	56·5	44·0	29·5	19·0	7·0	4·0
Stoney Creek	10·0	4·0	11·0	20·0	40·0	47·0	63·0	46·0	31·0	18·0	10·0	5·0
Sharon	17·7	12·9	0·3	10·8	42·8	52·3	58·0	39·5	28·0	15·0	2·0	6·5
Saugeen	10·0	5·9	4·8	10·6	33·1	38·9	40·9	38·1	26·1	18·1	1·1	3·6
Stratford	16·2	10·2	1·6	9·5	41·8	42·0	48·4	31·4	20·5	14·0	0·6	0·2
Simcoe	17·0	4·0	8·0	17·0	41·0	45·0	52·0	40·0	27·0	18·0	4·0	1·0
Sudbury	....	...	....	....	....	....	42·0	40·0	20·0	6·0	....	38·0

TABLE V (Continued).—*Lowest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ONTARIO.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Sprucedale	41·5	27·0	16·0	0·0	39·0	40·0	52·0	40·0	25·0	12·0	17·0	30·0
Savanne	47·0	47·0	42·0	23·0	12·0	30·0	33·0	28·0	20·0	11·0	36·5	38·8
Toronto	16·6	8·4	4·0	20·0	39·2	47·4	57·2	45·1	35·1	19·4	6·4	0·0
Woodstock	18·0	2·8	3·8	13·9	39·0	44·0	52·0	36·9	26·4	15·0	3·0	3·7
Windsor	10·0	0·1	5·9	7·8	42 6	47·6	52·5	41·9	31·0	21·0	15·1	1·0
Uplands	32·4	21·4	14·9	1·9	27·2	39·4	39·3	32·5	19·3	1·6	9·5	20·8
Zurich	7 0	7·0	2·0	14·0	40 0	39·0	47·0	36·0	24 0	17·0	9·0	9·0
White River	58·0	53·0	40·0	10·0	30·0	42·0	39·0	....	23·0	0·0	43·0	40·0
Wanstead	....	....	....	28·0	45·0	48·5	56·8	43·9	28·0	15·3	8·6	7·8
QUEBEC.												
Anticosti, S. W. P.	16·1	11·5	12·3	11·1	31·7	36·0	44·7	40·3	38·4	22·0	1·1	4·9
Anticosti, W. P.	15·0	10·0	14·0	10·0	33·0	43·0	50·0	43·0	35·0	21·6	6·0	3·0
Anticosti, Heath P.	20·0	15·0	19·0	0·0	31·0	39·0	50·0	39·0	40·0	19·0	0·0	12·0
Brome	28·0	14·0	12·0	13·0	40·0	57·0	....	....	....	....	....	31·0
Bird Rock	10·2	7·2	9·0	12·9	25·2	35·7	49·0	50·4	43·4	26·0	12·1	4·8
Bicquet	....	....	....	19·0	35·0	43 0	46·0	41·0	38·0	22·0	0·0	....
Belle Isle	27·0	17·0	13·0	13·0	24 0	29·0	36·0	31·0	31·0	19 0	2 0	8·0
Cranbourne	35·4	26·6	32·0	4·5	30·0	36·9	46·8	37·9	26·0	8·8	7·6	21·2
Chicoutimi	38·5	33·2	29·2	6·5	29·1	40·0	49·1	41·1	34·0	9·5	8·5	32·2
Cape Chatte	....	....	....	15·0	34·0	44·0	52·0	49·0	40·0	23·0	2·0	....
Cape Magdalen	17·0	13·0	12·0	15·0	35·0	45·0	46·0	50·0	37·0	17·0	0·0	5·0
Cape Norman	24·0	16·0	14·0	13·0	30·0	30·0	43·0	40·0	37·0	22·0	2·0	3·0
Danville	29·0	23·0	22·0	3·0	33·0	39·0	49·0	39 0	29·0	16 0	4·0	....
Father Point	25·8	21·2	25·2	7·1	31·0	36 0	43·4	38 9	33·4	11·1	6·6	18·9
Huntingdon	39·0	21·0	17·0	4·0	34·0	48·2	53·0	41·2	32 2	21·0	2·0	26·0
Montreal	25·9	11·1	11·9	8·0	40·1	50·3	56·3	49·6	38·2	21·5	0·5	12·2
Quebec	24·7	16·6	20·3	4·7	34·7	41·5	52·5	41·7	33·9	14·4	8·5	18·8
Point des Monts	29·0	27·0	15·0	12·0	30·0	42·0	45·0	45·0	39·0	14·0	1·0	17·0
Richmond	45·0	30·0	30·0	12·9	30·0	38·3	51·0	39·0	26·9	14·3	3·5	34·0
St. François	45·0	29·0	35·5	11·0	27·7	35·8	49·5	37·2	26·0	10·5	6·0	19·0

TABLE V (Continued.)—*Lowest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
NEW BRUNSWICK.	°	°	°	°	°	°	°	°	°	°	°	°
Bathurst	34·5	25·0	28·0	7·0	27·0	38·0	46·5	26·0	18·0	13·0	5·0	14·0
Chatham	38·1	32·8	25·5	2·1	26·9	35·0	48·6	41·0	32·0	13·7	2·6	16·5
Dalhousie	36·2	24·0	25·0	2·0	27·5	35·5	46·0	41·5	35·0	12·5	5·0	14·0
Fredericton	34·1	25·0	19·5	2·0	33·0	36·0	47·0	42·0	31·0	15·8	2·5	12·7
Grand Manan	13·0	2·0	3·0	21·0	34·0	39·0	49·0	48·8	36·0	26·0	2·0	9·5
Grand Falls	43·0	....	31·0	15·0	....	....	....	....	....	....	....	....
Parker's Ridge	22·0	18·0	16·0	10·0	30·0	34·0	45·0	41·2	30·0	13·0	4·0	....
St. Andrews	15·9	9·4	10·4	19·3	34·0	38·5	48·2	46·7	37·0	25·2	0·4	10·4
St. John	17·0	13·5	8·5	14·9	33·7	38·5	49·0	47·0	36·0	25·0	1·5	11·0
Woodstock	40·0	33·1	28·7	2·0	28·7	32·7	44·7	39·7	28·7	13·0	8·9	13·6
Point Leprocaux	10·0	10·0	9·0	21·0	37·0	45·0	53·0	52·0	40·0	26·0	0·0	6·0
NOVA SCOTIA.												
Antigonishe	....	....	....	....	....	....	....	....	26·0	....	....	....
Glace Bay	8·0	10·0	8·0	15·0	27·0	33·0	43·0	40·0	37·0	24·0	10·0	4·0
Halifax	4·8	4·8	1·9	22·4	31·6	35·1	48·9	47·6	39·0	31·2	14·0	1·4
Pictou	11·0	12·0	3·4	18·8	29·4	35·0	46·2	45·0	38·0	27·6	11·6	7·5
Sydney	4·3	17·0	7·0	17·7	29·7	34·2	41·4	40·1	39·2	26·4	19·5	6·2
Sable Island	15·0	9·5	7·0	17·0	35·0	41·0	48·5	50·5	51·5	44·0	27·0	20·5
Truro	17·8	27·0	9·0	12·0	24·8	29·2	43·7	38·5	31·0	23·6	10·0	7·5
Yarmouth	0·5	2·7	2·0	19·7	32·8	34·7	41·5	41·6	38·5	26·3	12·4	4·1
Whitehead	5·0	3·0	0·0	22·0	35·0	39·0	50·0	53·0	48·5	35·0	20·0	6·0
Digby	1·0	5·0	2·0	25·0	38·0	45·0	55·0	45·0	41·0	31·0	18·0	3·0
P. E. ISLAND.												
Kilmahumaig	21·0	14·4	21·4	4·5	23·8	30·5	47·8	38·2	36·0	22·8	11·2	10·6
NEWFOUNDLAND.												
St. Johns	2·8	3·0	7·0	18·0	28·0	29·0	38·0	38·0	36·0	22·0	20·0	6·0
Point Rich	12·0	14·0	15·0	16·0	30·0	34·0	42·0	46·0	42·0	23·0	10·0	3·0

TABLE V (Continued).—*Lowest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
MANITOBA.	°	°	°	°	°	°	°	°	°	°	°	°
Minnedosa	43·5	43·0	37·0	4·2	24·0	27·8	35·8	27·6	14·9	11·4	37·0	43·0
Russell	43·5	46·0	31·0	4·0	22·0	28·5	35·0	31·5	21·0	11·0	34 5	30·0
Stony Mountain	39·2	39·2	37·2	7·0	30·0	33·0	42·0	38·0	20·1	1·8	29·2	33·6
Souris ford	41·0	35·0	27·0	5·0	25·0	26·0	41·0	42·0	19·0	5·0	28·0	38·5
Winnipeg	42 7	38·7	36·5	9·0	29·0	33·3	39·0	33·3	23·2	2·8	31·4	41·7
Elkhorn	38·8	35·0	....	....	....	33·0	35 5	34·0	....	....	....	....
Hillview	42·0	40·0	22·0	26·0	28 0	40·0	50·0	34·0	24·0	5·0	30·0	38·0
St. Albans	43·0	38 5	32·5	3·5	27·0	35·0	48·0	35·0	22·0	1·5	32·0	48.0
Portage la Prairie	34·0	24·0	....	....	....	....	....	....	32·0	9·0	26·0	36·0
Fort Osborne	47.0	36·0	32·0	7·0	28·0	36·0	48·0	40·0	26·0	1·0	30·0	38·0
Selkirk	52·0	47·0	42·0	6·4	18 5	30·0	35·5	27·0	17·9	6·4	40·0	51·0
Gladstone	41·2	38·3	29·6	5 8	29·0	35·0	39·5	30·4	22·9	3·0	27·6	43·4
Swampy Island	34 0	25·0	33·0	15·0	24·0	39·0	50·0	40·0	34·0	8·0	21·0	30·0
N. W. TERRITORY.												
Edmonton	....	....	....	....	....	....	....	....	....	....	....	....
Medicine Hat	36·9	50·7	18·6	18·7	29·7	35·0	36·3	36·7	29·1	10 0	35·3	23·3
Qu'Appelle	41·4	44·3	24 3	0·0	27 0	36·0	37·5	34·0	26·0	12·2	26 3	32·4
Chaplin	42·0	43 0	22·0	10·0	30 0	45·0	52·0	40·0	36·0	5·0	20·0	30 0
Grenfell	43·5	42·5	24·0	1·0	30·0	48·0	50·0	39·5	29·0	11·0	26·0	30·0
Parkland	43·0	42·8	25·8	5·4	23·7	32·8	31·6	31·1	20·5	9·8	32 6	36·5
Calgary	31·7	....	....	....	....	28·0	32·7	32·2	23·6	7·5	....	....
Maple Creek	30·0	42·0	15·0	20·0	34 0	43·0	52·0	48·0	37·0	4·0	26·0	27·0
Gleichen	44 0	44·0	20·0	....	30 0	....	....	....	....	....	24·0	15 0
Balgonie	45·0	42·0	28·0	2 0	30 0	43·0	47·0	38·0	28·0	10·0	32·0	....
Fort Chipewyan	39·0	44·0	40·2	16 3	24·0	....	....	....	....	1 5	30·0	41·0
Indian Head	38 0	40·0	21·0	.. .	....	....	....	....	...	....	....	....
Pheasant Forks	45·0	42·0	28·0	2·0	40·0	43·0	47·0	48·0	28·0	10·0	32·0	35·0
Regina	52·0	48·0	28 0	6·5	27·0	32·0	38·5	32·2	18·0	14·5	25·0	37·5
Prince Albert	59·0	57·4	....	....	19·0	26·0	32·9	33·0	19·8	7·8	41·1	53·5
Moose Jaw	46 0	48·0	30·0	5·0	20·0	36·0	....	32·0	....	0·0	30·0	....

TABLE V (Concluded).—*Lowest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
N. W. Territory.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Lethbridge	−28·8	−43·9	....	....	....	....	....	....	....	....	...	....
Poplar River	−41·9	−36·7	−33·2	−18·4	27·7	34·3	41·3	....	....	....	....	....
Swift Current	−36·0	−42·4	−19·0	9·6	26·0	26·4	34·8	36·4	25·4	−4·0	−27·0	−30·6
Hudson's Bay.												
Fort Churchill	−42·0	−34·0	−38·0	−28·0	17·0	32·0	41·0	38·0	32·0	−10·0	−35·0	−32·0
British Columbia.												
Victoria	−30·0	−6·0	24·0	29·0	30·0	36·0	38·0	38·0	30·0	30·0	22·0	29·0
Quamichan	−21·0	−2·0	15·0	25·0	....	....	....	....	....	....	....	....
Port Moody	−20·0	−1·0	19·5	....	....	41·0	43·0	44·0	34·0	28·0	21·0	24·0
Port Simpson	−3·0	−4·0	−11·0	27·0	27·0	35·0	36·0	40·0	34·0	31·0	−23·0	−5·0
Clinton	−26·0	−51·0	−17·5	−11·5	17·0	25·0	28·0	....	....	−8·0	−5·5	−28·0

TABLE VI.—*Mean Temperature in each Quarter, and the Highest and Lowest Temperature in the year 1887, and the dates of their occurrence.*

Ontario.	Winter.	Spring.	Summer.	Autumn.	Year.	Highest Temperature. Temper.	Highest Temperature. Date.	Lowest Temperature. Temper.	Lowest Temperature. Date.
	°	°	°	°	°	°		°	
Axe Lake	11·13	51·40	57·83	26·20	36·64	87·0	22 May / 4 July	35·0	13 Jan.
Alton	....	52·43	60·77	30·90	....	93·2	6 Aug.	11·8	2 Feb.
Birnam	21·17	56·23	64·43	36·13	44·49	98·0	17 July.	20·2	7 Jan.
Barrie	16·43	53·93	66·50	34·13	42·75	95·6	16 July.	22·9	3 Jan.
Bala	13·63	52·50	60·80	31·53	39·61	90·2	22 May.	30·0	13 Jan.
Beatrice	13·27	52·63	59·74	29·33	38·74	89·8	5 Aug.	27·0	3 Jan.
Brampton	18·97	57·37	66·47	34·40	44·30	97·0	16 July.	29·0	3 Jan.
Brantford	22·90	57·43	65 53	35·67	45·38	98·0	17 July.	14·0	8 Jan.
Biscotasing	...	....	....	22·20	....	....	....	....	...
Buda	10·03	57·90	63·93	22·20	38·51	91·0	29 June.	36·0	8 Jan.
Coldwater	17·43	56·70	....	31·63	....	98·0	7 July.	31·2	11 Jan.
Cornwall	14·57	55·60	66·00	32·00	42 04	93·9	2 July.	29·7	9 Jan.
Conestogo	19·40	54·93	62·53	32·90	42·44	94·8	17 July.	18·1	3 Jan.
Chatham	25·20	57·03	66·83	37·00	46·51	102·0	17 July.	21·0	6 Jan.
Cartier	5·63	51·83	52·63	15·03	31·28	89·0	29 June.	45·0	3 7 Jan.
Charlinch	11·23	51·80	57·90	28·27	37·30	92·0	4 July.	....	....
Deseronto	19·07	56·13	67·30	33·60	44·03	96 6	16 July.	34·5	3 Jan.
Durham	19·57	57·73	65·40	31·43	43·53	92·0	3 Aug.	15·0	18 Jan.
Egremont	17·43	54·04	62·90	32·73	41·78	93·0	5 Aug.	15 0	18 Jan.
Elora	18·73	55·37	64·27	32 43	42·70	95·0	16 July.	12·0	8-18 Jan.
Guelph	18·80	54·87	64·90	33·03	42·90	96·0	16 July.	14·1	8 Jan.
Galt	19·73	55·30	63·90	34·13	43·26	99 6	4 Aug.	17·0	8 Jan.
Goderich	21·20	55·10	64·30	36·63	44·31	91·5	4 Aug.	9·8	13 Feb.
Gravenhurst	14 73	53·50	62·87	32·27	40·84	93·0	4-5 Aug.	34·0	13 Jan.
Joly	11·87	53·30	59·73	28·57	38·37	90·0	21 May. / 4 July.	24·0	3 Jan.
Heron Bay	1·40	47·43	55·87	23·23	31·28	78·0	3 July.	75·0	7 Jan.
Hamilton	25·33	56·27	67·40	37·57	46·64	100·0	16 July.	6·0	18 Jan.
Kingston	18·73	54·47	66·10	34·60	43·47	88·5	3 Aug.	19·8	3 Jan.
Lakefield	14 37	54·87	....	31·83	....	91·0	17 July.	23·0	3 Jan.

TABLE VI (Continued).—*Mean Temperature in each Quarter, &c*

	Winter.	Spring.	Summer.	Autumn.	Year.	HIGHEST TEMPERATURE.		LOWEST TEMPERATURE.	
						Temper.	Date.	Temper.	Date.
Ontario.—*Continued.*	°	°	°	°	°	°		°	
Lucknow	19·67	56·13	64·57	35·50	43·49	95·9	4 Aug.	10·1	7 Jan. 25 Feb.
Lindsay	15·63	53·67	63·33	31·50	41·03	99·0	5 Aug.	25·2	8 Jan.
London	22·70	56·33	64·67	35·74	44·86	95·0	17 July.	14·8	8 Jan.
London (2)	22·30	56·47	....	36·77	....	95·6	18 July.	10·2	8 Jan.
Listowel	17·90	53·63	61·87	31·67	41·27	96·0	17 July. 4 Aug.	14·0	2-18 Jan.
Little Current	10·97	52·40	63·80	32·83	40·60	96·0	27 July.	28·0	17 Jan.
Mount Forest	17·43	57·03	66·83	34·20	43·87	92·0	5 Aug.	18·5	19 Jan.
Mattawa	....	47·10	58·57	....	....	91·9	5 June.	35·3	5 Mar.
Minden	12·33	52·67	60·47	29·93	38·85	94·7	2 Aug.	35·9	3 Jan.
Northcote	11·33	54·83	....	29·10	....	....	....	39·0	9 Jan.
Norwood	13·03	51·33	60·10	30·50	38·73	92·5	17 July.	34·0	3 Jan.
North Bay	2·07	....	66·50	....	....	85·0	4 Aug.	32·0	3 Jan.
Nepigon	0·20	47·40	56·37	19·54	30·88	88·0	6 July.	41·0	8 Jan.
Oshawa	18·90	53·93	65·27	33·57	42·92	99·5	17 July.	20·0	3 Jan.
Ottawa	11·07	54·50	64·60	30·53	40·18	93·6	27 July.	31·6	9 Jan.
Owen Sound	....	49·70	59·13	31·37	....	90·0	4 Aug.	22·0	18 Jan.
Niagara Falls, S.	24·13	56·00	67·40	36·83	46·09	96·0	16 July.	9·0	9 Jan.
Port Arthur	4·73	46·63	58·17	23·63	33·29	89·0	8 Aug.	34·5	8 Jan.
Parry Sound	13·37	52·77	61·20	31·90	39·81	93·7	27 July.	30·4	8 Jan.
Pembroke	11·07	54·90	63·70	29·57	39·81	93·7	29 June.	38·3	9 Jan.
Peterborough	14·57	55·60	66·00	32·00	42·04	98·0	16 July. 19 July.	30·6	19 Jan.
Point Clark	20·07	49·87	62·62	36·71	42·32	83·0	16 July. 4 Aug.	11·0	25 Feb.
Point Pelee	25·30	56·53	70·87	38·20	47·73	96·0	15 July.	9·0	11 Jan. 1 Feb.
Port Stanley	23·80	54·80	65·10	37·10	45·20	90·5	17 July.	15·5	8 Jan.
Port Dover	23·90	55·60	65·50	37·17	45·54	87·9	17 July. 4 Aug.	6·8	8 Jan.
Petrolea	23·60	57·20	66·33	36·70	45·96	101·0	17 July.	17·0	7 Jan.
Rockliffe	8·83	52·43	60·57	27·03	37·22	94·7	5 Aug.	43·4	27 Jan.
Renfrew	10·60	54·67	62·90	29·17	39·33	96·0	9 July.	38·4	9 Jan.

TABLE VI. (Continued.)—*Mean Temperature in each Quarter, &c.*

	Winter.	Spring.	Summer	Autumn.	Year.	HIGHEST TEMPERATURE.		LOWEST TEMPERATURE.	
						Temper.	Date.	Temper.	Date.
Ontario.—*Concluded.*	°	°	°	°	°	°		°	
Ridgetown	23·27	56·27	65·73	35·77	45·26	100·0	17 July.	20·7	7 Jan.
St. George	22·07	56·33	65·83	35·27	44·88	96·4	16 July.	3·0	7 Jan.
Stony Creek	24·43	54·57	67·93	37·80	46·18	100·0	16 July.	10·0	7 Jan.
Sudbury	....	....	58·03	....	....	....	....	....	....
Sharon	18·03	54·87	63·40	33·33	42·41	93·0	16 July.	17·7	3 Jan.
Saugeen	19·37	52·03	60·50	35·07	41·74	89·5	4 Aug.	10·0	7 Jan.
Stratford	19·50	55·70	64·50	33·83	43·38	93·7	4 Aug.	16·2	2 Jan.
Simcoe	24·47	56·93	66·37	36·20	45·99	90·0	16 July.	17·0	8 Jan.
Sprucedale	9·90	51·63	59·57	27·73	37·21	95·0	28 June. 1 July.	41·5	13 Jan.
Savanne	0·63	50·77	56·47	16·87	30·87	85·0	8 Aug.	47·0	31 Jan. 1 Feb.
Sombra	....	....	....	37·33	....	....	....	....	....
Toronto	21·53	53·90	65·23	35·90	44·14	97·2	16 July.	16·6	3 Jan.
Woodstock	22·00	56·37	65·73	35·13	44·81	97·2	16 July.	18·0	11 Jan.
Windsor	25·67	59·17	68·87	37·23	47·71	98·6	15 July.	10·0	11 Jan.
Uplands	10·90	51·93	59·10	28·23	37·54	89·5	30 June.	32·4	3 Jan.
Zurich	21·03	55·97	64·73	36·07	44·45	97·0	16 July. 5 Aug.	7·0	11 Jan. 1 Feb.
White River	4·80	46·73	....	15·27	....	....	....	58·0	7 Jan.
Wanstead	....	55·73	64·90	36·33	....	98·0	8 July. 16 July.	....	....
Quebec.									
Anticosti, S. W. P.	12·30	40·07	54·77	30·40	34·38	74·2	2 July.	16·1	13 Jan.
Anticosti, W. P.	11·10	42·37	57·03	30·47	35·42	73·0	4 Aug.	15·0	16 Jan.
Anticosti, Heath P	12·97	39·73	55·17	30·87	34·68	75·0	3 July.	20·0	8 Jan.
Brome	14·43	53·43	....	....	....	....	....	31·0	8 Dec.
Bird Rock	17·03	38·33	....	....	....	75·6	27 July.	10·2	14 Jan.
quet	....	43·27	51·63	....	....	72·0	6 June.	....	....
Belle Isle	7·37	33·60	47·30	27·27	28·88	64·0	23 July.	27·0	14 Jan.
Cranbourne	9·23	48·37	57·90	25·37	35·22	88·8	30 June.	35·4	9 Jan.

TABLE VI (Continued).—*Mean Temperature in each Quarter, &c.*

	Winter.	Spring.	Summer.	Autumn.	Year.	HIGHEST TEMPERATURE.		LOWEST TEMPERATURE.	
						Temper.	Date.	Temper.	Date.
Quebec—*Concluded.*	°	°	°	°	°	°		°	
Chicoutimi	1·63	48·33	58·33	22·47	32·69	87·4	2 July.	38·5	9 Jan.
Cape Chatte	....	43·47	57·27	....	....	76·0	23 July. 5 Aug.	....	.....
Cape Magdalene	11·17	44·03	57·20	29·43	35·46	75·0	23 July. 5 Aug.	17·0	4 Jan.
Cape Norman	10·77	35·80	51·03	31·03	32·16	69·0	8 Sept.	24·0	14 Jan.
Danville	12·70	53·67	62 37	....	....	93·0	4 July.	29·0	8 Jan.
Father Point	10·00	43·37	54·07	26·73	33·54	78·5	5 Aug.	25·8	14 Jan.
Huntingdon	13·33	52·83	62·67	30·10	39·73	95·1	4 July.	39·0	9 Jan.
Montreal	13·47	54·27	65·27	30·07	40·77	90·4	4 July.	25·9	9 Jan.
Quebec	11·40	50·07	61·47	27·50	37·61	89·3	30 June.	24·7	19 Jan.
Point des Monts	7·63	44·63	55·30	25·90	33·36	83·0	30 June.	29·0	9 Jan.
Richmond	12·60	52·23	61·03	28·87	38·68	92·8	4 July.	45·0	9 Jan.
New Brunswick.									
Bathurst	13·03	49·70	63·93	30·90	39·39	89·5	1 July.	34·5	9 Jan.
Chatham	13·07	47·97	61·87	30·90	38·45	91·6	2 July.	38·1	9 Jan.
Dalhousie	7·80	44·67	58·57	26·77	34·45	90·0	30 July.	36·2	14 Jan.
Fredericton	15·70	50·67	62·13	31·87	40·07	91·7	30 June. 2 July.	34·1	9 Jan.
Grand Manan	24·93	47·97	60·00	37·63	42·63	85·6	3 July.	13·0	19 Jan.
Grand Falls	....	....	....	....	....	....	.....	43·0	9 Jan.
Parker's Ridge	12·13	48·03	59·67	....	....	91·0	10 May. 30 June.	22·0	9 Jan.
St. Andrews	21·50	48·00	59 83	35·50	41·21	88·6	2 July.	15·9	19 Jan.
St. John	20·53	47·37	59·53	34·57	40·50	88·9	3 July.	17·0	19 Jan.
Woodstock	11·43	50·33	61·87	30·03	38·41	93·9	2 July.	40·0	9 Jan.
Point Lepreaux	21·20	45·27	56·77	35·07	39·57	70·0	9 July. 2 Aug.	10·0	9 Jan. 14 Feb.
Nova Scotia.									
Glace Bay	19·87	43·23	60·30	36·57	39·99	92·0	2 July.	10·0	13 Feb.
Halifax	24·97	48·23	62·73	37·70	43·41	93·0	5 July.	4·8	9 Jan. 14 Feb.

TABLE VI (Continued).—*Mean Temperature in each Quarter, &c*

	Winter.	Spring.	Summer.	Autumn.	Year.	HIGHEST TEMPERATURE. Temper.	HIGHEST TEMPERATURE. Date.	LOWEST TEMPERATURE. Temper.	LOWEST TEMPERATURE. Date.
Nova Scotia.—*Concluded.*	°	°	°	°	°	°		°	
Pictou	23·03	48·10	62·50	37·40	42·76	91·5	1 July.	12·0	14 Feb.
Sable Island	31·07	48·87	61·03	44·07	45·01	78·5	1 Aug.	7·0	5 Mar.
Truro	20·93	47·97	61·47	35·83	41·55	89·7	1 July.	27·0	14 Feb.
Yarmouth	27·53	47·87	59·60	38·73	43·43	83·7	27 July.	0·5	8 Jan.
Whitehead	23·90	41·80	59·63	39·60	41·23	78·0	3 July.	3·0	14 Feb.
Digby	22·20	49·17	61·30	36·13	42·20	86·0	30 June.	3·0	31 Dec.
Sydney	21·03	44·57	60·73	38·37	41·17	88·8	1 Aug.	17·0	13 Feb.
P. E. Island.									
Kilmahumaig	15·67	45·00	60·80	33·47	38·73	89·5	3 July.	21·4	6 Mar.
Newfoundland.									
St. Johns	23·17	43·27	56·70	38·50	40·41	86·0	2 July.	7·0	6 Mar.
Point Rich.	13·13	39·17	55·40	34·70	35·60	66·0	3 Aug. / 8 Sept.	15·0	5 Mar.
Manitoba.									
Minnedosa	3·20	49·43	56·43	16·17	29·71	90·0	10 May.	43·5	7 Jan.
Russell	5·37	48·97	56·57	15·00	28·80	92·5	10 May.	46·0	12 Feb.
Stony Mountain	1·93	52·00	60·30	17·27	31·91	91·7	6 July.	39·2	12 Feb.
Souristord	0·73	52·50	59·50	19·03	32·57	97·0	6 July.	41·0	6 Jan.
Winnipeg	3·60	53·03	60·43	16·67	31·63	93·2	6 July.	42·7	7 Jan.
Elkhorn	....	....	....	....	....	91·2	6 July.	38·8	29 Jan.
Hillview	3·50	50·90	58·27	17·63	30·83	93·0	10 May.	42·0	6 Jan.
St. Albans	2·20	53·23	61·73	18·53	32·82	94·5	15 June.	48·0	29 Dec.
Portage la Prairie	....	....	....	....	....	....	....	36·0	29 Dec.
Fort Osborne	2·47	50·83	59·77	16·37	31·13	87·0	6 July.	47·0	6 Jan.
Selkirk E.	3·23	49·80	58·27	15·83	30·19	94·1	10 May.	52·0	6 Jan.
Gladstone	....	50·73	58·70	17·53	....	91·5	10 May.	43·4	29 Dec.
Swampy Island	6·87	42·20	59·83	15·00	27·54	80·0	1 July.	34·0	12 Jan.

TABLE VI (Concluded).—*Mean Temperature in each Quarter, &c.*

	Winter.	Spring.	Summer.	Autumn.	Year.	HIGHEST TEMPERATURE.		LOWEST TEMPERATURE.	
						Temper.	Date.	Temper.	Date.
N. W. Territory.	°	°	°	°	°	°		°	
Medicine Hat	7·47	53·77	62·30	27·57	37·78	93·7	30 May.	36·9	6 Jan.
Qu'Appelle	3·37	51·10	59·23	19·13	31·52	92·3	10 May.	44·3	4 Feb.
Chaplin	2·90	54·40	61·23	23·17	34·97	94·0	8 July.	43·0	2 Feb.
Grenfell	2·20	48·53	57·23	15·23	29·70	90·0	8 July.	43·5	6 Jan.
Parkland	2·63	....	....	14·33	....	....	....	43·0	6 Jan.
Calgary	8·23	47·23	55·80	24·17	33·86	84·5	22 June. 9 July.	31·7	31 Jan.
Maple Creek	9·07	54·67	64·40	28·30	39·11	91·0	17 Aug.	42·0	3 Feb.
Gleichen	6·33	...	....	....	....	....	....	44·0	6 Jan. 1-3 Feb
Balgonie	3·40	53·37	56·40	16·40	30·69	93·0	10 May.	45·0	5 Jan.
Fort Chipewyan	13·70	....	....	7·67	....	....	....	44·0	1 Feb.
Indian Head	2·70	....	....	....	....	....	....	40·0	4 Feb.
Pheasant Forks	4·97	50·27	56·70	15·60	29·40	93·0	10 May.	45·0	6 Jan.
Regina	5·90	49·90	58 70	19·47	30·54	96·0	10 May.	52·0	6 Jan.
Prince Albert	....	....	56·70	....	....	84·7	9 July.	59·0	5 Jan.
Moose Jaw	5·20	48 87	....	....	....	90·0	6 Aug.	48·0	10 Feb.
Poplar River	7·60	44·63	....	....	....	....	....	41·9	12 Jan.
Swift Current	3·93	49·80	58·90	22·13	31·73	90·0	9 July.	42·4	4 Feb.
Hudson's Bay.									
Fort Churchill	18·07	28·17	49·87	1·43	15·35	73·0	27 June. 5 July.	42·0	10 Jan.
British Columbia.									
Victoria	38·23	51·10	56·30	43·93	47·39	86·0	21 June.	6·0	2 Feb.
Quamichan	35·77	....	....	....	....	94·0	4 Aug.	2·0	4 Feb.
Port Moody	31·93	....	61·30	42·30	....	89·0	5 July.	1·0	4-5 Feb.
Fort Simpson	30·67	45·90	52·87	39·23	42·17	73·0	5 June. 19 July.	4·0	1 Feb.
Clinton	....	40·93	....	29·93	....	....	....	51·0	3 Feb.
Kamloops	....	....	....	35·80	....	....	....	....	...

TABLE VII.—*Mean Daily Range in each month and for the year* 1887.

Ontario.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	°	°	°	°	°	°	°	°	°	°	°	°	°
Alton	17·7	19·8	18·9	19·7	24·6	19·9	25·2	20·4	28·1	16·4	15·3	11·7	20·56
Birnam	15·2	13·5	13 9	20·5	28·0	23·9	26·8	25·7	22·4	17·1	13·4	10·7	19·26
Barrie	22·6	22·9	20·4	20·8	23·1	21·0	23·8	24·3	21·6	16·2	14·2	12·0	20·2)
Beatrice	24·4	23·1	22·5	22·5	28·3	22·6	24·4	28·3	25·0	17·0	13·8	13·5	22·11
Brampton	18·3	18·7	16·5	21·2	24·9	22·5	26·0	25·2	23·9	16·7	14·0	12·2	20·01
Brantford	19·7	16·8	17·3	21·5	26·9	24·6	25·2	24·4	24·9	19·2	17·2	13·8	20·96
Cornwall	23·1	21·1	18 2	18·7	24·7	22·1	21·6	24·0	22·2	16·7	13·3	13·0	19·89
Charlinch	28·1	26·0	24·6	23·7	32·5	26·2	....	....	29·0	18·3	16·3	20·1	....
Conestogo	16·9	15·9	15·4	19·3	25·2	21·9	26·1	28·9	24·9	16·7	13·7	12·4	19·77
Coldwater	17·7	17·1	16·8	19·6	26·8	23·1	23·0	....	25·6	18·1	16·7	10·9	....
Deseronto	22·7	20·3	16·9	20 0	21·8	21·0	23·0	26·3	24·2	18·4	15·9	10·6	20·09
Durham	13·6	14·1	14·7	17·7	22·9	20·2	22·5	24·0	23·2	13·5	12·1	9 6	17·34
Elora	14·8	15·4	14·2	22·5	23·7	21·8	25·0	26·4	21·6	15·9	13·4	10·1	18·73
Guelph	19·0	19·5	16·8	20·6	25·3	22·7	26·9	26·8	25·6	18·8	17·0	11·9	20·91
Galt	20·8	18·8	17·6	21·9	26·1	23·3	27·1	30·3	26·7	19·1	14·9	12·0	21·55
Goderich	14·5	15·1	14·4	19·0	20·2	17·7	19·5	19·9	18·1	13·4	11·9	7·6	15·94
Gravenhurst	24·3	23·5	22·2	20·9	25·7	21·7	23·2	26·4	25·7	20·1	17·4	15·6	22·22
Hamilton	22·5	21·7	22·4	....	30·6	29·1	30·3	32·4	28·8	26·6	22·3	19·9	....
Kingston	19·6	17·1	15·6	17·2	18·6	17·6	16·8	18·9	16·8	14·1	12·4	10·2	16 24
Ingersoll	....	....	....	....	....	....	....	....	....	....	15·2	13·7	....
Lakefield	20·7	21·3	19·2	19·0	24·6	19·3	23·6	....	21·8	17·8	15·6	13·7	....
Lindsay	23·7	22·3	19·4	21·8	28·4	25·5	27·9	28·8	28·0	19 3	15·1	12·9	22·7
London	17·4	14·6	14·9	19·8	22·9	19·5	22·6	22·9	21·0	20·3	15·4	10·4	18·47
London (2)	19·8	16·3	17·4	20·1	26·2	22·2	24·4	....	23·2	18·2	16·0	12·6	...
Lucknow	17·7	18·5	17·6	12·1	25·2	21·7	24·6	23·1	24·6	16·8	13·9	9·4	18·76
Little Current	21·9	17·2	24·6	19·5	24·9	21·2	21·4	23·0	20·9	15·7	11·4	11·4	19·43
Norwood	26·7	27·1	21·8	24 2	28·9	28·5	27·9	29·6	33 6	27·9	24·3	18·6	26·59
Oshawa	20·3	19·6	16·0	17·4	23·7	21·3	22·7	24·1	21·7	17·7	15·1	13·1	19·39
Ottawa	23·7	20·9	17·6	18·3	26·6	22 2	°2 8	23·7	21·9	16·3	13·8	13·4	20·10
Owen Sound	....	....	15·5	18·5	23·0	19·6	19·8	22·8	20·6	13·8	10·6	10·2	....
Minden	30·2	27·0	25·7	28·1	36·4	30 8	32·2	37·2	32·8	21·3	18·2	16·0	27·99

TABLE VII (Continued).—*Mean Daily Range, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ontario.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Port Arthur	24·5	23·3	22·9	19·4	20·8	19·0	18·8	20·7	20·2	18·7	18·7	15·2	20·18
Parry Sound	27·9	24·8	23·6	21·8	25·0	21·0	21·4	24·3	22·2	16·3	15·9	15·7	21·66
Pembroke	29·7	22·2	22·2	21·4	27·6	23·7	22·9	25·2	22·1	16·2	13·2	14·8	21·76
Peterborough	24·0	23·8	18 3	24·8	....	26·7	29·0	32·9	30·7	23·4	19·7	16·1	....
Port Stanley	18·4	15·2	16·0	19·3	21·0	20·5	21·0	23·3	20·4	17·5	15·7	11·0	18·27
Port Dover	14·2	14 9	14·5	18·7	20·6	18·8	16·8	19·7	19·7	17·8	13·3	17·1	17·17
Petrolia	20·1	15·8	16 5	23·8	27·7	23·8	24·2	24·1	23·2	19·7	17·9	13·2	20·84
Rockliffe	33·5	28·3	29·1	24·3	30·8	26·3	26·6	29·7	28·0	17·2	16·3	18·5	25·71
Renfrew	30·4	24·8	22·6	22·7	29·4	24·7	25·9	29·8	27·1	20·6	16·3	16·1	24·20
Ridgetown	20·0	14·2	16·4	21·2	25·0	23·2	27·5	26·0	22·5	20.0	17·8	12·0	20·49
Saugeen	16·5	18·1	15·9	19·5	23·4	18·7	20·6	22·5	22·4	15·0	13·8	9·8	18·01
Stratford	20·8	18·3	15·8	20·1	25·3	22·7	24·6	26·4	24·6	18·5	14·6	11·2	20·24
Simcoe	20·6	15·7	15·9	21·1	21·1	19·4	21·5	20·7	19·1	20·1	17·5	13·7	18·87
Sombra	....	....	....	....	....	....	....	....	25·1	20·1	15·3	13·1	....
Woodstock	19·2	16 8	16·6	23·3	25·3	25·2	28·2	27·7	25·9	19·9	16·6	13·1	21·48
Windsor	19·3	16·9	20·0	27·2	26·3	23 0	26·5	24 1	21·2	23·1	19·8	15·5	21·84
Zurich	15·4	18·1	15·8	20·3	24·8	23·6	25·5	26·4	23·4	17·5	14·6	10·0	19·61
Toronto	18·3	16·4	14·3	17·9	21·0	18·9	20·5	19·7	18·6	16·6	12·7	10·6	17·13
Uplands	29·2	23·9	25·4	24·0	30·0	25·6	25·5	27·6	26·9	17·3	16·9	19·5	24·31
Quebec.													
Anticosti, S. W. P.	16·0	12·2	10·7	7·7	7·0	9·4	10·7	9·5	10·1	6·5	8.3	9·1	9·77
Bird Rocks	18·9	16·5	14·6	13·0	10·4	11·2	11·4	11·5	9·1	10·0	12·9	11·3	12·57
Belle Isle	10·6	6·5	5·7	8·0	5·8	8·0	10·3	9·2	7·4	6·1	7·9	8·6	7·84
Cranbourne	24·8	23·5	20·2	21 6	23·2	22·5	21·6	21·3	21·3	15·5	16·3	16·0	20·65
Father Point	18·6	19·1	15·6	14·9	17·4	17·1	16·3	16·2	14·9	11·3	12·9	13·2	15·62
Huntingdon	21·5	18·7	17·2	20·1	23·5	21·1	21·1	23·5	20·7	15·2	11·7	9·6	18·66
Montreal	20·4	17·5	14·8	15·4	20·5	17·1	17·3	17·7	17·0	13·3	13·1	10·6	16·22
Quebec	20·1	18·3	15·5	16·4	19·6	19·1	17·8	18·3	17·4	13·5	12·7	12·2	16·74
Richmond	30·0	26·9	21·9	24·0	28·4	24·0	23·8	25·6	23·9	17·4	16·5	17·1	23·29

TABLE VII (Continued).—*Mean Daily Range &c*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
New Brunswick.	°	°	°	°	°	°	°	°	°	°	°	°	°
Bathurst	31·3	24·2	22·1	21·3	25·5	23·2	19·8	29·4	31·5	19·7	11·7	16 0	22·98
Chatham	25·4	20·3	20·0	18·8	24·8	24·6	19·4	22 2	23·5	19·9	16·7	16·7	21·77
Dalhousie	18·2	15·5	18·6	18·0	21·0	23·1	22·2	17·9	18·8	15·3	12·2	14·4	17·94
Fredericton	26·5	24·2	18·1	19·9	23·7	24·1	19·4	19·8	20·8	18·3	17·4	14·6	20·57
Grand Manan	24·5	20·1	16·2	15·6	17 3	16·4	16·7	16·6	14·1	14·0	15·7	15·4	16·88
St. Andrews	22·8	19·5	16·4	17 4	19·4	19 1	18·0	17·4	16·4	15·0	16·7	14·7	17·74
St. John	23·5	19·8	15·5	17·3	16·7	16·5	14 6	15·7	15·1	14·3	16·0	14·8	16·75
Grand Falls	24·4	19·4	24·2	....	....	....	....	....	....	....	....	....	....
Parker's Ridge	19·8	16·9	17·4	17·7	24·3	25·9	19·5	18·5	20·6	17·8	23·8	....	....
Woodstock	22·3	22·3	18·3	25 4	28·1	24·4	21·7	21·5	25·4	20·7	17·1	15·2	21 87
Nova Scotia.													
Glace Bay	19·3	19·2	13·7	15·0	20·1	24·2	22·6	20·8	19·2	16·0	16·3	10·8	18·10
Halifax	21·0	19·5	13·8	16 1	20·9	21 4	19 6	18·7	17·7	14·7	14·9	13 6	17·66
Pictou	17·7	14·3	14·8	15·6	19·9	20·7	16·7	14·8	16·5	15·5	17·8	13·4	16·47
Sydney	19·7	20·8	14·2	14·8	19·0	22·2	20·8	19 3	15·9	13·6	14·2	10·3	17·06
Truro	24·4	22·9	17·3	16·5	22·4	25 2	22·5	21·5	20·9	21·0	18·0	15 8	20·70
Yarmouth	19 5	17·7	13·7	14·4	17·1	19 1	18·0	16·1	13·6	13·0	14 4	12·6	16·60
P. E. Island.													
Kilmahumaig	23·5	21·8	15·5	15·6	21·1	22·6	17·3	17·5	19·6	15·1	15·7	12·8	18·17
Newfoundland.													
St. Johns	21·0	17·7	12·5	11·8	19·4	20·0	19·6	16·0	14·9	13·3	14·3	10·6	15·93
Manitoba.													
Minnedosa	28·2	25·0	26·6	26·2	27·9	24·5	26·2	27·6	29·3	25·4	23·7	20·2	25·90
Sourisford	20·4	19·0	20·4	22·4	30·8	27·7	....	....	....	31·3	25·3	24·6	....
Stony Mountain	22·6	23 5	26·0	23·1	26·4	25·8	24·6	25·0	28·0	23·2	22·2	20·4	24·24
Russell	22·2	24·0	24·2	23 3	28·6	24·4	29 9	26·5	28·4	26·0	24·1	20·5	25·17
St. Albans	23·6	24·7	26·8	26·3	33·4	26·3	29·2	27·8	28·8	25·5	23·2	23·8	26·61
Winnipeg	23·1	24 1	27·0	23·5	26·2	25·9	25·5	27·4	26·8	24·1	22·1	18·8	24·54

TABLE VII (Concluded).—*Mean Daily Range, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Manitoba.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Portage la Prairie	20·2	21·4	....	....	....	14·0	....	....	....	....	....	17·5	....
Gladstone	24·3	21·8	....	23·6	28·1	25·2	25·8	27·8	27·9	22·9	22·2	20·3	....
Selkirk	27·9	25·8	26·3	24·8	27·6	24·9	27·2	27·9	28·3	22·2	27·8	21·4	26·01
Elkhorn	21·8	13·3	....	....	....	29·9	30·6	27·7	....	....	....	....	....
N. W. Territory.													
Edmonton	25·0	22·6	....	....	20·1	28·5	26·2	24·8	26·6	23·2	20·9	18·2	....
Medicine Hat	25·4	25·0	20·1	26·0	21·2	22·1	27·8	24·9	27·2	26·3	22·3	18·3	23·89
Qu'Appelle	20·1	19·4	22·7	22·3	26·4	21·0	24·4	23·7	22·7	21·5	19·2	19·2	21·88
Parkland	29·0	26·1	26·5	27·3	....	....	....	....	....	23·9	22·6	17·5	....
Calgary	21·8	24·3	15·3	23·5	31·1	23·0	28·3	24·1	24·5	26·6	24·0	19·0	23·79
Fort Chipewyan	14·0	14·1	20·2	16·6	13·9	....	....	....	....	10·8	11·9	15·1	....
Regina	19·7	21·5	21·0	21·2	25·1	25·0	27·4	25·4	20·9	30·5	24·9	20·9	24·37
Prince Albert	30·9	....	....	....	28·3	24·5	27·5	29·9	29·9	24·2	26·7	....	....
Swift Current	19·0	19·3	23·2	25·3	26·4	22·8	28·0	25·7	28·0	27·7	23·7	21·6	24·06
Lethbridge	20·7	....	....	....	....	....	....	....	....	....	....	....	....
Poplar River	21·4	21·9	25·1	19·8	19·2	18·9	....	....	....	....	....	....	....
British Columbia.													
Victoria	17·6	12·2	10·5	13·8	21·0	20·2	21·9	22·8	21·3	15·9	11·3	8·1	16·39
Quamichan	18·1	19·8	20·3	20·8	....	....	....	....	....	....	....	....	....
Port Moody	8·5	14·9	11·5	....	....	24·2	28·2	24·0	21·6	15·0	11·2	10·6	....
Fort Simpson	11·2	16·4	15·0	13·3	15·6	15·7	14·5	13·0	14·3	14·5	11·6	11·8	13·91

TABLE VIII.—*January*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	44·5	44·7	3·7	32·0	10·7	26·1	36·7	7·6	9·4	28·3	28·7	19·0	16·1	....	11·8	38·0
2	46·5	44·7	21·0	8·7	4·5	10·7	25·5	0·8	21·4	13·8	....	25·3	22·9	8·3	4·3	12·0
3	43·0	41·2	19·5	4·3	12·0	4·4	1·9	21·3	29·0	1·8	2·5	31·0	26·9	3·4	6·4	2·8
4	46·5	40·9	4·0	25·3	1·5	17·9	13·8	2·8	3·6	19·0	17·8	18·0	30·5	12·6	7·0	18·7
5	46·5	40·3	15·5	38·2	2·5	33·4	33·0	19·4	6·7	33·6	36·2	35·0	29·1	....	25·2	32·7
6	48·0	33·7	0·2	38·3	0·3	32·9	41·8	13·1	1·4	30·0	34·3	34·3	28·4	....	13·0	42·0
7	39·5	30·8	24·0	36·7	7·3	32·5	38·7	18·9	4·9	27·0	35·5	30·7	23·5	....	23·0	42·5
8	36·5	36·1	2·5	21·5	10·0	22·5	30·0	4·2	19·0	19·3	28·5	21·7	5·3	17·1	4·7	4·8
9	39·0	40·8	6·3	2·8	8·7	3·3	0·2	9·1	16·8	1·6	....	4·0	2·7	8·3	0·5	1·8
10	40·0	39·6	22·3	14·5	15·0	13·5	13·9	19·0	29·5	15·4	14·7	8·3	0·6	6·6	18·7	16·0
11	41·5	41·7	17·5	9·7	10·5	5·4	1·0	14·9	15·8	1·2	8·2	16·3	10·1	6·8	17·7	8·3
12	42·5	37·2	22·0	12·7	31·0	10·3	9·4	18·6	27·0	13·0	10·7	2·0	1·8	14·9	13·3	10·5
13	45·0	34·5	24·0	5·3	23·7	4·1	9·5	22·2	20·9	0·2	5·0	11·3	11·6	18·0	19·7	4·8
14	45·0	32·8	6·3	9·2	7·0	12·5	0·3	10·9	1·9	12·6	6·5	18·0	33·4	18·3	18·7	6·3
15	38·0	25·6	14·0	8·5	19·7	11·5	11·4	12·7	14·7	13·2	14·5	23·2	30·4	12·7	14·3	23·3
16	37·0	38·0	17·3	24·5	16·2	24·1	25·3	18·4	1·6	26·2	....	19·0	25·4	19·4	20·1	34·3
17	42·5	38·8	11·0	28·7	4·0	23·7	27·3	0·1	11·1	25·5	21·7	21·3	23·8	....	10·8	30·5
18	41·0	29·9	16·3	2·3	13·0	2·4	2·5	19·8	18·9	0·8	6·0	1·7	26·5	....	16·5	8·7
19	37·0	27·2	2·2	14·0	9·8	10·7	9·2	2·1	6·4	12·9	9·7	11·0	31·7	18·3	6·9	15·8
20	39·0	31·6	6·3	14·7	14·7	12·8	16·8	11·4	12·4	14·5	12·5	20·7	32·7	17·6	6·5	21·5
21	41·5	32·6	16·2	17·2	9·5	14·5	14·7	12·5	9·1	15·5	11·3	19·8	25·9	27·1	11·0	10·0
22	40·5	31·5	8·5	16·0	10·0	9·2	18·5	10·4	9·7	14·1	14·7	20·0	29·9	25·9	0·0	12·3
23	37·5	31·1	12·3	0·5	8·3	2·0	9·0	6·8	9·0	6·3	....	8·9	32·3	25·2	8·3	7·3
24	36·5	30·0	0·3	19·7	3·2	14·8	19·5	2·4	7·2	16·3	12·5	8·5	25·0	17·0	7·3	14·0
25	40·0	33·2	16·2	13·3	14·3	13·3	12·5	8·2	10·9	11·4	11·7	10·3	26·3	13·1	2·2	13·5
26	36·5	26·8	26·3	10·7	18·7	0·9	1·5	24·8	4·9	2·2	6·5	14·2	9·9	10·4	15·3	4·7
27	39·0	23·7	16·7	5·5	10·3	5·2	3·8	22·3	11·8	10·0	4·0	12·3	30·7	32·5	11·3	16·3
28	43·0	23·9	20·0	21·5	17·8	17·8	17·8	5·8	15·7	15·7	17·0	34·7	37·5	24·7	22·3	16·8
29	44·5	19·4	29·5	34·0	18·7	35·0	35·0	24·3	19·8	38·3	35·7	40·0	36·0	23·0	33·5	34·0
30	40·5	16·8	21·5	30·5	24·5	28·7	36·0	23·0	22·0	32·9	....	33·0	27 1	18·3	27·0	35·0
31	34·0	0·4	26·0	23·5	32·0	20·1	25·3	24·6	31·0	25·2	26·5	19·8	31·8	11·8	25·3	28·7
	41·04	32·24	1·98	15·61	0·37	12·86	16·26	0·14	3·97	13·45	14·22	15·23	23·12	16·45	3·78	16·21

TABLE VIII.—*January*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Sourisford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
16·5	22·4	23·5	19·9	29·3	23·4	27·5	26·5	18·3	25·0	16·7	....	1·4	2·2	1·0	1
11·0	17·8	14·7	14·2	20·0	....	15·5	21·5	14·5	13·7	7·8	21·0	4·2	....	19·9	2
4·5	3·7	6·4	6·8	4·7	9·5	4·5	11·5	8·0	9·5	15·3	1·7	4·6	0·7	4·0	3
17·5	15·4	23·4	9·7	19·0	17·4	18·7	7·5	19·0	18·0	23·5	9·5	6·5	12·2	11·6	4
23·0	25·6	32·1	25·3	28·0	25·4	29·8	22·7	26·0	28·3	26·6	17·3	13·4	20·2	20·0	5
22·5	28·8	34·0	31·5	36·0	32·1	32·7	23·3	29·5	37·5	25·5	5·8	10·5	16·6	11·6	6
22·0	27·3	29·5	31·8	33·3	32·1	27·8	28·8	29·0	35·7	23·7	11·0	4·6	6·0	8·9	7
13·5	21·1	23·6	20·1	27·5	23·5	21·0	24·2	20·5	20·5	19·2	11·7	0·8	2·2	11·2	8
3·0	12·5	6·5	13·5	0·0	....	3·5	13·5	17·8	22·3	16·1	1·3	5·1	....	0·7	9
3·5	10·0	12·2	3·8	14·3	1·0	16·8	3·8	6·7	6·7	2·7	0·3	4·8	9·7	5·7	10
0·5	2·8	11·9	6·5	1·5	4·6	1·3	10·8	8·0	9·1	19·0	11·0	4·7	10·9	16·5	11
20·5	21·5	19·3	17·5	12·3	22·8	22·2	22·0	18·3	26·1	26·9	2·5	17·2	15·5	4·7	12
15·0	9·1	8·0	10·0	9·7	13·3	13·0	20·8	9·0	6·4	12·9	7·5	5·0	0·7	1·8	13
0·5	4·2	6·5	4·6	9·5	1·0	6·2	5·5	3·7	9·6	1·5	8·8	17·2	14·9	12·6	14
5·5	8·5	1·6	12·1	0·0	12·1	4·5	7·0	11·3	14·6	4·6	....	14·7	11·4	2·2	15
13·0	22·3	27·6	18·2	18·5	....	22·8	2·0	17·3	20·8	22·0	1·0	13·9	....	7·5	16
19·0	20·8	29·6	20·9	23·5	21·3	25·7	21·5	22·3	27·5	23·5	....	14·2	17·8	7·8	17
21·5	5·2	6·6	10·0	3·0	13·7	7·3	15·3	9·5	15·9	16·5	23·2	1·7	11·7	20·7	18
13·0	14·4	15·6	13·2	11·0	13·9	12·3	3·0	11·7	11·2	23·7	5·0	10·7	12·6	12·5	19
16·0	16·1	16·5	13·3	18·5	15·3	20·2	16·3	16·5	21·1	19·8	26·0	34·9	33·1	30·5	20
7·0	10·3	14·7	9·3	9·7	9·8	13·8	14·7	9·5	4·6	10·4	4·7	18·2	9·9	8·0	21
13·5	17·7	21·3	17·0	11·5	18·2	20·0	14·0	13·3	13·9	14·3	23·3	35·9	39·0	32·2	22
10·0	7·2	6·9	12·8	7·0	....	15·0	8·8	11·7	13·1	14·0	36·5	40·2	....	36·9	23
15·0	8·0	15·5	10·3	10·5	13·0	14·5	2·3	13·0	11·4	22·5	6·5	21·4	20·0	10·2	24
13·5	12·8	14·1	20·2	15·0	20·1	13·0	15·7	19·0	16·0	15·3	11·0	24·3	25·1	19·6	25
8·5	10·9	9·2	8·1	2·3	11·0	11·5	13·8	7·5	3·3	5·7	13·5	5·2	1·4	9·0	26
2·0	4·0	3·0	7·1	13·3	3·6	2·0	7·0	8·3	10·1	4·5	10·7	16·9	14·9	13·8	27
0·5	9·8	16·3	2·9	8·8	1·9	11·0	3·8	6·0	5·7	10·3	32·0	34·1	34·3	34·3	28
21·5	30·9	33·0	24·9	26·9	25·1	31·5	10·7	25·5	25·3	21·6	24·8	27·1	31·3	29·1	29
22·0	25·4	26·5	21·1	17·0	....	24·5	30·2	21·7	27·0	19·1	8·5	26·1	....	13·3	30
24·0	23·8	24·3	21·4	....	26·1	21·5	23·3	22·0	23·7	28·0	10·0	0·9	0·7	1·9	31
12·13	13·45	15·82	13·00	12·05	14·46	14·35	12·99	13·31	14·20	15·80	5·67	13·96	12·80	8·68	

TABLE VIII.—*January*, 1887. *Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlmch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	8·0	9·0	....	12·5	6·0	13·6	27·5	2·6	8·4	7·3	6·0	6·7	7·4	8·7	13·8
2	18·7	8·0	....	10·9	6·2	6·0	20·3	22·2	11·9	3·7	5·7	5·5	....	3·5	6·9
3	3·3	4·7	....	14·7	4·8	17·0	27·2	1·9	9·0	6·3	2·3	7·5	2·7	5·0	12·7
4	10·2	8·5	13·0	3·4	10·8	9·7	8·8	10·0	18·2	10·4	9·6	10·3	9·0	11·3	13·2
5	19·3	18·7	14·7	16·5	18·7	11·5	3·5	18·1	24·2	20·0	17·0	14·3	15·3	18·9	21·9
6	10·8	12·5	24·8	20·9	13·6	11·2	2·7	7·7	15·9	15·0	14·0	12·0	11·1	12·1	17·4
7	7·6	8·2	14·5	5·9	0·2	5·0	33·3	12·9	5·7	4·0	0·0	8·7	0·2	2·1	10·8
8	8·5	6·0	15·0	15·2	2·5	12·3	22·7	12·1	1·8	5·3	1·7	1·0	0·7	1·7	5·8
9	1·9	9·3	4·3	10·5	6·3	14·5	20·0	1·6	0·9	9·3	7·7	9·5	....	8·3	10·8
10	0·5	10·3	7·5	1·2	6·6	7·5	2·3	0·5	1·0	9·0	6·7	7·0	7·4	8·3	13·3
11	9·9	12·5	5·7	11·1	9·3	11·7	5·5	13·4	18·3	....	7·0	8·7	4·6	8·2	10·0
12	6·1	16·5	24·8	21·0	19·8	27·3	7·0	2·8	12·2	16·7	14·3	18·0	20·1	17·3	20·9
13	1·5	9·8	12·2	5·7	12·7	25·5	18·0	6·2	0·8	11·7	7·7	11·0	10·1	12·0	16·2
14	9·6	21·8	1·2	2·8	26·3	27·8	6·0	10·5	11·4	19·3	19·7	21·5	21·4	25·5	24·1
15	0·3	17·0	4·0	7·3	16·0	24·7	8·5	2·9	8·7	12·3	12·3	16·0	17·1	17·6	19·5
16	3·5	16·8	15·8	0·5	19·5	29·7	5·0	0·9	1·7	21·0	19·3	17·8	....	21·0	23·2
17	8·4	14·2	6·7	9·8	21·6	22·3	8·2	6·0	17·1	....	17·0	18·5	18·4	19·6	21·5
18	21·2	8·8	8·5	14·1	8·6	0·7	3·5	23·4	12·9	9·0	13·3	9·2	2·9	7·0	2·4
19	9·6	21·8	7·3	8·4	16·0	19·6	2·5	3·7	17·8	12·4	11·3	13·8	12·4	16·0	16·4
20	31·5	30·5	4·5	20·0	35·3	39·3	12·0	28·9	35·0	....	28·6	32·0	31·5	15·3	35·1
21	6·8	23·0	2·2	7·2	16·8	28·0	12·5	3·1	12·9	20·0	16·3	19·7	27·6	19·2	20·7
22	32·0	38·8	1·0	18·2	39·5	48·3	13·3	32·4	36·5	42·7	38·6	38·3	40·0	41·0	40·4
23	35·9	39·2	2·0	30·6	42·1	44·7	8·5	34·8	37·6	41·7	42·3	42·5	....	42·9	39·7
24	11·1	25·8	6·5	25·4	24·6	28·2	5·2	6·9	22·5	....	17·7	22·0	20·9	23·8	23·1
25	20·0	21·2	9·5	15·3	28·6	35·0	11·5	15·5	31·7	....	....	27·5	29·5	31·7	30·0
26	8·8	6·8	0·3	0·2	7·1	15·0	7·5	12·6	2·6	4·0	1·3	5·2	7·9	15·2	6·2
27	12·7	18·7	9·7	3·0	19·2	23·7	15·8	10·2	13·3	21·7	15·0	18·5	16·7	21·8	21·5
28	32·2	31·3	21·3	18·4	31·8	41·5	15·0	30·8	33·4	34·3	33·7	34·8	35·0	37·0	36·8
29	27·7	25·2	1·7	32·4	27·4	34·3	9·2	26·3	31·4	31·0	26·3	26·7	29·2	29·0	30·3
30	16·2	7·8	22·8	31·5	21·7	18·5	16·8	11·5	26·5	20·3	21·0	18·3	....	....	21·7
31	4·0	4·0	12·5	0·9	2·4	6·5	5·5	8·4	4·5	3·7	2·0	4·2	1·7	3·8	5·3
	9·15	14·95	4·70	8·46	15·88	20·15	1·75	5·25	13·40	14·90	13·51	15·41	15·17	16·75	19·09

TABLE VIII.—*January*, 1887. *Daily Mean Temperature.*

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
1·1	3·5	25·0	13·7	10·8	8·0	13·4	8·0	3·7	12·4	2·8	6·4	17·0	13·3	9·8	1
17·6	20·3	33·5	3·7	8·7	15·0	2·9	4·0	15·7	4·2	17·4	1·7	15·7	3·7	11·0	2
4·0	1·0	17·5	13·4	8·6	0·4	10·0	4·7	4·3	5·5	13·3	17·3	0·3	9·0	19·8	3
12·6	10·2	3·0	17·8	15·9	11·9	11·4	8·0	20·3	7·6	3·5	7·8	4·5	13·7	0·4	4
20·9	15·6	21·5	23·7	21·7	19·2	17·8	14·7	17·7	18·8	17·4	12·1	16·2	21·2	16·7	5
13·7	5·0	25·0	18·0	19·9	12·3	11·9	12·0	3·0	17·4	13·2	6·9	26·5	15·0	10·7	6
8·0	3·0	34·5	11·7	3·7	8·1	2·8	4·7	18·7	4·9	9·2	4·7	27·5	13·0	7·0	7
10·0	8·3	18·5	13·4	6·0	5·8	0·6	0·0	11·0	3·5	6·3	10·3	28·5	9·6	19·3	8
3·6	4·2	1·0	14·0	3·5	1·3	10·8	9·7	0·3	3·9	9·6	5·9	17·3	17·0	15·5	9
2·7	3·5	0·0	13·9	2·8	5·4	7·5	4·7	1·7	8·4	5·4	1·1	10·7	11·7	0·7	10
11·5	9·1	2·5	10·7	15·9	10·8	8·9	3·3	17·3	7·9	2·2	0·9	0·5	14·0	9·3	11
6·9	1·5	27·5	25·2	21·2	14·5	24·0	17·7	2·0	19·5	10·8	9·8	14·5	25·0	19·0	12
2·6	6·0	12·5	21·0	0·1	0·1	19·6	9·7	17·3	13·1	10·9	1·4	9·0	18·8	9·1	13
13·7	6·9	0·0	30·4	9·4	11·8	28·7	21·3	2·0	23·0	9·8	1·0	9·5	31·5	7·3	14
1·2	0·5	10·5	20·9	10·8	7·3	18·6	16·7	2·7	16·9	0·7	7·1	9·7	18·5	6·5	15
6·0	0·3	0·0	24·4	2·6	9·0	23·7	18·0	1·7	20·0	7·2	4·0	9·8	22·5	6·2	16
12·0	5·0	12·5	25·7	17·6	11·8	21·3	13·0	7·7	21·3	13·7	2·5	10·7	23·7	8·4	17
16·4	18·3	20·0	0·2	9·8	16·0	2·3	8·0	17·7	2·2	16·4	5·4	17·3	2·0	17·8	18
12·1	5·5	10·0	18·0	14·6	13·2	19·5	8·0	6·7	7·1	6·3	10·2	14·5	20·0	1·8	19
33·3	27·7	7·5	33·6	30·1	32·2	36·8	30·7	4·7	29·2	24·4	12·1	8·2	39·5	14·9	20
6·1	4·2	7·5	24·5	15·0	9·7	22·9	18·7	20·7	25·9	15·1	9·6	4·0	23·5	3·6	21
32·7	33·0	15·0	43·6	33·4	36·9	44·5	40·7	4·3	31·5	16·1	12·6	1·8	44·8	15·5	22
39·3	32·8	8·5	47·7	40·8	38·7	44·5	43·3	29·7	39·5	4·3	27·8	10·2	49·7	32·3	23
16·0	7·7	0·0	27·9	26·3	16·6	23·9	24·0	19·3	27·7	20·5	31·4	2·8	26·7	21·5	24
23·1	12·5	22·5	25·4	20·6	26·9	31·9	23·3	23·0	26·4	13·1	15·2	18·0	35·0	8·4	25
5·4	13·0	13·0	13·8	2·5	1·1	11·6	3·3	14·0	12·0	0·9	16·8	6·0	7·3	5·0	26
14·9	11·7	17·5	22·0	12·1	14·2	22·5	18·3	24·7	17·0	5·2	0·4	10·5	20·5	8·8	27
34·1	30·0	27·5	39·9	32·7	34·6	37·0	32·3	33·0	33·4	21·3	8·2	23·0	39·0	16·2	28
29·5	25·0	15·0	35·1	32·8	28·2	31·8	27·0	28·7	32·4	26·4	28·6	3·0	29·0	32·0	29
18·5	14·5	22·5	29·1	27·0	22·8	19·5	21·3	2·0	21·2	19·8	23·6	22·5	24·5	23·7	30
1·4	8·6	36·5	8·4	5·2	0·9	6·1	2·7	10·3	5·5	8·1	15·6	23·5	9·5	1·4	31
9·93	6·06	11·17	21·96	13·48	11·38	18·99	14·34	3·79	16·76	5·95	6·88	9·96	20·90	4·33	

TABLE VIII.—*January*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolia.	Rockliffe.	Ridgetown.	St. Geo ge.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	14·7	0·4	1·7	6·9	14·0	6·8	12·7	11·1	17 3	0·2	12·4	10·0	8·5	10·3	4·3
2	7·7	17·3	14·4	....	8·8	....	2·0	2·2	11·7	17·0	4·5	0·3	2·5	0·5	10·8
3	3·5	1·4	16·2	1·0	16·7	0·8	13·0	12·8	7·5	16·1	0·6	7·6	11·2	6·9	2·0
4	0·8	13·6	0·3	14·3	16·2	11·0	16·5	14·8	14·4	5·8	3·2	12·8	15·8	15·4	13·5
5	11·5	19·4	18·7	15·8	22·2	15·7	19·0	21·4	16·6	19·4	14·4	15·9	20·5	22·0	20·4
6	20·5	9·8	13 7	13·6	18·3	2·2	10·0	14·5	12·9	9·1	5·7	12·3	16·2	17·0	15·9
7	17·5	9·8	11·2	7·0	0·7	2·3	1·5	5·1	6·5	13·4	3·6	1·1	4·5	1·7	2·7
8	16·2	3·9	17·4	6·7	1·0	9·7	6·4	4·5	3·1	19·6	0·8	4·9	6·8	3·9	7·2
9	4·7	4·1	14·8	....	11·0	....	12·0	12·1	11·7	11·1	13·4	13·8	10·0	8·1	5·1
10	9·8	0·1	1·9	6·8	15·0	1·5	8·6	9·2	6·5	2·2	8·8	7·9	7·5	13·9	7·6
11	4·5	17·4	4·7	9·7	16·0	10·3	12·3	9·4	11·2	4·2	17·0	11·6	14·5	13·2	9·9
12	12·7	6·3	8·9	17·4	21·5	26·3	24·2	23·4	24·3	2·5	23 9	23·0	25·7	17·1	18·6
13	2·8	5·2	12·4	2·3	16·7	28·3	22·1	19 8	24·2	18·1	21·4	14·4	22·0	10·0	4·1
14	2·2	13·4	7·7	13·9	21·2	25·5	29·5	30·3	26·3	8·4	26·5	27·4	30·3	17·7	21·5
15	8·2	0·1	7·8	7·9	19·5	24·3	20·3	20·1	19·9	7·0	19·9	18·4	20·7	13·6	12·2
16	16·0	2·0	5 8	....	22·2	....	26·6	23·4	26·7	10·6	26·5	23·0	23·0	19·6	14·4
17	13·0	8·6	5·8	16·4	20·3	22·7	23·2	23·0	19·6	3·5	25·0	26·5	20·3	18·9	14·2
18	11·3	16·0	19·9	20·0	5·0	1 5	3·7	2·9	1·3	22·4	5·3	16·5	3·2	5·5	8·8
19	8·5	8·2	5·6	14·6	17·3	22·3	21·0	17·4	20 0	0·5	10·9	27·1	19·3	15·1	13·4
20	2·8	28·4	21·8	37·0	34·3	39·0	35·3	34·3	38·0	11·1	34·5	21·7	36·5	32·1	35·9
21	0·4	6·0	1·5	13·6	21·7	28·5	24·3	25·3	23·7	9·8	28·0	33·5	21·7	18·3	13·0
22	9·5	33·4	16·6	37·7	35·7	53·0	40·9	41·9	48·9	14·4	35·0	33·5	42·5	38·4	39·2
23	4·7	34·1	29·4	....	34·5	....	39·2	40·2	47·8	28·8	46·5	46·5	52·3	36·9	43·5
24	3·0	10·5	14·7	19·1	24·3	29·3	24·9	24·0	25·4	8·5	36·0	24·0	27·7	20·9	21·3
25	7·5	19·4	9·0	28·7	27·5	36·7	31·9	33·0	33·0	5·1	33·0	29·7	34·2	25·7	26·7
26	9·2	9·0	10·4	14·4	6·7	13·8	13·6	11·1	13·5	22·2	16·9	8·1	11·3	3·0	2·5
27	8·5	14·5	9·7	16·2	22·8	25·3	23·7	21·0	24·8	12·0	16·4	19·8	23·7	22·6	18·8
28	19·5	32·0	19 9	35·6	35·3	36·5	35·3	36·3	34·2	19·4	34 5	38·2	40·0	35·7	35·8
29	6·5	29·4	30·2	29·9	29·3	32·3	30·3	31·0	33·3	19·4	34·5	28·7	35·0	31·5	30·1
30	21·2	17·0	25·4	....	18·0	....	20·8	21·4	15·7	21·8	21·4	22·2	26·5	19·4	23·1
31	18·8	5·8	1·5	6·3	5·7	3·2	6·7	6·3	6·0	6·1	3 7	5·6	9·5	4·2	3·2
	4·17	8·46	4·39	13·11	18·65	19·31	19·73	19·46	19·69	0·38	18·34	17·75	19·98	16·71	14·40

TABLE VIII.—*January*, 1887. *Daily Mean Temperature.*

Stratford.	Simcoe.	Sprucedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
9·6	13·2	4·2	21·2	7·0	10·9	17·1	24·7	....	21·4	8·7	20·2	10·0	31·2	....	1
2·2	....	25·0	18·5	5·5	0·1	....	24·8	....	19·1	18·3	31·5	6·5	38·0	....	2
7·9	14·7	1·7	3·8	5·3	8·5	8·8	2·0	....	3·1	1·5	9·0	22·5	14·0	....	3
10·8	16·5	13·8	9·0	17·4	12·3	13·4	6·5	....	3·7	1·0	2·3	6·5	13·9	....	4
18·2	21·7	10·5	32·7	23·4	18·8	17·6	24·3	....	15·2	9·0	18·7	22·5	19·8	....	5
11·9	15·7	5.5	30·8	15·6	10·4	11·7	38·2	....	22·7	20·7	26·7	19·0	28·0	....	6
5·8	1·0	22·5	28·8	8·2	2·3	5·1	38·5	....	13·0	20·5	22·7	2·0	22·4	....	7
2·6	3·8	7·5	28·0	5·1	0·8	6·7	28·0	....	9·6	9·7	17·8	25·0	4·1	....	8
10·9	....	6·0	8·5	12·5	9·5	....	0·7	....	3·6	9·3	10·0	8·5	4·8	....	9
7·1	10·7	0·3	11·5	11·1	9·1	4·0	20·8	....	5·7	10·7	7·8	6·5	20·8	....	10
5·9	10·7	15·5	1·2	12·4	8·1	8·2	11·2	....	0·9	1·8	3·5	10·5	10·2	....	11
18·9	27·0	3·7	29·0	22·2	23·1	27·0	19·3	....	15.0	11·8	19·5	23·5	23·9	....	12
12·2	19·8	12·9	11·3	11·8	16·3	25·1	21·5	....	5·8	0·7	4·0	2·5	11·8	....	13
23·2	31·5	7·3	7·2	26·3	26·5	28·5	20·5	....	6·4	9·0	0·7	17·0	2·4	....	14
15·8	20·7	6·5	1·8	15.2	17·7	24·6	25·7	....	0·3	8·5	2·5	13·0	18·8	....	15
20·0	....	0·0	10·7	17·6	20·9	....	18·3	....	2·9	3·0	0·0	3·0	18·4	....	16
19·3	25·7	7·5	22·4	21·0	22·3	23·4	21·5	....	10·9	8·0	12·8	22·5	22·3	....	17
8·6	0·0	26·3	11·5	4·2	0·3	0·9	28·0	....	18·4	20·0	14·7	15·0	21.0	....	18
13·7	21·0	13·0	13·5	16·1	14·5	21·6	23·5	....	3·7	6·5	7·5	0·0	0·1	....	19
35·3	36·8	31·7	9·8	34·7	34·6	38·6	36·3	....	5·8	2·7	16·0	23·5	10·7	....	20
17·3	23·8	19·8	1·7	23·0	21·8	25·3	9·0	....	14·7	11·5	7·5	....	20·8	....	21
43·1	45·0	34·7	6·8	36·7	41·5	45·9	9·8	....	2·0	1·0	11·3	31·0	8·0	....	22
44·0	....	37·0	8·5	42·0	45·5	....	2·7	....	7·7	5·0	27·0	39·5	16.1	....	23
20·4	24·8	4·7	0·5	25·1	23·2	30·9	13·0	....	20·2	10·7	15·0	31·0	31·0	....	24
30·1	34·5	10·0	18·5	32·1	30·8	36·7	24·3	....	14·4	11·8	12·7	21·5	20·3	....	25
6·0	10·8	4·0	1·5	7·5	12·4	10·7	18·5	....	4·1	0·5	3·5	1·0	9·0	....	26
19·3	23·3	14·0	9·2	19·5	19·4	21·9	4·3	....	5·2	5·5	10·3	1·0	0·2	....	27
36·6	38·7	30·7	14·3	35·9	36·6	37·3	21·7	....	6·5	12·0	12·0	....	13·1	....	28
2·4	32·3	27·5	11·7	32·1	31·3	34·1	9·5	...	24·1	17·3	27·5	32·5	34·9	....	29
22·4	....	16·7	28·5	26·6	23·2	....	25·0	....	18·9	17·7	12·3	28·0	31·3	....	30
5·0	6·8	9·3	30·5	6·9	4·7	5·4	34·5	....	14·7	7·5	1·7	....	21·5	....	31
16·48	20·33	5·38	11·49	18·08	17·94	20·40	16·03	....	7·60	6·31	9·64	9·10	17·50	....	

TABLE VIII.—*January*, 1887. *Daily Mean Temperature*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntington.	Montreal.	Quebec.	Point des Monts.	Richmond.	Bathurst.	Chatham
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	12·7	11·7	6·7	....	15·7	10·0	14·5	14·1	9·7	12·0	14·5	4·0	16·2	....	27·5
2	27·3	2·8	....	....	15·5	29·0	2·5	7·7	10·3	6·5	1·2	7·5	5·1	....	19·9
3	19·0	22·0	16·5	....	3·2	18·3	17·0	4·7	18·1	13·2	13·6	11·5	21·7	3·3	5·0
4	3·7	3·2	15·1	....	5·8	10·2	2·0	0·1	0·1	2·9	1·1	8·3	1·8	12·0	15·0
5	2·0	15·0	9·0	....	14·0	12·8	20·0	14·2	17·8	18·7	16·1	9·5	21·7	0·0	2·4
6	4·0	17·0	7·5	....	23·7	22·7	19·0	22·1	23·4	19·6	19·1	12·7	15·2	18·7	20·7
7	13·0	2·8	14·5	....	5·0	25·8	7·0	3·7	4·4	3·1	3·3	9·3	0·7	15·3	13·1
8	14·7	22·5	19·8	....	10·0	10·2	19·0	13·5	21·6	12·1	12·6	27·7	25·3	8·3	15·8
9	9·0	17·5	32·1	....	8·7	9·8	19·5	12·0	15·4	14·5	11·0	14·5	17·7	....	21·1
10	6·3	1·2	5·2	....	2·7	9·5	13·0	0·7	0·7	2·2	5·1	14·3	5·2	5·7	5·2
11	12·0	3·0	11·4	....	2·0	11·2	3·5	0·6	12·5	9·1	0·7	3·8	9·1	1·7	1·3
12	1·3	18·0	6·0	....	15·7	7·5	21·0	11·4	21·3	20·7	16·3	10·3	23·0	19·0	17·3
13	5·3	12·5	23·4	....	8·0	6·0	9·0	6·4	4·7	5·5	8·4	10·0	12·0	0·0	2·5
14	21·0	6·7	21·7	....	7·8	17·5	3·5	10·9	1·0	0·9	0·1	11·7	7·0	9·0	10·7
15	11·0	1·5	7·0	....	1·7	6·0	8·0	3·5	4·6	5·2	7·5	4·2	8·6	8·3	6·1
16	2·8	1·7	....	....	3·0	4·7	3·0	6·5	11·4	4·5	6·6	2·5	5·5	....	2·5
17	1·7	6·5	13·5	....	3·3	5·0	14·5	4·6	13·0	11·9	9·5	2·8	12·2	6·3	6·1
18	1·7	14·3	13·5	....	8·0	19·3	5·5	0·9	15·9	13·1	8·1	6·3	13·3	9·3	13·0
19	7·0	7·5	14·4	....	3·7	7·0	6·0	5·2	10·4	3·9	10·7	13·7	5·5	4·3	9·3
20	0·7	16·5	16·5	....	6·0	3·7	16·0	9·3	26·2	15·2	10·0	0·0	20·3	0·0	0·1
21	9·3	2·2	4·0	....	9·0	14·3	12·0	8·2	6·0	11·4	8·8	5·0	6·6	22·7	21·1
22	14·0	17·8	2·5	....	9·0	9·5	15·5	5·0	19·3	14·4	9·8	7·0	22·0	3·0	2·5
23	8·0	25·7	14·6	....	9·0	2·5	32·0	14·5	29·1	28·3	22·7	13·8	33·8	....	20·1
24	1·7	28·5	17·0	....	18·5	6·0	36·5	17·1	21·5	23·2	25·2	12·7	28·6	17·7	23·5
25	11·7	14·0	1·5	....	15·5	13·2	13·0	12·2	15·5	14·0	9·9	5·2	21·0	22·3	20·1
26	10·7	0·7	17·0	....	2·5	7·5	0·0	5·5	1·3	0·5	3·2	4·3	3·1	....	10·6
27	15·0	15·2	27·7	....	4·7	8·3	8·0	10·2	·1	5·1	14·3	11·0	7·6	2·3	6·3
28	9·0	15·5	1·6	....	8·8	4·2	22·0	4·8	23·2	15·4	9·2	9·7	26·1	0·3	1·1
29	1·3	28·5	16·8	....	24·5	14·8	34·5	19·5	30·6	32·9	27·8	12·5	30·7	24·3	29·9
30	10·0	26·5	16·9	....	22·8	14·2	28·0	18·4	32·9	30·0	24·2	11·3	31·1	....	31·0
31	15·0	1·5	11·1	....	2·2	18·0	5·5	0·4	1·6	2·2	2·3	1·0	3·9	14·0	17·0
	0·45	3·86	7·06	....	5·31	6·86	8·18	4·15	7·82	7·02	5·22	1·19	7·19	6·19	7·30

TABLE VIII.—*January*, 1887. *Daily Mean Temperature*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. John, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
23·4	44·5	39·0	39·6	17·3	42·5	35·1	42·6	39·5	44·5	36·3	45·0	42·3	....	18·5	29·0	22·8	1
....	22·5	18·0	25·5	....	....	49·5	44·9	55·5	49·5	46·3	33·6	42·2	9·7	35·9	53·2	31·0	2
4·2	2·9	0·6	0·7	7·6	1·3	22·7	16·7	20·3	33·3	19·0	15·4	21·7	9·7	14·4	36·3	20·7	3
12·1	10·1	1·0	0·6	21·5	0·5	16·0	11·9	7·5	26·7	5·3	12·9	13·3	15·0	0·4	19·3	12·0	4
2·7	28·9	19·0	16·6	1·2	24·5	19·0	19·4	22·6	32·5	11·0	23·0	25·5	29·7	3·0	22·0	19·8	5
22·5	32·9	31·7	30·5	....	3·0	29·6	31·2	32·5	40·1	27·3	38·6	35·5	26·0	17·5	29·3	26·2	6
18·5	22·2	19·5	19·4	....	19·3	30·2	27·7	29·0	37·5	24·4	27·7	27·8	6·0	25·2	33·5	26·5	7
— 8·5	2·5	5·1	4·6	17·1	6·2	9·7	2·5	2·2	22·7	3·5	7·1	10·6	....	9·9	12·0	2·8	8
....	6·7	1·1	6·9	....	....	6·8	1·4	0·5	19·5	6·5	9·3	6·0	25·0	10·7	10·3	1·0	9
0·3	22·3	16·5	13·1	0·8	19·3	19·9	29·3	3·6	38·8	10·4	30·1	31·8	15·0	2·8	21·7	11·2	10
5·6	15·8	11·7	9·1	4·0	15·5	14·2	12·8	16·2	25·7	17·2	22·5	15·7	27·7	10·2	27·7	14·5	11
21·5	31·7	25·2	27·1	19·0	31·5	27·4	33·2	30·2	39·0	24·9	35·3	31·8	17·3	11·4	30·7	19·3	12
7·3	20·4	13·3	13·4	2·9	15·7	21·2	24·2	24·5	34·6	16·3	24·4	23·2	7·3	17·8	32·0	20·5	13
5·8	18·3	6·6	0·7	8·4	5·0	4·9	9·7	12·0	26·6	1·6	20·5	12·3	17·3	4·0	11·7	7·5	14
6·3	13·9	8·2	6·9	8·2	7·5	23·5	20·5	14·5	37·8	18·9	20·6	26·8	....	3·1	21·3	4·7	15
....	14·2	9·5	7·7	....	....	21·3	14·4	16·0	31·3	12·9	19·7	23·7	20·7	6·2	17·3	4·3	16
1·0	24·3	17·9	14·2	0·2	20·5	21·5	18·0	25·0	32·1	12·8	24·9	25·8	20·0	7·4	16·2	7·5	17
8·2	15·4	11·8	15·3	1·0	13·3	32·2	28·9	25·5	40·1	30·5	25·3	28·7	4·7	18·8	31·3	21·7	18
8·7	3·7	1·8	3·5	7·8	3·0	4·6	5·5	3·5	23·2	3·4	14·1	9·3	18·3	2·9	23·2	10·3	19
2·0	25·2	19·1	16·3	12·6	23·7	9·9	20·2	22·0	31·7	11·7	24·9	22·0	25·0	4·0	19·7	10·7	20
26·4	29·0	26·0	27·2	20·4	26·3	29·9	33·7	29·0	40·3	31·2	33·2	28·5	13·7	20·2	36·3	28·0	21
6·9	28·2	20·1	19·1	5·3	27·2	13·1	20·6	28·5	26·3	15·4	25·5	21·0	....	16·6	8·3	6·8	22
....	39·0	35·9	33·8	....	....	28·5	37·9	36·3	41·2	31·7	41·4	30·7	46·0	19·9	27·0	7·5	23
26·0	46·8	41·5	40·0	29·7	43·3	32·9	43·8	37·7	46·0	38·3	47·9	40·3	25·0	19·6	19·0	8·2	24
23·9	30·4	29·0	28·0	22·3	31·5	31·1	31·8	25·3	36·0	37·5	31·8	29·0	18·3	30·5	36·7	17·5	25
20·4	26·4	20·6	24·3	5·5	21·0	26·3	30·0	29·1	44·1	24·9	32·9	28·7	12·0	21·1	29·7	2·5	26
4·1	5·2	0·1	0·5	12·8	1·0	8·7	6·2	3·7	19·6	3·7	10·8	7·5	25·0	1·4	8·0	7·8	27
8·3	35·7	30·4	22·7	15·9	34·5	12·3	22·2	5·5	25·5	25·6	29·2	23·3	38·3	2·3	8·3	0·2	28
40·3	43·1	40·7	41·3	36·4	39·8	41·8	45·3	38·5	44·8	41·8	44·5	41·7	....	24·6	35·7	26·3	29
....	36·5	35·8	35·1	....	....	32·9	37·2	35·7	45·1	37·2	37·4	33·0	....	36·2	29·7	16·7	30
20·8	25·8	22·6	25·1	10·0	22·0	30·6	33·1	36·0	40·6	30·8	31·6	30·7	....	31·1	32·8	22·3	31
9·35	23·38	18·13	17·30	3·22	19·90	22·83	24·43	22·42	34·74	20·77	26·90	25·59	19·59	12·88	24·81	12·07	

TABLE IX.—*February*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	18·5	2·4	30·7	22·5	42·0	19·7	25·1	31·4	36·0	24·3	30·3	35·3	40·6	....	22·9	27·0
2	12·5	8·7	35·5	31·5	38·0	29·7	32·7	38·3	33·0	29·3	31·2	39·5	36·2	....	37·9	35·7
3	12·5	14·5	38·0	34·7	37·5	36·4	39·2	41·1	33·3	38·7	40·0	39·3	35·8	....	39·1	35·8
4	15·0	15·2	26·0	26·7	31·7	23·4	36·2	33·0	28·6	30·0	34·5	30·7	29·7	....	25·5	35·5
5	15·5	15·1	29·0	25·2	36·0	24·3	24·0	36·0	23·0	26·7	18·0	19·8	24·0	....	27·8	29·3
6	21·5	22·3	13·3	17·3	32·8	13·0	22·8	18·7	25·3	16·0	....	23·3	14·2	....	14·4	23·0
7	24·5	22·1	18·3	20·2	16·5	15·1	17·3	19·4	10·1	17·3	20·5	21·7	19·2	....	15·3	26·5
8	26·0	20·3	12·2	27·8	15·0	27·0	33·7	16·7	6·4	21·8	29·0	25·5	16·8	....	12·5	25·5
9	29·0	19·9	23·0	21·5	25·7	21·3	22·0	17·9	21·3	23·2	27·0	29·3	24·4	....	19·9	21·5
10	26·0	26·7	31·6	31·5	22·0	30·5	36·1	37·5	13·8	25·7	28·3	36·5	21·8	....	27·7	33·7
11	32·5	24·3	15·5	31·3	17·5	27·3	34·8	18·4	13·4	24·7	11·7	24·3	21·0	....	20·8	20·0
12	28·5	28·7	12·3	10·5	2·0	5·0	19·1	6·5	3·5	10·7	15·7	13·8	0·1	....	3·0	7·5
13	33·0	27·5	1·5	1·5	0·0	5·2	0·3	6·4	1·7	2·3	....	17·8	3·0	....	0·3	0·0
14	32·5	24·4	5·5	8·0	4·8	5·0	4·6	5·3	8·7	5·1	15·0	2·5	5·3	....	10·9	12·5
15	26·0	33·6	13·7	0·7	15·3	1·5	5·3	10·5	15·1	0·1	2·7	4·3	10·7	.. .	8·3	0·0
16	31·5	28·1	17·2	10·0	21·5	11·3	8·7	7·7	23·4	7·7	9·5	6·3	4·6	....	11·0	4·0
17	38·0	31·4	10·3	7·5	16·5	9·5	0·3	11·2	14·7	4·1	3·5	5·0	2·7	....	6·3	1·5
18	33·5	34·3	2·8	2·8	11·3	2·5	0·7	4·6	18·2	9·4	5·0	4·7	1·7	....	2·0	0·0
19	35·0	29·9	10·5	5·2	8·0	0·5	8·4	14·4	14·7	2·8	8·5	6·3	7·3		9·3	4·5
20	33·5	28·8	5·0	2·0	0·7	3·6	0·8	8·7	9·6	1·4	....	6·2	9·1	....	3·3	5·3
21	31·5	25·1	1·7	0·3	7·3	1·0	1·5	4·8	0·1	0·4	1·0	4·3	24·2	....	2·0	3·5
22	32·5	23·4	15·0	10·5	12·5	8·5	11·1	11·5	4·0	6·3	10·0	13·0	30·1	....	9·3	11·0
23	34·0	21·1	7·8	24·0	11·0	14·5	23·4	15·6	6·4	13·9	12·0	15·5	29·6	....	12·9	21·0
24	33·5	22·8	8·7	7·5	3·8	5·3	17·4	13·6	12·7	10·4	11·5	8·7	19·7	....	4·9	20·0
25	37·0	26·7	16·5	11·0	2·5	9·7	12·2	19·7	2·5	13·7	9·0	11·3	13·8	....	14·0	18·3
26	41·0	29·4	10·5	12·3	33·8	8·4	19·5	1·9	14·8	10·6	2·3	10·0	16·7	....	3·6	19·5
27	45·0	28·6	39·0	2·3	36·3	9·1	2·1	37·1	25·7	7·4	....	16·7	16·4	....	30·1	13·7
28	45·5	29·0	47·8	7·8	32·5	20·5	11·6	39·1	32·4	12·7	21·5	19·3	21·7	....	35·1	25·5
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	29·47	23·72	5·35	12·41	6·78	9·28	15·14	7·90	4·11	11·62	12·28	12·88	16·06	....	7·69	13·26

TABLE IX.—*February*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
19·0	22·8	20·3	15·8	11·0	17·0	19·0	24·7	15·3	12·2	17·3	5·7	0·4	0·2	0·7	1
11·0	12·4	21·6	10·3	14·5	9·4	17·8	14·5	12·5	11·5	15·3	2·3	7·6	8·5	9·0	2
23·5	30·5	33·9	24·9	17·3	24·9	31·7	20·5	25·5	24·8	21·5	13·7	20·6	19·9	15·1	3
22·0	22·8	28·5	23·6	1·8	25·9	23·8	25·2	22·8	25·2	19·0	9·5	7·0	2·6	4·6	4
23·0	18·0	23·0	14·3	15·0	15·0	19·3	21·0	13·0	12·1	17·1	4·2	7·8	10·0	9·0	5
14·0	17·5	14·3	11·0	11·7	....	13·3	18·7	10·3	7·2	10·3	16·5	26·9	....	19·5	6
2·0	8·5	14·0	1·5	11·0	2·2	7·5	10·5	1·7	12·5	4·5	14·3	15·7	16·4	18·5	7
12·0	18·8	25·9	18·7	21·7	17·7	22·5	9·0	14·8	12·8	13·8	34·2	38·2	37·3	31·5	8
12·0	17·5	21·4	13·9	15·3	18·7	19·0	18·0	14·3	12·1	14·7	9·3	19·5	16·8	15·6	9
19·0	24·8	33·7	19·7	25·0	23·4	24·7	19·0	21·7	22·0	17·9	26·7	30·6	32·2	29·7	10
19·5	21·7	32·4	20·2	24·2	26·5	24·8	18·5	24·3	24·4	20·0	2·3	8·4	9·0	4·3	11
17·0	17·0	16·0	18·0	9·0	21·1	25·7	23·7	17·2	14·9	20·9	5·7	0·5	1·8	1·0	12
0·0	6·2	5·8	8·8	4·5	....	5·3	10·5	9·3	8·5	6·0	3·3	2·2	....	2·1	13
0·5	1·1	6·1	3·1	5·0	5·3	1·8	9·7	1·0	0·1	5·3	19·2	23·2	16·2	23·0	14
5·5	4·4	2·4	2·4	3·0	2·7	2·7	7·0	1·5	0·5	4·7	25·5	31·4	32·4	25·5	15
8·0	12·0	7·4	6·8	7·0	3·8	10·0	8·0	5·0	0·3	1·8	21·0	27·1	28·5	22·3	16
7·0	10·6	8·6	12·1	5·7	11·6	8·7	16·2	12·7	6·9	8·0	13·7	21·4	19·7	17·8	17
5·0	7·6	1·1	10·4	0·8	7·3	2·3	8·0	7·5	0·4	3·8	28·3	29·3	27·3	31·7	18
1·5	6·8	7·6	0·7	7·5	6·3	12·0	5·0	4·8	9·0	7·5	....	17·0	23·1	14·0	19
4·5	3·4	2·0	3·3	2·2	....	5·5	1·0	4·2	6·0	2·5	11·2	13·9	....	13·1	20
10·0	0·4	7·5	4·6	0·3	4·4	4·0	3·0	2·0	4·2	6·7	15·5	18·2	14·6	14·3	21
4·5	1·3	4·9	3·7	4·5	2·6	2·0	3·5	0·5	0·7	7·0	15·8	13·4	21·8	15·4	22
2·0	12·9	16·7	5·5	18·0	9·0	19·5	3·3	10·5	10·3	12·8	19·0	20·2	17·4	17·8	23
11·5	14·1	11·8	12·0	8·5	14·9	10·5	18·5	9·0	13·5	14·5	11·5	14·4	19·5	13·2	24
1·0	2·7	7·0	3·8	5·5	2·4	6·8	5·3	4·3	5·7	2·8	1·7	9·1	5·3	0·7	25
1·0	1·7	15·1	1·7	10·5	5·5	7·0	6·0	2·3	4·6	9·0	25·5	24·1	26·1	25·2	26
1·5	3·2	2·0	1·8	5·3	....	1·5	8·8	1·5	1·1	8·0	8·8	8·2	....	9·4	27
1·5	13·4	11·4	13·9	15·3	11·0	10·7	6·8	9·0	4·8	4·1	1·7	....	6·3	5·4	28
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
10·72	7·93	11·71	5·22	6·91	8·04	9·65	8·02	5·78	7·32	7·60	11·38	16·93	17·19	14·10	

TABLE IX.—*February*, 1887. *Daily Mean Temperature*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	1·7	7·0	13·0	0·3	16 0	11·2	0·0	5·1	1·2	4·0	1·3	3·3	4·1	7·0	5·7
2	6·3	9·7	3.2	3·3	9·9	23·3	3 5	5·3	4·1	11·7	10·0	11·7	8·8	11·2	16·6
3	15 7	20 8	8·8	19·0	20·7	25·0	1·5	15 1	28·1	20 0	21·0	21·8	21·7	18·3	21·1
4	5·5	8 5	18·0	3·2	5·7	9·0	5·5	9·4	7·4	7·3	5 7	6 2	7·5	6·3	7·8
5	5·1	14·0	0·7	0·7	10·4	21·7	1·5	5·1	9·1	14·0	12·0	12·3	8·0	11·7	13·4
6	17·8	23·7	1·5	11·3	27·2	34·8	8·8	16·4	21·3	25·3	26·7	27·7	....	30·6	28·5
7	16·7	21·5	15·0	9·8	25·3	33·4	4·0	16·2	15·0	24·0	20·7	21·5	19·8	23·5	31·0
8	33·5	33·5	5·5	35·2	41·7	40·3	6·0	32·7	38·1	41·0	37·7	36·0	39 8	33·0	40·0
9	15·9	22·3	0 5	24·0	21·1	20·7	28·5	10·4	22·3	20·7	17·7	19·8	22·1	23·5	23·5
10	20·8	32·5	2·9	30·3	31·4	37·5	3·2	26·3	30·5	35·7	32·7	30·7	31·7	33·9	36·5
11	5·0	15·7	2 0	12·5	13·0	22·2	2·0	1·8	13·4	....	9·3	11·0	12·5	18 4	14·3
12	2·8	4·5	7·5	2·6	6·0	16·3	15·0	7·1	2·3	....	4·0	4·8	3 8	4·7	7·7
13	1·8	1·8	10·5	0·1	6·2	15·5	5·8	4·3	0 8	12·7	6·0	6·2	....	5·1	4·8
14	20·2	13·2	29·5	2 7	22 1	30 5	1·5	21·9	19 9	27·3	24·7	25·3	20·8	16·4	27·6
15	25·3	32·5	7·2	29·7	33·1	36·0	26·3	26·5	33·0	32·7	32·3	32·0	32·7	18·4	32·6
16	22·0	30·8	11·0	29·7	28·1	35 5	15·7	21·1	29·3	27·7	27·0	26 7	28·1	30·1	29·0
17	15·6	23·0	13·0	18·0	21·9	33.2	20 5	14·1	20·6	....	24·0	21·0	21·4	21·3	24·0
18	28·8	29·0	7·8	22·3	34·5	36 5	10·5	29·0	32·0	35·7	31·0	32·8	33·5	32·8	25 2
19	17·5	21·5	11·0	29·2	24 4	28·5	10 8	15·6	26 6	....	18·7	20·2	21·9	23·4	21·4
20	12·2	17·2	12 2	17·0	14 7	26·0	1·2	11·0	18·8	19·7	12·0	14·5	....	15 7	18·2
21	13·0	22·3	19·5	15·1	20·8	25·5	11·0	12·1	22 5	20·7	17·3	20·8	19·9	22·1	22·0
22	19 3	21·5	19·3	18·8	20·3	30·9	18·8	15·2	24·7	....	14 3	21·5	19·7	20·7	22·5
23	17 2	26 0	19 5	17·3	21 4	31 5	21·7	17·6	28·4	....	23 7	24 0	22 0	23·0	25·1
24	15·0	17·5	1·2	25·1	18·1	25·0	7·0	12 1	23 9	....	18 3	17 0	17 6	18 1	17 2
25	0·3	13·3	12 0	0·4	11 1	20 5	4·0	3·4	10·5	13·0	7 7	10 2	....	9·2	9·0
26	25·1	23 0	13·3	12·8	28·0	31·9	1 0	26·5	27·0	29·7	26 7	29 8	38·2	27 5	29·1
27	9·4	11·0	6·7	19·3	9·9	19·7	1·5	8 7	15·6	9 7	11·0	13·0	....	16 3	12·2
28	1·5	10·0	14·8	1·0	10·3	20 5	14·0	1·4	9 6	....	6·0	10 2	8 5	12·1	12·4
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	...
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	13·42	18·83	6·23	14·18	19·76	26·84	6·87	11·88	19 09	21·62	17·93	19 00	19 75	19 69	20·99

TABLE IX.—*February*, 1887. *Daily Mean Temperature.*

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
0·4	7·5	20·0	10 6	0 5	1·4	8·5	1·3	7·3	0·2	2·2	9 6	23·2	10·7	3·2	1
8·1	2·3	15·0	21·2	3·5	5·0	21·4	10·7	1·7	11·4	4·2	10·2	1·8	22·3	0·2	2
18·8	14·0	15·0	27·4	26·6	17·7	22·6	19·3	6 3	21·9	5·7	15·2	9 3	26·5	14·1	3
3·0	4·0	16·0	12·1	7·8	0 7	7·8	4 7	8·0	12·9	6·7	12·9	18·9	11·7	3·3	4
8 6	4·0	11·0	16·4	7·2	8 2	15·4	11·3	3·3	11·4	2·7	7·3	1·0	16·0	2 3	5
20·2	14·5	10 0	32·4	21·0	23·0	31 3	27·3	13 3	24 4	7·1	4·1	2·8	33 3	7 8	6
18·4	16·8	12·0	27·2	14·5	15·7	29·9	23·3	18·0	25·4	5·7	7·1	15·7	26 5	10·1	7
36·0	34·2	15·0	41·9	36·8	36·3	42·7	41·3	26·7	39·0	11·8	10·2	9·0	44·0	30·8	8
15·4	12·3	2·5	28 9	22·2	17·1	29·1	22·0	12·7	23·7	12·9	14·6	0·8	27·5	20·0	9
31·8	25 0	3·5	38·8	32·5	31·4	37·0	33·3	28 7	31 8	20 3	17·2	2·7	38·0	25·5	10
7·2	0 7	6 0	18·7	12·6	7·7	22·2	13·0	0·3	18·5	18·3	24·9	12 8	21 5	7 8	11
1·3	6·3	25·0	14 2	2·4	1·1	11·9	0·7	8 3	6·1	1·4	9·2	14·2	7·5	3 6	12
2 0	0·0	10·0	13·2	2 3	3·8	10·5	9·7	4 7	11·4	4·7	4·0	5·8	10·7	6·5	13
21·2	23·0	25·0	23·6	16·4	20·5	27·1	21·3	21·0	21·9	5·6	1·9	27 7	29 7	1·7	14
27·9	30 2	5·0	26·9	34 2	31·9	34·8	32 7	24 0	33·9	7·4	15·7	0·0	35·0	24·2	15
23 6	21·5	7 5	33·1	31·0	27·1	30·7	26·7	19·0	28·9	9·1	8 6	1·3	32·7	28·7	16
17·3	21·3	0·0	27·9	20·7	18·3	27·6	26·0	14 3	22·7	12·4	10·6	3·5	27·0	16 0	17
32 8	25·5	7·5	39 7	30 3	30·5	36·3	33 3	18·0	33·4	10·8	11 7	8 2	35·5	18·1	18
19·0	15·7	0·0	27·9	28·2	20·9	25·5	21·0	11·7	24·5	10·2	11·5	4·0	27·0	28·4	19
12·8	14·3	15·0	21 0	18·8	13·6	21·5	17 7	11·0	13·2	6·7	14·2	5·0	22 2	14·8	20
13·0	15·3	15·0	24 8	19·4	13·3	22 1	20·0	11·3	17·2	14·7	6 2	4·8	24·0	14·5	21
18·6	15·2	5 5	29·1	26 6	17·6	23·8	14·3	35·0	20·0	16·8	12·5	1 2	26·3	19·6	22
16·4	21 0	7 5	28·4	25 7	18·7	27·2	21 0	11·3	18·5	10 5	13·1	17 8	31·3	14·2	23
16 9	9 7	7·5	25·4	27·2	17·9	20·1	14·7	15·0	19 4	17 9	14 2	8 5	22 3	21·0	24
0·2	2·5	5·0	17·0	9 1	0·0	16·0	7 3	3·3	6·9	5 2	9·6	8.0	17·0	2·3	25
27·6	23·8	12·5	32·0	23·9	26·6	29·5	26·7	23·0	26·0	10·9	5·7	17·5	36·7	7·2	26
11·6	7·0	7·5	17·8	18·1	12·5	12 6	12·3	8 3	16·4	14·1	12·5	1·5	14·0	18 1	27
5·3	7·2	5·0	18·5	9·3	5·1	16·3	7 3	3·3	8·7	1·8	14 7	3·5	13 5	0·8	28
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5·33	12·73	2·25	25 22	18·89	15·50	23·62	18·49	11·46	19·66	13·52	13·89	0 63	24·70	11·74	

TABLE IX.—*February*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	16·3	1·2	5·3	0·9	3·8	6·7	11·1	8·5	8·0	9·4	7·3	8·3	10·2	4·0	2·2
2	1·0	8·6	0 8	9·5	14·5	25·5	21·6	19·7	22·0	1·8	17·8	17·9	24·0	12·5	7·4
3	7·7	15·8	11 9	14 2	21·5	24·5	24·5	24·7	22·5	15 8	26·0	24·3	26·5	21·6	20·1
4	15·7	3·2	0·3	0·3	9·0	14·3	8·7	13·1	6·0	5·5	11·8	6·1	11·5	7·3	5·0
5	0·5	6·9	0·7	6·6	15·2	20·5	16·3	15·1	17·5	4·3	12·9	15·2	17·5	13·1	9·4
6	1·8	18 2	6·8	....	26·8	....	32·6	33 0	31·9	8·1	27·4	31·2	34·5	21·7	25·2
7	18·0	17·7	9·7	18·2	28·8	38·0	32·1	28·0	33·7	10 1	31 5	26 5	33·2	25·0	17·1
8	10·8	34·0	31·7	32·3	33·7	48·7	37·9	42 6	42·8	20·8	41·5	37·4	44·8	40·0	38·2
9	1·0	15·6	18·3	18·9	22·7	27·8	28·3	30·7	29·2	14·1	30·0	26·4	29·5	21·0	19·4
10	2·3	28·0	23 8	32·3	32·4	44·7	33·8	36 0	37·6	22·1	36·0	34·9	38·5	32·7	33·4
11	3·3	5·3	7 1	21·9	12 0	22·3	24·0	19·7	18·4	4·7	26·0	14·6	16 7	10·4	12·4
12	7·8	2·5	4·6	2·4	9·5	16·7	13·3	11·2	10·9	11·8	13·3	9·3	9·3	6·8	0·7
13	5·2	1·6	3·1	....	7·8	....	11·9	11·4	12·3	10·1	10·3	8·3	9·0	9·3	1·2
14	27·5	22·4	6·8	16 3	28·6	32·8	29·2	30·0	31·0	8·5	25·9	27·0	27·2	26·8	24·7
15	5·8	26·4	28·1	34·4	32·0	34·7	34·5	36·0	35·0	25·1	35·0	35 1	36·7	31·0	32·0
16	10·5	23·0	25·4	27·3	26 7	32·3	32·6	32·3	31·0	24·8	33·0	30·9	33·3	28·3	30·2
17	10·5	15·1	11·6	20·1	22·3	29·2	27·7	28·7	30·9	7·8	27·0	28·1	27·2	24·0	31·6
18	12·5	29·0	19 5	32·0	33·2	36·0	37·2	37 6	37·4	20·8	40·0	36·4	39·0	31·3	34·4
19	6·0	17·9	24·9	22·2	19·0	27·5	27·8	26·0	26·8	23·0	29·5	25·0	29·0	21·0	21·5
20	2·2	9·7	12 5	....	18·5	....	23·2	2 ·7	23·7	8·8	25·0	18·9	23·5	15·5	15·5
21	3·7	16·8	18·3	18·7	19·0	25·8	24·5	27·3	24·9	16 0	19·5	26·9	25·7	22·7	16·7
22	5·2	16 7	20·2	24·5	17·8	27·2	27·1	26·3	....	20·8	27·5	25·3	26 2	20·8	22·3
23	15·3	16·5	12·5	17·3	24·0	25·7	29·2	30·7	29·9	11·8	28·5	28·4	33·0	23·1	22·2
24	0·3	16·9	18·1	26·4	14 2	27·5	24·1	24 0	21·0	15·4	23·5	22·8	25·0	15·7	18·6
25	8·7	1·0	2 2	1·3	7·5	22 7	16 5	19·7	19·9	7·1	17·5	14·9	17·5	9·0	6·1
26	17·5	26·0	10 2	25 8	30·8	27·8	30·4	30·7	29·4	10·8	31·0	31·8	37·3	29·3	30·8
27	4·8	12·7	15·5	....	12·2	....	14 6	15 4	13·2	16·4	18·5	14·3	17·2	2·1	13·2
28	8·8	1·4	3·6	5·8	12·3	21·7	17·4	15 8	18·1	2·5	15·0	14·9	15·7	10·3	8·6
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	4·48	13·97	11·63	17 80	19·85	27·53	24·72	24·82	24·65	9·66	24·56	22 74	25·68	19·63	18·49

TABLE IX.—*February*, 1887. *Daily Mean Temperature.*

Stratford.	Simcoe.	Spruedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
3·9	10·3	1·5	17·5	6·8	7·4	9·5	36·7	....	5·7	5·7	....	3·0	1·1	....	1
14·1	19·7	13·5	7·5	16·5	18·0	21·3	8·8	....	7·3	7·0	....	....	1·5	....	2
20·5	24·5	15·7	14·2	24·2	23·5	24·4	11·0	....	1·3	6·2	6·7	....	8·3	.. .	3
6·8	10·5	7·5	22·5	10·5	8·3	11·2	31·5	....	5·2	4·7	2·5	5·0	10·0	....	4
11·9	15·3	2·8	4·7	14·0	12·5	19·0	2·3	....	3·0	1·5	5·0	5·5	2·6	....	5
29·1	....	20·5	0·5	27·5	30·0	....	7·2	....	6·7	4·2	0·7	13·0	5·6	....	6
25·2	28·0	17·5	13·3	22·2	28·1	37·7	12·0	....	1·1	2·7	0·0	14·5	5·2	....	7
41·5	44·0	35·0	0·5	36·5	41·1	46·7	10·0	....	9·9	6·8	8·3	34·0	7·8	. .	8
23·4	29·5	12·7	2·3	23·2	27·7	30·6	6·3	....	17·1	14·7	17·8	23·0	21·8	....	9
34·8	39·0	14·0	6·5	31·6	35·0	39·9	2·3	....	6·8	5·8	2·7	28·0	10·9	....	10
14·3	21·8	12·3	14·5	15·0	19·8	22·1	22·2	....	4·3	3·2	5·0	16·0	9·1	....	11
6·4	12·3	2·3	20·7	7·1	9·5	14·8	15·5	....	2·0	3·7	1·8	5·0	0·0	....	12
3·9	....	1·3	11·0	4·0	9·4	....	1·5	....	3·8	3·8	10·5	9·5	1·8	....	13
24·4	28·3	21·3	21·3	23·2	24·3	31·1	17·3	....	6·9	2·3	11·3	3·5	1·2	....	14
33·0	36·3	9·8	6·0	34·3	34·5	36·4	2·7	....	20·9	19·0	16·8	34·5	22·5	....	15
28·4	33·0	6·5	8·4	32·1	30·8	32·7	5·2	....	18·1	17·5	23·0	31·5	24·2	....	16
21·9	28·0	4·3	8·0	25·0	26·1	30·8	3·5	....	12·6	12·7	24·0	20·5	21·4	....	17
35·0	39·7	18·0	7·5	35·2	35·0	38·4	3·8	....	4·4	5·2	2·2	24·5	8·6	....	18
20·9	28·2	19·0	7·0	26·2	25·1	27·5	2·5	....	17·6	14·3	18·8	30·5	24·0	....	19
13·3	..	7·5	3·2	18·0	18·7	....	14·5	....	14·6	12·0	14·3	14·0	19·2	....	20
20·9	24·5	10·5	7·0	23·4	22·9	24·6	11·0	...	4·2	4·5	3·3	13·5	6·6	....	21
18·2	28·0	17·0	5·3	26·4	23·3	28·5	7·5	....	9·2	11·5	4·7	....	9·8	....	22
23·6	29·5	18·0	12·0	27·9	22·8	30·3	12·3	....	9·5	11·0	13·5	17·5	14·3	....	23
16·9	23·7	7·8	11·7	22·6	23·2	25·7	13·2	....	12·7	11·8	8·0	27·0	14·6	....	24
8·5	17·5	3·3	8·5	14·9	13·7	21·0	14·7	....	11·7	12·7	13·8	3·0	12·9	....	25
25·8	33·0	3·7	7·8	30·5	29·1	33·4	7·5	....	1·8	1·0	1·8	12·0	4·3	....	26
11·8	....	3·0	4·7	16·7	14·1	...	1·0	....	13·3	10·2	13·7	21·0	21·3	....	27
9·3	16·3	2·5	8·5	13·0	14·2	23·0	8·5	....	5·3	5·8	14·3	....	10·9	....	28
....	....	....	....	....	....	....	....	....	....	...	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19·56	25·87	9·32	1·05	21·74	22·44	27·53	4·41	....	7·04	6·03	7·07	14·60	10·45	....	....

TABLE IX.—*February*, 1887. *Daily Mean Temperature.*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Pointe Des Monts	Richmond.	Bathurst.	Chatham.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	3·7	13·5	24·4	....	9·3	7·5	8·0	9·0	5·6	4 7	7·6	14·3	10·2	3·7	2·8
2	8·7	5·0	26·7	....	7·8	3·3	3 5	14·6	3·2	3·9	4·7	17·5	2·6	6·7	5·3
3	7·7	16·2	0·3	....	4·5	6·5	20·0	1·4	18·4	14·1	5·4	1·8	21·5	2·7	3·5
4	4·0	0·0	1·7	....	0·5	2·5	10 5	1·2	3·8	7·7	5·0	7·7	6·4	8·7	6·0
5	9·7	10·3	10·7	....	4·0	6·2	4·5	2·6	0·3	0·5	3·7	13·0	8·1	1 7	1·9
6	11·0	4·5	4·2	....	8·3	3·8	13·0	4·7	9·1	6·2	5·2	4·8	8·2	....	4·4
7	12·0	1·5	1·3	....	5·0	4·7	3·0	6 8	7·5	7·7	2·7	0·2	0·1	6·3	0·5
8	5·7	23 0	6·9	....	14·3	0·3	17·0	12·5	38·9	32 2	20 8	7·3	29·4	7·7	0·4
9	14·7	11·0	2·0	....	13·5	21·7	23·5	12 9	23·1	22 8	17·1	9·0	20·5	18·7	18·8
10	8·7	19 2	2·4	....	9·0	1·0	21·5	11·1	29 8	25 8	14·7	11·7	23·7	9·7	9·9
11	5·7	11·3	3·7	....	6·3	7·5	14·5	10·6	11·7	10 8	13·2	3·8	15·1	11·3	11·8
12	4·7	7·7	15·4	....	4·5	5·3	4·0	3·1	7·3	2·0	3·6	14·0	6·0	....	1·6
13	12 3	8·8	17·9	....	5·8	11·0	4·5	3·3	6·5	0·9	3·7	10·0	11·7	....	8·8
14	6·3	3·2	15·2	....	1·3	3·2	5·0	1·0	1·1	9·4	0·5	2·8	7·3	6·3	5·9
15	10·0	25·5	7·7	....	14·3	14·8	7·0	19·7	31·0	30·1	20·9	20·0	31.6	5·3	28·4
16	21·7	26·3	12·2	....	14·0	22·0	32·5	17·6	31·1	31 0	22·7	15·5	32·3	22·7	28·4
17	6·7	12·7	9·7	....	11·3	11·7	21·5	15·1	11·4	19·5	17·5	12·7	18·7	21 7	21·8
18	3·3	11·3	0 8	....	4·7	5·5	14 5	4·6	26·8	20·1	11·9	4·3	19·0	13·0	6·8
19	7·7	22·7	19·3	....	20·0	14·0	34·0	18·6	29·1	30·7	21·8	19·5	20·7	22·0	24·3
20	16·0	9·5	7·5	....	15·5	20·5	15·0	15·1	15·7	16·2	15 6	15·0	11·7	....	20·3
21	0·3	4·0	3·6	....	8·0	6·8	9·5	5 1	14·2	13 3	9·0	5·3	8 9	6·0	8·3
22	3·0	11·7	1·8	....	11·7	1·7	18·0	9·9	17·0	15·0	11·3	4·8	16·2	....	7·7
23	2·0	10·5	10·0	....	15·0	2·8	17·5	12·6	15·8	21·6	16·4	16·5	16·0	17·3	9·9
24	1·3	21·3	18·6	....	16·0	0·7	22·5	20·0	23·0	20·7	21·0	11·5	25·5	12·7	11·3
25	0·7	5 5	10·4	....	5·0	6·0	1·0	3·5	0·9	2·7	0·4	1·5	0·9	6·0	9·2
26	1·0	5·2	3·4	....	0·8	4·3	2·5	6 5	16·1	7·9	5·3	1 5	8·2	9·7	5·1
27	4·0	17·5	16·1	....	11·7	2·7	13·0	16·6	17·1	20·4	20·1	10·5	21·6	....	23·2
28	11·7	1·5	0·4	....	6·0	11·5	0 5	7·1	0·9	3·4	3·3	1·0	0·1	11·3	8·4
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	0 29	7·61	1·07	....	7·15	2·82	11·07	7·20	13·12	13·56	9·23	3·34	12·01	8·84	8·73

TABLE IX.—*February*, 1887. *Daily Mean Temperature.*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
0·4	9·9	4·3	4·4	2·7	2·5	8·7	12·9	10·0	24·7	13·3	14·4	12·0	15·0	11·3	14·7	1·0	1
3·9	5·7	0·6	0·2	5·8	0·2	0·8	5·2	0·5	14·8	1·6	10·7	3·7	7·3	4·3	9·3	7·0	2
5·0	26·6	20·3	16·2	7·1	20·7	9·5	19·8	16·2	28·7	15·0	28·2	20·3	11·3	3·9	10·0	5·3	3
10·4	17·2	14·6	13·0	8·5	15·3	19·3	24·3	27·5	32·0	18·8	25·6	20·5	7·3	10·0	25·3	7·7	4
1·7	9·7	7·3	4·5	4·5	10·5	3·9	8·9	6·3	19·0	7·4	15·4	11·3	8·0	4·8	4·0	1·5	5
....	22·2	16·7	12·6	....	....	9·3	20·1	11·7	28·0	11·2	26·5	17·2	....	0·7	11·7	0·5	6
5·5	15·2	11·2	9·5	4·5	9·5	8·8	12·5	7·9	19·1	9·2	14·9	9·5	13·0	5·7	6·0	5·5	7
3·9	25·9	23·1	17·7	9·6	25·5	5·6	15·1	0·5	21·3	5·7	21·9	16·6	21·0	3·1	2·3	2·5	8
28·9	31·1	29·7	31·5	24·8	28·5	27·9	35·6	29·0	34·8	32·9	34·8	27·8	28·0	23·2	23·7	26·5	9
34·4	27·3	25·0	21·8	15·0	26·7	13·4	23·1	22·3	22·3	16·5	28·6	22·3	21·0	17·2	10·7	0·3	10
19·3	26·3	23·3	22·7	16·0	21·5	25·5	31·0	22·8	39·5	25·7	38·0	29·9	30·0	19·6	21·2	1·7	11
6·0	13·0	9·7	7·5	1·9	8·0	9·6	13·4	10·7	24·3	8·4	16·9	12·1	25·0	9·2	22·3	0·0	12
....	6·2	2·3	0·2	....	....	4·8	5·7	1·5	18·3	4·7	11·0	4·5	....	2·8	7·7	7·8	13
1·9	13·4	7·5	4·4	11·6	11·5	2·4	4·4	3·7	13·9	8·6	13·5	3·8	7·7	7·1	2·3	6·2	14
25·8	36·1	32·1	31·0	....	34·7	17·7	27·3	18·5	32·3	13·6	34·9	27·8	27·0	14·1	20·0	14·3	15
33·2	34·6	34·3	33·3	36·5	35·0	33·0	35·2	31·5	37·0	36·4	35·4	31·5	28·7	27·6	36·3	23·0	16
27·1	31·2	29·1	29·4	19·9	27·3	26·3	32·9	31·5	36·1	31·4	34·5	27·3	30·7	21·9	33·5	22·7	17
11·7	22·6	19·7	17·5	12·1	20·3	12·7	21·7	22·7	24·5	15·2	25·6	16·3	20·0	12·7	24·0	7·8	18
25·3	38·1	35·1	35·7	21·6	36·0	30·6	38·0	27·8	41·0	30·6	41·4	33·5	25·0	23·1	25·3	12·2	19
....	29·8	25·5	26·5	....	....	28·2	30·6	32·5	36·5	28·5	31·9	27·6	....	31·0	30·7	16·5	20
13·5	19·4	17·1	16·6	3·6	16·0	11·8	18·9	23·7	22·0	14·5	22·6	13·9	18·3	14·8	18·3	8·5	21
6·4	24·6	21·9	17·9	6·9	18·8	11·5	17·9	13·0	22·5	9·3	21·8	16·1	20·0	3·6	10·7	4·0	22
18·5	27·7	23·9	23·2	6·6	28·0	17·1	25·2	17·7	25·0	20·4	29·0	21·7	28·7	15·2	11·3	0·3	23
13·4	30·7	28·8	24·9	16·1	28·7	17·8	28·2	20·5	29·5	15·9	33·2	22·3	25·0	8·3	8·3	0·2	24
10·0	10·9	8·8	11·6	6·4	9·7	20·5	18·1	15·7	24·5	21·3	17·0	14·0	11·7	16·8	18·3	9·0	25
8·0	15·7	12·3	9·8	4·6	16·8	7·6	12·0	16·5	17·4	8·4	17·3	7·8	14·3	1·5	13·8	5·5	26
....	34·5	31·0	31·9	....	....	23·2	32·6	24·7	40·7	....	35·1	31·1	....	15·0	17·7	2·8	27
15·9	15·5	14·6	15·7	12·5	18·0	22·8	23·0	26·8	31·3	23·9	19·4	24·5	21·7	27·3	31·3	13·2	28
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	.. .	....	....	....	....	....	....	....	....	....	....	....	....	...	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12·43	22·18	18·91	17·54	8·72	19·47	14·86	21·21	18·65	27·17	15·56	24·98	18·97	19·28	11·72	16·82	4·53	

TABLE X.—*March*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
1	39·0	29·3	6·3	4·3	11·0	4·0	4·1	7·2	21·8	4·5	3·0	1·3	25·1	....	2·3	0·0
2	34·5	28·6	3 2	12·0	7·0	8·5	12·2	2·0	1·7	10·6	7·0	3·0	27·8	....	0·5	18·7
3	36·0	35·3	0·5	22·5	1·3	20·1	20·3	1·3	5·4	18·0	12·0	16·0	15·1	....	7·7	21·5
4	35·0	32·8	27·3	9·0	27·0	4·9	1·2	26·0	20·1	1·6	4·0	5·5	6·4	....	15·5	5·0
5	43·0	29·4	35·7	19·5	26 3	21·5	20·3	35·9	21·2	24·5	20·0	29·3	16·1	....	28 3	21·3
6	41·0	25·0	4·3	4·0	1·0	4·3	3·5	10·0	4·1	1·7	....	15·2	22·9	....	2 2	2·0
7	43·5	24·3	17·0	1·7	1·3	0·5	7·6	9·0	3·2	3·9	12·7	13·5	10·6	....	0·4	8·0
8	43 0	33·8	22·7	4·7	17·0	2·3	4·5	18·5	4·5	0·1	3·0	8·7	14·5	....	11·5	0·0
9	47·0	35·5	39·3	12·0	35 0	16·5	12 2	39·7	30·1	17·7	1·5	23·7	0·7	....	33·5	16·7
10	48·5	29·5	43·8	33·0	31·3	33·5	27·1	40·6	32·4	31·7	30·5	30·5	10·3	....	43·3	26·3
11	41·5	31·6	44·3	33·7	18·0	34·6	31·3	42·3	27·4	39·1	37·3	25·0	12·8	....	39·9	37·3
12	40·0	34·3	16·7	0·3	33·7	3·1	8·0	16 5	15·8	7·4	4·2	23·7	20·8	....	7·8	1·0
13	39·5	39·5	33 8	12·0	33·8	15·0	6·3	33·1	28·4	11·5	....	22 3	1·3	....	25·1	13·0
14	45·0	37·3	40·0	12·0	35·0	20·5	20·5	36·7	37·4	18·1	23·7	30·0	5·3	....	32·6	27·5
15	48·0	38·1	40·7	14·7	34 3	21·3	22·3	38 1	36·2	21·4	15·5	19 8	0·7	....	31·9	18·7
16	47·0	39·4	42·0	9·5	32 5	16·2	21·9	39·8	29·2	13·0	20·0	26·3	6·5	....	30·7	20·0
17	47·5	35·6	45·7	16·5	35·3	18·1	16·3	41·4	32·5	17·2	24·5	31·2	14·2	....	36 0	20·5
18	42·5	37·2	38·5	26·0	28·7	27·5	23·4	37·1	29·1	25·0	26·8	30·5	18·6	....	35·3	26·3
19	44·5	43·4	38·3	20 0	30·8	22·5	23·7	35·0	29·4	19·3	29·0	26·3	13·4	....	29 2	23·0
20	46·5	41·7	37·3	13·7	30·2	24·1	21·3	36·0	34·9	27·2	....	28·5	10·3	....	33·6	25·5
21	44·5	42·6	36·0	29·3	38·3	29·2	25·6	36·5	38·0	30·3	32·7	32·7	16·2	....	33·0	22 5
22	47·0	41·1	41·5	33·5	40·3	34·5	31·1	41·0	47·7	32·6	33·5	33·3	6·2	....	37·7	34·3
23	47·5	36·2	32·3	18·8	24·2	23·0	26·2	40·8	33·4	24·2	22·8	28·7	7·1	....	26·1	22·5
24	46·0	37·2	25·5	4·5	16·2	7·8	9·5	27·9	17·7	6·7	12·5	32·5	13·0	....	15·1	5·3
25	46·5	40·6	22·7	6·0	26 3	8·2	6·2	27·4	17 0	8·9	12·0	21 3	15·8	....	17·1	8·5
26	48·5	41 6	26 3	6·0	21 2	11·8	9 2	29·1	24·1	11·0	14·5	13·0	17·0	....	19 9	4·3
27	47·0	40·9	24·2	0 5	35·0	6·2	10·3	29·0	26·0	5·3	....	15·7	2·1	....	13·4	5·0
28	45·5	41·9	40·0	9·5	38·3	9·0	5·4	44·0	39·4	7·8	11·0	10·5	18·0	....	27·7	20·0
29	48 0	42·2	37·8	27·8	39 5	29·0	18·8	38·0	37 0	26·9	28 0	26·3	19·4	....	33·2	26 3
30	49·0	36·0	40·3	27·5	33·8	29·5	28·5	40·5	37·7	29·4	30·7	26·3	25·5	....	31·8	24·5
31	47 0	38·3	44·7	35·5	33·7	35·1	30·3	45·0	35·7	34·9	28·0	36·7	11·8	....	41·0	32·0
	44·16	36·14	30·60	13·14	26 21	15·65	13·74	50·41	24·82	15·05	16·84	19 40	1·92	....	23·34	13·95

TABLE X.—*March*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	18·2	9·7	14·1	19 5	15·6	7·5	23·8	7·5	15·3	6·7	14·2	12·8	16 2	17·0	1
....	6·5	9·7	3·2	6 3	4·1	10·5	13·0	4 0	7·7	15·7	22·7	30·6	28·7	27·9	2
....	15·4	21·6	16·3	20 5	16·9	18·0	5 5	14·0	27·1	27·8	12·5	19·7	21·6	12·2	3
....	8·3	0·5	5·9	2·3	7·9	2·5	15·0	0·5	0·3	15·7	1·5	10·1	6·5	1·5	4
....	18·6	17·7	25·1	25·8	23 9	23·0	6 5	25·0	24·4	13·2	3·5	8·0	4·6	7·3	5
....	15·9	12·0	16·3	14·7	...	13·8	28·2	14 0	15·8	5·7	26·2	33·4	....	30·2	6
....	4·9	0·3	3·0	3·0	3 7	3·0	6 2	3·3	1·4	18·4	30·7	31·9	35·7	30·8	7
....	2·2	2·9	7·6	2·7	7·1	1·3	6 0	5·5	13·9	10·3	23·2	26·0	24·8	23·0	8
....	8·1	6·9	12·3	11·8	10·9	5·2	2·7	14·5	....	1·5	....	27·6	33·1	32 0	9
....	21·8	24·4	25·9	31·7	24·8	27·5	12 0	26·0	33·9	20·0	13·8	21·5	19·9	18·3	10
....	30·8	31·0	32·7	34·7	35·6	31·0	22·0	34·5	39·1	32·5	14·5	19·5	16·2	12·1	11
....	11 7	5·0	18·6	5·5	22·9	12 0	33 7	15·3	18·7	8·5	23·7	27·3	23·3	17·6	12
....	1·4	4·4	3·3	14·0	....	8·0	4·7	2·5	5 6	2·4	25·8	26·8	....	27·6	13
....	20 3	17·4	19·4	19·0	19·2	22 7	15·0	20·7	22·0	13·3	6·2	8·8	11·3	11·4	1
....	13·0	16·2	16·8	20·5	14·3	18·0	22·0	14·5	16·8	11·3	7·3	10·4	11·7	11·4	15
....	10·7	9·0	9·4	17 5	7·8	14·5	15 2	7·5	8·4	5·4	....	14·2	14·4	16·1	16
....	5·9	10·0	3 3	18·0	1·6	12 5	10·5	4·5	5·5	1·8	12·5	13·3	14·3	17·5	17
....	17·2	21·9	16·3	26·7	15·4	26 0	15·5	20·5	13·6	15·5	22·7	16·0	23·1	27·5	18
....	24·6	23·1	29·4	25·3	29·6	24 3	25·5	29·5	28·9	20·5	24·8	19·9	28·2	28·0	19
....	19·3	14·4	21·8	17·3	....	13 7	22·0	18·3	20·3	18·5	24·7	26·8	....	27·3	20
....	26·6	25·0	23·9	25·5	21·8	25 5	19·0	20·5	18·2	10 5	....	25·5	29 2	28·9	21
....	29·6	31·6	23·6	33·3	20 4	32·5	24·5	23·7	27·7	21·0	15·8	18·2	24·1	21·5	22
....	19 6	17·3	19·4	26·2	22·7	23 7	32 5	16·7	9·5	0·9	9·0	14·3	12·2	11·3	23
....	1·5	1·1	3·5	13·3	2·6	7·0	16·3	3·3	0·4	1·5	....	31·2	31·9	29·5	24
....	0·9	0 9	2 2	10·7	5·1	0 2	1 2	6·0	8·2	11·0	9·2	14·8	15·0	11·0	25
....	4·1	5·5	1 6	13 5	2 4	4 8	4 0	4·5	5·4	17·2	8·5	12 5	....	6·1	26
....	3·2	1·3	0·3	7 8	....	0·7	9·7	4·0	0·9	2·7	....	20·4	....	14·7	27
....	0·4	1·9	1·2	9·3	3·1	5·2	2·0	1 3	0 1	1·5	12·5	11·8	18·3	19 7	28
....	28·5	27·6	24·1	29 7	22·7	32·5	18·3	25·5	25·6	13·7	5·2	6·7	7·4	6 3	29
....	24·0	23·1	19·6	29.2	20 6	24·2	31·8	16·7	13·3	11·5	13·3	16·4	14·3	4 5	30
....	25·7	31·5	26·1	35·0	24·1	33·0	28·0	26·0	29·6	7·3	21·5	15 5	15·9	12·8	31
....	11·75	11·42	12 35	16·67	11·67	13·42	14 35	11·72	11·85	2 81	16·34	18 93	19·30	18·06	

TABLE X.—*March*, 1887. *Daily Mean Temperature.*

Day.	Bentrice.	Brampton.	Bula.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlineh.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	13·6	20·2	28·3	7·6	20·7	25·8	10·5	14·8	14·5	....	1·7	21·5	18·7	20·9	27·5
2	25·9	18·8	12·2	19·4	29·3	36·0	11·0	24.4	33·0	....	31·0	26·3	29·1	25·4	31·2
3	13·5	23·0	4·0	10·0	23·6	33·5	15·5	9·8	18·8	21·3	....	23·2	23·8	25·5	22·5
4	0·6	13·5	1·8	9·2	9·7	21·0	14·5	1·1	15·2	8·3	4·0	8·8	10·5	14·0	9·6
5	4·7	21·7	7·7	1·3	15·9	25·7	2·0	3·2	6·1	14·7	10·7	15·7	17·9	17·0	16·2
6	28·0	34·0	27·8	27·2	34·9	39·8	11·0	27·1	32·8	36·3	34·0	34·3	....	34·5	34·5
7	30·6	36·3	18·2	33·3	33·6	37·5	24·5	29·7	36·1	33·3	29·7	32·5	28·0	34·7	33·8
8	21·8	26·5	10·3	23·1	27·4	34·5	9·7	22·7	27·0	33·7	25·7	26·5	27·2	28·0	30·3
9	31·4	32·0	17·2	27·5	30·6	29·5	23·0	31·8	35·8	35·3	33·0	30·7	33·1	35·2	33·7
10	17·8	22·0	25·5	28·6	24·8	26·5	21·5	14·8	27·7	19·7	19·3	21·5	24·7	26·3	20·9
11	12·5	19·7	33·0	16·9	20·6	27·7	25·0	10·4	22·4	....	19·7	19·3	19·2	21·9	20·7
12	20·5	30·0	25·3	22·3	25·6	32·0	21·0	16·9	27·7	32·7	20·3	22·7	29·3	25·0	31·0
13	25·5	25·5	19·5	32·0	27·9	29·3	22·7	26·7	32·1	27·3	27·0	27·0	....	32·7	30·5
14	9·0	17·7	15·0	14·2	14·6	18·5	8·5	7·7	19·7	12·3	12·3	15·0	16·8	16·4	15·0
15	9·7	18·3	23·2	9·0	15·2	24·0	5·5	8·6	16·0	12·7	12·0	15·3	14·3	14·3	15·9
16	13·5	20·0	21·5	15·1	17·6	21·7	17·3	13·0	16·5	15·3	15·3	18·5	17·9	19·3	20·6
17	17·0	18·8	15·3	21·6	13·4	23·0	16·5	15·8	24·2	14·3	14·0	17·2	16·7	19·2	18·7
18	25·3	23·5	18·0	31·1	22·7	26·3	16·0	23·9	33·2	21·0	22·0	23·5	22·5	22·3	22·4
19	27·5	28·0	31·5	37·6	28·8	31·5	23·7	26·4	32·0	27·3	26·3	26·0	27·3	25·0	27·9
20	26·2	30·5	33·2	34·3	29·3	37·0	23·0	26·5	35·5	29·0	29·0	29·8	....	29·8	28·4
21	26·5	28·2	23·3	33·4	29·7	35·2	19·8	27·5	32·5	29·7	28·7	29·5	28·2	29·7	28·8
22	21·0	26·0	23·0	34·1	23·6	26·5	5·2	18·8	30·4	20·0	22·3	22·7	23·4	25·5	24·4
23	9·5	20·0	27·0	15·0	19·7	26·7	9·8	8·9	19·9	18·7	....	17·8	17·6	18·6	21·9
24	29·6	34·7	12·5	31·2	33·6	38·2	4·7	29·7	34·1	29·7	33·3	33·0	34·6	34·4	32·0
25	10·0	19·8	12·0	16·1	21·3	30·3	1·3	8·9	20·4	16·0	....	18·7	20·5	19·0	19·4
26	4·0	20·0	11·7	14·0	17·8	25·2	8·2	4·2	18·7	14·0	12·0	16·3	16·9	18·3	17·1
27	14·8	22·3	14·2	22·0	22·2	27·8	6·7	13·8	24·3	20·7	19·0	21·7	....	23·8	22·8
28	14·2	18·3	13·8	23·7	19·3	22·6	8·3	13·4	23·4	18·7	18·7	18·2	17·3	18·7	18·7
29	3·4	11·5	21·5	10·3	10·9	15·5	7·1	3·1	11·1	12·0	8·3	11·3	9·5	11·9	12·1
30	13·0	16·7	27·5	12·1	16·4	26·3	20·0	10·1	17·2	....	....	14·0	16·3	16·5	15·4
31	13·2	22·3	32·5	20·3	17·3	30·3	16·7	13·0	26·2	26·7	14·7	17·5	18·3	20·3	24·9
	17·23	23·22	19·24	21·00	22·53	28·58	11·77	16·28	24·66	22·25	20·89	21·81	21·47	22·75	23·51

TABLE X.—*March*, 1887. *Daily Mean Temperature.*

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
15·7	14·5	....	20·0	14·2	13·4	27·1	23·0	14·7	23·4	12·7	3·2	17·0	24·0	4·2	1
26·3	24 5	....	41·0	32·5	27·4	33·9	33·0	21·3	31 9	23·7	11·6	2·5	37·8	11·0	2
13·3	10·0	....	26 5	18·8	18·4	26·4	21·3	2·0	25·4	19·4	24·6	1·5	26·0	8·8	3
3·2	1·3	....	20·5	17·0	4·8	16·3	6·7	2·7	12·4	3 7	24 3	19·0	18·3	6 2	4
6 9	3·7	....	22·4	3·8	5·3	20·3	12 3	0·0	8·9	1·0	3·0	7·5	23·0	3·7	5
30·9	25·9	....	36·0	32 2	33·7	37·1	30·3	17·0	30 4	16·3	6·1	24·7	39·3	17 2	6
32·5	30·3	....	39·0	35 4	32 9	36·4	31·3	21·3	31·9	3 2	25 8	11·0	35·0	28 5	7
24·0	23·6	....	28·3	27·6	23·0	33 3	25·7	23·7	30·9	14·6	22·8	4·0	33 0	19·9	8
32 1	30·9	....	37·8	32·7	32·5	35·8	28·7	31·3	35·4	7·2	17 8	5 8	40·3	22·3	9
20·1	13·2	....	33·5	26·6	23·4	26 2	20 7	16·3	23·9	9·6	27 3	8 2	26·5	22 6	10
14·0	11·5	....	25·7	18 9	15 5	24·2	18·3	13·7	21 9	16·0	22·1	27·8	24·2	15·3	11
18·6	24·4	....	34·0	25·4	19·0	29·9	26·7	18·3	26·4	18·7	24·3	28·0	26·5	20·4	12
27·4	32 3	....	32 9	31 7	26·5	30·2	27·3	22·3	28·2	19 5	22·4	8·5	33·3	22·9	13
12·0	6·0	....	24·7	18·2	14·3	17·6	12·7	12·0	17·4	19·9	23·8	8·0	20·0	12·6	14
12·3	6·0	....	22·9	14·8	11·1	16·1	13·3	9 7	13·9	9·4	14·6	9·0	19·3	7·3	15
15·3	13·4	....	23·0	15·7	15·7	19·6	15·7	19·0	18·9	13·4	17·7	....	21·5	16·0	16
19·0	14·4	....	24·2	23·3	17·7	19·3	16·7	16·0	16·9	23·6	13·5	8·5	21·5	22·3	17
27·1	21·0	....	28 9	29·4	27·4	23·4	20·3	25·0	21·4	25·4	17·3	9·5	27·3	28·1	18
28·6	23 5	....	33·2	32 8	29·7	29·1	29·7	25·3	27·9	28·9	26·6	11·2	29·7	30·8	19
26·7	28·2	....	31·6	32 5	26·9	31·5	32·0	29·0	27·4	30·9	29·4	23·3	31·5	31·2	20
28·9	29·8	....	33·2	33·4	28 8	31·6	33·0	28·3	28·4	22·0	24·8	18·0	31·3	29·3	21
23·6	16 7	....	29·4	28·6	24·7	25·1	24·0	21·7	24·9	23·8	26·8	9·7	25·0	28·2	22
12·4	11·5	.. .	26·2	19·8	12 7	24·9	15·3	16·3	17·4	15·6	20·7	13·8	24·0	14·5	23
30·9	20 8	....	40·0	33·0	31·8	33·9	34·7	29·7	31 9	18·2	12·4	4·7	39·5	22 8	24
14·2	6·7	....	25·9	21·8	16 7	22·7	15 3	9 0	18 7	20·1	23·9	2·0	25·7	14·4	25
8·2	7·1	....	26 2	18·9	11 7	19·4	16·0	11·0	17 4	4·2	19·3	5·5	19·5	10·3	26
16·8	18·3	....	28·1	22·9	18·3	25·6	20·7	20·7	17·9	7·4	11·1	0·3	27·5	13·7	27
17·7	13·6	....	25·2	23 7	19·7	19 5	16 7	16·3	18·9	17 8	16 2	3 5	21·0	20·6	28
7·4	5·2	....	18·4	12·9	5·7	10·2	8·7	6·0	9·4	6·3	12·6	1·5	12·5	10·0	29
10·9	13·6	....	25 2	16·5	12·9	19 6	12 0	18·7	15·4	4·1	12·3	20 3	19·2	11·0	30
13·0	22 3	....	27·6	22 9	17 4	27·2	18 7	21·7	19·9	11·7	8·0	31·2	21·5	13·2	31
19·03	16·83	....	28·76	23·80	19·97	25.60	20·88	17·57	22 49	17·50	21 80	9·97	26·80	17·16	

TABLE X.—*March*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	14·7	17·5	10·0	13 9	26·0	31·5	29 1	25·7	30·0	6·2	24·9	23·3	25·2	25·7	17·4
2	11·5	27·7	17·5	32·9	26·5	35·3	35·2	40·0	33·3	22·8	38·5	33·7	36·7	30·3	30·6
3	5 2	13·1	7·1	22·6	17·0	27·5	27·5	26·7	25 6	0·5	26·9	26·3	27·0	19·9	22·4
4	15·7	0·7	5·5	12·6	7·5	23·0	20 8	19 1	14·7	0·2	20·9	15·2	15·0	7·4	7·1
5	8 7	5·3	3·6	3·4	16·2	29·0	23·0	22 1	25·0	9·5	21 9	19·3	23·5	12·4	4·4
6	25·7	27·7	16·8	....	32 2	....	37·1	39·1	40·0	14·1	30·5	21·5	38·0	31·2	34·9
7	18·0	32·7	30·0	35·7	32·9	33·3	35 9	36·3	37 9	28 4	37·5	35·1	36·5	32·4	33·9
8	9·5	20·9	21·3	25·5	28 6	30·0	33·4	34·0	35·4	18·1	31·9	30·1	29 5	26·0	25·1
9	13·2	32·0	21·9	33·9	32·5	42·0	37·9	37·6	36·0	26 8	43 0	35·7	37 5	32·0	34·0
10	13·0	17·4	16·6	25·9	19·8	30·7	28·5	32·7	24·0	15·1	27·9	27·4	30 3	16·7	21·4
11	27·0	10·3	15·0	18 8	18·3	33·5	25 1	25·4	....	11·5	25 9	24·4	23·7	15·9	17·0
12	31·8	15·9	24·9	23·6	27·2	35·2	28 2	27·7	34·0	18·0	28 4	32·0	29 8	27·2	24·6
13	10·8	28·9	22·6	....	26·7	....	31·1	32·3	28·2	20·1	30·5	29·5	33·0	29·0	30·8
14	7·2	10·8	7 6	16·6	15 9	23·2	19·7	20 1	14 8	9·8	17·4	18 2	22·2	15 0	14·1
15	14·5	10·8	8·9	13·2	15·3	27·5	20·7	20 1	20·5	10·8	21·9	18·8	21·0	15·0	12·3
16	18·7	15·1	14·1	15·9	20·6	27·3	20·9	21·7	20 1	19 8	19·9	21·4	20·3	20·8	15·1
17	14·3	16·1	19·5	22·4	17·5	23·5	20·5	21·7	19·7	21·4	20·9	20·7	22 7	16 0	16·2
18	13·2	26·0	24·3	28 3	23·4	27·5	24·3	25·7	24·5	26 1	22·4	25·9	27·5	24·2	24·7
19	16 7	28·3	29·7	29·6	27·8	32·3	30·2	32·0	29·3	30·4	27 9	30·9	33·0	28·3	27·9
20	21·7	26·5	31·0	....	24·2	...	31·1	32 0	32·2	34 4	31·9	31·4	32·3	29·3	27·0
21	23·5	23·7	31·5	30·2	26·0	33·5	32·2	32 3	31·0	29·4	31·9	30·5	32·2	29·1	28·9
22	15 8	21·7	23·5	28·9	22·1	27·8	26·4	27·9	23·8	20·7	16·9	24·7	27 5	23·3	24·2
23	18·7	11·0	15·4	16·6	19·2	26 0	25 8	25·0	25 7	12·4	23·9	23·4	26·0	17·8	15·4
24	10·3	30·3	26 9	33·9	30·0	39·7	34 6	34 6	34 8	23·8	36·5	36·8	45·2	30·3	33·0
25	6·2	11·6	11·6	18 8	19·3	28·8	23 2	23 7	24·0	13 8	29·9	23 3	25 2	19·5	18·5
26	7 7	4·0	10 1	14·6	14·0	27 8	22 9	24 4	20·6	8·4	22·4	20·9	24 2	15·8	14·5
27	8·3	15·1	15·4	....	20 5	....	29·1	28 7	....	11·1	26·9	26·6	29 3	19·8	20·7
28	5·7	17·5	18·6	21·4	18·4	21·3	21·3	20·1	19·9	20·4	22·9	21·7	22·8	18·9	17·2
29	5·2	5·3	6 8	8·4	9·2	16·0	12 5	11·8	12·0	12 8	11·4	13·6	14·0	12·0	6·8
30	20 3	6·3	16·0	16·2	15·3	24·0	21 4	21·4	21·0	12·8	18·9	19 3	20 7	14·5	18·4
31	29·3	14·2	17·8	14·4	21·3	28·5	29 0	27·0	30·2	16·8	28·9	25·6	22·8	21·3	20·0
	13 89	17·56	17 24	21·41	21 66	29 09	27·05	27·35	26 49	16·37	26·95	25·73	27·57	21·84	21·25

TABLE X.—*March*, 1887. *Daily Mean Temperature.*

Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Pointe des Monts.	Richmond.	Bathurst.	Chatham.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
2·3	8·5	11·0	....	1·0	5·5	6·0	3·2	1·6	2·0	0 8	5·0	8·5	10·3	8·1	1
1·0	13·7	9·1	....	11·2	4 8	18·5	10·0	20·6	19 8	12·6	9·2	18·1	10·0	15·9	2
10·0	4·7	5·4	....	3·7	7 2	3·0	4·3	8·1	8 8	2·0	5·5	5·4	4·3	6·9	3
6·3	1·0	12·2	....	2·0	5·0	7·5	0·5	6·7	7·8	1·7	3·5	0·6	3·0	0·4	4
7·7	7·3	20·7	....	7·8	0·3	7·0	9·1	2·8	4·6	4·7	8·0	1·4	3·3	7·5	5
3·0	10·2	6·0	....	7·3	3·7	3·0	6·5	27 0	24·2	12·2	1·5	20·8	....	0·9	6
5·7	24·8	18·3	....	25·7	5 8	30·0	21·4	31·1	27·4	20·8	14 8	31·5	21·7	23 9	7
19·7	18·2	15·2	....	24·0	17·0	28·5	21·0	19·6	26·2	21·5	15·3	21·5	25 0	28·5	8
20·0	19·3	8·2	....	10·3	25·7	22·0	7·0	29·4	25·7	15·8	8·2	27·4	14·7	13·1	9
31·3	21·2	20·1	....	21·5	29 3	30·5	20·0	27 6	26·7	23·5	18·5	26·3	18·0	21·6	10
34·3	18·3	9·7	....	25 7	35·0	16·5	24·1	11·0	17·1	22 3	20·5	17 0	29·3	30·4	11
35·0	28·7	17 4	....	34 8	33 5	23 5	32·9	19·2	24·2	30·5	35·5	22·5	....	34·7	12
37·7	24·0	24·1	....	33·0	35 7	28·5	29 1	27·8	31·1	31·2	31·3	29·2	....	35·6	13
37·3	17·3	13·5	....	31·5	34·5	20 0	24·4	13·3	18·5	24 8	31·0	16·9	36·7	35·8	14
35·3	12·7	11·4	....	30 0	35 0	8·5	22·5	8·4	9 6	17·7	27·5	10·2	38·7	37·6	15
35 3	17·8	19·6	....	32·8	30·3	15·5	27·4	15 3	16·2	22·0	34 7	15·9	40·3	36·2	16
35 3	25·5	26·3	....	36·8	35·0	21·5	32·1	22·3	22·3	28·5	38·3	21·8	36·0	35·9	17
33·3	32 7	....	....	33·5	34·5	32 0	32 6	29·1	33·4	33·4	39·7	34·5	33·7	34 6	18
29·7	30·5	37·4	....	31·8	28·7	33 5	30·9	32·6	36 3	34·5	31·8	34·4	33·0	33 1	19
28·3	29·3	31·1	....	27·5	26 3	33 5	23·5	31.0	35 0	31·5	26·5	32·4	....	30.2	20
26·7	27 7	33·6	....	31·0	25·5	31·5	31·7	31·2	32 0	32 9	31 3	31·7	29·7	30·2	21
26·3	31·0	21·1	....	33·3	29·7	33·0	31·6	26·9	28·6	32·5	32·2	29·9	36·0	35·4	22
26·7	14·0	11·6	....	20·3	31·3	15·0	20·3	12·6	17 2	20 6	21·0	12 8	30·3	29·8	23
24 7	20 0	14·4	....	18·0	26 7	16 5	16·5	30·5	24·8	19·3	7·8	20·8	26 3	21·2	24
21 3	11·5	16·4	....	22·3	23·5	24 0	18·0	18·1	18·9	7·7	20 5	19 2	26·3	21·9	25
20·0	4·5	4·0	....	8·9	17·0	8 0	9·5	13·1	12·2	8 5	0 5	10·0	....	12·3	26
13·3	13·0	9 2	....	21·0	18·8	13·0	13 9	16·6	18·0	18·3	11 0	14·8	....	19·2	27
12·3	22·0	18·0	....	23·3	19 5	30·0	21·1	24·1	23·4	22·7	13 5	25·7	28·0	25·2	28
34·0	14 0	18 6	...	23·5	30·2	17 5	21·6	10·8	14·2	21·2	13 5	14·8	27·0	29.2	29
34·0	10·7	13·2	....	18·3	30·0	10·0	18·5	12·6	13·9	17 5	13·0	11·8	20·3	18·5	30
28·0	9·8	14·4	....	20·7	26·3	19·0	19·6	17·0	22·4	19·7	20·8	8·1	27·7	24·5	31
21·98	16·16	13·09	....	21·03	22 62	18·76	18·69	19·11	20·43	19.75	18·38	18·65	24·12	23·25	

TABLE X.—*March*, 1887. *Daily Mean Temperature.*

Day.	Strafford.	Simcoe.	Spruceedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	23·4	24·0	15·3	29·0	22·0	23·5	32·2	4·0	....	4·9	3·0	14·2	8·0	6·9	....
2	33·2	40·3	23·7	0·7	30·0	35·7	40·9	2·0	....	6·8	1·2	2·0	20·0	10·4	....
3	23·5	28·5	9·5	0·8	25·4	27·9	27·2	4·2	....	4·8	3·5	8·3	5·5	7·2	....
4	9·0	19·2	6·0	17·5	13·3	17·2	22·2	28·8	....	2·8	1·5	1·3	....	3·0	....
5	15·6	23·0	0·5	8·5	17·7	16·8	25·8	12·5	....	5·8	4·7	11·0	1·5	4·0	....
6	34·7	....	16·7	27·2	34·3	36·8	....	1·0	....	5·6	4·3	1·5	23·0	7·7	....
7	33·4	37·0	28·7	4·3	36·1	36·8	40·6	15·5	....	29·3	18·5	11·2	33·5	22·5	....
8	28·5	33·0	20·8	5·7	28·3	31·6	35·2	17·0	....	21·7	24·7	23·7	22·0	23·9	....
9	35·7	41·2	31·5	10·2	35·8	36·2	39·5	13·2	....	9·0	6·7	17·3	28·5	15·0	....
10	23·6	30·7	15·0	17·8	25·0	27·6	30·5	8·8	....	19·3	21·0	11·8	27·5	16·5	....
11	18·6	24·8	8·3	28·2	21·1	23·3	29·1	10·7	....	33·7	29·7	34·7	14·5	33·0	....
12	26·9	28·0	11·5	34·5	26·8	29·5	34·8	30·0	....	37·5	31·0	30·5	21·5	33·6	....
13	28·9	....	8·5	4·6	30·7	31·3	....	5·5	....	34·1	33·5	31·3	26·0	31·7	....
14	14·3	20·2	7·0	8·0	17·0	18·9	22·1	9·0	....	31·9	33·7	37·3	21·0	32·7	....
15	14·3	21·5	7·5	13·0	17·3	18·3	25·6	7·0	....	35·0	32·8	36·5	9·0	33·6	....
16	17·2	21·7	12·5	10·3	19·6	19·9	26·3	3·7	....	37·0	37·0	35·5	14·5	33·4	....
17	17·4	24·3	20·7	7·9	19·5	20·6	22·4	0·3	....	40·1	37·7	36·7	20·0	33·6	....
18	21·4	26·8	22·0	5·0	26·2	24·5	28·3	2·7	....	34·7	37·8	35·5	29·0	33·4	....
19	27·7	34·2	25·7	14·0	29·5	33·3	30·5	17·5	....	31·9	30·0	33·0	34·0	30·6	....
20	28·6	....	27·8	24·1	30·7	32·1	....	22·3	....	29·7	28·8	32·3	31·5	29·6	....
21	29·0	32·0	29·7	14·7	30·9	30·8	35·1	13·5	....	29·1	30·0	28·8	31·0	30·2	....
22	22·7	27·8	18·0	9·3	26·3	25·9	29·4	4·5	....	31·0	34·0	31·8	32·0	33·0	....
23	18·2	25·8	24·8	22·8	22·5	23·6	28·7	10·0	....	28·5	23·5	35·5	17·0	33·5	....
24	33·8	39·5	23·5	4·0	34·5	35·2	38·9	9·5	....	20·0	16·7	18·0	27·0	19·7	....
25	16·9	24·3	12·5	0·2	22·9	20·6	27·7	1·0	....	29·0	25·5	30·5	14·5	29·9	....
26	17·0	24·0	3·0	7·5	19·7	19·9	25·5	3·0	....	11·6	11·0	10·7	9·0	13·4	....
27	22·7	....	8·0	2·5	26·6	24·5	....	4·2	....	21·4	19·3	19·5	16·5	18·2	....
28	16·7	21·0	8·5	1·5	20·1	21·2	19·6	8·3	....	22·5	21·0	19·0	27·0	24·9	....
29	7·5	16·7	4·3	2·0	12·9	10·9	15·8	0·2	....	27·7	22·2	34·3	13·0	37·8	....
30	15·0	19·7	12·5	25·2	21·0	18·4	23·3	3·3	....	19·4	19·0	21·0	12·5	22·8	....
31	20·0	26·3	16·5	20·5	23·9	23·8	29·3	23·2	....	21·2	22·3	18·8	14·0	21·9	....
	22·43	27·24	15·03	10·68	24·76	25·70	29·13	5·97	....	22·28	21·23	22·22	19·57	23·21	....

TABLE X.—*March*, 1887. *Daily Mean Temperature.*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
8·8	13·3	9·7	9·5	4·0	11·0	7·8	10·3	15·5	17·6	3·2	14·6	10·5	11·0	8·6	21·3	7·0	1
14·0	30·6	24·8	18·2	15·6	30·2	13·8	18·8	27·5	21·3	9·7	26·8	19·5	25·7	2·3	11·1	2·8	2
11·7	19·0	15·5	13·4	3·9	14·7	14·8	22·3	16·0	25·4	20·9	21·5	17·8	21·0	17·9	20·8	9·2	3
2·9	17·4	13·7	11·3	3·1	16·5	4·4	13·4	12·7	18·7	9·9	19·6	13·8	17·3	3·1	10·7	5·0	4
1·3	7·4	1·9	1·4	0·9	0·3	3·1	5·2	0·3	11·1	4·7	7·1	1·4	5·7	0·1	7·0	11·5	5
....	19·8	15·5	11·2	..	....	6·2	13·7	8·3	22·0	9·6	20·1	15·6	....	7·7	16·0	0·3	6
23·6	33·5	27·8	29·7	24·8	29·8	17·6	28·8	24·3	30·7	28·4	33·5	25·3	31·0	14·2	19·3	6·0	7
31·4	34·9	33·2	31·2	18·8	30·5	22·8	31·0	30·5	31·8	29·6	34·0	27·8	30·3	27·9	2·3	16·2	8
20·7	23·6	21·7	20·9	13·1	24·0	22·1	24·9	20·5	25·5	22·8	22·3	20·5	28·0	21·9	27·7	20·3	9
26·2	33·0	2·0	29·5	22·5	30·7	19·4	25·6	16·8	31·0	20·5	30·9	23·0	31·0	8·9	35·7	29·5	10
29·3	28·8	27·8	28·2	26·9	28·3	31·5	28·9	28·5	33·0	28·1	28·7	30·7	28·7	22·4	34·3	29·2	11
37·0	36·1	35·2	35·0	35·0	36·2	33·6	37·2	29·5	34·0	36·6	36·1	33·3	29·3	29·9	33·2	36·0	12
....	37·3	36·5	35·7	....	....	31·8	33·5	41·5	31·7	33·8	36·5	31·4	....	31·8	32·2	35·3	13
36·4	38·0	35·8	35·5	32·8	35·0	34·2	35·7	34·3	34·0	35·7	34·0	33·4	32·3	32·2	32·7	36·2	14
37·4	34·2	33·6	37·1	29·3	36·3	33·9	37·5	35·2	35·5	37·2	36·5	34·3	36·7	33·6	31·0	37·5	15
36·8	36·6	36·3	37·5	30·9	36·7	33·4	34·9	42·0	36·3	37·7	35·7	34·5	34·0	32·8	34·3	36·0	16
37·7	35·7	36·4	35·1	37·9	35·0	34·2	35·5	32·0	37·9	....	34·5	32·1	34·3	33·4	33·0	33·8	17
37·2	35·1	36·2	35·5	37·4	36·0	34·0	34·3	35·3	36·1	....	35·3	33·3	35·3	33·3	34·3	33·7	18
34·8	34·3	34·4	34·2	36·1	33·7	33·5	35·2	39·8	34·9	36·4	35·1	34·0	30·3	32·6	34·0	31·5	19
....	31·9	32·6	31·2	....	....	32·0	32·0	32·3	33·0	31·4	31·8	33·7	....	29·8	31·5	26·3	20
32·5	35·0	33·0	33·0	30·1	32·3	31·9	33·8	34·9	32·3	38·9	33·0	31·3	32·7	25·4	29·4	29·7	21
35·7	36·0	36·1	35·6	34·9	34·5	33·2	33·4	38·5	37·0	31·5	37·0	32·1	32·7	34·0	32·3	31·0	22
29·9	29·6	31·5	31·6	25·4	30·5	36·6	35·2	38·0	39·4	36·2	32·2	34·0	35·7	35·7	34·3	31·5	23
22·9	27·9	28·2	25·6	19·7	27·3	25·3	29·0	30·7	33·3	24·7	29·7	28·3	23·7	27·4	30·3	26·3	24
26·3	31·1	30·3	31·0	23·5	29·0	32·1	33·3	38·5	38·5	32·5	34·6	32·5	28·7	25·4	30·0	28·7	25
15·4	21·1	19·6	16·4	11·3	19·3	22·2	22·9	27·0	28·5	24·0	25·3	27·5	21·7	22·1	29·0	17·0	26
....	26·0	23·9	22·7	....	....	17·2	23·2	21·9	38·5	21·5	26·6	26·7	....	14·3	22·2	17·8	27
26·1	39·8	34·2	33·6	29·3	36·8	28·2	35·3	35·5	37·0	31·4	39·8	36·0	35·0	20·8	31·0	23·7	28
28·3	29·0	28·0	31·9	28·2	29·8	45·1	39·0	47·5	43·3	41·4	33·4	37·9	32·7	29·4	39·0	36·5	29
18·9	21·8	20·9	21·2	14·3	20·5	30·5	26·7	26·6	31·1	28·0	23·8	29·0	21·7	30·4	24·7	29·8	30
23·1	28·3	27·0	25·1	19·0	26·0	25·3	25·3	22·9	28·7	24·0	20·7	26·3	25·0	18·4	28·8	25·5	31
25·33	29·23	27·53	26·75	22·38	24·22	25·35	28·29	28·14	31·26	26·49	29·66	27·13	27·69	22·35	27·95	22·83	

TABLE XI.—*April*, 1887. *Daily Mean Temperature*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	47·5	37·4	50·5	26·5	....	34·5	33·8	46·8	41·0	33·7	32·7	22 5	3·2	....	39·0	26·7
2	43·0	37·5	29·0	31·3	....	15·5	23·4	33·6	29·5	15·2	34·8	25 0	8·5	....	22·3	17·5
3	39 0	25·2	30·5	13·0	....	14·0	13·3	29·4	27 4	11·4	....	31·0	4·8	....	23·3	13·5
4	45·0	37·7	29·7	31·0	....	30·2	31·0	39·7	32·2	29 1	31·7	35·5	6·7	....	36·1	32·7
5	49·5	37·7	54·8	35·0	....	36·5	33·3	51·0	44·5	38·6	21·5	39·3	20·5	....	44·2	43·5
6	48·5	38·2	61·3	38·3	....	41·7	36·8	54·7	49·7	42·3	43·0	43·5	16·4	....	48·5	51·7
7	46·0	38 6	59 8	51·2	....	51·3	42·2	57·3	44 9	49 2	46·2	49 3	18·8	....	53·7	56·3
8	44·0	41·1	47·5	49·0	....	46·9	43·6	48·5	40 0	48 4	41·3	35·0	12 0	....	42·5	42·5
9	42·5	39·7	44·8	32·3	....	33·7	41·9	45·5	39·7	37 2	37·8	25·0	14·9	....	39·9	38·3
10	47·0	36·0	41·5	32·5	....	25·5	29 7	44·8	34 4	31·0	....	21·3	23·4	....	32·5	37·0
11	48·0	39 8	27·3	25·7	....	25·7	26·5	28·8	28·7	26·6	30·0	25·0	31·3	....	24·2	19·3
12	41·5	39·7	30·0	32·5	....	26·3	26·7	33·2	30·0	26·9	36·0	21·3	29·7	....	24·0	10·0
13	46 0	42·6	40·0	28·3	....	28·0	25·2	35·8	40 4	28·9	29 7	27·5	33·3	....	25·9	18·7
14	44·0	42·0	43·0	32·0	....	33·2	32·6	42·3	44·0	36·2	33·5	39 3	26·9	....	34·5	27·5
15	48·5	42·8	44·3	30·3	....	32·7	34·3	43·5	38 2	37·6	34·5	40·0	28 5	....	37·7	24·0
16	47·0	40·7	43 8	35·3	....	37·5	35·0	45·7	41·1	39·0	36·7	47·5	40·3	....	37·8	42·7
17	46·0	38·9	41·5	39·2	....	38·0	37·8	46·8	32·3	42 7	....	49·0	39·5	....	45·1	37·3
18	44·0	40·7	41 5	40 3	....	40·5	38·2	41·2	35·5	41 2	37 3	42·7	38·0	....	39·5	32·7
19	46·5	40 3	43·0	40·2	....	39·1	40 9	41·0	36·8	40·4	40·5	46·3	34·4	....	37·1	34·5
20	45·0	44·8	51·7	41·5	....	41·1	40·5	46·0	33·1	44·9	41 5	48·7	31·1	....	44·7	31·5
21	48·0	46·4	43·3	33·5	....	40·3	43·0	41·1	35·2	36 4	37·0	58·7	26·5	....	38·3	27·0
22	46 0	45·7	41 2	31 3	....	29·5	35·8	39·9	36·0	30 9	33 3	46·3	33·1	....	36·0	20 0
23	45·0	44·6	35·5	30·7	....	29·5	30·8	39·6	39·7	32·9	34·0	56·2	29·2	....	33·3	28·5
24	52·0	40·2	45·3	33·3	....	31 4	34 7	45·9	42·5	38 0	....	55·5	52·6	....	40·7	38·5
25	46 0	40 2	47·0	35 0	....	34·8	37·3	45·1	43·4	38 6	42·5	56·0	36·6	....	41·0	34·0
26	48 0	40 5	53 2	51·5	....	44·7	43 8	54·0	44·4	44·9	46 5	62·3	39·4	....	51·1	37·8
27	48·5	40·9	56 8	50·7	....	48·0	48·5	54·0	48 4	51 4	47·3	57·5	37·4	....	48·7	41·5
28	51 5	40·0	58·0	55 8	....	53·0	52·2	61·4	48·9	54·0	52·5	66·3	38 0	....	53·3	45·0
29	46·0	39·1	59·7	59·7	....	62·0	61·8	56·4	38·2	59 1	56 7	36·2	38·8	....	62·9	54·7
30	43 0	41·9	35·8	41 5	....	41·5	48·2	39·7	38·0	44·7	43·5	29·3	36 2	....	25·3	41·5
31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	46·15	40 36	44·53	36 93	....	36·20	36·76	44 42	38·69	37·72	38·54	41·62	26 22	....	39·11	33·50

TABLE XI.—*April*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Sourisford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	34·6	33·5	....	39·5	33·0	35·5	40·2	30·5	33·5	30·5	21·3	26·1	22·7	19·4	1
....	20·1	13·2	27·5	25·5	30·4	5·0	40·3	27·3	26·9	7·5	33·7	28·1	31·6	29·5	2
....	7·6	7·6	6·5	12·5	....	10·5	21·7	6·0	44·7	1·3	35·5	41·5	....	37·0	3
....	19·6	23·2	15·3	29·7	11·9	25·5	10·5	13·2	16·6	9·3	31·5	33·8	39·1	32·7	4
....	34·9	34·6	31·7	39·5	32·1	35·5	31·5	31·5	35·2	28·7	15·8	19·0	17·9	17·3	5
....	35·5	36·5	36·3	41·2	38·7	39·3	37·3	37·0	37·3	32·5	22·2	23·5	28·5	21·0	6
....	48·8	47·9	43·2	54·0	44·7	53·0	45·2	45·3	43·7	35·2	26·0	30·7	29·8	26·9	7
....	49·8	45·6	50·3	50·5	49·7	49·3	51·0	51·5	49·9	42·7	32·3	37·9	38·2	32·7	8
....	30·9	30·3	33·7	29·5	35·4	31·8	49·8	33·0	35·1	27·5	47·0	45·5	55·1	47·3	9
....	23·1	24·5	27·0	25·3	....	27·2	25·0	27·7	28·3	24·5	52·7	52·0	....	52·6	10
....	22·9	24·6	27·0	26·5	27·8	25·5	25·3	30·2	31·5	27·5	36·5	40·4	40·4	39·3	11
....	30·3	28·6	33·3	33·8	34·9	31·5	31·3	38·0	37·2	29·0	30·8	33·0	32·3	34·0	12
....	31·0	31·4	37·0	31·7	37·1	34·5	34·5	37·5	36·7	33·7	35·7	33·4	35·0	36·6	13
....	33·4	34·6	38·7	33·5	37·1	33·0	33·3	37·3	36·6	34·8	37·0	37·2	38·2	39·2	14
....	28·1	32·6	35·0	34·5	35·6	34·5	33·7	32·5	31·9	27·7	38·5	44·5	42·5	40·6	15
....	29·4	34·8	33·3	37·7	33·1	32·3	31·7	36·3	30·0	28·0	27·5	34·2	31·8	31·1	16
....	36·8	39·3	42·7	41·7	....	40·7	36·5	39·2	36·8	34·3	22·3	31·4	....	26·6	17
....	40·2	40·4	46·0	45·3	44·0	43·0	42·5	42·0	37·2	35·3	27·2	29·6	32·0	32·5	18
....	39·2	40·8	43·8	41·8	44·5	43·0	45·3	43·7	35·2	28·2	26·3	32·1	36·6	31·5	19
....	41·0	42·6	38·7	46·0	40·8	43·0	43·7	36·8	37·3	27·6	37·0	43·7	46·8	41·4	20
....	34·6	34·5	33·0	37·0	34·1	33·5	44·5	32·0	30·6	24·2	35·2	44·7	44·1	37·7	21
....	28·4	29·6	26·5	28·5	27·1	30·3	34·0	29·7	26·3	22·7	47·5	43·9	44·1	50·0	22
....	26·7	28·6	28·3	30·8	27·4	29·0	31·3	27·0	26·5	19·9	38·5	40·4	48·7	41·0	23
....	24·0	26·5	22·7	32·3	....	27·3	30·7	19·0	22·8	18·5	30·3	32·3	....	32·3	24
....	31·3	33·5	29·0	35·5	27·7	36·5	24·8	24·0	28·6	21·9	31·7	36·1	38·1	32·0	25
....	33·4	41·5	35·8	43·0	35·9	41·3	33·5	30·5	35·0	23·7	31·2	35·4	36·4	33·0	26
....	48·1	49·6	43·2	49·7	43·2	50·0	44·5	41·7	34·5	34·9	33·5	38·9	43·2	36·1	27
....	48·6	47·9	45·5	50·5	47·8	54·7	51·0	42·8	45·9	35·9	45·2	37·4	47·0	44·2	28
....	59·5	58·1	58·5	64·5	58·4	60·7	55·0	58·2	63·2	39·0	41·2	37·9	42·3	47·0	29
....	53·2	40·4	55·5	57·0	56·0	56·5	67·5	53·3	52·7	37·5	42·0	42·9	44·9	46·1	30
....	....	....	...	....	....	....	....	....	....	....	....	....	...	....	31
....	34·16	34·56	35.34	38·29	37·27	36·62	37·57	34·41	34·09	26·85	36·69	36·26	37·98	35·62	

TABLE XI.—*April*, 1887. *Daily Mean Temperature*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	20·7	32·2	40·0	20·9	31·9	32·2	24·2	20·2	28·4	31·3	27·0	29·5	28·7	29·4	28·3
2	29·0	37·8	22·5	26·3	33·4	32·5	27·3	26·9	32·2	....	30·7	31·0	33·9	33·4	35·0
3	35·5	44·7	15·0	36·7	41·8	52·3	33·5	35·1	....	48·0	44·0	42·3	....	43·3	46·3
4	31·7	41·0	10·5	36·0	38·8	37·3	19·2	31·4	....	35·3	35·0	34·7	41·2	42·7	34·0
5	14·9	20·8	33·5	24·7	18·7	35·2	9·3	15·0	....	....	35·0	18·5	17·7	21·6	19·8
6	21·4	32·3	41·0	22·4	29·9	31·4	26·5	23·0	....	31·0	15·7	29·8	28·9	29·1	29·5
7	25·8	34·0	45·2	23·6	30·7	37·1	27·8	24·8	27·4	37·7	26·3	31·5	31·9	33·7	36·0
8	34·6	37·8	53·5	33·1	37·7	42·9	37·0	32·4	33·0	43·3	37·3	38·2	39·6	38·0	42·9
9	46·7	46·0	72·8	43·8	52·3	53·1	50·9	44·8	45·4	57·0	49·3	53·5	47·5	50·8	54·3
10	52·5	50·7	32·7	49·1	58·8	62·7	53·3	49·7	56·6	60·3	59·7	56·3	....	59·0	55·6
11	38·3	42·2	29·3	41·7	48·1	51·7	30·2	35·9	44·6	....	40·3	42·5	46·4	49·2	39·8
12	33·4	34·5	33·7	30·5	34·5	45·5	30·8	33·2	32·7	35·3	33·3	34·5	34·0	34·9	40·2
13	36·4	37·8	36·3	30·1	32·8	45·9	36·0	37·2	34·7	39·0	35·3	34·2	38·0	35·3	39·5
14	39·4	38·7	37·0	34·0	39·7	4,·6	37·3	38·8	38·9	45·7	38·0	38·3	34·4	39·7	46·3
15	41·2	47·5	33·5	35·5	47·0	51·3	38·2	40·3	40·1	52·0	48·7	45·7	47·6	50·1	50·4
16	31·5	36·5	26·0	34·7	41·9	38·0	22·3	29·6	40·8	32·3	30·0	32·3	33·5	34·9	31·6
17	26·7	31·5	37·2	28·8	31·3	35·0	29·2	24·1	30·6	33·0	29·3	31·7	....	32·0	30·5
18	33·4	31·3	41·7	32·3	31·1	35·0	29·3	29·7	33·0	34·3	....	30·8	29·5	30·9	33·4
19	31·3	28·5	44·5	36·0	34·7	35·9	31·5	29·8	37·6	38·7	33·7	35·7	35·7	35·4	36·2
20	41·2	40·5	39·8	43·8	44·4	46·0	40·0	39·4	41·7	48·7	42·0	43·5	44·5	42·2	44·4
21	38·1	44·2	45·2	48·3	45·4	49·9	40·2	37·1	43·6	49·3	42·7	45·3	47·1	45·7	45·7
22	47·0	47·5	25·3	48·9	45·3	51·7	45·7	44·7	48·7	51·3	45·3	46·0	46·8	43·2	50·5
23	40·8	50·3	25·5	50·7	46·3	44·3	34·0	38·5	43·6	44·0	42·0	41·0	48·0	47·2	44·2
24	31·5	37·7	26·7	40·5	35·5	41·3	30·3	31·8	39·8	35·0	33·3	34·2	....	35·7	35·2
25	33·0	41·5	31·0	43·7	36·9	38·3	31·0	31·7	43·7	38·7	36·7	35·8	37·7	39·6	40·3
26	33·0	43·5	41·0	44·6	37·0	44·5	30·7	32·5	39·5	36·3	35·0	37·7	38·1	39·1	34·1
27	35·6	45·0	49·2	40·2	37·8	42·7	37·0	35·2	39·6	43·0	39·0	40·5	42·5	41·0	42·2
28	43·7	41·8	44·0	49·5	48·7	50·0	42·3	42·9	48·1	45·0	43·7	41·5	42·8	42·0	43·4
29	43·4	52·7	58·3	42·6	43·8	47·7	42·3	42·7	42·2	....	39·7	42·0	41·1	44·4	37·0
30	44·3	56·5	55·5	42·5	46·3	49·0	48·8	44·2	49·5	46·7	42·3	46·8	46·5	46·5	42·0
31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	36·03	40·57	37·92	37·18	39·10	43·60	33·94	34·09	39·85	42·01	37·19	38·18	38·60	39·99	39·61

TABLE XI.—*April*, 1887. *Daily Mean Temperature.*

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
19·9	25·5	26·5	29·2	26·8	23·6	32·5	37·7	26·2	29·2	17·3	10·8	28·8	33·3	14·8	1
27·3	33·1	34·0	36.2	30·0	30·1	35·3	32·7	29·2	33·4	23·3	17·5	32·0	34·0	21·8	2
37·6	37·6	12·5	46·9	35·9	35·3	47·2	42·7	39·5	45·4	26·8	21·9	8·2	46·3	28·9	3
35·4	31·7	....	49·1	38·9	35·5	37·9	31·7	22·7	36·5	46·7	29·1	7·8	43·7	33·3	4
18·7	17·1	18·5	25·7	23·9	19·1	20·8	16·0	18·2	19·4	21·4	30·0	19·7	22·8	24·6	5
24·4	23·5	31·0	34·4	28·7	27·9	32·1	26·7	25·8	26·5	16·9	16·9	27·8	30·2	20·7	6
27·2	26·7	28 5	33·5	27·6	26·8	35·7	41·3	26·2	36·4	23·6	24·0	30·0	33·0	21·2	7
34·8	36·3	39·0	36·9	34·3	34·9	41·7	35·0	41·5	38·5	31·4	23·3	37·5	40·2	28·2	8
41·0	47·5	40·0	56·4	39·6	45·5	52·9	48·0	42·2	52·2	39·9	32·7	41·5	52·0	35·4	9
52·0	43·2	40·0	65·7	45·1	53·8	59·3	57·6	51·8	57·3	45·5	38·5	30·0	50·7	41·8	10
40·4	34·0	23·5	52·5	42·8	42·7	53·6	44·3	35·0	48·9	38·8	47·8	27·7	47·0	41·6	11
33·8	32·7	26·0	33·4	34·1	31·6	40·7	35·0	32·0	37·7	33·4	46·1	29·5	34·5	30·2	12
38·0	37·8	30·5	35·6	35·1	35·2	37·5	34·7	38·2	37·9	36·9	30·0	32·8	36·7	30·7	13
40·1	41·1	39·0	38·0	38·6	38·1	43·3	36·0	38·0	44·9	38·0	32·5	37·0	42·8	33·6	14
41·7	44·0	32·5	42·9	39·7	44·0	52·1	48·3	38·5	55·3	39·7	35·0	32·0	51·0	32·8	15
31·7	28·5	26·0	38·0	37·7	33·5	33·4	31·0	28·2	38·4	34·4	37·5	28·7	35·8	35·1	16
27·6	27·5	29·5	35·2	26·7	30·6	35·1	30·0	33·0	32·2	26·9	33·7	35·2	33·5	26·0	17
33·9	33·5	26·5	32·6	32·5	29·5	31·8	30·0	34·5	34·2	30·4	30·0	27·3	32·5	27·3	18
33·6	31·5	29·5	41·4	34·9	34·7	36·3	32·0	35·3	33·9	32·7	29·5	29·7	34·0	33·6	19
43·4	40·0	33·0	50·4	40·7	42 8	45·4	46·0	36·7	44·0	39·1	33·8	31·8	46·3	40·0	20
39·8	40·3	....	48·4	44·1	42·2	48·0	44·3	42·8	49·5	41·8	40·8	37·0	46·0	40·7	21
49·0	40·0	33·5	43·8	48·7	48·2	46·9	44·0	40·5	47·5	41·0	39·8	25·2	51·7	42·4	22
41·9	35·5	....	53·4	46·6	47·2	44·4	46·3	38·7	45·7	47·1	39·7	24·8	47·0	42·4	23
32·9	32·3	....	41·9	39·3	35·3	38·0	32·3	35·0	36·2	36·4	44·6	27·8	37·7	38·7	24
33·8	33·0	32·5	46·4	44·1	36·0	42·0	36·3	38·0	39·7	35·9	44·8	25·5	41·7	40·1	25
33·9	35·7	....	41·9	41·2	35·8	38·5	34·3	33·2	35·2	33·9	41·7	33·7	39·0	39·7	26
36·3	36·5	31·5	51·4	39·9	40·6	39·5	37·7	41·8	40·9	34·9	44·7	36·3	40·5	40·6	27
45·9	43·8	....	41·8	49·2	46·2	42·5	40·0	40·2	43·4	40·4	39·0	38·2	48·5	47·6	28
45·2	43·7	....	46·7	42·5	43·4	39·4	39·7	44·5	39·6	43·3	43·5	42·0	45·5	42·0	29
44·9	47·0	43·5	54·0	49·7	42·5	47·6	43·3	45·3	43·5	47·9	44·4	41·3	51·2	48·6	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
36·20	35·35	30·47	42·79	37·97	37·11	41·05	36·24	35·77	40·14	34·85	34·15	30·29	40·97	34·14	

TABLE XI.—*April*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	30·7	18·9	19·9	24·2	25·3	30·7	31·4	33·6	32·3	20·1	32·9	31·9	31·0	27·0	26·9
2	31·5	29·0	25·9	31·0	30·7	37·5	32·6	30·7	38·9	26·4	35·5	35·5	33·3	34·7	32·4
3	19·3	37·7	28·3	....	41·2	....	43·4	44·1	52·9	29·7	46·0	44·3	42·7	40·7	38·8
4	8·2	33·7	34·5	39·7	30·3	33·5	37·0	39·3	33·5	35·8	39·5	41·5	45·5	34·4	38·0
5	20·0	15·5	25·5	19·4	20·0	28·7	21·6	20·8	24·5	19·4	23·4	21·6	24·0	19·0	20·2
6	26·0	22·2	22·6	25·5	26·0	34·0	27·8	29·7	34·5	22·1	28·5	31·6	33·5	25·6	30·3
7	28·2	25·8	24·2	29·2	27·5	35·3	35·5	36·7	39·4	23·8	32·5	32·5	31·0	32·7	28·1
8	34·8	34·8	29·9	34·6	38·3	37·5	36·1	38·7	46·0	29·8	40·5	39·4	33·5	39·5	36·3
9	43·7	41·5	45·8	47·7	41·2	60·7	44·8	44·4	58·2	44·1	52·0	52·2	57·5	49·7	53·5
10	33·5	47·8	52·5	....	43·5	....	44·4	49·0	63·9	48·4	60·5	60·3	63·7	59·1	60·4
11	26·0	38·4	38·6	46·7	34·5	49·5	49·6	50·7	42·7	37·7	52·0	48·3	49·5	36·3	42·6
12	31·0	34·2	30·8	37·0	37·3	41·0	40·5	40·7	49·2	34·1	44·5	35·4	35·8	35·3	32·6
13	33·0	39·7	35·0	36·7	38·8	37·5	39·9	36·3	....	36·4	41·0	35·4	34·7	41·7	36·2
14	34·5	40·3	35·3	39·0	46·0	40·3	44·6	41·3	49·9	36·4	45·0	39·7	36·3	47·8	41·2
15	35·7	43·3	33·1	44·0	43·0	42·0	48·5	51·1	54·2	33·8	54·5	48·3	43·0	47·4	46·2
16	30·2	32·0	31·4	37·7	30·2	39·3	35·9	38·3	33·3	32·1	40·5	34·9	37·7	31·0	31·1
17	35·5	27·7	25·7	....	30·1	....	32·9	34·3	34·6	27·8	38·9	34·8	36·0	30·7	30·8
18	30·0	31·4	29·9	33·0	31·7	35·0	32·7	32·0	32·7	32·1	32·0	31·1	33·8	34·1	31·0
19	32·8	32·0	33·4	38·0	33·8	36·0	36·8	35·3	37·8	33·5	32·5	36·6	36·0	34·9	36·5
20	33·7	41·5	42·7	45·4	38·0	48·3	41·3	41·9	48·2	39·8	43·0	45·0	48·5	47·1	45·7
21	35·3	39·3	45·0	44·0	39·3	50·5	43·8	43·3	51·0	40·1	52·5	47·9	47·5	42·5	44·4
22	28·7	48·7	44·1	50·4	48·4	45·7	45·4	45·6	50·5	42·0	45·0	47·3	44·2	50·1	49·2
23	27·7	40·7	43·7	50·7	39·7	47·3	43·0	44·0	47·3	42·1	42·5	45·3	49·7	42·0	45·5
24	30·0	33·7	38·1	....	34·5	....	37·9	38·3	39·2	37·6	36·5	37·7	38·0	35·0	34·9
25	29·7	35·0	36·8	38·0	38·5	41·3	40·5	42·7	42·3	36·1	41·0	39·9	46·8	38·4	37·7
26	35·0	33·7	36·7	39·7	33·5	42·0	39·9	39·6	37·2	37·1	40·5	38·2	44·2	34·2	37·3
27	33·3	36·0	40·3	42·4	40·1	43·3	39·6	38·0	42·3	41·4	39·0	42·7	45·3	38·8	41·9
28	38·0	45·3	46·3	44·0	42·3	43·0	45·5	47·7	44·7	44·7	44·5	44·2	42·7	42·8	45·5
29	40·0	48·0	40·9	48·0	37·1	45·0	42·0	45·3	44·3	43·0	44·5	46·0	49·3	37·6	41·9
30	41·8	42·4	46·9	46·7	39·0	49·0	47·9	51·7	48·5	47·4	46·5	50·8	53·0	40·7	45·8
31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	31·25	35·68	35·46	38·96	36·00	41·30	39·43	40·16	43·24	35·16	41·63	41·45	41·51	38·36	38·79

TABLE XI.—*April*, 1887. *Daily Mean Temperature*

Stratford.	Simcoe.	Spruedale.	Savanne.	Toronto.	Woolstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
29·3	33·7	20·7	31·7	29·5	31·5	34·7	27·5	....	21·4	24·7	16·2	19·0	23·4	....	1
33·8	36·2	36·0	30·0	32·7	34·1	38·7	27·7	....	24·4	21·0	22·5	27·0	25·1	....	2
44·9	....	38·0	9·8	39·9	45·9	....	8·8	....	25·8	28·8	25·3	31·0	32·6	....	3
38·4	43·7	30·5	4·7	39·4	42·6	36·1	3·2	....	26·6	28·7	26·0	32·0	29·6	....	4
15·5	21·8	11·5	15·8	23·2	19·5	27·5	8·8	....	26·3	26·2	24·0	28·0	31·6	....	5
28·5	32·3	26·5	26·2	31·5	29·9	33·3	17·7	....	27·5	27·0	37·3	21·0	32·3	....	6
34·6	36·2	29·3	33·0	30·6	34·3	36·5	24·8	....	22·2	23·3	22·0	19·0	22·0	....	7
36·4	41·3	36·0	46·8	36·4	40·7	45·0	38·0	....	22·3	20·7	19·5	27·5	25·9	....	8
53·8	56·0	50·7	56·7	46·8	53·3	57·4	57·2	....	26·2	27·0	28·5	37·0	30·5	37·2	9
59·9	....	52·3	29·3	58·8	59·5	....	41·7	....	30·7	27·8	30·2	46·0	32·5	40·0	10
47·3	55·2	37·8	27·2	46·8	54·0	49·7	14·3	42·0	28·7	29·3	31·0	37·0	31·0	33·3	11
36·4	38·7	32·7	29·0	35·1	37·1	47·6	27·7	47·4	19·1	19·5	15·0	27·5	18·3	26·2	12
35·4	36·3	39·5	34·0	37·2	34·3	46·8	31·3	39·9	22·1	22·5	19·8	25·0	21·3	29·0	13
41·1	42·3	39·0	33·5	39·4	39·7	49·0	31·7	47·6	27·1	29·7	13·5	30·0	26·4	27·0	14
48·7	52·5	46·7	31·4	43·0	51·8	58·1	23·8	53·5	28·5	27·5	29·3	35·0	29·8	30·5	15
31·9	37·3	29·3	26·8	36·5	36·2	39·8	18·5	32·1	31·1	31·8	31·7	38·0	34·2	34·7	16
30·8	....	27·0	31·5	31·6	34·0	....	33·0	32·6	31·0	31·2	32·0	20·5	32·5	38·0	17
31·2	33·5	31·0	31·2	31·6	31·4	35·3	19·5	33·4	29·1	30·3	34·5	30·5	33·9	28·8	18
35·1	38·3	27·3	34·0	36·4	35·7	42·3	18·7	35·4	28·9	32·2	29·5	30·5	32·3	30·5	19
45·8	48·2	35·3	33·6	41·9	46·8	50·0	28·8	48·4	30·4	32·3	33·5	36·5	32·5	34·5	20
46·5	48·2	31·7	38·3	45·0	48·0	51·7	31·2	49·0	32·7	31·3	36·8	42·0	32·2	36·2	21
43·5	49·7	49·2	23·0	44·6	45·7	52·8	30·0	49·1	38·4	38·5	36·0	43·0	33·4	59·8	22
44·0	49·0	37·8	24·3	47·0	47·5	43·8	13·8	43·1	39·0	38·7	38·7	48·0	40·3	37·5	23
36·6	....	36·7	22·0	47·9	37·9	....	23·7	37·0	37·3	38·5	38·3	38·5	40·0	38·5	24
37·6	44·2	31·0	22·2	40·8	41·7	43·6	26·3	40·1	34·8	33·8	37·5	44·0	32·9	37·2	25
37·6	40·7	30·7	29·9	38·0	38·2	44·5	25·5	35·5	34·9	35·3	36·0	43·0	33·0	36·5	26
41·2	43·7	35·0	40·2	41·4	43·1	45·6	32·5	40·6	35·0	34·5	38·8	38·5	34·4	36·3	27
42·7	47·0	33·5	35·3	41·5	42·8	49·3	31·7	43·0	37·0	36·0	40·0	48·5	33·1	40·0	28
40·0	46·0	36·0	43·7	45·9	43·4	47·0	35·3	42·7	40·5	39·7	32·2	48·5	22·1	36·5	29
44·8	51·7	46·3	48·4	49·8	47·3	50·8	42·5	46·8	39·3	38·0	34·0	39·5	35·7	34·3	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	...	..
39·11	42·44	34·87	30·70	39·35	40·94	44·50	26·51	42·03	29·94	30·19	29·77	34·39	30·82	34·21	

TABLE XI.—*April*, 1887. *Daily Mean Temperature.*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Bathurst.	Chatham
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	24·7	23·5	23·1	25·2	23·0	22·8	21·0	20·6	16·6	21·9	23·2	21·3	16·6	22·0	17·7
2	22·0	26·2	23·6	27·3	28·5	22·2	25·5	26·9	18·7	27·1	28·6	25·7	25·6	21·0	18·9
3	21·0	29·0	27·3	32·0	29·8	31·3	30·0	32·7	32·2	26·3	34·4	35·5	31·4	....	30·4
4	28·3	30·3	30·1	30·3	27·0	23·5	35·5	32·4	35·4	33·6	32 9	36·5	35·0	34·7	34·3
5	23·3	22·2	29·4	28·0	26·3	20·7	30·0	27·7	24·7	27·2	30·8	25·0	27·1	32·7	34·4
6	30·0	16·5	14·6	21·5	26·0	36·3	25·0	19·7	22·7	24·5	23·1	27·8	20·1	27·0	30·1
7	22·7	16·5	14·1	18·2	22·3	27·2	20·5	21·5	21·2	24·2	23·2	19·8	19·8	24·7	20·6
8	26·7	24·5	28·9	30·3	27·0	18·3	25·5	30·3	26·4	30·1	29·1	25·3	25·0	27·3	26·6
9	24·0	32·5	37·6	31·5	37·3	20·0	37·0	31·1	42·8	41·7	36·3	30·2	39·4	34·7	33·0
10	24·7	41·7	37·3	31·7	31·5	24·7	48·0	33 8	50·3	49·3	43·5	33·0	51·2	....	35·7
11	26·3	35·0	36·2	30·3	28·5	27·0	44·0	32 0	38·5	40 9	36·7	31·3	38·8	37·3	36·8
12	28·3	24·5	18·9	20·8	20·7	17·8	27·5	23·7	28·0	28·3	27·9	21·7	27·8	29·3	25·5
13	23·3	20·7	21·1	21·7	23·5	28·0	29·5	26·0	27·2	28·1	25·3	21·8	26·7	30·0	26·7
14	24·0	23·3	22·6	24·8	25·8	31·2	34·0	28·0	29·9	32·2	27·3	34·3	26·9	35·7	29·9
15	30·3	33·7	26·8	28·0	28·8	30·5	33·0	27·4	34·8	34·4	28·1	34·7	38·0	....	31·6
16	32·0	33·0	31·1	27·5	42·3	29·3	37·0	34·8	33·8	34·5	33·0	29·5	36·2	35·0	32·8
17	31·3	22·2	18·9	27·8	30·0	33·0	29·0	27·8	25·8	25·6	25·9	30 8	34·2	....	35·1
18	33·3	23·8	21·1	26·5	25·0	34·2	26·0	24·7	30·7	29·7	25·7	25·0	27·8	38·0	33·6
19	36·3	27·5	30·9	28·5	30·5	34·3	33·0	26·6	34·1	34·8	27·9	29·2	30·7	31·3	31·9
20	33·7	28·5	29·5	31·2	33·8	34·2	38·5	30·5	40·2	40·7	32·2	29·8	34·2	38·0	34·5
21	32·3	36·0	40·5	34·5	36·3	33·8	43·5	34·1	44·5	46·3	40·6	33·2	38·5	47·0	39·1
22	35·7	38·7	39·1	37·5	41·0	33·5	49·0	34·6	45·5	48·9	42·8	36·3	42·0	43·7	41·1
23	36·7	43·3	46·5	37·7	38·3	34·2	44·0	39·5	50·7	47·3	38·7	30·2	46·2	43·3	38·3
24	41·7	33·7	40·7	39·0	41·0	37·8	41·0	38·0	36·8	39·8	39·3	35·5	39·5	....	36·7
25	39·7	35·5	39·1	37·8	37·5	38·2	45·5	36·8	43·9	42·0	37·3	40·7	40·1	40·0	40·7
26	36·3	37·5	38·6	27·2	36·5	35·3	44·5	36·9	42·7	43·9	38·9	35·8	41·5	41·3	34·1
27	34·3	33·7	38·0	28·0	39·5	38·7	40·0	36·5	37·0	40 7	39·1	37·2	38·8	41·3	42·3
28	33·7	39·3	41·0	40·5	41·0	36·3	47·0	41·0	48·1	47·9	42·3	37·3	44·4	41·3	39·4
29	34·7	38·5	40·6	43·0	37·3	36·0	44·0	39·1	41·7	41·6	40·3	39·0	46·3	37·7	36·2
30	32·7	35·2	37·8	35·2	34·2	37·8	37·0	34·4	42·9	43·3	37 5	35·3	38·4	40·3	41·3
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	30·13	30·23	31·20	30·78	31·65	30·27	35·47	30·97	34·93	36·22	33·07	30·82	33·94	34·99	32·98

TABLE XI.—*April*, 1887. *Daily Mean Temperature*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. John, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
21·0	32·8	29·6	28·5	28·9	30·0	28·0	30·3	26·3	28·0	25·5	30·4	28·8	31·7	16·4	25·3	23·0	1
23·7	29·7	26·7	27·0	20·5	27·0	28·7	32·2	33·5	37·9	29·6	32·7	31·2	28·6	21·6	28·3	22·0	2
....	34·8	34·1	32·4	....	....	35·4	34·5	39·9	34·3	37·4	34·5	33·0	....	24·5	38·7	32·3	3
36·1	37·8	35·7	36·0	32·6	34·5	35·5	38·6	36·2	38·4	35·9	40·3	36·0	41·7	26·7	34·7	25·2	4
37·2	38·5	38·1	36·6	34·5	35·5	37·4	41·8	44·1	44·5	42·4	41·2	37·3	41·7	36·7	30·7	22·3	5
28·4	30·0	28·8	30·0	26·7	29·3	39·8	34·5	38·5	38·3	35·7	30·3	35·1	29·0	36·0	40·3	43·2	6
23·5	27·9	25·3	24·7	18·6	25·5	27.5	28·9	26·5	35.0	25·1	30·6	28·3	30·7	22·5	34·3	28·8	7
29·1	33·9	32·0	29·2	22·7	28·8	28·1	30·7	28·9	31·5	24·6	32·8	30·5	35·0	19·8	30·5	19·7	8
37·8	39·5	36·8	34·8	33·8	36·5	31·5	37·8	38·2	34·8	35·5	39·6	34·8	33·3	26·7	26·3	23·5	9
....	52·6	46·6	44·8	....	....	36·7	46·7	43·5	37·6	40·9	42·5	38·3	....	28·5	28·0	26·5	10
47·8	47·3	45·3	45·4	38·3	40·3	41·5	48·7	48·0	39·7	44·8	46·4	35·2	50·0	37·0	33·2	31·0	11
29·7	32·3	30·4	31·3	21·9	30·0	21·2	29·8	36·3	25·8	28·1	32·9	25·0	31·3	32·4	27·3	16·8	12
29·1	30·7	28·9	29·2	23·9	29·0	23·8	26·9	23·7	27·3	23·1	31·2	22·7	30·3	20·1	34·7	25·7	13
35·5	35·0	34·2	34·6	32·9	34·7	27.7	29·6	26·0	31·0	27·6	35·2	26·3	32·7	18·6	33·7	29·5	14
37·8	38·1	37·2	37·4	32·4	35·0	30·6	35·2	29·5	33·0	32·9	36·6	31·6	31·7	27·0	33·3	29·5	15
37·2	38·2	38·1	38·4	....	36·0	33·9	35·2	31·4	34·5	39·0	37·0	33·5	35·0	24·9	30.1	28·8	16
....	36·0	35·1	40·1	....	....	32·1	26·2	35·3	35·6	40·4	38·9	32·7	....	31·9	34·7	32·7	17
32·3	32·4	31·6	33·7	32·6	33·2	36·3	37·5	37·4	35·5	42·3	32·7	33·5	33·3	33·4	36·0	36·0	18
33·7	34·4	34·5	32·4	33·9	33·7	33·4	34·2	32·5	38·0	34·9	35·0	30·9	36·7	31·0	34·0	39·0	19
39·0	40·1	40·1	39·4	35·4	39·3	35·6	36·6	34·0	35·5	35·2	39·5	36·3	38·3	28·0	36·5	36·0	20
43·0	46·5	46·3	42·9	35·9	43·2	36·9	42·0	40·0	34·0	37·7	40·5	33·9	41·3	31·8	37·7	36·3	21
46·8	47·6	46·7	45·8	40·8	45·5	38·4	43·2	35·7	34·3	40·8	42·8	37·9	42·7	39·4	37·7	44·0	22
42·3	44·0	45·9	44·9	39·9	41·3	39·1	45·7	41·0	36·9	47·1	43·5	38·3	40·3	36·6	38·3	45·2	23
....	41·5	41·2	43·6	....	....	41·6	38·9	46·5	37·8	47·1	44·0	36·8	....	34·1	38·0	45·5	24
43·0	43·6	43·2	44·4	39·9	38·2	39·0	45·9	44·3	39·7	43·8	41·5	37·5	40·3	38·9	38·7	42·5	25
35·8	35·8	35·8	37·6	34·2	35·5	36·4	38·1	39·5	41·7	36·1	39·8	36·5	43·3	38·7	41·7	38·3	26
42·0	42·3	41·5	41·7	39·3	40·0	40·8	43·6	44·0	42·3	43·4	42·2	34·7	43·7	35·7	41·0	36·5	27
43·4	44·3	43·0	41·9	41·2	38·7	39·7	44·5	43·6	39·6	41·3	44·4	35·4	41·0	41·2	44·7	35·5	28
42·2	43·0	42·7	43·3	39·4	40·0	35·7	40·0	48·0	42·5	42·3	49·1	35·6	42·3	38·6	38·7	36·2	29
45·1	41·8	41·2	44·6	41·9	40·0	47·1	42·1	51·0	46·0	54·1	44·9	36·6	39·3	36·9	37·7	44·8	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
36·25	38·41	37·22	37·78	32·86	35·38	34·64	37·66	37·39	36 36	37·24	38·43	33·46	37·23	30·52	34·82	32·53	

TABLE XII.—*May*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	44·5	40·7	41·3	35·5	51·3	36·0	40·1	46·0	38·8	38·9	....	47·5	35·1	38·3	38·3	34 3
2	52·5	41·1	49·5	37·8	36·2	38·3	41·3	48·7	44·0	41·8	35·5	45·3	43·5	38·7	43·3	30·0
3	48·5	37·8	61·7	53·7	40·0	....	51·7	57·4	44·3	53·5	46·5	51·0	43·5	40·0	56·5	41·0
4	40·5	38·5	52·3	50·7	42·3	55·6	54·2	53·1	42·5	59·6	58·7	54·7	....	42·3	52·0	36·7
5	46·0	38·4	62·7	55·3	50·0	....	51·1	54·1	44·5	51·7	54·5	59·7	39·5	36·7	51·3	38·3
6	45·0	39·1	55·5	49·3	48·7	....	54·5	51·9	45·7	55·1	50·8	64·3	36·6	41·0	50·5	53·5
7	45·0	46·4	49·0	53·2	40·3	56·0	52·0	49·7	43·7	61·5	49·5	57·5	....	41·7	48·7	56·5
8	48·5	46·7	50·5	61·0	40·0	....	61·4	52·5	40·6	56·9	....	64·3	33·7	47·6	50·3	55·5
9	44·0	44·2	66·0	60·3	42·5	61·7	64·6	61·4	42·8	63·1	60·7	71·8	31·5	49·0	59·7	65·7
10	45·0	43·3	59·5	76·7	48·7	75·5	74·5	54·8	49·7	73·3	72·3	71·5	31·1	55·6	63·3	58·3
11	52·5	43·6	53·7	64·3	55·3	62·7	63·3	51·8	40·5	63·9	61·0	60·7	38·4	54·0	49·7	48 7
12	44·0	42·7	43·2	52·5	44·0	....	47·0	48·8	40·0	52·4	48·5	41·0	42·7	47·3	42·5	36·0
13	46·0	46·4	42·7	40·7	45·0	36·9	40·0	47·5	40·9	45·1	39·3	37·0	42·3	33·7	38·5	37·3
14	55·0	51·3	57·0	35·7	50·0	34·6	37·9	50·1	40·1	42·1	35·7	34·0	44·3	29·3	37·2	32·0
15	56·0	50·0	58·0	42·0	46·0	31·5	33·8	46·5	44·6	31·7	....	32·5	52·0	35·7	37·3	48·0
16	59·0	48·9	59·8	40·7	55·0	38·7	46·4	55·6	51·3	41·0	41·5	41·7	55·0	45·3	44·6	62·0
17	58·0	47·1	72·2	57·8	58·8	53·3	43·2	63·1	62·2	61·4	49·0	67·5	38·7	57·7	58·3	68·7
18	53·5	43·7	78·3	63·0	80·0	62·2	66·6	69·6	58·9	64·2	68·3	69·5	32·0	45·7	65·0	79·3
19	52·5	46·0	42·0	40·0	48·3	45·5	47·3	43·6	39·2	44·2	56·3	43·7	30·6	31·7	42·0	39·2
20	53·5	49·2	40·3	40·3	42·7	40·3	42·1	40·0	36·2	43·2	37·0	41·3	35·6	32·0	36·6	38·0
21	53·5	48·0	47·2	42·7	56·5	....	40·7	46·0	46·5	44·1	45·7	51·7	40·6	41·0	42·4	43·7
22	53·5	49·3	55·0	52·7	54·3	53·2	47·1	59·0	56·4	49·5	....	53·7	44·8	47·3	51·3	48·7
23	54·0	46·5	64·0	47·3	71·5	....	53·8	67·7	63·6	52·5	51·3	58·8	50·2	54·3	55·7	61·0
24	52·0	45·9	74·0	61·7	71·3	....	64·5	71·0	61·8	59·6	65·5	73·0	54·4	49·0	66·1	75·7
25	51·0	49·6	63·3	81·5	74·0	61·6	63·2	63·8	56·8	62·4	55·0	68·5	48·1	51·6	59·0	67·3
26	56·0	49·0	72·0	59·0	72·3	58·3	58·5	69·6	58·7	56·3	57·3	69·0	51·9	53·0	62·8	70·0
27	59·0	53·0	70·5	59·0	75·0	....	63·9	66·9	61·7	63·9	61·7	71·5	54·7	51·6	61·9	72·0
28	60·0	53·0	72·5	62·3	72·5	61·5	63·4	69·1	62·1	64·4	60·0	73·0	51·4	54·6	62·6	60·3
29	62·5	50·4	67·5	52·2	72·5	54·7	63·3	66·0	57·7	55·5	....	73·8	56·9	54·6	57·3	56·0
30	59·0	48·1	76·3	57·8	83·7	....	52·9	68·1	68·7	58·5	57·0	81·0	55·6	54·3	61·0	68·7
31	52·0	45·2	59·5	78·3	58·8	62·3	58·9	63·9	54·5	64·7	58·5	65·0	51·3	56·3	60·4	61·5
	51·87	45·90	58·61	53·51	55·40	51·42	53·01	56·69	49·65	54·07	52·96	58·00	45·22	45·51	51·82	53·36

TABLE XII.—*May*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Sourisford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	'	°	°	°	°	°	°	°	°	°	°	°	
....	37·8	35·5	41·5	38·0	....	38·5	52·0	41·5	39·1	35·0	49·2	51·2	....	49·2	1
....	32·8	34·3	35·0	35·2	35·9	36·2	36·3	30·7	35·6	29·6	64·3	58·5	59·9	60·1	2
....	41·5	46·0	40·8	49·3	41·4	48·2	35·5	39·0	40·6	31·4	54·7	57·9	64·2	55·0	3
....	52·8	50·9	54·7	54·2	55·5	51·0	50·5	51·5	42·9	33·7	41·7	46·7	51·5	46·0	4
....	54·2	53·7	59·3	58·5	61·8	56·5	55·0	60·0	48·9	43·1	54·0	46·5	52·1	55·0	5
....	53·1	53·9	63·0	58·5	62·8	58·3	60·5	58·0	51·9	45·3	58·5	52·9	57·1	57·3	6
....	64·0	59·7	71·5	61·0	69·8	62·5	59·5	66·5	73·7	46·6	61·7	55·4	59·6	61·3	7
....	57·1	61·8	63·5	64·3	....	62·2	62·7	62·5	64·1	49·3	65·8	58·9	....	62·7	8
....	59·1	60·6	58·0	64·5	61·7	69·3	61·3	61·5	57·6	38·6	66·7	63·4	67·7	66·8	9
....	70·5	75·5	72·5	75·5	70·7	73·7	62·0	71·0	67·1	45·0	69·2	66·3	68·3	67·2	10
....	71·1	75·1	75·0	70·5	75·9	72·2	71·5	74·5	74·1	47·9	58·8	60·2	59·5	57·2	11
....	68·4	66·1	70·2	68·0	72·5	68·7	73·7	68·7	63·9	50·1	65·0	64·8	66·2	54·3	12
65·5	59·6	50·5	67·5	57·5	67·5	65·7	74·3	66·8	71·0	47·7	57·5	53·5	57·9	57·0	13
51·0	42·1	39·0	51·5	40·7	53·4	42·5	63·0	47·5	52·8	41·0	....	51·0	....	59·0	14
40·5	35·9	31·0	42·0	39·5	...	42·3	44·0	46·0	45·8	34·5	....	56·2	....	59·2	15
40·0	37·5	39·5	35·3	35·5	36·0	40·5	39·0	36·0	40·1	33·5	61·2	59·6	60·4	53·2	16
63·0	55·6	57·1	58·5	52·8	56·4	50·0	45·5	56·5	35·4	40·7	53·8	58·1	58·8	48·3	17
60·0	57·8	56·5	55·5	66·8	57·9	60·0	58·5	56·0	50·0	40·9	47·5	54·9	52·8	55·0	18
60·0	48·7	41·6	58·5	53·5	64·1	49·5	61·5	60·0	57·3	39·3	57·0	60·9	62·9	60·5	19
50·5	42·4	38·8	48·0	64·7	49·0	45·5	58·8	46·0	55·3	36·2	62·7	64·8	67·0	67·9	20
51·5	47·1	45·8	46·0	51·7	45·3	48·5	44·0	43·5	52·2	35·5	68·0	65·0	68·1	70·7	21
53·5	49·8	49·6	52·5	60·5	....	51·8	50·3	52·0	51·5	39·2	72·5	74·2	....	67·0	22
57·5	46·6	43·7	48·7	50·2	49·7	41·3	57·5	44·0	47·2	37·3	66·7	66·7	67·7	62·0	23
57·0	50·2	51·6	52·8	54·0	51·7	49·5	46·7	50·0	50·4	44·5	61·8	56·5	66·0	56·3	24
69·0	61·6	63·6	59·5	68·8	56·1	62·3	53·3	60·5	54·9	47·7	....	52·9	60·2	55·0	25
66·5	61·0	60·9	65·2	61·0	63·4	64·0	69·0	59·5	56·9	49·1	52·5	53·9	55·1	55·7	26
70·0	62·5	62·8	65·8	66·3	65·4	68·8	59·8	65·0	66·2	49·8	54·7	53·9	53·9	59·0	27
68·5	64·6	60·3	63·0	65·3	62·8	69·0	71·8	62·5	59·2	45·0	....	55·6	60·1	62·0	28
54·0	52·1	53·0	47·2	58·8	....	52·7	64·5	49·5	48·9	38·7	....	57·9	....	66·6	29
50·5	51·7	52·3	46·8	52·5	45·1	53·5	53·5	42·5	51·2	39·8	64·8	58·4	64·8	66·3	30
55·0	57·8	57·0	59·0	62·2	56·5	57·0	47·8	55·0	55·4	51·5	64·0	52·4	62·3	....	31
....	53·13	52·51	55·75	56·18	57·24	54·82	57·52	53·34	53·42	41·54	59·44	57·76	60·97	59·05	

TABLE XII.—*May*, 1887. *Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Desconto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	40·5	57·2	60·2	55·6	55·2	52·0	50·7	49·5	49·8	57·0	54·7	54·0	....	55·2	58·8
2	52·5	59·8	55·3	62·3	65·5	66·1	58·5	63·9	60·3	....	65·3	64·7	58·5	65·8	68·0
3	58·6	65·2	36·7	67·5	60·4	61·5	49·0	55·7	58·3	....	57·3	61·8	62·8	63·3	56·9
4	44·0	59·5	57·0	58·2	55·0	56·7	48·8	43·9	52·3	53·7	47·3	51·7	55·3	53·4	50·0
5	55·0	59·3	70·2	56·9	56·2	56·2	51·5	56·0	59·7	60·3	54·3	55·8	54·1	53·9	55·5
6	59·1	60·7	73·7	55·7	59·3	58·8	57·5	59·4	58·2	....	61·3	58·7	57·9	57·7	59·3
7	62·7	66·0	77·5	54·7	61·2	57·5	63·0	63·5	58·3	....	62·7	59·8	58·2	57·9	60·5
8	63·8	67·0	76·0	65·5	62·3	65·9	66·0	66·7	67·4	....	66·3	62·7	....	63·0	62·7
9	66·7	69·3	76·0	69·4	63·6	63·0	65·7	66·1	69·6	71·3	63·7	64·8	66·8	66·3	64·8
10	70·1	65·5	61·2	71·8	68·7	62·5	67·5	71·0	68·9	75·7	66·7	68·2	71·1	65·5	69·0
11	60·0	64·2	73·0	59·7	60·4	61·9	56·5	58·5	59·2	68·3	62·7	62·0	62·6	60·8	65·8
12	60·6	64·8	79·5	55·9	64·6	61·5	64·5	59·2	61·3	68·3	64·7	67·5	65·3	64·2	62·6
13	55·5	61·2	78·5	53·5	57·5	64·2	59·5	54·8	59·0	65·3	61·0	60·0	58·1	55·9	62·8
14	55·1	54·5	74·5	60·6	58·5	....	60·3	53·3	58·2	64·0	58·0	55·0	57·4	55·3	62·3
15	56·7	63·5	70·3	68.0	63·4	65·5	59·5	59·7	58·2	69·0	63·3	61·8	....	60·0	59·6
16	60·4	66·0	43·2	63·8	64·5	61·3	61·0	61·1	60·9	67·0	60·0	63·9	66·4	63·8	60·3
17	53·3	66·8	37·0	64·0	58·8	56·7	49·0	53·9	68·3	57·0	57·7	59·2	60·1	58·8	47·7
18	49·8	63·0	71·0	60·5	58·2	48·5	54·5	49·9	60·1	60·0	51·3	57·0	57·3	58·9	48·7
19	53·7	65·7	63·0	62·5	61·8	59·9	55·0	55·2	59·3	66·0	56·0	61·5	60·5	62·4	62·3
20	61·3	72·0	74·2	62·1	65·8	71·0	65·5	61·9	62·6	71·0	63·0	66·3	67·7	68·7	68·2
21	68·9	71·7	83·2	64·7	65·9	72·7	68·0	67·1	66·3	77·3	69·3	70·0	68·2	67·3	74·4
22	72·7	68·8	64·5	71·7	67·0	71·1	72·7	71·0	69·5	76·3	74·3	72·5	....	75·3	75·0
23	66·2	72·5	58·8	73·2	68·0	72·5	68·3	66·4	72·3	69·3	69·3	66·7	71·8	72·2	67·6
24	62·0	66·0	52·5	74·6	62·8	68·1	61·7	62·3	68·4	65·0	62·3	62·8	62·7	65·5	66·1
25	57·9	63·5	64·7	65·6	56·9	61·1	55·8	58·1	61·7	60·3	59·3	58·0	57·4	66·7	57·2
26	53·5	57·5	73·3	65·6	53·2	51·4	55·7	53·3	60·1	50·0	50·7	51·7	52·7	51·6	46·5
27	55·9	63·8	69·7	55·0	52·6	57·0	60·8	57·9	54·4	52·7	50·3	54·3	53·4	53·0	47·4
28	59·0	67·0	72·3	54·7	58·9	57·3	57·7	57·2	55·8	63·3	56·0	60·0	60·0	61·0	54·0
29	60·9	65·3	65·2	59·9	60·8	58·2	58·0	58·4	62·1	64·0	62·0	60·0	....	67·0	64·6
30	64·8	63·5	64·0	62·8	60·4	65·9	62·3	64·7	66·2	66·7	65·0	62·0	62·4	60·5	67·3
31	64·4	59·7	71·8	66·7	59·0	59·4	58·5	63·9	65·6	61·0	59·0	57·5	58·1	58·1	62·6
	59·45	64·21	66·64	62·69	60·85	61·52	59·16	59·40	61·69	64·61	60·41	61·00	61·02	60·73	60·92

TABLE XII.—*May*, 1887. *Daily Mean Temperature*

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minnedosa.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
50·2	50·1	43·5	48·5	49·1	50·0	55·8	55·3	42·2	57·5	49·9	46 5	49·0	55·5	55·0	1
63·6	66·5	63·0	49·7	62·5	63·5	68·4	67·7	58·3	67·9	55·4	51·1	45·5	62·8	63·0	2
59·8	54·7	38·5	67·1	58·0	61·8	62·7	63·0	45·2	61·0	60·7	57·1	39·0	51·0	68·7	3
46·7	46·5	46·2	59·0	51·7	49 2	57·6	50·0	43·8	48·9	50·6	55·8	39·5	54·7	56 2	4
54·7	57·5	50·8	51·9	58·3	55·2	59·2	54·7	46·5	53·0	52·5	52·0	46·5	56·0	59·1	5
60·1	59·4	53 5	52 2	58·1	56 2	60·9	62·0	56·7	63·5	58·4	52·0	47·5	58·8	58·0	6
62 1	67·0	56·5	50·5	59·8	61·6	62·2	62·0	57·3	64·0	60·9	56·0	51·7	61·2	56·9	7
64·4	66·6	58·7	52·6	65·4	61·8	66·1	62 7	67·0	67·9	64·5	57·9	52·5	60·2	65·3	8
68·2	71·5	49·8	61·4	68·2	66·8	68 0	64·0	61·2	68·7	65·1	60 0	54·0	65·1	70·3	9
69·7	66·0	50·5	65·5	65·7	68 0	67·7	67·3	65·0	70·4	66·7	62·0	63·0	63·7	74 3	10
59·5	59·3	46·5	59·2	61·4	55·6	64·3	63·0	58·8	72·4	62·0	64·7	53·0	63·0	61·4	11
60·0	62·2	53·2	60·4	56·0	61 6	65·4	59·3	59 2	64·4	59·4	63·4	58·8	64·8	58·4	12
57·7	59·5	61·0	53 2	55·8	53·9	60·2	58·7	63·8	65·7	53·4	61·0	55·7	55·3	56·7	13
53·8	60·3	62·3	54·5	54·2	53 8	57·0	55·7	57·2	61·8	50·9	50·0	53·8	57·5	60·7	14
57 3	66·9	42·5	57·4	56·9	60 1	64 5	63·0	53·0	62·5	56·9	53·5	57·2	58·8	64·6	15
58·6	63·5	52·2	63·2	53·9	59·9	62·9	62·0	55·0	63·9	62·8	56·4	45·7	65·5	63·2	16
55·7	54·7	43·5	65·2	59·7	58·0	57·7	63·0	53 8	53·8	57·2	61·1	48·8	60·0	65·9	17
50·8	53·6	43·0	63·4	58·1	53·5	54 7	54·0	54·7	52·7	58·2	62·2	51·7	55·0	59·6	18
56·3	56·3	51·3	67·0	53 7	59·6	60·0	59·0	52·0	62·5	51·5	51·6	54·0	59·3	63·3	19
62·0	65·5	61·0	75·6	58·5	66·4	65·7	67·3	57·8	68·7	56·5	64·2	54·8	67·3	59·7	20
63·0	72·0	56·7	61·3	65·7	65·1	69·9	67·7	58·7	74·6	63·0	59·8	59·5	64·0	61·3	21
72·0	74·7	57·8	64·5	69·1	71·4	71·9	70·7	60·5	76·4	68·1	62·2	59·5	67·3	71·8	22
65·7	67·3	59·2	74·4	64·6	66·2	71·4	68·3	60·8	69·9	66·0	66·0	52·0	70·0	71·4	23
63·0	63·7	57·0	67 3	60·8	64·4	65·1	64·3	59·0	67·4	63·0	62·0	49·0	64·7	67·6	24
59·2	59·0	48·5	66·4	60·2	39·0	56·7	57·0	55·5	59·0	63·5	67·5	45·7	61·3	66·8	25
56·4	56·1	59·2	59·0	60·2	57·0	49·1	50·3	56·0	50·3	54·5	59·6	57·3	54·7	65·6	26
56·0	59·9	58·8	57·0	54·1	56·5	49·3	50·0	64·5	51·3	56·6	57·6	62·2	55·3	54·7	27
59·6	61·3	53·5	61·3	55·0	56·8	58·7	56·0	58·5	59·0	60·5	57·7	59·8	59·3	57·7	28
....	63·6	63·5	66·2	59·7	60·0	60·1	56·7	61·2	61·5	58·4	50·6	48·0	63·5	59·7	29
66·0	66·1	61·2	55·0	63·2	63·7	66·0	59·7	62·8	68·9	61·5	58·1	54·2	69·5	61·0	30
66·7	65·5	63·3	50·4	64·9	64·7	61·3	60 7	56·2	61·4	66·6	57·4	55 0	65·7	63·6	31
59·96	61·83	53·77	60·01	59·47	60·04	61·95	60·59	56·85	62·90	59·20	57·97	52·39	61·25	62·62	

TABLE XII.—*May*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	44·3	52·7	51·3	....	55·0	....	49·1	53·4	57·7	48·4	52·0	55·7	45·5	59·3	50·5
2	43·3	65·1	60·5	61·4	57·0	67·5	58·1	59·4	69·6	59·8	62·0	64·3	48·0	68·1	64·6
3	40·7	53·3	65·7	59·4	44·8	58·5	55·7	54·4	62·0	58·7	61·0	62·1	65·7	54·1	66·7
4	39·8	44·7	58·1	53·7	43·5	54·5	52·5	52·4	58·2	52·6	54·0	56·5	63·5	45·6	51·9
5	43·0	49·7	53·7	55·4	43·4	51·3	59·4	54·8	50·0	52·5	57·0	54·9	45·3	50·6	55·0
6	44·3	60·3	57·6	53·0	45·1	50·3	54·6	58·1	57·5	56 0	57·5	58·6	53·0	58·9	58·2
7	47·7	60·0	57·3	60·7	48·2	51·0	58·5	62·4	62.6	58·0	59·0	59·3	47·5	59·0	61·6
8	52·0	61·7	64·1	....	49·4	....	64·2	61·1	63·2	60·7	63·5	63·2	53·0	59·6	63·6
9	55·0	64·1	69·6	67·0	47·5	52·7	63·5	62·1	64·5	65·7	62·0	65·3	57·5	58·	67·7
10	58·0	66·6	70·8	70·7	52·5	52·8	64·8	69·4	63·5	68·3	64·5	68·0	63·5	57·	70·5
11	48·0	59·0	60·5	64·7	48·4	53·5	64·5	63·4	65·2	59·0	64·5	61·0	54·2	59·6	63·8
12	54·5	57·3	59·8	62·4	48·0	52·5	60·5	64·1	61·2	56·0	68·5	68·9	62 3	54·8	64·3
13	57·0	61·3	55 8	59·0	52 3	55·7	57·0	60·1	61·3	53·3	59·5	57·3	52·7	60·8	56·8
14	49·0	55·7	59·8	63·0	49·1	54·0	57·4	59·1	57 2	55·4	57·5	57·0	52·7	53·2	55·9
15	53·7	59·0	63·5	....	49·0	....	56·7	57·1	64·4	61·4	57·5	60·9	58·3	53·4	59·0
16	59·3	58·0	66 4	65·7	49 4	60·5	60·8	58·4	60·0	61·7	61·0	61·5	59·5	52·1	59·7
17	43·0	50·0	61·3	64·7	45·0	55·7	60·7	63·1	47·5	57·7	56·0	62·3	61·2	53·5	56·0
18	58·3	47 3	58·2	61·4	46·6	56·3	56·5	60·8	55·5	57·3	56·0	57·9	58·8	46·1	55·1
19	49·5	53·6	62·5	64·0	56·8	62·0	57·4	59·8	65·6	57·0	59·0	61·9	64·0	59·3	61·5
20	53·8	61·0	61·0	69·0	60·7	68·0	60·9	63·1	70·5	56·0	65·5	67·3	70·7	61·5	68·8
21	57·0	67·0	63·4	69·0	67 2	69·5	67·3	68·1	71·9	59·0	71·5	68·5	63·0	70·8	66·7
22	62·0	68·6	69·9	....	69·0	....	68·6	67·4	77·7	64·7	67·0	73·8	60·0	69·9	70·2
23	52·3	63·4	73·4	72·7	61·7	71·8	69·0	70·7	68·2	65·5	73·5	72·2	72·3	64·8	70·4
24	49·3	61·1	66·1	67·7	58·5	67·7	67·0	65·1	65·8	60·5	69·0	62·1	68·7	60·1	64·8
25	48·7	60·3	65·6	66·7	52·5	61·8	60·4	60·8	58·2	60·3	58·5	59·6	61·8	54·8	58·3
26	63·0	52·7	61·7	58·7	46·3	55·5	49·2	56·1	48·1	59·4	51·0	53·1	56·2	44·3	53·1
27	60·3	60·7	55·8	57·7	47·1	59·5	49·9	54·4	51·9	59·7	49·5	56·0	55·3	46·5	54·4
28	56·5	61·3	60·2	62·7	47·8	61·5	56·2	57·4	56·6	57·4	58·5	60·8	55·0	49·5	58·1
29	47·3	60·0	62·2	....	61·5	....	60·1	62·1	66·4	59·3	56·0	61·1	60·7	56·1	61·6
30	50·0	66·6	62·5	68·4	64·8	66·0	63·2	66·8	66·1	61·0	67·0	69·1	54·0	66·3	65·8
31	50·2	66·5	66·7	66·0	63·2	62·3	59·4	58·8	61·0	61·7	60·5	58·3	55·3	61·5	63·8
	51·03	58·99	62·10	63·26	52·62	58·93	59·46	60·78	61·58	58·85	60·76	61·63	58·04	57·08	61·24

TABLE XII.—*May*, 1887. *Daily Mean Temperature.*

Stratford.	Simcoe.	Sprucedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
55·9	....	50·7	48·0	48 5	55 0	....	41·2	56·4	35·9	39·7	36·7	44·5	35·6	38·7	1
65·2	65·3	66·3	50·0	54·0	66·0	71·7	42·5	69·1	37·3	34·0	39·8	63·5	34·2	37·8	2
61·3	64·0	57·5	34·0	59·9	63·5	64·0	35·7	61·9	38·7	40·0	41·0	67·5	36·7	45·5	3
53·6	58·7	51·7	45·0	52·8	56·6	59·3	40·0	55·7	42·4	40·5	38·2	56·5	37·2	42·5	4
57·0	56·7	53·5	58·1	53·9	55·6	52·9	46·0	51·1	35·6	40·0	36·5	52·0	35·0	42·3	5
58·1	61·7	58·3	60·0	58·7	58·5	57·8	48·2	56·6	39·7	39·0	41·7	57·5	34·0	39·7	6
60·6	61·2	62·5	61·2	57·1	59·0	64·5	55·0	60·4	40·8	44·8	38·0	55·0	38·0	46·2	7
65·1	....	67·8	67·5	61·4	64·6	...	75·7	60·9	41·0	44·3	38·2	69·5	36·7	43·5	8
67·7	65·7	63·5	72·1	60·9	65·8	66·5	68·3	64·8	39·1	45·0	39·3	68·0	35·2	44·0	9
67·9	67·0	61·0	58·8	67·3	68·3	67·3	62·7	61·7	42·3	45·0	37·2	69·5	38·4	45·0	10
64·1	63·7	58·3	64·0	59·9	61·2	66 6	66·5	64·4	36·8	37·2	38·5	56·0	34·2	40·3	11
66·8	66·3	54·5	66·5	60·6	65·6	66·5	69·5	59·6	37·2	38·3	39·7	47·5	34 2	42·5	12
61·1	58·5	47·3	63·4	54·6	59·7	67·2	66·0	61·4	38·0	39·5	40·3	....	35·2	41·7	13
58·1	57·3	52·2	64·0	55·2	54·7	57·4	59·3	57·1	38·7	38·7	41·5	53·5	35·4	48·0	14
65·8	....	59·0	61·5	54·6	61·5	....	58·0	59·5	42·2	43·0	38·7	61 0	37·2	48 7	15
63·3	60·0	59·2	40·3	60·5	64·2	53·8	52·0	59 2	41·3	43·3	40·8	65·0	37·3	42·3	16
58·4	63·2	47·8	46·2	61·0	59·6	56·5	52·0	48·0	41·8	42·7	39·5	61·0	39·2	50 7	17
54·2	58·3	48·0	61·3	60·1	58·5	57 8	56·3	52·8	42·1	37·8	41·0	62·5	39·1	40·3	18
63·9	59·5	53·7	60·7	58·1	60·9	66·8	55·7	62·1	40·8	39·0	39·8	60·0	38·0	47·0	19
67·3	64·7	61·5	62·0	63·7	66·0	73·2	55·0	67·9	42·1	40·2	40·2	63 5	40·6	46·8	20
72·9	67·3	68·7	73·8	60·6	70·3	78·0	64·0	71·0	39·6	40·5	43·5	....	38·9	48 7	21
76·1	....	74·3	65·2	61·5	72·1	....	66·0	75 6	41·4	40 0	42·7	68·0	40·5	43 0	22
69·6	71·3	67·5	54·3	66·5	72·0	73·0	59·7	66·3	38·3	40·0	42·2	71·5	36·8	42·0	23
64·2	67·3	61·0	43·0	60·3	64·4	67·3	57·5	65·0	38·2	39·7	37·0	73·5	36·9	39·3	24
59·5	62·3	57·0	55·3	59·9	61·4	61·0	52·3	57·4	39·9	41·8	42·7	68·0	37·0	38·3	25
50·4	55·0	56·3	61·2	55·8	51·9	52·7	52·7	47 9	40·5	42·5	40 0	61·5	37·6	42 0	26
51·8	55·7	55·3	65·5	56·2	53·3	59·1	55·3	51·4	43·8	43·7	37·3	59·0	37·2	42·0	27
60·5	60·3	58·3	67·0	58·6	62·4	63·8	57·2	53·4	42·8	44·0	38·5	52·0	38·1	41·7	28
63·5	....	60·5	51·3	57·8	60·9	....	54·3	63·0	42·6	51·2	41·5	....	38·6	44·0	29
66·1	65·8	68·5	58·2	58·1	64·5	61·6	54·7	65·4	43·6	53·3	42·5	....	40·0	45·0	30
59·6	62·5	59·0	58·8	55·9	60·5	62·6	53·0	60·6	45 9	49·8	40·7	....	39·6	48·3	31
62·25	62·28	58·73	57·67	58·51	61·88	63·80	55·85	60·25	40·34	41·89	39·85	59·86	37·21	43 48	

TABLE XII.—*May*, 1887. *Daily Mean Temperature.*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Bathurst.	Chatham.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	34·3	41·0	41·1	38·5	36·2	41·3	47·5	40·1	50·5	51·3	47·7	36·3	45·0	....	47·4
2	35·7	50·2	41·2	38·3	36·3	35·5	55·0	38·0	62·1	58·3	42·0	37·2	52·5	46·7	40·5
3	34·7	57·5	52·2	41·7	58·0	38·5	68·5	52·3	64·6	66·8	57·1	36·5	62·5	43·0	44·0
4	33·3	51·5	47·5	46·8	45·5	35·7	63·5	46·8	56·5	59·1	55·4	48·3	57·9	56·7	54·0
5	33·7	45·5	45·3	43·0	40·5	32·0	51·5	42·0	53·6	55·8	49·1	41·2	46·8	57·3	44·1
6	36·3	48·8	45·8	44·7	42·5	33·3	56·6	41·1	54·5	54·5	46·8	43·5	54·5	45·0	43·4
7	37·0	49·2	51·8	48·3	49·3	36·7	53·0	49·3	54·9	54·3	51·6	51·7	52·5	50·7	53·9
8	34·7	59·8	56·2	48·2	45·7	37·3	61·0	46·2	61·6	62·8	60·2	53·8	59·2	....	55·5
9	33·0	57·5	53·4	43·0	41·7	34·5	66·0	44·3	66·3	68·3	55·6	41·0	63·7	50·0	47·7
10	33·0	61·2	53·6	49·0	47·3	35·2	66·0	47·8	69·2	71·6	64·4	55·7	66·5	60·7	62·5
11	33·7	48·5	....	40·0	35·7	33·0	54·5	39·7	57·1	59·3	52·5	45·3	55·3	47·3	46·7
12	33·3	43·5	41·1	41·0	39·3	34·3	51·0	40·9	53·3	55·0	48·0	45·5	45·8	....	65·7
13	34·0	44·0	....	40·7	40·2	34·0	48·0	42·3	49·4	53·2	51·0	45·5	49·8	49·7	43·8
14	34·0	49·5	54·1	40·8	41·8	36·0	56·5	47·3	54·2	59·8	53·5	48·5	51·4	47·0	43·5
15	34·0	59·8	61·3	53·5	53·5	34·5	62·5	60·3	63·9	67·9	63·6	48·3	58·5	....	58·9
16	34·7	60·7	59·3	43·0	53·8	36·7	61·0	47·9	61·7	66·8	62·9	53·7	61·9	55·0	60·1
17	36·0	58·0	53·0	48·3	45·3	39·8	61·0	51·0	61·6	64·6	56·4	47·0	59·1	51·3	57·8
18	34·0	47·5	44·3	39·8	40·0	36·5	59·0	40·9	58·5	58·6	46·7	46·3	55·2	45·0	44·8
19	33·0	52·5	50·0	43·0	43·3	35·5	61·5	45·8	61·1	62·1	57·3	47·0	62·2	49·7	55·2
20	34·3	52·0	49·8	47·0	43·2	36·7	57·0	47·9	59·2	57·4	54·9	55·8	56·2	57·7	55·6
21	32·3	58·2	51·5	47·7	40·0	31·5	57·5	49·6	60·5	62·7	58·8	51·7	61·7	....	50·2
22	30·0	57·5	48·0	43·5	45·7	33·3	68·5	44·0	70·1	69·3	50·4	44·3	67·9	....	49·9
23	29·3	70·0	59·8	43·0	42·5	32·0	71·5	43·6	70·9	73·4	62·7	44·2	72·8	49·0	51·4
24	29·7	69·3	47·5	41·8	40·3	35·0	72·5	39·4	68·0	70·5	48·4	40·3	70·9	....	48·8
25	34·3	63·0	49·4	40·5	41·0	38·7	68·5	38·5	64·0	66·1	47·8	47·7	64·7	53·0	62·4
26	34·7	58·2	49·0	42·5	42·5	33·0	62·5	43·3	61·9	62·3	48·8	47·8	63·8	53·7	52·2
27	34·7	47·8	50·4	43·0	44·0	33·0	54·5	41·5	53·0	53·5	48·3	41·7	55·1	49·0	44·8
28	34·7	47·7	51·8	41·8	42·7	34·3	56·0	42·8	52·5	55·9	50·1	46·0	53·9	49·3	45·4
29	33·0	50·8	54·6	44·7	42·0	35·5	53·5	45·8	53·2	55·3	55·7	52·0	53·0	....	49·8
30	31·0	51·7	....	46·0	44·0	38·2	56·0	45·1	57·0	60·6	54·0	50·2	56·9	56·3	47·3
31	34·7	58·3	57·4	51·2	52·0	43·5	63·5	48·3	63·3	65·1	59·8	55·0	63·0	55·7	52·7
	33·71	53·89	50·72	44·01	43·82	35·65	59·21	44·95	59·62	61·37	53·59	46·78	58·73	51·25	50·32

TABLE XII.—*May*, 1887. *Daily Mean Temperature.*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	45·1	44·2	45·9	....	....	46·1	42·1	49·7	44·5	48·7	43·2	37·0	....	38·9	43·7	43·5	1
49·7	48·0	48·6	47·5	39·3	45·7	39·6	48 9	43·5	38·3	44·7	47·5	40·7	38·7	38·6	43·0	34·8	2
49·3	44·1	45·4	44·2	50·7	42·8	41·2	42·3	42·7	39·0	48·3	43·0	37·3	47·3	33·2	38·7	36·7	3
51·4	49·3	47·6	42·6	53·6	42·5	49·1	48·4	54·2	45·1	51·8	46·1	35·9	52·7	45·4	49·7	36·3	4
51·6	52·5	51·2	49·4	47·5	48·5	46·6	51·9	48·9	42·5	49·6	50·4	42·0	47·0	49·2	41·3	36·0	5
50·1	45·5	44·6	46·9	48·4	44·5	40·7	42·7	44·7	38·3	44·8	45·3	38·0	47·7	40·3	33·7	35·0	6
53·0	45·6	48·6	44·3	51·7	47·5	48·1	47·2	51·8	40·7	45·9	45·3	36·6	51·3	44·7	46·5	36·5	7
....	55·1	52·3	46·6	....	....	45·6	53·1	52·7	39·9	47·0	45·1	41·7	....	52·1	51·3	35·7	8
53·4	47·6	48·6	48·7	50·8	45·3	38·2	47·9	42·3	39·4	43·6	50·9	39·8	45·3	51·4	34·3	37·8	9
62·7	60·5	65·0	50·5	64·3	52·3	52·1	57·2	52·7	44·7	43·9	49·1	40·7	53·3	45·4	39·3	36·0	10
50·9	51·8	53·2	52·6	49·9	50·5	40·5	50·3	43·8	42·3	41·6	49·8	39·3	53·3	57·8	39·7	35·5	11
44·4	44·1	43·8	44 6	44·2	42·5	39·6	43·3	40·9	40·1	42·2	43·3	38·3	44·0	42·4	38·5	35·2	12
48·4	43·8	45·5	45·5	48·6	45·3	37·5	43·1	40·7	39·5	40·6	43·8	40·0	45·7	42·9	42·0	34·0	13
48·3	46·0	46·9	46·3	49·9	45·7	37·7	44·0	38·3	38·0	38·1	46·8	38·5	47·7	36·8	39·7	35·0	14
....	49·3	50·6	49·1	....	....	42·3	41·1	48·7	36·6	47·4	45·0	38·3	....	46·2	49·3	37·3	15
57·2	49·8	50·2	47·9	61·3	44·5	42·4	44·8	52·5	41·8	52·7	47·1	37·2	49·0	54·4	48·3	39·2	16
59·2	51·3	49·7	51·2	58·0	50·3	49·2	48·1	56·9	50·6	58·7	55·5	42·5	52·7	53·8	59·7	40·5	17
48·3	47·3	49·6	49·7	49·4	49·5	54·5	52·8	65·2	48·7	67·7	53·6	43·3	57·7	57·4	62·0	45·0	18
56·2	51·4	51·4	46·3	57.1	48·5	49·4	55·7	52·5	48·4	56·4	47·5	43.2	57·3	43·1	59·8	40·8	19
55·4	52·8	53·2	52·6	51·5	50·3	50·7	56·4	55·3	49·4	55·3	51·2	44·5	55·7	54·5	56·0	46·5	20
58·7	53·8	58·4	55·7	54·7	50·7	46·3	53·2	55·3	45·6	54·4	55·5	44·8	50·3	47·8	49·2	37·7	21
....	45·1	45·9	46·7	....	....	41·1	47·3	43·3	43·4	43·8	47·0	43·0	....	42·8	33·7	34·3	22
61·9	58·5	51·5	47·6	69·7	42·5	39·9	56·7	53·7	44·3	51·5	51·0	41·7	55·0	47·9	40·3	38·2	23
61·7	56·3	53·9	51·4	70·5	50·0	40·1	46·9	56·0	45·7	60·9	51·9	39·5	58·0	51·6	35·7	41·0	24
63·6	52·4	54·5	51·2	65·0	49·0	45·8	59·7	60·5	51·0	62·7	56·4	41·3	53·0	58·6	37·7	41·3	25
60·6	54·5	56·2	52·4	63·5	47·5	58·9	56·1	67·0	50·3	61·1	51·5	42·5	54·0	66·5	43·7	39·7	26
47·6	44·1	47·9	47·1	47·4	45·7	47·7	51·1	43·0	51·0	48·4	56·5	40·8	51·3	54·4	54·5	43·0	27
44·9	44·3	43·2	44·2	48·2	45·8	42·8	47·7	43·9	49·3	47·8	50·5	40·3	46·7	42·2	45·7	45·0	28
....	46·5	47·2	49·2	....	....	49·0	52·2	46·5	49·7	50·7	50·3	46·5	....	43·4	63·7	45·8	29
48·7	48·6	49·4	48·3	48·4	50·3	43·7	50·6	45·4	53·0	52·1	51·3	45·3	53·7	43·1	42·8	44·7	30
56·1	52·1	53·4	52·5	56·0	53·0	46·8	54·4	46·0	44·5	59·8	52·1	48·7	55·0	44·0	36·7	46·0	31
53·59	49·58	50·05	48·34	54·01	47·53	44·95	49·60	49·63	44·37	50·26	49·14	42·29	50·06	47·45	45·16	39·16	

TABLE XIII.—*June*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	51·0	45·0	48·0	52·9	....	52·7	53·5	51·2	41·5	55·3	52·0	61·7	....	55·3	48·1	55·3
2	50·5	47·0	47·0	54·3	....	53·8	52·2	53·6	46·5	52·1	51·5	54·5	....	49·7	48·1	45·5
3	53·5	46·2	66·2	49·2	....	....	53·2	53·2	42·4	52·3	56·0	50·7	....	54·0	48·8	54·0
4	50·0	57·5	55·3	56·0	....	56·5	59·2	50·6	46·9	56·3	51·7	63·5	....	53·7	50·1	57·8
5	53·5	59·4	50·0	50·7	....	52·9	59·9	50·6	34·8	53·6	....	47·0	....	....	52·7	43·7
6	55·0	51·7	47·5	56·3	....	55·5	55·6	47·3	44·2	58·8	56·7	55·3	....	41·3	50·0	51·5
7	54·5	46·3	54·7	58·5	....	53·5	53·8	57·5	53·5	52·9	51·3	51·0	....	50·7	51·7	51·3
8	56·0	49·1	63·0	59·7	....	61·0	56·7	62·1	54·5	59·4	57·5	55·5	....	56·6	54·7	58·7
9	54·0	47·9	64·8	63·8	....	65·0	60·8	64·6	60·2	64·6	60·6	62·7	....	61·3	59·0	58·3
10	52·0	53·7	60·2	68·7	....	63·0	63·1	61·4	52·2	64·8	63·9	54·0	....	60·3	66·5	61·5
11	54·0	50·0	61·0	58·5	....	59·8	60·5	59·5	56·2	60·0	53·5	51·5	....	51·7	58·9	61·0
12	58·0	47·4	73·3	59·5	....	....	64·2	69·1	49·9	60·3	....	62·3	....	59·6	61·9	59·0
13	59·0	50·9	70·5	69·5	....	68·0	69·1	64·3	53·6	66·7	71·3	77·5	....	62·0	67·7	68·5
14	55·5	52·7	67·2	69·3	....	....	66·4	66·0	60·7	68·8	69·2	66·7	....	61·0	63·7	66·3
15	57·5	49·9	58·8	69·2	....	68·9	66·8	60·8	61·2	69·7	63·7	71·3	.. .	61·6	65·0	59·5
16	56·0	49·4	57·0	64·7	....	64·0	58·1	63·2	58·4	65·0	62·8	68·0	....	59·7	59·4	67·3
17	54·5	48·4	63·0	59·5	....	60·3	62·5	60·4	54·3	61·7	61·7	66·3	....	61·7	62·1	65·0
18	57·0	47·5	68·0	63·7	....	....	65·0	64·1	59·3	64·0	60·0	72·0	....	59·7	64·0	68·3
19	54·5	50·6	59·5	61·0	....	61·0	63·0	59·9	51·9	61·7	....	70·0	....	....	56·7	64·2
20	66·0	53·8	65·3	53·7	....	53·7	59·3	60·2	57·9	54·7	55·2	72·0	....	61·6	58·0	60·5
21	61·5	53·1	67·3	53·2	....	....	59·4	67·8	67·2	57·0	57·0	72·8	....	59·6	60·0	59·0
22	61·5	49·0	69·5	58·0	....	56·8	59·4	68·3	69·6	58·3	62·0	75·0	....	60·3	62·3	58·3
23	55·0	46·2	72·5	62·7	....	....	60·0	72·8	57·0	63·0	64·7	72·5	....	63·0	69·6	66·3
24	55·0	46·8	60·0	66·3	....	66·0	66·2	58·6	47·3	66·7	63·8	74·7	....	64·3	61·0	64·7
25	54·0	50·0	59·7	73·3	....	73·5	60·2	57·9	48·4	75·7	70·5	72·5	....	58·0	58·3	....
26	55·0	60·0	51·0	68·0	....	66·0	67·3	50·6	45·7	71·8	....	60·5	....	64·6	52·7	....
27	54·5	59·0	57·8	55·5	....	51·5	54·6	58·2	55·4	58·3	52·7	61·3	....	62·7	54·3	....
28	55·0	58·0	61·3	57·8	....	....	61·1	62·1	56·2	66·7	60·5	72·0	....	65·0	62·0	....
29	53·0	56·6	66·7	59·0	....	58·5	46·7	64·6	59·7	61·7	63·0	63·0	....	62·6	63·3	....
30	55·0	57·8	66·0	60·3	....	58·0	60·8	66·1	59·2	50·3	57·0	63·5	....	62·3	63·3	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	55·23	51·36	60·90	60·40	....	59·99	59·95	60·22	53·52	61·36	59·56	63·62	....	58·71	58·46	59·67

TABLE XIII.—*June*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Somerford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
64·0	53·8	47·3	63·7	51·8	63·1	50·0	65·0	63·0	58·7	50·5	53·2	53·6	55 9	58·1	1
59·0	54·0	56·6	60·0	56·2	63·5	48·0	53·5	62·0	58·8	51·9	58·5	56·2	60·4	58·5	2
44·5	41·1	43·1	53·5	42·5	54·4	45·7	59·0	50·5	49·0	40·3	58·8	60·2	61·6	57·2	3
60·0	52·1	54·6	57·8	56·5	56·1	55·0	47·5	55·0	50·4	45·2	54·7	65·1	66·0	61·7	4
57·5	57·0	52·4	63·2	64·5	....	57·5	62·0	61·5	61·2	51·0	65·0	65·3	....	68·5	5
62·5	60·8	56·6	67·3	65·8	65·8	63·2	61·0	66·0	65·0	53·5	66·5	63·1	66·4	68·3	6
62·5	57·0	50·6	62 5	51·5	62·6	55·0	67·5	63·0	59·2	50·2	64·5	62·6	66·5	66·6	7
67·5	58·3	58·1	65·5	65·5	62·8	58·5	56·3	64·7	58·1	48·3	67·5	67·6	70·0	68·5	8
75·0	67·9	63·3	68·0	69·5	69·1	69·0	65·8	69·5	63·5	65·1	56·2	63·3	59·3	60·1	9
77·5	66·0	67·8	68·5	68·5	70·9	66·3	73·5	72·0	67·2	59·5	59·5	61·5	61·1	60·0	10
73·5	66·9	62·6	70·3	66·0	69·4	63·7	73·8	72·0	67·9	....	67·0	62·8	65·0	67·0	11
77·5	57·4	58·9	59·0	61·3	....	58·0	65·8	57·0	56·3	....	65·0	66·3	....	66·5	12
78·0	65·6	66·5	70·2	71·5	70·3	68·3	58·0	67·8	69·0	61·5	65·0	67·7	68·4	67·0	13
78·5	74·9	73·0	76 5	74·0	76·6	76·3	75·8	75·5	78·1	69·7	65·0	68·7	65·7	61·9	14
73·5	69·1	69·0	71·0	71·5	71·9	71·2	78·3	70·7	70·5	67·4	67·7	69·7	69·1	70·1	15
68·0	64·7	63·0	70·0	67·2	70·8	65·3	72·0	66·0	68·1	....	68·8	70·3	76·4	72·0	16
65·0	59·2	56·2	65·8	65·2	64·5	62·7	68·8	64·5	65·0	68·5	56·5	63 8	64·0	62·3	17
77·5	62·6	62·0	65·5	65·5	65·5	63·0	63·2	65·5	61·6	55·3	62·0	62·8	....	66·3	18
67·5	64·4	63·0	68·7	67·8	....	65·5	68·0	69·0	62·8	53·5	60·3	66·0	....	60·7	19
64·0	57·7	54·4	57·0	52·7	58·5	54·0	67·3	60·0	58·0	51·8	63·5	68·5	69·8	65·0	20
57·0	55·8	54·7	56·0	53·5	55·4	54·3	57·2	52·0	54·1	52·5	58·7	62·0	64·6	60·3	21
62·0	54·6	55·6	56·5	53·3	55·2	58·5	56·7	48·7	54·2	53·1	57·0	63·3	63·9	59·7	22
71·5	59·5	60·1	60·0	63·5	56·4	59·8	35·3	57 5	46·3	55·6	51·2	53·7	59·3	52·3	23
72·0	62·0	63 3	62·0	67·8	61·2	63·0	60·2	60·0	51·0	66·0	48·3	51·7	53·6	51·7	24
79·5	69·6	71·5	68·8	76·2	68·1	72·8	68·5	68·5	64·7	64·3	51·5	53·2	58·6	56·3	25
76·0	71·7	69·0	76·5	71·7	....	71·7	75·3	72·5	77·7	67·5	58·0	57·4	....	59·2	26
69·0	57·6	54·6	65·5	55·0	66·6	58·3	69·0	63·5	62·4	66·3	60·0	57·4	66·5	61·3	27
79·0	64·1	61·0	65·2	66·2	66·9	60·7	57·8	67·5	66·5	71·0	60·0	67·5	69·2	62·0	28
75·0	59·3	61·3	62·8	67·0	65·0	59·3	70·3	61·5	66·0	69·5	73·5	69·8	74 6	67·0	29
78·5	64·9	64·0	68·2	61·8	69·5	63·7	66·0	68·0	68·8	63·7	69·5	75·4	76·3	70·2	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
66·80	60·98	59·80	64·85	63·03	64·62	61·28	64·60	63·85	61·93	58·26	61·10	63·20	62·78	62·86	

TABLE XIII.—*June*, 1887. *Daily Mean Temperature*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	58·0	56·7	63·5	50·0	56·0	58·5	57·0	56·2	60·3	57·7	56·3	53·5	52·7	58·9	59·3
2	60·2	60·0	68·0	65·6	58·6	62·0	61·2	60·3	64·5	60·0	57·7	57·0	57·6	61·6	57·2
3	57·8	61·8	77·5	63·5	61·2	64·4	66·0	57·8	62·9	62 0	60·3	60·5	60·6	59·7	52·7
4	63·7	66·5	57·5	60·7	70·8	67·7	69·3	66·5	67·8	70·3	68·0	70·0	69·3	68·5	65·1
5	67·4	68·7	71·5	70·0	68·5	65·5	68·0	67·3	69·0	67·7	69·0	66·3	....	65·6	68·5
6	68·2	64·5	74·7	69·9	66·0	67·0	66·0	69·1	62·4	68·3	67·7	64·5	64·3	63·3	66·8
7	66·5	64·3	82·0	68·9	67·3	66·0	70·3	66·6	65·4	72·0	....	65·0	64·2	65·7	65·8
8	69·3	69·5	62·8	71·9	72·3	72·5	65·5	69·4	67·0	72·7	71·0	72·7	70·2	71·4	69·7
9	60·0	65·0	67·5	63·1	63·3	58·8	54·3	57·3	63·4	59·0	59·7	62·8	65·3	65·4	58·1
10	60·4	65·0	73·5	67·3	64·4	61·7	59·0	58·8	66·4	67 0	69·7	58·5	63·3	66·0	62·0
11	63·2	70·5	69·2	69·2	61·6	61·7	63·5	63·1	66·3	69·7	64·0	65·0	64·7	64·0	65·7
12	65·5	69·7	83·0	72·6	65·9	62·2	64·0	63·5	66·5	67·7	65·3	66·3	....	64·6	66·4
13	68·3	70·0	64·0	70·9	67·8	66·7	66·0	67·3	68·0	67·3	65·0	69·7	67·8	65 2	65·0
14	65·4	70·3	63·0	64·0	66·8	68·5	67·0	63·2	66·5	71·7	69·7	72·8	68·7	69·6	68·7
15	67·8	70·7	80·0	69·2	69·6	71·5	65·5	68·3	68·0	74·3	71·3	73·0	71·1	70·4	72·7
16	70·7	77·0	64·5	66·5	72·6	77·3	63·2	70·1	71·6	75·7	74·3	74·3	75·3	75·3	72·5
17	60·3	63·5	64·7	60·7	62·4	75·3	52·7	56·8	65·2	65·0	....	61·0	60 8	61·6	72·5
18	61·9	64·8	72·3	61·3	64·0	74·7	55·3	59 8	66·3	62·0	64·0	64·5	64·3	64·4	58·2
19	61·4	65·5	77·2	63·7	64·2	70·8	60·2	61·0	63·5	....	....	67·0	....	68 8	64·5
20	64·9	68·8	57·8	64·2	67·1	71·3	64·8	64·8	64·8	70·7	68·3	69·5	67·8	67·3	66·4
21	62·2	63·2	57·7	73·8	66·2	67·0	59·0	61·0	68 7	65 7	65·7	64·7	65·6	65·0	65·0
22	56·1	64·8	50·8	64·9	58·4	62·7	58·8	54·3	68·4	63·0	59·3	58·5	60·4	61·3	63·6
23	53·6	62·5	50·0	68·4	57·7	58·5	51·5	52·1	67·1	55·7	....	57·5	58·2	56·7	58·0
24	51·4	61·5	58·0	65·4	53·6	58·0	49·0	50·6	64·1	55·0	52·7	55·7	54·8	55·5	57·2
25	54·5	64·5	72·5	62·3	56·7	64·3	53·2	52·4	65·0	59·3	58·0	61·3	60·0	61·0	59·2
26	58·0	66·7	75·0	64·6	61·2	63·0	62·5	58·8	65·2	63·0	54·3	61·5	....	61·0	61·8
27	59·4	70 0	85·3	64·4	64·2	64·0	65·0	58·8	68·8	66·0	61·7	65·7	63·6	63·7	63·5
28	63·5	73 0	75·7	71·0	68·5	66·5	71·3	63·6	70·5	71·3	67.7	68·7	70·7	67·5	68·0
29	66·6	79·3	84·5	74·7	71·8	70·8	73·0	66·5	72·1	75·3	70·0	70·7	73·7	70·7	71·6
30	69·5	79·7	73 3	75·7	74·2	73·6	72·0	69·9	76·1	77·7	75·7	75·3	75·1	....	76·9
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	62·52	67 27	69·23	66·87	64·77	66·42	62·44	61·84	66·76	66·64	64·54	65·12	65·01	65·22	64·75

TABLE XIII.—*June*, 1887. *Daily Mean Temperature.*

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
57·7	55 5	62·3	50·4	59·9	58·2	58·5	60·0	58·0	60·0	57·9	59·3	58·0	60·0	56·7	1
59·6	59·0	58·2	52·4	62·5	56·9	60·9	58·0	61·2	58·7	60·7	62·6	64 2	59·0	65·4	2
59 7	59·9	63·5	63·7	59·8	61·1	60·7	57·3	62·5	57·2	61·8	59·3	65·7	62 3	65·9	3
63·7	66·5	55 8	71·4	65·6	64·7	67·0	68·0	66·2	64 3	66·1	58·9	58·3	67·8	63·3	4
69·2	66·3	63·2	62.7	66·1	68·0	68·0	68·0	64·0	69·9	67·9	60·3	60 0	67·7	69·7	5
68·5	68·7	67·3	56·9	64·5	64·0	66·6	62·7	65 5	69·7	67·6	65·8	62 8	67·5	68 8	6
65·6	73·0	61·2	62·2	68 5	64·8	67·9	67·7	64·0	65·2	69·4	68·1	63·0	61·5	69·9	7
70·2	69·7	53·0	72·0	63·3	67·9	71·0	70·7	67·7	71·4	75·1	61·3	58·2	67·8	72·4	8
62·0	56·8	....	65·5	65·4	62 7	66·0	63·7	63·5	61·0	63·5	63·1	60·5	60·7	66·8	9
61·8	60·2	55·8	63·1	66·8	63·6	61·5	62·3	63·5	63·0	62·6	64·5	61·5	65·5	66·9	10
67·3	68·9	....	62·5	65·9	63·3	64·0	63·3	66·8	66·4	61·7	63·8	58·3	65·8	67·1	11
69·6	66·0	....	67·9	65·0	65·8	64·0	65·0	68·5	67·8	63·4	59·3	61·0	69·0	71·0	12
69·1	69·0	60·5	68·8	67 2	68·6	64·5	65·3	69·2	68·7	67·5	61·4	62·7	66·0	73·4	13
63·8	68·3	....	67·2	67·7	64·4	71·4	70·0	66·5	71·2	69 5	61·8	58·5	66·7	66·2	14
69·4	70·0	56·5	69·2	67·0	68 5	71·7	69·3	69·8	71·4	63·8	63 2	62·3	72·0	68·7	15
73·2	65·0	66·5	79·0	70·3	74·9	76·0	73·7	71·0	75·9	73·4	62·1	58·2	76·0	67·2	16
63·8	56·0	52·3	60·0	65·7	61·2	70·5	67·7	56·7	71·9	63·2	69 5	55·0	64·3	61·9	17
64·1	58·7	....	61·8	65·8	63·4	65·1	70·0	61·2	63·9	64·5	65·5	55·5	64·2	62·2	18
63·2	61·6	....	66·9	60·6	61·5	70·6	66·7	64·8	67·0	65·7	56·1	63·5	67·0	60·4	19
63·6	61·5	59·0	67·9	64·5	65·2	70·6	64·7	68·5	66·4	70·1	60·4	63·3	71·0	62·2	20
64·4	56·7	45·2	68·9	67·5	61·4	67·3	66·0	67·0	66·9	63·4	65·1	52·0	67 0	70·4	21
57·9	59·4	44·8	69·7	67·1	62·9	62·3	57·7	....	63·5	60·2	64·3	46·5	65·7	66·8	22
58·3	53·0	....	65·4	65·8	61·0	59 4	59·7	56·0	57·4	54·6	60·9	46·0	64·7	69·0	23
55·4	49·7	....	61·0	62·4	64·6	55·9	52·7	54·3	56·4	54·2	60·3	51·0	54·5	60·5	24
57·0	52 9	....	67·1	61·6	56 2	62·5	56·7	57 0	59·0	58·4	55·8	56·2	61·5	59·7	25
62·1	57·8	63·7	65·7	62·3	60·7	61·7	59·3	62·2	60·3	58·7	59·7	58·8	62·3	62·8	26
62·0	63·7	58·0	68·2	62·7	64·2	63 7	61·3	62·0	60·4	60·9	60·3	63·3	64·0	64·7	27
67·9	67·5	58·8	70·1	67·9	67·5	67·6	64·7	70·5	64·5	63·0	61·0	68·5	66 2	71·5	28
67·0	69·6	....	74·7	68·7	69·9	69·9	65·0	70·7	69·5	66·2	65·1	63·7	73·5	76·4	29
72·7	73·7	67·7	77·1	69·5	71·0	74·2	70·3	74 5	73·4	66·2	64·5	61·0	73 8	76·1	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	31
64·33	62·74	57·98	65·98	65·26	63·94	66·04	64·13	64·60	65 41	64·00	61·84	59·47	65·83	66 81	

TABLE XIII.—*June*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	54·3	62·1	62·5	63·4	59·8	60·3	58·5	60·1	58·0	57·1	57·5	55·3	49 2	59·1	56·4
2	60 3	61·1	65·0	63·0	55·0	64·0	61·2	59·4	59·6	63·0	60·0	59·4	51·8	56·4	58·8
3	59·0	59 4	64·7	65·7	50·5	65·0	62·1	61·4	62·5	62·7	64·0	61·9	65·7	50·8	61 0
4	57·8	61·8	65·3	72·0	61·7	67·8	63·9	65·4	69·4	64·7	67·0	69·9	72·0	62·5	69·1
5	56·3	68 3	70·5	....	66·6	....	66·5	69·4	68·4	66·0	66·5	66·4	61·0	64·2	66·4
6	60·2	71·3	71·1	66·0	63·3	68·7	67·3	67·4	68·4	68·6	71·0	65·6	53·5	67·2	65·5
7	60 3	67·0	68·4	64·4	59·7	68·3	66·3	66·1	68·4	65·6	71·0	64·9	58·5	61·1	64·7
8	60·0	68·0	70·0	71·4	69 0	71·5	65·4	68·8	....	69·4	70·5	70·3	73·0	66·3	71·8
9	55·0	61·3	65·0	68·0	50·6	73·5	69·2	68·4	....	61·8	63·0	66·2	68·3	57·8	64·0
10	56·0	63·0	66·6	72 0	51·8	71·5	63·4	65·4	58·0	61·7	63·5	64·5	61·0	61·1	64·5
11	57·0	67·3	70·0	69·4	61·6	64·0	64·4	68·1	64·8	63·0	61·5	64·7	63·0	58·8	65·8
12	57·3	64·8	72·6	....	62·7	....	64·6	68·7	67·7	64·7	64·5	66·6	65·0	63·4	66·7
13	57·0	64·0	71·3	73·0	60·0	72·0	64·7	65·8	64·9	69·7	64·5	65·7	64·7	59·0	67·4
14	58·7	64·6	65·4	72·0	60·3	70·5	67·2	68·8	70·1	62·7	66·5	70 9	63·5	60·8	66·4
15	61·0	69·3	74·1	73·0	67·2	70·5	69·0	69·4	72·5	68·7	70·5	72·0	64·2	66·6	69·5
16	65·7	69·6	66·9	78·7	65·9	77·0	71·1	72·8	75·6	65·3	75·5	74·9	78·0	71·4	74·0
17	51·9	61·0	57·8	70·0	65·0	79·3	70·3	66·8	71·9	59·3	77·0	61·8	56·8	64·7	61·3
18	51·0	63·3	61·8	67·7	60·8	74·2	69·5	64·1	69·9	57·3	72 5	65·1	61·0	57·4	61·5
19	68·0	62·3	61·5	....	61·7	....	71·3	71·4	71·8	58 4	73·5	72·2	66·5	59·6	63·0
20	55·2	64·0	65·9	69·7	62·0	73·0	70·8	70·1	71·4	64·3	69·5	70 5	67·2	57·9	68·1
21	54·2	63·3	70·0	67·7	61·5	71·5	68·5	68·1	67·9	62·3	67 5	65·2	68·8	57·1	61·9
22	49·3	62·3	66·9	66·4	61·0	68·0	63·8	64·1	64·3	61·8	66·5	63·9	69·0	60·0	61·0
23	51·3	54 8	63·6	64·4	54·0	61·0	59 7	61·1	57·0	61·1	57 5	59·6	63·0	53·6	58·5
24	50·0	53 7	61·1	58·0	58·7	60·5	56·6	56·4	59·2	55·7	63·5	55·5	55·7	54·0	54·8
25	54·3	56·0	59·1	60·7	54·7	69·0	65·3	61·1	61·9	54 8	66·0	63·0	65·2	51·4	57·9
26	55·7	60·3	62·6	...	57·5	....	60·1	59·8	62·4	55·1	60·5	63 6	52·5	54·1	58·9
27	60·7	60·8	65·5	69·7	59·8	67·8	61·8	61·8	68·1	62·0	60·5	66·1	66·0	59·8	64·9
28	69·7	63·0	74·3	73·0	64 3	68·5	65·6	66·4	69·4	68·1	63·5	70·4	65·8	62·7	68·8
29	60·3	68·1	76·4	75·7	67·0	71·7	66·9	67·4	70·8	71·4	66·5	74·1	69·2	65·1	72·4
30	61·3	72·3	76·1	74·4	74·7	76·0	69·6	71·4	76·8	72·3	72·0	74·7	76·8	72·5	72·8
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	57·56	63·61	67·07	68·83	60·98	69·45	65·49	65·84	66·83	63·29	66·45	65·99	64·15	60·55	64·59

TABLE XIII.—*June*, 1887. *Daily Mean Temperature.*

Stratford.	Simcoe.	Spruedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
56·1	59·0	45·3	60·7	54·5	57·7	59·1	55 5	58·0	52 0	58·5	46·7	....	41·0	55·0	1
59·1	58·5	54·5	66·3	57·5	59·6	60·3	59·7	58·1	47·6	49·7	42·5	....	41 8	47·7	2
56·6	60·7	57 0	74·2	60·0	60·1	65·0	59·0	62·2	47·8	56·3	44·8	....	43 8	43·5	3
71·0	67·3	68·5	57·5	65·6	68·2	71·9	54·3	68 3	48·2	61·0	40 3	58 5	43·4	46·2	4
66·4	....	69·7	61·5	63·9	67·6	....	61·5	68·0	48 7	54·0	48·7	....	44·9	50 5	5
64·8	66·5	69·0	66·5	62·5	64·6	70·7	66·7	68·4	49·2	55·3	52·5	67·5	45·6	55·5	6
67.2	66·5	69·3	70·8	63·0	67·6	69·9	70·7	67·4	47·8	58·2	50 3	....	43·5	54 3	7
70·3	69·2	65·0	60·7	67·6	71·0	74·8	46·7	71·3	46·4	58·3	41·7	....	44·4	54 9	8
64·5	68·0	63·3	69·0	64·1	66 9	65 3	50·5	52·9	4 ·2	55·2	53·0	....	43·4	50·0	9
64 8	64·3	48·7	67·3	63·8	64·4	64 2	67·3	56 2	47 6	53·5	47·0	....	47·4	47·3	10
65·9	65·3	62·7	67·2	63·5	64·5	65·7	56·5	63 1	53 9	55·8	51·0	70·0	46 1	51·7	11
66·8	....	66·8	72·0	63·7	63·4	....	54·7	64·9	55·1	58 2	55·7	67·0	47 5	59·0	12
66·5	65·7	65·5	64·8	69·6	65·8	72·5	55·5	63 9	49·3	54·5	47·7	68·5	45·7	50·3	13
71·9	67·3	72·8	65·2	64·9	72·5	74·7	57·3	67·3	43 5	54·5	45·5	66 5	44·6	53·7	14
73·2	70·7	68·3	68·8	64·9	72 3	72 9	63·7	71·4	50·9	48 5	54 0	68·5	46 5	55·8	15
75·2	74·0	57·8	68·7	76·4	76·1	78·5	61·5	75·5	47·4	54·5	48·7	69·5	46·0	56·7	16
66·3	67·0	55·5	55·0	60·4	65·8	77·4	48 3	71·9	45·4	47·2	49·0	61·0	44·8	49·8	17
62·9	65·7	49·7	61·8	61·6	65·4	74·9	55·0	67·0	44·0	47·5	47·5	64·0	44·8	53·5	18
70·3	....	68·3	72·0	60·4	70·5	....	59·7	68·4	48·7	55·5	57·3	....	50·3	55·3	19
73 0	70·3	67·0	66·0	63·5	71·3	72·7	63·5	69·1	46·9	56·5	49.3	65·0	45·8	47·7	20
68·9	68·3	56 3	47·2	64·2	68·0	69·3	51·5	63·5	44·1	52·2	48·2	71·5	46·3	48·7	21
59·1	66·0	54·3	39·0	63·1	64·4	67·6	49·0	62·6	49·8	53·0	47·5	64·5	47 7	56·5	22
56·5	61·0	54·0	46·5	61·3	59·1	57·2	49·3	56·3	53·9	57·5	46·5	66·0	53·7	47·0	23
54·1	56·3	51·3	57·3	57·5	55·6	58·5	48·7	57·7	53·6	59·0	51·7	61·5	54·5	48·0	24
62·7	65·0	55·7	59·2	61·2	64·1	68·0	49·0	62 5	57 8	52 3	53·3	66 5	53·2	52·2	25
63·9	....	59·5	66·5	62·2	61·2	....	56·0	59·1	55·4	51·0	59·5	60·0	52 5	52·5	26
65·2	64·2	59·0	74·0	63·5	65·6	67·0	62·0	63·6	51·6	59·5	47 3	62·0	46·9	53·0	27
70·0	68·0	60·5	69·5	67·7	70·3	69·7	74·7	66·2	52·9	54·5	53·7	68·0	50·4	54·3	28
72·0	68·7	69·0	72·3	70·8	72·8	74·6	73·7	71·1	53·9	54·5	48·2	72·0	50·0	58 8	29
74.2	74·0	75·7	72·0	72·4	73·4	78·3	64·5	75·2	58·0	60·0	60·5	73·3	54·6	54·7	30
65·81	66·06	61·34	63·90	63·85	66·34	69·25	57·93	64·90	50·02	54·97	49·66	65·96	47·05	52·11	

TABLE XIII.—*June*, 1887. *Daily Mean Temperature.*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Pointe Des Monts.	Richmond.	Bathurst.	Chatham.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	34·0	59·5	61·1	63·0	57·7	39 8	63·0	57·2	57·1	58·8	62·7	58·5	59·8	63·7	64·3
2	33·3	67·5	66·8	47·8	50·3	34.5	68·3	50·0	61·5	65 7	64·2	47·0	68·4	56·3	51·9
3	31·7	60·5	56·5	45·5	47·7	35·5	61·0	43·2	61·6	60·7	51·6	47·3	59·5	49·7	47·0
4	30·7	51·5	58·0	48·3	54·5	37·5	59·0	45·0	56·9	59·5	55·4	54·5	56·4	54·3	49·1
5	32·3	58·0	58·3	56 2	57·8	39 0	65·0	42·4	62·7	61·4	61·0	54·3	57·4	....	57·0
6	33·0	59·0	65·1	56·5	55·5	35·7	79·0	56·0	69·3	67·4	66·0	54·5	67·0	71·3	59·4
7	32·3	62·7	61 3	56·5	56·2	34·5	71·5	53·7	69·5	68·5	64·4	56·0	65·4	61·2	57·5
8	32 3	67·0	63·1	60·3	57·0	38·5	60·5	55·2	69·5	72·6	67·0	55·3	69·1	56·3	61·5
9	33·7	58·0	60·2	52·7	53·0	35·3	66·0	50·3	62·0	64·4	61·4	56·0	59·4	59·3	53·8
10	35 3	58·0	62·3	52·0	55·0	39·2	71·5	49·3	61·8	66.4	58·5	55·2	59·7	59·0	54·1
11	33·3	62·7	67·2	64 3	62·3	42·0	70·5	58·5	64·5	68·9	64·6	57·5	61·9	63·0	61·8
12	34·3	66·0	68·4	64 2	65·7	38·0	69·0	58·1	66 0	71·4	69·0	55·3	67 6	....	70·7
13	35·3	65·5	65·6	53·0	51·3	35·5	73·0	51·4	67·6	72·1	67·6	57.5	71·6	69·7	66 1
14	32 3	55·5	57·8	51·7	51·8	38·0	70·0	52·9	61·4	65·1	57·5	57·0	62·6	59·7	53·5
15	36·7	62·3	61·6	60·3	61·0	42·3	66·0	57·8	66·8	68·8	66·2	58·0	65·5	60·3	58·1
16	34·3	61·5	66·8	59·0	59·0	47·7	63·5	59·2	65·3	66·0	67·0	50·2	65·3	62·3	56·5
17	35 7	54·0	56·8	48·5	47·5	37·8	59·5	50·9	59·4	61·9	57·1	51 0	55·7	60·0	56·5
18	35·7	53·0	51·3	52·3	50 0	42·5	55·0	55·6	58·5	61·5	57·3	56·5	55 5	60·7	56·4
19	39·0	58·0	59·8	55·5	56 3	46·5	58·0	57·7	60·1	62·9	62·4	56·7	62 6	....	61·0
20	36·7	61·2	61·3	48·5	50·3	45·5	69·0	49·7	61·6	65·2	58·9	57·3	61·6	63·0	57·3
21	38·7	66·0	66·6	49·0	58·3	50 2	64·5	48·8	69·1	68·3	62·9	56·7	68·6	....	67·6
22	36 3	60 7	63.6	55·0	57·5	39·5	64·5	57·3	61·3	61·3	63·3	54·0	65 7	55·3	61·2
23	36·3	62·5	67·6	52·0	59·3	50·5	67·0	56·5	65·6	67 3	65·2	52·0	65·7	74·7	72·3
24	38·7	60 5	62·6	58·7	66 0	47·3	64·0	50·5	61·9	64·8	65·7	56·7	66·0	68·0	69·7
25	51·7	54·2	60·8	57·8	57·5	53·7	58·0	53·7	60·7	62·7	59·9	59·0	60·1	69·7	64·8
26	51·7	57·8	63·1	58·3	57·5	41 0	63·5	56 6	62·6	64·2	61·3	65·0	60·8	....	65·3
27	36·7	55·5	63·4	55·2	54·0	38·3	67·0	55 9	62·4	68·5	63·6	57·8	62·5	62·0	58·9
28	34·7	65·8	....	61·7	62 0	44·0	74·0	57·2	68·2	71·6	70·4	66·7	68·6	64·0	59·8
29	49·0	73·7	73 0	58·5	61·7	46·7	78·0	60·8	71·5	76·3	75·6	65·5	76·4	71·7	71·6
30	54·0	72·8	72 2	67·0	64·3	48·5	68·5	63·0	72·3	77·2	76 4	68·0	76·3	76·7	74·1
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	36·99	61·03	63·09	55·64	56·73	41·50	66·30	54·15	63·96	66·38	63·46	56·32	64·09	62·88	60·63

TABLE XIII.—*June*, 1887. *Daily Mean Temperature.*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
60·8	54·1	53·7	53·3	63 2	48·7	53·0	53·3	54·7	46·9	57·8	54·1	42·3	57·0	47·2	47·3	43·5	1
63·0	52·7	54·0	53·4	66·7	50·0	55·9	52·0	57·0	47·4	54·3	58·2	44·7	55·0	64·1	35·4	43·3	2
51·2	49·1	52·2	53 7	52·9	50·0	43·8	50·9	50·7	46·7	54·8	56·3	42·7	62·3	54·9	35·3	43·7	3
53·7	47·9	50·2	51·9	54 8	49·5	44·3	47·5	48·8	43·2	52·7	49·4	41·7	50·3	44·6	58·7	41·8	4
....	53·8	51·7	52·3	....	....	48·1	48·8	48·4	43·6	49·7	49·2	46·5	....	41·0	37·3	43·5	5
60·8	53·0	54·9	49·6	66·3	49·5	56 9	56·8	56 6	51·4	47·5	49·3	46·7	52·3	55·9	53·3	43·0	6
62 7	58·0	57·4	56·2	60·6	52·5	49·0	59·4	52 5	46·4	52·4	57·3	48·0	61·3	58·4	40·2	42·2	7
63·2	53·1	55·4	50 7	69·3	47 3	49·2	55 3	53·2	48·6	50·2	53·5	44 8	55·3	50·1	41·2	40·0	8
59·8	51·3	56·6	55·7	60·3	51·8	48·6	54·3	52·3	47·0	51·0	56·2	48·0	55·0	55·1	46·5	41·5	9
59·9	64·8	55·2	54·9	63·2	54 3	46·6	51·0	47·3	44·5	49·1	52·4	45·3	53·7	46·4	39·5	42·8	10
61·3	54·5	53·5	54 2	64·5	51·7	52·2	48·9	51·9	47·6	51·3	51·6	48·3	55·0	49·0	55·7	43 2	11
....	58·5	57·3	52·2	....	....	45·0	55·2	61·0	52·5	52·6	52·0	45·5	....	60 2	53·0	44·5	12
68·0	59·3	61·0	55·5	70·1	59·3	57·5	61·1	62 2	57·5	56·9	54·7	46·7	53·3	65·5	55·7	44·0	13
56·9	52·4	55·6	56·0	59·1	55·0	44·5	53·0	49·3	46·0	50·2	55·2	50·0	54·7	63·1	36·5	42·3	14
58·5	51 2	53·6	50·9	61·1	51·5	52·9	50·7	52·5	49·0	43·3	50·4	47 8	57·7	50·3	50·0	45·7	15
57·2	52·7	54·8	50·1	59·9	48·0	53·6	56·5	56·0	54·4	54·0	53·7	49·5	56·0	57·9	50·7	45·8	16
61·5	60·8	62·0	61·2	59·3	55·5	52·3	62·0	57·4	48·7	60·4	56·6	47·5	62·0	53·5	51·3	42 2	17
57·5	54·9	56·5	57·3	58·1	51·3	50 8	56·4	55·3	48·4	49·8	53·8	50·3	58·3	49·8	46·7	42·8	18
....	57·3	58·5	57·3	....	....	55·9	57·2	59·0	49·9	53·7	56·1	50·2	....	55·7	57·3	45·7	19
63·5	54·3	56·5	57·5	66·5	53·0	56·5	56·9	63·2	51·5	58·6	57·7	54·3	57·7	57·8	53·7	48·5	20
63·5	56·5	56·2	57·6	66·3	55·5	58·8	57·3	61·4	49 9	62·2	59·9	51·0	61·7	59·9	51·7	49·0	21
61·8	54·0	54·1	59·9	62·9	53·3	56·7	56 5	59·3	54·8	61·3	61·8	52·5	65·0	63·0	59·3	50·5	22
68·8	55·1	59·3	57 5	70·4	52·7	63·3	64 4	69·0	56·7	72·5	64·9	54·3	73·7	65·6	60·0	53·0	23
66·0	55·7	55·8	56·6	66·1	51·7	67·4	65·1	72·5	61·3	71·7	59·8	54·7	70·3	71·7	70·7	54·5	24
65·9	59·7	57·6	55·2	65·2	54·0	66·3	66·4	74·2	59·7	71·7	57·4	54·3	65·0	67·6	71·3	50·8	25
....	64·1	63·3	62·6	....	....	65·8	66·9	65 8	57·5	64·3	57·8	58·0	....	65·7	71·0	51·0	26
64·2	61·9	61·7	63·3	64 2	57·5	56·5	61 6	58·0	58·7	59·7	57·3	55·5	65·0	62 9	42·8	49·0	27
61·0	58·9	60·6	59·9	64·0	54·8	49·7	58·1	54·5	50·9	55·8	58·8	53·7	63·0	53·6	41·5	47·0	28
71·4	57·0	59·1	58·0	75·3	54·5	51·2	56·7	53·4	51·6	50·1	60·2	52·0	66·0	55·8	43·4	46·5	29
73·8	67·0	64·6	64·0	75·9	61·5	62·6	62·1	63·0	52 3	67·6	68·4	61·8	75·7	66·1	58·3	51·7	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
62·16	55·78	56·77	55·96	64·12	52·86	54·17	56·74	57·30	50·82	56·36	56·13	49·62	60·17	57·08	49 84	45·77	

TABLE XIV.—*July*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	For Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	57·0	52 7	71·5	59·5	....	60·6	61·3	64·7	59·7	57·2	60·7	66·0	....	....	63·7	....
2	60·0	51 0	72·0	65·3	....	63·3	67·7	68·6	62·9	56·0	56·5	71·5	....	62·3	65·7	....
3	59·5	53·4	75·3	67·2	....	66·0	68·3	74·4	62·7	69 3	....	74·7	....	....	68 7	....
4	56·0	53·4	76·0	61·5	....	....	67·8	67·9	66·9	67·3	61·0	73·5	....	65·6	67·9	....
5	59 0	49·8	81·7	71·0	....	70·9	70·7	76·2	65·6	67·4	64·5	77·8	....	69·3	74·3	....
6	63·5	52·0	79·8	72·7	....	....	71·8	73·7	69·4	74·3	72·0	73·7	....	65·0	74·3	....
7	60·5	51·0	70·0	68·3	....	68·5	70·0	72·6	67·7	66·7	66·5	74·5	....	64·0	72·0	....
8	57·0	48·1	76 0	65·7	....	62·5	66·8	71·5	69·3	66·7	63·3	77·3	....	66·3	70·3	....
9	58·5	49·0	78·7	68·5	....	71·7	72·9	74·3	62·5	70·7	66·5	73·5	....	66·6	74·3	....
10	52·5	49·8	64·3	55·5	....	58·0	61·8	62 8	53·0	58·7	....	75·0	....	....	60·7	....
11	54 5	48·2	63·2	57·5	....	....	59·8	58·2	47·8	61·7	48·7	71·3	....	59·3	59 7	....
12	53·0	50 3	65·7	56·7	....	....	54·2	57 9	55·4	62·7	54·8	63·7	....	58·6	56·7	....
13	58 5	52·3	73·3	51·3	....	....	55·5	68 4	59·0	60·0	58·5	67·5	. ..	58·0	64·3	....
14	54·0	51·9	65·0	59·0	....	....	50 0	63·8	59·4	63·7	61·5	67·2	....	60·3	62·0	....
15	57·5	52·5	63·0	59·7	....	....	55·0	55·5	53 9	60·0	59·7	62·3	....	61·0	62·3	....
16	54 5	54·9	60·7	58·3	....	59 5	60·3	60·7	60·0	62·0	60 3	61·0	....	62·3	57·0	....
17	56·5	55·5	74·5	67·3	....	64·9	64·9	67·8	61·1	64 7	....	69·3	....	....	64·3	72·3
18	60·5	55·8	67·5	64·7	....	....	68·3	70·6	62·1	66·7	61·8	75·5	....	61·0	67·3	68·7
19	63·0	59·4	71·3	60·5	....	64·5	66·4	67·9	64·0	64·7	60·0	66·7	....	60·6	65·0	69 7
20	60·0	60·6	72·0	63·5	....	64·9	61·3	72·5	66·9	65·3	58·5	83·0	....	61·0	66·2	61·0
21	57·5	55·3	76·5	54·2	....	....	58·6	68·7	64·7	60·0	56 3	82·0	....	60·3	61·0	63·7
22	55 5	57·4	67 8	61·0	....	50·9	62·1	71·7	68·9	64·0	56·7	80 0	....	69·3	65·0	70·7
23	55·5	55·4	74·0	60·7	....	63·6	63·3	66·5	60·0	68·7	60·0	69·7	....	60·3	66·7	72·5
24	59·0	52 2	70·3	57 8	....	55·7	57·1	66·5	56·7	58·3	....	72·5	....	....	57·7	65·7
25	55·5	55·5	65·0	73·2	....	59·8	63·2	63·9	50·9	63·7	63·7	63·7	....	53·7	62·2	67·5
26	58·0	54·7	56·5	54·3	....	....	59 1	57·6	50·3	61·3	61·0	58·5	....	61·3	54·8	65·8
27	58·5	55·0	59·0	62·5	....	....	56·1	55·9	41·4	59·7	58·0	60·5	....	59·0	56·5	61·3
28	56·5	56·4	57·3	58·7	....	62 5	63 6	57·8	54·7	64·7	59·3	65·5	....	60·7	58·7	63·0
29	57·5	56·6	67 0	58·5	....	56·1	58·0	64·7	63·4	56·7	....	65·5	....	63·9	63·0	74·7
30	58·0	53·9	75·3	66·5	....	64·3	67·0	70·6	65·2	66·7	58·7	65·5	....	68·9	68·0	75·5
31	65·5	52·8	71·5	63·5	....	63·0	64·7	71·7	62·5	64·7	59·3	64·3	....	....	63·1	67 0
	57·66	53·44	69·71	62·10	....	62·56	62 83	66·64	60·26	64·00	60·81	70·02	....	62·34	64·90	....

TABLE XIV.—*July*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	59·0	61·1	63·5	63·3	63·9	63·2	65 5	67·0	64·9	60·2	....	76·0	77·1	74·5	1
....	60·3	61·3	66·2	63·7	65·8	62·0	62·0	66·5	58·5	66·3	....	72·3	77·8	73·3	2
....	64·9	65·1	71 0	68·5	....	65·5	63·5	73·0	62·3	64·5	....	73·7	....	73·0	3
....	66·8	62·9	72·5	70·0	40·9	65·7	69·8	71·5	63·2	69·7	....	74·0	79·2	75·2	4
....	67·0	67·7	70·3	70·5	70·3	64·3	71·7	66·0	65·9	69·3	....	69·0	75·7	67·5	5
....	73·2	75·3	78·7	77·5	76·1	75·0	67·2	76·3	73·3	71·6	....	66·8	70·1	65·5	6
....	70·2	70·8	74·5	69·7	74·2	72·5	78·7	74·0	70·7	73·7	....	68·3	72·8	69·5	7
....	64·8	64·3	64·8	67·5	68·1	66·0	75·7	65·0	66·0	61·3	....	72·5	76·8	72·5	8
....	69·3	70·2	72·5	73·8	73·4	72·7	65·5	70·7	70·6	71·4	....	67·0	72·4	73·7	9
....	63·1	59·2	68·5	60·5	....	62·0	74·0	69·5	64·8	64·7	....	60·3	....	63·7	10
....	58·2	63·1	66·0	62·3	65·3	62·3	59·2	67 0	59·3	62·5	....	61·5	70·2	64·3	11
....	59·1	57·4	64·7	62·7	65·7	58·5	67·7	69·5	55·3	62·7	....	70·3	76·3	73·3	12
....	50·5	54·1	58·3	60·8	58·5	55·5	61·5	59·5	59·5	66·8	....	66·5	75·7	69·7	13
....	64·0	61·9	65·5	65·0	65·3	65·3	59·0	65·0	68·0	70·7	....	66·8	70·8	66·7	14
....	61·7	63·2	67·0	60·0	66·3	62·0	61·0	67·3	63·1	64·5	....	71·8	66·5	67·8	15
....	65·3	63·1	69·0	63·7	68·2	62·5	60·0	69·5	62·1	71·3	....	77·0	82·4	76·6	16
....	62·7	62·4	66·5	67·0	....	62·3	66·0	66·5	62·6	66·0	....	68·5	....	70·4	17
....	65·2	65·7	67·7	67·7	68·0	65·3	67·0	69·3	59·2	64·5	....	67·5	69·1	66·7	18
....	63·5	60·3	64·5	62·5	64·4	59·5	70·0	64·7	56·9	62·3	....	71·0	69·3	65·5	19
....	59·4	66·4	66·6	68·3	64·8	66·0	65·2	67·0	63·4	70·5	....	71·7	78·4	75·0	20
....	56·2	53·5	60·0	58·8	59·1	56·7	71·3	58·5	55·6	58·5	....	73·2	74·1	72·9	21
....	54·8	59·9	58·2	56·7	60·1	58·0	56·5	58·0	59·4	65·5	....	64·2	70·7	63·5	22
....	63·9	61·1	69·3	65·7	66·8	67·3	61·5	67·0	59·8	62·5	....	60·6	65·2	60·3	23
....	57·1	55·6	62·2	60·8	....	57·5	69·7	59·0	63·9	58 2	....	63·6	....	65·2	24
....	57·1	59·5	63·3	62·7	62·9	59·3	59·3	61·5	61·1	64·7	....	69·9	72·4	75·7	25
....	58·7	57·8	65·5	66·8	66·2	62·2	60·7	64·7	59·9	68·3	....	71·5	78·6	67·0	26
....	61·3	60·6	66·2	61·0	65·5	63·3	70·2	65·3	52·9	63·9	...	74·7	79·5	70·3	27
....	65·4	61·0	65·3	68·7	66·8	64·5	64·5	66·3	52·4	66·7	....	73·0	74·4	....	28
....	61·2	58·3	63·7	58·5	64·4	60·3	68·8	62·5	58·9	62·9	....	69·5	76·3	64·5	29
....	64·0	64·6	65·8	67·5	68·0	66·2	61·5	56·3	56·6	67·8	....	69·5	77·4	68·0	30
....	59·3	59·9	62·0	62·8	....	63·0	70·0	64·0	60·1	61·0	....	74·3	....	64·3	31
	62·17	62·17	66·45	65·00	66·50	63·43	67·86	65·80	61·54	65·63	....	69·50	74·20	69·15	

TABLE XIV.—*July*, 1887. *Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	74·2	77·8	75·0	76·3	76·1	77·5	70 5	75·5	79·1	78·0	77·6	78 5	79·2	74·3	77·4
2	72·6	78·3	65 0	79·1	74·6	76·8	69·0	71·5	81·9	76·3	77·3	75·7	73·2	78·3	74·0
3	73 8	78·5	62·0	70·8	74·8	79·2	68·5	71·7	80·3	81·7	79·7	76·3	....	77·2	78·2
4	76·0	80·2	68·3	81·7	72·8	75·4	69·5	74·5	80·7	77·7	73·7	77·2	78·0	72·1	74·9
5	70·5	79·7	77·0	79·2	71·6	74·0	70·3	68·8	77·1	74·0	74·7	72·3	71·7	70·8	76·7
6	64·7	77·3	82·5	76·5	70·6	73·7	68·3	64·7	74 6	66·7	69·0	70·0	71 3	73·0	68·9
7	70·1	78·3	75·7	76·3	....	75·3	70·8	69 8	80·1	....	69·7	74·0	74·6	76·1	75·0
8	71·0	80·7	66·3	76·1	....	77·2	69·3	70·5	80·8	78·7	79·3	76·5	80·0	71·7	78·9
9	71·8	70·7	71·2	75·7	....	73·8	65·7	67·6	75·0	....	71·3	70·0	70·7	62·7	75·8
10	60·0	66·8	80·8	71·5	....	69 2	60·3	60·9	67·2	61·3	58·3	62·5	....	69·9	65·0
11	65·7	74·0	67·7	67·4	....	70·9	68·5	....	76·6	69·3	66·3	70·3	69 9	76·1	72·0
12	71·8	79·7	79·0	77·6	....	74·0	68·3	....	79·4	76·7	73·7	73·5	76·4	75·9	77·0
13	70·0	76·8	74 5	79·2	....	76·7	70·0	....	80·0	.. .	71·0	74·5	75·8	69·9	68·2
14	64·2	70·7	56·0	65·9	...	70·1	63·5	....	74·7	68 3	67·7	68·0	71·0	70·8	70·3
15	64 6	69·0	74·5	66·1	70·3	79·1	65·3	....	67·8	....	71·7	72·0	69·8	84·0	77·2
16	74·3	89·7	58·8	70·8	82·9	81·7	74·3	....	81·3	81·3	80·7	80·5	....	79·1	79·9
17	69·2	83·3	71·8	72·2	79·5	86·0	61·5	68·3	75·6	76·7	75·7	80·5	69 4	69·0	78·0
18	66·4	82·3	75·2	69·3	69·7	68·0	64·0	65·0	70·4	68·0	67·0	70·3	73·7	71·8	64 3
19	67·8	76·2	73·5	74·4	69·6	71·5	65·7	63·8	74·4	70·3	69·3	71·5	73·8	73·5	67·1
20	71·2	76·0	70·0	79·9	71·8	71·6	65·7	68·6	75·4	....	....	74·3	70·5	73·0	71·8
21	70·8	74·2	70·5	70·3	72·3	69·5	70 5	69·9	70·6	72·0	73·7	72·5	69·9	71·6	68·5
22	67·0	73·8	57·5	76·8	68·5	75·8	62·3	67·1	74·6	64·7	66·7	69·3	....	81·2	66·6
23	59·5	70·0	73·5	69·6	65·3	67·3	55·7	56·3	70 5	62·7	54 7	62·0	....	70·0	57·4
24	66·0	71·5	68·8	73·3	66·0	71·5	61·0	63 5	71·8	....	70·0	68·3	72·5	72·9	65·7
25	67·7	75·7	61·0	71·0	73·9	73·0	65·2	65·4	73·1	71·7	70·0	74·7	75·0	74·4	66·1
26	67·3	75·5	65·0	77·7	72·3	72·5	66·3	67·2	73·0	72·7	68·3	74·3	77·2	78·3	70·0
27	69·4	80·8	65·5	81·1	73·8	76 2	72·5	68·3	76·7	77·7	76·0	75·5	76 5	78·9	76·8
28	66·8	77·7	71·5	77·1	....	74·9	63·5	63·4	75·4	73·0	72·3	74·0	72·4	74·7	68·0
29	67·2	76·0	68·8	73·7	....	73·5	66·2	65·4	72·0	72·0	71·3	73 7	76·8	75·3	69·4
30	69·3	77·5	72·0	79·3	....	79·5	66·0	65·1	77·7	74·0	74·0	74·8	....	....	75·2
31	61·0	74·3	79·5	74·6	....	75·2	63·3	61·5	73·8	....	68·0	71·8	....	72·7	67·8
	67 64	76·35	70·60	74·55	72·45	74·54	66·47	67·05	75 54	72·72	71·28	72·87	73·72	69·99	71·69

TABLE XIV.—*July*, 1887. *Daily Mean Temperature.*

Gravenhurst.	Jely.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
76·4	74 5	53·8	79·3	73·9	74·6	77·7	73·7	73·5	78·3	70 9	68·3	63·2	77·2	79·8	1
75·0	71·7	53·7	80·3	76·3	73·2	76·7	74·0	71·6	76·8	73·3	77·6	63·8	79·8	78·6	2
75·8	73·0	75·0	76·4	79·4	76·0	79·0	77·3	67·7	77 1	75·2	70·8	67·0	83·5	71·3	3
77·8	74·5	68·8	81·1	78·7	76·9	76·9	77·7	72·6	75·6	77·2	75·2	65·2	81·2	79·4	4
73·5	67·5	58·2	76·8	75·5	72·7	74 3	71·3	68·9	76·1	74·6	76 5	69·0	78·3	76·3	5
70·4	64·9	56·3	77·1	74·6	70·1	71·9	68·3	72·1	69·2	70.5	71·1	72·0	77·7	72·8	6
72·3	72·8	58·5	77·1	74 0	72·0	73·9	69 3	73·3	70·9	70·4	71·5	65·5	77·0	77·2	7
74·2	72·5	57·7	80·6	75·2	77·0	76·2	80·0	74·0	74·4	72·9	72·2	62·8	79·2	76·7	8
72·7	71·5	56·5	75·8	76·9	73·3	69·8	74·3	72·2	75·4	70·4	78·7	63·2	73·8	78·3	9
64·7	60·6	63 8	67·9	67·7	61·4	65·0	64·0	69·3	63·4	62·4	71·9	66·3	68·0	71·3	10
70·2	68·5	62·0	72·5	71·8	70·7	70·4	63·0	69·7	66·4	65·8	68·8	62·0	76·0	69·4	11
75·8	71·0	55·0	80·6	75·1	76·4	74·4	74·3	73·5	72·8	66·1	68·3	68·2	76·2	76·9	12
74·1	72·0	57·7	80 5	78·2	74·5	73·7	71·7	69 4	71·9	72 5	71·8	62·8	78·5	78·7	13
69·5	68·3	57·8	69·4	68·2	68 5	71·5	64·3	67·9	68·7	68·6	68·3	60·0	69·3	68·3	14
66·0	65·3	53·2	67·9	66·8	63·8	74·3	69·3	69·4	74·4	66·3	70·4	65·5	70·5	64·4	15
76·3	74·7	63·3	86·1	74·7	79·4	80 6	76·7	77·5	80·8	68·6	73·3	62·7	84·0	71·7	16
73·6	66·3	63·2	82·6	74 5	76·5	80·9	79 0	68·4	77·8	73·4	75 5	61·8	80·7	70·0	17
68·8	66·0	58·8	70 9	71·4	69·4	67 6	69·7	66·7	70·4	71·9	72·7	63·5	69·5	72·3	18
71·5	67 4	63·3	73·0	74·4	71·8	72·0	66·0	68·5	71·9	70·3	63·2	66·2	73·8	69·8	19
73·7	71·3	63 7	73·3	77·1	76·0	74·4	69 7	71·1	71·4	70·0	68·7	60·0	76·0	77·0	20
72·0	72·5	67·8	73·5	70 5	70·1	71·3	70·0	75·2	72·4	72·1	68 4	64·8	74·7	69·8	21
70·4	68·3	60·5	73·6	75·2	71·8	69·9	67·3	68·3	67·9	70·9	64·5	52 7	75·3	74·0	22
59·4	58·0	58·0	66·6	70 7	64·3	62·6	59 7	62·5	59·0	66·7	63·7	66·8	71·7	70·3	23
70·1	63·5	56·5	70·1	72·6	71·1	70·0	67·3	67·2	65 4	60·5	64·3	60·7	75·0	71·1	24
68·3	67·2	55·0	70 6	72·3	71·6	71·0	70·0	69 3	70·4	70·1	66·5	58 8	72·8	69·2	25
72·9	71·3	57·5	75·3	74 5	73 5	73·0	68·7	74·6	69·9	70·3	66·4	55·7	75·7	76·4	26
74·4	73·3	63·2	78·1	76·1	75·7	75·8	71 7	76 2	74·1	72·1	72 6	64 0	76·3	77 7	27
70 7	61·1	63·2	81·4	75·9	73·8	72·8	72·0	69·4	71 2	68·4	77·3	65·5	77·2	71·8	28
66·7	70·9	63·7	73·6	73·8	70·8	73·4	67 7	70 9	69 7	70·9	69·4	56·3	71·5	73·0	....
72·3	68·0	63·3	79·5	75·6	73·4	75·8	69·7	70·9	74 2	67·9	73·7	62·5	77·3	76·5	....
68·5	61·1	65·2	74·1	74·4	70·7	72·6	69 3	68 6	70 6	66 6	72·1	63·8	74·5	73·1	....
71·55	68·60	60·51	75·66	74·07	72·30	73·21	69·05	70·66	71·80	70·09	70·91	63·37	75·88	73·65	

TABLE XIV.—*July*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	70·7	76 9	76·4	80·7	74·0	74·7	75·4	74·4	80·4	73·6	79·5	77·3	81·0	77·5	76·0
2	67·3	72·4	78·4	81·0	71·3	81·3	75·0	74·7	76·8	68·2	76·5	77·4	78·0	69 3	73·5
3	63·2	74·3	70·9	....	75·0	....	78·3	76·7	81 7	68·9	79·0	77·8	74·5	74·5	77·0
4	67 0	77·5	78·7	80·0	75·5	75·0	77.4	77·4	75·9	75·6	76·0	76·7	79·7	74·9	79 0
5	66·5	72·0	73·1	75·0	73·5	76·7	74·8	74·4	76·2	72 6	77·0	74·2	78·5	73·0	74·2
6	76·0	67·0	75·4	74·4	70·7	78·7	73·2	72·1	73·1	71·9	74·0	72·5	75·8	65·5	69·4
7	69 7	71·1	75·9	77·4	77.3	79·0	73·3	72·4	76·9	73·0	72·5	76·4	81·5	70·2	70·1
8	62·0	73·0	78 6	80 0	75·5	78·0	73·1	73·1	79·0	72·2	75·5	78 3	80·7	73·2	77·2
9	68·7	71·4	79·5	77·0	71·2	74·3	70·0	71·8	70·2	75·0	76·0	71·8	76·5	67·0	73·2
10	68·0	64·2	67·2	....	66·0	....	66·4	67·8	67·9	63·3	70·5	66·5	68·8	58·6	63·3
11	59·8	69·0	69·3	74·4	67·8	75 5	67.7	70·4	....	68·7	68·5	72·1	79·0	67·8	69·0
12	63·7	73 6	74·5	75·7	73·2	82·7	69·9	70·8	....	71·3	72·9	76·2	83·2	75·2	76·7
13	66·5	69·3	75·5	79·0	66·3	80·5	72·8	76·1	73 5	72·3	78·5	78·3	81·8	60·3	73·3
14	56·3	67·0	68·6	70·7	66·2	78·5	67·6	70·8	75·2	64·9	67 5	70·1	68·5	65·5	67·2
15	58·8	68·3	63·2	66·0	74·5	80·3	70·8	70·8	81·0	58·6	76·5	71·4	69·7	73·1	65·7
16	64·3	74·3	72·9	82·0	74·5	81·7	77·3	76·7	84·6	71·2	85·0	84·6	90·0	74·5	81·9
17	63·3	70·3	71·3	....	69·0	....	78·9	78·0	84 2	65·4	85·0	81·3	83·8	71·6	76·2
18	62·7	69 0	68·7	75·7	62·2	74 8	68·1	69·1	65·4	67·5	74·0	70·2	67·5	64·2	68·9
19	72·2	68·6	73·2	76·4	62·7	76·2	71·7	69·1	68·9	68·8	71·0	73·1	68·3	64·1	70·7
20	66 3	71·2	74 3	77·4	67·8	77·5	73·0	74·1	72·9	69·1	76·5	76·6	74·0	67·4	74·8
21	61·7	73·6	72·5	74·7	62·2	76·7	72·8	76·4	70·7	70·3	70·0	74·3	74 2	66·8	75·5
22	57·3	69·0	72·1	74·7	63·3	74·0	71·5	74·1	70·7	71·6	74·5	73·6	72·5	69·0	71·1
23	64·3	60·0	64·0	72·4	54·7	66·7	62·7	64·4	59·0	61·8	65·0	66·4	66·5	65·1	61·8
24	60·0	66·0	68·9	....	57·0	....	71·9	70·4	67·9	61·0	65·0	70·5	67·5	57·8	67·6
25	58 7	64·7	72·3	75·4	59·3	75·8	71 6	71·7	69·9	69·6	69·5	72 1	70·8	60 9	71·6
26	55·0	68·6	74·4	77·0	65·2	76·2	70·3	71·8	75·4	72·5	68·5	77·5	78·2	64·4	71·6
27	62·0	71·3	76·8	80·0	71·0	78·0	72·3	72·4	78·5	73·9	71·5	77·3	78·3	72·8	74·5
28	64·0	68·5	67·9	78·0	68·7	78·3	74·7	74·1	70·7	66·5	78·5	75·5	82·5	67·3	73·8
29	60·3	68·7	70·4	76·7	67·0	75·0	72·3	72·1	74·0	67·0	70·5	75·8	74·5	66·4	71·7
30	68·0	70·3	73·9	76·4	69·3	79·0	73·2	73·0	77·2	70·0	77·0	75 7	82·3	68·5	70·5
31	66 7	64·4	68·4	....	62·5	....	73·3	74·4	70·2	67·7	74·0	74·8	72·7	62 0	69·3
	64·23	69·85	72·49	76·47	68·18	77·12	72·30	72·75	74·07	69·16	73·85	74·57	76·15	67·69	72·15

TABLE XIV.—*July*, 1887. *Daily Mean Temperature.*

Stratford.	Simcoe.	Sprucedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
82·1	76·3	76·3	67·5	75·5	78·8	81·3	64·3	79·1	63·3	62·0	62·0	73·5	59·6	58·3	1
77·3	76·3	71·2	63·0	74·8	77·6	80·1	64·2	74·0	66·8	64·2	62·0	74·5	58·9	56·3	2
77·9	....	76·8	63·1	76·0	81·0	....	65·5	79·5	58·9	61 8	67·3	....	59·3	58·0	3
78·0	78·0	74·7	66·7	77·1	79·2	75·3	59·0	75·7	56 3	56·7	60·5	71·5	56·9	50·3	4
73·4	76 3	69·3	71·6	73 6	74·2	76·3	60·0	75·6	56·2	60·3	59·8	73·5	54·6	46·5	5
69·1	75·0	66 8	74·3	73·1	72·6	76·3	66·0	72·8	58·4	58·2	59·7	71·5	57·7	51·0	6
76·2	76·3	72·7	69·5	74·2	75·2	78·7	60·0	76·1	59·2	59·5	59·2	71·0	58·6	54·7	7
80·5	75·7	73·3	65·0	76·0	77·5	82·4	58·0	80·6	58·3	58·5	65·5	68·0	57·4	58·8	8
72·3	71·3	64·5	65·0	72·1	70·4	76·4	55·8	71·6	54·0	59·8	60·5	68·5	58·0	53·5	9
63·6	....	69·0	70·2	66·6	65·8	....	57·0	65·8	52·8	57·3	61·7	71·5	56·9	52·3	10
71·9	74 0	74·7	63·3	73·2	71·8	75·9	64·5	71·5	53·6	57·3	62·0	67·0	53·6	47·8	11
74·6	75·0	70·5	70·5	77·2	75·5	78·9	65·0	77·6	58·4	60·0	60·0	67·5	52·7	52·2	12
75·8	78·0	63·5	65·4	77·8	77 9	78·0	54·0	71·1	59·4	59·0	60·0	67·5	53·9	52·8	13
72·3	72 0	69·3	55·2	67·7	72·1	73·2	58·5	71·7	53·1	55·0	58 8	63·5	54·9	55·2	14
74·3	73·0	75·0	69·4	65·5	76·0	83·1	63·0	80·3	53·9	56·7	59·7	67·5	53·4	60·3	15
82·6	77·0	67·8	56·7	82·2	83·7	86·0	66·0	84·7	52·9	53·5	58·7	66·0	56·0	57·0	16
78·9	....	64·7	66·5	77·1	82 5	....	66·7	85·3	53·0	57·5	57·8	68·0	57·0	54·2	17
67·8	70·5	65·0	69·0	70·3	70·5	72·1	66·8	64·9	54·7	54·7	56·7	66·0	56·2	52·3	18
71·7	72·0	73·3	69·0	69·9	73·5	72·9	65·7	70·4	56·9	59·8	60·5	66·0	57·6	59·0	19
75·8	76·3	68·2	62·0	73·2	75·0	76·5	64·0	72·4	58 6	63·0	54·8	66·5	57·3	60·0	20
72·7	75·0	63·5	61·0	72·4	76·3	73·0	67·8	69·8	59·6	60·0	57·8	69·0	59·4	62·8	21
70·7	73·3	59·3	52·0	72·8	72·3	77·0	66·0	67 6	59·8	62·2	52·3	71·0	59·6	62·7	22
63·1	66·0	62·0	65·3	65·2	66·1	64·5	65·7	59·8	58·7	62·0	53·3	69·0	60·1	56·8	23
71·9	....	66·0	64·0	69·6	71·1	....	67·8	66·2	58·3	61·5	54·7	68·0	59·8	61·5	24
71·1	71·3	70·7	57·1	71·2	74·2	74·5	47·0	68·0	60·1	62·3	51·5	67·0	60·6	53·7	25
75·2	73·7	69·5	57·2	73·9	76·4	74·5	58·5	72 1	60·9	60·0	57·3	67·0	61·3	55·3	26
77·7	74·7	63·7	58·0	75·1	76·5	79·9	55·7	76·5	59·4	62·0	60·7	68·0	63·5	57·5	27
77·2	79·0	65·5	63·0	75·9	78·6	80·2	52·3	69·2	59·2	60·7	56·7	67·0	59·9	53·5	28
....	73·3	71·0	66·0	71·1	75·2	74·6	50·5	72·0	58·0	62·3	55·0	67·5	58·6	52·0	29
....	76·7	69·0	63·6	75·6	77·3	79·7	47·0	77·8	59·1	63·0	57·3	68·5	62·4	61·5	30
....	....	62·0	65·0	72·2	75·5	....	53·0	69·8	62·8	65·7	58·5	68·0	62·4	57·5	31
74·12	74·47	68·67	64·59	73·14	75·17	76·98	60·59	73·10	57 89	59·89	58·78	66·31	57·91	55·65	....

TABLE XIV.—*July*, 1887. *Daily Mean Temperature.*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Pointe des Monts.	Richmond.	Bathurst.	Chatham.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	45·3	73·0	73·8	69·2	72·5	47·0	75·0	66·2	75·5	78·1	78·5	61·0	75·9	76·3	78·3
2	45·0	72·0	76·7	69·0	68·7	49·5	73·0	58·9	74·8	76·2	73 9	63·5	76·6	83·7	80·6
3	50·3	69·2	69·0	66·3	64·3	47·0	73·0	62·8	68·2	71·9	72·5	68·2	74·8	....	73·3
4	53·3	74·8	64·1	58·2	58·7	48·3	76·0	54·4	78·5	80·3	68·7	57·3	78·4	66·3	70·0
5	51·3	76·2	64·1	55·3	60·0	47·7	78 5	51·5	78·0	78·7	65·9	62·5	79·5	62·7	66·4
6	53·3	68·0	67·4	65·5	59·0	48·3	73·2	53·1	74·5	71·1	67·9	55·7	73·6	73·0	70·1
7	52·3	62·8	70·3	58·7	62·3	50·7	72·0	53·6	72·6	74·0	70·5	57·3	70·5	73·0	72·5
8	50·0	65·7	66·4	62·0	63·0	51·8	74·0	57·3	72·4	75·9	70·9	68·8	69·2	76·0	72·0
9	43·7	72·5	61·8	59·7	61·2	47·0	73·0	58·0	73 5	76 5	66·1	59·2	77·0	70·3	66·5
10	45·7	63·5	62·2	60·3	53·.	45 7	67·0	53·9	69 2	69·4	65·7	56·2	67·4	....	68·4
11	47·7	59·0	64·6	53·2	49·3	46·8	64·5	48·8	66·2	71·3	61·2	54·3	66·9	62·0	56·9
12	53·3	65·8	65·6	55·7	52·0	53·7	71·0	52·3	75·5	71·9	65·6	59·7	70·2	59·7	57·9
13	56·3	66·7	65·9	55·8	54·5	54 3	73 0	53·5	76·8	76·8	72·0	54·3	70·9	63·0	61·6
14	43·3	57·3	57·7	51·2	51·5	44·5	63·5	53·0	63·0	68·8	62 2	54·2	64·4	62·0	57 8
15	43·0	59·2	63·4	58·0	55·3	46·0	66·0	55 9	62·3	65·7	66·6	54·8	61·5	63·7	59·3
16	49·3	60·3	64·3	61·0	56·7	48·5	65·0	59·7	70·7	69·8	63·8	53·7	64·1	65·0	62·1
17	53·3	66·5	63·6	54·5	52·3	55·7	66·5	53·9	70·2	72·2	68·2	54·5	70·4	....	68·2
18	47·0	64·5	66·4	53·0	52·0	53·3	69·0	53·4	66·8	70·8	65·0	59·8	66·4	62·0	61·5
19	47·7	69·7	65·6	67·3	60·3	46·7	72·5	61·3	68·3	73·2	71·6	65·0	67·3	70·7	66·2
20	53·0	70·3	72·1	69·2	70·5	53·8	70·0	64·5	74·3	75·8	73·9	58·3	72·5	73·3	71·6
21	53·0	69 5	70·3	65·5	64 3	52·5	70·5	63·3	67·5	69·7	73·0	62·2	74·0	71·3	68·5
22	57 7	61·0	68·6	63·3	66·7	54·7	69 0	66·8	72·7	72·6	67·2	48·3	69·9	55·0	63·9
23	54·3	68·2	....	69·7	69·0	55·0	74 0	59 9	69·1	72·1	71·0	58·5	66·9	67·3	69·8
24	52·3	66·5	62·6	62·5	64·0	55·0	70·0	60·6	70·0	72·3	68·2	61·0	66·6	....	67·7
25	54·7	68·3	68·9	65·5	66·0	57·3	72·0	57·6	68·3	70·9	70·7	68·0	71·8	72·0	73·6
26	56·3	66 7	65·6	58·5	61·0	51·5	76·0	54·6	70·5	75·8	66·3	68·5	70·7	70·7	67·1
27	56·7	70·0	....	63·3	65 3	56·2	71·0	53·4	73·9	77·3	72·2	63·5	71·7	66·3	65·4
28	44·7	67·0	66·6	57·8	58·7	58·3	69·0	55·7	71·9	73·7	67·7	56·5	70·5	70·3	69·2
29	56·0	64·5	61·1	58·0	56·0	57·0	71·0	53·1	69·1	72·9	69·8	64·7	67·8	....	65·8
30	53·7	71·2	70·6	68·0	70·0	53·2	73·5	62·7	75·3	78·4	73·1	71·0	74·1	74·0	71·4
31	53·7	69·5	64·4	67·3	64·0	57·0	73·5	60·9	71·8	76·2	72·9	75·8	71·1	....	76·1
	50·88	67·18	66·72	61·37	60·74	51·42	71·13	57·25	71·34	73·56	69·12	60·52	70·73	68·79	67·72

TABLE XIV.—*July*, 1887. *Daily Mean Temperature.*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
76·2	60·6	61·3	62·7	77·6	58·0	66·5	65·3	74·8	60·4	70·2	65·1	56·5	....	72·0	61·7	53·5	1
79·2	71·8	69·6	61·8	80·1	58·5	69·9	70·7	77·2	58·0	71·8	62·7	54·7	67·7	75·7	69·3	53·7	2
....	75·8	73·9	73·0	....	....	69·1	77·1	73·5	59·1	74·7	64·3	60·5	....	78·5	68·0	53·3	3
71·9	63·0	64·0	63·2	75·4	58·5	66·4	66·8	71·5	60·1	69·8	60·8	59·0	70·7	64·4	62·0	53·0	4
72·7	66·5	69·5	61·0	77·2	54·7	63·5	76·2	73·6	59·2	71·4	59·7	58·7	68·7	70·6	48·3	54·5	5
68·7	57·8	61·3	57·1	70·8	53·5	66·8	66·7	70·4	60·4	70·2	62·7	56·2	70·0	66·9	60·2	54·0	6
72·2	67·6	70·9	56·1	72·0	54·8	66·9	62·9	74·5	60·6	69·8	58·3	55·0	71·0	72·1	64·7	53·2	7
72·6	71·6	70·7	68·3	70·7	55·7	69·5	71·3	71·1	53·9	68·4	63·9	54·3	66·0	69·4	64·0	53·0	8
68·2	63·9	65·1	68·8	68·7	63·0	60·7	71·3	66·0	60·4	65·2	64·9	58·3	73·3	67·0	58·0	51·5	9
....	59·6	59·7	66·2	....	....	56·6	60·1	64·0	59·3	62·4	63·0	56·7	....	63·4	51·7	51·3	10
59·4	55·8	59·6	61·4	64·6	60·3	54·7	56·9	60·5	59·4	61·7	59·3	53·3	63·3	63·9	47·5	53·5	11
63·4	59·1	60·3	61·4	67·1	59·0	54·3	60·6	60·0	59·9	63·4	62·3	54·5	60·4	57·6	49·7	56·5	12
63·8	60·5	61·7	58·0	69·6	57·2	56·6	63·2	61·8	55·1	64·1	59·3	57·0	60·0	57·7	49·7	55·7	13
61·0	62·6	61·1	61·5	61·2	58·0	58·9	62·3	62·7	57·8	....	58·4	57·2	56·7	60·4	56·5	52·3	14
61·0	60·6	62·3	61·2	59·4	60·0	56·2	56·8	53·6	57·2	....	58·7	55·5	63·0	56·8	61·3	50·0	15
61·7	62·3	59·3	58·4	61·5	54·5	59·1	61·3	60·7	57·9	57·0	61·3	56·8	65·3	56·7	53·3	51·2	16
....	64·3	62·4	62·9	....	....	61·7	63·0	66·4	60·3	68·1	61·8	59·3	....	63·7	57·2	58·3	17
66.6	62·0	64·0	65·7	66·0	60·7	60·2	66·1	62·7	59·5	66·6	64·5	60·0	68·7	62·5	58·0	56·0	18
67·5	63·1	62·9	65·6	67·1	60·0	61·4	66·5	63·3	58·6	61·0	63·3	61·5	67·7	57·7	54·0	57·2	19
68·6	65·0	62·8	63·6	72·5	58·7	59·7	61·5	61·5	62·0	64·6	61·8	59·0	68·3	61·8	53·7	58·0	20
67·5	60·5	61·0	57·0	69·0	56·0	62·5	64·1	57·4	56·1	62·9	60·7	61·1	65·0	65·9	53·8	58·5	21
63·2	57·2	59·6	59·4	63·8	59·8	63·3	62·0	67·0	58·5	64·8	64·4	59·2	70·0	67·3	55·7	58·8	22
69·3	61·0	62·1	60·2	70·1	56·5	68·2	69·5	70·0	61·0	71·1	67·7	63·0	74·3	67·0	66·2	57·7	23
....	64·1	62·3	60·0	....	....	71·2	71·0	72·4	61·5	73·2	65·1	62·3	....	72·7	70·3	57·3	24
71·7	65·1	64·6	58·5	72·5	56·7	71·9	73·5	73·0	66·1	74·7	67·3	62·7	66·0	65·0	69·3	58·5	25
74·8	61·0	61·5	59·4	73·2	56·8	69·8	72·7	72·5	67·3	71·6	67·4	63·0	67·7	71·1	58·7	56·8	26
67·7	63·2	66·1	67·8	69·0	62·0	62·4	66·7	65·5	64·6	70·4	68·6	63·5	68·0	66·6	53·2	58·5	27
71·6	66·8	66·0	60·5	72·5	58·3	65·8	68·5	70·8	61·5	65·3	60·9	63·0	69·0	64·6	53·0	57·2	28
70·6	61·4	64·9	60·1	69·1	57·7	68·2	69·6	70·0	61·3	69·9	63·2	64·0	68·3	71·8	59·8	58·0	29
70·1	58·3	61·3	62·9	70·2	59·5	67·7	66·6	67·0	64·1	73·5	65·8	65·5	68·3	62·1	60·7	58·5	30
....	68·3	67·4	60·7	....	....	69·8	71·1	75·0	63·7	73·4	63·6	65·3	....	70·0	66·0	59·7	31
68·51	63·22	63·85	62·14	69·61	58·02	63·85	66·52	66·95	60·23	68·12	62·93	59·09	66·56	65·90	58·56	55·44	

TABLE XV.—*August*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	56·0	52·5	73·7	66·0	....	64·3	67·2	69 3	62·3	66·7	66·7	71·7	....	62·6	69·0	76·0
2	57·5	51·6	77·5	66·0	....	....	70·5	72·5	61·1	69·3	69 5	72·7	....	65·6	69·8	67·8
3	57·5	55·0	59·0	63·3	....	61·7	60·7	58·6	52·2	62·7	57·0	65·0	....	56·7	55·7	67·2
4	58·0	53·0	60·0	53·3	....	53·1	57·0	62·9	57·0	59·3	60·0	58·0	....	59·7	55·7	64·3
5	58·5	53·0	56·7	59·5	....	60·2	60·7	67·4	61·7	60·7	63·0	65·0	. .	60·6	61·3	67·2
6	60·0	51·4	64·5	69·0	....	64·7	66·6	72·4	55·5	69·3	65·7	75·0	....	63·0	66·9	72·7
7	63·0	52·1	53·5	58·3	....	58·8	58·0	54·5	45·1	60·7	....	52·5	....	....	54·7	67·5
8	55·5	54·0	51·7	55·5	....	....	57·2	51·8	46·1	58·0	53·3	54·0	....	51·3	49·6	71.5
9	57·5	55·7	59·7	61·0	....	....	59·8	59·2	56·6	61·3	60·0	67·0	...	58·3	60·7	61·3
10	62·0	55·5	70·3	59·8	....	....	62·2	66·5	56·5	61·3	57·3	62·3	....	55·0	59·1	59·7
11	66·0	55·6	71·7	55·2	....	56·2	59·5	66·9	61·0	57·3	56·0	60·2	....	55·0	57·7	63·5
12	59·0	56·3	76·7	62·7	....	60·7	66·8	70.4	60·3	64·0	61·0	67·5	....	56·0	64·5	71·5
13	57·0	55·6	62·5	63·5	....	61·0	63·3	60·3	59·5	62·3	55·3	56·0	....	55·0	63·3	72·0
14	55·5	51·8	71·3	63·7	....	61·4	63·0	61·0	62·9	59·7	....	57·5	....	....	60·0	65·3
15	55·0	56·2	78·3	62·3	....	59·3	63·5	70·4	63 2	64·0	63·3	60·0	....	63·0	65·0	71·3
16	57·5	55·7	77·5	68·7	....	....	67·2	71·3	65·5	67·7	65·5	71·3	....	70·9	68·0	77·0
17	58·0	57·6	74·7	54·0	....	57·8	65·2	63·5	65·9	64·7	62·7	73·5	....	57·7	67·0	73·5
18	59·5	58·6	75·8	53·0	....	59·8	60·0	73·3	63·4	61·3	59·5	65·5	....	65·0	67·7	75·5
19	55·5	57·8	77·2	61·7	....	59·3	60·4	73·3	64·4	63·3	62·0	64·5	....	61·0	64·3	72·7
20	57·5	57·4	62·0	64·5	....	63·2	63·6	62·4	56·7	64·0	61·5	56·5	....	54·3	62·0	58·7
21	58·5	57·3	51·0	49·5	....	47·8	50·7	54·2	57·2	47·3	....	51·0	....	....	49·1	42·0
22	59·0	53·4	55·8	48·0	....	47·3	54·0	56·2	50·2	52·0	49·5	52·3	....	53·0	50·8	44·3
23	55·5	54·7	55·3	44·0	....	45·5	50·0	56·5	52·0	49·0	43·0	62·5	....	48 3	49·3	54·3
24	53·5	54 0	58·7	47·8	....	48·3	48·7	58·8	51·7	49·3	43·7	65·7	....	50·3	51·0	37·8
25	53·5	54·2	53·2	51·3	....	51·7	50·6	54·9	53·1	52·3	50·5	59 8	....	55·3	52·0	40·3
26	54·0	52·5	61·5	50·7	....	52·9	54·9	57·7	52·2	52·0	54·3	51·7	....	53 3	50·3	49·0
27	57·5	53·3	68 2	56·5	....	56·0	59·2	68·0	61·6	56·7	59·5	54·5	....	54·0	60·3	50·0
28	55·5	54·4	68·3	66·0	....	66·5	65 5	61·1	53·1	67·0	....	66·3	....	....	62·7	71·3
29	54·0	53·6	62·5	58·5	....	....	65·9	59·1	49·2	65·3	61·7	58·5	....	55·6	60·7	67·8
30	53·0	52·5	57·3	56·8	....	55·1	59·6	56·6	49·9	60·7	56·5	61·5	....	57·3	55·5	61·5
31	52·5	54·7	52·8	56·0	....	53·8	53·4	54·5	52·5	60·0	58·3	55·0	....	52·3	55·3	58·3
	57·11	54 54	64·49	57·87	....	57·06	60·32	62·76	56·77	60·30	58·44	61·76	....	57·41	59·32	62·94

TABLE XV.—*August*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souriford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	62·5	66·0	64·8	63·5	64·0	64·3	59·3	65·3	60·6	....	....	71·3	73·8	70·5	1
....	66·3	67·8	72·5	66·3	73·3	69·7	69·0	72·3	69·9	....	68·2	72·5	74·6	69·0	2
....	69·0	62·7	72·2	69·7	72·7	66·5	74·3	73·2	71·1	....	....	74·2	79·3	72·5	3
....	57·1	53·6	62·3	54·5	63 2	56·3	70·5	62·3	62·7	....	....	79·9	83·0	77·0	4
....	56·2	57·5	57·7	58·8	56·9	61·2	57·5	60·5	54·1	....	....	74·8	79 7	73 9	5
....	63·4	64·1	66·8	69·7	63·6	70·3	61·5	68·3	69·9	....	....	62·5	63·9	58·0	6
....	64·5	62·3	71·5	69·7	....	67·0	73·5	74·0	73·6	....	....	64·3	....	....	7
....	53·5	51·0	59·2	56·7	60·0	56·0	68·2	57·5	57·1	....	....	66·0	70·1	65·5	8
....	56·0	58·0	58·8	60·7	59·6	61·3	54·0	60·0	55·8	....	....	66·8	75·9	68·4	9
....	59·2	57·9	63·0	61·5	65·5	60·7	62·5	62·7	59·7	....	71·5	68·8	76·3	69·9	10
....	55·2	53·6	60·0	61·8	60·4	59·0	64·7	61·0	54·6	....	66·2	66·3	72·3	71·0	11
....	57·8	62·0	64·5	66·7	64·5	59·5	60·5	64·7	60·6	61·5	....	57·2	64·0	57·8	12
....	60·0	62·1	63·5	62·3	64·9	61·7	69·0	67·3	65·4	64·5	55·2	62·2	66·7	57·0	13
....	58·4	61·4	64·0	61·5	....	60·3	64·7	62·7	58·8	65 5	60·5	62·7	....	62·7	14
....	58·4	59·5	63·5	66·5	63·4	60·2	60·3	61·0	60·5	67·0	60·7	63·8	67·4	62 5	15
....	60·7	67·4	65·2	66·2	66·5	65·3	66·5	67·3	62·3	67·8	57·5	59 7	68·9	58·3	16
....	58·4	56·6	60·5	62·5	61·8	59·3	68·7	60·5	57·1	57·8	59·8	63·0	68 5	63·1	17
....	52·0	54·6	55·8	61·5	54·5	59·7	57·8	54·0	49·1	57·0	60·0	62·4	71·5	65·5	18
....	51·5	55·8	56·2	59·0	55·4	55·8	58·0	55·7	50·2	56 4	52·5	54 2	62·9	56·5	19
....	59·0	60·7	58·5	64·5	58·6	62·3	58·8	58·0	62·2	52·3	....	58·2	63·0	57·0	20
....	48·2	50·2	52·3	51·5	....	48 3	63·8	50·5	56·5	57·2	....	55·6	....	58·0	21
....	49·9	48·1	51·5	50·5	51·5	50·0	49·8	50·3	52·7	47·9	58·0	61·3	65·1	64·0	22
....	44·3	48·3	48·0	50·0	48·4	49·3	53·0	48·3	41·2	53·0	50·5	59·2	61·4	57·0	23
....	44·7	49·3	51·7	56·7	49·6	51·3	49·2	48·7	46·7	62·3	50·0	51·4	58·9	56·3	24
....	47·8	49·9	54·5	53·3	52·4	49·5	51·2	53·5	54·3	62·2	49·0	49 5	55·5	51·0	25
....	51·2	51·8	56·8	53·0	57·2	53·8	59·8	53·7	52·8	60·4	48·2	50·5	52·5	49·6	26
....	49·4	52·5	56·0	61·0	55·6	54·3	55·7	55·5	60·5	63·0	....	50·5	58·6	53·7	27
....	60·5	63·6	63·2	66·8	....	62·3	61·0	62·0	65·4	61·0	54·7	53·7	....	53·5	28
....	64·2	61·1	71·5	73·0	70·9	67·5	....	69·0	73·1	64·3	53·0	56·9	64·7	55·3	29
....	60·4	59·7	64·3	65·5	65·4	63·8	75·5	63·0	67·8	60·7	59·0	58·7	65·4	55·7	30
....	55·0	55·1	64·2	62·0	64·0	58·0	60·7	62·5	63 9	63·2	56·8	57·7	64·8	56·5	31
....	56·61	57·53	61·11	61·50	61·30	59·53	62·12	60·64	59·58	60·25	58·60	61·84	67·73	61·40	

TABLE XV.—*August*, 1887. *Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	65·5	74·7	63·7	71·7	....	71·5	67·0	64·6	73·5	72·3	68·7	72·7	71·3	73·1	65·8
2	68·9	75·0	66·8	76·3	....	75·3	69·5	67·5	78·5	73·7	70·0	75·0	77·1	75·2	70·7
3	69·6	76·8	68·3	75·5	....	75·6	68·2	68·4	80·4	78·7	74·3	79·0	....	76·6	74·7
4	77·5	80·0	77·0	81·9	....	80·0	70·0	71·0	78·8	....	79·7	79·2	81·1	83·3	78·6
5	74·3	76·7	62·0	81·0	....	80·4	62·5	71·5	78·0	79·3	76·3	78·3	77·7	79·0	76·3
6	59·2	65 8	66·0	69·7	....	65·0	53·5	60·9	66·4	60·0	57·0	59·7	61·8	59·5	60·7
7	56·8	63 5	72·2	61·7	....	66·0	55·5	54·6	63·6	64·0	55·0	64·0	....	63·7	63·0
8	63·5	64·7	74·0	65·6	....	66·0	60·8	61·1	63·8	70·0	64·3	65·3	66·0	72·6	66·7
9	68·5	69·3	65·0	69 8	....	71·5	68·0	67·2	72·3	74·3	70·7	72·3	71·8	72·4	75·2
10	69·0	75·0	61·0	74·4	....	72·2	61·5	70·9	74·3	75·7	74·0	75·5	76·2	79.0	75·0
11	69·5	71·5	63·0	70·7	....	74·7	67·2	68·0	69·6	72·0	73·3	71·8	71·3	73·7	73·8
12	56·0	64 7	69.3	65·3	61·7	65·3	51·0	52·5	68·5	62·3	58·0	62·5	62·4	64·3	60·8
13	56·0	63·8	74·2	61·1	63·4	66·4	55·8	53·4	67·4	66·0	60·0	63·7	61·9	62·7	61·3
14	59·9	65·2	67·8	69·4	68·1	70·8	52·5	58·1	67·1	69·3	68·0	66·7	....	66·5	68·5
15	62·3	68·8	68 0	69·8	67·2	68·2	52·0	61·0	70·0	69·7	68·0	67·3	64·4	68·0	68·9
16	60·1	69·0	72·0	68·5	66·0	66·7	44·5	55·7	72·1	67·7	63·0	66·0	66·7	65·2	62·9
17	60·6	64·5	68·0	66·3	63·7	63·0	48·3	55·8	69·8	67·7	60·0	63·5	62·8	65·6	62·2
18	65·7	66·0	57·2	63·2	65·3	72·0	49·5	61·7	64·5	65·3	63·7	64·7	65·3	67·3	65·7
19	54·9	62·5	58·3	66·4	57·5	61·5	41·0	53·1	62·3	58·7	55·3	57·5	58·0	65·7	60·1
20	56·0	65·5	60·0	65·6	60·3	63·5	37·5	54·1	65·3	63·7	59·0	62·5	60·4	61·3	63·1
21	55·3	59·5	62·0	67·8	60·2	68·9	45·0	54·9	62·5	62·0	62·7	59·3	....	62·7	63·8
22	62·1	62·2	50·5	62·3	62·9	70·1	45·7	60·3	66·0	64·3	65·3	64·0	63·3	68·0	64·4
23	55·3	61·8	4 ·5	61·7	61·1	65·0	41·5	52·3	67·2	59·7	59·3	59·7	60·7	63·5	60·8
24	52·5	58·7	52·5	61·2	55·1	59·3	40·3	52·1	62·3	56·3	54·0	56·5	57·6	58·4	56·3
25	53·2	56·8	56·5	59·1	53·6	57·5	37·7	49·1	63·4	53·3	50·3	55·0	53·5	56·6	54·2
26	50·3	56·5	68·7	59·5	54·3	57·3	37·8	48·2	61·3	52·0	48·7	54·3	53·0	53·4	52·6
27	53·6	57·0	66·5	63·5	55·5	54·2	38·2	51·7	64·5	56·3	46·0	54·3	51·4	53·9	55·7
28	53·0	58·5	68·8	61·4	56·6	56·4	42·3	51·6	62·8	59·3	50·0	58·3	....	55·0	56·6
29	56·0	62·0	69·7	59·6	58·9	57·2	47·5	52·6	64·1	60·0	54·0	60 5	60·4	56·9	57·5
30	56·9	64·5	78·8	57·6	60·6	59·6	47·8	55·2	65·0	....	53·3	64·3	60·9	61·4	59·6
31	57·1	66·8	61·5	58·0	60·2	65·7	51·2	53·5	67·8	....	57·3	62·3	61·8	62 3	62·5
	61·22	66·04	65·12	66·63	60·62	66·68	51·98	58·47	68·17	65·49	63·92	65·02	64·57	65·36	64·45

TABLE XV.—*August*, 1887. *Daily Mean Temperature.*

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
72·3	67·0	63·2	72·9	74·5	72·1	68·2	70·0	72·0	69·2	66·2	66·4	64·5	77·5	72·0	1
68·7	71·0	58·8	75·5	77·2	74·1	72·9	67·7	71·5	71·9	71·2	74·3	62·3	77·3	74·3	2
74·0	71·5	63·2	80·8	76·2	77·2	75·1	72·7	74·2	73·6	71·4	71·9	61·7	77·0	74·3	3
80·8	75·9	63·3	83·1	78·9	79·9	78·4	75·3	75·4	81·3	74·3	74·3	64·5	81·5	80·1	4
78·0	72·4	63·2	82·4	77·0	75·7	77·9	75·0	71·1	79·4	75·8	78·6	56·3	79·7	79·3	5
63·5	56·7	57·5	67·7	70·7	62·8	62·9	57·3	61·5	61·7	61·1	74·8	60·5	66·3	63·3	6
60·2	57·6	58·8	66·7	61·9	59·4	61·7	55·0	63·5	59·0	57·6	60·0	59·2	66·2	60·5	7
65·8	63·5	63·2	67·6	67·0	63·0	65·3	62·7	....	66·7	60·2	57·1	63·5	66·5	63·9	8
71·3	73·9	57·5	75·6	69·6	68 5	70·8	73·0	72·7	74·8	63·5	57·2	55·3	71·5	68·6	9
71·9	69·6	58·8	76·4	73·6	72·9	76·3	71·3	65·5	76·4	74·8	64·3	52·7	73·0	72·0	10
72·1	67·8	57·7	45·5	70·3	70·7	73·0	71·0	70·0	73·4	71·0	72·3	54·5	74·5	68·2	11
62·8	53·1	56·0	69·5	67·1	60·6	63·1	61·7	61·7	62·0	58·9	68·3	59·0	69·0	63·4	12
54·1	53·2	53·3	65·3	61·7	60·5	63·9	57·7	63·5	59·6	55·4	53·7	63·0	67·8	59·8	13
63·3	62·7	58·7	68·9	64·7	64·1	68·0	66·7	66·4	64·4	59·6	56·5	64·5	63·0	68·1	14
64·6	63·9	53·3	69·1	69·7	65·2	67·5	64·7	68·1	71·2	64·0	58·1	60·8	69·2	69·5	15
66·6	56·0	57·7	70·7	70·0	64·4	66·6	60·0	62·0	65·5	61·2	65·1	57·7	71·3	67·3	16
63·3	62·9	57·3	66·9	66·4	66·8	62·4	61·7	68·0	63·5	56·4	56·5	64·8	71·2	60·9	17
67·9	64·3	60·0	70·5	69·5	66·8	67·7	64·0	66·2	66·2	68·4	60·2	54·0	69·0	64·7	18
60·6	57·7	60·0	63·5	63·8	57·9	58·8	54·3	60·8	57·1	58·1	60·4	53·3	62·3	63·9	19
56·9	53·8	53·2	65·1	64·0	61·3	62·0	57·7	59·9	63·4	53·7	55·0	52·7	66·2	62·7	20
57·3	57·0	57·3	64·1	61·5	56·9	62·6	63·7	67·5	65·2	52·9	55·9	55·5	67·0	63·0	21
64·4	59·5	51·2	64·6	66·1	63·0	65·2	67·0	62·4	66·5	60·1	53·9	50·5	65·8	62·7	22
56·1	54·4	51·3	64·6	64·7	60·3	63·9	61·3	59·2	62·5	56·0	59·0	49·0	65·6	61·8	23
55·6	51·3	51·2	63·2	60·2	55·7	57·5	55·0	56·5	54·5	54·0	57·9	49·5	61·8	59·6	24
55·7	50·7	47·8	59·7	59·0	55·0	53·6	51·3	55·3	52·5	52·6	51·6	47·8	56·7	55·4	25
54·0	49·7	53·2	57·4	57·9	53·8	51·3	47·0	55·6	60·9	49·7	49·2	51·0	56·5	57·4	26
56·3	50·0	57·8	59·5	58·1	52·2	52·3	44·0	59·2	52·3	51·6	45·3	55·5	55·5	57·5	27
56·5	53·5	58·5	60·9	59·8	56·3	53·5	52·3	62·6	57·0	55·2	49·4	53·2	60·0	60·2	28
60·0	56·0	57·7	62·6	57·6	60·7	56·8	53·0	65·5	56·1	55·3	49·7	56·8	67·0	56 6	29
59·0	58·3	59·3	64·7	62·4	62·8	60·0	55·3	64·5	61·3	55·4	53·6	60·5	67·0	58·3	30
56·0	55·1	57·2	63·1	62·1	59·9	58·9	57·7	68·8	62·5	54·8	55·8	60·7	64·0	60·6	31
63·54	60·24	57·33	68·32	66·56	63·89	64·46	61·48	65·04	64·89	60·60	60·52	57·07	67·97	64·84	

TABLE XV.—*August*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	63·7	66·4	70·4	75·4	62·0	79·8	71·7	72·4	73·9	69·3	71·0	73·7	71·7	61·0	72·5
2	60·7	68·9	73·9	80·4	65·5	76·0	73·2	72·4	79·0	71·0	69·5	77·9	77·3	67·4	73·2
3	61·0	69·3	76·3	78·0	68·5	79·7	73·3	73·7	79·5	72·3	74·5	78·0	78·0	69·2	75·3
4	64·3	73·6	78·2	82·0	78·3	83·2	77·5	80·1	84·3	71·5	82·0	80·7	85·0	77·5	80·1
5	63·0	73·3	76·4	81·0	71·5	85·0	79·0	80·7	77·4	76·3	80·5	78·7	81·0	72·8	76·3
6	57·7	65·0	62·1	69·7	62·2	73·0	63·8	65·1	66·4	62·3	64·5	64·1	68·0	62·1	60·1
7	61·7	59·2	60·4	....	61·9	....	61·0	61·8	64·2	56·6	57·5	64·1	64·7	55·9	60·5
8	70·7	65·3	65 5	65·7	68·2	73·5	63·7	69·4	63·8	62·7	62·5	67·3	67·0	61·9	64·9
9	58·2	70·0	70·5	72·4	72·5	81·7	70·3	72·7	77·2	68·0	72·0	75·1	77·3	69·2	71·2
10	56·7	72·3	74·4	78·0	70·5	80·0	74·6	74·7	79·7	70·6	77·5	75·2	79·5	69·7	75·4
11	60·7	68·3	69·9	74·0	69·8	79·2	74·7	74·8	77·0	68·5	75·5	73·8	69·7	69·5	73·2
12	59·7	58·7	61·4	67·7	61·0	70·7	66·4	67·4	62·2	57·8	65·0	64·6	70·0	60 0	66·4
13	62·0	57·7	61·2	67·0	58·0	71·5	65·6	66·0	63·0	56·8	63·0	65·2	68·5	56·4	62·2
14	63·3	61·6	67·2	....	65·2	....	68·3	66·7	68·2	61·4	68·0	68·0	69·8	63·5	62·2
15	64·8	62·7	70·6	70·7	64·5	69·7	67·1	70·1	71·4	67·3	67·0	68·0	70·2	64·3	66·3
16	58·7	61·7	61·4	71·7	6 ·3	70·8	68·3	71·4	67·2	61·0	69·5	70·5	73·3	61·6	64·7
17	62·0	58·3	62·2	67·0	64·0	72·3	65·1	66·4	64·4	60·1	61·0	64·2	67·0	57·8	63·3
18	56·7	63·6	68·8	70·4	65·7	69·7	69·9	67·4	69·2	65·4	69·0	67·1	67·2	61·7	69·8
19	54·3	60·7	63·0	62·4	63·5	68·8	59 4	62·1	59·2	58·7	63·0	59·0	65·0	59·0	58·3
20	56·3	60·0	59·9	65 0	60 0	71·2	63·4	63·1	62·0	57·0	66·5	66·8	73·3	54·8	61·4
21	57·0	58·3	57·4	....	63·8	....	68·7	63·4	....	58·3	63·0	61·9	61·7	62·4	56·6
22	51·0	61·7	62·4	68·7	61·7	71·0	65·5	64·8	63·9	60·3	68·5	63·9	65·0	61·0	64·7
23	50·3	55·6	59·1	63·7	58·8	70·5	64·8	64·8	63·4	57·4	65·5	64·0	65·5	56·8	61·9
24	50·0	54·3	54·4	60·0	57·6	67·5	58·7	60·8	57·0	52·4	60·5	58·6	65·5	56·1	56·8
25	51·8	52·3	55·6	59·4	56·2	65·7	54·9	57·4	52·5	53·0	56·0	57·5	59·0	52·1	54·2
26	52·5	52·7	57·5	57·7	50·7	62·7	54·3	56 8	53·7	54·0	53·0	56·7	56·5	48·8	53·5
27	57·0	54·0	58·8	56·7	55·6	63·0	53·4	55·0	57·5	51·0	55·0	56·0	58·8	49·7	51·6
28	55·0	56·2	61·2	....	56·5	....	56·5	58·8	....	53·3	52·5	60·2	62·5	45·8	56·5
29	58·3	57·0	58·5	63·7	53·8	68·5	56·9	61·4	....	58·3	56·3	62·1	68·2	52·1	60·9
30	61·5	57·3	61·6	67·4	55·9	68·5	59·0	60·8	59·5	60·7	61·0	63·4	65·5	55·7	62·2
31	59·7	57·6	65·2	66·0	62·2	66·3	58·7	60·8	62·7	58·6	62·0	63·4	64·0	59·3	59·3
	58·71	61·73	64·53	68·96	62·89	72·59	65·41	66·56	67·12	61·66	65·40	66·59	68·88	60·48	64·21

TABLE XV.—*August*, 1887. *Daily Mean Temperature.*

Stratford.	Simcoe.	Sprucedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Antieosti, S.W.P.	Antieosti, W.P.	Antieosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	76·3	66·3	59·9	73·2	74·0	76·3	....	69·5	62·5	59·5	60·2	....	64·4	58·5	1
....	75·7	68·2	59·5	75·0	77·0	77·5	....	73·1	61·1	63·3	61·0	....	62·1	59·0	2
79·0	77·0	70·0	65·5	76·4	77·5	81·5	....	77·5	59·1	64·5	57·3	....	63·2	55·2	3
81·1	75·7	70·3	66·8	79·1	80·6	84·4	....	80·1	62·8	68·2	59·5	....	64·6	59·5	4
78·1	80·0	73·0	55·5	78·1	78·5	78·8	....	78·2	64·2	69·8	56·5	....	62·7	62·5	5
59·8	66·7	57·0	58·0	65·7	63·5	68·6	....	61·6	61·7	68·2	56·2	....	63·8	57·5	6
62·3	....	53·7	65·0	62·1	62·6	....	. ..	60·0	58·2	62·0	54·7	....	60·4	54·5	7
66·3	63·7	61·7	67·7	65·2	66·4	71·2	....	66·4	53·7	60·8	59·0	....	58·7	54·2	8
73·8	71·3	69·8	54·3	70·0	72·5	75·2	....	73·8	56·8	62·0	57·7	....	62·3	55·8	9
73·5	74·7	71·3	59·2	75·0	75·6	78·6	....	78·6	57·1	64·2	61·0	....	62·9	53·8	10
72·3	75·0	66·2	52·5	74·7	74·7	75·2	....	74·7	58·2	65·8	59·3	....	65·0	48·7	11
63·1	68·0	53·7	57·8	65·5	65·6	68·1	....	61·2	57·5	60·0	57·3	....	61·4	52·3	12
63·9	65·0	56·0	63·5	62·6	64·3	68·3	....	64·0	52·1	60·0	59·8	....	56·6	50·5	13
67·6	....	62·5	64·2	66·0	67·4	....	....	68·1	50·8	58·5	40·3	....	53·4	54·2	14
69·1	69·0	67·3	61·5	68·4	68·5	68·1	....	70·4	51·3	58·0	54·0	....	58·2	54·0	15
66·9	71·0	53·0	59·8	68·4	68·5	69·4	....	65·4	50·7	56·5	57·3	....	56·5	55·0	16
66·0	66·7	59·5	60·2	64·6	63·7	64·1	....	60·7	48·6	60·2	57·2	....	57·5	55·8	17
66·5	69·0	65·3	51·0	68·8	67·2	69·4	...	63·0	55·8	60·5	56·3	....	59·6	54·8	18
58·5	61·0	52·5	49·8	61·1	58·8	65·2	....	58·1	55·9	54·7	53·2	....	58·5	48·5	19
64·2	63·3	55·5	51·0	63·7	61·9	67·5	...	62·9	50·8	55·5	56·7	....	59·3	50·5	20
61·4	....	60·0	53·0	59·1	61·3	....	....	64·6	54·5	53·3	57·5	....	61·0	51·5	21
63·9	66·3	54·0	46·7	64·3	64·4	67·8	....	65·9	52·8	52·0	57·8	....	59·5	47·8	22
61·6	65·3	49·3	45·8	64·1	62·9	64·2	....	63·0	54·6	53·2	54·7	....	59·3	49·0	23
56·4	63·0	50·0	46·7	59·8	58·6	60·9	....	58·3	54·0	54·0	56·2	....	59·9	45·3	24
52·8	55·7	52·0	50·5	57·4	55·3	60·1	....	56·4	57·5	55·3	53·5	....	57·1	49·2	25
53·8	55·3	53·5	49·5	56·1	53·3	58·2	....	54·0	52·5	54·0	55·7	....	54·9	45·3	26
55·3	56·2	52·3	52·5	57·0	53·8	58·5	....	51·1	52·1	46·0	52·8	....	56·2	50·5	27
52·1	....	57·2	55·0	60·7	58·6	....	....	51·2	50·8	55·0	55·8	....	55·1	50·0	28
58·1	59·0	52·0	59·0	64·3	59·6	60·2	....	55·0	54·7	56·2	52·7	....	58·3	47·7	29
59·2	63·0	58·3	68·0	63·8	62·6	62·0	....	59·1	49·0	55·3	53·0	....	60·3	50·8	30
62·1	58·3	64·5	59·3	61·5	61·8	65·9	....	59·9	55·9	59·5	55·8	....	59·1	54·7	31
64·44	67·10	60·51	56·89	66·19	65·84	69·08	....	64·73	55·40	58·92	56·13	....	59·74	52·80	

TABLE XV.—*August*, 1887. *Daily Mean Temperature.*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Bathurst.	Chatham.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	53·3	64·7	63·0	65·7	64·5	57·3	69·0	62·6	67·2	73·7	70·2	73·3	69·7	74·3	73·7
2	52·0	66·8	60·6	61·5	60·0	51·2	68·0	57·8	72·4	72·5	65·2	68·2	70·8	66·7	64·4
3	53·0	65·5	64·1	63·3	66·3	56·5	72·0	55·8	72·2	73·8	65·4	64·5	71·0	66·7	64·7
4	54·7	65·7	....	72·3	71·5	57·8	74·5	64·2	76·1	76·6	71·8	60·5	74·2	69·7	69·6
5	53·3	71·3	70·6	74·3	75·3	60·0	75·0	71·5	73·9	76·1	75·6	53·7	74·6	68·7	67·1
6	56·3	67·7	64·1	65·7	68·0	61·7	68·5	62·2	67·8	69·2	69·8	56·5	69·3	68·3	67·6
7	52·0	54·0	55·3	56·3	59·2	54·3	60·0	53·7	57·7	62·2	60·0	59·8	56·3	....	63·3
8	44·3	56·0	....	59·7	61·3	45·5	63·5	58·5	59·6	65·3	63·1	52·5	57·3	....	65·1
9	37·7	60·5	64·0	65·0	62·2	52·5	64·0	61·5	65·3	70·0	65·2	56·5	64·4	73·7	69·0
10	44·3	65·2	63·1	61·3	65·3	54·7	69·0	54·4	69·1	71·7	67·8	61·7	66·8	66·3	69·3
11	46·7	63·3	62·9	61·2	62·2	46·0	66·0	53·9	68·2	70·4	63·6	52·5	67·6	70·7	68·8
12	45·7	56·2	....	62·3	60·8	50·0	62·5	54·6	62·0	64·7	61·0	57·0	59·6	60·3	61·7
13	45·7	54·3	52·0	54·0	53·2	51·3	56·0	54·3	56·3	64·2	58·0	53·8	53·8	58·3	58·2
14	50·3	57·7	56·6	55·3	57·0	46·2	62·0	55·3	62·5	67·9	62·9	64·0	61·2	....	61·9
15	46·3	61·0	62·5	60·3	59·0	54·5	66·0	59·2	67·1	70·7	66·8	60·7	61·6	69·3	65·5
16	45·3	58·5	57·9	60·0	56·9	53·0	64·5	53·9	62·0	67·0	63·8	61·5	62·4	60·3	58·8
17	46·7	53·8	57·8	56·7	52·8	53·5	58·5	56·7	61·0	64·4	58·7	53·5	57·6	61·7	59·4
18	45·7	54·0	59·2	63·8	61·7	52·5	62·5	57·2	59·2	60·9	58·9	57·5	59·5	60·3	60·6
19	46·3	56·2	56·6	55·5	58·8	56·5	62·0	52·2	62·8	65·4	60·7	55·5	59·8	65·3	66·2
20	48·3	54·7	56·3	55·0	55·0	52·5	60·5	53·5	61·6	63·8	59·9	55·5	57·3	63·0	63·3
21	53·7	55·2	61·6	56·3	58·5	51·3	58·5	53·4	63·8	64·3	59·2	54·5	57·4	....	60·7
22	51·7	56·3	54·6	55·8	56·5	50·0	58·5	51·5	58·6	63·6	59·0	54·5	59·1	65·0	64·4
23	51·7	52·2	50·0	53·0	51·7	51·5	57·5	49·8	58·5	58·8	56·8	52·3	57·1	63·7	62·6
24	53·3	56·0	53·5	53·5	53·0	49·5	59·5	50·3	59·5	59·8	58·2	51·2	59·7	64·7	62·4
25	50·3	51·3	55·0	53·0	52·5	53·7	55·0	52·7	54·5	56·7	55·8	52·3	51·1	64·3	61·7
26	46·7	51·2	54·0	52·7	53·3	50·3	54·5	51·0	54·3	59·4	57·1	48·2	56·7	66·3	56·4
27	45·0	51·5	52·1	54·0	55·7	50·0	55·5	49·6	57·7	60·1	56·7	55·0	55·5	61·0	58·1
28	42·3	53·8	54·0	53·3	52·8	48·5	57·5	51·5	57·5	62·4	58·3	56·8	54·8	....	58·1
29	40·7	48·7	54·0	53·2	53·2	46·5	54·0	48·2	54·9	60·0	55·5	59·7	54·1	59·3	56·7
30	37·7	47·5	54·7	55·3	52·8	41·2	59·0	53·0	55·2	60·4	57·2	62·8	52·3	60·0	55·9
31	44·7	52·7	57·3	57·5	61·7	48·5	56·0	57·8	56·6	62·5	58·8	61·3	52·7	61·0	56·2
	47·89	57·54	58·31	58·93	59·15	51·89	62·23	55·54	62·42	65·75	61·96	57·65	61·00	64·96	62·94

TABLE XV.—*August*, 1887. *Daily Mean Temperature.*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
73·7	67·9	68·2	66·4	71·2	62·3	72·2	73·0	75·0	68·9	73 8	64·5	65·5	68·3	71·7	66·9	60 5	1
70·4	69·1	68·4	69 6	70·1	64·0	66·6	70·3	68·3	66·1	73·0	69·1	66·2	67·3	68·4	62·0	56·5	2
65·8	61·3	64·7	65·8	65·1	62·0	59·2	66·4	65·6	63·1	67·0	67·2	62·8	73·7	65·5	51·3	57·5	3
69·0	62·6	64·6	65·0	67·3	58·7	60·9	64·9	66·5	60·4	66·5	64·2	63·7	66·7	66·3	49·7	57·5	4
66·7	59·9	61·8	61·1	68·0	60·0	65·5	67·7	65·2	64·0	68·4	66·3	65·0	68·3	68·6	59·7	59·5	5
67·1	61·1	62·7	60·4	68·7	59·8	67·6	72·0	71·5	65·4	72·4	68·6	65·7	66·3	66·5	64·7	61·5	6
....	61·1	62·1	65·1	....	....	65·6	65·8	66·7	67·6	65·3	61·1	63·5	....	66·1	68·9	58·7	7
62·4	62·1	61·7	64·0	59·2	60·3	62·1	62·8	60·2	63·0	61·3	56 5	65·5	66·3	59·9	59·7	48·5	8
65·6	66·5	63·5	63·8	65·4	59·7	64·6	64·8	64·4	61·3	58·0	60·4	62 8	65·7	59 7	47·0	50·8	9
66·4	62·5	62·3	62·0	69·5	58·0	69·9	65·7	68·6	63·5	61·9	60·4	63·3	66·0	65·9	57·5	58·2	10
63·1	56·5	59·0	62·1	62·6	57 8	67·1	65 6	65·7	65·1	....	63·8	64·2	64·3	68·1	54·7	56·3	11
60·4	59·0	59·8	59·7	62·3	56 5	64 8	66·4	65·0	65·7	57·6	62·2	64·0	68·0	67·3	51·0	59·7	12
57·9	58·1	57·3	59·6	55·5	59·0	60·4	60·1	59·2	62·4	54·8	55·7	59·8	57·7	58·9	53·7	60·3	13
....	64·8	63·1	63·8	....	....	56·8	61·7	58·5	63·1	58·4	59·0	60·5	....	57·1	61·3	54·5	14
64·8	66 8	64·2	65·0	63·0	58·7	64·3	66·7	53·6	64·3	61·3	61·4	62·0	65·6	59·3	60·3	56·5	15
61·6	62·9	59·9	58 1	62·1	55·3	65·9	65·3	60·7	65·9	62·3	60·7	62·3	60·7	64·2	61·0	56·5	16
60·7	61·1	61·6	62·8	60·5	57·5	62·8	64 9	61·4	66·3	57·3	59·6	61·0	64·0	58·1	63·0	56·5	17
57·6	57·1	58·0	59 2	58 0	58·0	62·3	62 3	62·8	66·5	65·2	62·1	64·4	63·3	57·6	59·5	58·7	18
66·9	65·5	66·6	64·6	65 2	58·5	65·3	68·1	66·5	66·1	62·4	61·3	64·3	63·3	64 1	62·0	60·3	19
63·7	64·1	69·1	62·9	61·6	57 8	63·3	66·6	64·5	65·4	61·6	62·7	64·7	65·7	62·6	65·0	59·2	20
....	62·1	62·9	60·8	....	....	56·1	60·3	60·5	61·9	59·4	59·8	58·7	....	60·5	62·3	58·8	21
63·4	57·6	59·5	61·4	62·8	55·5	62·0	59·5	63·0	64·9	63·1	58·3	61·8	57·7	60·4	54·9	58·2	22
62·2	59 9	60·9	62·3	59·1	58·0	59·6	63·0	62·3	62·2	63·8	60·1	63·7	59·3	62·0	58·5	57·0	23
58·6	57·1	59·1	61·9	60·8	56·7	58·0	62·5	59·9	61·7	62·6	63·1	62 8	59·0	56·9	50·7	55·0	24
58·8	58·6	60·0	59·3	57·1	56·5	58 1	63·6	59·7	64·0	59·9	59·7	62·9	59·7	59·3	53·3	58·0	25
56·4	58·9	57·5	59·5	58·1	58·3	61·5	57·8	59·7	63·5	59·8	56·3	61·0	57·0	56·7	57·0	56·0	26
58·4	61·3	59·5	59·4	56·0	56·7	58·9	59·6	58·6	61·5	58·6	56·5	61·0	58·0	56·3	58·7	49·0	27
....	60·5	59·0	60·9	....	....	56·6	59·6	57·7	62·5	54·5	55·2	58·0	....	56·7	57·2	51·3	28
57·1	59·5	59·6	61·5	57·4	58·7	53·6	58·3	54·5	55·0	55·0	56·3	57·8	57·3	52·5	49·0	54·5	29
56·6	57·6	56·8	58·7	56·9	57·5	53·8	58·6	56·0	58 7	54·0	56·3	57·5	58·7	53·6	45·3	51·5	30
55·8	57·3	56·3	58·7	55·6	57·5	54·0	58·5	56·7	57·9	57·6	57·3	58·7	66·7	51·7	47·7	57·0	31
62·64	61·30	61·31	62·11	62·19	58·49	61·92	63·96	63·32	63·48	62·04	60·83	62·02	62·42	61·37	57·20	56·58	

TABLE XVI.—*September*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	54·5	55·4	60·7	55·7	....	58·7	60·0	61·5	53·7	56·7	58·0	61·5	....	57·6	57·3	54·7
2	53·0	52·3	55·5	52·5	....	54·2	59·8	59·8	52·6	56·0	57·5	64·7	....	59·3	55·7	53·5
3	55·0	52·7	62·5	62·3	....	63·5	61·9	59·7	53·3	62·7	64·5	63·5	....	54·3	58·0	58·3
4	58·0	55·5	63·5	61·0	....	62·5	63·4	60·5	59·0	65·3	....	63·0	....	....	58·3	60·0
5	56·5	53·6	65·3	59·0	....	61·3	61·5	63·3	59·1	63·3	55·5	65·5	....	56·3	63·3	55·0
6	60 5	54·8	60·0	48·0	....	....	57·7	61·7	57·9	55·3	51·3	61·5	....	51·0	52·8	53·0
7	55·5	54·7	65·7	52·3	....	54·1	54·8	69·3	58·9	57·7	51·7	59·5	....	55·3	58·0	50·3
8	58·5	58·2	58·0	53·5	....	53·2	56·7	60·1	53·2	56·0	51·0	62·0	....	50·7	53·0	50·2
9	51·0	53·6	61·8	41·7	....	....	47·3	61·9	55·9	44·7	51·5	54·3	....	44·0	51·7	59·5
10	55·5	52·3	67·2	50·3	....	57·9	59·6	64·3	51·7	60·0	47·3	56·0	....	57·3	63·3	54·7
11	57·5	50·0	58·8	57·3	....	61·0	56·6	53·3	37·1	62·0	....	59·3	....	....	52·3	60·7
12	53·5	50 2	52·7	46·2	....	44·4	49·5	47·3	40·8	52·0	41·3	52·7	....	46·0	44·8	42·7
13	57·0	52·3	48·0	38·0	....	....	45·8	44·8	42·8	42·0	40·5	48·3	....	46·0	42·7	48·3
14	51·5	51·1	50·7	46·7	....	37·3	43·0	50·1	44·9	42·0	43·0	47·5	....	44·7	45·0	45·5
15	57·0	48·3	60·3	48·5	....	49·0	49·4	61·3	53·4	48·7	45·7	44·7	....	50·7	53·7	58·3
16	53·0	48·1	59·5	63·0	....	60·0	59·7	60·0	47·4	63·3	56·0	42·0	....	56·0	59·7	68·0
17	45·0	48·6	58·0	40·5	....	42·5	45 8	43·7	41·4	45·3	44·5	47·5	....	41·7	43·7	....
18	53·5	50 7	61·0	53·0	....	52·7	46·5	54·4	40·8	51·3	....	42·3	....	....	50·7	....
19	52·0	46·3	53·0	49·3	....	49·5	55·5	50·0	42·7	54·7	51·3	39·5	....	50·3	51·0	....
20	47·5	48·5	44·7	41·7	..	42·3	42·9	43·7	40·9	44·7	37·8	42·5	....	41·0	40·8	....
21	46·5	49·9	43·8	33·0	....	34·7	36·9	46·2	41·2	37·3	33·7	42·0	....	34·7	38·8	....
22	56·5	46·8	54·2	37·8	....	....	40·7	53·6	44 3	40·7	39·3	40·5	....	41·3	45·7	....
23	54·0	52·2	62·3	45·5	....	47·3	48·4	59·3	49·0	49·3	41·5	45·5	....	46·7	54·3	....
24	57·5	53·7	63·7	48·0	....	....	46·8	62·9	48·8	47·3	46·2	45·7	....	46·7	50·3	....
25	51·5	53·6	53·8	47·7	....	48·0	51·2	50·8	48·9	49·3	....	49·0	....	52·0	56·0	....
26	57·0	52·5	60·5	41·8	....	....	47·7	59·9	50·2	46·7	46·7	49·5	....	49 0	51·0	....
27	58·0	53·7	63·2	47·5	....	48·4	55·0	62·4	63·4	54·7	56·3	50·0	....	55·0	59·3	....
28	51·5	48·1	68·0	59·7	....	55·5	62·2	66·9	65·5	61·3	61·2	55·5	....	59·6	61·3	....
29	50·5	52·3	67·0	62·8	....	58·5	63·8	68 5	54·1	66·0	61·0	53·3	....	58·6	60·3	....
30	55·5	52·5	66·8	59·3	....	....	61·3	64·5	57·4	64·7	63·0	55·0	....	55·0	60·1	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	54·13	51·75	59·01	50·13	....	52·01	52·97	57·52	50·33	53·37	49 89	51·86	.....	50·39	53·10	.....

TABLE XVI.—*September*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Sourisford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	55·6	56·9	61·7	61·3	63·4	59·0	59·0	65·0	65·1	65 5	57·0	62·7	66·7	61·7	1
....	57·8	58·0	59·8	58·0	62·1	58·0	61·5	72·3	66·5	64·7	51·7	53·5	....	54·8	2
....	64·6	63·0	63·7	66·7	62·9	66·0	66·5	54·5	56·6	63·5	52·5	48·2	61·4	53·5	3
....	62·5	64·7	64·5	63·3	....	65·5	69·5	62·0	57·8	65·7	....	54·2	....	58·8	4
....	59·7	59·6	65·0	....	64·8	66·0	65·0	65·5	60·0	63·5	60·2	65·0	72·5	63·6	5
....	53·3	52·3	57·0	55·0	57·0	45·0	69·7	57·0	59·8	53·5	59·3	67·8	67·2	65·0	6
....	44·5	47·6	47·0	55·5	49·3	47·8	49·0	48·5	55·2	56·9	47·0	57·0	61·3	54·5	7
....	51·8	52·4	53·5	58·5	55·0	54·0	57·5	52·5	51·4	51·5	45·0	55·4	52·7	47·0	8
....	42·3	40·9	45·8	44·5	46·0	39·7	54·5	42·5	41·4	46·6	50·5	51·5	57·7	53·5	9
....	47·8	53·9	49·7	52·5	50·9	50·5	46·7	52·5	51·7	58·0	41·3	45·5	50·9	43·5	10
....	59·9	59·0	58·3	65·0	....	62·3	58·3	58·3	59·8	60·0	49·0	51·4	....	56·7	11
....	54·0	47·8	60·7	52·7	60·0	54·2	68·0	58·7	54·1	59·3	56·7	55·4	62·9	61·1	12
....	43·1	39·8	45·3	43·7	48·7	43·7	52·7	44·5	51·8	38·5	61·3	65·2	71·8	73·5	13
....	38·4	38·6	41·5	39·5	43·2	39·7	44·0	40·5	44·8	46·5	56·8	50·9	65·9	56·0	14
....	41·6	44·7	45·7	50·5	46·1	43·7	39·2	45·5	45·8	55·3	47·5	48·2	55·6	52·0	15
....	58·7	60·5	60·5	57·8	60·4	62·3	54·0	51·3	65·7	56·0	41·5	44·0	51·4	43·0	16
....	47·2	41·7	51·0	45·0	54·6	46·0	63·3	51·5	52·0	53·7	....	43·5	53·4	48·3	17
....	44·6	50·5	48·3	....	....	50·5	45·2	49·5	49·7	48·3	....	53·7	....	55·0	18
....	64·2	57·9	73·0	61·0	68·0	62·0	56·6	67·5	74·9	53·7	49·7	54·7	59·4	50·7	19
....	47·7	41·7	51·5	42·3	56·3	47·3	66·0	55·0	54·5	48·1	47·5	47·5	55·3	53·0	20
....	35·8	36·2	38·7	36·7	40·6	38·5	48·0	37·5	40·0	42·7	51·2	52·5	66·2	58·7	21
....	36·0	34·5	40·8	35·5	39·5	36·7	39·5	34·7	33·1	39·2	42·8	42·2	52·0	47·5	22
....	40·6	43·9	44·7	48·0	44·1	48·0	36·2	45·0	45·5	49·2	35·2	37·9	43·1	40·0	23
....	49·0	44·3	47·0	45·3	49·9	46·0	48·2	46·5	44·9	52·0	35·7	39·9	44·6	37·0	24
....	48·6	46·0	52·3	50·7	....	50·7	48·3	52·5	53·2	49·5	40·0	39·7	....	40·5	25
....	48·6	46·4	50·7	47·5	52·2	50·0	56·7	50·7	54·2	51·0	41·0	40·9	50·9	38·5	26
....	48·2	46·9	49·8	48·8	48·0	47·5	54·5	46·3	54·4	51·3	43·2	44·0	51·3	42·9	27
....	57·5	56·7	58·5	51·7	56·9	56·5	51·5	54·0	51·3	53·4	44·0	51·5	51·2	43·5	28
....	55·2	55·3	58·2	59 5	57·8	56·0	60·3	59·5	59·5	55·3	46·2	53·2	56·0	50·7	29
....	57·4	58·0	57·5	60·0	59·9	60·3	63·0	58·3	63·6	56·7	50·0	52·4	58·5	55·3	30
....	....	....	...	....	....	....	....	....	....	....	....	....	...	....	31
....	50·55	49·98	53·39	52·02	53·76	51·87	55·20	52·61	53·98	53·68	48·26	51·00	57·59	51·83	

TABLE XV.—*September*, 1887. *Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	61·0	63·0	66·2	64·6	63·2	67·3	51·7	58·6	67·2	....	67·0	63·5	63·9	60·9	64·8
2	56·4	64·1	64·0	60·3	61·5	62·1	43·0	52·7	66·6	59·3	59·0	62·5	63·6	62·7	62·1
3	50·9	61·5	66·3	55·9	53·0	58·5	43·3	47·7	62·7	59·0	48·3	57·8	63·7	59·0	57·9
4	54·6	63·7	64·0	60·4	58·6	55·3	46·0	52·3	65 6	64·3	61·3	61·7	....	62·0	60·2
5	65·0	66·0	71·7	63·3	63·5	67·5	54·7	58·8	68·0	71·7	65·3	65·5	66·3	61·7	68·7
6	62·0	70·5	60·0	68·8	70·5	71·3	52·8	60·9	67·8	68·3	69·7	66·7	68·2	66·7	68·8
7	54·8	67·8	50 0	70·4	59·2	64·7	42·5	52·1	68·4	56·0	59 0	58·5	60·8	61·5	60·7
8	47·9	57·7	56·7	56·3	53·7	55·7	37·5	46·5	58·2	54·0	48·3	54·7	54·0	51·7	53·8
9	54·5	59·0	48·0	60·8	55·1	60·0	39·5	52·8	62·3	....	53·3	51·5	58·7	56·1	56·3
10	43·4	55·0	56 5	52·5	49·8	55·0	29·2	41·1	51·0	51·3	46·0	48·7	48·0	53·6	49·3
11	50·9	54·7	60·5	56·4	52·3	61·7	38·3	46·6	59·8	57·7	50·3	53·0	....	54·6	57·6
12	59 7	62·5	57·0	54·9	61·1	62 9	43·5	55·6	61·9	64·0	60·0	63·7	62·4	66·6	58·9
13	63·0	74·0	56·0	64·0	73·5	75·3	47·7	65·9	62·2	74·3	74·3	73·0	74·3	69·0	71·4
14	56·5	63·5	46·3	65·8	59·9	69·0	46·0	54·2	64·6	63·7	57·3	60·7	62·5	64·9	64·1
15	38·3	58·5	51·2	59·3	52·3	53·5	34·0	49·1	57·4	53·7	50·0	51·8	51·2	53·0	56·0
16	43·5	50·0	51·8	47·9	46·3	50·0	31·5	42·2	53·2	48·3	40·0	45·3	48·9	48·6	49·8
17	45·2	49·8	72·5	51·5	48·4	53·1	39·5	43·1	54·0	61·0	45·7	47·8	50·0	44·6	53·3
18	53·8	54·2	60·2	63·0	57·0	60·7	47·3	50·3	56·1	64·7	....	57·7	....	59·3	58·6
19	50·0	56·0	52·5	60·0	56·2	60·8	39·7	48·1	58·8	58·7	49·7	57·8	57·3	55·3	56·3
20	51·2	53·5	60·0	50·0	51·5	58·3	43·0	46·0	50·4	59·0	53·3	51·5	52·8	54·7	58·9
21	56·8	59·5	53·5	61·9	64 8	71·9	49·0	51·4	57·9	63·7	61·3	59·3	61·0	59·7	62·8
22	46·1	51·2	45·0	53·2	43·2	56·7	30·0	44·4	55·6	53·7	46·0	50·3	52·0	56·8	52·8
23	37·0	43·0	47·5	45·4	38·8	54·5	20·5	38·9	45·5	40·3	36·3	39·7	41·0	45·0	41·9
24	36·0	43·0	48·0	48·9	41·6	53·3	24·3	32·1	47·4	46·0	37·3	40·7	42·0	41 6	42·3
25	38·0	45·5	46·3	50·4	45·4	49·7	24·5	32·6	48·7	47·3	44·3	44·0	....	45·5	43·4
26	39·1	46·0	48·7	47·7	44·1	47·8	27·5	36·2	51·6	.. .	39·0	45·5	44·5	44·4	45·3
27	45·5	47·8	46·3	48·4	49·9	52·9	38·2	46·6	52·2	52·7	52·0	49·3	50·7	55·0	53·7
28	44·7	55·7	53·7	51·2	51·8	58·5	35·8	42·4	56·8	55·3	51 3	53·3	54·6	51·3	54·5
29	50·5	56·8	61·3	52·4	....	53·5	36·7	46·5	58·5	....	58·7	56·3	57·3	54·7	60·4
30	55·5	56·2	60·0	57·2	....	59·5	44·8	52·2	55·9	61·3	58·7	57·0	57·3	57·3	60·4
31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	50·36	56·99	56·06	56·77	54·51	59·33	39·42	48·20	58·21	58·05	53·54	54·93	56·43	56·25	56·83

TABLE XVI.—*September*, 1887. *Daily Mean Temperature*

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
63·2	55·0	58·3	67·3	66·0	63·0	59·9	63·0	65·0	62·5	55·6	57·4	61·0	65·2	65·0	1
59·9	53·1	63·2	67·0	63·2	60·5	62·7	60·3	63·7	64·0	54·0	58·5	57·2	63·8	59·5	2
52·4	50·0	60·5	59·2	58·3	54·5	57·1	60·7	60·5	57·1	52·1	51·7	52·8	58·0	56·4	3
57·4	55·7	60·5	60·0	61·0	58·3	56·9	62·7	60·6	62·2	56·0	46·6	51·2	62·0	63·7	4
66·4	64·6	58·2	67·4	62·8	65·1	63·7	70·0	68·0	68·9	58·7	53·1	56·0	65·0	64·1	5
66·2	62·3	58·0	74·1	66·2	65·9	69·3	68·3	69·0	68·5	62·0	55·0	56·8	71·0	65·4	6
57·0	51·0	52·8	68·8	66·5	59·0	63·3	60·3	56·5	61·3	53·4	61·7	44·5	65·8	65·6	7
50·5	47·8	39·0	58·9	57·9	50·0	54·1	54·7	52·2	53·5	51·2	56·7	49·2	57·2	55·2	8
57·7	52·7	46·2	60·7	60·4	56·2	56·4	55·7	51·3	52·3	46·0	47·0	44·8	58·5	53·1	9
43·9	41·5	48·3	52·1	53·5	49·3	51·1	47·0	....	54·0	47·8	49·5	43·2	52·2	51·8	10
54·9	50·5	49·5	55·4	56·1	54·8	55·8	51·3	52·0	53·8	52·7	48·0	49·8	58·3	50·7	11
60·6	57·2	46·0	62·3	58·7	59·5	59·7	58·7	61·0	59·1	60·7	47·6	....	63·3	52·9	12
70·1	64·9	52·3	71·5	65·8	72·6	74·5	73·0	63·4	73·4	65·1	57·1	55·7	75·5	60·7	13
59·1	55·4	47·2	66·6	63·7	59·8	61·9	56·7	61·7	63·5	56·9	65·7	47·3	61·5	65·9	14
53·5	48·5	46·7	57·2	55·4	50·5	54·8	48·0	52·5	56·2	47·4	54·0	43·0	55·7	56·9	15
48·8	41·7	43·8	50·1	50·6	45·6	51·0	44·0	47·5	48·5	47·8	53·0	45·7	47·5	49·1	16
48·2	49·1	51·5	50·4	52·0	46·4	49·7	57·0	52·7	53·0	42·1	46·7	57·8	58·5	....	17
56·1	55·7	50·0	55·2	59·5	55·9	57·0	55·3	63·8	58·8	52·2	44·2	48·5	59·5	55·5	18
50·9	52·3	45·0	60·2	61·5	53·9	56·7	56·0	54·0	60·6	52·9	48·5	45·3	60·8	57·9	19
53·5	50·0	46·0	51·7	53·0	47·3	55·6	59·0	54·0	58·1	46·4	50·2	53·7	55·5	50·3	20
60·4	55·3	52·0	69·8	63·7	59·6	66·5	63·0	58·2	65·0	50·6	45·0	48·5	61·8	59·8	21
50·1	44·3	46·5	55·4	54·5	50·9	51·7	49·0	50·8	53·0	49·5	52·0	35·0	52·3	52·1	22
41·9	37·4	42·7	45·4	46·4	42·7	41·7	35·3	42·2	44·0	47·2	44·2	37·2	46·0	45·1	23
39·7	35·9	43·8	43·9	45·9	38·4	43·2	38·7	43·5	41·2	44·5	39·7	43·5	42·5	44·6	24
43·3	39·0	55·7	45·5	48·3	41·8	43·4	43·3	50·8	46·2	40·0	39·8	45·0	43·5	49·9	25
41·5	41·9	52·8	49·0	47·7	42·1	44·1	38·7	48·7	46·0	38·2	30·0	46·8	48·0	46·5	26
47·0	49.0	45·7	51·0	51·2	48·9	51·7	50·3	54·0	52·5	44·5	33·0	47·0	52·0	49·8	27
43·7	48·5	43·5	54·7	57·9	48·9	55·7	50·0	50·0	54·6	45·2	38·5	48·5	60·2	49·6	28
52·0	50·9	42·0	57·0	57·9	54·3	58·7	55·7	53·2	59·8	46·9	42·0	45·0	59·5	48·3	29
56·2	53·0	40·8	58·8	62·2	58·1	61·7	53·0	55·3	62·5	55·2	48·8	46·7	65·0	57·2	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	31
53·54	50·40	49·76	58·22	57·62	53·80	56·32	55·04	55·73	57·00	50·70	48·87	48·56	58·30	55·27	

TABLE XVI.—*September*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	62·5	60·1	64·5	65·7	65·7	74·0	66·4	61·8	64·8	58·7	67·5	64·3	68·8	65·3	66·5
2	56·2	58·0	59·5	64·4	64·3	67·5	65·1	65·4	63·9	57·4	63·0	64·0	66·2	57·2	62·5
3	59·0	54·0	59·4	59·7	63·0	65·5	58·6	58·4	57·3	54·6	57·5	58·8	63·0	52·3	54·5
4	55·3	56·0	62·2	....	60·4	....	57·1	58·4	62·7	57·0	57·0	58·6	57·5	55·0	57·7
5	60·3	62·0	65·4	61·7	68·9	70·3	62·6	61·8	67·0	62·7	66·5	64·7	68·8	64·5	64·7
6	62·8	65·0	63·0	72·0	68·5	69·0	69·5	71·8	71·3	60·3	71·5	70·6	73·2	67·5	67·9
7	50·3	56·4	59·8	65·0	63·0	66·7	64·5	66·1	64·9	57·9	63·5	60·9	69·3	56·8	59·3
8	51·0	49·3	52·0	60·0	53·5	54·0	54·3	56·1	54·0	50·1	53·0	52·9	59·7	51 5	52·0
9	46·7	53·8	55·5	58·4	59·7	63·5	61·1	59·4	57·7	53·0	56·0	56·1	62·0	56·8	57·3
10	42·0	46·3	50·3	54·7	53·3	59·7	53·3	50·0	52·3	45·7	54·0	51·0	52·3	46·1	44·1
11	50·7	52·3	53·1	....	58·3	....	56·8	55·8	59·6	46·7	54·0	56·2	57·0	55·3	44·6
12	51·7	57·3	53·9	61·7	57·8	60·3	62·4	61·8	60·9	54·4	61·5	60·9	63·7	55·4	49·8
13	56·8	66·7	60·9	70·7	69·0	75·7	72·4	74·1	76·3	61·0	74·5	74·3	77·3	65·6	57·3
14	49·7	60·3	61·8	63·7	62·9	65·0	62·4	65·4	61·3	56·7	64·0	54·6	72·5	62 5	74·0
15	47·2	50·3	55·1	53·4	57·5	64·7	55·4	59·1	53·3	49·8	58·0	47·7	57·5	55·1	62 2
16	47·3	46·4	45·2	52·0	49·2	62·0	48·3	47·6	49·3	45·1	47·5	60·4	51·5	45·1	51·7
17	57·7	47·7	50·4	52·0	50·9	60·7	51·1	51·4	47·0	47·7	50·5	52·2	48·0	47·9	46·7
18	58·0	51·2	59·2	....	53·3	....	59·1	57·2	61·3	56·0	60·5	59·9	45·7	50·6	48·5
19	49·3	50·2	55·9	60·7	55·7	67·0	58·4	61·1	56·3	51·6	62·0	58·8	59·0	49·9	55·3
20	56·7	51·1	48·7	52·7	57·2	66·7	56·1	53·8	57·3	50·0	55·5	51·9	50·5	54·1	54·5
21	50·3	57·0	56·7	64.4	62·4	69·8	66·0	66·8	66·6	52·7	70·0	63·0	65·5	60·8	50·1
22	45·5	47·7	49·5	58·4	52·8	54·0	53·0	52·4	53·8	44·7	57·5	51·7	54·0	51 4	64·8
23	40·7	39·0	41·7	44·5	44·3	50·5	44·7	43·9	43·7	38·4	43·5	42·3	46·2	42·3	50·3
24	44·3	36·7	42·0	46·7	41·0	47·7	43·8	44·7	46·3	40·4	43·5	45·0	46·3	38·7	41·8
25	46·8	42·5	47·7	....	46·0	....	46·1	46·0	48·8	39·8	47·5	43·8	42·2	33·8	39·2
26	49·3	40·7	44·1	47·4	42·0	54·5	44·5	43·0	46·7	41·4	44·0	43·5	47·5	42·3	40·3
27	49·0	47·0	50·2	52·0	52·7	56·3	54·1	52·0	54·3	48·3	52·5	53·0	55·5	49·4	43·7
28	52·0	48·0	52·5	52·7	50·5	62·0	58·4	55·1	55·0	47·0	57·0	55·3	56·7	49·1	49·6
29	49·0	51·3	48·7	59·0	59·2	63·2	60·4	57·4	60·3	49·7	60·5	56·7	59·0	59·2	48·7
30	48·3	55·0	54·2	61·4	60·7	65·0	62·3	60·8	61·0	55·0	63·0	59·8	57·5	58·1	55·9
31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	51·55	51·98	54·10	58·26	56·78	62·90	57·61	57·22	57·84	50·80	57·95	56·33	58·73	53·32	53·85

TABLE XVI. *September*, 1887. *Daily Mean Temperature.*

Stratford.	Simcoe.	Sprucedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
64·5	62·3	60·5	56·2	64·6	61·9	66·4	50·5	42·9	58·4	57·8	59·0	....	57·2	52·0	1
61·5	65·0	46·5	51·3	65·2	63·7	64·2	46·5	60·9	57·4	61·2	57·0	....	57·6	49·0	2
55·8	58·3	50·3	51·5	59·7	59·1	61·1	48·7	57·0	55·7	58·5	51·0	....	59·3	49·0	3
58·6	....	60·2	54·0	58·7	58·0	....	52·0	57·8	55·1	61·5	53·5	....	59·0	50·2	4
64·0	60·0	65·3	64·0	64·2	63·6	69·7	58·7	68·9	58·9	60·0	53·7	....	59·7	48·8	5
68·8	70·7	62·5	56·7	69·1	70·5	70·3	49·5	49·4	59·8	61·2	57·0	....	60·5	49·3	6
61·2	65·7	50·0	41·0	64·8	64·5	65·5	41·5	42·7	59·4	63·8	59·5	....	61·4	53·7	7
51·9	55·3	50·0	51·0	55·1	53·8	56·7	46·0	53·2	55·2	60·3	61·0	....	60·9	46·5	8
55·5	58·8	52·0	39·9	55·8	54·5	61·2	36·5	58·6	55·7	54·2	60·2	....	58·4	50·7	9
50·1	50·3	44·0	44·8	50·3	51·5	53·4	41·7	51·1	54·4	57·0	51·3	....	56·2	47·5	10
53·8	....	51·0	50·5	53·9	53·4	....	43·0	56·7	49·6	53·0	46·7	....	53·4	46·0	11
58·3	60·8	58·5	53·2	59·6	60·4	62·8	45·0	63·1	50 3	56·5	45·0	....	56·2	49·7	12
74·2	74·0	66·5	52·5	71·2	74·0	76·9	51·7	74·7	52·8	54·0	52·0	....	56·7	53·7	13
60·8	64·0	49·5	42·5	54·5	62·3	63·4	46·3	62·4	51·0	56·0	54·7	....	59·9	54·5	14
51·6	57·3	54·0	39·3	56·3	55·8	58·9	36·3	54·1	53·3	55·5	44·0	....	58·0	48·3	15
45·9	48·3	41·5	48·0	49·0	48·9	53·3	35·5	46·9	47·4	55·0	50·5	....	53·1	45·5	16
48·8	51·0	46·5	65·0	52·0	49·3	56·1	53·2	48·6	45·6	57·3	43·0	....	49·9	42·3	17
60·0	....	50·0	50·0	56·2	57·1	....	47·5	58·6	48·6	45·2	40·8	....	54·7	47·8	18
57·5	61·7	43·2	47·0	59·2	59·1	61·8	47·7	53·5	51·5	53·3	50·3	....	56·1	46·5	19
54·7	52·7	47·0	53·5	51·5	52·0	63·4	58·7	58·7	47·3	46·5	49·3	....	51·3	44·0	20
64·3	66·7	50·5	40·6	60·9	65·0	70·7	46·0	72·0	43·7	35·8	46·0	....	49·5	45·5	21
49·1	53·3	47·3	34·5	54·7	52·1	53·8	34·5	53·2	47·9	44·0	53·5	....	53·1	44·3	22
38·3	44·0	38·8	35·2	43·9	42·3	45·0	34·5	43·2	45·2	44·0	48·7	....	50·2	39·5	23
39·7	42·3	37·7	42·5	43·9	42·9	45·2	33·3	44·2	44·1	45·5	48·8	....	51·1	39·5	24
42·8	....	37·0	45·8	45·9	44·2	....	36·5	43·2	51·1	43·7	49·3	....	57·2	38·5	25
41·1	42·3	40·0	46·7	47·7	45·1	51·1	40·5	46·3	44·2	43·2	45·2	....	48·5	40·2	26
47·8	53·0	43·7	45·0	51·8	50·1	54·1	39·7	54·4	46·1	44·2	44·7	....	50·6	42·3	27
53·7	56·7	43·8	44·9	55·9	54·6	58·9	39·5	55·8	46·4	47·0	46·8	....	53·0	45·5	28
55·5	58·3	48·7	48·1	57·7	56·6	59·9	41·5	61·3	47·5	46·8	48·7	....	50·5	43·0	29
58·9	61·7	49·0	44·2	58·7	60·4	61·3	47·5	57·8	46·2	46·5	46·5	....	48·2	41·7	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
54·96	57·49	49·51	47·87	56·39	56·23	60·19	44·30	56·92	51·00	52·28	50·59	....	55·05	46·50	

TABLE XVI.—*September*, 1887. *Daily Mean Temperature.*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Bathurst.	Chatham
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	43·7	55·7	61·1	61·7	61·7	53·5	58·5	60·3	62·1	65·3	59·8	57·5	57·0	67·0	58·9
2	46·3	55·3	57·3	57·5	57·8	49·7	60·5	52·9	56·8	59·9	56·9	56·0	57·6	65·7	63·7
3	44·0	53·5	55·7	55·5	58·0	48·0	54·5	50·2	55·7	59·3	58·8	52·3	55·5	61·3	59·8
4	39·3	55·2	54·8	56·0	55·0	49·5	56 0	56·3	58·0	64·0	59·6	51·8	55·5	....	59·3
5	45·3	57·3	61·9	61·0	58·0	55·8	56·6	55·0	61·1	66·2	61·6	51·2	56·8	67·7	61·9
6	44·3	60·5	63·2	60·7	64·5	56·0	60·5	59·5	65·4	65·2	4·7	58·3	64 5	67·7	67·7
7	46·0	61·7	63·2	69·7	69·2	56·2	66·0	66·7	66·2	67·6	66·3	48·8	66·0	64·3	62·7
8	48·3	46·5	49·8	56 0	57·8	67·5	51·5	49·4	57·3	57·2	52·3	46·7	48·9	65·7	61·4
9	51·3	50·0	50·5	53·0	55·3	61·0	54·0	52·8	60·0	58·5	57·5	48·8	56·1	60·0	58·1
10	50·3	49·2	47·5	52·0	51·8	58·0	50·0	47·2	50·0	53·5	51·7	49·5	47·7	57·3	56·8
11	42·7	45·0	43·0	48·3	46·0	49·0	52·0	46·8	50·1	51·5	50·2	47·5	44·0	....	50·8
12	44·3	49·2	48·6	51·7	51·0	52·5	53·0	49 9	54·9	53·8	54·4	47·5	53·7	53·3	50·7
13	44·7	57·3	49 7	54·3	57·3	55·0	60·0	55·9	63·4	63·1	58·1	51·0	62·1	60·0	53·6
14	42·7	59·5	64·0	65·5	65·7	57·3	66·0	57·3	64·3	66·0	62·5	49·5	65·1	64·7	64·4
15	45·7	54·7	52 4	55·5	56·0	56·2	60·0	53·8	54·9	58·5	57·1	48·5	54·0	64·3	62·8
16	43·7	42·5	44·9	50·0	50·5	48·5	46·0	48·5	45·2	52·0	48·8	48·0	45·0	55·0	52·2
17	46·0	44·0	41·6	46·3	47·3	43·5	42·5	45·4	46·6	51·5	48·5	51·3	41·2	54·3	49·5
18	42·0	50·5	51·9	49·5	50·5	44 8	59·5	52·0	54·9	58·3	54·6	41·8	48·0	....	57·1
19	42·3	49·0	51·7	50·0	51·3	49·7	56·0	47·1	58·1	57·6	53·8	48·0	53·6	59·0	58·1
20	42·0	42·7	51·2	48·3	50·0	49·0	51·0	47·6	47·3	53·4	50·6	47·3	44·3	....	52·4
21	37·3	53·5	48·5	47·5	47·3	42·3	51·0	46·0	61·5	61·0	54·6	46·0	59·9	53·3	54·5
22	39·7	48·0	46·0	47·5	45·7	45·7	51·5	44·7	52·7	53·2	49·9	44 8	53·5	61·0	55·5
23	42·3	38·3	40·6	43·3	42·5	44·0	51·5	43·5	43·9	44·3	42·7	42·2	44·0	50·0	47·4
24	41·0	39·5	42·8	42·7	45·7	41·3	57·5	41·8	44·2	46·2	44·1	43·5	41·1	48·7	45·3
25	38·0	34·2	36·6	42·0	44·3	42·0	57·5	39·4	46·0	46·1	40·7	39·5	41·2	....	50·6
26	41·3	37·0	39·7	41·7	41·5	51·2	45·5	41·7	46·6	47·6	42·8	41·0	42·8	44·3	43·2
27	42·7	42·7	44·5	42·5	44·0	46·0	41·5	43·6	47 6	52·2	49·4	41·0	43·6	49·3	48·1
28	41·3	44·5	44·3	45·3	42·7	43·8	45·0	44·6	48·5	50·8	50·4	42·8	43·4	50·3	45·9
29	39·0	45·3	48·9	45·5	48·5	40·2	49·5	43·5	50·2	50·7	47·6	40·7	46·8	52·3	51·2
30	38·7	47·2	45·4	44·7	42·0	38·0	51·0	42·1	54·9	54·6	48·6	47·0	50·2	54·3	45·3
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	43·14	48·99	50·02	51·51	51·79	49·81	53·85	49·51	54·28	56·31	53·29	47·82	51·44	58·04	54·96

TABLE XVI.—*September*, 1887. *Daily Mean Temperature.*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. John, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
59·4	61·1	56·8	60·2	57·5	59·3	56·4	59·3	58·0	61·7	62·2	58·0	58·4	56·7	55·7	52·3	56·8	1
61·1	60·9	59·3	59·3	62·3	57·8	58·0	61·9	62·5	59·1	61·5	57·8	60·2	58·7	61·9	61·3	53·7	2
60·5	60·3	60·6	58·5	58·6	57·5	58·8	60·4	60·9	60·9	56·2	58·7	59·3	58·0	63·2	50·3	58·0	3
....	60·2	62·1	61·0	....	....	60·3	62·0	60·9	61·5	63·6	62·6	61·9	....	59·6	50·0	56·8	4
60·9	62·1	61·1	57·9	61·4	56·5	57·6	60·6	60·7	61·1	63·6	58·1	60·7	58·7	54·3	51·6	56·2	5
64·6	60·5	60·3	58·1	64·2	56·7	59·4	64·1	65·5	62 1	60·2	59·5	61·5	61·3	61·9	52·7	58·0	6
62·0	60·8	61·4	57·8	65·3	55·3	63·0	64·4	63·2	63·4	62·4	61·3	63·5	61·7	68·6	61·0	57·3	7
61·2	58·9	59·3	58·3	57·6	57·0	67·6	62·8	66·5	64·4	64·6	57·7	64·5	59·7	65·3	59·8	63·5	8
56·7	56·2	56·6	56·6	56·5	55·7	62·1	57·8	59·5	63·6	54·8	55·6	62·0	57·7	58·0	63·7	59·0	9
57·3	57·0	57·8	55·2	54·1	54·5	58·7	57·1	54·0	61·7	50·8	56·2	61·6	57·3	55·5	65·0	58·2	10
....	52·5	50·6	52·8	....	....	54·4	54·0	53·5	59·1	51·5	50·0	53·9	....	56·3	58·8	49·8	11
49·2	56·0	52·9	53·9	50·2	54·5	52·3	52·4	52·7	57·5	48·5	54·3	55·4	53·3	50·9	51·7	52·7	12
57·4	58·0	57·7	59·3	56·3	57·8	54·2	56·6	56·5	60·0	52·6	62·0	60·0	61·0	50·8	54·0	55·0	13
62·6	60·1	59·6	59·6	64·1	56·5	58·0	61·3	61·2	63·9	56·3	65·1	61·3	68·3	57·5	56·7	57·8	14
62·7	63·1	63·3	60·4	59·7	58·7	62·1	64·6	67·7	63 0	61·7	59·1	62·0	64·7	64·6	60·7	57·2	15
52·5	53·8	52·6	52·8	45·3	52·8	58·3	57·7	57·0	60·9	56·5	54·8	57·3	54·0	60·6	56·8	54·5	16
50·6	52·0	50·4	50·7	49·7	52·5	51·8	50·7	52·4	56·1	47·9	52·1	52·5	51·0	50·4	47·7	45·0	17
....	55·1	51·4	52·5	....	....	52·2	52·4	52·1	56·4	47·0	51·6	57·0	....	48·7	44·0	52·8	18
58·4	56·8	56·6	55·5	57·8	54·3	56·5	58·1	58·8	59·5	54·5	57·1	57·1	53·0	56·2	53·2	55·0	19
51·9	51·8	51·6	52·5	47·1	51·0	54·2	54·7	54·5	56·5	51·1	51·5	53·8	52·0	58·0	57·5	55·0	20
55·8	56·5	54·0	53·4	57·3	54·0	52·2	54·4	52·5	54·2	48·3	52·2	57·0	56·7	49·1	50·3	48·2	21
59·5	59 1	58·7	56·5	56·0	53·7	59·3	58·6	57·2	61·9	61 8	55·9	58·5	61·0	56·0	51·3	48·3	22
46·6	50·4	47·5	49·6	45·1	47·5	56·3	53·3	57·4	57·6	52·6	50·0	56·3	48·7	52·4	59·3	53·7	23
45·3	48·8	47·2	47·1	47·4	47·0	52·1	50·7	56·0	57·6	49·8	48·8	54·9	49·3	45·8	54·0	54·8	24
....	44·9	44·0	48·1	....	...	63·7	55·9	58·5	59·1	57·9	47·7	59·5	....	53·1	55·3	53·0	25
43·2	47·3	45·2	45·5	43·2	47·8	53·9	48·4	51·4	54·6	47·8	48·6	51·8	47·0	51·8	57·2	61·5	26
47·5	50·4	49·5	51·2	44·1	48·0	48·5	51·9	48·0	56·5	44·5	52·3	54·1	46·0	43·6	55·7	53·2	27
46·1	50·6	48·1	49·2	42·7	50·3	50·8	50·5	52·4	56·7	46·5	51·4	56·0	48·0	46·5	47·8	52·5	28
45·9	47·2	45·2	46·5	47·7	48·2	50·8	51·4	50·7	56·7	46·1	50·9	51·5	45·7	45·5	47·3	45·0	29
50·4	52·5	51·9	50·8	47·8	53·8	48·4	50·8	53·3	55·6	49·8	53·1	50·5	52·3	50·9	40·7	42·5	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
54·98	55·49	54·44	54·36	53·80	53·79	56·40	56·63	57·19	59·44	54·29	55·13	57·79	54·92	55·08	54·26	54·17	

TABLE XVII.—*October*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	52·5	49·9	60·5	49·7	....	....	57·7	57·5	51·0	57·3	52 2	44·7	....	50·3	56·3	....
2	48·5	48·2	57·2	48·0	....	....	47·3	52·3	45·0	48·0	....	44·5	....	42·0	47·3	....
3	53·5	46·3	55·7	32·5	....	....	37·4	53·4	47·3	38·7	38·3	42 7	....	37·3	47·0	....
4	53·0	44·1	58·7	33·2	....	47·0	44·7	59·8	52·4	46·7	45·3	50·0	....	34·0	59·0	....
5	41·5	43·9	53·3	38·5	....	45·0	47·1	42·8	38·9	45·3	42·5	48·3	....	35·7	42·7	....
6	49·0	45·6	34·3	36·0	....	....	32·5	37·5	32·6	38·0	35·5	42·3	....	31·0	32·5	....
7	43·0	47·0	36·7	27·0	....	29·6	29·7	38·8	39·5	29·3	31·0	38·5	....	27·0	31·3	....
8	48·5	43·3	41·0	29·5	....	31·0	30·6	44·3	41·1	31·3	33·0	36·2	....	31·7	33·3	....
9	50·0	41·0	37·5	33·0	....	34·5	38·1	42·0	34·4	38·0	....	38·3	....	32·0	34·0	....
10	49·0	50·0	39·5	23·5	....	32·6	36·0	40·4	36·4	31·3	28·5	40·0	31·7	35·0	31·9	....
11	49·5	45·4	50·7	40·7	....	....	36·0	49·1	47·9	42·7	35·7	46·3	37·5	33·3	42·5	36·3
12	46·5	43·9	56·5	30·8	....	35·7	39·7	40·6	36·9	38·0	38·8	39·3	31·6	28·7	35·9	36·7
13	54·5	48·1	53·0	25·0	....	27·5	28·9	46·5	44·9	31·3	32·5	41·5	34·6	29·7	35·3	31·5
14	47·0	47·0	53·2	42·0	....	44·3	42·0	56·2	52·9	46·7	36·7	43·5	37·5	35·7	50·7	37 8
15	49·0	47·3	45·5	34·3	....	34·0	36·8	41·1	39·9	39·3	37·5	57·5	33·3	35·7	38·7	40·7
16	46·5	50·8	41·7	31·3	....	34·3	34·8	40·4	41·4	42·7	....	55·0	33·0	38·3	38·3	37·5
17	47·0	50·9	39·8	39·0	....	....	36·8	43·7	43·9	41·3	34·2	53·3	32·8	29·7	40·7	41·0
18	45·5	50·6	40·2	44·2	....	42·6	36·0	50·8	49·3	44·7	34·3	40·5	31·7	35·3	42·8	39·0
19	45·5	44·2	38·0	30·5	....	32·8	35·3	39·4	38·5	36·0	32·7	36·5	29·8	34·3	35·7	30·5
20	49·0	43·0	36·0	28·0	....	30·2	27·3	38·3	35·3	30·7	31·5	34·7	31·0	32·3	32·3	35·0
21	43·5	38·2	39 5	31·3	....	....	21·8	40 2	35·0	33·3	29·0	32·5	24·1	27·7	30·2	31·8
22	38·5	34·3	18·0	17·8	....	24·5	25·3	20·4	21·7	29·3	19·5	32·0	9·5	26·3	21·9	27·3
23	38·5	36·6	6·5	1·3	....	3·0	4·2	10·7	10·6	6·7	....	10·5	8·2	0·7	3·3	5·3
24	43 0	38·2	11·5	6·7	....	2·7	0·0	9·5	7·9	2·3	0·5	10·0	10·7	2·1	4·4	1·3
25	44·5	46·1	19·5	4·0	....	7·6	7·6	22·2	23·1	4·9	16·5	14·3	5·7	5·7	9·0	21·0
26	50·0	50·4	34·5	21·7	....	12·3	14·3	35·3	34·0	18·7	26·2	28·3	8·7	15·9	25·5	28·5
27	50·0	51·9	42·3	30·5	....	..	29·4	45·7	44·2	32·7	30·3	30·0	18·0	29·7	33·4	33·5
28	54·5	59·8	44·3	36·7	....	32·3	33·4	46·2	48·8	32·7	32·7	34·7	31·7	30·3	37·0	41·0
29	51·0	58·1	53·7	39·0	....	39·7	43·8	54·2	60·5	48·7	40 3	42·3	46·0	46·7	47·0	50·7
30	47·5	53·3	54·5	39·0	....	42·0	38·9	49·1	51·5	49·3	....	38·5	29 9	40·0	49·0	51·0
31	47·5	43·7	56·0	40·0	....	....	41·5	53·5	50·0	44·7	43·2	41·5	30·6	38·0	47·3	34·0
	47·62	46·47	42·24	31·17	....	30·24	32·73	41·99	39·89	35·50	33·11	38·24	26·70	31·69	36·01	32·91

TABLE XVII.—*October*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Sourisford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	54·5	52·9	52·8	54·7	55·0	56·0	69·2	51·7	59·5	52·3	....	51·9	55·6	54·4	1
....	49·0	45·3	50·7	46·7	....	53·0	56·5	49·7	49·8	49·3	....	54·2	....	52·1	2
....	34·5	32·5	34·8	32·8	36·8	39·0	47·3	38·5	35·4	36·9	....	46·7	52·1	48·9	3
....	31·9	39·4	34·0	47·8	34·3	38·7	34·5	34·0	43·8	36·5	41·7	45·4	....	47·3	4
....	39·7	39·5	42·7	45·5	42·8	42·3	47·0	41·7	36·2	40·5	44·3	47·2	50·5	48·2	5
....	29·0	32·1	35·5	38·7	37·0	42·3	43·0	34·0	36·3	35·3	44·0	44·2	48·0	48·1	6
....	32·7	31·0	35·0	34·0	34·7	35·2	41·0	32·0	35·2	37·5	44 8	45·9	52·3	....	7
....	36·2	31·0	36·3	33·3	37·2	37·7	33·3	35·7	35·2	36·5	....	43·5	61·4	55·0	8
....	32·3	34·5	35·0	35·2	....	39·5	39·7	33·0	37·1	34·6	....	45·9	....	60·5	9
....	33·9	30·7	33·7	33·5	35·1	34·0	31·7	32·7	37·1	36·7	40·7	41·2	48·5	46·5	10
....	34·0	37·0	36·5	37·5	36·9	37·0	29·0	37·0	38·9	37·3	32·5	36·2	39·9	37·5	11
....	37·1	34·7	40·0	39·5	40·2	40·5	40·0	37·7	39·1	36·9	33·3	37·9	41·3	40·5	12
....	29·0	28·2	32·5	25 7	31·6	31·7	37·2	26·5	25·9	34·3	38·5	37·2	42·2	43·2	13
....	34·6	40·4	40·8	41·0	38·7	47·5	28·0	39·7	40·4	39·9	28·5	33·2	38·5	42·5	14
....	39·7	33·9	39·7	38·5	41·7	38·5	47·2	35·5	41·1	36·7	....	34·4	43·2	48·3	15
....	33·3	37·3	35·0	40·8	....	44·3	35·7	32·5	36·7	37·3	43·0	47·5	....	47·0	16
....	37·5	36·9	37·3	38·0	40·7	39·8	44·9	36·0	40·5	42·0	47·3	49·0	57·9	49·0	17
....	41·3	42·4	47·7	44·5	48·1	44·0	52·3	47·7	41·0	41·6	37·5	42·5	45·2	40·0	18
....	34·3	31·9	35·8	....	39·1	34·8	52·2	36·0	36·7	30·6	39·4	39·7	45·5	45·0	19
....	28·7	28·0	27·2	....	26·2	32·7	37·5	29·0	26·0	29·7	44·8	43·7	51·2	50·0	20
....	24·7	26·7	28·0	30·0	26·5	30·8	28·0	22·3	24·5	31·5	29·3	33·7	38·4	36·3	21
....	20·7	27·4	27·8	28·0	25·1	28·2	30·7	25·0	22·0	33·3	....	31·7	34·1	29·3	22
....	11·4	3·9	17·7	11·2	....	12·0	25·0	16·0	18·0	18·0	28·0	34·4	....	40·2	23
....	4·6	4·6	8·0	6·2	9·0	5·3	8·5	7·3	9·0	12·0	25·0	32·9	36·1	34·3	24
....	12·2	8·9	13·5	11·3	13·4	10·0	8·5	13·5	4·9	16·5	23·5	23·6	30·4	28·7	25
....	6·9	9·5	15·0	18·7	11·4	9·3	13·7	11·5	3·1	21·5	24·0	27·3	32·1	30·3	26
....	22·5	27·6	24·5	30·3	20·4	30·5	16·8	23·0	22·9	21·6	26·7	28·1	37·3	32·4	27
....	23·4	23·5	19·3	....	19·6	27·0	30·5	20·0	5·1	12·7	36·3	39·7	41·2	40·5	28
....	31·5	39·2	25·7	35·0	24·5	41·0	21·0	24·3	20·5	22·0	18·5	25·1	33·2	25·5	29
....	46·9	43·9	42·8	43·0	....	44·5	37·5	43·0	42·7	39·6	23·3	25·3	....	28·3	30
....	37·2	39·3	36·5	39·3	37·2	39·0	46·8	36·0	38·6	29·6	....	36·2	39·5	40·0	31
	31·13	31·41	32·96	34·31	32·43	35·03	35·86	31·65	31·48	32 86	36·15	38·88	43·83	41·56	

TABLE XVII.—*October*, 1887. *Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlmch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	53·5	58·5	63·7	58·8	....	56·5	44·0	54·3	56·9	55·7	56·0	55·3	53·6	47·3	58·2
2	50·5	58·0	51·3	58·4	54·1	57·0	45·0	50·7	59·0	56·7	56·0	52·7	....	55·1	56·0
3	48·0	56·7	43·7	55·1	50·2	56·2	41·7	46·8	51·1	48·0	49·0	46·3	50·2	50·3	52·5
4	45·5	51·3	36·3	51·1	43·5	45·3	36·5	45·6	48·9	49·0	46·7	46·2	47·5	51·3	49·0
5	47·4	51·2	36·2	50·4	46·5	46·5	33·0	46·9	51·2	45·7	46·7	47·5	48·1	49·3	47 0
6	47·1	48·5	....	51·6	50·3	52·0	35·5	47·1	52·0	49·0	46·0	44·7	47·2	49 5	50·6
7	47·7	50·8	40·0	52·0	51·2	57·9	33·5	47·0	54·5	51·7	49·3	49·0	48·7	48 3	52·0
8	54·5	56·7	38·8	49·6	60·2	61·7	41·3	54·5	54·7	65·3	56·3	60·0	62·6	60 5	62·7
9	59·6	58·3	41·2	54·6	53·9	64·5	45·0	59·7	56·6	60·7	61·0	59 5	....	61·6	59·3
10	45·5	51·0	38·8	56·3	45 6	48·8	30·0	43·9	50·4	45·7	46·0	45·7	50·2	47 3	46·7
11	34·3	43·3	35·5	41·1	38·7	39·5	23·5	34·0	40·4	39·0	36·7	37 8	38·1	38·7	42·8
12	37·7	39 8	40·0	38·7	39·8	43·9	24·7	34·6	43·2	38·7	36·3	40·0	39·2	41 8	44·0
13	41·1	40·7	32·3	45·8	42·2	46·2	26·5	40·4	43·1	39·7	39·0	40·3	41·4	42 0	46·1
14	31·4	39·5	41·3	37·0	33·2	35·5	16·8	28·3	40·4	36·7	32·7	35·7	34·1	36·7	39·3
15	37·5	36·5	37·5	39·5	36·4	32·4	26·0	31·5	40·4	41·7	33·3	35 2	36 4	36·2	41·5
16	47·3	41·7	41·2	50·9	45·2	48·2	36·2	43·9	46·5	51·7	47·3	45·7	....	46·5	49·9
17	51·7	56·3	38·8	53·6	54·9	58·3	33·3	50 6	55·4	54·7	56·7	54·5	56·6	52·6	54·4
18	38·8	50·5	49 2	46·6	42·3	46·0	28·0	37·3	45·6	45·0	44·3	43·7	45·5	43·5	43·2
19	42·2	50·5	43·8	39·5	42·2	47 5	33·5	39 7	42·6	46·7	38·7	41·3	41·9	44·2	43·9
20	48·3	53 0	26·2	47·7	47·0	48 7	37·2	46·3	45·5	52 3	46·0	46·0	46·3	52·0	50·8
21	36·2	39·5	21·3	48·2	35·4	37·3	21·3	34 7	42·7	....	53·7	33·0	41 3	35·5	37·8
22	26·9	35·5	28·8	35·4	30·4	35·7	13·0	23·7	37·5	32·3	28·3	30·3	30 2	30·7	35·3
23	34 0	39 2	31·2	36·2	42·4	51·0	14·0	31·6	42·6	39·7	38·3	35·2	....	37·5	42·9
24	34·0	35·5	20·0	41·4	35·7	37·3	11·5	30·0	38·0	34·7	34·0	35·0	35·1	42·6	37·5
25	26·2	31·0	15·0	35·0	27·6	31·1	4·5	26·1	33·4	30·0	28·0	27·8	28·0	28·7	31·0
26	28·5	30·3	17·5	30·1	28·1	28·5	8·7	26·2	34·3	....	27·3	27 0	27·3	26·3	32·2
27	30·0	36·5	20 0	33·7	33·6	29·0	19·8	27·0	35·4	35 7	28 3	32·0	34·0	33·3	33·8
28	39·0	....	25·0	40·5	35·2	42·7	24·0	37·4	36·4	42·3	37·3	35·7	38·5	39·1	43·7
29	25·3	....	25·0	33·1	30·1	36·7	8·0	21·4	32·7	29·0	29·3	29·0	31·6	32·9	30·6
30	25·3	....	37·3	26·8	25·7	28·3	13·2	23·7	28·5	29·7	26·3	25·7	.. .	24·8	32·1
31	36·0	....	36·3	34 6	32 8	35·3	23·8	37·7	37·7	37·7	36·0	36·0	36·4	34·6	40·3
	41·00	45·94	35·12	44·30	41·31	44·68	26·89	39·44	44·44	44·29	40·91	41·19	41·92	43·58	44·75

TABLE XVII.—*October*, 1887. *Daily Mean Temperature.*

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
54·5	56·4	52·3	56·5	59·5	55·6	56·0	56·7	56·1	57·9	60·7	55·1	49·7	58·0	56·3	1
50·6	56·0	56·5	57·4	58·0	53·4	56·0	53·3	55·4	59·0	54·2	49·2	44·8	56·2	54·0	2
49·8	48·7	49·7	55·6	54·5	50·3	54·7	47·7	55·5	50·5	46·9	43·0	41·5	55·8	53·6	3
50·4	44·4	40·8	52·3	50·2	47·3	46·5	44·0	50·7	47·0	49·6	45·9	36·7	50·5	48·7	4
49·4	46·4	41·2	53·9	51·7	49·5	46·5	44·0	46·5	46·5	50·7	43·5	36·0	48·5	51·7	5
48·4	44·7	46·0	51·3	52·1	47·7	50·6	47·3	51·0	48·5	45·9	43·9	39·3	52·7	51·9	6
49·5	47·7	43·3	50·5	53·0	51·4	55·1	47·7	53·0	50·5	52·5	44·5	37·5	54·0	50·1	7
57·3	50·4	43·7	60·5	51·8	58·8	62·1	60·3	59·0	63·0	53·1	47·4	39·7	60·3	46·4	8
61·1	59·7	39·8	65·4	57·3	61·5	61·9	61·7	57·0	60·4	59·6	52·5	37·0	63·0	52·6	9
49·2	49·0	36·0	51·9	55·0	48·0	45·4	42·7	46·6	50·0	50·6	48·7	36·8	52·0	50·1	10
39·7	35·3	38·7	42·8	40·8	37·4	40·7	34·3	40·2	40·4	34·4	44·1	33·5	44·5	41·0	11
40·7	31·6	37·3	44·5	42·3	40·7	43·9	38·0	42·5	39·9	36·0	44·5	36·7	43·7	39·6	12
45·5	39·4	34·2	47·5	47·3	41·1	44·9	39·0	42·8	43·5	43·9	37·0	32·0	47·0	45·4	13
39·6	31·5	28·5	38·0	39·0	33·5	36·6	30·3	41·0	37·4	33·0	30·6	33·0	37·5	35·5	14
39·1	34·4	42·0	38·7	41·3	35·3	36·5	34·0	45·7	39·5	32·5	26·1	46·3	38·5	35·2	15
47·8	43·4	42·3	49·2	51·4	42·6	45·0	46·3	53·0	50·0	40·3	30·0	38·0	45·8	46·7	16
52·6	48·8	36·2	59·3	56·2	54·3	56·0	52·0	48·8	56·0	45·2	35·2	33·7	58·0	51·0	17
39·1	43·2	39·8	49·3	48·8	42·0	45·4	39·3	41·7	45·5	40·7	41·9	37·8	45·0	45·3	18
42·6	41·3	44·2	41·3	43·8	38·5	40·8	43·3	45·8	43·9	40·4	36·2	45·5	44·5	38·8	19
52·3	48·4	42·5	48·4	51·5	48·1	47·5	46·0	50·2	51·3	48·7	41·9	29·8	52·7	47·8	20
37·3	38·2	29·8	42·1	44·2	36·4	35·7	32·7	39·0	50·0	39·8	41·8	24·3	38·8	46·0	21
32·0	27·4	20·5	33·8	36·5	32·1	33·4	26·7	32·8	41·9	26·6	40·4	17·5	29·5	34·0	22
39·7	24·7	27·0	44·5	39·5	37·7	43·7	37·7	30·7	38·9	27·0	29·8	28·0	45·2	31·7	23
33·6	31·4	25·3	40·9	40·7	35·0	36·3	32·7	31·3	43·0	35·9	33·4	19·0	38·0	39·3	24
29·9	24·8	16·0	32·9	35·0	30·1	28·3	24·3	27·2	32·6	28·4	32·4	7·2	32·3	33·9	25
30·2	26·9	16·2	29·7	31·8	26·4	30·4	27·3	30·3	30·7	29·4	22·3	13·3	33·7	28·5	26
31·8	32·6	18·8	37·5	38·0	30·8	33·3	31·3	35·7	34·4	31·7	25·8	16·0	38·5	31·4	27
40·6	35·0	26·5	41·2	40·3	37·1	40·7	38·7	40·0	38·9	33·9	29·9	21·7	38·3	34·0	28
46·1	27·6	21·7	35·6	31·9	27·6	34·9	32·0	....	35·4	29·4	29·6	18·2	36·0	28·8	29
31·6	18·0	28·8	30·2	28·0	25·4	28·8	31·7	....	25·4	19·9	27·5	32·8	27·0	25·1	30
39·1	38·5	38·0	41·2	37·2	36·3	38·0	35·3	41·0	41·4	36·7	27·0	28·5	31·0	....	31
42·94	39·72	35·60	45·93	45·44	41·68	43·72	39·79	44·50	44·30	40·57	38·09	32·01	45·32	42·48	

TABLE XVII.—*October*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	48·7	56·8	57·3	61·0	58·0	59·7	57·0	57·4	57·7	56·4	55·5	53·7	61·2	55·9	51·5
2	49·7	52·7	52·4	....	56·1	....	57·9	56·1	55·0	54·0	57·2	54·3	61·7	52·1	55·1
3	46·7	50·8	52·0	53·7	52·7	57·5	56·8	57·4	55·0	52·0	57·0	51·1	59·8	49·4	50·9
4	37·7	48·0	49·9	49·7	49·7	49·0	46·1	48·3	46·0	49·0	49·5	49·5	52·5	50·7	47·5
5	37·2	48·3	51·2	52·4	47·5	48·7	46·6	50·8	45·0	50·1	46·0	49·8	54·7	47·4	47·9
6	44·5	49·7	48·9	51 4	53·3	58·7	54·6	53·8	51·0	47·7	53·5	50·1	52·5	49·1	48·3
7	39·0	49·3	46·5	51·4	53·5	59·3	56·1	54·4	56·7	48·4	60·5	50·4	50·8	52·2	49·3
8	42·0	57·3	46·3	58·7	60·3	65·7	57·7	57·4	65·7	46·1	65·0	60·6	64·2	62·2	61·6
9	40·8	58·1	55·7	....	56 3	....	60·4	61·1	63·4	50·4	62·5	62·0	65·3	57·8	62·0
10	38·0	46·7	51 5	56·0	47·9	54·0	47·2	52·4	48·0	43·9	55·0	48·1	56·5	47·4	47·8
11	32·0	39·7	37·1	40·0	43·3	47·0	42·2	42·3	41·5	35·8	44·0	39·3	42·0	44·4	38·1
12	39·5	37·3	38·8	42·7	47·0	47·3	45·2	45·7	45·4	38·1	39·5	42·8	45·2	41·2	40·1
13	35·5	43·0	43·0	46·0	45·3	47·8	47·2	47·7	44·7	42·6	46·5	42·3	44·5	45 0	39·4
14	31·7	34·0	34·9	40·7	42·2	48·5	36·2	38·0	38·4	31·7	38·0	34·4	41·8	39·9	35·5
15	47·7	40·7	37·5	39·6	44·7	45·2	41·0	39·0	39·6	34·9	37·5	36·6	46·0	40·2	37·8
16	40·7	45·8	49·7	....	50·0	....	54·8	49·7	54·0	43·2	47·0	45·6	50·5	49 1	45·8
17	39·3	50·7	53·1	53·4	51·7	52·3	56·9	56·4	56·2	46·4	59·5	54·1	64·0	52·4	56·3
18	42·3	40·0	41·8	47·0	40·5	48·5	47·3	46·1	43·0	39·2	44·5	46·5	46·5	42·1	43·4
19	45·7	44·0	42·0	41·7	44·0	49·8	45·6	42·4	41·6	39·3	42·0	41·8	37·2	42·7	40·4
20	31·7	49·0	48·5	49·4	50·0	49·3	53 8	48·7	49·0	47·8	52·0	49·9	51·5	49·4	50·0
21	25·0	36·7	46·8	44·4	39·7	44·2	38·6	40·3	36·8	40·4	40·0	38·1	39·8	37·7	36·2
22	24·8	29·8	32·4	38·0	37·5	46·0	36·2	33·3	34·0	30·0	36·0	31·6	36·5	36·1	33·8
23	29·0	34·7	31·9	....	43·5	....	49·6	47·4	46·2	25·9	42·5	44·8	43·0	38·4	35·4
24	21·0	34·0	34·8	40·0	43·5	42·0	36·9	37·9	35·0	31·2	41·5	37·1	40·0	36·7	30·7
25	14·3	30·0	31·2	32·7	32·7	33·2	29·3	30·0	27·5	28·4	27·8	29·8	31·7	30·3	30·1
26	24·2	32·3	29·8	32·2	34·0	34·7	31·7	32·7	27·9	28 9	28·0	30·7	34·0	31·7	28·6
27	26·7	34·7	34·5	34·9	35·5	33·8	34·2	38·0	33·3	29·7	35·0	32·9	36·8	33·7	33·7
28	24·5	41·3	33·9	37·6	41·4	35·5	40·8	38·7	45·2	32·8	38·0	39·8	41·0	42·6	39·9
29	21·5	25·0	31·1	30·2	30·8	34·5	36·2	34·6	33·2	24·0	38·5	31·5	33·7	29·0	29·3
30	36·3	28·0	25·9	....	33·8	....	28·7	31·3	30·5	21·1	26·5	27·4	28·5	31·7	25·3
31	35·7	40·7	38·6	35·4	43·2	41·2	39·6	39·4	38·5	36·7	37·5	39·4	40·3	40·4	38·3
	35 26	42·23	42·23	44·62	45·43	47·35	45·56	45·44	44·68	39 55	45·26	43·46	46·62	43·84	42·45

TABLE XVII.—*October*, 1887. *Daily Mean Temperature.*

Stratford.	Simcoe.	Sprucedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
56·7	57·0	51·7	49·7	54·8	55·9	56·4	47·7	56·2	48·3	51·5	46·5	....	51·6	41 8	1
56·4	....	54·0	50 8	55·9	55·6	....	51·3	53·4	50·4	50·0	48·7	....	51·9	42·5	2
46·5	56·0	46·0	40·5	53·9	53·0	56 5	45·5	55·5	44·9	43·7	47·8	....	48·3	41·5	3
45·3	49·7	43·7	31·9	50·9	47·3	47 2	31·3	45·6	44·1	43·0	43·7	....	49·5	39 7	4
43·8	52·0	42·7	33·0	51·3	47·3	45·0	31·3	44 7	45 8	45·2	46·2	....	51·2	39·5	5
45·8	52·7	48·0	34·5	48·7	50·0	54·3	43·5	48·9	47·3	47·5	45·0	....	51·6	38·7	6
49·4	55·3	44·3	34 0	51·3	51·0	63·2	40·5	59·0	45·7	47·8	47·8	....	48·8	42·0	7
61·5	60·7	47·0	37·0	55·9	61·5	64 5	....	44·0	47·7	47·3	44·2	....	47·9	45·5	8
62·7	....	54·5	35·7	58·7	62·9	....	34·7	62·3	46·5	48·0	45·5	....	48·7	43·5	9
44·0	50·0	42·5	33·5	51·7	52·1	50·9	34·5	48·0	47·6	53·0	45·0	....	49·2	42·3	10
40·6	44·0	39·0	30·3	42·9	40·1	43·9	32·5	41·6	45 0	44·3	48·3	....	46·9	40·5	11
39·4	45·0	39·7	36·7	43·0	41 5	44 7	32·0	44·7	46·3	41 2	39 8	....	43·4	38·5	12
41·8	46·3	39·0	29 6	45·3	43·9	47·5	30·7	45·6	39·3	34·8	36·3	....	44·6	43·7	13
37·1	40·3	31·0	30·1	38·5	37·4	41·0	25·2	36·9	40·8	42·7	38·2	....	48 8	39·2	14
36 8	36·3	38·5	44·5	38·4	36·5	41·5	39·7	37·1	37·4	45 3	32·8	....	42·2	38·3	15
46·6	....	43·2	33·3	43·9	45·2	....	38·5	48·3	39·2	43·2	44·5	....	46 0	42·5	16
54·8	58·0	39 7	30·0	51·7	55·7	57·8	34·7	56·0	40·1	52·3	48·0	....	50·4	39·0	17
43·0	45·0	46·3	38·9	46·2	45·4	50·9	36·0	41·4	42·9	45·0	38·5	...	51·0	41·2	18
43·8	49·5	46·5	47·8	42·8	41·6	43·7	44·3	44·1	36·0	43·0	39·0	....	44·6	38·5	19
48 2	49·2	34·5	37·0	47·2	46·1	49 7	36·7	49·8	39 5	40·0	41 2	....	46·0	39·3	20
35·2	40 8	23·7	19·8	40·1	38·8	37 9	23 8	36·4	44 1	42·5	45·7	....	48·1	38·5	21
29·5	33·7	46·5	16 1	34·1	31·6	40·1	20 7	31·5	41·5	40·2	45·0	....	45 9	37 0	22
40·8	....	31·7	23·0	41·9	41·1	....	21·5	46·5	38·7	34·5	40·0	....	40·0	34·5	23
35·9	38·2	27·0	11·0	39·3	37·5	39·7	19·3	34·2	35·8	34·0	39·7	....	41·7	37·0	24
28·1	30·3	22·5	7·5	32·1	29·2	30·5	15·0	25·9	34 0	35·5	38·3	....	37·9	32·0	25
28·2	31·2	30·0	14·7	30·4	29·1	32·2	22·5	27·6	26·8	24·0	22·3	....	31·3	22·3	26
33·8	35·3	28 3	14·5	36·9	33·9	36·9	26·0	31·9	24·3	25·5	22 7	....	33·1	31·5	27
41 3	39·7	41·7	16·0	38 5	38·7	45·6	20·0	44·9	43·5	34·0	38 7	....	40 0	28·0	28
32·7	36·7	21 3	19·5	32·9	35·0	36·8	17·3	34·6	33 4	36·3	40·0	....	41·0	25·7	29
25·8	....	23·2	33·7	29·0	26·9	....	17 8	28·0	25·6	23·0	25·0	....	31·8	26·3	30
37·3	39·3	37·2	27·3	39·7	37·9	41·8	22·3	36·7	32·1	31·5	21·3	....	37·1	30·5	31
42·34	44·74	38·89	30 06	44·20	43·55	46·16	31·22	44·75	40·17	40·64	40·18	....	44·85	37·74	

TABLE XVII.—*October*, 1887. *Daily Mean Temperature.*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Pointe des Monts.	Richmond.	Bathurst.	Chatham.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	33·0	51·0	47·7	44·8	44·0	44·3	53·5	43·1	56·8	57·3	50·7	45·7	55·3	50·0	48·9
2	37·7	51·5	51·7	48·7	47·7	38·2	55·5	44·7	55·4	57·8	50·2	43·0	53·4	....	52·0
3	39·7	51·5	48·2	41·3	42·5	36·0	54·5	40·8	53·7	53·4	46·9	42·5	54·9	51·3	55·2
4	37·0	48·2	45·7	39·7	41·0	38·5	55·0	40·3	49·6	52·4	46·8	41·8	52·0	51·3	55·3
5	39·0	48·5	46·1	40·2	43·0	38·0	46·0	40·3	50·3	50·8	45·8	42·0	49·7	50·0	57·6
6	41·0	46·2	46·7	42·5	41·5	42·0	52·0	39·4	50·3	51·9	49·5	43·0	52·2	53·0	53·2
7	41·7	44·5	45·5	44·0	46·3	40·5	51·0	42·9	49·0	51·7	48·2	42·0	49·4	57·7	50·7
8	42·3	38·3	42·7	43·7	47·3	39·0	39·5	43·5	47·2	46·4	43·3	45·2	41·4	55·7	51·6
9	43·0	45·0	44·6	44·8	44·3	39·5	46·5	45·5	52·3	48·4	46·8	47·5	49·7	....	47·9
10	42·0	52·2	46·6	42·7	48·5	40·3	50·0	41·1	52·1	52·0	50·6	48·5	53·6	50·7	48·5
11	42·3	34·3	....	41·5	41·3	42·0	39·5	40·9	43·0	41·9	39·0	59·3	38·0	....	47·5
12	40·7	32·2	....	38·2	37·5	43·0	35·5	38·8	37·1	38·2	37·4	43·7	35·9	44·7	39·0
13	40·7	35·8	37·8	42·3	41·7	39·2	37·5	40·5	42·0	41·6	39·8	39·8	41·2	45·3	39·3
14	44·0	33·0	33·1	43·0	38·5	41·8	37·0	38·5	34·0	36·6	37·4	41·2	35·6	43·7	43·8
15	39·7	31·2	33·8	38·2	35·2	38·0	33·5	38·2	33·6	38·5	36·9	39·8	31·7	43·3	36·8
16	40·0	42·0	43·8	44·5	45·0	40·0	50·5	43·8	45·0	46·6	45·8	38·7	41·7	....	47·2
17	40·0	47·5	40·6	40·5	43·5	40·5	52·0	40·4	53·8	52·4	46·0	40·3	50·5	49·7	47·4
18	44·3	40·5	39·3	44·5	47·8	40·7	52·0	41·8	45·0	49·4	43·8	44·5	47·5	....	51·7
19	44·0	34·5	36·1	37·0	35·7	41·5	38·0	37·0	38·3	42·3	38·5	37·3	33·5	45·7	38·6
20	41·3	42·3	39·6	38·8	38·0	39·0	45·5	35·7	43·7	46·5	43·2	38·0	42·5	42·7	36·2
21	41·3	34·0	38·1	40·7	42·7	39·5	39·0	39·8	45·6	45·0	39·9	36·3	40·9	43·7	46·1
22	42·0	30·0	34·4	39·3	40·7	44·5	35·0	37·5	32·4	34·8	38·1	35·3	32·2	42·0	41·6
23	41·3	28·0	30·9	37·0	37·3	42·3	32·5	33·2	35·4	32·6	34·8	34·7	32·1	....	35·1
24	37·0	32·5	32·6	37·8	39·0	38·5	42·5	35·2	39·0	40·2	36·5	30·0	38·9	36·0	38·3
25	44·7	28·5	25·9	34·7	33·7	40·2	32·5	32·1	33·4	33·4	30·4	31·5	31·9	36·7	37·4
26	26·3	15·2	14·2	23·8	25·2	29·0	26·5	21·1	26·5	26·6	21·0	19·0	22·5	31·7	28·5
27	20·3	28·5	25·6	27·3	22·3	26·0	33·5	26·3	31·7	34·2	28·3	15·3	35·2	28·7	27·3
28	25·3	33·3	32·6	37·2	35·5	32·8	39·0	36·4	36·5	38·1	34·5	34·0	34·0	31·0	32·2
29	36·7	28·2	24·6	36·5	29·5	35·2	30·0	29·4	28·1	29·7	29·6	31·0	31·9	35·3	39·7
30	26·7	19·7	16·4	24·8	23·7	29·0	24·0	25·3	24·8	25·2	24·9	19·0	24·8	....	28·9
31	26·3	28·0	28·6	33·0	30·5	33·3	32·5	31·0	33·6	34·9	30·9	30·5	34·1	32·0	32·1
	38·11	37·30	36·70	39·13	39·05	38·46	41·60	37·66	41·94	42·92	39·86	37·79	40·91	43·82	43·09

TABLE XVII.—*October*, 1887. *Daily Mean Temperature.*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
48·5	53 7	52·4	50·4	50 5	52·5	47·6	50·0	48·5	52·7	46·2	52 8	52·0	48·7	42·9	46·2	53·0	1
....	55·6	54·4	55·6	....	....	51 6	56·4	53·0	60 7	50·6	58·2	55·5	....	52·3	48·0	55·3	2
57·3	51 1	55 0	52·8	55·2	52·5	55·9	56·6	58·9	57·5	59·7	54·1	58·5	56·7	53·0	39 0	39·2	3
53·9	54·1	53·6	54·4	53·8	53·3	55 1	57 2	56·2	60·0	56·8	54·7	58·5	56·3	56·0	39·3	41 0	4
55·9	54·3	53·2	54·7	53·9	54·0	59 5	58·9	57·6	62·6	59·2	53·0	59·0	55·3	54 8	44·0	42·8	5
51·7	54·6	54·0	54·7	51·7	53·2	58·0	55·1	54·8	63·0	55·2	52·6	57·8	53·7	56·2	49·2	45·0	6
52·7	54·9	54·1	53·6	52·9	53·5	53 3	53·6	54·9	57·1	53·9	54·1	55·0	52 7	49·9	51 7	46·2	7
48·0	49·7	48·4	47·9	47 2	51·0	49·2	50·8	50·0	57·8	48·6	50·0	52·5	50·3	52·3	49·7	48 8	8
....	50·9	51·7	49 6	....	....	50·8	50·9	51·3	54·0	49·7	47 3	53·3	....	52·4	46 8	48·5	9
52·7	54·1	54·4	51·7	57·9	51·5	52·6	50·5	49·5	55·3	46·6	52 0	53·0	51·0	46·7	46·3	50·5	10
46·8	48·6	46·1	48 0	41 6	46·	52·4	50·8	48·7	56·7	42·7	49·4	54·7	51·0	48·5	46·7	50·5	11
39·2	40·9	38 6	40·8	35·3	42·0	46·5	43 6	44·2	52 0	45·4	44·8	49·0	44·3	44·5	53·3	47·7	12
40·8	48·8	45·9	46·1	43 7	48·5	44·4	44·3	41·3	51·4	38·2	45·2	46·0	43·3	36 9	42·3	44·0	13
43·9	47·5	45·9	49·4	39 0	46 5	48·3	51·4	52 6	57·3	51·4	49 5	46·5	49·0	44 3	50·3	46·3	14
36·3	40 0	37·8	37 5	33 6	40 7	43·9	40·2	46·7	48·5	37·8	38·9	43·3	39·0	43·4	45·3	45·5	15
....	48 0	44 9	44 6	....	....	45 5	43·7	43·5	49·6	38·6	48·8	48·7	....	38·4	41·0	43·0	16
47·8	51·6	47·4	49·8	48·0	50·5	47·0	49·3	46·0	52 5	45·8	52·0	50·5	49·7	47·7	44·9	42·0	17
53·4	55·1	54·4	53·0	53·1	52·5	52·6	57·9	53·5	56·3	50·5	55·0	55·7	58·7	49·1	46·7	51·0	18
43·4	47·0	45·0	45·1	40 1	45·5	51·2	51·3	50·2	56·1	52·0	49·4	53·1	54·3	51 8	51 3	46·0	19
41·4	45·6	44·0	39·6	38 2	44·3	46·3	43·9	45·8	52·5	44·1	43·7	46·5	45·7	41·4	45·7	43·0	20
43·2	48·4	46 9	46·8	43·0	47 5	50·1	50·0	45·3	54·7	44·7	49·3	51·3	46·0	41·9	44·7	44·0	21
41·8	44·1	42·5	43·7	37·4	43·5	50·3	45·4	47·2	51·5	51 3	45·5	48·4	44·0	50·2	49·0	49·0	22
....	39·1	37·5	36·7	....	....	41·9	39 6	40·0	45·4	37·8	40 2	42·3	....	40 9	45·7	42·2	23
42·2	49·5	48·6	46·6	42·2	48·0	43·9	46·7	43·2	53·2	39·5	50·5	48·3	47·3	35·8	42·3	40·0	24
37·6	39·9	39·5	32·1	37·4	41·8	41 3	39·2	42·6	47 0	40·7	42·4	42·1	38·3	42·1	42·8	42·3	25
31 0	34·6	33·2	32·1	25·6	34 0	36·1	37·9	36 9	45 0	35·8	36·1	40·6	37·0	35·2	37·5	30·7	26
29·0	39 7	34·7	32·0	30 2	37·0	34·2	38·6	35·0	45·9	33·7	36 0	39·0	35·7	25·3	33·2	23·8	27
35·5	42·2	40·9	39·1	27·9	43·5	38·8	41·7	37 5	48·4	35·4	41·1	42·3	40·0	32·7	30·0	34·7	28
39·8	44·9	43·5	40·8	38·4	45·5	47·8	45·5	48·7	52·4	43·6	44·6	48·0	41·7	38·4	40·3	45·8	29
....	36·6	32·3	34·4	....	....	42·6	44·4	46·0	47·5	38·4	43·3	46·4	....	40·9	41·7	30·2	30
33·8	37·3	36·8	34·4	34·9	38·0	42·2	40·0	44·9	50·7	35·1	39·6	44·4	35·0	32·2	43·3	34·8	31
44·15	47·18	45·72	45·09	43·14	46·78	47·78	47·99	47·63	53·40	47·10	47·55	49·77	46·34	44·45	44·46	43·45	

TABLE XVIII.—*November*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	48·0	39·6	47·3	38·7	46·7	....	36·8	48·2	46·3	48·7	38·3	45·3	20·8	....	44·0	43·5
2	49·5	37·4	39·5	34·3	30·7	31·7	31·2	40·8	35·4	35·3	32·2	44·5	20·5	....	39·8	38·0
3	53·0	44·1	41·5	30·3	39·0	25·0	27·8	39·1	34·1	32·0	29·0	33·5	16·8	....	34·0	40·7
4	45·0	40·9	50·0	33·7	41·7	34·5	33·2	44 1	46 9	40·0	37·5	38 7	33·0	....	39·3	47·3
5	48·0	39·8	57·8	47·5	51·3	....	41·7	53·6	41·4	50·7	35·3	34·5	36·9	....	50·0	44·3
6	45·0	42·0	51·0	32·0	37·2	37·5	38·4	29·0	29·7	40·0	....	31·0	21·1	....	31·5	28·7
7	45·5	40·7	35·5	24·7	33·3	19·8	18·8	32·8	32·7	20·7	23·0	40·0	29·5	....	26·2	14·8
8	47·5	43 4	37·5	19·0	36·7	20·5	32·2	37·4	25·7	26·7	51·0	35·3	20·6	....	30·7	33·5
9	53·0	38·2	43·3	30·3	52·5	32·9	41·6	50·3	40·5	36·7	34·0	36·7	28·7	....	41·5	36·0
10	45·0	39·2	37·3	39·3	49·7	39·3	39·8	57·9	44·4	45·0	42·7	39·0	32·0	....	52·0	39·3
11	47·5	41·7	41·5	36·0	41·5	37 1	37·3	46·7	35·3	39·3	37·0	37·8	27·3	....	40·0	39·7
12	48·5	40·3	44·5	34·0	41·0	32·8	36·4	45·4	37·1	33·3	32·5	32·7	30·8	....	39·1	39·8
13	49·0	39·8	32·7	31·0	49·0	30·9	39·6	47·0	43·0	30·7	....	35·0	30·4	....	38·7	37·0
14	45·5	35·0	35·8	34·7	40·0	....	38·2	39·8	33·3	38·7	35·7	37·8	17·7	....	32·7	27·5
15	44·0	35·1	47·0	29·5	21·0	28·7	29·3	31·4	27·5	33·3	33·0	31·0	6 7	....	28·0	18·7
16	39 0	44·6	49·3	20·0	19·5	28·0	20·3	19·9	18·6	25·3	20·7	26·3	1·8	....	23·3	13·0
17	38 5	45·1	40·7	22·3	31·7	23·3	24·6	33·0	38·1	25·3	23·2	22·0	2·0	....	27·5	6·7
18	37·0	49·5	47·0	15·3	27·5	13·2	19·4	38·0	32·9	19·4	5·0	31·0	0·9	....	30·3	7·8
19	39·0	44·6	47·0	8 5	29 0	6·3	8·9	36·6	38·0	8·7	15·3	34·5	13·9	....	21·5	9·3
20	40·5	37 7	38·7	31·3	32·3	30·7	25·4	46·5	34·5	28·7	....	31·7	10·0	....	39·7	25·5
21	41·5	34·1	17·0	17 0	18·0	18·3	17·8	25·2	17·3	21·3	9·0	24·3	7·1	....	17·5	23·5
22	37·5	33·0	6·8	8·0	7 8	4·5	0·6	6·0	12·3	1·4	2·3	16·0	2·1	....	4·5	4·0
23	32·0	32 8	6·7	4·3	8·3	3·2	12·0	7·8	15·1	2·1	6·2	6·7	5·7	. ..	2·9	5·3
24	36·0	29·0	12·3	1·3	12·7	3·8	5·7	13·3	18·9	6·0	3·0	1·3	4·3	....	8·0	4·3
25	31·5	31·6	6·5	12·2	9·3	11·3	7·2	8·4	4·1	11 0	16·0	4·5	13·2	....	5·7	9·0
26	34·5	34·5	11 5	24·5	15·0	20 1	3·0	10·2	13·5	18·9	25·3	12·3	16·5	....	16·0	24·5
27	35·0	36·6	20·0	20·7	4·3	16·2	17·0	13·4	4·8	17·4	19·3	8·7	17·0	....	17·9	23·2
28	34·5	38·5	4·2	21 8	2·0	17·5	22·7	2·4	2·9	15 3	19·7	10·5	21·4	....	11 6	16·2
29	44 5	33 8	9·5	14·3	4·5	4·4	6·3	8·8	3·3	6·0	9·3	2·5	8·5	....	5·6	7·5
30	42·0	31 8	9·0	6 0	8 0	1·3	4·0	5·0	5·9	5·3	2·5	2·5	1·0	....	3·7	0·3
31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	42·56	38·48	29 74	17·09	26·39	16·16	23·19	28·31	25·62	20·51	16·07	23·91	10·32	....	23 36	17·33

TABLE XVIII — *November*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	47·4	44·5	42·5	39·5	41·2	36·0	43·2	40·0	41·3	35·3	....	28·9	34·3	31·0	1
....	34·8	35·0	34·0	39·2	33·5	33·7	45·7	34·3	32·3	27·1	34·7	44·7	47·4	42·5	2
....	24·2	27·4	26·0	24·3	27·3	28·0	31·7	22·5	35·6	25·3	33·5	38·6	39·5	37·6	3
....	28·2	30·3	31·2	30·5	28·6	35·0	26·0	29·3	39·9	28·3	....	33·9	37·0	34·5	4
....	41·9	44·7	40·8	43·0	40·6	46·0	38·5	27·5	39·6	34·7	....	29·6	30·5	39·6	5
....	41·2	36·2	42·2	41·0	....	42·3	48·8	29·3	39·7	34·3	37·3	39·9	....	39·5	6
....	22·9	22·7	24·8	24·2	22·7	24·5	38·2	23·2	17·7	23·0	49·2	42·4	57·5	51·9	7
....	22·5	22·5	26·7	27·4	26·7	26·5	27·8	26·0	22·2	26·2	21·5	32·3	31·9	27·3	8
....	29·1	29·4	22·8	33·5	25·1	27·7	27·2	23·8	28·4	28·2	27·8	24·3	32·2	32·2	9
....	33·7	34·0	29·7	39·3	30·4	31·0	35·0	32·0	32·9	31·0	22·7	30·6	32·2	28·4	10
....	39·4	32·9	33·0	36·0	32·7	36·5	41·8	32·5	31·0	31·0	24·5	27·9	30·2	29·0	11
....	32·5	33·7	37·0	35·7	30·5	35·5	36·3	39·5	36·2	34·5	25·5	31·4	33·3	30·0	12
34·0	32·8	30·9	34·0	32·0	....	37·3	38·7	35·5	38·5	30·0	34·3	32·8	....	30·5	13
38·5	35·4	36·1	34·5	31·7	34·4	35·0	33·8	35·7	35·8	32·9	29·7	32·9	37·5	35·0	14
35·5	33·4	30·1	31·8	30·8	33·3	39·8	34·7	34·5	30·1	32·6	28·5	33·4	35·0	30·3	15
27·5	22·0	17·9	28·7	23·5	26·1	23·0	27·5	23·5	32·3	24·3	25·8	33·4	34·6	31·7	16
21·5	19·2	18·3	12·3	28·3	15·2	23·3	23·2	18·5	9·2	15·2	27·2	30·9	35·0	31·2	17
14·0	11·1	11·0	7·2	20·0	11·9	13·7	41·7	11·0	5·1	4·7	29·0	33·4	36·8	35·0	18
6·5	4·3	0·8	3·5	9·7	1·4	0·8	11·5	0·5	2·1	12·0	29·8	31·9	36·8	34·5	19
17·5	22·2	27·8	20·0	33·0	....	30·5	8·3	18·5	20·0	19·3	23·3	23·3	....	28·5	20
24·5	17·3	13·4	19·0	26·0	18·9	21·0	27·0	19·0	20·3	9·8	20·7	23·5	26·7	27·0	21
6·5	4·9	4·0	2·3	8·5	2·6	5·3	17·3	4·5	2·5	3·6	27·8	27·1	29·1	30·0	22
8·5	0·3	1·0	7·0	4·0	5·7	2·0	2·5	7·5	3·2	5·0	17·5	20·9	30·4	26·5	23
7·0	5·2	3·6	3·5	11·5	1·7	5·0	1·0	0·5	1·5	7·6	15·3	23·0	25·4	22·5	24
5·0	1·8	10·1	4·5	4·5	4·7	3·8	6·0	10·0	1·1	6·0	23·0	33·9	32·2	30·0	25
10·5	22·0	24·8	15·5	17·0	15·6	20·7	7·5	16·0	18·2	13·5	30·8	33·6	36·1	34·7	26
14·5	20·7	18·9	18·2	16·0	....	17·2	21·8	19·5	20·9	7·5	36·5	42·6	....	38·8	27
10·5	15·9	23·6	15·8	14·2	16·0	17·5	17·2	17·0	24·0	10·1	8·7	16·2	20·5	17·5	28
12·0	17·1	16·1	16·0	1·5	20·8	13·0	20·0	17·0	25·0	14·0	....	11·1	17·1	18·2	29
1·0	4·3	0·5	4·2	6·7	1·2	0·0	11·0	6·0	4·5	10·3	2·5	6·0	12·5	3·3	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
.....	17·12	16·35	17·92	20·87	17·35	18·56	20·49	17·21	17·01	16·48	25·84	30·09	32·76	30·59	

TABLE XVIII.—*November*, 1887. *Daily Mean Temperature*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	29·0	....	35·0	26·4	29·9	35·0	18·0	27·1	30·0	....	31·0	30·7	30·8	31·5	36·1
2	39·6	....	33·7	40·9	41·5	43·2	25·0	....	39·2	....	41·0	41·5	41·7	42·7	43·6
3	36·4	....	31·3	38·4	38·6	45·1	15·5	34·8	37·2	....	36·0	39·7	39·6	39·5	44·6
4	33·1	....	22·5	43·8	33·3	39·0	10·5	31·1	35·8	....	33·0	35·3	39·1	33·2	38·8
5	27·7	....	36·2	27·9	29·7	40·8	17·2	26·3	30·0	....	....	30·2	29·6	32·7	35·5
6	36·0	....	50·0	43·6	42·0	46·3	24·8	37·1	42·7	47·3	43·0	42·0	....	46·8	47·0
7	52·1	....	33·3	54·7	51·1	54·9	29·7	48·6	49·4	51·0	51·0	50·0	52·5	52·5	51·7
8	26·2	....	31·2	32·6	31·4	38·0	6·8	22·8	28·5	33·7	30·7	36·3	32·5	33·9	34·6
9	29·8	....	28·8	24·8	36·8	43·0	16·2	29·8	28·3	34·0	28·3	50·7	39·9	31·8	36·2
10	27·6	....	30·0	33·7	33·1	39·2	14·5	26·9	36·0	31·7	30·3	32·5	34·3	35·4	36·2
11	27·1	....	32·5	32·6	30·0	29·7	16·3	26·7	31·8	30·7	29·0	29·7	30·8	30·9	34·8
12	29·8	...	35·0	31·6	29·8	30·5	16·5	29·4	33·2	32·7	30·7	32·7	33·1	32·8	36·3
13	28·5	....	33·7	31·6	34·6	38·0	10·7	25·7	34·1	33·7	29·7	34·0	....	33·6	37·8
14	33·0	....	31·0	33·6	38·2	44·8	19·8	32·5	38·7	37·3	....	35·7	37·0	37·7	41·9
15	31·5	....	35·0	33·2	37·1	41·5	20·2	30·8	38·5	36·3	34·0	35·8	37·3	37·7	40·9
16	29·5	....	32·5	30·8	37·7	39·5	19·8	28·5	35·0	36·7	35·7	35·5	33·3	38·3	39·7
17	31·4	....	23·7	34·4	33·3	35·5	11·0	29·0	32·7	33·7	30·7	30·7	32·7	32·8	36·5
18	32·2	....	16·3	33·5	35·3	39·0	20·5	....	33·6	....	....	34·0	31·3	34·4	38·0
19	33·3	....	3·5	35·2	33·8	33·9	22·2	31·7	33·2	34·3	31·7	31·5	33·8	33·0	35·7
20	26·0	....	13·7	30·5	24·2	25·5	0·8	24·9	31·6	....	23·7	26·5	....	27·0	28·7
21	23·7	....	25·0	29·3	25·3	24·2	13·0	24·1	29·7	23·0	22·7	23·5	23·5	23·6	26·7
22	29·3	....	10·5	30·9	28·5	34·3	19·0	29·1	36·1	31·0	27·0	28·0	29·3	29·5	31·1
23	22·7	....	14·3	30·0	32·2	37·0	5·5	....	31·7	32·7	30·7	28·7	33·4	34·0	34·0
24	20·3	....	15·0	19·6	28·7	43·0	1·2	....	24·3	28·3	25·3	26·3	30·1	29·7	30·0
25	28·4	....	25·0	32·1	34·2	40·0	10·5	25·9	36·6	34·3	34·3	33·3	34·1	34·4	36·9
26	33·5	....	20·0	34·0	38·4	52·7	16·8	32·5	28·9	42·3	40·0	36·2	39·4	42·5	46·0
27	39·1	....	8·7	52·9	42·3	40·5	20·0	35·8	39·4	44·0	45·7	39·5	....	45·0	44·8
28	15·1	....	9·3	27·4	14·5	20·8	14·0	9·7	26·5	18·7	15·3	12·5	17·4	16·2	20·6
29	17·0	....	5·2	18·0	10·8	20·0	7·7	....	17·4	....	12·0	9·5	9·8	13·6	21·8
30	3·5	....	13·3	5·9	7·0	20·9	22·3	2·9	4·5	14·0	6·0	6·0	10·9	14·7	19·1
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	26·14	.....	21·56	32·47	32·12	37·19	12·22	27·92	32·83	33·70	31·38	31·30	32·19	32·47	36·19

TABLE XVIII.—*November*, 1887. *Daily Mean Temperature.*

Gravenhurst.	Jolly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
30·3	28·5	41·5	31·9	30·8	28·2	33·5	31·3	37·2	43·0	27·6	31·6	34·5	31·5	....	1
41·7	37·4	38·5	46·2	43·8	39·3	42·6	39·3	42 1	44·4	34·8	26·4	29·5	44·7	37·3	2
36·9	31·5	32·5	41·2	40·3	36·6	44·9	36·0	36 0	42·2	36·7	37·6	29·5	44·3	36·1	3
26·5	30·0	22·5	42·2	41·3	35·1	39·7	32·0	31·2	40·5	33·8	32 8	25·5	40·7	34·5	4
29·7	21·3	38·7	36·4	29·0	29 2	35 5	31·0	36 0	34·4	23·9	31·4	30 0	35·3	27·7	5
43·2	37·0	36·5	51·5	46·7	43·4	46·5	44·3	44·0	43·5	34·3	30·6	32·2	47·2	42·5	6
51·9	48·4	38·5	57·4	51·3	50·2	52·5	49·3	49 2	52·5	42·6	37·4	25 8	51·3	48·6	7
24·7	32·3	21·3	37·3	34·3	28 8	37·9	32·3	29 8	40·5	33·9	40·9	21·2	34·0	30·4	8
30·7	26·4	27·5	34·8	28·9	28·2	35·0	31·7	34·2	31·9	25·1	33·3	31·5	36·2	26·8	9
30·4	27·0	33·7	40·3	38·5	31·3	35·6	31·0	31·5	33·4	29·7	24·2	32·5	37·8	32·0	10
30·0	24·0	21·5	34·8	30·6	27·7	33·6	29·0	31·3	31·9	26·6	31·4	26·8	32·2	33·4	11
31·3	28·2	17·0	37·9	34·3	30·7	31·3	31·3	34·2	35·4	30·6	30·9	26·3	33·3	32·2	12
30·1	23·3	29·0	37·5	32·1	33·0	36·9	32·0	33·8	33·4	32·0	29·9	31·2	35·2	31·7	13
34·5	30·5	33·7	41·4	37·7	34·0	42·8	34·0	35 5	40·9	33·2	30·2	28·3	41·5	32·2	14
33·0	30·5	23·8	41·5	36·9	33·0	40·4	34·7	35·0	38·9	33·2	32·4	28·2	38 8	34·3	15
31·9	27·2	24·7	41 5	36·1	32·4	40·5	35·3	35·5	37·9	30 3	30·6	....	40·0	31·6	16
33·7	29·1	26·0	37·5	37·7	31·3	33·7	30·3	35·7	36·4	31·3	29·2	....	36·2	33·5	17
34·3	26·2	20·3	39·0	38·2	34·3	37·4	30·0	36·0	36·7	24·3	32·9	16·3	37·8	35·6	18
33·8	32·0	16·0	37 8	35·4	32·7	34·6	31·0	37·0	35·9	33·6	32·4	10·5	38 0	34·1	19
27·2	24·5	14·8	30·3	31·2	25 6	26·1	24 0	19·4	28·9	27·4	30·6	8·2	26 7	31·0	20
26·0	21·0	28·2	29·8	31·3	25·9	22·6	22·0	29 9	26·2	26 4	27 6	23·0	28·0	27·4	21
30·0	29·0	−14·0	33·5	34·3	28·5	31·5	28·3	35·5	28·6	27·7	23·8	−12·3	35·0	31·0	22
27·7	18·5	−0·3	38·2	35·3	28·9	35·4	31·0	22·6	32·2	20·2	29·0	−1·2	37·3	29·4	23
20·8	15·2	4·5	34·4	23·2	20·7	32·3	26·3	20·5	26·9	14·6	22 3	5·5	31·5	22·8	24
31·7	21·7	17·0	39·2	38·8	31·6	36·6	34·3	27 7	33·4	27·8	16·4	25·7	36·7	29·7	25
34·7	29·5	27·0	38·8	36 6	35·2	47·8	39·3	31·7	40·9	32·1	38·4	−23·0	51·2	33·5	26
40·7	38·2	−10·0	51·8	52·6	42·6	41·9	45·3	32·0	44·7	12·2	28·2	−5·0	47·3	40·4	27
16·0	15·8	−13·7	21·1	27·9	18·5	16·6	15·0	14·2	25·2	22·1	27·4	−14·5	16·0	25·4	28
18·8	9·5	−11·8	19·5	18·9	11·3	16·7	12·7	13 5	19·2	15·2	25·4	−14·3	18·0	15·2	29
5·4	3·7	−20·0	18·3	9·7	5·2	14·9	13·7	5·5	15·4	5·1	21·9	4·2	17·5	5·6	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
30·92	26·59	19·60	37·43	34·79	30·45	35·34	30 60	31·27	35·17	28·63	29·76	18·61	36·04	31·23	

TABLE XVIII.—*November*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	39·7	31·3	27·1	32·2	36·5	39·5	31·9	32·6	37·0	25·5	34·5	31·1	28·5	34·0	31·1
2	38·0	40·7	39·3	38·9	46·5	47·3	45·2	44·7	47·5	33·8	40·5	42·7	50·5	42·2	43·2
3	34·5	37·3	32·2	40·0	43·1	51·5	45·3	44·0	45·5	33·0	42·5	40·7	40·8	41·0	38·4
4	24·0	34·7	30·3	39·0	37·2	38·7	40·5	41·3	38·1	28·5	30·0	35·9	42·5	36·3	36·3
5	34·7	30·7	26·5	28·6	40·7	40·5	34·1	32·7	35·7	25·7	33·0	33·8	36·2	33·3	29·9
6	37·7	43·7	40·9	....	45·8	....	48·5	50·0	52·0	35·8	46·5	46·0	53·0	48·6	48·1
7	33·0	50·7	49·8	51·7	47·5	52·7	51·1	53·4	55·1	40·0	50·5	54·8	58·5	51·1	55·8
8	25·7	26·7	20·2	38·6	31·0	41·7	40·0	39·3	36·1	24·9	43·5	34·6	33·5	29·0	30·5
9	35·0	31·0	25·4	29·3	34·1	44·8	37·4	36·0	39·5	22·9	34·5	33·5	38·5	32·9	34·2
10	24·3	28·7	29·9	29·9	36·4	37·5	36·7	36·6	36·1	28·9	40·5	35·9	40·0	34·7	33·0
11	30·7	28·7	30·6	31·6	36·8	38·2	34·9	33·3	36·1	27·5	34·0	32·8	35·0	33·4	29·7
12	33·0	31·3	33·3	31·2	37·8	33·3	35·9	37·3	35·3	30·8	34·5	35·7	33·8	34·7	32·9
13	38·3	27·0	29·3	....	37·3	....	37·1	38·6	41·5	28·4	33·5	36·3	41·7	34·7	32·6
14	30·7	35·0	31·8	36·4	41·0	44·7	45·2	43·2	43·8	30·4	44·5	39·6	41·5	39·4	37·6
15	32·8	32·7	33·9	34·4	39·5	42·3	41·2	41·9	40·4	32·2	39·5	39·9	40·5	38·0	34·6
16	33·0	31·4	31·8	35·0	39·8	43·0	41·0	40·6	41·0	30·8	37·5	39·2	42·3	39·0	35·1
17	23·3	33·0	32·1	35·7	38·5	37·8	36·1	36·0	33·5	29·0	37·5	34·0	37·5	36·2	33·7
18	20·2	36·1	31·7	36·7	40·5	38·5	38·8	39·3	38·5	29·8	35·0	36·4	38·7	37·7	35·9
19	8·2	35·0	34·1	35·0	35·7	29·8	37·2	37·9	31·7	33·6	33·5	35·0	37·5	35·0	35·2
20	9·2	27·3	30·9	...	30·9	....	25·9	26·7	25·0	29·0	15·5	28·3	29·8	28·4	26·0
21	23·3	27·3	24·4	29·9	29·3	25·0	28·0	28·7	23·5	23·0	22·2	31·8	28·8	27·1	26·4
22	15·3	34·0	31·5	30·6	32·3	36·7	33·5	37·3	32·8	29·9	34·5	30·2	36·5	26·0	29·6
23	6·3	26·9	27·5	32·9	32·2	38·3	37·5	38·6	35·5	23·4	36·5	34·2	36·5	30·0	29·8
24	12·7	21·4	16·2	22·7	30·2	39·5	33·5	32·7	33·7	11·1	36·0	31·8	34·5	28·7	24·0
25	26·7	27·4	26·7	34·0	34·3	40·5	39·5	39·6	37·1	24·3	41·0	36·4	37·5	33·0	31·9
26	23·2	33·9	30·5	35·0	42·3	51·5	46·4	44·3	50·8	29·8	46·5	40·1	39·5	38·5	38·5
27	3·5	40·8	39·4	....	39·8	....	41·4	44·7	38·0	36·5	31·5	43·5	53·5	41·8	43·9
28	10·0	17·7	20·1	24·5	22·3	21·7	15·0	18·8	18·1	11·8	22·0	13·6	17·7	21·7	17·0
29	6·8	17·4	12·4	18·9	23·8	19·8	15·0	17·7	19·7	10·1	14·0	18·6	18·2	21·7	10·5
30	6·2	4·6	1·7	10·8	12·5	27·0	16·5	14·1	18·4	1·9	20·0	13·3	20·8	13·5	6·3
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	22·97	30·82	29·34	32·45	35·81	38·51	36·35	36·73	36·57	26·62	35·50	34·59	37·46	34·05	32·32

TABLE XVIII.—*November*, 1887. *Daily Mean Temperature.*

Stratford.	Simcoe.	Sprucedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
32·1	31·7	36·0	38·0	29·8	32·7	40·0	31·5	37·5	30·8	....	24·3	....	32·6	27·0	1
43·5	41·7	42·0	27·7	42·7	42·6	48·3	23·7	46·7	32·2	....	24·5	....	37·5	34·7	2
39·2	42·7	43·0	29·0	40·0	41·7	44·5	17·5	43·2	25·0	....	26·7	....	32·7	28·8	3
36·7	40·5	38·0	17·8	38·3	39·7	44·0	5·0	37·5	24·1	....	38·0	....	40·5	31·7	4
33·4	33·7	29·0	29·0	33·5	33·5	38·6	11·3	34·1	23·1	....	25·5	....	28·5	17·8	5
47·0	....	29·0	36·5	44·5	46·8	....	27·8	51·5	23·6	....	14·3	....	25·2	23·0	6
51·2	54·8	43·0	28·6	51·3	51·6	53·8	21·3	56·0	32·7	....	27·2	....	36·0	32·5	7
33·3	38·9	30·5	21·5	35·5	36·9	39·1	12·5	36·3	30·8	....	31·5	....	37·7	28·0	8
32·0	35·3	14·5	29·7	34·3	32·6	43·3	17·0	36·6	27·4	32·5	21·0	....	30·2	29·3	9
33·1	36·3	20·0	26·5	37·4	35·3	37·4	22·5	35·0	30·9	27·7	36·3	....	34·0	30·5	10
31·2	34·0	12·5	19·5	32·9	32·9	37·0	11·7	36·6	32·4	28·5	39·7	....	36·4	35·2	11
33·4	36·3	26·0	23·5	35·4	35·0	33·7	5·2	35·9	32·2	34·5	36·5	....	37·4	32·8	12
35·6	....	31·5	33·0	36·9	26·2	....	25·0	37·7	34·1	31·0	34·3	....	34·8	34·0	13
40·3	43·5	23·5	25·3	39·6	41·1	46·2	23·0	46·0	33·7	34·5	32·7	....	34·9	33·0	14
38·9	42·0	23·5	26·7	39·0	40·4	39·4	25·3	39·9	30·4	33·3	33·8	....	37·1	31·2	15
38·2	41·3	22·5	27·3	39·2	39·4	41·3	23·0	36·0	38·0	29·5	35·0	....	41·6	33·0	16
34·1	36·7	21·5	17·9	36·8	34·7	35·3	22·7	33·5	32·0	37·0	33·2	....	37·0	27·3	17
34·6	36·2	26·5	15·0	38·4	35·6	38·3	19·5	37·6	30·0	32·8	29·0	....	36·7	26·0	18
32·8	38·0	22·0	2·3	37·9	34·7	33·0	3·7	31·9	33·6	31·5	37·8	....	36·7	33·7	19
24·6	....	19·0	9·2	30·3	26·9	....	7·8	23·9	42·1	33·7	41·5	....	44·9	33·8	20
23·1	27·7	15·0	18·8	29·7	25·6	23·0	11·3	22·9	36·4	35·3	40·5	....	42·0	30·7	21
30·6	35·3	23·5	2·0	32·9	31·1	32·4	6·5	31·7	33·8	33·7	39·5	....	35·9	32·8	22
32·8	38·0	24·5	12·0	34·2	35·4	36·9	13·2	34·9	32·9	32·0	39·5	....	37·9	31·5	23
29·1	32·7	14·5	5·5	29·8	31·4	35·3	17·5	33·1	18·4	19·8	23·7	....	25·5	16·5	24
35·0	40·3	23·5	23·3	35·6	36·0	38·4	10·7	35·8	24·1	23·3	20·5	....	26·7	21·5	25
43·0	43·8	33·5	8·5	39·2	43·7	46·8	13·0	50·0	31·4	30·0	32·5	....	36·8	27·3	26
45·5	....	43·5	16·5	45·1	46·5	....	0·0	40·1	33·2	34·7	34·0	....	39·0	33·7	27
15·0	16·3	34·0	13·0	21·4	17·5	19·7	22·5	16·2	37·8	41·0	35·0	....	44·2	33·5	28
15·1	13·0	14·0	21·0	17·2	14·2	21·2	13·7	17·1	17·2	15·7	14·0	....	24·2	12·5	29
9·4	13·7	5·5	2·0	14·3	12·3	25·3	15·8	17·1	6·7	9·3	9·8	....	18·0	1·3	30
...4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	31
33·45	35·56	26·28	15·88	35·11	34·81	37·38	11·25	35·77	30·03	30·06	30·56	....	34·75	28·15	....

TABLE XVIII.—*November*, 1887. *Daily Mean Temperature*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Pointe Des Monts	Richmond.	Bathurst.	Chatham.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	26·3	18·0	8·1	27·8	26·5	30·8	24·0	25·6	24·3	26·3	23·1	23·5	20·8	29·3	26·1
2	25·3	28·2	....	36·5	36·3	33·5	31·0	31·7	37·6	37·2	30·5	26·5	33·4	29·0	31·1
3	26·0	29·5	23·6	27·5	26·5	24·7	34·0	26·7	34·8	35·5	32·8	26·5	33·1	34·0	32·0
4	22·0	38·0	26·4	38·8	36·3	25·5	41·0	34·7	39·3	39·6	32·8	30·5	36·6	40·7	45·0
5	34·3	10·5	9·9	21·0	21·5	34·3	17·5	18·1	23·7	23·0	15·8	13·3	19·0	22·0	20·7
6	19·0	21·0	11·7	18·3	17·8	19·7	31·5	19·9	42·0	31·8	22·4	16·5	31·1	....	18·7
7	14·3	37·3	30·1	30·2	31·5	19·0	43·0	20·0	55·1	52·2	35·3	21·7	46·9	30·7	28·6
8	25·7	23·0	22·9	28·5	29·8	25·0	34·0	28·3	36·0	30·9	28·7	27·5	27·8	37·0	33·1
9	30·3	20·5	22·6	30·0	28·0	27·5	21·5	27·8	24·3	25·5	24·5	25·0	18·9	30·3	28·8
10	26·3	28·7	18·9	25·7	31·5	30·8	27·5	28·2	34·2	30·0	29·1	19·8	29·3	32·7	32·4
11	26·0	30·3	31·1	34·0	30·7	29·5	33·5	31·1	32·8	32·2	32·7	21·0	31·8	33·7	34·2
12	35·7	28·0	30·1	31·0	31·3	33·5	30·0	31·4	31·8	33·3	33·4	24·3	32·1	34·3	33·5
13	32·0	27·0	31·1	33·2	32·0	34·2	28·5	32·1	31·5	30·7	31·8	28·0	29·1	....	32·3
14	26·7	27·5	29·4	31·5	32·5	31·3	29·5	31·9	33·4	31·8	31·3	28·5	30·4	....	29·9
15	24·7	30·7	28·5	32·7	31·0	27·5	36·5	30·5	30·9	32·5	32·7	27·8	32·8	33·0	33·2
16	24·3	29·0	32·1	32·5	37·5	34·2	32·5	31·8	31·6	31·8	33·3	29·7	35·6	41·3	41·4
17	31·7	29·0	....	29·3	29·5	39·0	32·5	27·1	34·8	32·0	29·3	26·2	33·7	....	35·4
18	31·7	21·8	22·2	25·5	27·3	32·3	27·5	24·9	30·0	29·9	24·3	32·3	25·9	32·0	31·3
19	26·6	29·5	31·8	40·5	34·7	31·2	38·5	32·3	30·8	33·0	32·6	30·2	32·1	34·0	33·6
20	30·7	33·2	34·1	44·8	46·8	41·8	34·0	34·5	28·4	31·3	33·4	27·3	31·0	....	41·0
21	32·3	22·8	29·6	32·0	33·8	53·2	31·5	33·1	29·7	29·4	28·7	32·0	27·1	38·0	36·6
22	35·0	26·7	....	33·0	32·5	41·8	30·0	31·3	27·2	31·1	30·6	32·0	27·4	35·0	29·6
23	34·0	26·8	23·8	31·2	32·2	34·2	32·5	29·4	30·1	30·2	29·2	31·2	29·0	30·0	30·6
24	31·7	16·0	....	16·3	18·7	22·3	17·6	12·1	18·2	16·9	16·8	31·0	21·6	....	21·5
25	11·7	26·2	....	20·0	23·8	17·0	31·5	18·2	31·7	30·4	23·6	10·3	32·7	20·0	22·3
26	15·0	34·5	19·5	30·7	30·2	23·7	37·0	27·4	32·5	32·1	29·0	14·0	34·9	31·0	32·4
27	21·3	46·2	36·4	34·0	41·8	30·3	45·0	35·5	53·9	45·2	34·0	25·0	46·6	....	37·9
28	28·0	29·0	22·2	39·5	38·5	43·0	33·5	35·4	26·0	28·1	31·5	30·7	29·3	48·0	51·1
29	30·3	— 3·8	— 2·3	12·2	14·5	32·8	9·5	9·7	16·2	15·5	8·8	45·0	12·1	16·0	17·6
30	3·3	— 4·0	— 3·8	2·3	4·5	4·7	6·0	0·?	53·0	4·4	0·6	3·8	3·5	6·3	5·5
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	25·72	25·62	22·80	29·02	29·66	30·61	31·18	27·00	31·27	30·46	27·42	25·37	29·12	31·23	30·91

TABLE XVIII.—*November*, 1887. *Daily Mean Temperature.*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
28·7	32·2	30·2	28·1	29·0	28·5	35·4	32·4	32·5	41 3	30·7	32·3	34·7	32·0	32 3	36·3	35·0	1
32·4	40·2	36·1	33·1	29 0	37·3	34·1	35·7	36·8	43·6	31·4	34·5	38·5	31·7	26·9	29·7	37·5	2
35·7	39·7	39·4	37 8	28·8	36·8	34·3	38 9	43 9	42·9	33·7	40·8	37·5	44·7	36·3	36·3	26·0	3
43·5	48 5	46·1	47 0	41·3	45·0	39·8	45·6	41 2	49·5	32·4	47 3	45·3	36·3	35·1	31·3	27·5	4
24·8	25·1	23·8	26·4	33·6	24 3	39·8	32·6	34·0	37·8	32·6	29·8	33·5	32·0	38·2	43·0	36 5	5
....	29·6	25·3	23·0	19·0	....	23·3	22·2	20·5	28·7	18·3	28·8	24·5	....	21·3	28·3	21·8	6
36·1	47·5	43·6	44·5	34·8	47 5	33·5	41·3	31·3	45·9	30·9	45·9	42 7	43·3	25·5	27·7	24·5	7
33 7	42·0	40·1	40·8	35·9	39 0	44 9	45·3	47·5	50·5	41·5	45 3	43 8	41·7	39·6	41·3	39·5	8
27·5	30·9	29·0	28·2	27·0	31·3	30·5	29·6	31·7	34·5	27·8	33·7	32·7	28·0	35·1	35·0	31 7	9
31·5	39·0	36·1	34·1	31·0	39·2	34·7	36·0	30·0	42·0	32·6	36·6	34·8	34·0	29·1	32·3	33·3	10
34·1	41·3	40·5	39 8	34·8	43·0	37·7	39·8	39·5	46·5	33·6	42·5	43·0	43·7	30·5	37·0	32·5	11
34·4	36·2	34·8	33 2	34·9	35·0	36·7	35·3	49·4	48·0	33·2	35·6	42·5	36·0	34·3	45·7	37 2	12
....	36·5	35·8	33·6	....	....	37·2	35 0	39 9	41·5	33·4	38·1	38·3	....	33 5	43·7	38·3	13
34·1	38·5	39·1	34·0	32·8	39·8	36·3	34·7	40·0	40·6	34·0	38 9	36·4	34·7	32·7	35·7	36·7	14
36·0	47·5	44 3	43·6	34·4	40·7	40·7	43·2	42·2	41·6	40·0	48·9	44·0	42·0	34·6	34·7	31·3	15
40·3	42·7	42 5	43·4	36·3	47·5	50·6	46·4	46·2	52·7	48·6	44·8	46·0	46·3	42·1	44·7	40·2	16
36·1	41·1	39·1	38·7	34 9	42 5	40·7	41·3	40·6	46·8	40·8	42·7	44·0	40·7	40·2	45 7	42 0	17
31·9	38·6	36·3	35·2	33·3	36·5	41·9	39·9	40·0	45·5	39 2	42·4	44·2	37 3	35·1	39·0	39·5	18
32·2	41·3	39·3	38·0	29·5	41·3	37·3	38·9	43·5	46·5	35·7	41·1	42·5	34·3	29·8	39·7	36·8	19
....	48·3	48 9	48·9	....	....	56·5	55·0	48·5	53·5	50·9	51·8	51·5	....	45·0	50·0	45·0	20
37·4	39·1	37·8	40·9	28·0	39·8	54·2	47·3	53·0	51 7	49·4	41·3	47·5	41·0	50·0	56 0	48·5	21
30·8	35·7	34·0	33·7	29·8	35·3	39·4	36·1	36·0	45·9	34·9	36·2	38·0	34·0	36·1	54·3	40·5	22
31·6	42·6	40·5	39·1	29·7	43·5	32·1	35·6	38·2	46·0	34·1	41·0	35·5	37·0	31·7	37·7	38·5	23
26·9	32·1	29·0	30·0	29·5	27·5	31·8	32·7	35·3	38·5	32 2	35·5	32·8	31·7	33·4	36·3	29·0	24
23·7	38·4	35·7	32·6	22·0	37·0	28·1	32·8	32·7	36·0	28 5	35·8	33·5	57·3	22·5	23·3	29·5	25
32·8	46·6	43·0	41·7	28·5	44·0	35·9	43·8	36 0	47·0	38·5	45 7	41·3	40·4	31·7	31·3	28·0	26
....	44·6	43·3	41·5	....	....	41·6	44·5	42·0	45·7	44·1	44·2	43·4	....	35·9	32·3	33·7	27
49·4	48·4	48·3	48·7	44·4	47·8	47·6	49·4	49·3	47·8	50·2	52·4	45·5	48·3	45·1	34 2	45·0	28
21 1	25·7	22·6	23·3	30·0	19·8	39·0	32·4	42·0	46·9	28·4	29·0	36·1	26·0	38·3	47·0	36·8	29
8·1	15 2	12·4	11·7	8·4	8·5	22·5	19·2	40·5	29 7	18·4	18·8	23·0	18·0	17·0	25·7	10·7	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
32·11	38 51	36·59	35·83	30·77	36·76	37·94	38·09	39·01	43 80	35·96	39·42	39·23	36·16	33·96	37·84	34·45	

TABLE XIX.—*December*, 1887. *Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	42·5	27·5	5·0	6·0	3·5	1·0	7·5	5 5	4·4	6·4	5·0	2 5	13·7	....	7·9	....
2	38·5	29·2	9·5	4·5	11·0	4·0	9·5	4·5	0·4	7 3	7·5	10·5	7·2	....	11·1	....
3	39·0	26 8	3·0	11·0	7·5	4·7	7·0	2·7	7 6	8·7	2·0	14·7	10 0	....	1·5	....
4	42·0	17·4	1·0	10·3	3 0	8·7	3·4	9·1	7·2	9·3	...	8·0	17·4	....	8·3	....
5	40·0	24·5	5·0	5·7	5·3	2·0	6·9	3·8	8·3	5·3	6 3	7 5	26·6	....	4·6	....
6	43·5	23·6	1·5	1·5	5·7	6·3	4 5	0·3	7·2	3·3	6·7	15·0	19 4	....	0·3	....
7	49·0	24·2	34·3	4·0	13·5	12·1	13·4	30·3	15·2	4·7	7·5	10·5	5 1	....	24·8	....
8	41·5	17·9	21·0	17·0	9 3	19·0	8·7	24·4	16·5	19·3	0·3	4·8	15·9	....	23 0	....
9	44·0	20·8	3·2	10·5	8 5	7·8	4 8	1·3	5·7	9·3	11·7	4·3	30·3	....	5·5	....
10	43·0	37 8	3·8	9·3	5 0	10·7	12·5	1·3	3·2	9 3	8·5	7 8	18 3	....	5·3	....
11	47·0	38·3	39·0	1·7	32·0	12·3	2·8	39·0	34·2	4·7	. .	26·0	2 0	....	25·3	....
12	43·5	39·2	36·0	7 8	28·7	....	17·7	35 8	31·6	24·0	18 7	38·5	2 7	....	32·4	....
13	40·0	44·3	23·3	9·7	28·3	17·8	10·4	23·8	17·9	18·0	12·0	18·5	13·1	....	15·9	....
14	42·0	45·5	35·0	8·0	29·0	10·5	10·1	29·8	30·7	14·0	15·7	19·8	8 6	....	19·9	....
15	44·5	37·4	42·0	26·5	34·5	25·3	21·2	40·1	32 5	31·3	24·3	26·5	18·9	....	33·5	....
16	46·5	35·0	41·5	24·7	32·3	23·7	22·7	42·2	34·0	30·0	24 2	22·3	8·3	....	32·8	....
17	48·5	38·0	36·7	15·8	29·5	....	18·0	38·2	33·5	22·0	18·3	16·5	24·1	....	26·0	....
18	46·5	32·8	15·8	2·3	9·5	0 9	7·7	18 4	18·3	3·4	....	12 7	26·2	....	14·5	...
19	40·5	35·4	15·0	16·7	6·5	15·3	29·0	7·4	5·0	21·3	21·5	22·5	22·0	....	18·5	....
20	41·5	48·4	0·2	27·5	6·7	26·6	28·3	2·5	11·8	22·7	18·7	5·0	4·2	....	17·7	....
21	38·0	46·7	35·7	10·7	33·0	....	4·3	24·9	33·0	5·4	12·8	18·1	16·7	....	20 0	....
22	39·5	46·0	37·0	15·0	35·5	26·3	30·5	38·2	37·0	30·6	25·0	29·3	2·5	...	31·8	....
23	42·0	39·3	34·3	4·5	26·7	1·0	9·7	35·7	28·0	5·4	13·7	21·0	5·0	....	24·4	....
24	39·5	35·0	26·7	2·5	22·5	....	6·5	25·5	18·7	3·3	2·5	3·7	6·9	....	17·7	....
25	41·0	35·5	10·0	18·3	0·7	13·3	13·8	0·2	1·6	13·8	....	6·7	23·7	....	14·0	....
26	37·5	30·2	12·3	21·0	7·3	21·0	23·4	9·7	12·1	21·4	19·3	16 8	28·8	....	18·1	....
27	36·0	31·1	6·0	21·3	11·7	21·3	22·3	9·9	15·0	17·0	14·7	19·0	32·3	....	13·7	....
28	38·0	36·9	5·0	26·5	6 0	19·2	1·7	10·1	12·4	18·5	18·3	10·3	30·3	....	13·0	....
29	39·0	26·2	2·3	17·8	7·3	15·7	0·1	0·4	11·3	18·8	16·7	16·5	31·2	....	5·3	....
30	38·0	20·0	6·7	11 0	5·5	8·5	8·1	1·1	12·7	11·2	11·0	13·3	35·7	....	8·2	....
31	38 0	24·3	20·8	17·3	10·5	....	3·4	12·1	17·7	11·7	14·0	....	24·6	....	13·8	....
	41·58	32·75	12·96	1·46	10·08	0·69	2·51	12·40	9·05	1·40	0·05	7·39	14·03	....	6·98	....

TABLE XIX.—*December*, 1887. *Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
9·5	6·9	1·5	10·8	3·5	12·0	2·3	3·8	9·0	9·8	1·5	2·5	11·7	13·5	9·0	1
5·0	7·0	6·7	8·5	11·5	5·6	5·0	1·5	9·3	2·5	2·3	23·0	24·0	30·1	27·3	2
3·5	13·7	10·9	15·0	16·5	14·7	19·2	10·0	17·5	14·0	15·2	31·7	33·4	36·4	35·2	3
1·5	7·9	11·3	1·0	4·3	....	12·0	8·5	4·5	10·9	5·5	38·0	42·7	....	39·0	4
2·5	2·8	1·6	1·5	2·3	2·5	2·5	7·0	2·5	3·4	9·3	25·5	25·3	29·9	32·5	5
4·0	5·5	8·9	1·7	1·0	4·5	8·5	0·8	1·5	3·2	11·7	18·3	28·6	32·1	26·5	6
1·5	0·7	3·9	6·5	8·8	3·6	3·5	7·8	7·5	8·1	8·0	28·8	31·5	34·9	33·2	7
28·5	15·0	8·8	16·8	16·0	18·2	12·3	17·5	10·5	15·1	0·9	21·7	29·5	31·4	28·5	8
5·0	0·7	9·7	3·5	0·6	4·5	3·7	21·7	0·7	0·5	9·7	26·3	32·4	32·3	31·5	9
8·5	9·5	10·0	9·0	9·5	9·2	10·7	4·5	8·0	9·1	16·7	28·5	33·3	36·2	33·3	10
5·5	7·1	0·3	6·0	3·5	....	4·3	15·3	5·5	14·3	17·3	17·8	32·3	....	26·9	11
10·0	10·7	15·0	8·0	23·0	6·8	14·2	2·2	9·0	5·1	7·0	15·5	24·3	28·0	22·8	12
11·5	16·1	16·0	15·0	15·0	11·4	16·7	16·3	12·0	12·7	7·5	28·5	28·1	31·8	32·5	13
16·5	15·2	10·5	17·7	....	17·6	18·2	17·5	16·0	17·3	5·3	29·3	31·6	33·7	32·3	14
23·5	19·4	21·5	18·5	25·0	17·3	17·7	11·3	17·0	18·6	21·0	17·2	24·5	28·3	24·4	15
36·0	29·7	25·4	29·0	30·0	29·3	28·5	23·7	28·0	29·1	26·3	14·3	20·5	23·4	19·0	16
25·5	23·9	20·8	22·8	22·8	22·5	22·7	21·7	21·7	18·0	14·5	22·7	23·8	26·4	25·7	17
1·5	5·0	10·6	3·5	3·3	....	11·3	13·3	3·0	5·2	15·5	25·0	28·4	....	28·3	18
9·5	8·0	12·0	5·0	7·3	9·3	9·0	13·0	9·3	1·5	17·7	16·5	29·1	25·7	22·3	19
16·5	12·2	28·8	10·7	15·7	12·1	23·3	10·5	16·0	14·4	9·6	19·0	22·5	27·4	26·0	20
10·0	9·0	0·2	11·3	1·0	15·8	3·5	24·8	10·0	13·8	7·1	8·5	20·7	26·1	18·0	21
11·0	21·0	22·9	5·2	28·8	4·1	28·5	3·0	3·5	3·9	1·5	1·0	16·0	20·1	9·0	22
3·5	10·4	12·3	5·5	5·2	3·9	12·3	10·8	6·3	5·4	4·8	10·3	15·6	19·1	16·0	23
4·5	7·1	4·0	3·8	3·0	0·8	1·3	11·3	4·7	4·1	5·7	14·2	18·7	20·7	18·6	24
4·0	10·1	11·7	10·0	13·0	....	13·3	2·5	14·0	11·2	0·8	7·5	13·9	....	12·9	25
12·5	11·7	18·0	18·0	21·2	17·9	20·2	14·7	15·0	19·2	7·5	13·3	17·1	17·4	17·1	26
14·0	14·2	23·6	14·7	17·8	17·6	22·3	21·0	16·7	16·6	16·0	18·5	22·0	22·5	20·1	27
24·0	25·9	29·8	24·5	27·0	28·9	32·3	24·7	27·0	32·2	25·5	13·5	22·3	25·6	19·4	28
27·0	24·2	20·5	23·0	16·5	30·4	22·5	34·0	24·0	38·0	24·3	5·5	6·0	9·7	1·5	29
12·0	7·0	11·6	6·3	2·0	6·0	3·3	26·0	3·0	19·8	14·2	13·7	8·6	7·5	5·7	30
6·5	2·7	10·4	2·5	7·8	1·9	5·5	9·5	5·5	5·2	19·5	....	16·5	....	12·3	31
1·18	0·31	2·30	0·86	1·92	0·32	0·70	0·82	0·28	1·03	5·42	16·63	23·70	25·77	22·44	

TABLE XIX.—*December*, 1887. *Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
1	6·2	14·7	26·2	2·7	15·5	27·2	5·7	6·0	5·5	18·3	12·7	14·0	14·6	11·7	19·4
2	25·9	15·5	21·3	15·2	28·1	33·8	20·0	26·3	34·2	29·0	27·3	28·3	27·5	28·1	31·9
3	33·6	28·5	14·0	35·2	36·2	39·1	21·8	34·1	34·2	36·0	35·7	33·7	33·8	35·3	36·2
4	38·0	32·5	13·2	38·3	37·9	44·0	26·7	37·6	38·0	43·7	41·0	38·0	....	41·3	45·1
5	29·3	30·0	4·0	34·3	27·8	30·1	14·0	28·4	30·5	28·7	26·0	27·3	27·4	31·0	30·6
6	25·2	28·5	6·0	27·2	27·1	31·3	7·5	19·0	30·3	33·0	26·0	27·0	28·0	31·6	33·9
7	32·1	30·2	7·3	24·8	32·8	33·1	8·8	31·1	31·4	35·0	32·3	31·5	32·5	32·6	35·8
8	28·0	31·8	21·2	24·3	30·5	36·3	3·2	25·0	28·7	31·0	29·7	31·3	32·4	32·5	32·9
9	29·5	32·8	29·3	22·3	31·8	39·5	22·0	29·6	33·5	....	29·3	31·0	31·0	31·3	35·1
10	32·0	35·2	8·2	31·6	36·7	39·6	13·8	31·3	36·5	37·7	35·7	35·7	36·2	37·1	38·2
11	26·6	35·3	2·3	34·5	35·5	37·0	4·0	20·9	35·4	....	32·3	34·3	....	36·3	33·0
12	20·9	29·5	14·0	32·3	27·6	30·2	2·7	18·4	32·4	....	24·3	26·7	26·2	27·8	39·0
13	30·1	31·7	17·0	31·8	29·9	30·0	22·0	31·3	....	32·0	29·0	29·3	29·3	....	33·0
14	31·5	33·5	12·2	33·6	31·1	33·0	22·3	31·7	32·8	....	30·7	31·0	30·5	31·7	34·1
15	21·0	32·3	12·0	31·4	28·3	29·4	2·0	20·7	29·8	....	27·3	27·5	28·9	31·0	32·0
16	17·6	29·0	14·8	15·4	21·2	22·4	14·5	17·0	24·3	....	22·3	22·0	22·8	23·9	26·5
17	24·0	26·8	20·7	29·1	26·8	29·3	17·7	24·6	31·1	26·0	25·7	25·7	24·9	28·1	28·0
18	27·9	30·0	27·8	26·6	29·4	33·3	13·5	26·5	30·1	31·3	29·3	30·3	.. .	31·6	33·1
19	20·8	30·5	8·5	21·0	30·4	35·5	4·3	19·5	25·4	30·3	29·7	28·5	30·6	30·2	34·3
20	24·0	26·7	4·2	14·8	28·2	35·5	0·2	21·1	22·1	32·0	29·9	26·5	26·4	29·9	32·9
21	18·0	24·5	6·3	15·1	20·7	18·0	9·5	11·7	22·8	23·7	23·3	21·7	21·7	24·2	26·0
22	8·0	14·5	1·0	10·6	15·6	17·3	18·3	0·4	7·1	18·3	15·3	14·5	12·7	14·5	20·1
23	13·5	19·5	16·2	2·4	19·0	22·3	0·5	12·6	12·0	18·3	18·3	18·5	15·8	18·3	20·6
24	17·9	22·5	4·3	7·6	22·0	26·3	2·7	13·3	14·2	22·3	....	21·7	27·6	18·5	25·6
25	11·0	17·8	18·5	6·0	17·7	22·0	4·0	7·6	12·7	....	17·3	18·0	....	12·1	21·6
26	16·6	21·0	4·2	4·0	19·5	16·0	4·0	16·1	10·1	23·0	21·3	21·3	22·8	19·5	24·1
27	20·1	26·2	13·3	8·3	21·8	31·3	13·5	20·4	17·0	23·7	....	22·2	24·7	22·5	24·1
28	18·5	26·8	16·0	27·8	20·3	17·1	7·8	17·5	29·0	22·3	23·7	20·7	36·3	26·5	24·0
29	2·0	7·7	10·5	0·2	12·1	13·7	16·5	2·9	5·4	8·7	9·7	8·0	10·5	12·0	15·8
30	8·0	7·5	5·5	9·7	4·6	17·5	22·0	12·7	0·6	7·7	....	4·5	3·4	4·9	16·9
31	9·6	14·3	2·0	4·4	18·9	31·7	5·0	8·4	9·5	19·7	21·0	18·7	16·1	19·6	21·0
	20·89	25·40	9·94	19·18	25·33	29·12	6·03	17·51	23·56	26·32	25·87	24·82	24·98	26·25	28·86

TABLE XIX.—*December*, 1887. *Daily Mean Temperature*

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Luckuow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
7·9	3·0	30·3	18·2	8·5	4·6	16·6	13·0	22·0	15·9	1·6	25·7	30·8	16·7	0·3	1
27·8	18·6	36·5	30·5	29·1	25·2	31·7	24·7	34·5	25·4	22·9	28·4	27·2	35·0	13·4	2
35·5	32·7	18·0	36·9	36·5	34·4	35·8	34·3	36·5	34·9	34·4	35·4	14·3	36·5	34·3	3
39·2	38·0	37·7	47·4	40·1	41·0	43·9	43·7	41·2	43·2	38·1	44·6	16·2	49·5	36·1	4
31·1	29·3	20·3	32·6	33·9	28·7	30·5	28·0	28·8	31·4	33·4	43·9	4·8	28·3	33·7	5
26·7	26·0	0·2	31·4	32·6	28·3	31·3	30·0	29·1	32·2	28·2	36·2	6·7	33·0	25·1	6
33·8	25·2	0·5	35·1	32·5	32·4	34·6	30·7	29·2	34·9	28·7	30·0	0·8	36·5	21·5	7
30·1	22·3	12·0	35·4	27·9	31·7	34·3	29·0	24·5	32·7	30·6	30·4	23·5	35·0	22·9	8
33·1	25·0	37·3	33·5	31·8	29·5	36·2	21·3	35·0	32·4	29·3	30·6	34·0	38·0	20·9	9
34·8	28·8	8·2	38·9	38·2	35·4	39·8	34·0	31·5	36·2	31·7	29·4	−2·3	42·2	30·0	10
30·3	21·3	−1·5	37·4	35·2	33·7	37·1	29·3	13·0	32·9	30·6	34·4	−7·2	41·5	34·1	11
25·0	19·4	1·5	31·5	33·0	28·0	28·2	....	19·0	27·4	25·6	32·3	22·7	30·8	27·6	12
31·7	24·1	28·0	32·8	33·3	30·7	30·4	....	35·0	30·4	27·3	27·5	16·3	32·0	28·7	13
32·9	31·2	22·8	33·6	34·0	32·0	30·8	29·7	36·3	32·4	30·1	29·6	10·0	33·5	33·2	14
34·9	18·7	15·7	34·3	30·7	27·3	31·3	27·3	21·7	29·9	31·1	31·8	3·8	31·0	30·3	15
18·1	9·8	36·0	28·4	21·0	20·1	24·2	24·0	27·6	25·4	15·5	21·3	27·7	27·8	13·7	16
25·6	24·1	33·0	29·9	31·4	24·4	26·9	26·7	32·0	27·2	20·8	21·3	29·5	29·5	24·0	17
29·9	26·2	25·5	33·8	27·3	29·9	32·3	30·0	27·8	30·5	27·4	24·9	14·5	32·5	29·1	18
22·6	18·5	18·5	30·4	22·8	21·5	33·8	31·3	18·0	32·8	23·4	25·8	1·5	31·2	20·8	19
25·6	18·3	−4·8	35·0	19·2	25·3	33·0	28·3	15·5	32·2	22·9	23·7	−4·5	29·8	14·5	20
20·6	9·3	−1·0	27·5	18·1	22·8	23·3	26·0	9·5	25·9	19·0	23·8	−7·5	28·0	11·3	21
11·4	0·1	−4·7	17·9	16·0	13·2	15·6	12·3	2·5	17·7	8·9	15·8	−1·5	17·8	−8·4	22
15·9	16·0	14·0	22·2	8·3	13·6	21·0	15·7	20·0	19·2	5·3	13·9	15·5	23·0	4·5	23
18·3	13·6	11·0	28·8	12·0	17·0	25·4	23·3	13·0	24·4	5·2	13·2	8·0	26·7	8·5	24
11·7	11·5	5·0	21·9	12·1	9·1	22·5	19·7	9·0	21·4	7·4	9·4	5·7	21·7	7·5	25
16·8	13·9	20·3	23·6	8·5	11·3	20·6	22·0	14·5	22·4	13·7	8·4	−10·8	21·5	6·2	26
21·1	18·4	13·2	26·3	15·6	16·9	27·1	18·0	....	21·9	13·4	13·7	−11·0	27·3	9·6	27
22·9	21·6	−4·5	27·9	29·0	24·1	21·9	22·0	−0·2	24·5	26·6	24·3	−5·8	25·7	21·5	28
−1·1	−2·5	−12·5	15·3	−5·2	−1·5	14·3	10·0	....	13·9	−8·4	15·3	−7·2	14·0	−0·0	29
−5·9	−8·7	−9·7	11·8	−2·2	−6·7	15·6	1·7	....	13·4	−8·6	−3·5	−15·7	6·3	−7·8	30
12·2	−1·5	−6·8	21·8	−8·7	−8·3	23·4	16·0	−9·3	16·4	−4·6	−12·5	−0·3	23·3	−7·4	31
22·99	19·43	14·52	29·42	23·56	22·43	28·17	24·55	22·71	26·96	20·65	23·55	8·65	29·21	17·94	

$1\,1\frac{1}{2}$

TABLE XIX.—*December*, 1887. *Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	31·5	10·5	3·1	5·2	17·8	27·8	22·4	22·1	21·5	1·4	19·5	17·0	17·5	15·3	10·4
2	29·2	27·3	11·8	22·9	32·5	33·2	33·5	32·3	33·1	13·6	31·0	30·4	32·0	31·3	30·4
3	20·3	36·7	33·0	36·7	35·9	38·3	37·2	37·0	38·3	32·2	34·0	36·6	39·7	36·7	35·6
4	21·7	40·3	38·1	....	40·3	....	42·3	41·6	44·2	35·1	43·0	43·7	47·2	44·3	39·3
5	3·2	33·0	33·6	32·7	32·3	31·0	32·3	32·0	30·8	31·0	32·0	29·9	32·0	31·7	28·8
6	5·8	29·0	24·0	31·9	35·9	34·3	32·9	32·6	31·7	22·5	32·5	30·5	30·3	33·7	29·7
7	9·3	33·7	23·5	34·0	36·4	35·0	35·9	34·7	36·5	22·4	34·0	33·5	34·7	34·0	33·3
8	27·9	27·4	21·6	33·4	32·6	36·0	35·8	36·3	34·8	16·8	33·5	33·8	35·0	31·5	29·9
9	34·5	33·0	23·6	30·0	32·5	36·7	38·4	36·6	38·7	24·8	37·0	34·6	33·5	32·7	30·8
10	5·0	33·3	29·0	33·9	37·1	37·5	41·8	40·9	40·8	27·3	40·5	38·7	40·0	25·3	36·1
11	0·4	21·4	29·2	....	30·3	....	38·6	39·0	34·0	21·5	37·5	37·7	38·8	28·5	34·5
12	12·7	20·4	21·0	30·0	32·0	31·0	29·2	29·7	28·2	15·3	29·0	29·9	31·0	28·3	28·7
13	21·8	34·4	27·6	32·7	34·3	31·7	31·8	32·0	30·5	24·2	30·0	31·9	35·0	33·7	32·6
14	13·2	34·0	33·0	33·7	34·8	32·0	30·8	34·0	32·3	33·2	30·0	30·6	33·2	34·0	33·1
15	8·2	22·7	26·9	28·0	30·1	28·8	32·9	31·7	29·2	21·8	29·0	29·6	34·5	28·4	28·1
16	25·7	20·5	11·3	18·8	29·1	26·0	26·2	27·7	21·5	12·7	25·0	26·3	25·3	26·7	23·7
17	32·5	29·0	24·5	26·3	30·3	31·5	27·9	30·0	26·1	25·8	26·0	28·7	31·2	28·8	25·5
18	22·8	29·0	26·6	....	33·7	....	32·4	31·7	33·4	28·1	29·5	33·1	32·3	32·5	30·5
19	7·0	21·6	20·3	23·0	33·0	32·5	34·0	35·0	34·6	13·0	....	32·2	30·8	29·3	25·5
20	2·5	24·7	12·7	26·1	33·2	34·5	34·3	32·3	34·5	15·6	....	32·2	34·0	31·4	27·5
21	2·0	13·1	8·8	24·0	25·0	22·8	23·2	24·0	18·5	6·2	17·5	22·7	25·2	25·2	24·2
22	4·0	5·6	1·9	17·2	23·7	17·0	16·3	16·8	....	2·5	13·5	16·4	18·5	22·3	16·6
23	21·8	15·8	0·4	14·6	20·7	23·5	22·6	23·4	20·5	1·6	18·5	20·4	23·0	20·2	19·2
24	11·2	19·2	10·1	15·9	23·9	24·0	24·6	28·7	24·0	7·3	23·5	25·8	27·5	23·7	19·7
25	18·5	12·7	3·2	....	24·0	....	24·1	23·4	22·9	1·2	21·5	20·7	23·2	20·9	14·3
26	12·0	18·1	7·8	15·2	27·0	23·0	18·0	18·8	18·4	4·2	16·0	20·0	22·5	24·5	16·1
27	10·2	23·8	11·8	18·1	26·0	31·7	28·9	27·7	28·6	11·1	19·0	24·8	29·5	24·2	23·3
28	6·0	21·8	20·2	22·7	23·0	15·5	22·9	23·4	18·9	20·4	20·0	17·1	26·2	23·6	24·2
29	8·2	1·7	1·4	5·8	13·5	15·3	14·3	14·8	13·0	2·9	12·0	14·5	14·8	14·4	9·7
30	4·2	2·8	5·5	2·1	15·4	18·3	16·5	16·1	16·4	11·6	12·0	8·3	7·2	11·0	1·7
31	8·0	12·5	1·0	7·6	21·7	25·5	26·7	25·1	....	6·7	26·5	20·9	24·0	19·7	17·6
	12·56	22·69	17·25	22·90	28·90	28·67	29·31	29·39	28·82	14·95	26·50	27·69	29·27	27·35	25·21

TABLE XIX.—*December*, 1887. *Daily Mean Temperature.*

Stratford.	Simcoe.	Spracedale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
14·3	15·5	11·0	26·0	19·6	11·7	27·6	15·0	19·7	7·1	10·0	0·7	...	15·1	....	1
30·1	31·7	17·5	17·0	33·2	27·9	32·8	23·7	32·8	25·5	23·0	22·8	....	27·9	....	2
34·3	37·3	28·5	9·5	36·8	35·1	36·9	7·5	36·0	28·8	28·8	25·3	....	32·1	....	3
41·0	....	35·0	11·7	41·7	43·7	....	19·5	43·2	21·2	18·2	25·0	....	29·8	....	4
27·0	31·0	40·5	4·5	32·1	30·3	39·6	7·5	30·1	32·9	32·3	33·0	....	35·4	....	5
28·4	30·2	20·5	1·8	31·1	30·6	33·1	2·5	31·0	26.9	29·7	23·7	....	31·8	....	6
33·2	34·7	23·0	6·7	35·0	33·6	35·5	8·7	36·2	21·8	20·3	20·8	....	26·1	....	7
34·1	35·3	25·0	26·0	34·6	33·9	35·6	6·0	35·1	17·0	18·0	16·3	....	25·6	....	8
32·9	36·0	25·5	28·2	35·5	33·9	38·0	35·2	37·4	14·5	12·5	14·8	....	22·8	....	9
36·9	41·8	28·5	6·0	39·2	38·2	40·8	7·5	40·3	27·1	27·0	25·0	....	30·4	....	10
31·6	....	27·0	11·3	37·2	37·6	....	13·7	34·0	26·2	21·7	31·5	....	36·2	....	11
24·0	30·0	18·2	12·4	31·5	28·5	29·7	5·2	28·2	30·5	25·8	37·0	....	41·7	....	12
29·9	33·3	21·3	17·0	33·4	30·3	31·7	17·3	30·3	26·6	27·5	26·3	....	31·4	....	13
30·5	32·3	32·5	0·7	34·6	29·5	34·1	8·7	31·6	25·8	26·3	25·5	....	29·3	....	14
29·6	33·3	33·5	10·3	31·7	32·1	30·3	4·5	29·9	30·0	30·0	31·3	....	30·9	....	15
24·2	29·2	9·0	25·8	27·8	25·7	26·2	27·5	23·7	29·3	28·7	31·2	....	37·6	....	16
25·3	30·0	12·5	25·2	28·7	27·4	26·6	17·5	25·4	28·6	28·0	32·5	....	32·1	....	17
30·3	....	26·5	15·7	32·2	31·6	....	10·0	33·6	27·3	28·0	32·5	....	32·1	....	18
31·9	34·5	23·5	3·5	31·1	33·8	35·3	0·0	33·7	32·0	32·5	29·8	....	35·5	....	19
29·5	32·8	25·0	8·0	30·0	31·7	34·7	4·8	33·7	30·5	30·0	38·5	....	35·0	....	20
23·4	25·7	19·0	15·2	24·6	22·5	19·4	9·5	18·7	26·9	26·5	29·0	11·5	30·3	....	21
11·8	15·2	8·5	3·5	18·7	14·1	14·5	7·2	16·0	20·3	23·0	26·2	9·5	24·9	....	22
17·8	22·3	3·2	12·3	21·1	18·5	20·7	11·0	22·4	12·0	12·7	13·0	0·5	19·4	....	23
24·0	27·7	17·5	2·5	23·2	25·4	18·3	1·3	23·7	9·3	9·5	5·0	....	16·3	....	24
19·2	....	3·0	6·0	19·2	20·5	....	2·5	22·7	0·6	0·3	6·0	....	12·5	....	25
21·7	19·2	8·0	6·0	21·0	20·7	21·1	13·8	20·7	2·7	4·7	10·5	....	11·7	....	26
22·8	28·3	10·5	14·7	25·7	21·8	29·2	2·5	28·9	2·2	2·8	4·7	11·0	12·4	....	27
21·1	23·3	25·5	12·8	26·9	23·2	19·5	11·5	19·1	5·0	1·5	5·0	29·0	17·2	....	28
12·2	15·2	9·0	21·5	10·7	13·9	14·8	17·8	13·5	28·9	25·0	30·0	6·0	31·6	. ..	29
10·1	14·0	6·0	13·5	8·2	11·9	13·4	17·5	15·2	21·1	19·3	28·7	11·5	25·1	....	30
17·4	23·0	13·0	2·5	23·6	20·8	29·0	0·0	28·3	11·2	11·0	15·5	13·5	16·1	....	31
25·82	28·25	18·03	4·57	28·39	27·12	28·13	3·39	28·35	20·96	20·68	21·81	....	26·98	....	

TABLE XIX.— *December*, 1887. *Daily Mean Temperature.*

Day.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Charlte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Bathurst.	Chatham.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	5·0	9·2	8·9	....	9·0	0·8	....	5·4	1·2	2·6	1·4	2·7	2·4	4·3	4·2
2	13·7	13·3	8·0	....	19·8	22·5	....	15·4	14·2	13·3	10·2	21·0	17·8	14·0	15·7
3	15·3	28·2	25·8	....	28·3	31·2	....	28·5	30·7	34·6	27·0	25·0	33·3	30·0	30·7
4	17·3	26·5	27·4	....	26·0	22·3	....	26·8	34·6	36·7	29·0	19·8	35·2	....	28·9
5	17·0	30·5	36·4	....	35·0	25·0	....	34·7	33·7	35·6	34·3	31·0	34·9	33·3	34·0
6	20·0	19·0	15·8	....	23·5	33·2	....	20·5	26·7	27·0	23·9	19·2	26·5	27·0	27·3
7	22·0	12·7	5·3	....	17·3	29·3	....	13·8	21·3	19·2	14·3	12·3	24·1	18·0	17·8
8	21·3	15·5	0·1	....	16·0	23·5	....	12·3	22·8	20·8	18·0	10·2	19·3	20·0	18·0
9	11·3	14·3	2·8	....	13·5	21·2	....	9·5	21·1	10·0	11·7	8·0	14·8	18·7	14·9
10	13·0	27·2	19·3	....	14·3	27·0	....	25·8	31·6	28·3	27·4	26·0	33·5	....	26·6
11	11·0	33·5	28·1	....	24·5	19·8	....	28·0	32·1	32·6	29·4	28·3	37·0	....	35·4
12	11·0	29·0	27·4	....	28·3	28·2	....	27·8	29·8	29·2	29·6	26·7	31·7	32·7	33·7
13	18·7	20·2	17·6	....	26·7	31·8	....	19·9	30·3	28·3	22·3	21·5	27·8	28·0	31·0
14	16·3	29·0	21·6	....	20·7	29·0	....	20·1	32·2	33·4	28·5	16·7	33·1	....	24·2
15	19·3	31·5	24·6	....	31·5	24·7	...	29·4	30·3	32·2	30·9	24·0	33·2	30·3	30·4
16	16·3	19·5	6·4	....	28·5	28·3	....	25·4	15·2	17·5	23·9	27·3	18·9	....	31·9
17	32·3	17·8	8·4	....	26·5	35·0	....	20·5	....	26·0	19·0	20·5	26·5	29·7	27·1
18	26·3	22·7	21·1	....	26·0	33·0	....	25·5	24·8	25·5	26·1	25·3	24·6	....	24·3
19	31·3	23·0	22·3	....	30·0	32·2	....	28·9	19·3	23·7	26·7	29·0	24·2	34·3	34·0
20	32·7	8·5	7·3	....	26·0	32·0	....	23·8	16·0	13·6	13·0	26·3	11·7	....	28·1
21	29·0	6·7	3·9	....	25·3	32·8	....	16·4	12·1	13·0	9·0	17·5	6·4	18·0	13·2
22	25·3	3·5	2·3	....	17·0	27·5	....	12·1	8·5	10·2	7·3	14·3	8·6	13·0	12·9
23	18·3	2·0	1·5	....	14·3	22·0	....	11·5	2·3	4·5	4·5	9·8	4·3	13·3	12·8
24	14·0	2·8	15·7	....	8·5	19·7	....	7·8	6·2	7·0	2·2	3·7	3·1	....	5·9
25	8·7	2·7	....	....	4·3	12·0	....	3·1	1·6	4·1	2·8	8·8	4·8	.. .	2·5
26	4·7	2·8	24·4	....	1·8	0·3	....	4·7	1·2	2·6	3·1	8·7	0·0	0·7	3·1
27	3·0	2·5	12·9	....	5·5	4·5	....	7·1	6·3	6·0	3·6	3·8	10·4	3·7	3·9
28	17·3	14·0	6·4	....	8·0	13·7	....	5·1	25·2	22·5	12·2	1·2	26·0	0·7	2·0
29	26·3	6·3	18·2	....	29·3	29·3	....	18·1	0·0	2·0	12·3	24·5	7·9	31·0	28·4
30	12·0	17·5	15·2	....	9·3	33·0	....	5·6	10·9	9·9	13·1	2·3	12·4	3·3	3·3
31	14·3	14·5	22·9	....	0·5	20·7	....	10·0	6·4	8·8	10·5	9·2	15·4	5·3	8·0
	18·03	13·20	7·92	.....	19·59	24·05	. ...	15·52	17·14	17·78	15·24	14·45	16·61	17·67	18·68

TABLE XIX.—*December*, 1887. *Daily Mean Temperature.*

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. John, Nfld.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
2·5	6·2	4·3	2·8	0·7	3·7	16·1	8·5	10·2	23·3	8·3	9·8	18·7	8·7	11·0	16·2	4·3	1
12·3	21·4	19·5	18·9	11·1	24·5	23·8	15·6	21·0	30·7	15·4	19·3	27·5	15·0	9·9	15·5	24·0	2
31·2	38·6	35·5	35·8	15·7	37·5	31·3	32·3	28·5	40·2	22·8	37·2	33·3	33·3	20·1	31·0	33·0	3
....	36·1	33·9	31·9	....	....	32·9	32·5	31·0	38·7	30·0	34·2	34·6	....	31·2	31·3	34·0	4
35·6	40·7	39·5	38·7	30·3	42·5	36·0	40·5	34·1	42·8	31·4	40·7	39·5	34·7	30·9	31·7	26·5	5
29·7	32·5	31·1	31·3	33·4	31·0	36·4	35·8	37·2	42 9	33·8	34·9	36·7	30·3	34·3	34·3	35·7	6
18·1	26·0	23·1	20·4	16·5	21·0	28·2	23·4	25·4	30·7	20·5	28·4	27·0	20·7	25·2	33·7	32·0	7
20·3	29·2	24·6	23·6	16·4	22·5	29·2	29·5	24·4	36·3	22·8	35·0	31·0	24·7	18·2	30·7	29·0	8
13·3	20·9	15·7	13·5	9·5	15·5	25·5	20·3	27·0	31·4	19·3	22·1	26·3	37·7	21·0	25·0	13·8	9
22·8	36·4	32·1	27·4	19·9	37·3	27·6	24·7	24·5	31·7	16·6	31·5	30·1	39·3	17·2	29·0	30·7	10
....	47·8	45·9	45·0	....	....	37·2	43·0	43·2	40·6	38·3	49·3	41·7	....	29·5	31·3	27·0	11
37·1	43·3	43·4	42·8	29·0	42·3	50·7	50·2	53·5	51·3	50·6	47·6	45·1	50·0	39·1	43·3	31·0	12
31·1	33·4	32·9	32·4	35·4	33·0	37·8	36·9	37·8	42·0	36·5	37·6	37·3	34·7	37·7	45·7	34·8	13
28 7	35·1	33·2	28·8	26·0	34·5	30·9	31·7	28·2	36·3	29·9	34·2	31·7	30·7	28·2	34·0	31·2	14
33·2	41·9	40·5	35·2	27·7	39·7	33·6	33·3	31·7	41·4	28·1	41·0	37·8	34·7	24·0	30·3	31·3	15
33·7	35·6	33·7	34·9	33·4	39·8	43·6	43·7	32·7	47·3	44·5	40·1	43·5	41·3	31·6	37·2	32·2	16
26·4	31·7	28·7	28·3	24·5	28·3	38·4	33·2	33·0	40·0	33·2	33·4	35·9	32·0	25·2	42·7	41·0	17
....	40·0	36·0	33·2	....	....	34·3	37·2	35·3	42·3	31·6	39·9	38·7	....	25·0	37·3	33·3	18
34·6	36·8	35·1	35·2	25·3	36·7	38·4	39·4	34·5	42·2	36·6	38·3	38·0	36·7	33·2	40·5	36·0	19
27·9	31·9	29·9	29·6	28·3	29·5	36·2	32·6	32·0	36·7	31·5	35·1	32·7	35·7	32·1	35·0	37·5	20
18·6	24·4	21·8	20·4	15·0	21·0	31·4	27·2	23·4	34·3	25·0	28·2	25·8	26·7	25·8	36·0	34·7	21
15·1	21·1	18·4	16·2	13·4	18·3	26·3	24·4	18·0	33·3	17·5	27·6	23·5	21·3	18·5	35·0	29·0	22
12·3	17·4	14·7	14·1	12·5	15·5	24·1	19·2	16·0	30·7	20·1	20·9	23·5	15·3	16·7	30·2	23·8	23
11·4	20·1	16·9	14·2	5·6	15·0	22·4	18·4	9·9	28·5	17·5	19·2	21·0	17·0	15·8	23·7	17·5	24
....	14·7	7·8	6·1	2·4	....	18·0	11·8	10·4	25·0	10·2	15·9	20·0	....	12·9	18·1	14·5	25
0·3	13·6	4·1	3·8	3·3	4·0	16·6	7·8	7·4	22·3	6·2	15·1	16·4	12·7	7·0	13·5	1·5	26
3·3	12·5	6·7	4·8	2·4	6·0	17·6	12·1	11·3	24·4	....	13·5	18·9	11·3	8·7	11·7	4·2	27
8·1	27·5	21·5	16·1	6·1	23·7	18·5	18·8	8·7	26·3	10·4	23·8	23·5	22·0	5·5	19·7	11·0	28
24·9	27·2	26·0	27·8	30·4	28·3	32·7	34·6	25·8	40·4	30·4	31·1	35·1	26·7	22·0	31·7	27·3	29
3·6	2·0	4·2	2·2	3·3	3·5	26·5	14·0	24·7	31·3	15·2	8·8	21·0	3·7	22·0	35·0	35·2	30
6·9	2·8	0·6	3·6	6·8	0·8	9·0	4·5	1·1	21·0	0·5	12·0	5·7	2·3	2·1	25·3	22·8	31
19·33	27·24	24·25	22·83	16·20	21·61	29·40	27·00	25·57	35·03	24·43	29·22	29·81	25·89	22·02	30·18	26·35	

TABLE XX.—*Means of Daily Temperature at Stations in Tables VIII to XIX*

	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
January 1 to 5 inclusive	45·4	42·4	5·0	21·7	5·6	18·5	22·2	0·4	7·6	19·3	21·3	25·7	25·1	8·1	6·7	20·8
" 6 to 10 "	40·6	36·2	1·5	17·0	1·5	15·5	19·4	1·0	11·8	12·5	20·9	16·5	11·0	10·7	7·5	14·3
" 11 to 15 "	42·4	34·4	11·2	3·3	10·5	2·1	5·8	10·8	10·2	3·0	6·4	3·1	16·7	14·1	11·0	6·2
" 16 to 20 "	39·3	33·1	0·3	16·8	4·7	14·7	16·2	2·4	1·9	16·0	12·5	14·1	28·0	18·4	3·4	22·2
" 21 to 25 "	39·2	31·7	4·1	13·3	9·1	10·0	14·8	1·1	5·5	12·7	12·5	9·9	27·9	21·7	1·6	11·4
" 26 to 30 "	40·7	22·1	5·6	20·4	6·4	15·1	17·3	1·2	8·2	14·9	10·5	21·2	28·2	21·8	11·2	19·5
January 31 to February 4 inclusive	18·5	8·2	31·2	27·8	36·2	25·8	31·7	33·7	32·4	29·5	32·5	32·9	34·8	....	30·1	32·5
February 5 to 9 "	23·3	19·9	19·2	22·4	18·6	20·1	24·0	21·7	17·2	21·0	23·6	23·9	19·7	....	18·0	25·2
" 10 to 14 "	30·5	26·3	7·6	16·0	7·3	8·3	19·0	9·7	6·1	12·6	17·7	18·0	10·2	....	12·4	14·7
" 15 to 19 "	32·8	31·5	10·9	3·2	14·5	4·9	1·1	9·7	17·2	0·1	4·8	2·8	4·7	....	6·6	1·4
" 20 to 24 "	33·0	24·2	5·0	8·1	7·1	4·7	10·5	5·4	2·7	5·9	8·1	7·1	22·5	....	5·1	8·8
" 25 to March 1	41·5	28·6	17·4	1·8	22·2	3·1	2·8	13·1	19·4	0·1	8·9	2·7	18·7	....	11·4	0·3
March 2 to 6 inclusive	37·9	30·2	14·2	0·4	11·6	0·4	2·0	14·5	6·0	0·2	1·3	1·3	15·1	....	10·0	3·2
" 7 to 11 "	44·7	30·9	33·4	16·3	20·5	17·5	13·5	30·0	18·2	16·9	11·9	14·9	9·8	....	25·7	14·5
" 12 to 16 "	43·9	37·7	34·6	9·6	33·9	14·8	15·8	32·8	29·4	16·3	14·9	24·4	1·7	....	25·6	16·0
" 17 to 21 "	45·1	40·1	39·2	21·1	32·7	24·3	22·1	37·2	32·8	23·8	28·3	29·8	14·5	....	33·4	23·6
" 22 to 26 "	47·1	39·3	29·7	13·8	25·6	17·1	16·4	33·2	24·0	16·7	19·1	25·8	9·3	....	23·2	15·0
" 27 to 31 "	47·3	19·9	37·4	20·2	36·1	21·8	18·7	39·3	35·2	20·9	24·4	23·1	14·5	....	29·4	21·6
April 1 to 5 inclusive	44·8	37·1	40·9	27·4	....	26·1	27·0	40·4	34·9	25·6	30·2	30·7	4·1	....	33·0	26·8
" 6 to 10 "	45·6	38·7	51·0	40·7	....	39·6	38·8	50·1	41·7	41·6	42·1	34·8	17·1	....	43·4	45·2
" 11 to 15 "	45·8	41·4	36·9	29·8	....	29·2	29·1	36·7	36·2	31·2	32·7	30·6	29·9	....	29·3	19·9
" 16 to 20 "	45·7	41·3	44·3	39·3	....	39·4	38·5	44·1	35·8	41·6	39·0	46·8	36·7	....	40·8	35·7
" 21 to 25 "	47·4	43·4	42·5	32·8	....	33·1	36·3	42·3	39·4	35·4	36·7	54·5	31·6	....	37·9	29·6
" 26 to 30 "	53·4	40·5	52·7	51·8	....	50·4	50·9	53·1	43·6	50·8	49·3	50·3	38·0	.	50·3	44·3

collected in five-day periods, from 1st Jan. to 31st Dec., 1887, inclusive.

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
14·5	16·8	20·0	15·2	20·2	18·9	19·2	17·9	17·2	18·9	18·0	1·9	4·3	8·8	2·9	January 1 to 5 inclusive.
11·5	15·9	16·3	18·6	16·5	21·7	13·6	18·7	20·7	21·9	17·4	3·2	6·5	4·5	0·4	" 6 to 10 "
6·0	4·1	6·9	3·5	2·8	5·6	3·2	6·1	4·1	0 9	11·1	3·7	11·8	10·2	6·0	" 11 to 15 "
16·5	15·8	19·2	15 1	13·7	16·1	17·7	11·4	15·5	19·3	21·1	1·7	15·1	12·9	7·5	" 16 to 20 "
11·8	11·2	14·5	13·9	10 7	15·3	15·3	11·1	13·3	11·8	15,3	18·4	28·0	23·5	21·4	" 21 to 25 "
10·1	14·6	16·4	12 0	8·3	8·8	15·3	11·6	10·5	12 0	10·4	12·5	21·9	20·5	16·3	" 26 to 30 "
19·9	22·5	25·7	19·2	11·1	20·7	22·8	21·6	19·6	17·5	20·2	2·0	7·1	6·3	3·7	January 31 to February 4 inclusive.
12·6	16·1	19·7	11·3	14·9	12·3	16·3	15·4	10·1	11·3	12·1	15·7	21·6	20·1	18·8	February 5 to 9 "
11·0	11·2	16·5	9·2	11·7	16·4	14·3	12·4	10·6	10·6	9·5	10·1	12·8	14·8	11·2	" 10 to 14 "
2·6	3·8	1·9	5·2	1·8	2·7	1·5	4 0	3 8	0·4	2·0	22·1	25·2	26·2	22·3	" 15 to 19 "
1·1	4·5	7·8	2·7	5·8	5·5	5·3	2·9	2·8	6 9	3·2	14·6	16·0	18·3	14·8	" 20 to 24 "
0·2	4·8	0·2	6·4	4·8	5·9	0·6	2·1	2·3	4·5	0·7	9·7	13·5	10·8	11·3	" 25 to March 1 "
....	0·9	0·2	3·2	3·2	1·3	1·2	0·2	4·3	1·0	8·1	13·3	20·4	15·3	15·2	March 2 to 6 inclusive.
....	11·6	11·5	15·1	16·8	14·9	12·4	9·8	15·4	21·4	6·3	20·5	25·3	25·9	23·2	" 7 to 11 "
....	10·9	10·4	11·7	15·3	16·1	15·0	18·1	12·1	14·3	1·9	15·7	17·5	15·2	16·8	" 12 to 16 "
....	18·7	18·9	18·9	22·6	17·1	20·4	18·5	18·7	17·3	12·6	21·2	20·3	23·7	25·8	" 17 to 21 "
....	10·8	10·9	9·2	19·4	6·6	13·6	15·7	7·0	4·8	1·6	10·6	22·7	20·8	15·9	" 22 to 26 "
....	16·4	17·1	13·8	22·2	16·1	19·1	17·2	14·2	13·5	6·7	13·1	14·2	14·0	11·6	" 27 to 31 "
....	23·4	22·4	20·3	29·3	26·9	22·4	28·8	21·7	31·4	13·9	27·5	29·7	22·3	27·2	April 1 to 5 inclusive.
....	37·6	33·9	38·1	40·1	42·1	40·1	41·7	38·9	38·9	32·5	36·0	37·9	37·9	36·1	" 6 to 10 "
....	29·1	30·4	34·2	32 0	34·5	31·8	31·6	35·1	34·8	30·5	35·7	37·7	21·7	37·9	" 11 to 15 "
....	37·3	39·6	40·9	42·5	40·6	32·4	39 9	39·6	35·3	30·7	28·1	34·2	36·8	32·6	" 16 to 20 "
....	29·0	30·5	27·9	32·8	29·1	31·3	33·1	26·3	27·4	21·4	36·6	39·5	35·0	38·6	" 21 to 25 "
....	48·6	47·5	47·7	52·9	48·3	52·6	50·3	45·3	46·3	34·2	38·6	38·5	42·8	41·3	" 26 to 30 "

TABLE XX (Continued).—*Means of Daily Temperature at Stations in Tables*

	Beatrice.	Braupton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Descronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	° /	°	°	°	°	°	°	°	°	°	°	°	°
January 1 to 5 inclusive	1·2	4·7	....	1·8	6·8	9·1	12·5	1·0	8·0	8·1	5·8	7·7	8·6	8·1	15·7
" 6 to 10 "	5·9	9·3	13·2	1·9	5·8	5·2	14·2	3·2	2·5	8·5	6·0	7·6	6·7	6·5	11·6
" 11 to 15 "	4·9	15·5	7·5	7·3	16·8	23·4	6·8	3·4	12·3	15·0	12·2	15·0	14·6	16·1	18·2
" 16 to 20 "	6·4	14·9	2·2	10·4	20·2	22·0	1·4	2·9	11·9	8·2	10·6	14·6	13·1	12·8	19·7
" 21 to 25 "	21·2	29·6	0·4	19·3	30·3	36·8	10·2	18·5	28·2	34·8	28·7	30·0	29·5	31·9	30·8
" 26 to 30 "	16·0	18·0	0·0	15·8	21·4	26·6	12·9	7·2	21·4	22·3	18·9	20·8	22·2	25·8	23·3
January 31 to February 4 inclusive	2·2	10·0	11·1	2·6	10·9	15·1	1·8	0·5	9·1	9·3	8·0	9·4	8·8	9·3	11·2
February 5 to 9 "	17·8	23·0	4·5	15·9	25·1	32·0	9·2	16·2	21·4	25·0	23·0	23·5	22·4	24·5	27·3
" 10 to 14 "	10·1	13·5	6·7	8·6	13·7	24·4	4·1	7·7	13·1	25·2	15·3	15·6	17·2	15·7	18·2
" 15 to 19 "	21·8	27·4	9·8	25·8	28·4	63·9	16·8	21·3	28·3	32·0	26·6	26·5	27·5	25·2	26·4
" 20 to 24 "	15·3	20·9	14·3	18·7	19·1	27·8	7·9	13·6	23·7	....	17·1	19·6	19·8	19·9	21·0
" 25 to March 1 "	9·9	15·5	15·0	8·2	16·0	22·7	1·0	9·6	15·4	17·5	12·2	16·9	18·5	17·2	18·0
March 2 to 6 inclusive	14·3	22·2	10·0	12·9	22·7	31·2	20·1	12·7	21·2	20·1	19·4	21·6	28·3	23·3	22·8
" 7 to 11 "	22·8	27·3	20·8	25·9	27·4	31·1	20·7	21·9	29·8	30·5	25·5	26·1	26·4	29·0	27·9
" 12 to 16 "	15·6	22·3	19·1	18·5	20·2	25·2	15·0	14·6	22·5	20·1	17·4	19·7	1·6	21·5	22·6
" 17 to 21 "	24·5	25·8	24·3	31·6	24·8	30·6	19·8	24·0	31·5	24·3	24·0	25·2	23·7	25·2	25·2
" 22 to 26 "	14·8	24·1	17·2	22·1	23·2	29·4	5·8	14·1	24·7	19·7	22·5	21·7	22·6	23·2	23·0
" 27 to 31 "	12·1	18·2	21·9	17·7	17·2	24·5	11·8	12·7	20·4	19·5	15·2	16·5	15·4	18·2	18·8
April 1 to 5 inclusive	26·4	35·3	24·3	28·3	32·9	37·9	20·7	25·7	....	38·2	34·3	31·2	30·4	34·1	32·7
" 6 to 10 "	36·2	40·2	49·0	34·4	57·9	45·4	39·1	34·9	40·6	45·9	37·6	41·9	37·0	42·1	43·7
" 11 to 15 "	37·7	40·1	33·9	34·4	40·4	48·5	34·5	37·1	38·2	43·0	39·1	39·0	40·1	42·8	43·0
" 16 to 20 "	32·8	33·6	39·8	35·1	36·7	38·0	30·5	30·5	36·7	37·4	33·7	34·8	35·8	35·1	35·2
" 21 to 25 "	38·1	44·2	30·7	46·4	41·9	45·1	36·2	36·8	43·9	43·9	40·0	40·5	44·9	42·3	43·2
" 26 to 30 "	42·0	47·9	49·6	43·9	42·7	46·8	42·2	39·5	43·8	42·2	39·9	41·7	40·2	42·6	39·7

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1887, inclusive.

Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Saugeen.	Sharon.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
−6·2	−3·5	−2·1	9·5	15·6	8·6	12·6	12·5	13·5	−1·6	5·2	9·2	10·7	8·8	5·9	January 1 to 5 inclusive.
−13·7	0·1	5·6	1·7	8·9	2·8	7·7	9·0	5·5	−6·6	4·7	8·0	7·2	8·9	4·8	" 6 to 10 "
−0·1	7·4	3·3	9·3	19·0	18·9	21·7	20·6	21·2	0·8	21·7	19·0	22·6	14·3	13·3	" 11 to 15 "
−3·9	6·2	1·5	12·0	19·8	20·6	22·0	20·2	20·6	−3·8	20·4	23·0	19·2	18·2	13·8	" 16 to 20 "
0·1	20·7	13·6	24·8	28·7	36·9	32·2	32·9	35·8	9·4	35·7	33·4	35·5	28·0	28·7	" 21 to 25 "
0·8	16·8	11·1	24·0	22·4	26·7	24·7	18·2	24·3	4·5	24·7	23·4	27·3	22·4	22·1	" 26 to 30 "
−11·5	2·8	1·1	5·8	10·9	14·4	14·5	14·5	12·9	−0·7	13·3	12·4	16·3	9·9	7·6	January 31 to February 4 inclusive.
5·8	18·5	13·2	19·0	25·4	31·7	29·4	29·9	31·0	11·6	28·7	27·3	31·9	24·2	21·9	February 5 to 9 inclusive.
4·8	10·3	6·0	18·2	18·1	29·1	22·4	21·7	2·0	2·7	22·3	18·8	20·1	17·2	14·0	" 10 to 14 "
9·1	22·3	21·9	27·2	26·6	31·9	32·0	32·1	32·2	20·3	32·9	31·1	33·0	27·1	29·9	" 15 to 19 "
5·2	15·3	16·3	17·4	18·7	26·5	25·6	25·8	24·9	14·6	24·8	24·5	26·7	19·6	19·1	" 20 to 24 "
10·9	11·3	8·3	11·7	17·8	25·9	21·6	21·5	22·1	5·8	21·4	19·8	22·6	15·3	15·2	" 25 to March 1 inclusive.
7·1	14·9	8·7	17·9	19·9	28·7	28·7	29·4	27·7	5·2	29·5	23·2	28·0	20·2	19·9	March 2 to 6 inclusive.
16·1	22·7	21·0	28·0	26·4	33·9	32·2	33·2	33·3	20·0	33·2	30·5	31·5	24·6	26·3	" 7 to 11 "
16·6	16·3	15·6	17·3	21·1	28·3	24·1	24·4	23·5	15·7	23·6	24·0	25·2	21·4	19·4	" 12 to 16 "
17·9	24·1	27·2	27·6	23·8	29·2	27·7	28·7	27·3	28·3	27·0	29·9	29·5	25·4	24·9	" 17 to 21 "
11·7	15·7	17·5	22·6	20·9	30·0	26·6	26·9	25·8	15·8	25·9	25·8	29·6	21·3	21·1	" 22 to 26 "
13·8	11·7	14·9	15·1	16·9	22·5	22·7	21·8	16·6	14·8	21·8	21·4	21·9	17·3	16·6	" 27 to 31 "
21·9	27·0	26·8	28·6	29·5	32·6	33·2	33·7	36·4	26·3	35·5	31·0	35·3	31·2	31·3	April 1 to 5 inclusive.
33·2	34·4	35·0	34·3	35·3	41·9	37·7	39·7	48·4	33·6	42·8	43·2	43·8	41·3	41·7	" 6 to 10 "
32·4	32·9	32·6	38·5	32·8	39·6	35·9	36·4	37·3	33·1	35·6	36·5	38·4	35·6	34·8	" 11 to 15 "
32·0	39·2	34·6	40·7	39·9	42·1	44·6	44·0	49·0	35·7	47·4	41·4	39·9	41·7	39·8	" 16 to 20 "
30·3	39·5	41·5	45·8	40·1	46·2	42·1	42·8	46·1	39·6	43·5	43·6	45·2	41·6	42·3	" 21 to 25 "
37·6	41·1	42·2	44·2	38·4	44·5	41·0	44·5	43·4	42·7	43·0	44·4	46·9	38·8	42·5	" 26 to 30 "

TABLE XX (Continued).—*Means of Daily Temperature at Stations in Tables*

	Gravenhurst.	Jolly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
January 1 to 5 inclusive	4·2	0·6	−20·1	14·5	6·2	4·9	11·1	6·3	−4·6	9·7	−1·4	−1·7	10·7	12·2	−0·8
" 6 to 10 "	0·4	1·5	−15·4	14·2	3·4	0·6	6·7	6·2	−6·3	7·6	−3·5	−1·1	−22·1	13·1	−6·1
" 11 to 15 "	6·1	4·0	−10·6	21·6	15·5	8·9	20·0	13·7	−0·5	14·1	1·4	4·0	−8·5	21·6	6·6
" 16 to 20 "	9·4	4·0	−12·0	20·3	11·0	10·0	20·7	12·3	−5·8	16·9	8·2	1·2	−12·0	20·7	0·5
" 21 to 25 "	23·4	18·0	−1·3	33·8	29·0	25·8	33·5	30·0	17·7	30·2	13·8	19·3	−5·0	35·9	16·3
" 26 to 30 "	18·3	13·6	4·9	27·8	21·4	19·7	24·5	20·4	14·9	23·2	12·3	15·4	−1·6	24·1	11·6
January 31 to February 4 inclusive	4·6	−0·8	−20·5	16·0	8·7	5·1	13·3	7·2	−3·5	10·3	−1·4	12·7	−15·3	16·1	2·6
February 5 to 9 "	19·7	16·4	−0·7	29·4	20·3	20·1	29·7	25·0	14·8	24·8	8·0	8·7	4·0	29·5	13·3
" 10 to 14 "	12·7	8·2	−2·5	21·7	13·2	10·9	21·7	15·6	−9·2	17·9	−7·6	9·1	−0·8	21·5	5·0
" 15 to 19 "	24·1	22·6	4·0	31·1	28·9	25·7	31·0	27·9	17·4	28·7	10·0	11·6	1·8	31·4	23·1
" 20 to 24 "	15·5	15·1	1·1	25·7	23·5	16·2	22·9	17·5	16·7	17·7	13·3	12·0	2·1	25·2	16·8
" 25 to March 1 "	2·1	11·0	−2·5	21·1	14·9	11·5	20·3	15·3	10·5	16·3	−8·9	9·1	−9·5	21·0	5·6
March 2 to 6 inclusive	16·1	12·6	....	29·3	20·9	17·9	26·8	20·7	−7·1	21·8	12·4	13·9	−3·4	26·9	7·9
" 7 to 11 "	24·5	23·9	....	32·9	28·2	25·5	31·2	24·9	23·3	29·2	10·1	23·2	11·2	31·8	21·7
" 12 to 16 "	17·1	16·4	....	27·9	21·2	17·3	22·7	19·1	16·3	21·0	18·2	20·6	13·4	24·1	15·8
" 17 to 21 "	26·1	23·4	..	30·2	30·3	26·1	27·0	26·3	24·7	24·4	22·2	22·3	14·1	28·3	28·3
" 22 to 26 "	17·9	12·6	....	29·5	24·4	19·5	25·2	21·1	17·5	22·1	16·4	20·6	7·1	26·7	18·0
" 27 to 31 "	13·2	14·6	....	24·9	19·8	14·8	20·4	15·4	16·7	16·3	9·5	12·0	10·0	20·3	13·7
April 1 to 5 inclusive	27·8	29·0	22·9	37·4	31·1	28·7	36·7	30·2	27·2	32·8	27·1	21·9	19·3	36·0	24·7
" 6 to 10 "	35·9	35·4	35·7	45·4	35·1	37·8	44·3	41·7	37·5	42·2	31·5	27·1	33·4	41·2	29·5
" 11 to 15 "	38·8	37·9	30·3	40·5	38·1	38·3	45·4	37·7	36·3	44·9	37·4	28·3	31·8	42·4	33·8
" 16 to 20 "	34·0	32·2	28·9	39·5	34·5	34·2	36·4	33·8	33·5	36·5	32·7	32·9	30·5	36·4	32·4
" 21 to 25 "	39·5	36·2	....	46·6	44·6	41·9	43·9	39·8	39·0	43·7	40·4	41·9	28·1	44·8	40·8
" 26 to 30 "	41·4	41·3	....	47·2	44·5	41·5	41·5	49·0	41·0	40·5	42·1	42·7	38·3	44·9	43·7

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1887, inclusive.

Stratford.	Simcoe.	Spruecdale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
8·9	16·5	−1·3	−15·0	9·5	10·1	14·2	−13·9	....	12·5	7·7	16·3	−0·6	23·4	....	January 1 to 5 inclusive.
7·7	5·8	−8·3	−21·5	10·5	6·1	6·9	−25·2	....	5·6	6·6	5·9	−2·0	16·0	....	" 6 to 10 "
15·2	21·9	−4·8	−9	2·17	6	18·3	22·7	−19·6	....	0·4	1·8	3·6	−12·3	13·4	....	" 11 to 15 "
15·9	20·9	5·2	−13·3	17	0	18·5	16·9	−25·5	....	5·7	4·2	10 2	6·8	14·5	....	" 16 to 20 "
31·0	32·0	21·2	−6·5	31·8	32	6	34·7	−7·8	....	11·8	8·0	14·7	30·7	19·2	....	" 21 to 25 "
22·5	26·3	11·0	−3·6	24·3	24·6	26·0	−1·6	...	8·0	8·2	7·6	11·7	17·6	....	" 26 to 30 "
10·1	14·4	5·2	−18·4	13·0	12·4	14 4	24·5	....	1·6	1·5	3·6	....	7·4	....	January 31 to February 4 inclusive.
26·2	29·2	19·7	−1·3	24·7	27·9	33·5	−1·2	....	7·1	6 0	4·2	15·8	6·6	...	February 5 to 9 "
16·8	25·3	3 9	−1·9	16 2	19·6	27·0	−4·8	....	2·4	0·8	−3·2	5·2	3·9	....	" 10 to 14 "
27·8	33·9	11·5	2·2	20·6	30·3	33·2	−3·5	....	14·7	13·7	17 0	28·3	20 1	....	" 15 to 19 "
18·6	26·4	12·2	1·9	23·7	22·2	27·3	−0·5	....	10·0	10·2	8·8	18·0	12·9	....	" 20 to 24 "
15·8	22 7	3 0	9·8	19·4	18·9	27·4	7·1	....	7·4	6·5	10·8	5·5	11·3	. ..	" 25 to March 1 "
23·2	27·7	8 9	10 6	24·1	2·6	29·0	8·5	....	1·7	0·6	−0·1	12·5	4·9	....	March 2 to 6 inclusive.
28·0	33·3	20·9	13·2	29·3	31·1	34·9	13·0	....	20·8	20·1	19·7	25·2	22·2	....	" 7 to 11 "
20·3	22·8	9·4	14 1	22·3	23·6	27·2	11·0	..	35·1	34·6	34·2	18·4	33·0	....	" 12 to 16 "
24·8	29·3	25·2	13·1	27·4	28·3	29 1	11·3	...	33·1	32·9	33·3	29·1	31·5	....	" 17 to 21 "
21·7	28·3	16·4	5·8	25·2	25·0	30 0	5·2	...	24·0	22·1	25·3	19 9	25·9	....	" 22 to 26 "
16·4	20·9	10·0	10·5	20·9	19·8	22·0	4·5	....	24·4	20·8	22·7	20·6	25·1	....	" 27 to 31
32·4	33·9	27·3	18·4	32 9	34·7	34·2	15·2	....	24·9	25·9	22 8	27·4	28·5	....	April 1 to 5 inclusive.
42·6	41·4	39·0	38·4	40·8	43·5	32·4	35·9	...	25 8	25·2	27·5	30·1	28·6	....	" 6 to 10 "
41·8	45·0	39·1	31 0	40·3	43·4	50·2	25 8	46·1	25·3	25·7	21·7	30·9	25·4	29·2	" 11 to 15 "
35·0	39·3	30·0	31·4	35·6	36·8	41·8	23·7	36·4	30·1	31 6	32·2	31·2	32·7	33·3	" 16 to 20 "
41·6	47·8	37·3	26 0	45 1	44·2	48·0	25·0	43·8	36·4	36·2	37·4	43·1	35·8	37·8	" 21 to 25 "
41·3	45·8	36·3	39·5	43·3	43·0	47·2	33·5	41 7	37·3	36·7	36·2	43·6	33·6	36·7	" 26 to 30 "

TABLE XX (Continued).—*Means of Daily Temperature at Stations in Tables*

	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Bathurst.	Chatham
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
January 1 to 5 inclusive	12·1	−0·3	−7·3	....	7·2	16·1	2·6	6·2	−0·2	−1·6	3·4	−8·2	−1·9	5·1	5·0
" 6 to 10 "	−0·1	−4·9	−12·8	....	−2·5	−7·6	−0·1	−0·2	−3·7	−0·3	0·8	−8·9	−4·7	7·9	0·4
" 11 to 15 "	−4·8	−0·7	−13·9	....	−0·1	−0·2	−5·4	−0·4	−6·9	−6·1	−2·9	−4·8	−7·1	−4·0	−3·3
" 16 to 20 "	−1·7	−0·1	−11·6	....	−2·3	−7·9	−4·4	−2·9	−9·0	−2·9	−1·5	−1·5	−1·6	−2·9	−2·5
" 21 to 25 "	−0·5	−17·6	−4·7	....	−12·2	−5·3	−21·8	−11·4	−18·2	−18·3	−15·3	−8·7	−22·4	−16·4	−17·5
" 26 to 30 "	−5·2	−11·2	−2·5	....	−9·8	−1·8	−15·3	−5·4	−17·8	−14·5	−12·0	−0·2	−15·4	−4·3	−13·3
January 31 to February 4 inclusive	−1·8	−0·2	−12·8	....	−2·0	−0·6	−4·9	−4·3	−3·0	−3·1	−0·1	−8·1	−5·8	−3·0	−3·7
February 5 to 9 "	−4·7	−5·3	−1·7	....	−7·4	−1·5	−10·4	−6·9	−15·8	−13·9	−8·4	−1·7	−10·0	−7·8	−4·2
" 10 to 14 "	−7·5	−3·4	−10·0	....	−1·3	−5·6	−8·3	−3·3	−5·8	−9·0	−4·2	−2·3	−5·7	−4·9	−1·7
" 15 to 19 "	−9·9	−19·7	−9·6	....	−12·9	−13·6	−21·9	−15·1	−25·9	−26·3	−18·9	−14·4	−26·3	−16·9	−21·9
" 20 to 24 "	−2·8	−11·4	−6·1	....	−13·2	−4·4	−16·5	−12·5	−17·1	−17·4	−14·7	−10·6	−15·7	−12·0	−11·5
" 25 to March 1 "	−2·3	−1·4	−1·7	....	−4·6	−6·0	−1·8	−6·1	−6·6	−7·3	−6·0	−5·9	−4·1	−9·3	−10·8
March 2 to 6 inclusive	−0·4	−2·2	−4·6	....	−2·5	−2·2	−5·0	−2·2	−11·9	−11·0	−4·8	−0·9	−8·7	−2·8	−2·8
" 7 to 11 "	−22·2	−20·4	−14·3	....	−21·4	−24·6	−25·5	−18·7	−23·7	−24·6	−20·8	−15·5	−24·7	−21·7	−23·5
" 12 to 16 "	−30·7	−29·1	−32·1	....	−32·1	−30·0	−30·4	−30·2	−29·2	−31·8	−32·0	−33·5	−31·0	−33·1	−32·8
" 17 to 21 "	−36·1	−20·1	−17·2	....	−32·4	−33·8	−19·2	−27·3	−16·8	−19·9	−25·2	−32·0	−18·9	−38·6	−36·0
" 22 to 26 "	−23·8	−16·2	−13·3	....	−20·6	−25·6	−19·3	−19·2	−22·9	−22·0	−17·7	−16·2	−18·5	−29·7	−24·1
" 27 to 31 "	−24·3	−13·9	−14·7	....	−21·2	−25·0	−17·9	−18·9	−16·2	−18·4	−19·9	−14·4	−15·0	−25·7	−23·1
April 1 to 5 inclusive	−23·9	−26·2	−22·7	−28·6	−26·9	−24·1	−34·4	−28·1	−25·5	−27·2	−30·0	−28·8	−27·1	−27·6	−27·0
" 5 to 10 "	−25·6	−26·3	−26·5	−26·6	−26·8	−25·3	−31·2	−27·3	−34·7	−34·0	−31·0	−27·2	−31·1	−22·7	−29·2
" 11 to 15 "	−26·4	−27·4	−25·1	−25·1	−25·5	−26·9	−33·6	−27·4	−31·7	−32·8	−29·1	−28·8	−31·6	−33·1	−30·1
" 16 to 20 "	−33·3	−27·0	−26·3	−24·3	−32·3	−33·0	−32·7	−28·9	−32·9	−33·1	−28·9	−28·9	−32·6	−35·6	−33·6
" 21 to 25 "	−37·2	−37·4	−41·2	−37·3	−38·8	−35·5	−42·6	−36·6	−44·3	−44·9	−19·7	−35·2	−41·3	−43·5	−39·2
" 26 to 30 "	−34·3	−36·8	−39·2	−34·8	−37·7	−36·8	−42·5	−37·6	−42·5	−43·3	−39·7	−36·9	−41·9	−40·4	−38·7

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec. 1887,, inclusive.

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
1·1	21·8	15·3	16·1	2·1	17·2	28·5	27·1	29·1	37·3	23·6	26·0	29·0	16·0	14·3	32·0	21·3	January 1 to 5 inclusive.
8·1	17·3	12·3	10·3	....	8·9	19·2	18·4	12·1	31·7	11·8	21·6	22·3	18·0	7·8	21·4	12·4	" 6 to 10 "
7·0	20·0	13·0	11·4	0·7	15·0	18·2	20·1	19·5	32·7	15·8	24·7	22·0	17·4	7·7	24·7	8·4	" 11 to 15 "
0·6	16·6	11·3	10·0	1·5	15·1	17·9	17·4	17·0	31·7	14·3	21·8	21·9	17·7	6·3	21·5	10·9	" 16 to 20 "
20·8	34·7	30·5	29·6	19·4	32·1	27·1	33·6	31·4	38·0	30·8	36·0	29·9	25·8	21·4	25·5	10·9	" 21 to 25 "
16·2	29·4	25·5	24·8	3·3	24·1	24·4	28·2	22·5	35·8	26·6	31·0	26·8	25·1	16·2	22·3	6·5	" 26 to 30 "
6·5	19·0	12·5	11·7	3·4	12·1	13·8	19·1	18·0	28·2	15·9	22·1	17·4	10·2	8·8	18·4	3·3	January 31 to February 4 inclusive.
10·0	20·8	17·6	15·2	6·4	18·5	11·1	18·4	10·9	24·4	13·3	22·7	16·5	17·5	6·3	9·5	3·5	February 5 to 9 inclusive.
9·5	17·2	13·8	11·3	5·3	16·9	8·3	15·5	11·6	23·7	4·1	21·6	14·5	20·9	8·3	12·8	3·2	" 10 to 14 "
24·6	32·5	30·1	29·4	22·5	30·7	24·1	31·0	26·4	34·2	19·8	34·4	27·3	26·3	19·9	27·8	16·0	" 15 to 19 "
12·9	26·4	23·4	21·8	8·3	22·9	17·3	24·2	21·5	27·1	17·7	27·7	20·3	23·0	14·6	15·9	4·1	" 20 to 24 "
10·7	18·0	15·3	15·7	6·9	13·9	16·4	15·2	19·8	26·3	14·2	20·7	17·6	14·7	15·6	20·5	7·5	" 25 to March 1.
6·8	18·8	14·3	11·1	4·3	15·3	7·2	14·7	13·0	19·7	11·0	19·0	13·6	17·4	3·1	13·1	0·8	March 2 to 6 inclusive.
26·2	30·8	28·5	27·9	21·2	28·7	22·7	27·8	24·1	30·4	25·9	29·9	25·5	29·8	19·1	28·5	20·2	" 7 to 11 "
36·9	36·4	35·5	36·2	32·0	36·1	33·4	35·8	36·5	34·3	36·2	35·6	33·4	33·1	32·1	32·7	36·2	" 12 to 16 "
35·6	34·4	34·5	33·8	35·4	34·3	33·1	34·2	34·9	34·8	35·6	33·9	32·9	35·4	30·9	32·4	31·0	" 17 to 21 "
26·0	29·1	29·1	28·0	23·0	28·1	29·9	30·8	34·5	35·3	29·8	32·0	30·9	27·5	29·1	31·2	26·9	" 22 to 26 "
24·1	29·0	26·8	26·9	22·7	28·3	29·3	30·1	32·9	35·7	29·3	30·7	30·0	28·6	22·7	29·1	26·7	" 27 to 31 "
29·5	36·7	32·8	32·1	29·1	31·8	33·0	35·5	36·0	36·6	34·2	35·8	33·3	35·9	25·2	31·5	25·0	April 1 to 5 inclusive.
29·7	36·8	33·9	32·7	25·5	30·0	32·7	35·7	35·1	35·4	32·4	35·2	33·4	32·0	26·7	31·9	28·3	" 6 to 10 "
36·0	36·7	35·2	35·6	29·9	33·8	29·0	34·0	32·7	31·4	31·3	36·5	28·2	35·2	27·0	32·4	26·5	" 11 to 15 "
35·5	36·2	35·9	36·8	34·0	35·6	34·3	33·9	34·1	35·8	38·4	36·6	33·4	35·8	29·8	34·3	34·5	" 16 to 20 "
43·8	55·6	44·7	44·3	39·1	42·1	39·0	43·1	41·5	36·5	43·3	42·5	36·9	41·2	36·2	38·1	42·7	" 21 to 25 "
41·7	41·4	40·8	41·8	39·2	38·8	39·9	41·7	45·2	42·4	43·4	44·1	35·8	41·9	38·2	40·8	39·3	" 26 to 30 "

TABLE XX (Continued).—*Means of Daily Temperature at Stations in Tables*

	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
May 1 to 5 inclusive	46·4	39·3	53·5	46 6	44·0	43·3	47·7	51·9	42·8	49 1	48·8	51·6	40·4	39·2	48·3	36·1
" 6 to 10 "	45·5	43·9	56·1	60·1	44·0	48·3	61·4	54·1	44·5	62·0	58·3	65·9	33·2	47·0	54·5	57·9
" 11 to 15 "	50 7	46·8	50 9	47·0	48 1	41·4	44·4	48·9	41·2	47·0	46·1	41·0	43·9	40·0	41·0	40·4
" 16 to 20 "	55·3	47·0	58·5	48·4	57·0	58·0	49·1	54·4	49·6	50·8	50·4	52·7	38·4	42·5	49·3	57·4
" 21 to 25 "	52 8	47·9	60·7	57·2	65·5	....	63·9	61·5	57·0	53·6	54·4	61 1	47·6	48·6	55·9	59·3
" 26 to 30 "	59·3	50·7	71·8	58·1	75 2	58·2	60·4	67·9	61·8	59·7	59·0	73·7	54·1	53·6	61·1	65·4
May 31 to June 4 inclusive	51·4	48·2	54·0	58·0	....	56·4	55·4	54·5	46·4	55·3	53·9	59·1	..	53·8	51·1	54·8
June 5 to 9 "	54·6	50·9	56·0	57·8	....	57·6	57·4	56·4	49·4	57·9	56·4	54·	....	52·5	53·6	52·7
" 10 to 14 "	55·7	50·9	66·4	65·1	....	63·6	64·7	64·1	54·5	64·1	64·3	62·4	....	58·9	63·7	59·3
" 15 to 19 "	55·9	49·2	61·3	63·6	....	63·5	63·1	61·7	57·0	64·4	62·1	69·5	....	60·7	61·4	64·9
" 20 to 24 "	59 8	49·8	66·9	58 8	....	58·8	60·9	65·5	59·8	59·9	60·5	73·4	....	61·8	62·2	61·8
" 25 to 29 "	54·3	56·7	59·3	62·7	....	62 4	58·0	58·7	53·1	66·8	61·7	65·9	....	62·6	58·1	....
June 30 to July 4 inclusive..	57·5	53·7	72·2	62·8	....	62·0	65·2	68·3	62·3	61·8	58·8	69·8	....	63·4	65·9	....
July 5 to 9 "	59·7	50·0	77·2	69·2	....	68·4	70·4	73·7	66·9	69·2	66·6	75·4	....	66·2	73·0	....
" 10 to 14 "	54·5	50·5	66·3	56·0	....	....	56 3	62·2	54·9	61·4	55·9	68·9	....	59·1	60·7	....
" 15 to 19 "	58·4	55·6	67·4	62·1	...	63·0	63·0	64·5	60·2	63·6	60·5	67·0	....	61·2	63·2	70·2
" 20 to 24 "	57·5	56·2	72·1	59·4	....	58·8	60·5	69·2	63·4	63·3	57·9	77·4	....	62·7	63·3	66·7
" 25 to 29 "	57·2	55·6	61·0	61·4	....	59·5	60·0	60·0	52·1	61·2	60·5	62·7	....	59·7	59·0	66·5
July 30 to August 3 inclusive	58·9	53·2	71·4	65·1	....	63·3	66·0	68·5	60·7	66·0	62·2	67·8	....	63·5	65·1	69·8
August 4 to 8 "	60·0	52·7	57·3	59·1	....	59·2	59·9	61·8	53·1	61·6	60·5	60·9	....	58·7	57·6	68·6
" 9 to 13 "	60·3	55·7	68·2	60·4	....	59·3	62·3	64·7	58·8	61·2	57·9	62·6	....	55·9	61·1	65·6
" 14 to 18 "	57·1	56·0	75·5	60·3	....	59·6	63·8	67·9	64·2	63·5	62·7	65·6	....	64·2	65·5	72·5
" 19 to 23 "	57·2	56·1	60·3	53·5	....	52·6	55·7	60·5	56·1	55·1	54·0	57·4	....	54·2	55·1	54·4
" 24 to 28 "	54·8	53·7	62·0	54·5	....	55·1	55·8	60·1	54·3	55·5	52·0	59·6	....	53·2	55·3	49·7

VIII to XIX collected in five-day periods, from 1st Jan., to 31st Dec., 1887, inclusive.

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	43·8	44·1	46·3	47·0	48·7	46·1	45·9	44·5	41·4	34·6	52·8	52·2	56·9	53·1	May 1 to 5 inclusive.
....	60·8	62·3	65·7	64·8	66·3	65·2	61·2	63·9	62·9	45·0	64·4	59·4	63·2	63·1	" to
52·3	55·4	52·3	61·2	55·2	67·3	58·3	65·3	60·7	61·5	44·2	60·5	57·1	61·2	57·3	" 11 to 15
54·7	48·4	46·7	51·2	54·7	52·7	49·1	52·7	50·9	47·6	38·1	56·4	59·7	60·4	57·0	" 16 to
57·7	51·1	50·9	51·9	57·0	59·7	50·7	50·4	50·0	51·2	40·8	67·3	63·1	65·5	62·2	" 21to 5
61·9	58·4	57·9	57·6	60·8	59·1	59·8	63·7	55·8	56·5	44·5	57·3	55·9	58·5	61·9	" 26 to 30 "
56·5	51·8	51·7	58·8	53·[illegible]	58·7	51·1	54·6	57·1	54·5	47·9	57·8	57·5	61·2	58·9	May 31 to June 4 inclusive.
65·0	60·2	56·2	65·3	63·4	65·1	60·6	62·5	64·9	61·4	53·6	63·9	64·4	65·6	66·4	June 5 to 9 "
77·0	66·2	65·8	68·9	68·3	71·8	66·5	69·4	68·9	67·7	63·6	64·3	65·4	65·1	64·5	" 10 to 14
70·3	64·0	62·6	68·2	67·4	68·2	65·5	70·1	67·1	65·6	61·2	63·1	66·5	69·8	66·3	" 15 o 19 '
65·3	57·9	57·6	58·3	58·2	57·3	57·9	55·3	55·6	52·7	55·8	55·7	59·8	62·2	57·8	" 20 to
75·7	64·5	63·5	67·8	67·2	66·7	64·6	68·2	66·7	67·5	67·7	60·6	61·1	67·2	61·2	" 25 o
....	63·2	62·9	68·3	65·5	67·5	64·0	65·4	69·2	63·5	64·9	....	74·3	77·6	73·2	June 30 to July 4 inclusive.
....	68·9	69·7	72·2	71·8	72·4	70·1	71·8	70·4	69·3	69·5	....	68·7	73·8	69·7	July 5 o 9
....	59·0	59·1	64·6	60·3	63·7	60·7	64·3	66·1	61·4	65·5	....	65·1	73·3	67·5	" 10 to 14
....	63·7	62·9	66·9	64·2	66·7	62·3	64·8	67·5	60·8	65·7	....	71·2	71·8	69·4	" 15 to
....	58·3	59·3	63·3	62·1	62·7	61·1	64·8	61·9	60·4	63·0	....	66·7	72.1	67·4	" 20 to 24
....	60·7	59·4	64 8	63·5	65·2	61·9	64·7	64·1	57·0	65·3	....	71·7	76·2	69·4	" 25 to
....	64·2	64·2	67·5	66·0	69·5	65·9	66·8	66·2	63·7	....	....	72·4	76·3	68·9	July 30 to Aug. clusive.
....	58·9	57·7	63·5	61·8	61·9	62·2	66.2	64·5	63·5	....	....	69·5	74·2	68·6	Aug. 4 to 8 "
....	57·6	58·7	62·0	62·6	63·0	60·4	62·1	63·1	59·2	....	64·3	64·3	71·0	64·8	" 9 to 13
....	57·6	59·9	61·8	63·6	61·6	61·0	63·6	61·1	57·6	63·0	59·7	62·3	69·1	62·4	" 14 to 8
....	50·6	52·6	53·3	55·1	53·5	53·1	56·7	52·6	52·6	53·4	53 7	57·7	63·1	58·5	" 19 to 23
....	50·7	53·4	56·4	58·2	53·7	54·2	55·4	54·7	55·9	61·8	55·5	51·1	56·4	52.8	" 24 to 28

TABLE XX (Continued.)—*Means of Daily Temperature at Stations in Tables*

	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlinch.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
May 1 to 5 inclusive	50·1	60·2	55·9	60·1	58·5	58·5	51·7	53·8	56·1	57·0	55·8	57·6	57·7	58·3	57·8
" 6 to 10 "	64·5	65·7	72·9	63·4	63·0	61·5	63·9	65·3	64·5	....	64·1	62·8	63·5	62·1	63·3*
" 11 to 15 "	57·6	61·6	75·2	59·5	60·9	63·3	60·1	57·1	59·2	67·0	61·9	61·3	60·9	59·2	62·6
" 16 to 20 "	55·7	66·7	57·7	62·6	61·8	59·5	57·0	56·4	62·2	64·2	57·6	61·4	62·4	62·5	57·4
" 21 to 25 "	65·5	68·5	64·7	70·0	64·1	69·1	64·3	65·0	67·6	69·6	66·9	66·0	65·0	69·4	68·1
" 26 to 30 "	58·8	63·4	68·9	59·6	57·2	58·0	58·9	58·3	59·7	59·3	56·8	57·6	57·1	58·6	56·0
May 31 to June 4 inclusive	60·8	60·9	67·7	62·9	61·1	62·4	62·4	60·9	64·2	62·2	60·3	59·7	59·7	61·4	59·4
June 5 to 9 "	66·3	66·4	71·7	68·8	67·5	66·0	64·8	65·9	65·4	67·9	66·9	66·3	66·0	66·3	65·8
" 10 to 14 "	64·6	69·1	70·5	68·8	65·3	64·2	63·9	63·2	66·7	68·7	64·9	66·5	66·1	65·9	65·6
" 15 to 19 "	64·4	68·3	71·7	64·3	66·6	73·9	59·4	63·2	66·9	69·2	69·9	68·0	67·9	68·1	68·1
" 20 to 24 "	57·6	64·2	54·9	67·3	60·6	63·5	56·6	56·6	66·6	62·0	61·5	61·2	61·4	61·2	62·0
" 25 to 29 "	60·4	70·7	78·6	67·4	64·5	65·7	65·0	60·0	68·3	67·0	62·3	65·6	67·0	64·8	64·8
June 30 to July 4 inclusive	73·2	78·9	68·7	76·8	74·5	76·5	69·9	72·6	79·6	78·3	76·8	76·6	76·4	75·5	76·3
July 5 to "	69·6	75·3	74·5	76·8	....	74·8	68·9	68·3	77·5	73·1	72·8	72·6	73·7	70·9	75·1
" 10 to 14 "	66·3	73·6	71·6	72·3	....	72·2	66·1	....	75·6	68·9	67·4	69·8	73·3	72·5	70·5
" 15 to 19 "	68·3	80·1	70·8	70·6	74·4	77·3	66·2	65·7	73·9	74·1	72·9	75·0	71·7	75·5	73·3
" 20 to 24 "	66·9	73·1	68·1	74·0	68·8	71·1	63·0	65·1	72·6	66·5	66·3	69·3	71·0	73·7	66·0
" 25 to 29 "	67·7	77·1	66·2	76·1	73·3	74·0	66·7	65·9	74·0	73·4	71·6	74·4	75·6	76·3	70·1
July 30 to August 3 inclusive	66·9	75·7	70·1	75·5	....	75·4	66·8	65·4	76·8	74·7	71·0	74·7	....	74·4	70·8
August 4 to 8 "	66·3	70·1	70·2	72·0	....	71·5	60·5	63·8	70·1	68·3	66·5	69·3	71·7	71·6	69·1
" 9 to 13 "	63·8	68·9	66·5	68·3	....	70·0	60·7	62·4	70·4	70·1	67·2	69·8	68·7	70·4	69·2
" 14 to 18 "	61·7	66·7	66·6	67·4	66·1	68·1	49·4	54·5	68·7	67·9	64·5	65·6	64·8	66·5	65·6
" 19 to 23 "	56·7	62·3	56·1	66·8	60·4	65·8	42·1	54·9	64·7	61·7	60·3	60·6	60·6	63·2	62·4
" 24 to 28 "	52·5	57·5	62·6	60·9	55·0	56·9	39·3	50·5	62·9	55·4	49·8	55·7	53·9	55·5	55·1

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1887, inclusive.

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
55·0	55·1	48·4	55·2	55·9	55·9	60·7	58·1	47·2	57·7	53·8	52·5	43·9	56·0	60·4	May 1 to 5 inclusive.
64·9	66·1	53·8	56·4	63·4	62·9	65·0	63·6	61·4	66·9	63·1	57·6	53·7	61·8	65·0	" 6 to 10 "
57·7	61·6	53·1	56·9	56·9	57·0	62·3	59 9	58·4	65·4	56·5	58·5	55·7	59·9	60·4	" 11 to 15 "
56·7	58·7	50·2	66·9	56·8	59·5	60·2	61·1	54·7	60·3	57·2	59·1	51·0	61·4	62·3	" 16 to 20 "
62·6	67·3	55·8	66·8	64·1	65·2	67·0	65·6	58·9	69·5	64·7	63·5	53·1	65·5	67·8	" 21 to 25 "
59·5	61·4	59·2	59·7	58·4	58·8	56·8	54·5	60·6	58·2	58·3	56·7	52·3	60·5	59·7	" 26 to 30 "
61·5	61·3	60·6	57·7	62·5	61·1	61·7	60·8	60·8	60·3	62·6	59·5	60·2	63·0	63·0	May 31 to June 4 inclusive.
67·1	66·9	61·2	63·7	65·6	65·5	67·9	66·6	64·9	67·4	68·7	63·7	60 9	65·0	69·5	June 5 to 9 "
66·3	66·5	....	65·9	66·5	65·1	65·1	65·2	66·9	67·4	64·9	62·2	60·4	66·6	64·9	" 10 to 14 "
66·7	62·3	58·4	67·4	65·9	65·9	70·8	69·5	64·7	70·0	66·1	63·3	58·9	68·7	64·3	" 15 to 19 "
59·9	56·1	49·7	66·6	65·5	63·0	63·1	60·2	61·5	62·1	60·5	62·2	61 8	64·6	65·8	" 20 to 24 "
63·2	62·3	60·2	69·2	64·6	63·7	65·1	61·4	64·5	62·7	61 4	60·4	62·1	65·5	67·0	" 25 to 29 "
75·5	73·5	63·7	78·8	75·6	74·3	76·9	74·6	72·0	76·2	72·6	71·3	64·0	79·1	77·0	June 30 to July 4 inclusive.
72·6	69·8	57·4	77·5	75·2	73·0	73·2	72·6	72·1	73·2	71·8	74·0	66·5	77·2	76·8	July 5 to 9 "
70·9	68·1	59·3	74·2	72·2	70·3	71·0	67·5	70·0	68·7	67·1	69·8	63·9	73·6	72·9	" 10 to 14 "
71·2	67·9	60·4	76·1	72·4	66·2	75·1	72·1	70·1	75·1	70·1	71·0	63·9	75·7	69·6	" 15 to 19
69·1	66·7	61·3	71·4	73·2	70·7	69 6	66·8	68·9	67·2	68·0	65·9	61·0	74·5	72·4	" 20 to 24 "
70·6	68·7	60·5	75·8	74·5	73·1	73·2	70·0	72·1	71·1	70·4	70·4	60·1	74·7	73·6	" 25 to 29 "
71·2	67·7	62·7	76·6	75·6	73·5	72·9	69·9	71·8	71·9	68·7	71·7	63·0	76·7	74·0	July 30 to August 3 inclusive.
69·7	65·2	61·2	73·5	71·1	68·2	69·2	65·1	67·9	69·6	65·8	69·0	60·8	72·0	69·4	August 4 to 8 inclusive.
66 4	63·5	60·7	72·5	68·5	66·6	69·4	66·9	66·7	69·0	64·7	63·2	56·9	71·2	66·4	" 9 to 13 "
65·1	62·0	57·4	69·2	68·1	65·5	66·4	63·4	66·2	66·2	61·9	59·6	60·4	68·7	66·1	" 14 to 18 "
59·1	56·5	54·6	64·4	64·0	59·9	62·5	60·8	62·0	62·9	56·2	56·8	52·2	65·4	62·8	" 19 to 23 "
55 6	51·0	53·5	60·1	59 0	54·6	53·6	49·9	57·8	55·4	52·6	50·7	51·4	58·1	58·0	" 24 to 28 "

TABLE XX (Continued).—*Means of Daily Temperature at Stations in Tables*

	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Sangeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
May 1 to 5 inclusive	42·2	53·1	57·9	57·5	48·7	58·0	55·0	54·9	59·5	54·4	57·2	58·7	53·6	55·5	57·7
" 6 to 10 "	51·4	62·5	63·9	62·9	48·5	51·7	61·1	62·6	62·3	61·7	61·3	62·9	54·9	58·6	64·3
" 11 to 15 "	52·4	58·5	59·9	62·3	49·4	53·9	59·2	60·8	61·9	57·0	61·5	61·0	56·0	56·4	60·0
" 16 to 20 "	51·0	54·0	61·9	65·0	51·7	60·5	59·3	61·0	59·8	57·9	59·5	62·2	62·8	54·5	60·2
" 21 to 25 "	53·9	64·1	67·7	69·0	61·8	67·7	66·5	66·4	68·4	62·0	67·9	67·2	65·2	64·1	66·1
" 26 to 30 "	55·4	60·3	60·5	61·9	53·5	60·6	55·7	59·5	57·8	59·4	56·4	58·2	56·2	52·5	58·6
May 31 to June 4 inclusive	56·3	62·1	64·8	66·0	58·1	63·9	61·0	61·0	62·1	61·8	61·8	61·0	58·8	58·1	61·8
June 5 to 9 inclusive	58·4	67·2	69·0	67·5	61·8	70·5	66·9	68·0	68·4	66·3	68·4	66·7	62·9	63·3	66·5
" 10 to 14 "	57·2	64·7	69·2	71·6	59·3	69·5	64·9	67·4	65·1	64·4	64·1	66·5	63·4	60·6	66·2
" 15 to 19 "	59·3	65·1	64·4	72·4	64·1	75·3	70·2	68·9	72·3	61·8	73·8	69·2	65·3	63·9	65·9
" 20 to 24 "	52·0	59·6	65·5	65·2	59·4	66·8	63·9	64·0	64·0	61·0	64·9	62·9	64·7	56·5	60·9
" 25 to 29 "	60·1	61·6	67·6	69·8	60·7	69·3	63·9	63·3	66·5	62·3	63·4	67·4	65·7	58·6	64·6
June 30 to July 4 inclusive	65·9	74·7	76·1	79·0	73·9	76·8	75·1	74·9	78·3	71·7	76·6	76·8	78·0	73·7	75·7
July 5 to 9 inclusive	68·6	70·9	76·5	76·8	73·6	77·3	72·9	72·8	75·1	72·9	75·0	74·6	78·6	69·8	72·8
" 10 to 14 "	62·9	68·6	71·0	75·0	67·9	79·3	68·9	71·2	72·2	68·1	71·4	72·6	76·3	65·5	69·9
" 15 to 19 "	64·3	70·1	69·9	75·0	68·6	78·3	73·4	72·7	76·8	66·3	78·3	76·1	75·9	69·5	72·7
" 20 to 24 "	61·9	68·0	70·4	74·8	61·0	73·7	70·4	71·9	68·2	66·8	70·2	72·3	70·9	63·2	70·2
" 25 to 29 "	60·0	68·4	72·4	77·4	66·2	76·7	72·2	72·4	73·7	69·9	71·7	75·6	76·9	66·4	72·6
July 30 to August 3 inclusive	64·0	67·9	72·6	77·6	65·6	78·6	72·9	73·2	76·0	70·1	73·2	76·0	76·4	65·6	72·2
August 4 to 8 inclusive	63·7	67·3	68·5	74·6	68·4	78·7	69·0	71·4	71·2	65·9	69·4	71·0	73·1	66·0	68·4
" 9 to 13 "	59·7	65·4	67·5	71·8	66·4	76·6	70·3	71·1	71·8	64·3	70·6	70·8	73·0	65·0	69·7
" 14 to 18 "	61·1	61·6	65·0	70·0	64·5	70·6	67·7	68·4	68·1	63·0	66·9	67·6	69·5	61·8	65·3
" 19 to 23 "	53·8	59·3	60·4	65·0	61·6	70·4	64·4	63·6	62·1	58·3	65·3	63·1	66·1	58·8	60·6
" 24 to 28 "	53·3	53·9	57·5	58·5	55·3	64·7	55·6	57·8	55·2	52·7	55·4	57·8	60·5	50·5	54·5

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec. 1887, inclusive.

Stratford.	Simcoe.	Spruecdale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Biequet.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
58·6	61·2	55·9	47·0	53·8	59·3	62·0	41·1	58·8	38·0	38·8	38·4	56·8	34·7	41·4	May 1 to 5 inclusive.
63·9	63·9	62·6	63·9	61·1	63·2	64·0	62·0	60·9	40·6	43 6	38·9	61·9	36·5	43·7	" 6 to 10 "
63·2	61·5	54·3	63·9	57·0	60·5	64·4	63·9	60·4	38·6	39·3	39·7	54·5	35·2	44·2	" 11 to 15 "
61·4	61·1	54·0	54·1	60·7	61·8	63·6	54·2	58·0	41·6	40·6	40·3	62 4	38·8	45·4	" 16 to 20 "
68·5	67·1	65·7	58·3	61·8	68·0	69·8	59·9	67·1	39·5	40·4	41·6	70·3	38·0	42·3	" 21 to 25 "
58·5	59·2	59·8	60·4	57·3	58·6	47·4	54·8	56·2	43·1	46·9	40·0	57·5	38 3	42·9	" 26 to 30 "
60·5	61·6	56 9	63·5	58·7	61·2	63·8	56·3	61·4	48·3	55·1	43·0	....	41·9	48·1	May 31 to June 4 inclusive.
66·6	67·6	67·3	65·7	64·2	67·5	70·2	59·2	65·6	48·3	56·2	49·2	....	44·4	52·9	June 5 to 9 "
67·2	65·7	63·3	67·3	65·1	66·1	69·3	58·3	63·1	49·9	55·3	49·4	67·8	46·3	52·4	" 10 to 14 "
69·6	69 4	59·9	65 3	64·7	70·0	75·9	57·6	70·8	47·3	50·6	51 3	52 4	46·5	54·2	" 15 to 19 "
61·3	64·4	56·6	51·2	61·9	63·7	65 1	52·4	61·8	49·7	55 6	48·6	65·7	49·6	49·6	" 20 to 24 "
66·8	66·5	60 7	68·3	65·1	66·8	69·8	63·1	64·5	54·3	54·4	52 4	65·7	50·6	54·2	" 25 to 29 "
77·9	76·2	74·9	66·5	75·2	78 0	78·8	63·5	76·7	60·7	60·9	62·5	73·2	57·9	55·5	June 30 to July 4 inclusive.
74·3	74·9	69·3	69·1	73·8	74·0	78·0	60·0	75·3	57·2	59·3	60·9	70·5	57·3	52·9	July 5 to 9 "
71·6	74·8	69·4	64·9	72·5	72·6	76 5	59·8	71·5	55·5	57·7	60·5	67·4	54·4	52·1	" 10 to 14 "
75·1	73 1	69 2	66·1	73 0	77·2	78·5	65·6	77·1	54·3	56·4	58·7	66·7	56·0	56·6	" 15 to 19 "
70·8	72·7	63·8	69·9	70·6	72·2	72·8	66·3	67·2	50·0	61·7	54·6	68·7	59·2	60·8	" 20 to 24 "
75·3	74·4	68·1	60·3	73·4	76·2	76·7	52·8	71·6	59·5	61·5	56·2	67·3	60·8	54·4	" 25 to 29 "
....	76 4	67·1	62·7	74·5	76·3	78·8	....	73·5	60·9	63·2	58·9	....	62·9	58 3	July 30 to August 3 inclusive.
69·5	71 5	63·1	62·6	70·0	70·3	75·8	....	69·3	60·1	65·8	57·2	....	62·0	57·6	August 4 to 8 "
69·3	70·8	63·4	57·5	69 6	70·5	73·1	....	70·5	56 3	62·4	59·0	....	61·6	52·2	" 9 to 13 "
67 2	68·9	61·5	59·3	67 2	67·1	67 8	....	65·5	51·4	58·7	53·0	....	57·0	54·8	" 14 to 18 "
61·9	64·0	54 3	49·3	62·5	61·9	66·2	....	62·9	53·7	54·7	56·0	....	59·5	49·5	" 19 to 23 "
54·1	57·6	53·0	50·8	58·2	55·9	59·4	....	54·2	53·4	53·0	54·8	....	56·6	48·1	" 24 to 28 "

TABLE XX.—(Continued).—*Means Daily Temperature at the Stations in Tables*

	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Pointe des Monts.	Richmond.	Bathurst.	Chatham.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
May 1 to 5 inclusive	34·3	49·1	45·5	41·7	43·3	36·6	57 2	43·8	57·5	58·3	50·3	39·9	52·9	50·9	46·0
" 6 to 10 "	34·8	55·3	52·2	46·6	45·3	35·4	60·6	45·7	61·3	62·3	55·7	49·1	59·3	51·6	52·6
" 11 to 15 "	33·8	49·1	52·2	43·2	42·1	34·4	54·5	46·1	55·6	59·0	53·7	46·6	52·2	48·0	51·7
" 16 to 20 "	34·4	54·1	51·3	44·2	45·1	37·0	59·9	47·7	60·4	61·9	55·6	50·0	58·9	51·7	54·7
" 21 to 25 "	31·1	63·6	51·2	43·3	41·9	34·1	67·7	43·0	66·7	68·4	53·6	45·6	67·6	....	52 5
" 26 to 30 "	33·6	51·2	51·5	43·6	43·0	34·8	56·5	43·7	55·5	57·5	51·4	47·5	56·5	52·1	47·9
May 31 to June 4 inclusive	32·9	59·5	58·0	51·2	52·4	38·2	63·0	48·7	60·1	62·0	58·7	52·5	60·8	55·9	53·0
June 5 to 9 "	32·7	60·9	61·6	56·4	55·9	66·6	68·4	51·5	66·6	66·9	64·0	55·2	63·7	62·1	57·8
" 10 to 14 "	34·1	61·5	64·3	57·0	57·2	38·5	70·8	54·0	64·3	68 8	63·4	56·5	64·7	62·9	61·2
" 15 to 19 "	36 3	57·8	59·3	55·1	54·8	43·4	60·4	56·2	62·0	64·2	62·0	54·5	60·9	60·8	57·6
" 20 to 24 "	37·3	62·2	64·3	52·6	58·3	46·6	65·8	52·6	63·9	65·4	63 2	55·3	65·5	65·3	65·6
" 25 to 29 "	44·8	61·4	65·1	58·3	58·5	44·7	68·1	56·8	65·1	68·7	66·2	62·8	65 7	66·9	64·1
June 30 to July 4 inclusive	49 6	72·4	71·2	65·9	65·7	48·1	73·1	61·1	73·9	76·7	74·0	63·9	76·4	75·8	75 3
July 5 to 9 "	50·1	69·0	67 6	60·2	61·5	49·1	74·1	54·7	74·2	75·2	68·3	60·7	74·0	71·0	69·5
" 10 to 14 "	49·3	62·5	63·2	55·2	52·2	49·0	67·8	52·3	70·1	71·6	65·3	55·7	68·0	61·7	60·5
" 15 to 19 "	48·1	64·0	64·7	58·8	55·3	50·0	67·8	56·8	67·7	70·3	67·0	57·6	65·9	65·4	63·5
" 20 to 24 "	54·1	67·7	68·4	66·0	66·9	54·2	70·7	63·0	70·7	74·5	70·0	57·7	70·0	69·2	68·3
" 25 to 29 "	53·7	67·3	65·6	60·6	61·4	56·1	71·8	55·9	70·7	74·1	69·3	64·2	70·5	69·8	68·2
July 30 to August 3 inclusive	53·1	67·5	64·5	65·2	65·0	55·0	71·2	60·0	71·8	74·9	69·4	70·6	71·3	70·4	70·1
August 4 to 8 "	52·1	62·9	63·3	65·7	67·1	55·9	68·3	62·0	67·0	69·9	68·1	56·6	66·3	68·6	66·5
" 9 to 13 "	44·0	59·9	60·5	60·8	60·7	50·9	63·5	55·7	64·2	68·2	63·1	56·3	62·4	65·9	65·4
" 14 to 18 "	46·9	57·0	60·8	59·2	57·5	51·9	62·7	56.5	62·4	66·2	62 2	59·4	60·5	62·9	61·2
" 19 to 23 "	50·3	54·9	55·8	55·1	56·1	52·4	59·4	52·1	61·1	63·2	59·1	54·5	58·1	64·3	63·4
" 24 to 28 "	47·5	52·8	53·7	53·3	53·5	50·4	56·4	51·0	56·7	59·7	57·2	52·7	57·1	64·1	59 3

VIII to XIX collected in five-day periods, from 1st Jan. to 31st Dec., 1887, inclusive.

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
50·5	47·8	47·4	45·9	47·8	44·9	44·5	46·7	47·8	41·9	48·6	46·0	38·6	37·1	41·1	43·3	35·5	May 1 to 5 inclusive.
54·8	50·9	51·8	47·4	53 8	47·4	44·9	49·6	48·8	40·6	45·0	47·1	39 4	49·4	46·8	41·2	36·2	" 6 to 10 "
48·0	46·6	48·0	47·6	48·1	46·0	39 5	44·4	42·5	39·3	42·0	45·7	38·9	47·7	45·2	41·8	35·4	" 11 to 15 "
53·3	50·5	50·8	49·5	55·6	48·6	49·2	51·6	56·5	47·8	58·1	51·0	42·1	54·5	52·2	57·2	42·4	" 16 to 20 "
61·5	53·2	52 8	50·5	65·0	48·0	42·6	52·8	53 8	46·0	54·7	52·4	42·1	54 1	49·7	39·3	38·5	" 21 to 25 "
50·5	47·6	48·8	48·2	51·9	47·3	48 4	51·5	49·2	50·6	52·0	52·0	43·1	51·4	49·9	50·1	43·6	" 26 to 30 "
56·9	51·2	52 3	52·9	58·7	50·2	48·8	51·6	51·4	45·7	54·1	54·0	44·0	55·9	50·9	38·7	43·6	May 31 to June 4 inclusive.
61·6	53·8	55·2	52·9	64·1	50·3	50·4	54·9	52·6	47·5	50·1	53·1	46·8	56·0	52·1	43·7	42·0	June 5 to 9 "
61·5	55·9	56 5	54·6	64·2	55·1	49·2	53·8	54·3	49·6	52·0	53·2	47·2	54·2	56·8	48·1	43·4	" 10 to 14 "
58·7	55·4	57·1	55·4	59·6	51·6	53·1	56·6	56·0	50·1	52·2	54·1	49·1	58·5	53 4	51·2	44·4	" 15 to 19 "
64·7	55·1	56·4	57·9	66·4	53·2	60·5	60·0	65·1	54·8	65·3	60·8	53·3	65·3	63·6	59·1	51·1	" 20 to 24 "
65·6	60·3	60·5	59 8	67·2	55·2	57·9	61·9	61·2	55·7	60·3	58·3	54 7	64·7	61·1	54·2	48·9	" 25 to 29 "
75·0	67·6	66·7	64·9	77·3	76·6	66·9	68·5	72·0	58·0	70·8	64·3	58·5	71·4	71·3	63·9	53·0	June 30 to July 4 inclusive.
70·9	65·5	67·5	62·3	71·9	56·5	65·5	69 7	71·1	58·9	69·0	61·9	56·5	69·8	69·2	59·9	53·2	July 5 to 9 inclusive.
61·9	59·4	62·5	61·7	65·6	58·6	56 2	60·6	61·8	58·3	62·9	60·5	55·7	60·1	60·6	51·0	53·9	" 10 to 14 "
64·2	62·5	62·2	62·8	63·5	58·8	59·7	62·7	61·3	58·7	63·2	61·9	58·6	66·2	59·5	56·8	54·5	" 15 to 19 "
67·1	61·6	61·8	60·0	68·9	57·7	65·0	65·6	67·7	59·8	67·3	63·9	60·9	69·4	66·9	59·9	54·1	" 20 to 24 "
71·3	63·5	64·6	61·3	71·2	58·3	67·6	70·2	70·4	64·2	70·4	65·5	63·2	67·8	67·8	58·8	57·7	" 25 to 29 "
70·0	65·0	60·0	65 3	69·1	61·9	67·1	69·5	70·2	65·2	72·1	66·2	65·1	69·4	67·5	61·4	58·5	July 30 to August 3 inclusive.
66·2	61·4	62·6	63·1	65·8	59·7	62·3	66·6	66 0	64·1	66·8	63·3	64·7	66·9	65·5	60·5	57·1	August 4 to 8 "
62·7	60·5	60·4	61·4	63·1	58·2	65·3	64·5	64·6	63·6	57·8	60·5	62·8	64·3	64·0	52·8	57·1	" 9 to 13 "
61·2	62·5	61·4	61·8	48 7	57·4	62·4	64·2	59 4	65·2	60·9	60·6	62·0	50·6	59·3	61·0	66·5	" 14 to 18 "
64·1	61·8	62 0	62 4	62·2	57·5	61·3	63·5	63·4	64·1	62·1	60·4	62·6	61·5	61·9	60·5	58·7	" 19 to 23 "
58·0	59·3	59·0	60·2	58·0	57·1	58·8	60·6	59·1	62·6	59·1	58·1	61·1	58·4	57·2	55·4	53·9	" 24 to 28 "

TABLE XX (Continued).—*Means of Daily Temperature at Stations in Tables*

	Victoria.	Fort Simpson.	Maple Creek.	Pheasant Forks.	Gleichen.	Grenfell.	Regina.	Medicine Hat.	Calgary.	Qu'Appelle.	Balgonie.	Chaplin.	Fort Chipewyan.	Prince Albert.	Swift Current.	Moose Jaw.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
August 29 to September 2 inclusive.....	53·4	53·7	57·8	55·9	....	55·5	60·7	58·3	51·6	59·7	58·4	60·2	....	56·4	56·9	59·2
September 3 to 7 "	57·1	54·3	63·4	56·5	....	60·3	59·9	62·9	57·6	60·9	55·7	62·6	....	54·2	58·1	55·3
" 8 to 12 "	55·2	52·9	59·7	51·8	....	54·1	53·9	57·4	47·7	54·9	47·8	56·9	....	49·5	53·0	53·6
" 13 to 17 "	52·7	49·7	55·3	47·3	....	47·2	48·7	52·0	46·0	48·3	45·9	46·0	....	47·8	49·0	55·0
" 18 to 22 "	51·2	48·4	51·3	43·9	....	44·8	44·5	49·6	42·0	45·7	40·5	41·4	....	41·8	45·4	....
" 23 to 27 "	55·6	53·1	60·7	46·1	....	47·9	49·8	59·0	52·0	49·5	38·1	47·9	....	49·9	54·2	....
September 28 to October 2 inclusive.....	51·7	50·2	63·9	55·9	....	....	58·5	61·9	54·6	59·5	59·3	50·6	....	53·1	57·1	....
October 3 to 7 "	48·0	45·4	47·5	33·4	....	40·5	38·3	46·5	42·1	39·6	38·5	44·4	....	33·0	42·5	....
" 8 to 12 "	48·7	44·7	45·0	31·5	....	33·5	36·1	44·3	39·3	36·3	34·0	40·0	....	33·6	35·8	....
" 13 to 17 "	48·8	48·8	46·6	34·3	....	35·0	35·9	55·6	44·6	40·3	35·2	50·2	34·2	33·8	40·7	37·7
" 18 to 22 "	44·4	42·1	34·3	30·4	....	32·5	29·3	39·8	36·0	34·8	29·5	35·2	25·2	31·2	32·6	32·7
" 23 to 27 "	45·2	44·6	22·9	10·3	....	26·4	11·1	24·7	24·0	13·1	14·7	18·6	10·3	10·5	15·1	17·7
" 28 to Nov. 1 "	49·7	50·9	51·2	38·7	....	38·0	38·9	50·2	51·4	44·8	38·6	40·5	31·8	38·8	44·9	44·0
November 2 to 6 inclusive.....	48·1	40·8	59·9	35·6	40·0	32·2	34·5	41·3	37·5	39·6	33·5	36·4	25·7	....	38·9	39·8
" 7 to 11 "	47·7	40·6	39·0	29·9	42·7	29·9	33·9	45·0	35·7	33·7	33·5	37·8	27·2	....	38·1	32·7
" 12 to 16 "	45·2	39·2	41·9	29·8	34·1	30·1	32·8	36·7	31·9	32·3	30·5	32·6	17·5	....	32·4	27·2
" 17 to 21 "	39·3	42·2	38·1	18·9	27·7	18·4	19·2	35·9	32·8	20·7	13·1	28·7	2·8	....	27·3	14·6
" 22 to 26 "	34·3	32·2	1·6	−6·9	0·9	−4·0	1·4	1·7	5·7	−4·1	−7·5	0·9	−6·1	....	−1·3	−5·7
" 27 to Dec. 1 "	39·7	33·6	1·5	−11·4	1·3	−7·2	11·5	0·7	2·3	−7·5	−11·2	1·9	−12·5	....	−2·5	−11·7
December 2 to 6 inclusive.....	40·6	24·3	0·4	−0·4	−2·1	−1·7	4·9	−2·3	−6·0	−0·4	−2·1	−11·1	−16·1	....	−0·1	....
" 7 to 11 "	44·9	27·8	17·5	0·6	−8·3	−5·0	3·4	18·2	12·5	2·0	−3·1	−10·7	−14·3	....	−12·5	....
" 12 to 16 "	41·3	40·3	35·6	−15·3	−30·6	−19·3	16·4	34·3	29·3	−23·5	−19·0	−25·1	−0·6	....	−26·9	....
" 17 to 21 "	43·0	40·3	14·7	−4·0	−14·4	−13·7	5·5	14·3	18·3	−2·7	−2·3	−4·0	−10·3	....	−4·9	....
" 22 to 26 "	59·9	37·2	14·5	−3·5	−15·3	−1·7	1·9	17·9	14·6	−0·8	−4·2	−8·8	−13·4	....	−8·4	....
" 27 to 31 "	37·8	27·7	3·1	−18·8	−4·0	−12·9	7·1	−6·7	−13·8	−15·4	−14·9	−11·8	−30·8	..	−10·8	....

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1887, inclusive.

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Barrie.	Bala.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	58·6	58·2	64·3	64·0	65·2	61·3	64·2	66·4	67·3	63·7	55·5	57·9	65·4	56·8	August 29 to September 2 inclusive.
....	56·9	57·4	59·4	60·1	58·5	58·1	63·9	57·5	57·9	60·6	54·8	58·4	65·6	59·1	September 3 to 7 inclusive.
....	51·2	50·8	53·6	54·6	53·0	52·1	57·0	52·9	51·7	55·1	48·5	51·8	56·1	52·4	" 8 to 12 "
....	45·8	45·1	48·8	47·3	50·6	47·1	50·6	46·7	52·0	50·0	51·5	50·4	59·6	54·6	" 13 to 17 "
...	45·7	44·2	50·5	43·9	51·1	47·0	51·1	48·8	50·4	46·4	47·8	50·1	58·2	53·0	" 18 to 22 "
....	47·0	45·5	48·9	48·1	48·6	48·4	48·8	48·2	50·4	50·6	39·0	40·5	47·5	40·0	" 23 to 27 "
....	54·7	53·6	55·5	54·5	57·4	56·4	60·1	54·6	56·7	53·4	46·7	52·6	55·3	51·2	September 28 to October 2 inclusive.
....	33·6	34·9	36·4	39·8	37·1	39·5	42·6	36·0	37·4	47·3	43·7	43·0	50·7	48·1	October 3 to 7 inclusive.
....	34·7	33·6	36·3	35·8	37·4	37·7	34·7	35·2	37·5	36·4	35·5	40·9	47·8	48·0	" 8 to 12 "
....	34·8	35·3	37·1	36·8	38·2	40·4	38·6	34·0	36·9	38·0	39·3	40·3	45·5	46·0	" 13 to 17 "
....	29·9	31·3	33·3	34·2	33·0	34·1	40·1	32·0	30·0	33·3	37·8	38·3	42·9	40·1	" 18 to 22 "
...	11·5	10·9	15·7	15·5	13·6	13·4	14·5	14·3	11·6	17·9	25·4	29·3	34·0	33·2	" 23 to 27 "
....	37·3	38·1	33·4	39·2	30·8	37·5	35·8	32·7	29·6	27·8	26·0	31·0	37·1	33·1	" 28 to November 1.
...	34·1	34·7	34·8	35·6	32·5	37·0	38·1	28·6	37·4	29·9	35·2	37·3	38·6	38·7	November 2 to 6 inclusive.
....	29·5	28·3	27·4	32·1	27·5	29·2	34·0	27·5	26·4	27·9	29·1	31·5	36·8	33·8	" 7 to 11 "
33·9	31·2	29·7	33·2	30·7	32·8	34·1	34·2	33·7	34·6	30·9	28·8	32·8	35·1	31·5	" 12 to 16 "
16·8	14·8	13·9	12·4	23·4	11·9	17·9	22·3	13·3	10·5	12·2	26·0	28·6	33·8	31·2	" 17 to 21 "
1·5	4·8	5·7	0·4	0·5	0·2	4·4	3·9	2·7	3·3	0·7	22·9	29·5	30·6	28·7	" 22 to 26 "
5·7	10·2	11·5	0·6	4·3	5·9	9·1	13·2	7·7	11·1	8·7	9·0	17·5	15·9	17·4	" 27 to December 1.
0·7	0·9	0·8	3·9	5·0	3·3	0·2	2·4	7·1	4·2	8·8	27·3	30·8	32·6	32·1	December 2 to 6 inclusive.
4·2	0·0	1·5	2·4	3·9	4·3	0·6	2·3	1·0	0·1	10·2	24·6	31·8	33·7	30·7	" 7 to 11 "
19·5	18·2	17·7	17·6	23·3	16·5	19·1	14·2	16·4	14·5	13·4	21·0	25·8	29·0	26·2	" 12 to 16 "
2·1	0·1	6·2	1·5	0·9	3·7	4·9	2·7	3·3	3·4	7·1	18·3	24·9	26·4	24·1	" 17 to 21 "
2·7	3·7	4·6	4·9	1·5	4·2	15·1	2·9	5·4	5·6	1·2	8·9	16·3	19·3	14·7	" 22 to 26 "
16·7	14·8	19·2	14·2	14·2	17·0	15·0	23·0	15·2	20·6	19·9	2·6	15·1	16·3	9·5	" 27 to 31 "

TABLE XX (Continued.)—*Means of Daily Temperature at the Stations in Tables.*

	Beatrice.	Brampton.	Buda.	Cornwall.	Conestogo.	Chatham.	Cartier.	Charlineh.	Deseronto.	Durham.	Egremont.	Elora.	Guelph.	Galt.	Goderich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
August 29 to September 2 inclusive	57·5	64·1	68·0	60·0	60·9	62·4	48·2	54·5	66·1	....	58·1	62 6	62·1	60·8	61·3
September 3 to 7 "	57·5	65·9	62·4	63·3	60·9	63·5	47·9	54·4	66·5	63·9	60·7	62·0	64·7	62·2	63·3
" 8 to 12 "	51·3	57·8	55·7	56·2	54·4	58·9	37·6	48·5	60·6	56·7	51·6	54·3	55·8	56·5	55·2
" 13 to 17 "	49·3	59·2	55·6	57·7	56·1	60·2	39 7	50·9	58·3	60·2	53·5	55·7	61·4	56·0	58·9
" 18 to 22 "	51·6	54·9	54·2	57·6	54·5	61·9	41·8	48·0	55·8	59·9	52·6	55·3	55·8	57·2	57·9
" 23 to 27 "	39·1	43·1	47·4	48·2	43·9	51·6	27·0	37·3	49·1	46·6	41·8	43·8	44·5	46·3	43 3
September 28 to October 2 inclusive	52·9	57·0	58·0	55·6	...	57·0	41·2	49·2	57·4	57·3	56·1	54·9	55·7	53·1	57·9
October 3 to 7 "	47·1	51·5	39·0	52·0	49·3	51·6	36·0	46·7	51·5	48·7	47·5	46·7	48·3	47·7	50·2
" 8 to 12 "	46·3	49·8	38·9	48·1	47·6	51·7	32·9	45·3	49·1	49·9	49·3	48·6	47·5	50·0	51·1
" 13 to 17 "	41·0	42·9	38·2	45·4	42·4	44·1	27·8	38·9	45·1	44 9	41 8	42·3	42·1	42·8	46·2
" 18 to 22 "	38·5	45 8	33·9	43·5	39·5	43 0	26·6	36 3	42·5	44·1	38·2	38·9	41·0	41·2	42·2
" 23 to 27 "	28·5	34·5	20·7	35·3	33·5	35·4	11·7	28·4	36·7	35·0	31·2	31·4	31·1	33·7	35·5
" 28 to November 1 "	30·9	....	31·7	32·3	30·7	35·6	17·2	29 5	33·1	34·7	31·9	31·4	34·3	32·6	36·5
November 2 to 6 inclusive	34 6	....	34·7	38·9	37·0	42·9	18·6	32·3	37·0	....	38·2	37·8	37·5	39·0	41·9
" 7 to 11 "	32·6	....	31·1	35·7	36·5	40·9	16·7	30·9	34·8	36·2	33·9	35·8	38·0	36·9	38·7
" 12 to 16 "	30·5	....	33·4	32·2	35·5	38·9	17·4	29·4	35·9	35·3	32·5	34·7	35·1	36·0	39·3
" 17 to 21 "	29·5	....	15·0	32·6	30·4	31·6	13·5	27 4	32·2	30·3	29 7	29·2	30·3	28·2	33·1
" 22 to 26 "	26·8	....	17·0	29·3	32·4	41·4	7·9	29·2	31·5	33·7	31·5	30·5	33·3	34·0	35·6
" 27 to December 1 inclusive	16·2	....	2·1	21·2	18·0	25·9	3·7	12·4	13·7	23·7	16·3	16·3	13·2	20·2	25·1
December 2 to 6 inclusive	30·4	27·0	11·7	30·0	31·4	35·7	18·0	29·1	33·4	34·1	31·2	30·9	29·2	38·5	35·5
" 7 to 11 "	29·6	33·1	16·7	27·5	33·5	37·1	8·8	27·6	33·1	34·6	31·9	32·8	33·0	34·0	35·0
" 12 to 16 "	24·2	31·2	14·6	28·9	27·6	29·0	11·9	23·8	29·9	....	26·7	27·3	27·5	28·6	32·9
" 17 to 21 "	22·9	27·7	9·3	21·3	27·1	30·3	5·2	20·7	26·3	28 7	27 5	22·5	25·9	29·6	30·9
" 22 to 26 "	13·4	19·1	8·8	6·1	18·8	20·8	3·2	10·1	11·2	20·5	18·0	14·8	19·7	16·6	22·4
" 27 to 31 "	7·6	16·5	2·3	4·4	15·5	22·3	4·4	6·1	12·3	16·4	18·0	14·8	18·2	17·1	20·4

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1887, inclusive

Gravenhurst.	Joly.	Heron Bay.	Hamilton.	Kingston.	Lindsay.	London.	Listowel.	Little Current.	Lucknow.	Minden.	Norwood.	Nepigon.	Niagara Falls, S.	Ottawa.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
59·6	55·5	59·1	64·9	62·3	61·4	59·7	57·9	65·5	61·7	55·0	55·0	59.2	65·4	60·0	August 29 to September 3 inclusive.
59·9	56·7	58·0	65·9	63·1	60·6	62·1	64·4	62·9	63·6	56·4	53·6	52·3	64·4	63·0	September 3 to 7
53·5	49·9	45·8	57·9	57·3	54·0	55·4	53·5	54·1	54·5	51·7	49·8	46·8	57 9	52·7	" 8 to 12
55·9	51·9	48·3	59·2	57·5	55·0	58·4	55·7	55·6	58·9	51·9	55·3	49·9	59·7	58·2	" 13 to 17
54·2	51·5	47·9	58·5	58·4	53·5	57·5	56·5	56·2	59·1	50·3	48·0	46·2	58·0	55·1	" 18 to 22
42·7	40 6	48·1	47·0	47·9	42·8	44·8	41·3	47·8	46·0	42·9	37·3	43 9	46·4	47·2	" 23 to 27
51·4	53·0	47·0	56·9	59·1	54·1	57·6	54·9	54·0	58·8	52·4	46·7	46·9	60·0	53 1	September 28 to October 2 inclusive.
49·5	46·4	44·2	52·7	52·3	49·2	50 7	46·1	51·3	48·6	49·1	44·2	38·2	52·3	51·2	October 3 to 7
49·6	45·2	39·1	53·0	49·4	49·3	50·8	47·4	49·1	50·7	46·7	47·4	36·7	52·7	45·9	" 8 to 12
44·9	39·5	36·6	46·5	47·0	41·4	43·8	40·3	46·3	45·3	39·0	31·8	36·6	45·4	42 8	" 13 to 17
40·7	39·7	35·4	43·0	45·0	39·4	40·6	37·6	41 9	46·5	39·2	40·4	31·0	42·1	42·4	" 18 to 22
33·0	28·1	20·7	37·1	37·0	32·0	34·4	30·7	31·0	35·9	30·5	28·7	16·7	37·5	33·0	" 23 to 27
37·5	29·5	31·3	36·0	33·6	30·9	35·2	33·8	39·4	36·8	29 5	29·1	27·1	33·0	29·3	" 28 to November 1
37·6	31·4	33 7	43·5	40·2	36·7	41·8	36·5	37·9	41·0	34·7	31·8	29·3	42 4	35·6	November 2 o 6 inclusive.
33·5	31·6	28·5	40·9	36·7	33·2	38·9	34·7	35·2	38·0	31·6	33·4	27·6	38·3	34·2	" 7 to 11 "
32·2	27·9	25·6	40·0	35·4	32·6	39·0	33·5	34·8	37·3	31·9	30·8	28·5	37·8	32·4	" 12 to 16 "
31·0	26·6	21·1	34·9	34·8	30·0	30·9	27·5	31·6	32·8	28·6	30·5	14·5	33·3	32·3	" 17 to 21 "
29·0	22·8	12·4	36·8	33·6	29·0	36 7	31·8	27·6	32·4	24·5	26 0	13·1	38·3	29·3	" 22 to 26 "
17·8	14·0	5·0	25·8	23·5	16·4	21·3	19·9	17·4	24·1	11·2	25·7	0·2	23·1	17·4	" 27 to December 1 inclusive.
32 1	28·9	22·5	35·8	34·4	31·5	34·6	32 1	34·0	33·4	31·4	37·7	11·9	36·5	28·5	December 2 to 6 inclusive.
32·4	24·5	11·3	36·1	33·1	32·5	36·4	30·9	26·6	33·8	30·2	31·0	9·4	38·6	25·9	" 7 to 11 "
28·5	20·6	20·8	32·1	30·4	27·6	29·0	27·0	27·9	29·1	25·9	28·5	16·1	31·0	26·7	" 12 to 16 "
24·9	19·3	16·2	31·3	23·8	24·8	29·9	28·5	20·6	29·7	22·7	23·9	6·7	30·2	19·9	" 17 to 21 "
14·8	11·0	11·0	22·9	11·4	12·8	21·0	18·6	11·8	21·0	8·1	12·1	8·3	22·1	7·0	" 22 to 26 "
10·3	6·5	0·5	20·6	11·3	8·8	20·5	13·5	....	18·0	7·0	7·7	8·0	19·3	3·2	" 27 to 31 "

TABLE XX (Concluded).—*Means of Daily Temperature at Stations in Tables*

	Port Arthur.	Parry Sound.	Pembroke.	Peterborough.	Point Clark.	Point Pelee.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	St. George.	Stoney Creek.	Sungeen.	Sharon.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
August 29 to September 2 inclusive	59·6	58·0	61·9	65·4	60·4	69·0	61·2	62·0	62·5	58·7	62·0	63·4	66·5	57·9	62·3
September 3 to 7 inclusive	57·5	58·7	62·0	64·6	64·8	65·4	62·5	63·3	64·6	58·5	53·2	62·7	66·4	59·2	60·8
" 8 to 12 "	48·4	51·8	53·0	58·7	56·5	59·4	57·6	56·6	56·9	50·0	55·7	55·4	58·9	53·0	49·8
" 13 to 17 "	51·5	54·3	54·7	58·4	57·9	65·6	57·9	59·5	57·4	52·1	58·9	57·8	61·4	55·8	58·4
" 18 to 22 "	52·0	51·4	54·0	59·1	56·3	64·4	58·5	58·3	59·1	51·0	61·1	57·1	54·9	53·4	54·8
" 23 to 27 "	46·0	41·2	45·1	38·1	45·2	52·3	58·3	45·7	48·0	41·7	46·2	45·3	47·5	41·3	43·1
September 28 to October 2 inclusive	49·5	52·8	53·0	58·5	56·9	62·5	59·2	57·4	57·8	52·4	58·6	56·0	59·2	54·9	52·2
October 3 to 7 inclusive	41·0	49·2	49·7	51·7	51·3	54·6	52·0	52·9	50·7	49·4	53·3	50·2	54·1	49·8	48·8
" 8 to 12 "	38·5	47·8	45·9	49·4	51·0	53·0	50·5	51·8	52·8	42·9	53·2	50·6	54·6	50·6	49·9
" 13 to 17 "	39·0	42·8	43·6	44·9	48·4	48·5	47·2	46·2	46·6	39·8	45·7	42·6	49·4	45·3	43·0
" 18 to 22 "	33·9	39·9	42·3	44·1	42·3	47·6	44·3	42·2	40·9	39·5	42·9	41·6	42·3	41·6	49·8
" 23 to 27 "	23·0	33·1	32·4	35·0	37·8	35·9	36·3	37·2	34·0	28·8	35·0	35·1	37·1	34·2	31·7
" 28 to November 1	31·5	33·3	31·3	33·8	35·1	37·6	35·4	35·3	36·9	28·0	37·0	31·8	34·4	35·7	32·8
November 2 to 6 inclusive	33·8	37·4	33·8	29·3	42·7	44·7	42·7	42·5	43·8	31·4	38·5	39·8	44·6	40·3	39·2
" 7 to 11 "	29·7	33·2	33·0	36·2	23·7	43·0	40·0	39·7	40·6	28·8	40·6	38·1	41·1	43·2	36·6
" 12 to 16 "	33·6	31·5	32·0	34·2	39·1	40·8	40·1	40·3	40·4	30·5	37·9	38·1	34·0	37·2	34·6
" 17 to 21 "	16·8	31·7	30·6	34·3	35·0	32·8	33·2	33·7	30·4	28·9	28·7	27·1	34·5	32·9	31·4
" 22 to 26 "	16·8	28·7	26·5	31·0	34·3	41·3	38·1	38·5	38·0	23·7	38·9	34·5	36·9	31·2	30·8
" 27 to December 1	3·5	18·2	14·1	14·9	23·2	24·1	22·1	23·5	22·9	11·0	21·4	21·2	25·5	22·8	17·6
December 2 to 6 inclusive	16·0	33·3	28·1	24·8	35·4	34·2	35·6	35·1	35·6	26·9	34·5	34·2	36·2	35·5	32·8
" 7 to 11 "	15·3	29·8	25·4	32·8	33·8	36·3	38·1	37·5	37·0	22·7	36·5	35·7	36·4	30·4	32·9
" 12 to 16 "	16·3	26·4	24·0	28·6	32·1	29·9	30·2	31·0	28·3	21·4	28·6	29·7	31·8	30·2	29·2
" 17 to 21 "	12·6	25·5	18·6	24·9	31·0	30·3	30·4	30·6	29·4	17·7	24·3	29·8	30·7	29·4	26·6
" 22 to 26 "	13·5	14·3	4·5	15·7	23·9	17·5	21·1	22·2	21·5	2·3	18·7	20·7	22·9	22·3	17·2
" 27 to 31 "	4·1	11·4	7·0	10·4	19·9	21·2	21·9	21·4	19·2	2·1	17·9	17·1	20·3	18·6	15·3

VIII to XIX, collected in five day periods, from 1st Jan. to 31st Dec., 1887. inclusive.

Stratford.	Simcoe.	Spruecdale.	Savanne.	Toronto.	Woodstock.	Windsor.	White River.	Wanstead.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rocks.	Bicquet.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
61·6	61·5	56·4	58·8	63·9	61·9	63·7	....	55·6	55·1	58·0	55·5	....	58·5	50·8	August 29 to September 2 inclusive.
61·7	63·7	57·7	53·4	63·3	63·1	66·7	50·1	55·1	57·8	61·0	54·9	....	60·0	50·2	September 3 to 7 "
53·9	56·3	51·1	47·9	54·9	54·7	58·5	42·4	56·5	53·0	56·2	52·8	....	57·0	48·1	" 8 to 12 "
56·3	58·9	51·6	49·5	56·6	58·1	61·7	44·6	57·3	50·0	55·6	48·8	....	55·5	48·9	" 13 to 17 "
57·1	58·6	47·6	45·1	56·5	57·1	62·4	46·9	59·2	47·8	45·0	48 0	....	52·9	45·6	" 18 to 22 "
41·9	45·4	39·4	43·0	46·6	44·9	48·9	36·9	46·3	46·1	44·1	47·3	....	51·5	40·0	" 23 to 27 "
56·2	58·4	49·4	47·5	56 6	56 6	59·1	45·5	56·9	47 8	48·4	47·4	....	51·0	42·9	September 28 to October 2 inclusive.
46 2	53 1	44·9	34·8	51·2	49·7	53·2	38·4	50·7	45·6	45·4	46·1	...	49·9	40·3	October 3 to 7 "
49·6	49·9	44·5	34·6	50·4	51·6	51·0	33·4	48·1	46·6	46·8	44·6	....	47·2	42·1	" 8 to 12 "
43·4	45·2	38·3	33·5	43·6	43·7	47·0	33·8	44·8	3 ·4	41·7	40·0	....	46·4	40·5	" 13 to 17 "
39·9	41·8	39·5	31·9	42·1	40·7	44·5	32·3	40·6	40·8	42·1	41·9	....	47·1	38·9	" 18 to 22 "
33·4	33·8	27·9	14·1	36·1	34 2	34·8	20·9	33·2	31·9	30·7	32·6	....	36·8	31·3	" 23 to 27 "
33·8	36·9	31·9	26·9	34·0	34·2	41·1	21·8	36·3	33·1	31·2	29·9	....	36·5	27·5	" 28 to November 1 "
40·0	39·7	36·2	28·0	39·8	40·9	43·9	17·1	42·6	25·6	...	25·8	....	32·9	27·2	November 2 to 6 inclusive.
36·2	39·9	24·1	25·2	38·2	37·9	42·1	17·0	40·1	30·8	29·6	31·1	....	34·9	31·1	" 7 to 11 "
37·3	40·8	25·4	27·2	38·0	38·4	40·2	20·3	39·1	33·7	32·6	34·5	....	37.2	32·8	" 12 to 16 "
29·8	34·7	20·8	12·6	34·6	31·6	32·4	13·0	30·0	34·8	34·1	36·4	....	39·5	30·3	" 17 to 21 "
34·1	38·0	23·9	5·5	34·3	35·5	38·0	5·2	37·1	28·1	27·8	31·1	....	32·6	25·9	" 22 to 26 "
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	" 27 to December 1 inclusive.
19·9	14·6	21·6	5·3	23·5	20·4	23·5	7·2	22·0	20·4	22·1	18·7	....	28·1	20·3	December 2 to 6 inclusive.
32·2	32·5	28·4	7·1	35·0	33·5	33·4	12·1	34·6	27 1	26·4	26·0	....	31·4	....	" 7 to 11 "
27·6	31·6	22·9	13·2	31·8	29·2	30·4	9.2	28·7	28·4	27·7	30·3	....	34·2	....	" 12 to 16 "
28·1	30·8	21·3	2·8	29·3	29·4	29·0	2·6	29·0	29·1	29·0	32·5	....	33·0	....	" 17 to 21 "
18·9	21·1	2·8	3·7	20·6	19·8	18·7	4·3	21·1	9·0	9·9	7 9	....	17·0	....	" 22 to 26 "
16·7	20·8	5 2	13·0	19·0	18·3	21·2	8·9	21·0	13·7	13·3	16·8	4·2	20·5	....	" 27 to 31 "

TABLE XX (Continued.)—*Means of Daily Temperature at the Stations in Tables.*

	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Cape Magdalen.	Cape Norman.	Danville.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point Des Monts.	Richmond.	Bathurst.	Chatham.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
August 29 to September 2 inclusive	42·6	52·0	56·9	57·0	57·4	47·9	57·6	54·4	57·1	61·6	57·6	59·5	54·7	64·6	58·3
September 3 to 7 "	43·8	57·6	59·8	60·6	60·9	53·1	58·7	67·5	61·3	64·5	62·2	52·5	59·7	65·2	62·3
" 8 to 12 "	47·4	48·0	47·9	52·2	52·4	57·4	52·1	49·2	54·5	54·9	53·2	48·0	50·1	59·1	55·6
" 13 to 17 "	44·2	50·0	50·5	54·3	55·4	52·1	54·9	52·2	54·9	58·2	55·0	49·7	53·5	59·7	56·5
" 18 to 22 "	40·7	48·7	49·9	48·6	49·0	46·3	53·8	47·5	54·9	56·7	52·7	43·6	51·9	57·8	55·5
" 23 to 27 "	41·1	38·3	40·8	42·4	43·6	44·9	50·7	42·0	45·7	47 3	43·9	41·4	42·5	48·1	46·9
September 28 to October 2 inclusive	37 9	47·9	47·6	45·8	45·0	42·9	50·9	43·6	53·2	54·2	49·5	44·0	49·8	51·7	48·7
October 3 to 7 "	39·7	47·8	46·4	41·5	42·9	39·0	51·7	40·7	50·6	52·0	47·4	42·3	51·6	52·7	54·4
" 8 to 12 "	42·1	40·4	44·6	42·2	43·8	40·8	41·8	42·0	46·5	45·4	43·4	47·0	43·7	50·4	46·9
" 13 to 17 "	40·9	36·1	37·8	41·7	40·8	39·9	42·1	40·3	41·7	43·1	41·2	40·0	40·1	45·5	42·9
" 18 to 22 "	42·6	36·3	37·5	40·1	41·0	41·2	41·9	38·4	41·0	43·6	40·7	38·3	39·3	43·5	43·8
" 23 to 27 "	33·9	26·5	28·5	32·1	31·5	35·2	33·5	29 6	33·2	33·4	30·2	26·1	32·1	33·3	33·3
" 28 to November 1 "	28·3	25·4	22·1	31·9	29·1	32·2	29·9	29·5	29·5	30·8	28·6	27·6	29·1	31·9	31·8
November 2 to 6 inclusive	25·3	25·4	17·9	28·4	27·7	27·5	31·0	36·2	35·5	33·4	26·9	22·7	30·6	31·4	29·5
" 7 to 11 "	24·5	28·0	25·1	29·7	30·3	28·4	31·9	28·9	36·5	34·2	30 1	23·0	30·9	32·9	31·4
" 12 to 16 "	28·7	28·4	30·2	32·2	32·9	32·1	31·4	31·5	31·8	32·0	32·5	27·7	32·0	36·2	34·1
" 17 to 21 "	30·5	27·3	23·5	34·4	34·4	39·5	32·8	30·4	30·7	31·1	29·7	29·6	30·0	34·7	35·6
" 22 to 26 "	25·5	26·0	....	26·2	27·5	27·8	29·7	23·7	27·9	28·1	25·8	23·7	29·1	29·0	27·3
" 27 to December 1 inclusive	17·6	13·2	9·6	22·0	21·7	22·3	23·5	17·3	30·1	19·2	14·7	20·4	17·8	18·7	23·3
December 2 to 6 inclusive	16·7	23·5	22·7	....	26·5	26·8	....	23·2	28·0	29·4	24·9	23·2	29·5	26·1	25·3
" 7 to 11 "	15·7	20·6	11·1	....	17·1	24·2	....	17·9	25·8	23·8	20·2	17·0	25·7	18·9	22·5
" 12 to 16 "	18·3	25·8	19·5	....	27·1	28·4	....	24·5	27·6	28·1	27·0	23·2	28·9	30·3	30·2
" 17 to 21 "	30·3	15·7	11·0	....	26·8	33·0	....	23·0	18·1	20·4	18·8	23·7	18·7	27·3	25·3
" 22 to 26 "	12·3	−0·2	−9·8	....	9·2	16·3	....	4·7	4·0	5·7	3·1	2·1	−0·7	8·5	5·2
" 27 to 31 "	17·4	−1·8	−5·3	....	10·5	20·2	....	0·1	2·8	2·4	0·9	3·0	3·3	4·9	4·4

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1887, inclusive.

Fredericton.	Grand Manan.	St. Andrews.	St. John.	Woodstock.	Point Lepreaux.	Sydney.	Halifax.	Pictou.	Sable Island.	Truro.	Yarmouth.	White Head.	Digby.	Kilmahumaig.	St. Johns, Nfld.	Point Rich.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
58·0	59·8	57·8	59·7	57·9	58·2	55·2	59·3	57·5	58·5	58·1	57·1	58·5	59·6	55·1	51·1	54·7	August 29 to September 2 inclusive.
62·0	60·8	61·1	58·7	62·4	56·5	59·8	62·3	62·2	61·8	61·2	60·0	61·4	59·9	61·5	53·1	57·3	September 3 to 7 "
56·1	56·1	55·4	55·4	54·6	55·4	59·0	56·8	57·2	61·3	54·0	54·8	59·5	57·0	57·2	59·8	56 6	" 8 to 12
57·2	57·4	56·7	56 6	55·0	55·7	56·9	58·2	59·0	60·8	55·0	58·6	58·6	59·8	56·8	55·2	53·9	" 13 to 17 "
56·4	55·9	54·5	54·1	54·6	53 3	54·9	55·6	55·0	57·7	52·5	53·7	56·7	55·7	53·6	51·3	51·9	" 18 to 22 "
45·7	48·4	46·7	48.3	44·9	47·6	54·9	52·0	54·3	57·1	50·5	49·5	55·3	47·8	49·3	56·3	55·2	" 23 to 27 '
47·7	51·9	50·4	50·5	47·2	51·2	49·8	51·8	51·6	56·5	47·8	53·3	53·1	48·7	47·6	46·0	49·7	September 28 to October 2 inclusive.
54·3	53·8	54·0	54·0	53·3	53·3	56·4	56·3	56·5	60·0	57·0	53·7	57·8	54·9	54·0	44·6	42·8	October 3 to 7 "
46·7	48·8	47·8	47·6	45·5	47·8	50·3	49 3	48·7	55·2	46·6	48·7	52·5	49·2	48·9	48·6	49·2	" 8 to 12 "
42·2	47·2	44·4	45·5	41·1	46·6	45·8	45·8	46·0	51·9	42·4	46·9	47·0	45·3	42·1	44·8	44·2	" 13 to 17 "
44·6	48·0	46·6	45·6	42·4	46·7	50·1	50·1	48·4	54·2	48·5	48·6	51·0	49·7	46·9	47·5	46·6	" 18 to 22 "
34·9	40·6	38·7	35·9	33·9	40·2	39·5	40·4	39·5	47·3	37·5	41·0	42·5	39·6	35·9	40·3	35·8	" 23 to 27 "
34·5	38·6	36·7	35·4	35·1	38·9	41·4	40·8	41·9	48·1	36·6	40·2	43·2	37·2	35·3	38·3	36·1	" 28 to November 1 "
34·1	36·6	34·3	33·5	30·3	35·9	34·3	35·0	35·3	40·5	29·7	36·2	35·9	36·2	31·6	33·7	29·9	November 2 to 6 inclusive.
2·6	40·1	37·9	37·5	32·7	40·0	36·1	38·4	36·0	43·9	33·3	40·8	39·4	38·1	32·0	34·7	32·3	" 7 to 11 "
36·2	40·3	39·3	37·6	34·6	40·8	40·3	38·9	43·5	44·9	37·8	41·3	41·4	39·8	35·4	40·9	36·7	" 12 to 16 "
34·4	41·7	40·3	40·4	36·4	40·0	46·1	44·5	45·1	48·8	42·8	44·1	45·9	38·3	40·0	46·1	42·4	" 17 to 21 "
29·2	39·1	36·4	35·4	27·9	37·5	33·5	36·2	35·6	42·7	33·6	38·8	36·2	36·1	31·1	36·6	33·1	" 22 to 26 "
20·3	28·0	26·2	25·6	20·9	20·0	33·4	30·8	32·8	38·7	29·9	30·8	33·3	25·3	29·5	31·1	26·1	" 27 to Deeember 1 inclusive.
27·2	33·9	31·9	31·3	22·6	33·9	32·1	31·3	30·4	39·1	26·7	33·3	34·3	28·3	25·3	28·8	30·6	Deeember 2 to 6 inclusive.
18·6	32·1	28·3	26·0	15 6	24·1	29·5	28·2	28·9	34·1	23·5	33·3	31·2	30·6	22·2	29·9	26·5	" 7 to 11 "
32·8	37·9	36·7	34·8	30 3	37·9	39·3	43·2	36·8	43·7	37·9	40·1	39·1	38·3	32·1	38·1	32·1	" 12 to 16 "
26·9	33·0	30·3	29·3	23·3	28·9	35·7	33·9	31·6	39·1	31·6	35·0	34·2	32·8	28·3	38·3	36·5	" 17 to 21 "
9·8	17·4	12·4	12·9	5·2	13·2	21·5	16·3	12·3	28·0	14·3	19·7	20·9	16·6	14·4	24·1	16·7	" 22 to 26 "
5·2	13·6	9·9	8·6	4·8	11·1	20·9	16·8	13·9	28·7	13·9	17·8	20 8	13·2	12·1	24·7	20·1	" 27 to 31 "

TABLE XXI.—*Percentage of Cloud in each Month and in the year 1887, at Stations in the Dominion of Canada.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO.													
W. and S. W. District.													
Windsor	71	75	50	49	43	42	35	39	54	58	61	74	54
Port Stanley	72	78	58	50	40	49	39	42	54	57	62	76	56
Simcoe	67	67	37	38	31	39	22	34	44	48	55	60	45
Port Dover	79	81	58	56	40	49	46	37	53	53	59	73	57
London	71	80	59	57	43	49	33	36	50	58	71	86	58
Woodstock	72	74	58	56	42	51	36	39	46	60	63	78	56
Galt	67	75	69	51	32	44	25	24	40	63	55	80	52
Hamilton	64	71	60	48	40	40	26	33	30	51	50	42	46
Petrolia	70	79	50	49	26	45	39	45	51	62	72	80	56
Mean of District	70	76	55	50	37	45	33	37	47	57	61	72	53
N. and N. W. District.													
Port Arthur	26	34	34	57	32	61	53	38	44	57	50	56	45
Saugeen	83	74	58	59	35	47	41	46	64	70	80	93	63
Parry Sound	64	60	45	53	34	52	37	35	36	68	68	80	53
Point Clark	84	70	46	45	32	46	28	30	40	57	62	81	52
Stratford	76	72	57	55	35	48	33	45	51	61	63	88	57
Goderich	88	82	61	63	59	52	41	44	58	70	78	91	66
Egremont	70	77	59	49	37	50	36	31	39	65	66	91	56
Guelph	60	74	49	56	44	51	39	37	43	53	69	71	54
Beatrice	63	61	46	53	34	50	44	41	48	71	70	81	55
Barrie	61	69	50	56	33	50	32	40	56	67	68	86	56
Gravenhurst	63	59	48	52	31	48	37	32	40	66	65	78	52
Durham	65	56	58	54	29	44	39	40	50	68	67	86	55
Conestogo	71	76	61	66	46	50	45	51	54	61	66	83	61
Elora	54	54	39	39	24	40	24	25	33	50	63	76	43
Little Current	60	59	40	53	35	46	44	38	44	61	67	80	52
Mean of District	66	65	50	54	36	49	38	38	47	63	67	81	55

TABLE XXI—(Continued).—*Percentage of Cloud in each Month, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Central District.													
Brampton	55	49	31	35	28	47	28	20	27	50	45	61	40
Alton	..	57	43	31	24	33	25	21	28	39	55	72	..
Toronto	73	77	61	63	55	59	46	54	56	63	68	84	63
Mean of District	64	61	45	43	36	46	33	32	37	51	56	72	50
N. E. and E. District.													
Cornwall	64	58	47	47	31	43	42	34	40	71	71	72	52
Peterborough	62	60	50	51	31	44	37	36	45	60	62	74	51
Lindsay	72	74	58	57	41	58	46	45	49	75	70	87	61
Kingston	69	71	63	54	59	64	47	42	59	69	75	77	62
Pembroke	56	50	40	45	32	46	42	24	57	70	77	78	51
Rockliffe	62	57	54	59	58	64	51	57	58	70	68	70	61
Ottawa	61	58	46	43	41	50	53	42	55	65	77	70	55
Deseronto	55	52	40	36	16	26	14	15	27	42	47	61	36
Mean of District	63	60	50	49	39	49	42	37	49	65	68	74	54
Mean for Ontario	66	65	50	49	37	47	39	36	45	59	63	75	53
QUEBEC.													
Montreal	66	63	58	53	59	56	54	58	70	70	73	67	62
Quebec	63	50	59	41	50	50	52	49	44	68	66	62	54
Huntingdon	64	55	52	43	25	48	46	40	54	65	66	68	52
Cranbourne	66	56	61	41	48	51	53	43	51	75	72	66	57
Chicoutimi	63	62	67	53	46	44	61	61	57	75	83	61	61
Danville	62	52	55	33	28	35	36	23	36	68	64	..	..
Richmond	71	62	60	46	39	52	51	39	49	66	72	70	56
Anticosti, S. W	65	52	67	62	49	38	49	39	45	56	64	66	54
Father Point	74	57	71	56	62	66	70	58	64	75	80	74	67
Bird Rock	77	57	77	72	63	51	72	49	59	77	81	90	69
Mean for Quebec	67	57	63	50	46	49	54	46	53	69	72	69	58

TABLE XXI (Continued.)—*Percentage of Cloud in each Month, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NOVA SCOTIA.													
Halifax	62	52	68	54	59	48	56	51	53	58	65	59	57
Sydney	71	48	66	73	65	51	55	52	60	67	77	79	64
Truro	74	63	75	74	67	67	70	68	65	75	72	77	71
Yarmouth	85	71	70	48	56	52	63	47	48	59	64	67	61
Digby	92	75	68	37	52	42	57	67	61	71	70	83	65
Mean for Nova Scotia	77	62	70	57	60	52	60	57	57	66	70	73	63
NEW BRUNSWICK.													
St. John	59	51	63	49	60	49	71	53	44	51	63	51	58
Bathurst	61	49	70	68	58	62	66	66	59	62	73	54	62
Fredericton	58	50	59	50	57	49	62	47	52	54	62	53	55
Chatham	63	50	72	61	55	52	64	48	49	59	60	56	57
St. Andrews	51	46	56	40	46	41	51	39	41	43	54	45	46
Point Lepreaux	58	46	60	42	42	45	57	50	47	46	53	54	50
Grand Manan	71	58	59	48	53	49	57	48	43	59	64	64	56
Mean for New Brunswick	60	50	63	51	53	50	61	50	48	53	61	54	55
PRINCE EDWARD ISLAND.													
Kilmahumaig	68	56	75	72	65	52	71	55	57	71	75	84	67
MANITOBA.													
Winnipeg	40	42	50	51	54	50	54	51	43	57	50	65	51
Minnedosa	38	42	53	56	56	62	49	55	45	57	47	57	51
Russell	35	41	43	46	48	49	36	43	36	49	45	52	43
Stony Mountain	38	30	24	51	40	36	33	31	39	50	53	56	40
Sourisford	47	41	52	57	46	51	42	47	30	54	52	48	47
East Selkirk	33	40	46	42	39	33	30	34	35	42	38	45	38
Mean for Manitoba	39	39	45	51	47	47	41	44	38	51	47	54	45

TABLE XXI.—(Concluded)—*Percentage of Cloud in each month, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N. W. TERRITORY.													
Medicine Hat	53	27	56	58	51	61	43	52	44	43	59	56	50
Swift Current	53	45	47	51	46	58	43	43	33	40	45	51	46
Calgary	40	42	54	54	44	55	44	49	48	44	40	56	47
Qu'Appelle	30	26	36	47	50	45	42	46	31	44	34	55	41
Fort Chipewyan	51	39	57	53	69	..	..	..	..	73	70	49	..
Prince Albert	43	..	.	..	61	67	56	40	45	50	47	67	..
Mean for N. W. Territory	45	36	50	52	54	57	56	46	40	49	49	56	49
NEWFOUNDLAND.													
St. John.	69	54	74	80	71	55	63	52	67	67	64	77	66
Belle Isle	63	59	80	85	74	67	76	69	79	59	59	56	69
Mean for Newfoundland	66	56	77	82	72	61	70	60	73	63	61	67	67
BRITISH COLUMBIA.													
Fort Simpson	73	45	77	74	66	62	59	59	64	73	72	79	67
Port Moody	91	57	85	..	..	..	24	13	50	47	58	73	..
Mean for British Columbia	82	51	81	74	66	62	42	36	57	60	65	76	63

TABLE XXII.—*Percentage of Sky Clouded in the several Provinces of the Dominion of Canada in each Month and in the Year 1887.*

Ontario.	W. & S. W. District	70	76	55	50	37	45	33	37	47	57	61	72	53
	N. & N. W. District	66	65	50	54	36	49	38	38	47	63	67	81	55
	Central District	64	61	45	43	36	46	33	32	37	51	56	72	50
	N. E. & E. District.	63	60	50	49	39	49	42	37	49	65	68	74	54
Ontario		66	65	50	49	37	47	39	36	45	59	63	75	53
Quebec		67	57	63	50	46	49	54	46	53	69	72	69	58
New Brunswick		60	50	63	51	53	50	61	50	48	53	61	54	55
Nova Scotia		77	62	70	57	60	52	60	57	57	66	70	73	63
P. E. Island		68	56	75	72	65	52	71	55	57	71	75	84	67
Manitoba		39	39	45	51	47	47	41	44	38	51	47	54	45
N. W. Territory		45	36	55	52	54	57	56	46	40	49	49	56	49
Newfoundland		66	56	77	82	72	61	70	60	73	63	61	67	67
British Columbia		82	51	81	74	66	62	42	36	57	60	65	76	63

TABLE XXIII.—*Proportion of bright Sunshine registered in each hour of the day during which the Sun was above the horizon, 1887.*

WINNIPEG.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January	....	....	....	0·02	0·40	0·54	0·71	0·70	0·63	0·54	0·60	0·31	0·00	....	....	....
February	....	....	0·11	·30	·58	·61	·67	·70	70	·66	·64	·49	·20	0·01	....	....
March	....	....	·12	·48	·55	·55	·54	·54	·55	·56	·57	·57	·48	·08	0·00	....
April	....	0·15	·32	·44	·57	·64	·65	·70	·63	·62	·64	·51	·49	·35	·13	....
May	0·03	0·29	·53	·53	·55	·59	·65	·59	·56	·57	·41	·47	·49	·53	·41	S
June	0·30	·45	·57	·57	·60	·62	·78	·74	·84	·73	·69	59	·67	·63	·48	·18
July	·20	·55	·63	·67	·68	·66	·74	·78	·75	·76	·72	·64	·71	·68	·59	·29
August	....	·15	·42	·59	·67	·73	·72	·71	·70	·70	·71	·71	·60	·58	·30	S
September	....	S	·17	·57	·71	·71	·68	·71	·76	·75	·72	·70	·38	·10	S	....
October	....	....	....	·28	·48	·44	·48	·52	·60	·62	·57	·44	·18	....	....	....
November	....	....	....	·05	·29	·48	·60	·51	·50	·49	·48	·51	·14	....	....	....
December	....	....	....	....	·11	·26	·42	·43	·54	·55	·44	·23	....	....	....	....

WINDSOR.

January	....	....	....	0·05	0·22	0·26	0·30	0·29	0·28	0·33	0·40	0·39	0·17	....	....	....
February	....	....	0·03	·14	·28	·26	·22	·23	·25	·21	·19	·19	·09	0·00	....	....
March	....	....	·11	·47	·58	·60	·58	·57	·50	·51	·47	·44	·37	·10	·00	....
April	....	0·02	·18	·36	·45	·45	·63	·63	·67	·62	·61	·64	·54	·37	·10	....
May	0·00	·05	·40	·58	·60	·62	·66	·74	·74	·75	·67	·61	·61	·30	·12	....
June	S	·22	·57	·60	·62	·66	·67	·58	·68	·74	·70	·66	·62	·59	·48	·06
July	·00	·39	77	·80	·81	·84	·89	·90	·85	·85	·83	·81	·81	·78	·46	·06
August	....	·08	·56	·63	·66	·68	·71	·71	·62	·60	·58	·52	·53	·45	·03	....
September	....	....	·13	·46	·54	·56	·57	·53	·53	·47	·43	·44	·30	·08	....	....
October	....	....	....	·20	·43	·52	·59	·60	·56	·55	·47	·42	·28	·02	....	....
November	....	....	....	·12	·36	·44	·51	·50	·49	·49	·40	·30	·05	....	....	....
December	....	....	....	·02	·26	·35	·40	·28	·28	·23	·24	·16	....	....	....	....

TABLE XXIV—Continued)—*Proportion of Bright Sunshine, &c.*

STRATFORD.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January,.	....	....	....	0·02	0·16	0·20	0·23	0·23	0·24	0·22	0·19	0·12	....	....	...	....
February	....	....	...	·07	·18	·23	·21	·23	·22	·21	·19	·14	·06	·06	....	....
March	....	....	....	·22	·43	·44	·44	·44	·43	·45	·45	36	·27	·09	....	....
April	....	0·07	0·18	·27	·37	·43	·44	·48	·51	·50	·56	·48	·40	·34	·05	....
May	....	·18	·42	·56	·70	·79	·77	·72	·72	·68	·74	·74	·75	·64	·44	S
June	....	·25	·50	·54	·52	·61	·59	·62	·63	·65	·65	·69	·71	·63	·40	·08
July	....	·31	·78	·83	·85	·83	·82	·82	·86	·86	·81	·80	·78	·77	·62	·15
August	....	03	·32	·57	·67	·70	71	·68	·68	·72	·73	·70	·62	·56	·18	....
September	....	....	·08	·31	·47	·59	·66	·67	·61	·63	·53	·55	·37	·18	·07	....
October	....	....	....	·09	·37	·39	·42	·39	·44	·40	·35	·30	·13	....	....	....
November	....	....	....	·06	·22	·29	·30	·33	·34	·32	·29	·20	·10	....	....	....
December	....	....	....	....	·02	·14	·16	·16	·19	·21	·15	·12	·03	....	....	....

NIAGARA FALLS, S.

January	....	....	....	0·05	0·12	0·17	0·19	0·25	0·22	0·22	0·18	0·15	0·04	....	....	....
February	...	....	...	·07	·22	·29	·26	·27	·27	·33	·29	·17	·06	....	....	....
March	....	....	·10	·25	·35	·39	·43	·41	·41	·42	·47	·43	·38	·10	....	....
April	....	S	·20	·46	·57	·57	·55	·54	·47	·51	·59	·56	·42	·25	S	....
May	....	·13	·51	·67	·79	·82	·79	·76	·81	·83	·73	·67	·56	·48	·27	....
June	S	·25	·59	·58	·58	·55	·55	·56	·60	·62	·56	·60	·60	·60	·43	·03
July	S	·33	·58	·59	·67	·66	·72	·76	·77	·81	·80	·76	·76	·67	·34	S
August	....	·14	·46	·67	·76	·72	·75	·75	·79	·82	·83	·81	·78	·54	·14	....
September	....	....	·08	·33	·51	·61	·59	·63	·65	·62	·56	·48	·40	·15	....	....
October	....	....	....	·01	·20	·41	·50	·50	·51	·53	·47	·48	·24	S	....	....
November	....	....	....	·02	·29	·37	·42	·45	45	·42	·40	·31	·17	....	....	....
December	....	....	....	....	·08	·15	·24	·24	·25	·33	·28	·12	·02	....	....	....

TABLE XXV.—*Proportion of bright Sunshine, &c.*

WOODSTOCK.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January	....	....	....	0·01	0·06	0·17	0·23	0·22	0·24	0·24	0·19	0·12	0·04	....	....	....
February	....	....	....	·05	·19	·28	·32	·32	·31	·26	·20	·15	·12	....	....	....
March	....	....	0·10	·32	·45	·51	·53	·52	·54	·51	·45	·44	·35	·12	....	....
April	....	0·04	·20	·46	·60	·56	·58	·61	·59	·56	·55	·59	·39	·18	0 04	....
May	....	·10	·38	·66	·71	·71	·75	·74	·66	·72	·70	·72	·75	·63	·26	....
June	....	·22	·53	·56	·53	·51	·54	·55	·63	·63	·65	·70	·67	·70	·70	·08
July	....	·30	·58	·71	·75	·74	·74	·75	·80	·81	·81	·75	·75	·68	·51	·05
August	....	·03	·38	·65	·64	·68	·69	·72	·71	·76	·78	·67	·58	·39	S	....
September	....	....	·15	·45	·53	·61	·57	·61	·60	·57	·63	·56	·43	·18	....	....
October	....	....	....	·18	·40	·47	·45	·47	·49	·46	·46	·47	·33	·05	....	....
November	....	....	....	·06	·27	·38	·41	·41	·38	·36	·34	·30	·11	....	....	....
December	....	...	...	....	·08	·21	·27	·30	·28	·27	·26	·20	·06	....	...	....

TORONTO.

January	....	....	....	0·04	0·15	0·15	0·28	0·30	0·32	0 34	0·29	0·30	0·04	....	....	....
February	....	....	0·20	·15	·26	·40	·40	·36	·36	·33	·27	·19	·15	·07	....	....
March	....	....	·15	·36	·40	·46	·48	·47	·48	·48	·52	·51	·47	·24	....	....
April	....	S	·33	·48	·60	·65	·61	·52	·53	·49	·52	·41	·42	·33	·08	....
May	S	·24	·59	·67	·70	·77	·75	·79	·83	·75	·78	·80	·75	·64	·32	....
June	0·09	·37	·47	·52	·50	·52	·56	·56	·57	·52	·62	·67	·63	·58	·48	·07
July	·07	·53	·63	·70	·72	·74	·76	·75	·79	·76	·79	·79	·78	·70	·46	·05
August	....	·26	·56	·68	·72	·73	·74	·75	·74	·78	·74	·74	·63	·47	·12	....
September	....	·07	·33	·49	·48	·57	·61	·63	·61	·66	·67	·59	·48	·22	·05	....
October	....	....	·01	·30	·46	·55	·50	·55	·51	·46	·52	·44	·23	·05	....	...
November	....	....	....	·16	·35	·43	·42	·42	·39	·38	·37	·33	·14	....	....	....
December	....	....	....	·05	·13	·18	·20	·20	·23	·30	·21	·15	....	....	....	....

TABLE XXVI.—*Proportion of bright Sunshine, &c.*

LINDSAY.

	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.
January	....	....	....	0·05	0·11	0·19	0·28	0·33	0·38	0·33	0·32	0·27	0·19	S	....	....
February	...	....	...	·11	·27	·37	·40	·39	·39	·36	·36	·29	·10	·25	....	....
March	....	S	·23	·27	·41	·50	·46	·46	·49	·50	·48	·48	·45	32	S	....
April	....	40	·39	·43	·51	·56	·63	·62	·58	·55	·50	·44	·41	·38	·13	....
May	·24	·27	·40	·46	·65	·75	·74	·78	·86	·83	·79	·75	·74	·58	·38	·09
June	·32	·38	·39	·49	·53	·59	·64	·53	·62	·54	·55	54	·49	·53	·55	·24
July	·30	·54	·56	·60	·65	·70	·75	·76	·76	·80	·79	·74	·71	·69	·48	·28
August	....	·30	·31	·45	·66	·77	·77	·80	·77	·77	·75	·67	·56	·42	·12	S
September	....	·24	·31	·35	·43	·45	·47	·51	·52	·51	·57	·54	·44	·34	·25	....
October	....	....	·09	·15	20	·31	·40	·46	·48	·38	·37	·37	·28	·04	....	....
November	....	.. .	S	·25	·33	·38	·46	·43	·44	·36	·32	·23	·16	....	....	....
December	....	....	....	·04	10	·11	·15	·12	·13	·14	·16	·14	·07	....	....	....

BARRIE.

January	....	....	....	....	0·03	0·19	0·23	0·29	0·25	0·18	0·19	0·11	....	....	....	....
February	....	....	....	....	·10	·20	·29	·30	·33	·28	·22	·11	0·10	....	....	....
March	....	....	....	0·12	·32	·44	·44	·44	·46	·47	·51	·50	·37	0·01	....	....
April	....	....	0·06	·21	·37	.47	·49	·52	·45	·44	·39	·38	·35	·06	....	....
May	....	0·14	·42	·63	·66	·70	·74	·73	·75	·73	·70	·68	·61	·47	0·20	....
June	0·06	·26	·50	·50	·54	·54	·50	·49	·52	·59	·57	·58	·60	·56	·32	·05
July	·01	·36	·55	·64	·70	·66	·74	·73	·78	·76	·78	·80	·73	·54	·22	·05
August	....	·20	·58	·73	·77	·90	·88	·90	·85	·83	·85	·77	·52	·25	S	....
September	....	....	·03	·31	·39	·45	·48	·57	·62	·51	·59	·40	·12	·04	....	....
October	....	....	...	·39	·20	·28	·34	·42	·40	·35	·39	·21	·05	....	....	....
November	....	....	....	·05	·25	·34	·38	·38	·34	·32	27	26	·10	....	....	....
December	...	....	....	....	·03	·05	·05	·08	·09	·12	·09	·07	...	....	....	....

TABLE XXVII.—*Proportion of bright Sunshine, &c.*

KINGSTON.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January	....	....	....	....	0·13	0·26	0·26	0·29	0·25	0·25	0·31	0·27	0·02	....	....	....
February	....	....	0·09	0·36	·37	·37	·38	·35	·37	·34	·27	·15	·09	0·01	...	....
March	....	....	·16	·44	·47	·52	·54	·52	·50	·47	·41	·37	·39	·16	....	....
April	....	0·12	·43	·54	·65	·65	·65	·64	·66	·62	·66	·59	·50	·35	0·03	....
May	....	·04	·34	·57	·66	·71	·74	·79	·73	·71	·73	·67	·65	·63	·36	S
June	0·07	·44	·48	·48	·54	·54	·63	·60	·68	·71	·71	·70	·60	·49	·41	·10
July	·02	·38	·71	·72	·70	·75	·72	·74	·78	·80	·73	·65	·69	·61	·39	·11
August	....	·28	·62	·71	·75	·82	·82	·75	·78	·69	·71	·70	·72	·70	15	....
September	....	S	·13	·28	·45	·64	·64	·66	·63	·59	·51	·50	·47	·25	12	....
October	....	....	....	·02	·23	·34	·30	·33	·33	·37	·39	·38	·33	·20	....	....
November	....	....	....	·14	25	·37	·40	·40	·37	·35	·36	·28	·07	....	....	....
December	....	....	....	....	·15	·27	·28	·25	·20	·18	·23	·18	....	....	....	....

PEMBROKE.

January	....	....	..	....	....	....	....	...	....	....	...	....	....	....	....	....
February	....	....	0·10	0·44	0·48	0·52	0·60	0·56	0·55	0·59	0·58	0·43	0·09	....	....	....
March	....	0·01	·47	·52	·57	·61	·67	·73	·77	·73	·74	·73	·69	·57	·10	....
April	....	·27	·50	·52	·50	55	·59	·62	·66	·61	·58	·64	·63	·55	·30	....
May	S	·57	·59	·62	·73	·77	·82	·88	·88	·85	·85	·85	·81	·73	.59	·31
June	·00	·21	·14	·46	·64	·67	·62	·67	·71	·70	·66	·54	·32	·02	·00	....
July	·15	·22	·30	·51	·65	·69	·64	·66	·64	·72	·62	·57	·33	·06	·00	...
August	....	·00	·27	·69	·65	·66	·65	·66	·77	·74	·63	·57	·47	·15	·00	....
September	....	·02	·01	·19	·57	·61	·63	·6	·60	·55	·41	·32	·30	·00	....	....
October	....	....	·06	·08	·19	·26	·26	·28	·33	·37	·29	·28	·20	·10	....	....
November	....	....	....	·21	·25	·27	·32	·36	·39	·41	·36	·31	·21	·01	....	....
December	....	....	....	·39	·20	·22	·30	·35	·35	·34	·31	·23	....	....	....	....

TABLE XXVIII.—*Proportion of bright Sunshine, &c.*

CORNWALL.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January	....	....	S	0·07	0·07	0·20	0·30	0·35	0·37	0·31	0·27	0·21	0·04	....	....	....
February	....	....	0·00	·04	·24	·42	·46	·46	·43	·43	·39	·34	·24	0·04	....	....
March	....	....	0·00	·10	·45	·48	·55	·54	·52	·56	·57	·51	·39	·12	....	....
April	....	....	·02	·12	·46	·58	·62	·58	·57	·60	·64	·59	·53	·36	0·05	....
May	....	S	·33	·51	·58	·60	·70	·73	·74	·71	·71	·73	·65	·51	·24	....
June	0·01	0·20	·50	·53	·55	·55	·52	·58	·67	·69	·69	·70	·69	·64	·48	....
July	·00	·13	·51	·64	·70	·70	·70	·68	·69	·69	·70	·74	·70	·63	·52	S
August	·00	·04	·41	·58	·68	·77	·73	·75	·77	·77	·77	·75	·66	·56	·17	....
September	....	....	....	·47	·43	·54	·57	·56	·56	·53	·47	·36	·30	·13	....	....
October	....	....	....	·02	·21	·26	·27	·35	·36	·33	·27	·24	·07	....	....	....
November	....	....	....	·05	·20	·26	·35	·35	·34	·32	·25	·15	·12	....	....	....
December	....	....	....	....	·06	·15	·21	·23	·25	·27	·24	·13	....	....	....	....

MONTREAL.

January	....	....	....	0·00	0·07	0·20	0·32	0·36	0·39	0·36	0·30	0·20	0·07	....	....	....
February	....	....	....	·12	·30	·39	·47	·44	·47	·45	·41	·38	·17	....	....	....
March	....	....	·12	·34	·39	·46	·52	·56	·56	·55	·51	·45	·39	·03	....	....
April	....	·01	·34	·52	·52	·53	·57	·64	·71	·72	·71	·68	·60	·03	....	....
May	....	·16	·36	·49	·68	·75	·71	·76	·81	·78	·84	·79	·73	·61	·10	....
June	·04	·36	·49	·54	·56	·58	·59	·66	·65	·67	·65	·66	·61	·58	·20	....
July	·01	·28	·47	·59	·69	·71	·74	·67	·64	·68	·65	·72	·66	·62	·12	....
August	....	·12	·49	·58	·66	·72	·76	·75	·76	·77	·75	·74	·62	·44	....	....
September	....	....	·14	·41	·49	·52	·57	·59	·56	·59	·53	·52	·39	·11	....	....
October	....	....	....	·16	·32	·38	·44	·46	·42	·38	·31	·24	·11	....	....	....
November	....	....	....	·08	·21	·29	·35	·40	·41	·36	·35	·22	·07	....	....	....
December	....	....	....	....	·02	·14	·22	·36	·36	·32	·28	·13	....	....	....	....

TABLE XXIX.—*Proportion of bright Sunshine, &c.*

FREDERICTON.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January	....	....	....	0·08	0·27	0·34	0·38	0·41	0·43	0·41	0·40	0·37	0·09	....	....	....
February	....	....	....	·16	·42	·47	·57	·59	·60	·48	·57	·53	·40	0·40	....	....
March	....	....	0·12	·27	·34	·35	·39	·38	·35	·35	·35	·36	·36	·24	S	....
April	....	0·23	·46	·52	·53	·57	·59	·60	·59	·53	·52	·53	·51	·50	·24	....
May	S	·27	·39	·49	·56	·63	·65	·65	·63	·66	·59	·61	·62	·56	·40	S
June	0·03	·36	·56	·61	·63	·62	·79	·67	·72	·73	·73	·73	·73	·50	·27	0·14
July	....	·24	·33	·34	·40	·46	·54	·52	·55	·57	·55	·58	·62	·45	·42	·17
August	....	·16	·47	·50	·65	·68	·73	·71	·69	·68	·57	·55	·60	·52	·39	....
September	....	....	·12	·32	·56	·66	·68	·67	·60	·57	·55	·50	·50	·42	·30	....
October	....	....	·02	·27	·39	·47	·51	·54	·57	·58	·58	·57	·46	·23	....	....
November	....	....	....	·08	·22	·29	·34	·43	·44	·45	·43	·41	·27	....	....	....
December	....	....	....	·06	·30	·37	·45	·47	·55	·50	·52	·45	·03	....	....	....

SYDNEY.

January	....	....	....	0·05	0·24	0·29	9·30	0·38	0·33	0·31	0 31	0·26	0·06	....	....	....
February	....	....	0·04	·29	·37	·47	·54	·50	·50	·52	·53	·46	·34	0·01	....	....
March	....	....	·10	·37	·44	·45	·44	·47	·40	·38	·40	·39	·32	·11	....	....
April	...	·02	·19	·38	·36	·45	·40	·37	·36	·34	·31	·39	·31	·26	·05	....
May	0·04	·27	·34	·38	·38	·42	·46	·47	·52	·43	·47	·47	·39	·34	·34	0·02
June	·10	·35	·49	·60	·68	·67	·72	·71	·71	·71	·72	·71	·72	·66	·52	·32
July	·09	·31	·37	·58	·61	·62	·66	·64	·61	·56	·53	·56	·53	·54	·38	·11
August	....	·22	·50	·63	·67	·70	·70	·71	·68	·63	·64	·53	·51	·43	·18	....
September	....	....	·19	·42	·46	·46	·50	·53	·53	·57	·51	·45	·40	·27	·00	....
October	....	....	·04	·27	·39	·40	·34	·30	·28	·30	·32	·27	·24	·03	....	....
November	....	....	....	·05	·20	·24	·24	·23	·30	·30	·32	·22	·05	....	....	....
December	....	....	....	....	·06	·16	·18	·27	·32	·30	·24	·18	·02	....	....	....

TABLE XXX.—*Mean Proportion of bright Sunshine, constant sunshine being represented by 1.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Winnipeg, Man.	0·52	0·55	0·46	0·49	0·48	0·57	0·60	0·56	0·56	0·43	0·44	0·37
Windsor, Ont.	·28	·20	·44	·47	·52	·54	·71	·52	·40	·43	·37	·25
Stratford, Ont.	·17	·17	·34	·37	·60	·52	·71	·56	·45	·30	·25	·13
Woodstock, Ont.	·21	·21	·40	·43	·57	·51	·64	·54	·47	·32	·31	·16
Niagara Falls, S., Ont.	·17	·21	·35	·42	·59	·49	·61	·64	·45	·35	·34	·19
Toronto, Ont.	·24	·28	·42	·44	·63	·50	·66	·61	·56	·41	·35	·18
Lindsay, Ont.	·26	·31	·42	·47	·62	·51	·65	·58	·45	·32	·35	·12
Barrie, Ont.	·16	·18	·34	·31	·55	·47	·60	·67	·37	·30	·28	·06
Kingston, Ont.	·22	·30	·41	·52	·57	·52	·63	·65	·46	·29	·30	·20
Pembroke, Ont.	·44	·52	·65	·55	·73	·56	·50	·64	·56	·23	·32	·27
Cornwall, Ont.	·23	·33	·40	·42	·52	·52	·58	·51	·36	·21	·25	·17
Montreal, Que.	·29	·41	·46	·58	·66	·58	·63	·67	·49	·35	·33	·25
Fredericton, N.B.	·34	·50	·32	·52	·56	·56	·44	·56	·49	·46	·34	·41
Sydney, N.S.	·27	·44	·36	·31	·39	·60	·50	·55	·42	·29	·22	·20

TABLE XXXI.—*Number of days completely Clouded, 1887.*

Winnipeg, Man.	6	3	5	5	6	9	1	1	4	4	7	8
Windsor, Ont.	15	13	5	1	3	2	1	4	4	8	11	17
Stratford, Ont.	23	19	14	8	3	6	3	4	4	14	18	24
Woodstock, Ont.	16	13	6	5	3	1	0	3	3	5	11	21
Niagara Falls, S., Ont.	17	14	11	4	0	1	0	1	5	7	14	19
Toronto, Ont.	14	11	9	3	2	4	0	0	3	4	12	15
Lindsay, Ont.	11	12	8	2	1	4	0	0	8	9	12	19
Barrie, Ont.	14	15	10	5	3	3	0	0	7	10	14	24
Kingston, Ont.	11	12	7	4	4	3	0	0	1	4	11	18
Pembroke, Ont.	6	7	6	5	0	4	5	3	8	18	13	17
Cornwall, Ont.	14	14	7	5	4	5	5	2	7	11	1	19
Montreal, Que.	15	12	10	4	1	4	1	2	4	6	12	13
Fredericton, N.B.	13	7	15	7	5	4	3	3	4	7	12	11
Sydney, N.S.	13	7	12	8	5	7	4	4	4	9	15	13

TABLE XXXII.—*Rainfall in inches in each Month and in the Year 1887, at the several Stations in the Dominion of Canada.*

	January.	February.	March.	April.	May	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO.													
Essex—													
Cottam	1·35	5·49	0·77	4·03	2·11	3·17	0·77	2·74	4·94	1·65	3·47	2·81	33·30
Maidstone	0·00	3·23	1·36	0.91	2·19	2·38	0·73	2·55	3·96	2·85	2·65	1·64	24 45
Windsor	0·13	4·62	0·79	0·90	2·37	3·87	0·98	2·59	3·32	1·83	2·52	2·05	25·97
Wheatley	0·94	6·32	1·15	1·27	2·70	2·60	1·58	3·01	4·96	1·80	1·80	2 92	31·05
Wanstead	....	....	....	1·29	2·46	5·59	1·59	1·46	1·93	2·01	1·55	1·91	....
Kent—													
Blenheim	2·41	4·34	1·88	1·34	2·60	4·83	3·27	2·37	3·17	1·76	3·52	1·46	32·95
Chatham	1·95	4·92	2·22	1·07	3·83	1·80	2·11	4·11	1·95	1·50	2 86	1·64	29·96
Dealtown	1·23	5·04	1·15	1·16	2·70	2·46	2·26	2·94	2·85	1·68	2·86	2·16	28·49
Ridgetown	0·21	4·95	1·03	1·53	3·71	1·87	0·44	2 79	3·39	1·62	2·71	2·15	26·40
Elgin—													
Aylmer	1·26	4·85	1·68	1·59	1·94	1·30	1·50	1·80	2 22	2·78	2·75	2·31	25·98
Cowal	0·82	4·60	0·85	0·90	2·49	1·53	1·67	2·18	2·33	1·24	2·66	3·40	24·67
Lyons	1·56	3·22	1·03	1·42	1·81	2·59	0·68	1·69	2·07	1·47	2 72	2·16	22·42
Port Stanly	0·87	4·66	1·41	1·28	1·52	1·13	1·84	2·84	2·21	2·14	2·53	1·94	24·37
St. Thomas	....	. ..	....	....	....	....	....	....	2·72	0·99	3·25	2·98	....
Norfolk—													
Port Dover	2·23	4·76	0·91	1·40	0·82	2·17	1·19	1·89	0·91	1.24	1·61	1·97	21·10
Simcoe	0·43	3·50	0·76	1·23	0·57	2·07	1·09	1·72	0·88	0·87	2·29	1·46	16·87
Welland—													
Niagara, South	0·90	3·81	1·06	1·57	1·50	2·02	1·50	1·69	1·38	3·91	2·75	1·51	23·60
Lambton—													
Birnam	0·74	4·04	0·97	1·77	1·85	3·07	2·14	1·71	1·67	2·65	2 37	2·17	25·05
Oil Springs	0·67	4·20	0·83	1·17	2·83	1·25	0 06	2·03	3·72	2·23	2·19	1·75	22·93
Petrolia	3·30	3·66	R	2·93	2·35	3·64	R	0 54	2 42	1·74	2·60	2·15	25·33
Sarnia	0·51	3·85	0·83	1·16	1·20	2·47	1·97	1·71	2·71	1·54	1·96	1·54	21·55
Thedford	0·33	2·34	0·94	1·52	2·45	2·02	1·71	3·69	1·85	2·86	2·57	2·34	24·62
Watford	0·50	4·25	0·82	1·51	1·80	1·81	1·05	1·58	1·69	2·55	2·74	2·82	23·12
Sombra	....	....	1·00	0·76	1·95	2·10	1·43	2·36	4·14	1·61	2·72	2·76	....
Haldimand—													
Cayuga	....	....	....	....	....	....	1·20	2·18	0·93	....	....	....	....

TABLE XXXII (Continued).—*Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Huron—													
Egmondville	....	....	2·50	1·29	1·06	2·47	0·88	1·85	0·86	3·65	....	....	....
Goderich	1·52	3·70	0·59	2·40	1·59	3·14	3·17	4·38	1·63	3·43	2·08	2·38	30·01
Goderich Lighthouse	1·05	1·20	0·60	1·05	1·65	2·83	2·66	1·23	1·27	2·64	2·14	1·60	19·92
Sunshine	2·30	1·93	0·33	1·26	0·25	5·67	2·11	1·19	0·51	4·01	2·24	2·55	24·35
Zurich	1·47	3·31	1·69	1·82	1·90	2·82	1·86	2·18	0·81	6·50	2·69	2·33	29·38
Bruce—													
Lion's Head	1·52	2·20	0·00	2·48	0·94	1·73	1·61	0·21	2·71	3·51	....	....	....
Point Clark	0·98	0·51	R	2·89	1·03	3·36	3·68	0·60	1·28	2·93	1·76	2·37	21·39
Saugeen	1·86	2·01	0·15	1·98	1·05	1·97	1·23	0·81	1·30	3·24	1·96	1·82	19·38
Wiarton	1·86	1·46	0·10	2·00	0·72	1·89	3·09	0·59	1·74	4·21	1·56	2·63	21·85
Lucknow	2·29	1·63	0·64	1·75	0·96	4·51	4·01	0·85	0·91	6·64	3·96	2·69	30·84
Teeswater	....	....	....	2·15	2·50	2·60	1·40	1·00	1·22	....	....	....	....
Grey—													
Bognor	4·39	1·25	0·34	2·50	0·91	1·96	1·51	0·66	0·89	3·25	1·40	1·67	20·73
Durham	3·02	0·74	0·56	4·50	2·04	1·34	3·66	0·96	0·82	3·46	4·12	2·42	27·64
Egremont	2·03	1·75	0·75	1·98	1·96	2·58	2·04	1·79	1·40	3·90	2·05	2·42	24·65
Owen Sound	2·10	1·93	0·45	2·15	0·48	1·86	3·35	1·05	1·12	3·98	1·84	1·91	22·22
Presqu'Isle	1·50	2·50	0·00	2·15	0·43	2·17	2·37	0·80	2·05	4·63	2·05	1·60	22·25
Simcoe—													
Barrie	0·30	0·60	0·25	1·50	1·23	2·30	1·43	1·05	0·45	1·80	2·05	1·05	14·01
Coldwater	0·80	0·70	0·25	2·27	3·25	2·30	2·31	0·62	1·12	3·13	2·37	2·45	21·57
Orillia	R	R	R	1·90	0·90	2·06	0·97	0·12	0·92	3·99	2·01	R	12·87
Middlesex—													
Ailsa Craig	0·62	2·18	0·00	1·27	1·81	2·01	1·91	3·10	0·74	3·57	1·62	2·13	21·56
London	0·72	6·27	0·90	1·46	1·23	2·07	1·16	1·00	1·32	0·92	2·52	3·58	23·15
Wilton Grove	0·50	1·50	0·50	1·75	1·83	1·79	1·49	1·36	1·98	2·30	3·63	1·60	20·23

TABLE XXXII.—(Continued)—*Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Oxford—													
Norwich	....	....	....	....	0·52	1·65	0·91	1·89	0·82	2·98	1·65	0·25	....
Otterville	1·29	4·59	0·90	1·39	0·97	1·72	1·40	2·11	1·46	2·56	2·63	2·00	23·02
Princeton	0·92	0·47	1·25	1·15	0·50	3·33	0·60	2·49	1·77	2·17	1·33	2·14	18·12
Woodstock	1·12	3·28	2·18	0·94	0·96	2·34	0·43	2·04	1·74	2·28	2·77	2·11	22·19
Ingersoll	....	....	....	....	....	....	....	....	....	....	2·52	2·55	....
Brant—													
Brantford	R	0·50	0·00	1·78	1·15	2·87	1·47	1·84	1·56	1·88	2·09	1·82	16·96
Paris	0·97	4·20	0·75	1·68	1·05	3·16	1·01	1·34	2·07	2·36	2·56	1·85	23·00
St. George	1·01	3·53	0·71	1·10	0·94	3·40	1·97	1·54	1·77	2·32	2·63	1·74	22·66
Perth—													
Listowel	1·90	1·84	0·27	1·43	1·02	4·39	1·52	1·04	1·21	3·37	1·68	2·20	21·87
Stratford	1·26	4·75	0·54	2·07	2·13	2·68	4·29	2·50	2·26	4·69	2·25	2·92	32·34
Wellington—													
Drayton	3·00	1·00	0·50	0·71	2·25	1·75	0·80	0·55	0·20	3·20	0·10	0·80	14·86
Fergus	1·36	1·90	4·30	1·84	1·42	3·31	1·20	1·24	1·31	3·27	1·99	2·15	25·29
Guelph	R	R	0·32	1·19	1·40	2·48	0·52	2·74	1·57	1·79	1·51	1·46	14·98
Elora	1·80	3·86	0·64	1·68	1·20	3·84	0·78	1·59	1·48	3·15	2·43	2·54	24·99
Waterloo—													
Conestogo	1·28	3·67	0·54	1·54	1·76	2·35	0·82	1·21	1·87	2·56	2·07	2·10	21·77
Galt	1·02	3·92	0·50	1·54	0·48	3·22	0·58	1·23	1·44	2·42	2·52	2·26	21·33
Dufferin—													
Orangeville	1·97	1·45	1·22	1·91	1·65	2·38	2·98	1·67	1·08	2·30	2·23	2·09	22·93
Wentworth—													
Copetown	0·67	3·82	0·87	1·70	0·86	2·28	1·22	1·35	1·94	1·47	2·20	1·72	20·10
Hamilton	2·00	3·51	R	0·87	0·53	2·42	0·33	1·39	1·22	0·68	2·21	1·82	16·98
Stoney Creek	1·20	6·81	2·46	1·58	0·97	1·91	2·37	1·39	1·45	1·79	2·21	3·12	27·26

TABLE XXXII.—*Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Halton—													
Georgetown	1·10	2·91	0·51	1·78	1·19	3·20	0·41	0·96	1·25	2·12	2·27	2·49	20·19
Renfrew—													
Clontarf	1·13	0·53	R	2·43	1·81	2·69	2·00	1·47	0·52	1·91	0·78	0·84	16·11
Northcote	0·72	0·14	0 10	1·22	1·53	2·93	1·50	0·87	0·73	1·18	0 05	0·97	11·94
Pembroke	2·50	0·70	0·00	5·21	1·60	0·71	1·59	0·06	0·22	0·15	0·50	0·50	13·74
Rockliffe	0·00	0·37	0·00	1·77	1·17	1·93	1·32	1·50	0·70	1·08	0·24	0·51	10·59
Lanark—													
Oliver's Ferry	1·61	0·00	0·00	1·55	1·15	2·79	2·19	1·76	0·22	2·13	0·55	1·75	15·70
Victoria—													
Bobcaygeon	1·32	1 06	0·75	1·77	0·90	1·69	4·22	1·34	1·06	1·95	2·40	1·20	19·66
Lindsay	0·96	2·05	0·63	1·78	1·20	2 43	1·66	2·01	0·58	1·95	2·08	1·60	18·93
Minden	1·76	1·54	0·50	1·93	1·58	1·65	1·69	0·29	0 91	2·97	4·31	2·21	21·34
Peterborough—													
Burleigh	R	0·78	0·03	R	....	....	1 56	....	0 51	0·35	1·34	....	....
Ennismore	1·32	1·72	1·33	1·80	1·17	1·92	2·41	2·97	0·65	1·56	3·22	2·06	22·13
Lakefield	0·00	0·00	0·00	1·38	0·69	1·48	1·28	....	1·05	1·46	1·63	1·40	....
Norwood	2·02	1·38	1·18	3·68	1·05	1·40	2·83	1·37	0·82	1·51	2·28	1·50	21·02
Peterborough	0·80	1·00	1·00	1·00	0·43	1·33	2·85	1·52	0·64	1·25	1·59	1·80	15·21
Haliburton—													
Haliburton	1·40	0·75	0·40	1·33	2·16	1·61	1·91	0·38	1·73	2·24	0·79	1·62	16·32
Hastings—													
Belleville	0·89	1·15	0·59	1·75	0·53	1·86	0·92	1·50	2·17	2·61	1·49	1·13	16·59
Deseronto	1·18	2·05	0·64	1·02	0·36	1·06	1·60	0·35	0·97	2·30	1·83	0 93	14·29
L'Amable	2·15	1·22	0·03	1·92	1·86	1·54	1·64	....	....	....	....	...	....
Shannonville	1·32	2·42	0·82	1·26	0·95	1·61	1·27	0·98	1·12	3·11	1·05	1·94	17·85
Peel—													
Credit	....	....	....	1·21	0·84	2·89	1·21	0·90	1·14	1·51	2·37	....	....
Alton	1·32	1·48	0·54	2·00	1·37	2·11	2·80	1·13	1·21	1·65	1·91	2·48	20·00

TABLE XXXII. (Continued.)—*Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Parry Sound—													
Joly	1·53	1·54	0·00	1·67	0·77	2·00	5·59	1·73	0·66	3·09	0·52	0·48	19·58
Sprucedale	1·72	1·39	0·00	1·77	0·83	2·45	5·03	1·28	1·43	2·29	1·80	1·41	21·40
Parry Sound	1·96	1·39	0·05	1·42	0·58	2·05	4·36	0·76	2·23	3·39	1·92	2·13	22·24
Uplands	1·13	1·83	0·00	1·70	0·79	2·00	4·46	1·68	2·05	2·96	1·63	0·63	20·86
York—													
Aurora	0·83	0·81	0·30	2·14	1·36	3·17	1·57	0·52	1·26	1·54	1·44	1·18	16·12
Georgina	0·47	1·52	0·34	....	3·15	2·14	....	....	....	2·35	2·26	2·13	....
Scarborough	0·88	3·01	0·79	1·86	0·66	2·33	0·84	1·13	1·24	1·80	2·22	2·51	19·27
Toronto	0·75	2·12	0·61	1·60	0·81	2·65	0·66	1·99	1·20	1·62	2·04	1·92	17·97
Sharon	0·63	0·80	0·64	2·80	1·60	2·59	1·88	1·07	0·91	2·27	1·87	1·29	18·35
Maple	...	....	....	....	....	....	....	....	....	1·49	2·31	1·94	....
Northumberland—													
Warkworth	....	....	....	....	0·72	1·24	1·90	0·71	1·10	2·78	2·43	0·30	....
Ontario—													
Oshawa	1·09	2·27	1·23	1·67	0·63	2·07	2·11	0·95	0·92	2·16	2·99	1·15	19·24
Port Perry	1·28	1·96	1·12	1·79	1·35	2·02	2·41	1·03	1·17	2·00	2·51	1·45	20·09
Durham—													
Port Hope	1·43	3·67	1.10	2·30	0·70	1·66	1·27	0·78	1·11	2·17	1·61	2·38	20·18
Lennox and Addington—													
Denbigh	1·65	0·63	1·00	1·97	1·25	1·38	2·26	1·15	0·52	1·80	1·00	2·35	16·96
Harrowsmith	2·30	1·60	0·32	1·57	0·75	1·56	0·51	1·35	1·60	3·18	2·13	1·75	18·62
Frontenac—													
Kingston	1·11	1·91	0·46	1·68	0·76	2·20	3·17	1·28	1·90	4·51	1·95	2·07	23·00
Leeds and Grenville—													
Prescott	R	R	R	1·36	1·65	2·63	4·67	2·36	0·96	2·08	0·56	....	....
Stormont—													
Cornwall	0·60	0·25	0·00	1·25	1·27	1·72	2·44	1·07	0·43	2·97	1·01	1·05	14·06
Carleton—													
Ottawa	0·25	0·00	0·00	2·88	0·39	2·45	0·94	4·38	0·74	4·67	1·09	1·74	19·53
Fitzroy Harbour	1·50	0·00	0·00	0·90	1·20	1·00	2·25	0·70	0·47	1·45	1·00	....	....

TABLE XXXII (Continued.)—*Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
ONTARIO—*Concluded.*													
Muskoka—													
Axe Lake	0·00	0·00	0·00	2·53	0·85	2·68	4·25	1·43	1·81	2·45	0·00	0·00	16·00
Bala	1·45	0·78	0·18	1·85	0·27	2·72	2·37	1·25	0·72	4·57	2·19	2·37	20·72
Beatrice	1·55	1·60	0·18	1·90	2·06	2·54	2·45	1·45	1·44	3·71	1·38	2·36	22·62
Gravenhurst	1·21	3·59	0·25	1·40	2·04	2·17	1·41	0·68	1·04	1·92	1·95	2·17	19·83
Charlinch	1·97	2·28	0·19	2·03	0·80	2·71	3·96	1·32	1·87	2·33	1·79	1·99	23·24
Algoma—													
Port Arthur	0·00	0·00	R	0·19	2·35	1·68	9·21	1·02	2·49	2·50	0·66	0·03	20·13
Savanne	0·00	0·00	R	R	1·80	1·40	4·48	2·49	3·86	2·07	R	0·00	16·10
Little Current	0·08	0·00	0·40	2·12	2·79	1·37	2·56	2·31	1·19	2·94	2·38	2·46	20·60
Rat Portage	....	....	....	0·01	0·20	2·48	1·77	1·05	....	....	....	....	....
Kaministiqua	....	....	....	0·20	3·97	....	....	....	2·87	....	....	....	....
Barclay	....	....	....	0·67	2·79	3·56	3·14	1·35	1·21	....	....	....	....
Biscotasing	....	....	....	....	....	....	....	....	....	1·71	R	....	....
Nepigon	0·00	0·00	0·00	0·31	3·09	2·13	3·76	0·84	2·61	3·20	R	0	15·94
Heron Bay	0·00	0·00	0·00	R	1·12	3·52	2·90	0·50	1·70	3·40	0·00	0·50	13·64
Cartier	0·00	0·00	1·00	0·83	0·35	1·85	5·19	0·49	1·25	2·39	0·15	0·10	13·60
Buda	0·00	0·00	0·00	0·00	0·55	0·55	....	....	....	....	....	....	....
White River	0·00	0·00	0·00	1·10	0·81	1·82	7·03	....	2·13	3·02	0·00	R	....
Nipissing—													
Mattawa	....	....	0·14	1·70	0·29	3·31	3·00	2·03	1·25	0·71	....	....	....
Mean for Ontario	1·14	2·16	0·63	1·61	1·42	2·33	2·09	1·54	1·56	2·47	1·08	1·78	19·81

TABLE XXXII (Continued). — *Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
QUEBEC.													
Huntingdon	0·50	0·75	R	2·41	1·53	5·11	1·89	1·39	1·20	2·60	2·22	2·10	21·70
Montreal	1·41	0·79	0·11	3·02	1·26	2·44	2·66	1·72	1·32	2·93	1·76	1·93	21·35
Brome	0·52	R	R	1·33	1·76	4·13	3·08	....	....	....	....	R	....
Bird Rock	2·16	0·31	0·92	2·09	1·35	2·69	1·23	2·29	3·55	3·74	3·12	4·34	27·79
Danville	R	0·00	0·00	0·43	0·67	3·09	5·76	3·00	1·46	3·65	0·53	....	....
Quebec	1·39	0·47	0·04	1·93	0·27	2·59	3·72	3·87	1·54	3·19	0·78	0·17	19·96
Father Point	0·00	0·00	0·33	0·88	0·60	3·73	3·54	2·91	3·20	3·93	0·83	0·12	20·07
Cranbourne	1·05	0·61	0·00	1·70	0·94	3·91	4·94	4·39	2·20	2·47	0·50	1·02	23·73
Chicoutimi	0·00	0·00	0·00	0·69	1·70	4·22	6·21	2·65	2·41	2·28	1·30	0·60	23·06
Richmond	1·71	0·34	0·03	2·19	0·65	3·45	3·62	3·19	1·30	3·29	0·74	2·20	22·71
Anticosti, S. W. P.	0·00	0·00	0·10	1·25	1·79	2·24	4·16	1·47	1·51	2·61	0·92	0·00	16·05
" Heath Point	....	....	....	....	3·69	1·28	4·10	3·40	3·18	3·68	0·81	1·10	....
" West Point	....	....	....	0·67	1·79	1·31	4·28	2·32	0·93	2·38	....	....	....
Point des Monts	0·00	0·00	2·65	R	2·50	3·20	2·20	2·40	3·95	1·00	0·50	1·00	22·40
Cape Chatte	....	....	....	0·36	0·92	3·23	3·79	1·43	1·40	·39	0·36	....	....
Cape Magdalen	0·00	0·00	1·60	2·53	0·94	1·12	2·94	0·86	1·31	1·87	1·00	0·00	14·17
Bicquet	....	....	....	1·50	0·30	3·80	5·00	2·60	2·40	4·60	0·60	....	....
Cape Norman	0·36	0·00	2·00	0·88	1·05	1·54	2·61	3·94	1·18	2·65	1·99	1·36	19·56
St. Francis	0·10	0·35	R	1·91	1·69	0·98	5·07	4·66	2·24	3·08	R	1·00	21·08
Pointe Platon	....	....	....	....	....	....	4·53	3·19	1·78	....	....	....	....
Mean for Quebec	0·61	0·24	0·52	1·99	1·34	2·85	3·77	2·72	2·00	3·13	1·06	1·13	21·36
NEW BRUNSWICK.													
St. John	6·96	1·35	4·09	1·21	1·56	5·38	5·26	4·66	1·57	2·73	2·53	5·50	42·80
Fredericton	2·51	0·11	1·11	2·01	1·65	5·10	2·91	4·64	1·40	2·97	3·45	3·09	30·95
Chatham	1·13	0·00	2·08	1·00	1·50	2·52	3·92	3·40	1·37	3·02	3·68	1·47	25·09
Dorchester	4·90	R	1·51	1·14	1·57	3·76	3·60	3·21	3·20	4·35	4·32	4·71	36·27
Dalhousie	0·00	0·00	0·19	0·82	2·41	3·61	2·93	3·62	0·98	1·81	1·84	0·10	18·31
St. Andrews	3·70	1·52	2·57	1·69	2·36	4·83	5·78	4·26	0·80	3·31	2·73	3·09	36·64
Point Lepreaux	6·19	1·60	3·40	2·15	2·40	5·95	6·65	4·07	3·00	3·21	3·63	6·15	48·40
Bathurst	0·31	0·00	2·16	3·05	1·29	1·82	4·04	2·37	1·33	1·62	2·19	1·40	21·58

TABLE XXXII—(Continued).—*Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NEW BRUNSWICK—(*Con*)													
Grand Manan	5·26	1·33	3·83	1·96	3·13	2·45	3·41	5·57	3·10	1·62	2·97	5·41	40·04
Parker's Ridge	2·75	0·00	0·40	2·45	0·87	5·54	8·77	4·41	1·01	3·70	2·40	....	....
Woodstock	2·71	0·00	1·00	3·10	0·97	6·02	3·74	3·02	1·57	3·26	2·26	2·30	29·95
Mean for New Brunswick	3·31	0·54	2·03	1·87	1·79	4·27	4·64	3·93	1·67	2·87	2·91	3·02	32·85
NOVA SCOTIA.													
Halifax	5·33	4·94	2·54	5·76	2·13	2·11	2·05	8·35	3·24	3·06	6·72	3·62	49·85
Truro	3·74	0·80	2·18	4·44	1·32	2·56	0·93	8·30	2·90	2·39	4·79	4·18	38·53
Beaver Bank	....	....	....	....	....	3·06	1·26	8·24	3·76	2·46	4·58	....	....
Sydney	4·06	2·14	3·45	5·40	1·76	1·25	0·64	6·41	6·20	4·42	4·88	3·14	43·75
Cow Bay	3·46	1·69	2·80	4·00	1·49	1·74	1·16	3·91	3·42	4·80	4·77	3·09	36·33
Yarmouth	3 02	2·65	2·04	4·85	2·43	2·29	0·52	9·59	2·55	1·30	4·88	6·66	42·78
Pictou	5 55	1·51	2·62	3·83	1·44	2·72	1·43	8·23	2·43	2·10	3·93	3·15	38·86
Sable Island	2·16	1·18	2·52	3·24	1·04	1·84	5·66	9·00	5·53	2·35	6·38	1·85	42·75
White Head	R	R	....	....	0·50	....	1·58	11·57	2·89	3·23	3·20	2·89	....
Digby	0·50	....	1·00	1·00	0·50	1·30	0·80	3 20	5·10	1·30	0·46	6·30	....
Mean for Nova Scotia	3·09	1·86	2·40	4·06	1·40	2·10	1·60	7·68	3·80	2·74	4·46	3·88	39·07
P. E. ISLAND.													
Kilmahumaig	2·85	0·66	2·65	2·45	2·46	1·30	4·66	2·76	2·09	4·13	3·42	4·30	33·73
BRITISH COLUMBIA.													
Victoria	6·58	3·60	5·36	0·76	1·32	0·48	0·27	0·01	1·16	2·75	5·36	9·18	36·83
Port Moody	11·93	7·87	10·91	....	....	0·21	0·22	0·47	3·75	6·78	13·31	14·86	....
Quamichan	3·76	4·82	4·12	2·24	3·65	0·92	....	0·00	.. .	....	....	....	....
Fort Simpson	7·71	0·00	8·16	8·91	3·70	3·30	6·41	3·61	13·14	11·98	16·62	9 27	92·81
Langley	7·52	6·64	11·24	5·25	3·19	1·39	0·05	0·31	2·53	0·99	8·34	9·15	56 60
Clinton	0·00	0·00	0·00	....	....	....	....	....	....	R	1·00	0 00	....
Nicola Lake	0·29	0·12	0·31	1·38	0·55	1·97	0·69	0·47	0·49	0·70	0·86	0·12	7·95
Mean for British Columbia	5·40	3·29	5·72	3·71	2·48	1·65	1·53	0·81	4·21	4·64	7·58	7·10	48·12

TABLE XXXII (Continued.)—*Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA.													
Winnipeg	0·00	R	R	0·25	3·01	2·94	1·98	1·49	1·77	0 25	R	R	11·69
Stony Mountain	0·00	0·00	0·00	R	2·19	3·60	1·73	1·86	0·76	0·23	R	0·00	10·37
Minnedosa	0·00	0·00	0·00	0·10	2·24	6·95	1·89	1·53	1·15	0·30	0·02	0·00	14·18
Clandeboye	0·00	0·00	0·00	0·10	1·59	2·65	1·29	2·33	1·58	0·44	0·00	R	9·98
Foxton	0·00	0·00	0·00	0·27	2·36	4 88	0·75	1·55	0·99	0·42	0·00	0·00	11·22
Clarkleigh	0·00	0·00	R	0·82	0·62	6·41	2·30	1·59	1·19	1·51	0·00	R	14·44
Hillview	0 00	0·00	0·00	2·02	1·51	7·19	2·74	3·84	1·30	0·15	0·00	0·01	18·76
St. Albans	0·00	0·00	0·01	0·63	1·89	6·48	2·77	2·05	0·80	0·09	0·14	0·00	14·86
Sourisford	0 00	R	R	R	0·65	6·03	2·75	3·67	0·86	R	R	0·00	13·96
Shell River	0·00	0·00	0.00	0·10	2·31	5·99	2·51	2·85	2·18	0·20	R	0·00	16·14
Selkirk, E	0·00	0·10	0·11	0·38	3·59	2 63	1·78	1·63	1·74	0·33	0·14	R	12·43
Griswold	0·00	0·00	0·00	4·05	2·00	5·97	3·32	3·69	1·20	R	R	0·00	20·23
Gladstone	....	....	....	....	....	8 86	2·45	3·23	2·19	R	0·00	0·00	..
Portage la Prairie	0·00	0·00	R	0·42	4·10	3·30	2·27	1·04	1·43	0·15	0·06	R	12·77
Eden	0·00	0·00	0·01	0·30	2·55	8 76	2·34	1·76	0·81	0·14	0·00	0·00	16·66
Ossawa	0·00	0·00	0·00	0·18	3·88	4·33	....	....	....	....	....	....	....
Turtle Mountain	0·00	0·00	0·00	0·40	1·76	7·28	4·16	4·16	0·96	0·12	0·00	0·00	18·84
Shoal Lake	0·00	0·00	0·00	0·62	1·73	6·92	2·05	2·57	1·11	R	0·00	0·00	15·00
Birtle	....	....	....	....	....	....	....	1·46	1·73	0·00	....	...	....
Fort Ellice	0·00	0·00	0·00	1·00	0·75	5·65	1·72	0·14	1·60	1·05	0·00	0 00	11·91
Rapid City	0·00	0·00	R	1·54	2·51	6·61	3·25	1·97	0·87	0·18	0·02	0·00	16·95
Shadeland	0·00	0·00	0·00	0·81	2·53	3·69	1·85	1·85	....	....	....	....	....
Glendinning	0·00	0·00	0·00	R	1·49	5·48	....	3·20	1·66	....	....	...	....
Fairburn	0·00	0 00	0·00	0·11	1·28	6·58	2·93	2·94	....	....	....	0·00	....
Clearwater	0·00	0·00	0·00	0·15	1·55	4·64	4·22	1·94	....	....	....	....	....
Selkirk	....	....	....	....	1·71	2·44	1·23	2·12	0·50	....	....	....	....
Shellmouth	0·00	0·00	0·00	0·24	1·81	4·16	1·36	1·42	....	....	....	....	....
Swan Lake	....	....	....	....	....	6·31	7·22	3·93	2·25	....	....	....	....
Meadow Lea	....	....	....	....	...	3·42	1·67	1·11	1·22	....	....	....	....
Sunnyside	0·00	0·00	0·00	1·00	2 46	3·89	2·60	1·85	1·47	0·24	R	R	13.51

TABLE XXXII (Continued).—*Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August	September.	October.	November.	December.	YEAR.
MANITOBA—*Continued.*													
Stuartburn	0·00	0·00	0·00	1·28	4·11	7·25	4·38	0·74	0·44	0·00	0·00	0·00	18·20
Morris	0·00	0·00	0·00	1·16	4·12	2·85	5·98	1·74	0·46	0·12	0·00	0·00	16·33
Souris	....	....	....	....	0 67	5·35	3·35	2 72	1·12	0·00	0·00	0·00	....
St. Laurent	0·00	0·00	0·00	0 00	....	....	....	....	....	....	....	....	....
Napinka	....	....	....	....	....	7·35	5·95	4·92	0·62	R	0·00	0·00	....
Wakopa	0·00	0·00	0·00	1·70	1·94	6·24	3·79	2·19	1·14	0·62	0·00	0·00	17·62
Otenaw	0·00	0·00	0·00	0·42	....	....	....	....	....	....	....	....	....
Florenta	....	....	....	....	....	1·78	1 88	4·41	7·83	0 30	R	0·00	....
Norquay	....	....	....	....	....	....	3 52	2·53	0·89	0·30	0·00	0 00	....
Bradwardine	0·00	0·00	0·00	0 08	1·44	....	....	1·39	1·30	0·00	0·00	0·00	....
Beaver Creek	....	....	....	....	....	5·49	1·77	1·03	0·97	....	....	....	....
Treherne	0·00	0·00	0·02	0·15	3·08	6·44	3·10	1·67	1·13	0·00	R	0·00	15·59
Griswold	....	....	....	....	....	2·94	2·96	2·92	1·02	0 00	0·00	0·00	....
Lintrathen	....	....	....	0·38	3·17	4·64	4·95	7·08	....	...	....	....	....
Craigilea	0·00	0·00	0·00	0·14	1·86	9·03	4 32	3·42	1·84	0·48	0·00	0·00	21·09
Kola	....	....	....	..	....	....	....	....	1·08	0·08	0·00	0·00	....
St. Francis Xavier	0·00	0·00	0·00	0·01	....	....	2·61	....	....	....	0·00	...	....
Treherne (2)	0·00	0·00	R	0·74	5·00	6 80	3·63	2·71	0·80	0·23	0·13	R	20 04
Holmfield	....	....	....	....	....	....	....	....	0·39	R	R	0·00	....
Strathelair	....	....	....	....	....	6·51	1·08	2·87	0 30	0·00	0·00	0·00	....
Rossburn	0·00	0·00	0·00	0·07	2·83	5·27	2·32	2·23	2·56	0·09	0·00	0·00	15·37
Gretna	0·00	0·00	0·00	0·12	3·65	3·50	2·64	1·37	1·00	0·00	0·40	0·00	12·68
Cartwright	0·00	0·00	0·00	0·98	1·81	6·11	5·60	2·82	1·66	0·38	0·31	0·00	19 67
Strathelair (2)	0·00	0·00	0·00	....	2·10	4·25	0·90	1·50	....	....	....	0·00	....
Elm Valley	0·00	0·00	0·00	0·46	1·08	6·80	2·80	4·48	0·96	0·00	0·00	0·00	16·58
Moropano	0·00	0·00	0·00	0·32	1·89	6·63	6·50	1·07	....	....	....	....	....
St. Anne	0·00	0·00	0·00	0·69	2·43	6·69	2·39	1·42	....	....	....	....	....
De Clare	0·00	0 00	0·00	R	1·92	7·81	....	2·62	1·05	R	0·00	0·00	....
Hartney	0·00	0·00	0·00	0·55	2·06	7 76	4·67	4·42	1·24	0·11	0·00	0·00	20·81
Pilot Mound	0·00	0·00	0·00	0·49	1·71	3·07	1·49	3·17	0·17	0·20	0·00	0·00	10·30

TABLE XXXII (Continued). *Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA—*Concluded.*													
Morden	....	....	....	....	....	....	....	0·30	....	....	0·00	0·00	....
Greenwood	....	....	....	0·98	2·43	4·54	....	....	....	....	....	....	....
Burnside, C.P.R.	0·00	0·00	0·00	0·10	2·25	4·11	2·04	1·31	1·04	0·12	0·00	0·10	10·97
Chater, C.P.R.	0·00	0·00	0·00	0·03	1·25	3·23	1·69	0·64	0·40	0·10	0·00	0·00	7·34
Beausejour, C.P.R.	0·00	0·00	0·00	0·45	2·16	4·81	1·30	1·65	1·00	0·20	0·00	0·00	11·57
Austin, C.P.R.	0·00	0·00	0·00	0·00	2·40	6·87	1·70	0·75	0·70	0·00	0·00	0·00	12·42
Bagot, C.P.R.	0·00	0·00	0·00	0·00	1·50	1·14	....	....	....	....	....	....	....
Rosser, C.P.R.	0·00	0·00	0·00	0·46	2·46	2·71	2·13	1·09	1·03	....	....	....	....
Sewell, C.P.R.	0·00	0·00	0·00	0·17	5·80	2·20	0·27	0·50	....	....	....	....	....
Elkhorn	0·00	0·00	....	....	....	5·92	4·07	1·77	....	....	....	....	....
Swampy Island	0·00	0·00	0·00	0·54	2·17	4·55	1·35	0·41	4·21	0·64	0·00	0·00	13·87
Gladstone (2)	0·00	0·00	R	0·91	3·23	7·98	1·70	2·30	2·14	0·38	R	0·00	18·64
Fairford	....	....	....	....	2·54	4·51	....	....	....	....	....	....	....
Douglass	....	....	....	....	3·61	7·27	....	....	....	....	....	....	....
Morris (2)	0·00	0·00	0·00	1·18	2·98	3·35	7·34	....	....	....	....	....	....
Livingstone	....	....	....	....	....	8·86	2·45	3 23	2·18	R	0·00	0·00	....
Mean for Manitoba	0·00	R	0·03	0·53	2·29	3·81	2·84	2·25	1·36	0·20	0·02	R	13·33
N. W. TERRITORY.													
Qu'Appelle	0·00	0·00	0·00	0·10	2·06	4·38	1·31	2·40	0·86	0·32	R	0·00	11·43
Medicine Hat	0·00	0·00	0·00	0·42	0·12	5·75	0·29	0·98	0·41	0·46	0·00	0·00	8·43
Edmonton	0·00	0·00	0·00	0·00	1·01	2·45	2·33	2·75	0·64	0·30	0·00	0·00	9·48
Regina	0·00	0·00	0·00	0·01	0·14	0·70	0·01	0·24	0·34	0·03	R	0·00	1·47
Grenfell	0·00	0·00	R	0·03	1·40	3·63	3·94	3·46	0·83	0·18	0·02	0·00	13·49
Chaplin	0·00	0·00	0·00	0·14	0·19	1·29	0·00	0·17	0·05	0·08	0·00	0·00	1·92
Calgary	0·00	0·00	0·00	0·00	0·69	2·15	3 54	2·19	1·54	0·04	0·00	0·00	10·15
Kilmap	0·00	0·00	R	0·29	2·41	4·43	1·92	0·76	1·49	0·95	0·02	R	12·27
Maple Creek	0·00	0·00	0·00	0·00	0·20	5·02	0·75	0·47	0·47	0·12	0·00	0·00	7·03
Gleichen	0·00	0·00	0·00	....	0·00	....	....	....	....	....	0·00	0·00	....

TABLE XXXII—(Concluded).—*Rainfall in inches, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N. W. TERRITORY—(*Con.*)													
Balgonie	0·00	0·00	0·00	0·15	0·81	2·70	1·14	0.21	0·63	0·00	0·00	0·00	5·64
Fort Chipewyan	0·00	0·00	R	0·02	0·96	....	....	....	....	0·25	R	0·00	....
Pheasant Forks	0·00	0·00	0·00	R	0·41	1·12	0·52	0·27	0·37	0·00	0·00	0·00	2·69
Prince Albert	0·00	....	....	....	2·13	3·57	1·39	1·08	0·42	0·00	0·00	0·00	....
Moose Jaw	0·50	0·00	0·25	0·30	1·10	1·17	....	0·40	0·45	0·05	0·00	0·00	....
Swift Current	0·00	0·00	0·10	1·10	1·55	3·85	3·70	1·62	1·44	0·52	R	0·00	13·88
Moosomin	0·00	0·00	0·00	0·00	2·05	....	....	....	....	....	....	....	....
Fleming	0·00	0·00	0·00	0·00	3·01	5·90	....	....	....	....	....	....	....
Poplar River	0·00	0·00	0·00	0·33	2·10	4·95	1·07	....	....	....	....	....	....
Banff	....	....	....	....	....	....	....	....	....	....	0·00	0·00	....
Indian Head	0·00	0·00	0·00	0·05	....	....	....	....	....	....	....	....	....
Mean for N. W. Territory	0·02	0·00	0·02	0·16	1·18	2·07	1·56	1·21	0·68	0·22	R	0·00	7·12
NEWFOUNDLAND.													
St. John	3·76	1·11	6·22	4·26	3·95	1·01	2·10	3·75	5·78	4 49	5·16	3·35	44·94
Belle Isle	0·07	R	4·31	0·30	1·05	1·83	4·02	11·29	0·74	11·35	6·50	2·21	43·67
Point Rich	0·70	0·00	0·30	1·50	3·75	2·00	2·09	5·49	1·74	2·29	4·60	1·90	27·36
Mean for Newfoundland	1·51	0·27	3·61	2·02	2 92	1·61	2·74	6·84	2·75	6·04	5·42	2·49	38·22

TABLE XXXIII.—*Quarterly Rainfall at the several Stations, with the Fall of Snow in each Month, and the Total Precipitation of Rain and Melted Snow expressed in inches, during the Year 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	Total Precipitation.
ONTARIO.															
Essex—															
Cottam	7·61	9·31	8·45	7·93	33·30	15·8	6·7	5·6	2·8	0·0	0·0	0·6	9·1	41·1	37·41
Maidstone	4·59	5·48	7·24	7·14	24·45	..	..	..	2·0	..	..	..	..	....	....
Windsor	5·54	7·18	6·89	6·40	25·97	21.7	5·7	6·0	2·3	0·0	S	0·3	2·3	38·3	29·80
Wheatly	8·41	6·57	9·55	6·52	31·05	17·3	5·0	9·5	3·0	0·0	0·0	0·0	7·5	42·3	35·28
Wanstead	....	7·34	4·98	5·47	....	..	..	..	..	..	..	1·5	8·0	....	....
Kent—															
Blenheim	8·63	8·77	8·81	6·74	32·95	16·0	5·0	3·0	0·0	0·0	0·0	6·5	14·0	44·5	37·40
Chatham	9·09	6·70	8·17	6·00	29·96	9·8	1·2	3·7	*	0·0	0·0	4·8	7·1	26·6	32·62
Dealtown	7·42	6·32	8·05	6·70	28·49	12·3	1·5	3·8	0·0	0 0	0·0	7·0	5·5	30·1	31·50
Ridgetown	6·19	7·11	6·62	6·48	26·40	21·0	6·0	7·5	*	0·0	*	8·0	15·0	57·5	32·15
Elgin—															
Aylmer	7·79	4·83	5 52	7·84	25·98	25·0	8·0	4·0	0·0	0·0	0·0	8·5	19·0	64·5	32·43
Cowal	6·27	4 92	6·18	7·30	24·67	24·8	6·0	10·8	0·0	0·0	0·0	5·5	11·0	58·1	30·48
Lyons	5·81	5·82	4·44	6·35	22·42	25·8	5·8	5·0	0·0	0·0	0·0	11·0	8·5	56·1	28·03
Port Stanley	6·94	3·93	6·89	6·61	24·37	16·2	9·4	3·5	0·2	0·0	*	9·6	1·37	52·6	29·63
St. Thomas	....	....	....	7·22	....	..	..	..	..	..	*	9·0	17·7	....	...
Norfolk—															
Port Dover	7·90	4·39	3·99	4·82	21·10	25·5	4·1	3·4	0·5	0·0	0·0	4·2	7·5	45·2	25·62
Simcoe	4·69	3·87	3·69	4·62	16·87	21·0	3·6	5·0	*	0·0	0·0	4·0	7·4	41·0	20·97
Welland—															
Niagara Falls, South	5·77	5·09	4·57	8·17	23·60	20·5	7·5	7·0	0·0	0·0	0·0	3·5	8·3	46·8	28·28
Lambton—															
Birnam	5·75	6·69	5·42	7·19	25·05	38·0	11·6	7·9	*	0·0	0·0	3·0	19·4	79·8	33·04
Oil Springs	5·70	5·25	5·81	6·17	22·93	20·7	2·2	8·0	0·0	0·0	*	3·5	10·7	43·1	27·24
Petrolia	6·96	8·92	2·96	6·49	25·33	14·0	6·2	6·5	0·0	0·0	0·0	1·2	6·2	34·1	28·74
Sarnia	5·19	4·93	6·39	5·04	21·55	1·5	0·7	1·2	0·0	0·0	0·0	0·0	8·0	11·4	22·69
Thedford	3·61	5·99	7·25	7·77	24·62	39·0	8·0	5 0	*	0·0	*	*	10·0	62·0	30·82
Watford	5·57	5·12	4·32	8·11	23·12	..	..	.	..	..	..	..	..	....	....
Sombra	....	4·81	7·23	7·09	....	..	..	9·1	0·4	0·0	2·3	2·0	7·9	....	....
Haldimand—															
Cayuga	....	....	4·31	....	....	..	..	..		..	..	..	..	....	....

TABLE XXXIII—(Con.).— *Quarterly Rainfall at the several Stations, &c. 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.									Total Precipitation.
						January.	February.	March.	April.	May.	October.	November.	December.	Year.	
ONTARIO (*Continued.*)															
Huron—															
Egmondville	...	4·82	2·59	....	....	..	..	.	..	..	..	..	..	..	....
Goderich	5·81	7·13	9·18	7·89	30·01	23·5	17.8	8·5	0·5	0·0	0·3	5·0	13·0	68·6	36·87
Goderich, L. House	2·85	5·53	5·16	6·38	19·92	27·0	22·0	10·0	1·0	0·0	0·0	1·5	18·0	79·5	27·87
Sunshine	4·56	7·18	3·81	8·80	24·35	41·3	56·0	13·8	2·5	0·0	1·5	7·0	19·8	141·9	38·54
Zurich	6·47	6·54	4·85	11·52	29·38	34·0	16·5	8·9	0·3	0·0	0·0	4·5	17·1	81·3	37·51
Bruce—															
Lion's Head	3·72	5·15	4·53	....	...	..	..	..	..	..	..	..	..	..	....
Point Clark	1·49	7·28	5·56	7·06	21·39	48·0	31·0	8·0	*	0·0	*	0·0	12·0	99·0	31·29
Saugeen	4·02	5·00	3·34	7·02	19·38	44·8	36·3	12·8	3·5	0·0	2·6	6·4	37·6	144·0	33·78
Wiarton	3·42	4·61	5·42	8·40	21·85	41·5	44·0	10·0	1·6	0·0	0·5	6·5	17·5	121·6	34·04
Lucknow	4·56	7·22	5·77	13·29	30·84	34·8	30·3	9·1	0·8	0·0	0·7	5·2	25·9	106·8	41·52
Teeswater	....	7·25	3·62	....	...	..	..	..	2·0	..	..	..	..	.	....
Grey—															
Bognor	59·8	5 37	3·06	6·32	20·73	41·5	24·0	8·5	1·0	0·0	3·0	14·0	21·0	113·0	32·03
Durham	4·32	7·88	5·44	10·00	27·64	36·0	45·0	12·0	4·0	2·0	4·0	10·0	29·0	142·0	41·82
Egremont	4·53	6·52	5·23	8·37	24·65	14·5	18·0	5·5	3·7	0·0	3·0	8·5	19·5	72·7	31·92
Owen Sound	4·48	4·49	5·52	7·73	22·22	46·0	26·0	11·0	10·0	0·0	0·0	9·5	16·5	73·0	29·52
Presqu'Isle	5·00	4·75	5·22	7·28	22 25	33·0	28·0	15 0	4·0	0·0	3·0	12·0	18·0	113·0	33·55
Simcoe—															
Barrie	1·15	5·03	2·98	4·90	14·01	21·0	32·2	8·4	0·5	0·0	4 3	20·2	11·9	98·5	23·86
Coldwater	1·75	7·82	4·05	7·85	21·57	17·7	31·7	23·0	2·4	0·0	4·2	24 7	20·4	144·1	35·98
Orillia	0·0	4·86	2·01	6·00	12·87	35·8	41·5	16·0	0·8	0·0	6·5	29·5	21·5	151·6	28·03
Middlesex—															
Ailsa Craig	2·80	5·69	5·75	7 32	21·56	5·40	6·0	6·0	0·0	0·0	0·0	.6·0	19·0	91·0	30·66
London	7·89	4·76	3·48	7·02	23·15	31·5	19·9	10·1	*	0·0	*	7·2	21·0	89·7	32·12
Wilton Grove	2 50	5·37	4·83	7·53	20·23	20·7	2·2	8·0	0·0	0·0	*	3·5	10·7	45·1	24·74

TABLE XXXIII (Continued)—*Quarterly Rainfall at the several Stations, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.									Total Precipitation.
						January.	February.	March.	April.	May.	October.	November.	December.	Year.	
ONTARIO.—*Continued.*															
Oxford—															
Norwich	....	....	3·62	4·88	....	..	..	..	..	..	..	3·0	5·0	....	....
Otterville	6·78	4·08	4·97	7·19	23·02	26·2	7·6	3·5	0·0	0·0	0·0	9·5	10·4	57·2	28·74
Princeton	2·64	4·98	4.86	5·64	18·12	28·0	5·0	6·0	0·0	0·0	2·0	1·6	14·5	57·1	23·83
Woodstock	6·58	4·24	4·21	7·16	22·19	35·5	13·1	12·3	1·0	0·0	*	4·1	13·0	75·0	29·69
Ingersoll	....	....	....	..	....	..	..	..	..	..	..	12·8	26·2	....	....
Brant—															
Brantford	0·50	5·80	4·87	5·79	16·96	22·0	4·0	4·0	*	0·0	2·0	4·0	5·0	41·0	21·06
Paris	5·92	5·89	4·42	6·77	23·00	31·0	8·0	4·6	*	0·0	0·0	5·0	5·7	54·3	28·43
St. George	5·25	5·44	5·28	6·69	22·66	28·8	21·6	7·4	0·8	0·0	1·4	5·8	8·7	74·5	30·11
Perth—															
Listowel	4·01	6·84	3·77	7·25	21·87	23·0	43·0	13·8	4·0	0·0	2·5	11·5	34·0	131·8	35·05
Stratford	6·55	6·88	9·05	9·86	32·34	41·3	19·3	10·0	0·3	0·0	2·0	5·5	18·4	96·8	9·68
Wellington—															
Drayton	4·50	4·71	1·55	4·10	14·86	7·8	11·5	4·0	0·0	0·0	1·0	*	6·0	30·3	17·89
Fergus	7·56	6·57	3·75	7·41	25·29	32·5	41·5	18·6	4·0	0·0	2·0	10·1	27·1	135·8	38·87
Guelph	0·32	5·07	4·83	4·76	14·98	15·3	15·7	6·8	0·9	0·0	0·0	6·2	26·6	65·4	21·52
Elora	6·30	6·72	3·85	8·12	24·99	13·0	21·7	9·0	4·2	0·0	*	6·7	17·1	71·1	32·10
Waterloo—															
Conestogo	5·49	5·65	3·90	6·73	21 77	20·3	17·5	13·3	0·1	0·0	1·4	6·8	15·2	74·6	29·23
Galt	5·44	5·24	3·25	7·20	21·13	18·8	12·6	6·0	*	0·0	2·5	1·0	14·3	55·2	26·65
Dufferin—															
Orangeville	4·64	5·94	5·73	6·62	22·93	37·3	29·3	10·9	1·3	0·0	0·3	4·9	20·9	104·9	33·42
Wentworth—															
Copetown	5·36	5·84	4·51	5·39	20·10	24·9	13·9	5·0	0·2	0·0	*	4·6	10·2	58·8	25·98
Hamilton	5·51	3·82	2·94	4·71	16·98	10·5	11·0	*	0·0	0·0	0·4	*	*	21·9	19·17
Stoney Creek	10·47	4·46	5·21	7·12	27·26	31·0	10·0	8·0	*	0·0	*	3·0	10·0	62·0	33·46

TABLE XXXII (Con.)—*Quarterly Rainfall at the several Stations, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.								Total Precipitation.
						January.	February.	March.	April.	May.	October.	November.	December.	Year.	
ONTARIO—*Continued.*														
Halton—														
Georgetown	4·52	6·17	2·62	6·88	20·19	15·7	6·5	11·4	0·6	0·0	0·0	0·8	2·5	37·5	23·94
Renfrew—														
Clontarf	1·65	6·93	3·99	3·53	16·11	29·5	20·5	24·5	2·3	0·0	3·0	21·5	10·0	111·3	27·24
Northcote	·96	5·68	3·10	2·20	11·94	28·0	29·0	13·0	1·0	0·0	5·0	20·0	9·5	105·5	22·49
Pembroke	3·20	7·62	1·87	1·15	13·74	13·4	16·7	11·8	0·0	0·0	2·0	10·2	5·6	59·7	19·71
Rockliffe	·37	4·87	3·52	1·83	10·59	29·5	28·2	12·5	0·2	0·0	9·4	16·3	16·0	112·1	21·80
Lanark—														
Oliver's Ferry	1·61	5·49	4·17	4·43	15·70	30·5	27·0	10·0	0·6	0·0	0·2	0·8	0·8	69·9	22·69
Victoria—														
Bobcaygeon	3·13	4·36	6·62	5·55	19·66	27·4	36·9	14·1	0·0	0·0	0·0	6·7	13·8	98·9	29·55
Lindsay	3·64	5·41	4·25	5·63	18·93	27·8	55·4	17·9	0·5	0·0	1·6	17·0	18·2	138·4	32·77
Minden	3·80	5·16	2·89	9·49	21·34	22·8	50·2	20·8	1·5	0·0	0·0	12·5	27·0	134·8	34·82
Peterborough—														
Burleigh	0·81	....	....	....	....	14·3	20·8	6·0	..	..	2·7	9·0	..	....	....
Ennismore	4·39	4·89	6·03	6·84	22·13	19·8	25·3	14·0	2·0	0·0	2·0	9·8	12·5	85·4	30·67
Lakefield	0·00	3·55	....	4·49	....	33·5	28·7	17·8	0·8	0·0	0·5	10·8	11·2	....	....
Norwood	4·58	6·13	5·02	5·29	21·02	27·0	38·0	14·5	1·5	S	0·0	11·0	10·5	102·5	31·27
Peterborough	2·80	2·76	5·01	4·64	15·21	15·8	22·0	11·3	0·0	0·0	1·0	7·3	17·2	74·6	22·67
Haliburton—														
Haliburton	2·55	5·10	4·02	4·65	16·32	15·0	19·8	14·5	3·8	0·0	3·5	15·8	15·5	87·9	25·11
Hastings—														
Belleville	2·63	4·14	4·59	5·23	16·59	22·0	24·0	11·0	1·0	0·0	0·0	6·5	6·0	70·5	23·64
Deseronto	3·87	2·44	2·92	5·06	14·29	30·5	22·8	9·0	0·0	0·0	S	1·7	2·6	66·6	20·95
L'Amable	3·40	5·32	....	....	....	24·0	30·7	17·5	2·5	..	..	..	..	....	....
Shannonville	4·56	3·82	3·37	6·10	17·85	26·0	22·0	12·0	1·0	0·0	1·0	7·0	9·0	78·0	25·65
Peel—														
Credit	....	4·94	3·25	....	....	..	..	..	..	..	..	..	..	....	...
Alton	3·34	5·48	5·14	6·04	20·00	..	20·5	11·5	1·0	0·0	0·0	6·0	16·3	....	....

TABLE XXXIII (Continued)—*Quarterly Rainfall at the several Stations, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.								Total Precipitation.
						January.	February.	March.	April.	May.	October.	November.	December.	Year.	
ONTARIO—*Continued.*															
Parry Sound—															
Joly	3·07	4·44	7·98	4·09	19·58	44·5	27·5	13·5	1·0	0·0	8·1	24·6	25·0	144·2	34·00
Sprucedale	3·11	5·05	7·74	5·56	21·40	38·5	20·5	15·0	2·0	0 0	4·5	34·3	22·5	137·3	35·13
Parry Sound	3·40	4·05	7·35	7·44	22·24	30·0	19 2	11·5	3·3	0·0	6·7	21·6	25·8	118·1	34·05
Uplands	2·96	4·49	8·19	5·22	20·86	34·5	26·0	10·0	1·5	0·0	5·8	19·5	21·0	118·3	32·69
York—															
Aurora	1·94	6·67	3·35	4·16	16·12	13·5	22·2	5·5	0·0	0·0	S	8·2	15·1	64·5	22·57
Georgina	2·33	....	6·74	....	....	31·5	25·7	11·1	..	0·0	1·5	17·5	23·8	121·1	....
Scarborough	4·65	4·85	3·21	6·53	19·27	34·8	19·1	11·2	S	0·0	S	3·6	10·7	79·4	27·21
Toronto	3·48	5·06	3·85	5·58	17·97	24·6	21·6	9·0	0·1	0·0	0·1	7·6	14·9	77·9	25·76
Sharon	2·07	6·99	3·86	5·43	18·35	18 0	30·1	9·4	S	0·0	S	13·9	18·0	91·4	27·49
Maple	....	....	....	5·74	....	..	..	..	..	..	..	7·0	14·9	....	....
Northumberland—															
Warkworth	....	....	3·71	5·51	....	..	..	..	..	..	..	4·5	7·0	....	....
Ontario—															
Oshawa	4·59	4·37	3·98	6·30	19·24	23·5	20·4	10·4	0·0	0·0	0·0	0·7	23·1	78 1	27·05
Port Perry	4·36	5·16	4·61	5·96	20·09	..	..	..	..	..	..	..	..	....	....
Durham—															
Port Hope	6·20	4·66	3·16	6·16	20·18	44·0	28·0	12·0	0·0	0·0	0·0	3·5	8·5	96·0	29·78
Lennox, Addington—															
Denbigh	3·28	4·60	3·93	5·15	16·96	16·0	29·0	18·5	0·0	0·0	5·5	12·5	10·0	91·5	26·11
Harrowsmith	4·22	3·88	3·46	7·06	18·62	26·0	32·0	10·0	0·0	0·0	0·5	6·0	9·0	83·5	26·97
Frontenac—															
Kingston	3·48	4·64	6·35	8·53	23·00	38·1	29·7	8·2	0·2	0·0	0·1	11·4	8·9	96·6	32·66
Leeds and Grenville—															
Prescott	R	5·64	7·99	....	....	41·5	31·8	18·5	0·3	0·0	0·5	6·5	..	....	....
Stormont—															
Cornwall	8·5	4·24	3·94	5·03	14·06	39·5	26·0	21·0	S	0·0	0·8	10·0	16·8	114·1	25·47
Carleton—															
Ottawa	·25	5·72	6·06	7·50	19·53	38·5	67·2	36 0	0·5	0·0	6·5	18·0	14·8	181·5	37·68
Fitzroy Harbour	1·50	3·10	3·42	....	....	12·5	24·0	25·0	S	0·0	0·0	3·5	..	....	....

TABLE XXXIII (Continued)—*Quarterly Rainfall at the several Stations, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	Total Precipitation.
ONTARIO—*Continued.*															
Muskoka—															
Axe Lake	0·00	6·06	7·49	2·45	16·00	31·0	34·6	16·0	4·3	0·0	7·5	27·3	24·0	144·7	30·47
Bala	2·41	4·84	4·34	9·13	20·72	30·0	38·5	16·3	1·0	0·0	5·0	14·9	20·5	126·2	12·62
Beatrice	3·33	6·50	5·34	7·45	22·62	32·5	33·0	15·4	3·3	0·0	9·5	24·8	22·5	141·0	36·72
Gravenhurst	5·05	5·61	3·13	6·04	19·83	24·8	31·5	14·5	3·0	0·0	5·0	18·0	18·8	115·6	31·39
Charlinch	4·44	5·54	7·15	6·11	23·24	43·4	25·5	13·9	7·4	0·0	10·5	32·3	24·8	157·8	39·02
Algoma—															
Port Arthur	0·00	4·22	12·72	3·19	20·13	9·4	8·9	5·2	6·2	0·0	0·1	10·0	14·1	53·9	25·52
Savanne	0·00	3·20	10·83	2·07	16·10	9·0	18·0	4·0	4·0	0·0	0·0	23·0	9·0	67·0	22·80
Little Current	0·48	6·28	6·06	7·78	20·60	23·5	4·0	*	21·0	0·0	*	8·0	50·0	106·5	31·25
Rat Portage	....	2·69	....	....	....	1·0	15·0	..	6·0	..	..	..	..	....	....
Kaministqua	....	....	....	....	....	11·0	..	10·0	6·0	..	..	..	..	....	....
Barclay	....	7·02	5·70	....	....	..	..	..	5·6	*	..	..	..	....	....
Biscotasing	....	....	....	....	....	..	..	..	.	..	..	3·0	16·0	....	....
Nepigon	0·00	5·53	7·21	3·20	15·94	11·5	26·5	10·5	14·3	0·0	11·0	19·0	18·0	110·8	27·02
Heron Bay	0·00	4·64	5·10	3·90	13·64	17·0	14·0	10·5	1·1	0·0	1·7	10·0	13·5	67·8	20·42
Cartier	1·00	3·03	6·93	2·64	13·60	34·0	26·5	2·0	3·0	0·0	9·3	29·5	21·6	125·8	26·18
Buda	0·00	1·10	....	....	....	13·0	27·0	12·0	12·0	..	.	..	..	....	....
White River	0·00	2·73	....	3·02	....	9·5	9·3	4·5	9·5	0·0	..	..	..	....	....
Nipissing—															
Mattawa	....	5·30	6·26	....	....	21·0	35·0	14·0	3·0	0·0	3·0	11·0	12·0	98·0	....
Mean for Ontario	3·93	5·36	5·19	5·33	19·81	25·7	21·4	10·4	1·7	*	1·8	9·3	14·8	85·1	28·32

TABLE XXXIII.—(Con.)—*Quarterly Rainfall at the several Stations, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.									Total Precipitation.
						January.	February.	March.	April.	May.	October.	November.	December.	Year.	
QUEBEC.															
Huntingdon	1·25	9·05	4·48	6·92	21·70	3·35	17·8	27·0	0·0	0·0	1·5	14·5	18·0	112·3	32·93
Montreal	2·31	6·72	5·70	6·62	21·35	5·01	34·1	31·1	S	0·0	3·1	25·9	24·9	169·2	38·27
Brome	0·52	7·22	....	....	....	22·0	16·0	27·0	0·8	0·0	..	..	23·0	..	....
Bird Rock	3·39	6·13	7·07	11·20	27·79	13·5	8·0	12·3	6·4	0·0	0·0	0·6	3·7	44·5	32·24
Danville	0·00	4·19	10·22	....	....	29·0	31·5	23·0	2·0	0·0	1·0	9·0	..	..	....
Quebec	1·90	4·79	9·13	4·14	19·96	47·8	32·1	17·2	8·1	0·0	5·2	31·9	34·0	176·3	37·59
Father Point	0·33	5·21	9·65	4·88	20·07	45·1	24·4	24·6	3·3	0·0	2·7	29·0	17·5	146·6	34·73
Cranbourne	1·66	6·55	11 53	3·99	23·73	61·7	48·5	27·5	10·0	0·0	18·4	15·2	21·7	202·0	43·93
Chicoutimi	0·00	6·61	11·27	5·18	23·06	15·6	32·9	12·5	2·0	0·0	5·1	0·1	21·8	90·0	32·06
Richmond	2·08	6·29	8·11	6·23	22·71	46·0	48·0	26·0	3·5	0·0	1·0	16·0	23·0	163·5	39·06
Anticosti, S. W. P.	0·10	5·28	7·14	3 53	16·05	38·0	23·5	21·0	10·0	0·0	0·0	3·5	25·5	121·5	28·20
" Heath Point	....	....	10·68	5·59	....	..	..	..	..	..	..	..	..	..	....
" W. P.	....	3·77	7·53	....	....	..	..	..	..	..	..	..	..	..	....
Point des Monts	2·65	5·70	8·55	5·50	22·40	78·0	95·0	65·0	25·0	0·0	8·5	42·0	34·0	347·5	57·15
Cape Chatte	....	4·51	6·52	....	....	..	..	..	..	..	..	.	..	..	....
Cape Magdalen	1·60	4·59	5·11	2·87	14·17	24·0	23·0	31·0	19·0	0·0	0·0	7·0	30·0	134·0	27·57
Bicquet	....	5·60	10·00	....	....	..	..	..	..	..	..	..	..	..	....
Cape Norman	2·36	3·47	7·73	6·00	19·56	28·5	32·5	20·7	17·0	17·0	0·0	10·9	6·9	133·5	32·91
St. Francis	0·45	4·38	11·97	4·08	21·08	48·0	47·0	24·0	3·0	0·0	2·0	10·0	19·0	153·0	36·38
Pointe Platon	....	....	9·50	....	....	..	..	..	..	..	..	.	..	.	....
Mean for Quebec	1·37	6·18	8·49	5·32	21·36	38·7	34·3	26·0	7·3	1·1	3·5	15·4	21·6	147·9	36·15
NEW BRUNSWICK.															
St. John	12·40	8·15	11·49	10·76	42·80	37·9	34·8	11·1	15·0	0·0	0·0	*	2·6	101·4	52·94
Fredericton	3·73	8·76	8 95	9·51	30·95	36·7	41·0	33·5	16·0	0·0	1·5	1·5	10·5	140·7	45·02
Chatham	3·21	5·02	8·69	8·17	25·09	50·6	43·6	27·9	17·9	0·0	1·8	14·3	29·2	185·3	43·62
Dorchester	6·41	6·47	10.01	13·38	36·27	47·0	37·1	13·4	27·4	0·0	*	0·0	3·0	127·9	49·06
Dalhousie	0·19	6·84	7·53	3·75	18·31	37·0	35·0	20·0	10·0	0·0	7·5	3·5	27·5	140·5	32·36
St. Andrews	7·79	8·88	10·84	9·13	36·64	40·5	36·9	20·2	11·8	0·0	0·0	0·0	5·8	115·2	48·16
Point Lepreaux	11·19	10·50	13·72	12·99	48·40	32·0	29·0	21·0	13·0	0·0	0·0	0·0	4·0	99·0	58·30
Bathurst	2·47	6·16	7·74	5·21	21·58	38·5	53·0	32·0	4·0	0·0	4·8	19·3	43·0	190·6	40.64

TABLE XXXIII (Continued)—*Quarterly Rainfall at the several Stations, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	Total Precipitation.
N. BRUNSWICK—*Con.*															
Grand Manan	10·42	7·54	12·08	10·00	40·04	18·4	28·3	8·6	12·5	0·0	0·0	S	17·2	85·0	48·54
Parker's Ridge	3·15	8·86	14·19	....	....	55·0	30·0	36·0	15·0	0·0	2·0	0·0	..	....	....
Woodstock	3·71	10·09	8·83	7·82	29·95	27·0	23·7	25·5	S	0·0	0·0	0·5	7·4	84·1	38·65
Mean for N. Brunswick	5·88	7·93	10·24	8·80	32·85	38·2	35·7	22·7	12·1	0·0	1·6	3·6	15·0	128·9	45·74
NOVA SCOTIA.															
Halifax	12·81	10·00	13·64	13·40	49·85	23·8	18·0	19·1	6·3	0·0	0·0	0·0	3·5	70·7	56·92
Truro	6·72	8·32	12·13	11·36	38·53	26·2	26·0	4·3	7·0	0·0	S	3·0	2·2	68·7	45·40
Beaver Bank	....	....	13·26	....	....	..	..	..	..	..	..	..	..	....	....
Sydney	9·65	8·41	13·25	12·44	43·75	26·2	29·6	12·8	2·6	0·0	0·0	4·5	1·6	77·3	51·48
Cow Bay	7·95	7·23	8·49	12·66	36·33	25·5	16·0	7·0	0·0	0·0	0·0	2·0	0·0	50·5	41·38
Yarmouth	7·71	9·57	12·66	12·84	42·78	33·1	15·9	33·6	8·5	0·0	0·0	0·6	12·3	104·0	53·18
Pictou	9·68	7·99	12·09	9·18	38·86	21·5	12·5	4·0	9·8	S	S	1·5	8·5	57·8	44·64
Sable Island	5·86	6·12	20·19	10·58	42·75	S	4·0	3·0	3·0	0·0	0·0	0·0	6·0	16·0	44·35
White Head	....	....	16·04	9·32	....	7·0	6·0	S	S	S	0·0	S	S	13·0	....
Digby	....	2·80	9·10	8·06	....	28·5	—	—	—	—	S	0·0	9·0	....	....
Mean for Nova Scotia	7·35	7·56	13·08	11·08	39·07	21·3	16·0	10·5	4·6	0·0	0·0	1·3	4·8	58·5	44·92
P. E. ISLAND.															
Kilmahumaig	6·16	6·21	9·51	11·85	33·73	34·5	26·5	6·8	12·0	S	S	S	16·3	96·1	43·34
BRITISH COLUMBIA.															
Victoria	15·54	2·56	1·44	17·29	36·83	1·0	24·0	0·0	9·0	0·0	0·0	2·1	0·0	27·1	39·54
Port Moody	30·71	....	4·44	34·95	....	2·3	2·1	1·5	0·0	0·0	0·0	1·0	0·5	7·4	35·69
Quamichan	12·70	6·81	....	....	....	1·0	32·0	..	.	..	..	..	..	....	....
Fort Simpson	15·87	15·91	23·16	37·87	92·81	42·6	27·0	6·4	S	..	..	1·0	11·1	....	....
Langley	25·40	9·83	2·89	18·48	56·60	6·0	8·0	6·0	0·0	0·0	0·0	0·0	1·0	21·0	58·70
Clinton	0·00	....	....	1·00	....	13·0	5·4	8·4	3·0	0·5	1·0	1·1	1·3	33·7	....
Nicola Lake	0·72	3·90	1·65	1·68	7·95	5·4	2·8	0·7	0·0	0·0	1·5	0·0	4·3	14·7	9·42
Mean for B. Columbia	14·41	7·84	6·55	19·32	48·12	10·2	14·5	3·8	0·5	0·1	0·5	0·9	3·0	33·5	51·47

TABLE XXXIII (Continued)—*Quarterly Rainfall at the several Stations, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.								Total Precipitation.
						January.	February.	March.	April.	May.	October.	November.	December.	Year.	
MANITOBA.															
Winnipeg	0·00	6·20	5·24	0·25	11·69	7·1	11·9	9·3	8·9	*	2·1	10·1	13·5	62·9	17·98
Stony Mountain	0·00	5·79	4·35	0·23	10·37	2·3	8·4	4·1	5·1	0·0	*	4·5	3·8	28·2	13·19
Minnedosa	0·00	9·29	4·57	0·32	14·18	4·9	5·0	2·1	8·3	1·5	1·3	8·5	8·2	39·8	18·16
Clandeboye	0·00	4·34	5·20	0·44	9·98	5·7	6·1	9·8	4·6	0·0	0·4	12·2	8·6	47·4	14·72
Foxton	0·00	7·51	3·29	0·42	11·22	10·0	8·1	3·5	2·8	0·0	*	8·2	..	....	....
Clarkleigh	0·00	7·85	5·08	1·51	14·44	10·0	10·7	9·3	6·5	2·3	0·9	18·1	6·5	64·3	20·87
Hillview	0·00	10·72	7·88	0·16	18·76	6·5	4·5	11·5	10·0	2·0	1·5	10·0	13·0	59·0	24·66
St. Albans	0·01	9·00	5·62	0·23	14·86	3·8	5·6	5·6	5·6	2·5	3·7	5·5	8·5	40·8	18·94
Sourisford	0·00	6·68	7·28	0·00	13·96	8·0	10·5	7·0	*	*	0·0	*	3·0	28·5	16·81
Shell River	0·00	8·40	7·54	0·20	16·14	5·3	7·2	4·0	5·3	*	3·0	6·3	13·5	44·6	20·60
Selkirk, E.	0·21	6·60	5·15	0·47	12·43	6·7	15·3	18·0	11·7	0·3	1·1	12·9	17·2	83·2	20·75
Griswold	0·00	12·02	8·21	0·00	20·23	..	..	..	..	2·0	0 5	5·3	..	....	....
Gladstone	....	....	7·87	....	....	..	..	..	..	..	*	..	28·5	....	....
Portage la Prairie	0·00	7·82	4·74	0·21	12·77	2·4	5·9	8·2	5·8	4·0	1·3	4·1	13·8	45·5	17·32
Eden	0·00	11·61	4·91	0·14	16·66	3·6	6·0	11·1	13·3	0·0	2·0	7·6	13·0	56·6	22·32
Ossawa	0·00	8·39	....	...	....	8·1	12·5	11·6	6·6	2·5	..	..	..	....	....
Turtle Mountain	0·00	9·44	9·28	0·12	18·84	7·0	4·0	2·5	5·0	3·0	*	..	..	....	....
Shoal Lake	0·00	9·27	5·73	0·00	15·00	..	..	7·0	8·3	0·5	1·5	4·5	10·0	....	....
Birtle	....	....	....	....	....	..	..	..	..	..	0·5	..	..	....	....
Fort Elliee	0·00	7·40	3·46	1·05	11·91	6·0	6·5	14·5	4·0	0·0	1·5	4·8	10·7	48·0	16·71
Rapid City	0·00	10·66	6·09	0·20	16·95	6·0	5·6	2·0	5·8	2·0	0·5	9·2	6·2	37·3	20·68
Shadeland	0·00	7·03	....	....	....	..	..	..	3·5	*	..	..	..	....	....
Glendinning	0·00	6·97	....	....	....	..	3·0	4·0	5·0	2·0	..	..	..	....	....
Fairburn	0·00	7·97	....	....	....	..	..	..	5·4	2 0	..	..	9·0	....	....
Clearwater	0·00	6·34	....	....	....	.	..	..	..	..	..	..	..	....	....
Selkirk	....	....	3·85	....	....	..	..	..	..	..	..	..	..	....	....
Shellmouth	0·00	6·21	....	....	....	..	..	..	..	..	..	..	..	....	....
Swan Lake	....	....	13·40	....	....	..	..	..	..	..	..	..	..	....	....
Meadow Lea	....	....	4·00	....	....	..	..	..	..	..	..	..	..	....	....
Sunnyside	0·00	7·35	5·92	0·24	13·51	2·5	6·5	6·0	5·0	0·0	0·8	6·5	8·5	35·8	17·09

TABLE XXXIII.—(Con.)—*Quarterly Rainfall at the several Stations, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.									Total Precipitation.
						January.	February.	March.	April.	May.	October.	November.	December.	Year.	
MANITOBA.—(*Con.*)															
Stuartburn	0·00	12·64	5·56	0·00	18·20	6·5	6·6	3·6	1·1	0·0	..	6·8	16·5	....	....
Morris	0·00	8·13	8·08	0·12	16·33	..	..	..	3·2	*	*	..	..	....	...
Souris	....	....	7·19	0·00	....	..	..	..	..	0·0	..	2·5	..	....	....
St. Laurent	0·00	....	....	....	....	10·0	10·5	3·0	4·5	..	..	..	..	....	....
Napinka	....	....	11·49	0·00	....	..	..	..	..	..	1·5	..	..	....	....
Wakopa	0·00	9·88	7·12	0·62	17·62	9·0	2·0	7·5	8·7	4·5	5·0	6·5	18·7	61·9	23·81
Otenaw	0·00	....	....	....	....	2·0	4·5	4·0	4·0	..	..	..	..	....	....
Florenta	....	....	14·12	0·30	....	..	..	..	..	..	2·0	3·0	..	....	....
Norquay	....	....	6·94	0·30	....	..	..	..	..	..	*	6·3	..	....	....
Bradwardine	0·00	....	....	0·00	....	..	..	..	4·0	3·0	2·0	..	..	....	....
Beaver Creek	....	....	3·77	....	....	..	..	..	..	..	..	.	..	....	....
Treherne	0·02	9·67	5·90	0·00	15·59	5·3	..	7·8	6·0	7·0	0·5	3·5	13·8	....	....
Griswold	....	...	6·90	0·00	....	..	..	..	.	..	..	..	7·(	....	....
Lintrathen	....	8·19	....	....	....	..	..	..	0·0	0·0	..	..	13·0	...	....
Craiglea	0·00	11·03	9·53	0·48	21·09	7·0	10·0	6·7	6·0	5·0	1·5	8·0	..	....	....
Kola	....	....	....	0·08	....	..	..	..	..	..	*	..	..	....	....
St. Francis Xavier	0·00	....	....	....	....	..	..	2·5	..	..	..	5·6	..	....	....
Treherne (2)	0·00	12·54	7·14	0·36	20·04	4·7	7·1	7·9	2·5	*	*	5·7	16·6	44·5	24·49
Holmfield	....	....	....	0·00	....	..	..	..	.	..	0·8	1·7	7·3	....	....
Strathclair	....	....	4·25	0·00	....	..	..	..	..	..	0·5	8·0	..	....	....
Rossburn	0·00	8·17	7·11	0·09	15·37	..	..	..	4·8	0·3	..	1·0	..	....	....
Gretna	0·00	7·27	5·01	0·40	12·68	8·0	8·0	..	0·0	0·0	0·0	4·0	9·0	....	....
Cartwright	0·00	8·90	10·08	0·69	19·67	6·5	4·5	6·3	7·5	*	*	3·8	13·5	42·1	23·88
Strathclair (2)	0·00	....	....	....	....	4·0	4·0	10·0	..	..	..	..	3·0	....	....
Elm Valley	0·00	8·34	8·24	0·00	16·58	17·5	6·8	5·0	6·0	0·5	..	..	..	....	....
Moropano	0·00	8·84	....	....	....	12·0	1·0	1·0	2·0	3·0	..	..	..	....	....
Ste. Anne	0·00	9·81	....	....	....	..	..	..	1·0	..	..	..	..	....	....
De Clare	0·00	9·73	....	0·00	....	2·0	5·0	12·0	5·5	0·0	*	3·0	9·0	36·5	....
Hartney	0·00	10·37	10·33	0·11	20·81	16·0	14·0	9·0	9·5	3·0	3·0	9·0	12·5	76·0	28·41
Pilot Mound	0·00	5·27	4·83	0·20	10·30	10·0	9·5	2·0	5·0	0·0	*	2·0	11·0	39·5	14·25

TABLE XXXIII (Con.)—*Quarterly Rainfall at the several Stations, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	Total Precipitation.
MANITOBA—*Con.*															
Morden	....	....	....	....	....	..	..	..	..	..	..	5·0	4·0	....	....
Greenwood	....	7·95	....	....	....	..	..	..	4·5	..	..	..	..	....	....
Burnside, C. P. R.	0·00	6·46	4·39	0·12	10·97	4·3	8·5	9·0	5·3	0·0	1·0	6·0	..	34·1	14·58
Chater, "	0·00	4·51	2·73	0·10	7·34	..	..	..	..	..	..	1·0	..	....	....
Beausejour, "	0·00	7·42	3·95	0·20	11·57	6·5	4·0	8·0	2·5	0·0	1·0	0·0	7·0	29·0	14 47
Austin, "	0·00	9·27	3·15	0·00	12·42	..	4·0	6·0	9·0	6·0	*	..	..	....	....
Bagot, "	0·00	2·64	....	....	....	*	*	*	*	*	..	..	..	....	....
Rosser, "	0·00	5·63	4·25	....	....	..	..	..	3·0	0·0	..	..	..	....	....
Sewell, "	0·00	8·17	....	....	....	..	2·5	*	0·5	..	..	..	..	....	....
Elkhorn	....	....	....	....	....	1·0	3·0	..	..	..	..	..	..	....	....
Swampy Island	0·00	7·26	5·97	0·64	13·87	0·7	0·6	0·5	0·2	0·0	0·0	0·5	1·1	3·6	14·13
Gladstone (2)	0·00	12·12	6·14	0·38	18·64	4·3	6·7	8·8	11·8	2·9	2·0	9·9	13·6	60·0	24·84
Fairford	....	....	....	....	....	..	..	..	..	..	..	..	..	....	....
Douglass	....	....	....	....	....	..	..	..	..	..	..	..	..	....	....
Morris (2)	0·00	11·51	....	....	....	..	..	..	..	..	..	..	..	....	....
Livingstone	....	....	7·86	R	....	..	..	..	..	..	..	..	..	....	....
Mean for Manitoba	0·03	6·63	6·45	0·22	13·33	8·8	6·5	6·5	5·1	1·2	1·0	5·8	10·6	45·5	17·88
N. W. TERRITORY.															
Qu'Appelle	0·00	6·54	4·57	0·32	11·43	5·0	4·0	2·5	5·1	1·5	4·0	5·5	5·5	33·1	14·74
Medicine Hat	0·00	6·29	1·68	0·46	8·43	3·0	0·0	*	2·1	0·0	*	2·5	7·0	14·1	9·84
Edmonton	0·00	3·46	5·72	0·30	9·48	3·3	7·3	3·3	7·0	0·0	0·0	2·4	6·9	30·2	12·50
Regina	0·00	0·85	0·59	0·03	1·47	1·5	*	4·5	0·0	0·0	*	0·5	3·0	9·5	2·42
Grenfell	R	5·06	8·23	0·20	13·49	..	..	..	..	..	..	..	..	....	....
Chaplin	0·00	1·62	0·22	0·08	1·92	9·5	7·0	8·0	2·5	3·5	1·5	0·0	2·5	34·5	5·37
Calgary	0·00	2·84	7·27	0·04	10·15	9·2	1·9	3·5	2·2	0·1	0·9	9·9	7·7	35·4	13·69
Kilnap	R	7·13	4·17	0·97	12·27	13·2	4·6	4·6	8·4	0·0	1·2	5·4	9·5	46·9	16·96
Maple Creek	0·00	5·22	1·69	0·12	7·03	14·5	17·5	1·0	3·5	0·6	2·5	1·5	4·3	44·8	11·51
Gleichen	0·00	....	....	....	....	..	..	..	..	1·0	..	3·3	2·0	....	....

TABLE XXXIII (Con.)—*Quarterly Rainfall at the several Stations, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	Total Precipitation.
N. W. Territory—(*Con.*)															
Balgonie	0·00	3·66	1·98	0·00	5·64	8·0	1·0	*	0·0	0·0	0·0	0·0	3·0	12·0	6·84
Fort Chipewyan	R	....	....	0·25	....	4·7	2·8	15·8	2·0	..	6·6	4·3	12·1	48·3	....
Pheasant Forks	0·00	1·53	1·16	0·00	2·69	2·0	4·0	..	0·5	0·0	*	0·0	*	....	....
Prince Albert	....	....	2·89	0·00	....	9·5	..	..	..	5·5	1·7	5·5	6·5	....	....
Moose Jaw	0·75	2·57	....	0·05	....	20·5	9·5	5·7	6·0	5·0	7·3	0 8	..	....	....
Swift Current	0·10	6·50	6·76	0·52	13·88	8·7	14·9	4·1	5·0	0·1	1·2	1·1	6·2	41·3	18·01
Moosomin	0·00	....	....	....	....	9·0	7·0	2·0	2·0	0·0	..	..	..	....	....
Fleming	0·00	8·91	....	....	....	..	1·5	3·0	..	0·0	..	..	..	....	....
Poplar River	0·00	7·38	....	....	....	..	..	..	..	..	..	..	..	....	....
Banff	....	....	....	....	....	..	..	..	..	..	..	..	..	....	....
Indian Head	0·00	....	....	....	....	..	1·0	..	1·0	..	..	..	..	...	....
Mean for N.W. Territory	0·04	3·41	3·45	0·22	7·12	8·1	5·3	4·1	3·2	0·9	1·9	2·8	5·4	31·7	10·29
NEWFOUNDLAND.															
St. John	11·09	9·22	11·63	13·00	44 94	30·5	14·0	10·3	4·3	1·1	0·0	1·1	4·3	35·6	48·50
Belle Isle	4·38	3·18	16·05	20·06	43·67	..	..	..	..	..	..	10·0	14·5	....	....
Point Rich	1·00	8·25	9·32	8·79	27·36	26·0	17·0	11·0	17·0	4·0	*	3·0	18·0	96·0	36·96
Mean for Newfoundland	5·39	6·55	12·33	13·95	38·22	18·3	15·5	10·6	10·7	2·6	0·0	4·7	12·3	74·7	45·69

TABLE XXXIV.—*Number of Days on which Rain fell in each Month, and in the year 1887, at the Stations in Table XXXII.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO.													
Essex—													
Cottam	4	13	4	9	12	10	3	6	13	9	9	7	99
Maidstone	0	9	7	6	10	9	4	7	7	8	10	6	83
Windsor	2	10	4	7	9	14	6	7	12	8	10	6	95
Wheatley	1	9	4	8	12	14	7	9	9	8	7	7	95
Wanstead	..	..	..	6	8	11	3	4	6	7	6	3	..
Kent—													
Blenheim	4	11	5	5	6	10	1	10	6	5	6	4	73
Chatham	4	9	3	3	9	7	4	6	4	4	6	2	61
Dealtown	6	13	5	8	8	10	4	7	9	6	8	10	94
Ridgetown	1	9	4	8	12	14	7	9	9	8	7	7	..
Elgin—													
Aylmer	2	9	4	10	7	8	5	7	9	9	9	6	85
Cowal	3	8	3	3	7	8	4	5	5	6	8	7	67
Lyons	3	8	4	5	6	9	3	6	7	12	8	5	76
Port Stanley	6	13	5	11	13	14	9	12	13	13	8	8	125
St. Thomas	..	..	..	..	..	..	..	..	7	8	8	6	..
Norfolk—													
Port Dover	5	14	6	8	7	10	7	10	11	14	10	8	110
Simcoe	2	5	3	6	5	8	6	8	9	9	8	6	75
Welland—													
Niagara Falls, South	5	10	4	6	10	8	6	8	8	11	8	8	92
Lambton—													
Birnam	5	8	4	8	6	11	6	6	7	12	9	6	88
Oil Springs	2	8	3	6	10	9	2	7	7	8	7	3	72
Petrolia	3	6	1	4	3	9	3	7	11	6	5	3	61
Sarnia	3	8	2	5	4	9	4	5	9	8	5	5	67
Thedford	2	7	3	10	9	9	4	12	10	12	9	5	92
Watford	3	9	4	6	5	7	3	4	5	11	5	5	67
Sombra	..	..	5	9	13	13	8	8	11	10	9	9	..
Haldimand—													
Cayuga	..	..	..	..	..	..	4	7	5	..	..	..	..

TABLE XXXIV.—(Continued.)—*Number of days on which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO.—(*Continued.*)													
Huron—													
Egmondville	..	..	1	6	7	8	2	3	3	8	..	..	
Goderich	4	6	3	10	9	11	9	9	11	16	9	3	100
Goderich, L. House	2	5	3	5	7	7	8	7	7	10	6	3	70
Sunshine	4	6	1	3	4	10	7	4	5	9	6	4	63
Zurich	4	8	8	7	7	8	5	7	7	16	7	4	88
Bruce—													
Lion's Head	2	4	0	7	3	3	5	2	5	4	..	.	
Point Clark	2	3	1	4	5	5	5	2	3	5	3	5	43
Saugeen	3	2	1	10	9	12	10	6	8	18	7	5	91
Wiarton	2	4	1	5	5	7	3	3	5	8	4	4	51
Lucknow	4	4	3	8	8	11	10	6	6	15	7	4	86
Teeswater	..	..	..	7	5	4	4	1	2	..	..	..	..
Grey—													
Bognor	6	3	2	9	3	7	5	2	6	8	4	4	59
Durham	3	4	4	7	8	9	11	9	8	12	8	6	89
Egremont	3	4	3	10	8	8	6	7	7	12	6	5	79
Owen Sound	2	1	3	6	3	8	8	4	4	9	2	3	53
Presqu'Isle	2	4	0	9	7	10	9	4	6	12	4	4	71
Simcoe—													
Barrie	2	2	3	6	10	12	8	6	6	13	8	4	
Coldwater	3	2	2	6	4	10	5	4	5	8	7	3	59
Orillia	3	4	3	10	6	11	10	5	8	15	5	4	84
Middlesex—													
Ailsa Craig	2	4	0	5	5	9	4	7	2	6	5	4	53
London	3	8	3	3	5	9	5	5	7	8	8	4	68
Wilton Grove	2	8	3	6	10	9	2	7	7	8	7	3	72

TABLE XXXIV (Continued.)—*Number of days on which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Oxford—													
Norwich	....	....	....	....	3	8	5	8	6	10	7	3	....
Otterville	4	7	7	7	4	7	6	7	6	8	8	5	76
Princeton	4	11	4	8	5	9	5	7	6	15	11	9	94
Woodstock	3	11	3	10	7	7	6	6	9	13	7	6	88
Ingersoll	....	....	....	....	....	....	....	....	....	....	10	6	....
Brant—													
Brantford	1	2	0	6	6	10	5	6	5	8	6	4	59
Paris	3	9	3	9	5	10	7	9	8	12	8	4	37
St. George	4	8	4	7	6	12	7	7	7	12	8	6	88
Perth—													
Listowel	4	7	3	10	8	8	8	8	8	8	6	2	80
Stratford	2	7	3	8	7	12	10	10	12	15	5	3	94
Wellington—													
Drayton	4	3	2	4	4	7	2	3	4	5	1	3	42
Fergus	5	7	3	11	11	11	10	7	9	16	9	5	104
Guelph	2	4	3	9	8	9	6	6	10	12	7	3	79
Elora	3	7	3	4	5	9	6	6	6	10	7	5	71
Waterloo—													
Conestogo	3	6	2	12	11	12	8	7	8	15	5	4	93
Galt	3	7	3	6	8	11	5	3	10	16	6	3	81
Dufferin—													
Orangeville	5	4	3	5	10	9	10	4	5	9	6	4	74
Wentworth—													
Copetown	4	10	6	6	6	7	7	5	8	13	10	8	90
Hamilton	2	7	1	2	3	7	3	5	7	6	6	5	54
Stoney Creek	2	10	4	9	7	9	9	7	8	10	8	10	93

TABLE XXXIV (Continued.)—*Number of days on which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Halton—													
Georgetown	3	4	10	8	17	11	10	10	12	23	13	6	127
Renfrew—													
Clontarf	5	1	1	9	6	10	11	6	6	1	3	3	62
Northcote	4	1	1	5	4	5	3	3	6	5	2	3	42
Pembroke	2	1	0	5	7	7	7	5	9	7	2	2	54
Rockliffe	0	1	0	5	6	6	8	5	6	13	3	3	56
Lanark—													
Oliver's Ferry	5	0	0	7	3	4	6	5	2	6	2	4	44
Victoria—													
Bobcaygeon	4	2	3	11	5	8	11	4	4	13	8	4	77
Lindsay	4	4	2	12	7	13	12	8	10	18	7	6	103
Minden	5	3	2	9	5	9	14	7	8	12	9	3	86
Peterborough—													
Burleigh	2	2	1	3	..	..	2	..	3	2	3	..	..
Ennismore	4	5	3	7	6	8	9	5	6	17	9	5	84
Lakefield	0	0	0	7	8	8	8	..	3	14	5	4	..
Norwood	3	2	3	7	5	4	8	4	3	7	4	3	50
Peterborough	3	4	4	5	6	9	9	8	7	4	6	4	69
Haliburton—													
Haliburton	4	2	3	5	7	10	13	9	7	13	5	4	82
Hastings—													
Belleville	4	7	3	5	7	6	2	5	8	6	5	5	..
Deseronto	0	3	4	4	8	3	4	8	4	7	7	1	53
L'Amable	3	1	1	7	4	6	8	..	..	..	..	..	..
Shannonville	5	5	2	5	3	5	3	4	4	11	3	3	53
Peel—													
Credit	..	..	..	2	9	7	3	6	4	6	7	..	..
Alton	3	6	5	8	10	9	8	6	7	12	7	4	85

TABLE XXXIV (Continued).—*Number of days in which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—(*Continued.*)													
Parry Sound—													
Joly	4	2	0	4	4	13	11	5	8	17	4	5	77
Sprucedale	3	2	0	2	2	8	11	4	6	10	3	3	54
Parry Sound	6	4	2	8	10	11	10	7	9	21	8	4	100
Uplands	3	8	0	8	5	11	15	6	9	12	2	3	82
York—													
Aurora	2	2	2	6	9	10	6	6	5	8	7	5	68
Georgina	4	5	4	..	7	9	..	..	..	14	6	3	..
Scarborough	5	7	3	11	8	10	11	7	7	14	8	9	100
Toronto	4	9	3	11	9	11	9	9	9	14	9	9	106
Sharon	3	4	3	11	10	17	12	6	4	15	9	7	101
Maple	..	..	..	..	..	..	..	..	..	8	3	3	..
Northum'er'and—													
Warkworth	..	..	..	..	3	7	5	4	6	9	4	..	..
Ontario—													
Oshawa	3	3	3	5	4	5	11	7	4	13	8	8	74
Port Perry	3	7	4	4	4	5	5	6	5	7	3	5	58
Durham—													
Port Hope	2	4	2	8	2	5	6	5	4	9	4	4	55
Lennox and Addington—													
Denbigh	4	1	1	7	4	5	6	3	2	5	3	4	45
Harrowsmith	5	2	2	7	3	4	5	5	7	17	9	4	70
Frontenac—													
Kingston	5	10	7	10	6	7	11	8	12	17	9	6	108
Leeds and Grenville—													
Prescott	4	1	1	7	5	9	8	5	10	13	3	..	..
Stormont—													
Cornwall	2	1	0	7	2	4	12	7	4	12	6	3	60
Carleton—													
Ottawa	1	0	0	7	4	9	12	7	8	10	6	5	69
Fitzroy Harbour	3	0	0	5	2	3	6	1	3	3	3	..	..

TABLE XXXIV.—(Continued.)—*Number of days on which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—(*Continued.*)													
Muskoka—													
Axe Lake	0	0	0	4	4	7	8	6	7	8	0	0	44
Bala	4	3	1	7	5	14	13	9	7	17	7	4	91
Beatrice	4	3	1	7	7	8	9	5	5	14	4	4	71
Gravenhurst	4	4	3	9	5	9	11	6	6	14	8	5	84
Charlinch	5	3	4	8	6	13	13	7	9	16	4	4	92
Algoma—													
Port Arthur	0	0	1	4	7	8	15	5	10	10	4	1	65
Savanne	0	0	0	2	7	11	8	11	10	5	3	0	57
Little Current	1	0	1	3	6	9	6	4	8		4	3	51
Rat Portage	..	..	..	1	2	3	4	3	..	..	..	..	..
Kaministiqua	..	..	..	1	7	..	..	..	6	..	..	..	..
Barclay	..	..	..	3	7	8	9	3	4	..	..	..	..
Biscotasing	..	..	..	..	..	..	..	..	..	..	6	1	..
Nepigon	0	0	0	2	11	15	17	7		10	1	0	72
Heron Bay	0	0	0	1	3	7	6	2	5	6	0	1	31
Cartier	0	0	1	4	5	11	18	7	7	10	1	1	65
Buda	0	0	0	0	5	5	..	..	..	..	..	..	..
White River	0	0	0	3	3	4	5	..	6	12	0	2	
Nipissing—													
Mattawa	0	0	0	1	6	8	9	6	8	3	2	2	45
Mean for Ontario	2·9	5·0	2·5	6·4	6·5	8·7	7·1	6·1	6·9	10·4	6·0	4·4	72·9

TABLE XXXIV (Continued).—*Number of days on which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
QUEBEC.													
Huntingdon	1	3	3	9	5	9	11	4	8	10	6	3	72
Montreal	7	2	4	11	6	12	16	9	12	15	9	6	109
Brome	6	2	6	10	8	9	6	..	..	..	..	6	..
Bird Rock	8	3	9	8	12	9	13	11	12	16	12	11	124
Danville	4	0	0	5	5	8	12	6	6	10	3	..	..
Quebec	3	2	2	9	8	13	16	12	10	17	5	2	99
Father Point	0	0	3	6	6	10	19	14	16	13	5	3	95
Cranbourne	3	1	0	10	10	13	22	22	7	17	4	4	113
Chicoutimi	0	0	0	6	10	13	14	13	11	15	6	5	93
Richmond	4	3	3	11	7	12	11	9	11	13	8	4	96
Anticosti, S. W. P.	0	0	1	4	6	5	5	4	3	9	3	0	40
" Heath Point	3	2	9	5	8	5	8	6	7	9	5	8	75
" West Point	0	0	1	2	6	5	13	4	9	8	1	0	49
Point des Monts	0	0	5	1	9	5	10	9	10	7	2	2	60
Cape Chatte	..	..	..	1	4	5	9	5	4	9	2	2	..
Cape Magdalen	0	0	4	2	4	6	8	3	6	8	3	0	44
Bicquet	..	..	..	3	1	5	10	5	5	7	2	..	..
Cape Norman	2	0	8	8	12	9	9	13	11	12	10	4	98
St. Francis	0	1	1	9	5	8	12	10	8	6	4	2	66
Pointe Platon	..	..	..	..	..	..	13	7	7	..	..	..	..
Mean for Quebec	2·4	1·1	3·5	5·8	6·9	8·5	11·9	8·7	8·6	11·2	5·1	3·6	77·3
NEW BRUNSWICK.													
St. John	12	8	10	7	10	11	12	12	11	11	9	10	123
Fredericton	8	1	9	8	10	16	16	14	7	9	12	10	120
Chatham	4	0	8	8	9	14	19	11	11	12	6	4	106
Dorchester	10	1	8	6	8	12	15	10	10	11	10	7	108
Dalhousie	0	0	2	3	7	8	12	9	7	9	6	1	64
St. Andrew's	11	6	6	6	9	11	14	13	9	8	9	8	110
Point Lepreaux	12	9	4	4	7	8	6	5	7	5	7	7	81
Bathurst	1	0	5	6	10	11	16	11	8	10	4	3	85

TABLE XXXIV (Continued).—*Number of days on which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NEW BRUNSWICK—(*Con.*)													
Grand Manan	12	6	9	7	12	12	14	13	12	9	15	11	132
Parker's Ridge	2	0	3	4	3	7	12	9	5	8	3	..	..
Woodstock	6	2	4	6	6	10	12	12	9	7	7	8	89
Mean for New Brunswick	7·1	3·2	6·2	5·9	8·3	10·9	13·5	10·8	8·8	9·0	8·0	6·9	98·6
NOVA SCOTIA.													
Halifax	14	11	12	12	12	13	10	10	10	15	16	12	147
Truro	10	5	9	13	13	13	12	13	10	16	12	8	134
Beaver Bank	8	3	5	3	..	9	4	6	4	12	7	5	..
Sydney	14	4	9	13	11	9	10	13	16	18	14	10	141
Cow Bay	9	4	6	10	3	3	6	8	6	10	11	7	83
Yarmouth	18	12	13	10	10	11	13	20	13	10	16	15	171
Pictou	9	5	11	6	8	8	5	12	6	11	10	6	97
Sable Island	10	6	5	8	3	7	6	9	8	14	12	6	94
White Head	5	6	2	4	4	3	4	8	5	10	4	7	62
Digby	1	—	1	2	1	3	2	5	5	3	6	7	..
Mean for Nova Scotia	9·8	6·3	7·3	8·1	7·2	7·9	7·2	10·4	8·3	11·9	10·8	8·3	103·5
P. E. ISLAND.													
Kilmahumaig	8	6	17	14	11	11	18	14	11	18	14	9	151
BRITISH COLUMBIA.													
Victoria	21	7	15	11	10	7	2	1	4	12	13	17	120
Port Moody	23	3	15	.	..	4	5	5	10	12	17	18	..
Quamichan	10	3	12	7	6	4	..	0	..	..	..	..	..
Fort Simpson	14	0	20	22	17	10	16	17	20	23	18	14	191
Langley	12	4	13	14	9	8	1	4	7	7	10	12	101
Clinton	0	0	4	6	0	7	6	..	..	1	2	11	..
Nicola Lake	5	3	7	12	7	12	5	5	9	10	6	2	83
Mean for British Columbia	11·1	2·9	12·3	12·0	8·2	7·4	5·8	5·3	8·3	10·8	11·0	12·3	107·4

TABLE XXXIV (Continued).—*Number of days on which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA.													
Winnipeg	0	1	1	4	13	12	13	15	12	4	1	1	77
Stony Mountain	0	0	0	3	11	11	7	10	8	2	2	0	54
Minnedosa	0	0	0	4	12	15	13	12	11	3	2	0	72
Clandeboye	0	0	0	4	17	10	12	12	15	7	1	1	79
Foxton	0	0	0	3	9	10	8	6	6	2	0	0	44
Clarkleigh	0	0	1	2	9	12	13	8	9	3	1	1	59
Hillview	0	0	0	3	10	11	9	9	5	1	0	1	49
S. Albans	0	1	1	6	18	14	10	12	7	2	3	0	74
Sourisford	0	0	1	6	12	12	8	5	6	2	1	0	53
Shell River	0	0	0	4	15	14	11	10	7	2	2	0	65
Selkirk, E.	0	1	2	6	10	11	12	13	13	3	4	2	77
Griswold	..	..	..	4	8	11	7	6	3	2	1	0	..
Gladstone	..	..	..	..	..	11	12	11	6	1	..	..	..
Portage la Prairie	0	1	2	6	12	12	12	13	12	3	2	1	76
Eden	0	0	0	3	9	13	9	7	6	1	0	0	48
Ossawa	0	0	0	1	11	12	..	..	..	..	..	..	..
Turtle Mountain	0	0	0	1	9	15	9	10	5	3	0	0	52
Shoal Lake	0	0	0	1	7	18	12	8	5	1	0	0	52
Birtle	..	..	..	..	..	..	..	9	5	..	0	..	..
Fort Ellice	0	0	0	1	5	11	9	5	3	4	0	0	38
Rapid City	0	0	1	3	15	16	10	11	8	3	1	1	69
Shadeland	0	0	0	3	5	6	3	4	..	.	..	..	..
Glendinning	0	0	0	2	8	11	..	12	5	..	..	..	..
Fairburn	..	..	..	2	7	11	10	10	..	..	..	0	..
Clearwater	..	..	..	1	4	6	6	4	..	..	..	..	..
Selkirk	..	..	..	..	8	8	4	9	3	..	..	:	..
Shellmouth	..	..	..	2	6	9	2	6	..	..	..	..	..
Swan Lake	..	..	..	..	..	11	7	11	7	..	..	..	..
Meadow Lea	..	..	..	..	..	10	10	13	8	..	..	..	..
Sunnyside	0	0	0	4	10	12	9	10	12	3	1	1	62

TABLE XXXIV.—(Continued).—*Number of days on which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA.—(*Continued.*)													
Stuartburn	0	0	0	7	11	12	8	4	3	0	0	0	45
Morris	0	0	0	5	13	15	12	11	7	4	0	0	67
Souris	..	..	..	..	7	13	8	11	5	..	0	..	..
St. Laurent	0	0	0	0	..	..	..	..	..	..	..	..	..
Napinka	..	..	..	..	..	10	6	10	4	1	0	0	..
Wakopa	0	0	0	2	9	15	10	12	6	2	0	0	56
Otenaw	0	0	0	2	..	..	..	..	..	..	..	..	..
Florenta	..	..	..	..	..	4	10	7	9	2	1	0	..
Norquay	..	..	..	..	..	..	13	16	10	4	0	0	..
Bradwardine	0	0	0	1	3	..	..	6	5	0	0	0	..
Beaver Creek	0	0	0	..	..	9	7	7	3	..	..	..	..
Treherne	0	0	1	3	8	13	12	15	8	0	1	0	61
Griswold	..	..	..	..	..	11	10	11	6	..	..	0	..
Lintrathen	0	0	0	4	11	8	9	9	..	..	..	0	..
Craiglea	0	0	0	3	9	11	12	11	8	3	0	0	57
Kola	..	..	..	..	..	..	..	..	4	2	..	..	..
St. Francis Xavier	0	0	0	2	..	..	8	..	.	..	0	0	..
Treherne(2)	0	0	1	9	15	9	11	14	7	2	1	1	70
Holmfield	..	..	..	..	..	..	..	..	2	4	1	0	..
Strathclair	..	..	..	..	..	10	9	5	6	0	..	..	..
Rossburn	0	0	0	2	11	14	13	7	5	2	0	0	54
Gretna	0	0	0	3	10	6	6	5	3	0	2	0	35
Cartwright	0	0	0	4	11	13	12	14	7	7	2	0	70
Strathclair (2)	0	0	0	..	4	6	..	..	..	..	..	0	..
Elm Valley	0	0	0	3	5	16	7	6	4	..	..	..	..
Moropano	0	0	0	1	5	7	7	12	..	..	..	..	..
St. Anne	..	..	..	3	10	11	8	5	..	..	..	..	..
De Clare	0	0	0	1	7	15	..	4	3	1	0	0	..
Hartney	0	0	0	3	15	13	12	11	6	2	0	0	62
Pilot Mound	0	0	0	2	7	6	6	7	2	2	0	0	32

TABLE XXXIV (Continued).—*Number of days on which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA—*Concluded.*													
Morden	..	..	..	..	..	..	..	4	..	..	0	0	..
Greenwood	..	..	..	2	7	10	..	..	..	..	..	..	..
Burnside, C. P. R.	0	0	0	1	7	10	5	8	3	2	0	0	36
Chater, "	0	0	0	1	9	8	4	3	2	1	0	0	28
Beausejour, "	0	0	0	2	7	11	3	6	3	1	0	0	33
Austin, "	0	0	0	0	5	9	4	3	2	0	0	0	23
Bagot, "	0	0	0	0	5	4	3	..	..	..	..	..	..
Rosser, "	0	0	0	2	8	7	5	4	4	..	..	..	..
Sewell, "	0	0	0	..	3	5	4	4	1	0	0	0	..
Elkhorn	0	0	0	..	..	13	8	9	..	..	..	..	..
Swampy Island	0	0	0	2	8	7	6	2	6	4	0	0	35
Gladstone (2)	0	0	1	4	13	12		14	9	3	2	0	72
Fairford	..	..	..	..	8	7	..	..	..	.	..	..	..
Douglass	..	..	..	2	8	9	..	..	..	..	..	..	..
Morris (2)	..	..	..	..	6	7	9	..	..	..	..	..	..
Livingstone	..	..	..	..	.	..	..	..	..	..	..	..	..
Mean for Manitoba	0·0	0·1	0·2	2·7	8·9	11·1	8·7	8·8	6·1	2·1	1·0	0·2	49·9
N. W. TERRITORY.													
Qu'Appelle	0	0	0	4	17	16	9	8	6	5	2	0	67
Medicine Hat	0	0	0	2	2	9	4	4	1	3	0	0	25
Edmonton	0	0	0	0	3	7	6	10	3	2	0	0	31
Regina	0	0	0	2	4	11	4	4	3	4	3	0	35
Grenfell	0	0	1	3	9	11	10	9	4	2	1	0	50
Chaplin	0	0	0	2	4	8	0	3	1	1	0	0	19
Calgary	0	0	0	0	9	19	13	13	10	2	0	0	66
Kilnap	0	0	1	3	12	17	11	9	5	7	1	1	67
Maple Creek	0	0	0	0	3	10	2	4	3	1	0	0	23
Gleichen	0	0	0	..	0	..	..	..	..	..	0	0	..

TABLE XXXIV (Continued).—*Number of days on which Rain fell, &c., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N. W. TERRITORY—(*Con.*)													
Balgonie	0	0	0	1	4	5	4	1	1	0	0	0	16
Fort Chipewyan	0	0	1	2	5	..	..	..	..	2	2	0	..
Pheasant Forks	0	0	0	1	6	13	6	3	4	0	0	0	33
Prince Albert	0	..	..	..	5	17	11	3	3	0	0	0	..
Moose Jaw	1	0	1	2	7	6	4	5	4	1	0	0	31
Swift Current	0	0	1	3	9	12	13	12	7	2	2	0	61
Moosomin	0	0	0	0	6	..	..	..	..	..	..	..	..
Fleming	0	0	0	..	5	13	..	..	..	..	..	..	..
Poplar River	0	0	0	4	21	17	13	..	..	..	..	..	..
Banff	..	.	..	..	..	..	.	..	..	..	..	..	..
Indian Head	0	0	0	2	.	..	..	..	..	..	..	..	..
Mean for N. W. Territory	R	0·0	R	1·9	6·9	11·9	5·3	6·3	3·9	2·1	0·7	0·1	39·4
NEWFOUNDLAND.													
St. John	13	6	14	16	16	7	11	16	15	19	15	10	158
Belle Isle	2	1	10	9	9	7	10	11	11	13	10	6	99
Point Rich	2	0	2	6	9	6	5	9	7	6	9	5	66
Mean for Newfoundland	5·7	2·3	8·7	10·3	11·3	6·7	8·7	12·0	11·0	12·7	11·3	7·0	107·7

TABLE XXXV.—*Quarterly number of days of Rain with the number of days of Snow, during the year 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
ONTARIO.														
Essex—														
Cottam	21	31	22	25	99	13	6	5	3	0	0	3	11	41
Maidstone	16	25	18	24	83	..	..	..	1	..	..	..	..	..
Windsor	16	30	25	24	95	12	8	4	3	0	1	1	10	..
Wheatly	14	34	25	22	95	10	4	4	1	0	0	0	3	22
Wanstead	..	25	13	16	..	..	..	..	..	..	..	7	6	..
Kent—														
Blenheim	20	21	17	15	73	5	2	2	0	0	0	3	5	17
Chatham	16	19	14	12	61	11	6	7	2	0	0	4	12	42
Dealtown	24	26	20	24	94	10	4	6	0	0	0	7	10	..
Ridgetown	14	34	25	22	95	12	2	5	1	0	2	7	12	41
Elgin—														
Aylmer	15	25	21	24	85	12	8	1	0	0	0	2	5	28
Cowal	14	18	14	21	67	14	7	3	0	0	0	2	7	33
Lyons	15	20	16	25	76	13	5	5	0	0	0	5	7	35
Port Stanley	24	38	34	29	125	21	13	14	3	0	1	7	16	..
St. Thomas	..	..	..	22	..	..	..	..	..	..	1	2	9	..
Norfolk—														
Port Dover	25	25	28	32	110	20	9	8	3	0	0	10	10	60
Simcoe	10	19	23	23	75	14	7	4	2	0	0	5	8	40
Welland—														
Niagara Falls, South	19	24	22	27	92	13	5	11	0	0	0	4	6	39
Lambton—														
Birnam	17	25	19	27	88	16	10	10	3	0	0	4	14	67
Oil Springs	13	25	16	18	72	11	5	5	0	0	2	3	8	34
Petrolia	10	16	21	14	61	11	5	6	0	0	0	1	8	31
Sarnia	13	18	18	18	67	6	2	7	0	0	0	0	5	20
Thedford	12	28	26	26	92	14	7	4	3	0	1	1	13	43
Watford	16	18	12	21	67	..	..	..	..	..	..	..	..	..
Sombra	..	35	27	28	..	..	..	8	5	0	1	2	10	..
Haldimand—														
Cayuga	..	..	16	..	..	..	..	..	..	..	..	..	..	..

TABLE XXXV.—(Continued.)—*Quarterly Number of Days of Rain, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
ONTARIO—*Continued.*														
Huron—														
Egmondville	..	21	8	..	..	..	..	..	..	..	..	..	..	..
Goderich	13	30	29	28	100	21	13	12	4	0	3	8	14	75
Goderich Lighthouse	10	19	22	19	70	15	7	6	1	0	0	2	8	39
Sunshine	11	17	16	19	63	15	16	7	2	0	1	8	9	58
Zurich	20	22	19	27	88	11	7	5	3	0	0	5	9	40
Bruce—														
Lion's Head	6	13	12	..	..	..	..	..	..	..	..	..	..	..
Point Clark	6	14	10	13	43	8	10	6	2	0	1	0	3	30
Saugeen	6	31	24	30	91	21	19	11	4	0	5	13	18	91
Wiarton	7	17	11	16	51	11	15	5	4	0	4	6	9	54
Lucknow	11	27	22	26	86	22	24	9	2	0	3	9	7	76
Teeswater	..	16	7	..	..	..	..	..	2	..	..	..	..	..
Grey—														
Bognor	11	19	13	16	59	12	11	5	2	0	3	8	11	52
Durham	11	24	28	26	89	19	15	10	5	1	5	9	11	75
Egremont	10	26	20	23	79	12	14	7	5	0	1	5	11	55
Owen Sound	6	17	16	14	53	14	8	3	2	0	0	5	9	41
Presqu'Isle	6	26	19	20	71	12	11	5	2	0	3	8	9	50
Simcoe—														
Barrie	7	28	20	25	80	12	11	9	1	0	3	9	14	59
Coldwater	7	20	14	18	59	8	8	9	4	0	4	9	11	53
Orillia	10	27	23	24	84	17	18	11	4	0	5	14	15	84
Middlesex—														
Ailsa Craig	6	19	13	15	53	21	2	4	0	0	0	2	8	37
London	14	17	17	20	68	11	9	5	3	0	1	7	9	45
Wilton Grove	13	25	16	18	72	11	5	5	0	0	2	3	8	34

TABLE XXXV (Continued).—*Quarterly Number of Days of Rain, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
ONTARIO—*Continued.*														
Oxford—														
Norwich	..	..	19	20	..	..	..	..	..	..	.	2	4	..
Otterville	18	18	19	21	76	13	6	2	0	0	0	3	7	31
Princeton	19	22	18	35	94	10	6	5	0	0	1	5	11	38
Woodstock	17	24	21	26	88	17	12	9	3	0	1	6	6	53
Ingersoll	..	..	..	..	..	..	..	..	..	..	..	7	16	..
Brant—														
Brantford	3	22	16	18	59	5	5	5	1	0	1	1	3	21
Paris	15	24	24	24	87	13	8	3	4	0	0	4	4	36
St. George	16	25	21	26	88	17	15	8	2	0	1	5	13	61
Perth—														
Listowel	14	26	24	16	80	14	15	11	4	0	1	7	9	61
Stratford	12	27	32	23	94	12	10	6	4	0	1	4	10	47
Wellington—														
Drayton	9	15	9	9	42	7	6	2	0	0	3	1	5	24
Fergus	15	33	26	30	104	16	20	8	4	0	1	7	15	71
Guelph	9	26	22	22	79	14	11	8	2	0	0	8	11	54
Elora	13	18	18	22	71	10	10	6	4	0	1	4	9	44
Waterloo—														
Conestogo	11	35	23	24	93	15	10	9	5	0	6	9	19	73
Galt	13	25	18	25	81	14	10	6	2	0	4	4	7	47
Dufferin—														
Orangeville	12	24	19	19	74	12	11	4	1	0	2	4	10	44
Wentworth—														
Copetown	20	19	20	31	90	12	7	4	3	0	1	4	8	39
Hamilton	10	12	15	17	54	5	8	1	0	0	1	3	5	23
Stoney Creek	16	25	24	28	93	12	5	5	1	0	1	3	9	36

TABLE XXXV (Continued).—*Quarterly Number of Days of Rain, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
ONTARIO—*Continued.*														
Halton—														
Georgetown	17	36	32	42	127	17	14	15	3	0	0	9	13	71
Renfrew—														
Clontarf	7	25	23	7	62	12	11	12	10	1	7	6	9	68
Northcote	6	14	12	10	42	7	10	5	1	0	2	7	7	39
Pembroke	3	19	21	11	54	12	12	7	0	0	3	11	9	54
Rockliffe	1	17	19	19	56	15	15	4	3	0	6	14	15	72
Lanark—														
Oliver's Ferry	5	14	13	12	44	13	8	5	3	0	2	4	2	37
Victoria—														
Bobcaygeon	9	24	19	25	77	13	16	7	0	0	0	4	11	51
Lindsay	10	32	30	31	103	11	16	8	3	0	4	14	12	68
Minden	10	23	29	24	86	12	14	7	2	0	5	7	11	58
Peterborough—														
Burleigh	5	..	..	..	..	5	8	3	..	..	2	8	..	..
Ennismore	12	21	20	31	84	21	15	6	2	0	4	8	9	65
Lakefield	0	23	..	23	..	7	10	5	1	0	2	8	7	40
Norwood	8	16	15	14	53	6	11	4	1	0	0	8	7	37
Peterborough	11	20	24	14	69	9	11	6	0	0	3	8	10	47
Haliburton—														
Haliburton	9	22	29	14	69	10	11	9	4	0	6	13	11	64
Hastings—														
Belleville	14	..	15	16	..	12	7	4	2	0	0	5	3	33
Deseronto	7	15	16	15	..	15	9	5	0	0	2	2	2	35
L'Amable	5	17	.	..	..	14	16	8	2	..	..	..	..	..
Shannonville	12	13	11	17	53	6	7	4	1	0	2	4	5	29
Peel—														
Credit	..	18	13	..	..	..	..	..	..	..	..	..	..	..
Alton	14	27	21	23	85	..	20	11	1	0	0	6	13	..

TABLE XXXV (Continued.)—*Quarterly Number of Days of Rain, &c. 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
ONTARIO—*Continued.*														
Parry Sound—														
Joly	6	21	24	26	77	10	11	8	1	0	11	17	19	77
Sprucedale	5	12	21	16	54	8	5	3	2	0	4	6	9	37
Parry Sound	12	28	26	33	100	15	16	12	5	0	6	17	19	90
Uplands	11	24	30	17	82	17	13	9	2	0	5	4	14	64
York—														
Aurora	6	25	17	20	68	11	10	6	0	0	2	8	14	51
Georgina	13	..	..	23	..	17	19	12	0	0	2	7	13	70
Scarborough	15	29	25	31	100	11	11	10	1	0	3	6	13	55
Toronto	16	31	27	32	106	15	16	14	3	0	4	11	15	78
Sharon	10	38	22	31	101	13	16	5	1	0	2	7	5	49
Maple	..	..	..	14	..	..	..	..	..	..	..	3	9	..
Northumberland—														
Warkworth	..	..	15	14	..	..	..	..	..	..	..	2	3	..
Ontario—														
Oshawa	9	14	22	29	74	10	5	4	0	0	0	1	8	28
Port Perry	14	13	16	15	58	..	..	..	..	..	..	..	..	..
Durham—														
Port Hope	8	15	15	17	55	8	7	4	0	0	0	3	6	28
Lennox and Addington—														
Denbigh	6	16	11	12	45	6	8	5	0	0	2	5	5	31
Harrowsmith	9	14	17	30	70	10	11	5	0	0	1	6	6	39
Frontenac—														
Kingston	22	23	31	32	108	22	16	12	1	0	2	6	14	73
Leeds and Grenville—														
Prescott	6	21	23	..	..	17	15	10	2	0	1	5	..	..
Stormont—														
Cornwall	3	13	23	21	60	10	12	9	1	0	2	10	7	51
Carleton—														
Ottawa	1	20	27	21	69	15	11	9	1	0	3	7	3	49
Fitzroy Harbour	3	10	10	..	..	6	7	8	1	0	0	6	..	..

TABLE XXXV (Continued).—*Quarterly Number of Days of Rain, &c., 1887,*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
ONTARIO—*Continued.*														
Muskoka—														
Axe Lake	0	15	21	8	44	10	10	5	3	0	3	12	13	56
Bala	8	26	29	28	91	14	17	12	3	0	7	17	18	88
Beatrice	8	22	19	22	71	14	13	9	3	0	5	13	7	64
Gravenhurst	11	23	23	27	84	11	14	10	3	0	7	8	12	65
Charlinch	12	27	29	24	92	19	16	12	4	0	5	13	20	89
Algoma—														
Fort Arthur	1	19	30	15	65	5	9	4	8	0	3	11	13	53
Savanne	0	20	29	8	57	4	7	6	6	0	0	9	7	39
Little Current	2	18	18	13	51	7	4	1	4	0	2	8	9	35
Rat Portage	..	6	..	..	..	1	..	5	2	..	..	..	..	.
Kaministiqua	..	..	..	..	..	3	..	3	1	..	..	.	..	..
Barclay	..	18	16	..	..	..	..	.	4	2	..	.	..	..
Biscotasing	..	..	..	..	..	.	..	.	..	..	..	5	15	..
Nepigon	0	28	33	11	72	13	11	10	9	0	6	10	8	67
Heron Bay	0	11	13	7	31	7	4	3	4	0	5	7	6	36
Cartier	1	20	32	12	65	15	7	1	6	0	7	15	14	65
Buda	0	10	..	..	..	10	10	4	8	..	..	..	..	..
White River	0	10	..	14	..	7	6	2	3	0	4	8	8	38
Nipissing—														
Mattawa	0	15	23	7	45	5	8	4	3	0	2	3	3	28
Mean for Ontario	10·4	21·6	20·1	20·8	72·9	12·2	10·2	6·6	2·3	*	2·2	6·4	9·6	49·5

TABLE XXXV (Continued.)—*Quarterly Number of Days of Rain, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
QUEBEC.														
Huntingdon	7	23	23	19	72	8	9	12	0	0	1	7	8	45
Montreal	13	29	37	30	109	21	16	15	1	0	5	14	13	85
Brome	14	27	..	..	..	22	13	11	1	0	..	..	7	..
Bird Rock	20	29	36	39	124	14	16	10	7	0	0	3	6	56
Danville	4	18	24	..	..	10	10	15	1	0	2	6	..	..
Quebec	7	30	38	24	99	23	10	14	4	0	5	15	17	88
Father Point	3	22	49	21	95	21	18	16	3	0	4	16	14	92
Cranbourne	4	33	51	25	113	21	16	24	8	0	14	13	11	107
Chicoutimi	0	29	38	26	93	14	14	9	3	0	6	4	6	56
Richmond	10	30	31	25	96	19	20	14	3	0	6	11	12	85
Anticosti, S. W. P.	1	15	12	12	40	8	6	5	4	0	0	2	7	32
" Heath Point	14	18	21	22	75	10	9	9	8	1	2	3	10	52
" West Point	1	13	26	9	49	9	6	6	4	0	1	4	8	38
Point des Monts	5	15	29	11	60	11	10	10	6	0	2	7	8	54
Cape Chatte	..	10	18	13	..	..	..	..	1	0	1	8	..	..
Cape Magdalen	4	12	17	11	44	8	9	8	6	0	0	10	7	48
Bicquet	..	9	20	..	..	..	..	..	0	0	0	8	..	..
Cape Norman	10	29	33	26	98	13	13	12	5	4	0	7	6	60
St. Francis	2	22	30	12	66	14	9	9	1	0	3	4	5	45
Pointe Platon	..	..	.	27	..	..	..	..	..	..	..	..	..	..
Mean for Quebec	7·0	21·2	29·2	19·9	77·3	14·5	12·0	11·7	3·5	0·3	2·9	7·9	9·1	61·9
NEW BRUNSWICK.														
St. John	30	28	35	30	123	19	15	12	6	0	0	1	4	57
Fredericton	18	34	37	31	120	17	16	13	5	0	2	6	7	64
Chatham	12	31	41	22	106	15	13	16	7	0	2	7	10	70
Dorchester	19	26	35	28	103	17	13	14	8	0	2	0	6	60
Dalhousie	2	18	28	16	64	17	13	9	7	0	3	3	11	63
St. Andrews	23	26	36	25	110	15	13	14	4	0	0	0	3	49
Point Lepreaux	25	19	18	19	81	9	9	8	3	0	0	0	2	31
Bathurst	6	27	35	17	85	10	12	11	5	0	2	10	7	57

TABLE XXXV (Continued.)—*Quarterly Number of Days of Rain, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May	October.	November.	December.	Year.
N. BRUNSWICK—*Con.*														
Grand Manan	27	31	39	35	132	12	11	13	5	0	0	1	3	45
Parker's Ridge	5	14	26	..	..	14	8	10	3	0	1	0	..	..
Woodstock	12	22	33	22	89	7	6	8	2	0	0	1	12	36
Mean for N. Brunswick	16·5	25·1	33·1	23·9	98 6	13·8	11·6	11·5	5·0	0·0	1·1	2·6	6·0	51·6
NOVA SCOTIA.														
Halifax	37	37	30	43	147	16	13	16	3	0	0	0	4	52
Truro	24	39	35	36	134	17	16	18	11	0	1	5	9	77
Beaver Bank	16	..	14	24	..	6	7	5	3	0	0	2	2	25
Sydney	27	33	39	42	141	18	14	15	6	0	0	6	7	66
Cow Bay	19	16	20	28	83	11	9	2	0	0	0	1	0	23
Yarmouth	43	41	46	41	171	22	17	14	7	0	0	4	8	72
Pictou	25	22	23	27	97	10	13	7	8	1	4	3	6	52
Sable Island	21	18	23	32	94	6	11	7	5	0	0	0	5	34
White Head	13	11	17	21	62	10	6	3	1	1	0	1	2	24
Digby	..	6	12	16	..	7	..	..	..	..	1	0	4	..
Mean for N. Scotia	23·4	23·2	25·9	31·0	103·5	12·3	11·8	9·7	4·9	0·2	0·6	2·2	4·7	46·4
P. E. ISLAND.														
Kilmahumaig	31	36	43	41	151	16	15	10	9	1	1	5	9	66
B. COLUMBIA.														
Victoria	43	28	7	42	120	2	6	0	0	0	0	1	0	9
Port Moody	41	..	20	47	..	6	9	5	0	0	0	1	5	26
Quamichan	25	17	..	..	..	1	10	..	..	..	..	..	..	..
Fort Simpson	34	49	53	55	191	11	10	4	1	..	..	2	8	36
Langley	29	31	12	29	101	1	3	1	0	0	0	0	1	6
Clinton	4	13	..	14	..	12	8	5	5	2	1	6	2	41
Nicola Lake	15	31	19	18	83	12	8	2	0	0	2	0	5	29
Mean for B. Columbia	26·3	27·6	19·4	34·1	107·4	6·4	7·7	2·8	1·0	0·4	0·6	1·7	3·5	24·1

TABLE XXXV.—(Continued.)—*Quarterly Number of Days of Rain, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
MANITOBA.														
Winnipeg	1	29	40	6	77	12	10	8	7	1	5	7	4	54
Stony Mountain	0	25	25	4	54	11	8	8	6	0	3	5	5	46
Minnedosa	0	31	36	5	72	10	12	9	5	4	7	9	12	68
Clandeboye	0	31	39	9	79	15	12	9	7	0	4	10	14	71
Foxton	0	22	20	2	44	7	7	2	4	0	3	5	..	..
Clarkleigh	1	23	30	5	59	7	11	8	7	1	3	9	8	55
Hillview	0	24	23	2	49	6	5	5	3	1	3	3	6	32
St. Albans	2	38	29	5	74	15	14	9	5	1	6	6	11	67
Sonrisford	1	30	19	3	53	6	12	8	6	3	0	6	12	53
Shell River	0	33	28	4	65	11	12	9	5	1	10	10	14	72
Selkirk, E.	3	27	38	9	77	12	10	8	6	1	7	9	14	67
Griswold	..	23	16	3	..	..	..	..	0	1	3	5	..	..
Gladstone	..	..	29	..	..	..	..	..	..	..	2	..	8	..
Portage la Prairie	3	30	37	6	76	8	8	9	7	3	4	5	8	52
Eden	0	25	22	1	48	4	9	7	8	0	2	7	10	47
Ossawa	0	24	..	..	..	22	21	15	7	1	..	..	..	..
Turtle Mountain	0	25	24	3	52	5	7	5	4	1	1	..	..	..
Shoal Lake	0	26	25	1	52	..	..	4	4	1	5	3	8	..
Birtle	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Fort Elliee	0	17	17	4	38	4	3	5	1	0	3	5	9	30
Rapid City	1	34	29	5	69	10	13	7	5	2	4	6	8	55
Shadeland	0	14	..	..	..	..	..	..	2	1	..	..	..	..
Glendinning	0	21	..	..	..	..	5	3	5	1	..	..	..	..
Fairburn	..	20	..	..	..	..	..	..	6	1	..	..	7	..
Clearwater	..	11	..	..	..	..	..	..	..	..	..	..	..	..
Selkirk	..	..	16	..	..	..	..	..	..	..	..	..	..	..
Shellmouth	..	17	..	..	..	..	..	..	..	..	..	..	..	..
Swan Lake	..	..	25	..	..	..	..	..	..	..	..	..	..	..
Meadow Lea	..	..	31	..	..	..	..	..	..	.	..	..	..	..
Sunnyside	0	26	31	5	62	4	4	4	4	0	7	7	2	32

TABLE XXXV (Continued).—*Quarterly Number of Days of Rain, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
MANITOBA—(*Con.*)														
Stuartburn	0	30	15	0	45	9	10	7	2	0	0	4	8	40
Morris	0	33	30	4	67	..	..	..	8	1	3	..	..	..
Souris	..	..	24	..	..	..	..	..	..	..	..	4	..	..
St. Laurent	0	..	..	..	..	5	4	4	5	..	..	..	..	..
Napinka	..	..	20	1	..	..	..	..	..	..	5	..	..	..
Wakopa	..	26	28	2	56	3	4	6	4	2	5	5	9	33
Otenaw	0	..	..	..	..	2	4	5	3	..	..	..	..	..
Florenta	..	..	26	3	..	..	..	..	..	..	5	2	..	..
Norquay	..	..	39	4	..	..	..	..	..	..	2	6	..	..
Bradwardine	0	..	..	0	..	..	..	..	3	1	3	..	..	..
Beaver Creek	0	..	17	..	..	..	..	..	..	..	..	..	..	..
Treherne	1	24	35	1	61	7	..	5	9	1	2	5	10	..
Griswold	..	..	27	..	..	..	..	..	..	..	..	..	9	..
Lintrathen	0	23	..	.	..	..	..	..	0	0	..	..	3	.
Craiglea	0	23	31	3	57	5	8	6	7	1	2	6	..	..
Kola	..	..	..	..	..	..	..	..	..	..	2	..	..	..
St. Francis Xavier	0	..	..	..	..	..	..	2	..	..	..	7	..	..
Treherne (2)	1	33	32	4	70	7	8	7	7	2	1	7	10	49
Holmfield	..	..	..	5	..	..	..	..	..	..	5	6	7	..
Strathclair	..	..	20	..	..	..	..	..	..	..	1	2	..	..
Rossburn	0	27	25	2	54	..	..	..	4	1	..	1	..	..
Gretna	0	19	14	2	35	4	6	..	0	0	0	2	5	..
Cartwright	0	28	33	9	70	4	8	6	3	1	3	5	6	36
Strathclair (2)	0	..	..	..	..	2	4	3	..	0	..	..	1	..
Elm Valley	0	24	17	..	..	13	9	4	4	1	..	..	..	..
Moropano	0	13	..	..	..	12	4	3	3	1	.	..	..	..
St. Anne	..	24	..	..	..	..	..	..	1	..	..	..	..	..
De Clare	0	23	..	1	..	2	4	4	2	0	1	3	4	20
Hartney	0	31	29	2	62	6	9	5	5	1	4	5	9	44
Pilot Mound	0	15	15	2	32	3	4	2	3	0	1	1	3	17

TABLE XXXV (Continued).—*Quarterly Number of Days of Rain, &c., 1887*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW. January.	February.	March.	April.	May.	October.	November.	December.	Year.
MANITOBA—*Con.*														
Morden	..	..	..	.	..	..	..	..	..	..	..	3	4	..
Greenwood	..	19	..	..	..	..	..	..	2	..	..	..	..	..
Burnside, C.P.R.	0	18	16	2	36	8	8	10	5	0	1	3	..	..
Chater, C.P.R.	0	18	9	1	28	3	4	1	3	1	3	1	1	17
Beausejour, C.P.R.	0	20	12	1	33	6	4	5	2	0	1	0	3	21
Austin, C.P.R.	0	14	9	0	23	..	2	2	3	2	2	..	..	..
Bagot, C.P.R.	0	9	..	..	..	4	5	1	2	1	..	..	..	..
Rosser, C.P.R.	0	17	13	..	..	..	..	..	2	0	.	..	..	..
Sewell, C.P.R.	0	..	9	0	..	3	5	2	..	1	..	..	..	..
Elkhorn	0	..	..	..	..	3	8	..	..	..	..	..	..	..
Swampy Island	0	17	14	4	35	4	5	4	1	0	2	4	6	26
Gladstone (2)	1	29	37	5	72	9	9	10	7	1	5	10	11	62
Fairford	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Douglass	..	19	..	..	..	..	..	..	..	..	..	..	..	..
Morris (2)	..	..	..	..	..	..	..	..	..	0	..	..	..	..
Livingstone	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Mean for Manitoba	0·3	22·7	23·6	3·3	49·9	7·1	7·6	5·1	3·0	2·1	3·8	5·0	7·5	41·2
N. W. TERRITORY.														
Qu'Appelle	0	37	23	7	67	6	8	4	7	1	7	6	10	49
Medicine Hat	0	13	9	3	25	1	0	*	2	0	*	3	4	10
Edmonton	0	10	19	2	31	3	3	4	2	0	0	3	7	22
Regina	0	17	11	7	35	2	1	2	0	0	5	4	5	19
Grenfell	1	23	23	3	50	6	6	4	5	1	7	6	9	44
Chaplin	0	14	4	1	19	4	5	3	2	2	3	0	4	23
Calgary	0	28	36	2	66	5	6	4	6	1	3	5	9	39
Kilnap	1	32	25	9	67	12	12	7	7	0	6	8	11	63
Maple Creek	0	13	9	1	23	12	6	1	2	0	2	2	6	31
Gleichen	0	.	..	..	..	0	2	0	..	1	..	5	2	..

TABLE XXXV.—(*Concluded*)—*Quarterly Number of Days of Rain, &c., 1887.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
N. W. TER.—(*Con.*)														
Balgonie	0	10	6	0	16	5	1	4	0	0	0	0	3	13
Fort Chipewyan	1	..	..	4	..	7	6	13	4	2	6	7	11	56
Pheasant Forks	0	20	13	0	33	1	4	2	2	0	1	1	2	13
Prince Albert	..	..	17	0	..	5	..	..	..	4	2	4	5	..
Moose Jaw	2	15	13	1	31	10	6	6	2	1	6	2	..	..
Swift Current	1	24	32	4	61	11	9	10	5	1	4	5	11	56
Moosomin	0	..	..	..	..	5	3	1	2	0	..	..	..	..
Fleming	0	..	..	..	..	..	3	4	..	0	..	..	..	..
Poplar River	6	42	..	..	..	6	4	6	4	2	..	..	..	..
Banff	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Indian Head	0	..	..	..	..	..	2	..	3	..	.	..	..	..
Mean for N. W. Ter.	0·3	20·7	15·5	2·9	39·4	5·6	4·6	4·2	3·2	1·0	3·5	3·5	6·6	32·2
NEWFOUNDLAND.														
St. John	33	39	42	44	158	11	12	12	3	2	0	1	6	47
Belle Isle	13	25	32	29	99	11	9	10	7	7	9	8	14	75
Point Rich	4	21	21	20	66	10	8	6	7	2	1	3	10	47
Mean for Newfoundland.	16·7	28·3	31·7	31·0	107·7	10·1	9·7	9·3	5·7	3·7	3·3	4·0	10·0	55·8

TABLE XXXVI.—*Average Depth of Rain in inches, in the several Provinces of the Dominion of Canada, in each Month and in the Year 1887.*

	MONTHS.												Year.
	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
Ontario	1·14	2·16	0·63	1·61	1·42	2·33	2·09	1·54	1·56	2·47	1·08	1·78	19·81
Quebec	0·61	0·24	0·52	1·99	1·34	2·85	3·77	2·72	2·00	3·13	1·06	1·13	21·36
New Brunswick	3·31	0·54	2·03	1·87	1·79	4·27	4·64	3·93	1·67	2·87	2·91	3·02	32·85
Nova Scotia	3·09	1·86	2·40	4·06	1·40	2·10	1·60	7·68	3·80	2·74	4·46	3 88	39·07
Prince Edward Island	2·85	0·66	2·65	2·45	2·46	1·30	4·66	2·76	2·09	4·13	3·42	4·30	33·73
Manitoba	0 00	R	0·03	0·53	2·29	3·81	2·84	2·25	1·36	0·20	0·02	R	13·33
North West Territory	0·02	0·00	0·02	0·16	1·18	2·07	1·56	1·21	0·68	0·22	R	0·00	7·12
British Columbia	5·40	3·29	5·72	3·71	2·48	1·65	1·53	0 81	4·21	4·64	7·58	7·10	48·12
Newfoundland	1·51	0·27	3·61	2·02	2·92	1·61	2·74	6·84	2·75	6·04	5·42	2·49	38·22

TABLE XXXVII.—*Difference between the Rainfall in inches during the year 1887, in the several Provinces of the Dominion of Canada, and the average Rainfall of 17 or more years.*

	MONTHS.												Year.
	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
Ontario	0·14	1·23	—0·80	—0·09	—1·03	—0·42	—0·83	—0·87	—1·52	—0·27	—0·90	0·69	—4·67
Quebec	0·08	—0·09	—0·23	0·72	—1·43	—0·23	—0·47	—0·49	—1·31	—0·38	—2·26	—0·24	—6·36
New Brunswick	1·66	—0·90	0·19	0·00	—1·59	0·85	0·77	0·36	—1·25	—1·12	—0·50	1·35	—0·18
Nova Scotia	0·69	0·23	0·05	1·74	—2·08	—1·19	—2·07	3·99	0·58	—1·73	0·08	1·26	1·55
Prince Edward Island	1·75	—0·15	0·92	0·35	—0·69	—1·63	0·81	—0·85	—0·44	—0·09	0·47	2·80	3·25
Manitoba	—0·01	—0·02	—2·26	—0·39	—0·26	0·39	—0·01	—0·69	—0·70	—0·90	—0·09	—0·08	—5·02
British Columbia	2·98	1·16	3·74	2·60	1·10	0·44	0·32	—0·27	2·66	2·17	4·52	3·96	25·38
Newfoundland	—0·10	—1·08	1·61	—0·14	—0·38	—2·02	—2·37	3·26	—1·47	1·83	2·40	0·25	1·79

TABLE XXXVIII.—*Quarterly depth of Rain in inches, in the several Provinces in the Dominion of Canada, and the average depth of Snow in each Month and in the Year 1887.*

	DEPTH OF RAIN IN INCHES.					DEPTH OF SNOW IN INCHES.								YEAR.
	Winter.	Spring.	Summer.	Autumn.	Year.	Jan.	Feb.	Mar.	April.	May.	Oct.	Nov.	Dec.	
Ontario	3·93	5·36	5·19	5·33	19·81	25·7	21·4	10·4	1·7	*	1·8	9·3	14·8	85·1
Quebec	1·37	6·18	8·49	5·32	21·36	38·7	34·3	26·0	7·3	1·1	3·5	15·4	21·6	147·9
New Brunswick	5·88	7·93	10·24	8·80	32·85	38·2	35·7	22·7	12·1	0·0	1·6	3·6	15·0	128·9
Nova Scotia	7·35	7·56	13·08	11·08	39·07	21·3	16·0	10·5	4·6	0·0	0·0	1·3	4·8	58·5
Prince Edward Island	6·16	6·21	9·51	11·85	33·73	34·5	26·5	6·8	12·0	*	*	*	16·3	96·1
Manitoba	0·03	6·63	6·45	0·22	13·33	8·8	6·5	6·5	5·1	1·2	1·0	5·8	10·6	45·5
North West Territory	0·04	3·41	3·45	0·22	7·12	8·1	5·3	4·1	3·2	0·9	1·9	2·8	5·4	31·7
British Columbia	14·41	7·84	6·55	19·32	48·12	10·2	14·5	3·8	0·5	0·1	0·5	0·9	3·0	33·5
Newfoundland	5·39	6·55	12·33	13·95	38·22	18·3	15·5	10·6	10·7	2·6	0·0	4·7	12·3	74·7

TABLE XXXIX.—*Average Number of Days of Rain in the several Provinces of the Dominion of Canada, in each Month and in the Year 1887.*

	MONTHS.												Year.
	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
Ontario	2·9	5·0	2·5	6·4	6·5	8·7	7·1	6·1	6·9	10·4	6·0	4·4	72·9
Quebec	2·4	1·1	3·5	5·8	6·9	8·5	11·9	8·7	8·6	11·2	5·1	3·6	77·3
New Brunswick	7·1	3·2	6·2	5·9	8·3	10·9	13·5	10·8	8·8	9·0	8·0	6·9	98·6
Nova Scotia	9·8	6·3	7·3	8·1	7·2	7·9	7·2	10·4	8·3	11·9	10·8	8·3	103·5
Prince Edward Island	8·0	6·0	17·0	14·0	11·0	11·0	18·0	14·0	11·0	18·0	14·0	9·0	151·0
Manitoba	0·0	0·1	0·2	2·7	8·9	11·1	8·7	8·8	6·1	2·1	1·0	0·2	49·9
North-West Territory	R	0·0	0·3	1·9	6·9	11·9	5·3	6·3	3·9	2·1	0·7	0·1	39·4
British Columbia	11·1	2·9	12·3	12·0	8·2	7·4	5·8	5·3	8·3	10·8	11·0	12·3	107·4
Newfoundland	5·7	2·3	8·7	10·3	11·3	6·7	8·7	12·0	11·0	12·7	11·3	7·0	107·7

TABLE XL.—*Quarterly Average Number of Days of Rain in the several Provinces of the Dominion of Canada, and the Number of Days of Snow in each Month and in the Year 1887.*

	NUMBER OF DAYS OF RAIN.					NUMBER OF DAYS OF SNOW.								Year.
	Winter.	Spring.	Summer.	Autumn.	Year.	Jan.	Feb.	March.	April	May.	Oct.	Nov.	Dec.	
Ontario	10·4	21·6	20·1	20·8	72·9	12·2	10·2	6·6	2·3	*	2·2	6·4	9·6	49·5
Quebec	7·0	21·2	29·2	19·9	77·3	14·5	12·0	11·7	3·5	0·3	2·9	7·9	9·1	61·9
New Brunswick	16·5	25·1	33·1	23·9	98·6	13·8	11·6	11·5	5·0	0·0	1·1	2·6	6·0	51·6
Nova Scotia	23·4	23·2	25·9	31·0	103·5	12·3	11·8	9·7	4·9	0·2	0·6	2·2	4·7	46·4
Prince Edward Island	31·0	36·0	43·0	41·0	151·0	16·0	15·0	10·0	9·0	1·0	1·0	5·0	9·0	66·0
Manitoba	0·3	22·7	23·6	3·3	49·9	7·1	7·6	5·1	3·0	2·1	3·8	5·0	7·5	41·2
North West Territory	0·3	20·7	15·5	2·9	39·4	5·6	4·6	4·2	3·2	1·0	3·5	3·5	6·6	32·2
British Columbia	26·3	27·6	19·4	34·1	107·4	6·4	7·7	2·8	1·0	0·4	0·6	1·7	3·5	24·1
Newfoundland	16·7	28·3	31·7	31·0	107·7	10·1	9·7	9·3	5·7	3·7	3·3	4·0	10·0	55 8

TABLE XLI.—*General Meteorological Register, Sydney, N.S., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean height of Barometer at sea level	29·933	30·034	29·701	29·858	30·021	30·017	29·987	29·918	30·000	29·917	29·956	29·942	29·940
Highest Barometer	30·678	30·742	30·723	30·471	30·431	30·426	30·286	30·410	30·427	30 570	30·416	30·733	30·742
Lowest Barometer	28·830	28·831	28·959	28·949	29·570	29·358	29·458	29·250	29·488	29·379	29·237	29·031	28·830
Monthly and Annual Range	1·848	1·911	1·764	1·522	0·861	1·068	0·828	1·160	0·939	1·191	1·179	1·702	1·912
Mean Temperature of the Air	22·83	14·86	25·35	34·64	44·95	54·17	63·85	61·92	56·40	47·78	37·94	29·40	41·17
Difference from Average	+ 2·01	− 4·87	0·00	+ 0·15	+ 0·34	− 4·72	+ 1·86	− 0·92	+ 0·70	+ 0·40	+ 1·23	+ 1·46	− 0·20
Highest Temperature	58·0	46·0	50·9	58·7	69·5	84·0	85·0	88·8	74·8	64·0	60·5	55·4	88·8
Lowest Temperature	− 4·3	17·0	− 7·0	17·7	29·7	34·2	41·4	40·1	39·2	26·4	19·5	6·2	− 17·0
Monthly and Annual Range	62·3	63·0	57·9	41·0	39 8	49 8	43·6	48·7	35·6	37·6	41·0	49·2	105·8
Mean Daily Range	19·75	20·75	14·21	14·76	19·05	22·20	20·77	19·29	15·92	13·58	14·15	10·27	17·07
Greatest Daily Range	40·5	42·4	31·3	28·4	38·7	35·4	35·8	30·0	25·6	22·5	30·9	24·7	42·4
Mean Humidity of the Air	87	86	86	84	78	74	79	80	84	84	85	85	83
Mean Pressure of Vapour	0·123	0·084	0·130	0·172	0·240	0·315	0·466	0·444	0·386	0·291	0·207	0·149	0·251
Mean Amount of Cloudiness	71	48	66	73	65	51	55	52	60	67	77	79	64
Amount of Rain in Inches	4·06	2·14	3·45	5·40	1·76	1·25	0·64	6·41	6·20	4·42	4·88	3·14	43·73
Number of Days	14	4	9	13	11	9	10	13	16	18	14	10	141
Amount of Snow in Inches	26·2	29·6	12·8	2·6	..	..	..	..	..	..	4·5	1·6	77·3
Number of Days	18	14	15	6	..	..	..	..	..	..	6	7	66
Mean Velocity of Wind	13·07	11·99	12·09	11·61	7·91	10 03	8·76	6·96	7·90	8·16	9·52	10·56	9·88
Maximum Velocity	52·0	34·0	39·0	39·0	28·0	31·5	31·0	27 6	32 0	29·5	33·0	32·5	39·0
Number of Auroras	0	5	2	0	2	2	3	1	0	2	1	1	19
Number of Fogs	0	0	2	7	11	4	2	4	2	3	3	2	40
Number of Thunderstorms	0	0	0	0	0	0	2	0	0	2	0	0	4
Mean proportion of Sunshine	0·27	0·44	0·36	0·31	0·39	0·60	0·50	0·55	0·42	0·29	0·22	0·20	0·38

TABLE XLII.—*General Meteorological Register, Halifax, 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean height of Barometer at sea level	29·973	30·103	29·749	29·881	30·057	30·048	29·988	29·954	30·037	29·961	29·990	30·010	29·979
Highest Barometer	30·730	30·835	30·836	30 570	30·466	30·462	30·283	30·386	30·472	30·570	30·536	30·875	30·875
Lowest Barometer	29·046	29·023	28·942	28·956	29·599	29·493	29·633	29·413	29·555	29·389	29·205	28·905	28·942
Monthly and Annual Range	1·685	1·812	1·894	1·614	0·867	0·969	0·650	0·973	0·917	1·181	1·331	1·970	1·933
Mean Temperature of the Air	24·43	21·21	28·29	37·66	49·60	56·74	66·52	65·96	56·63	47·99	38·09	27·00	43·17
Difference from Average	+2·61	−1·70	+1·45	+0·25	+2·06	−0·63	+3·21	−0·37	−0·84	+0·43	+1·38	+0·76	+1·72
Highest Temperature	54·9	46·0	46·8	72·5	78·2	81·0	93·0	89·6	77·0	64·0	58·2	54·0	93·0
Lowest Temperature	−4·8	−4·8	−1·9	22·4	31·6	35·1	48·9	47·6	39·0	31·2	14·0	−1·4	−4·8
Monthly and Annual Range	59·7	20·8	48·7	50·1	47·6	45·9	44·1	42·0	38·0	32·8	44·2	55·4	97·8
Mean Daily Range	21·01	19·51	13·79	16·06	20·93	21·44	19·59	18·70	17·70	14·70	14·93	13·64	17·66
Greatest Daily Range	37·3	36·8	27·8	37·5	42·6	31·4	32·2	29·0	25·7	31·2	35·6	27·3	42·6
Mean Humidity of the Air	86	84	83	78	88	78	83	83	86	86	83	85	83
Mean Pressure of Vapour	0·134	0·108	0·139	0·179	0·280	0·361	0·539	0·494	0·401	0·300	0·206	0·144	0·273
Mean Amount of Cloudiness	62	52	68	55	59	48	56	51	53	58	65	59	57
Amount of Rain in inches	5·38	4·94	2·54	5·76	2·13	2·11	2·04	8·35	3·24	3·06	6·72	3·62	49·84
Number of Days	13	11	12	12	12	13	10	10	10	15	16	12	146
Amount of Snow in inches	22·8	18·0	19·1	6·3	..	..	..	..	..	..	..	3·5	70·0
Number of Days	16	13	16	3	..	..	..	..	..	..	..	4	52
Mean Velocity of the Wind	9·64	9·00	9·45	10·07	5·51	5·02	..	..	..	..	..	..	..
Maximum Velocity	28·0	33·0	29·0	30·0	13·0	21·0	..	..	..	..	..	..	..
Numbers of Auroras	0	0	0	0	0	0	0	0	0	0	0	0	0
Numbers of Fogs	3	0	4	4	9	10	5	5	5	6	4	2	57
Number of Thunderstorms	0	0	0	0	0	2	1	1	0	0	0	0	4

TABLE XLIII.—*General Meteorological Register, Fredericton, N.B., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean height of Barometer at sea level	30·009	30·168	29·774	29·981	30·062	30·314	29·965	29·966	30·004	29·950	29·994	30·056	30·020
Highest Barometer	30·745	30·959	30·890	30·621	30·481	30·451	30·197	30·428	30·477	30·615	30·843	30·997	30·997
Lowest Barometer	28·974	29·149	28·883	29 209	29·589	29·530	29·594	29·588	29 433	28·949	29·202	29·220	28·883
Monthly and Annual Range	1·771	1·810	2·007	1·412	0·892	0·921	0·603	0·840	1·044	1·666	1·641	1·777	2·114
Mean Temperature of the Air	9·35	12·43	25·33	36·25	53·59	62·16	68·51	62·64	54·98	44·15	32·11	19·33	40·07
Difference from Average	− 1·72	− 3·25	+ 1·02	− 0·89	+ 3·92	+ 1·69	+ 2·82	− 1·49	− 0·82	− 0·35	+ 0·86	+ 1·32	+ 0·26
Highest Temperature	45·9	42·9	47·2	63·7	84·7	91·7	91·7	82·2	76·1	63·7	60·2	47·8	91·7
Lowest Temperature	− 34·1	− 25 0	− 19·5	− 2·0	33·0	36·0	47·0	42·0	31·0	15·8	− 2.5	12·7	− 34·1
Monthly and Annual Range	80·0	67·9	66·7	65·7	51·7	55·7	44·7	40·2	45·1	47 9	62·7	60·5	125·8
Mean Daily Range	26 51	24·24	18·08	19·87	23·74	24·13	19·43	19·99	20·77	18·26	17·40	14·57	20·58
Greatest Daily Range	59·3	51·0	40·7	37·3	47·7	36·8	28·8	29·3	30·9	29·2	30·1	29·4	59·3
Mean Humidity of the Air	79	77	74	60	62	67	77	76	76	74	72	80	73
Mean Pressure of Vapour	0·067	0·067	0 113	0·133	0·263	0·397	0·542	0·440	0·335	0·224	0·138	0·095	0·234
Mean Amount of Cloudiness	58	50	59	50	57	48	61	47	52	54	62	53	54
Amount of Rain in inches	2·51	0·11	1·11	2·01	1·65	5·10	2·91	4·64	1·40	2·97	3·45	3·09	30·95
Number of Days	8	1	9	8	10	16	16	14	7	9	12	10	120
Amount of Snow in inches	36·8	41·0	33·5	16·0	..	..	..	..	..	..	1·5	10·5	139·3
Number of Days	17	16	9	5	..	..	..	..	..	..	6	8	61
Mean Velocity of Wind	7·40	9·10	9·57	8·80	6·90	6·84	6·43	6·78	6·52	6·99	6·17	8·12	7·47
Maximum Velocity	36·0	34·0	34·0	30·0	26·0	22·0	24·0	18·0	17·0	34·0	27·0	23·0	36·0
Number of Auroras	0	2	0	2	0	0	2	4	1	0	2	2	15
Number of Fogs	4	0	4	2	2	5	2	6	12	7	7	0	51
Number of Thunderstorms	0	0	0	0	0	0	6	3	0	1	0	0	10

TABLE XLIV.—*General Meteorological Register, Montreal, 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean Height of Barometer at Sea level	29·979	30·162	29·905	29·971	29·998	29·951	29·913	29·928	30·010	29·965	30·014	30·128	29·994
Highest Barometer	30·635	31·006	30·962	30·616	30·351	30·342	30·169	30·342	30·447	30·617	31·058	31·133	31·133
Lowest Barometer	29·215	29·079	29·188	26·195	29·554	29·650	29·502	29·653	29·266	29·373	29·311	29·301	29·079
Monthly and Annual Range	1·420	1·927	1·774	1·421	0·797	0·692	0·667	0·689	1·181	1·244	1·744	1·832	2·054
Mean Temperature of the Air	−6·78	−13·97	−19 55	−35·46	+61·06	+66·25	+73·48	−65·94	−56·38	−43·30	−30·09	−16·84	−40·76
Difference from Average	−4·67	−1·84	−3·79	−4·04	+6·35	+1·77	+4·29	−1·55	−2·31	−2·50	−1·73	−1·54	−0·96
Highest Temperature	40·2	45·3	41·8	56·4	85·5	86·7	90·4	87·9	79·8	63·0	−56·5	−40·3	−90·4
Lowest Temperature	−25·9	−11·1	−11·9	−8·0	40·1	50·3	56·3	49·6	38·2	21·5	−0·5	−12·2	−25·9
Monthly and Annual Range	66·1	56·4	53·7	48·4	45·4	36·4	34·1	38·3	41·6	41·5	57·0	52·5	116·3
Mean Daily Range	20·4	17·5	14·8	15·4	20·5	17·1	17·3	17·7	17·0	13·3	13·0	10·6	16·2
Greatest Daily Range	41·5	40·3	29·0	25·9	29·7	26·8	28·2	26·2	29·5	24·3	35·7	28·0	41·5
Mean Humidity of Air	86	82	78	67	58	70	69	66	68	73	76	84	73
Mean Pressure of Vapour	0·062	0·079	0·092	0·146	0·315	0·452	0·568	0·424	0·314	0·218	0·133	0·092	0·241
Mean Amount of Cloudiness	66	63	58	53	59	56	54	58	70	70	73	67	62
Amount of Rain in inches	1·41	0·79	0·11	3·02	1·26	2·44	2·66	1·72	1·32	2·93	1·76	1·93	21·35
Number of Days	7	2	4	11	6	12	16	9	12	15	9	6	109
Amount of Snow in inches	50·1	34·1	31·1	*	..	..	..	..	..	3·1	25·9	24·9	169·2
Number of Days	21	12	15	1	..	..	..	..	..	5	14	13	85
Resultant Direction of Wind	S34W	S67W	S62W	S79W	S83W	S51W	S60W	S80W	S66W	S58W	S75W	N 80 W	S67W
Mean Velocity of Wind	18·37	20·87	18·18	18·18	14·62	12·73	12·35	12·36	13·89	14·10	16·26	15·06	15·58
Maximum Velocity	50·0	66·0	45·0	46·0	32·0	34·0	31·0	28·0	36·0	57·0	38·0	47·0	66·0
Number of Auroras	0	3	3	2	3	5	2	3	2	3	2	1	29
Number of Fogs	8	0	1	0	0	0	1	1	3	8	3	5	30
Number of Thunderstorms	0	0	0	0	1	1	4	0	2	2	0	0	10
Number of Lightning (alone)	0	0	0	0	0	1	0	0	0	0	0	0	1
Mean proportion of Sunshine	0·29	0·41	0·48	0·58	0·66	0·58	0·62	0·67	0·49	0·35	0·33	0·25	0·48

TABLE XLV.— *General Meteorological Register, Ottawa, 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean height of Barometer at sea level	29·982	30·171	29·975	29·974	30·016	29·965	29·913	29·957	30·050	29·952	29·962	30·073	29·999
Highest Barometer	30·746	30·892	30·917	30·622	30·208	30·392	30·160	30·342	30·475	30·563	31·007	31·057	31·057
Lowest Barometer	29·235	29·068	29·376	29·193	29·577	29·640	29·479	29·663	29·308	29·413	29·326	29·314	29·068
Monthly and Annual Range	1·511	1·824	1·541	1·429	0·721	0·752	0·681	0·679	1·167	1·150	1·681	1·743	1·989
Mean Temperature of the Air	−4·33	−11·74	−17·16	−34·14	+62·62	+66·81	+73·65	−64·84	−55·27	−42·48	+31·23	+17·94	−40·19
Difference from Average	−5·90	−0·10	−4·56	−3·67	+7·28	+0·61	+4·01	−2·60	−2·83	−2·75	+1·82	+3·09	−0·47
Highest Temperature	38·4	41·9	36·3	59·2	89·6	90·7	93·6	92·4	79·3	63·5	58·2	45·3	93·6
Lowest Temperature	−31·6	−17·2	−13·2	−2·8	34·2	46·7	53·3	43·5	31·7	19·0	−2·3	−20·1	−31·6
Monthly and Annual Range	70·0	59·1	49·5	62·0	55·4	44·0	40·3	48·9	47·6	44·5	60·5	65·4	125·2
Mean Daily Range	23·68	20·85	17·58	18·34	26·60	22·24	22·80	23·67	21·91	16·33	13·84	13·41	20·10
Greatest Daily Range	45·5	33·8	31·5	35·6	38·3	36·2	36·1	33·7	34·7	30·9	38·4	24·5	45·5
Mean Humidity of the Air	90	94	94	86	66	77	77	81	82	85	87	89	84
Mean pressure of Vapour	0·064	0·081	0·098	0·174	0·374	0·503	0·632	0·507	0·370	0·248	0·147	0·102	0·275
Mean amount of Cloudiness	61	58	46	43	41	50	53	42	55	65	71	70	55
Amount of Rain in inches	0·25	0·00	0·00	2·88	0·39	2·45	0·94	4·38	0·74	4·67	1·09	1·74	19·53
Number of Days	1	0	0	7	4	9	12	7	8	10	6	5	69
Amount of Snow in inches	38·5	67·2	36·0	0·5	..	..	..	..	..	6·5	18·0	14·8	181·5
Number of Days	15	11	9	1	..	..	..	..	..	3	7	3	49
Mean Velocity of Wind	5·62	7·35	7·44	5·03	3·84	4·01	4·18	3·46	4·61	4·97	..	2·73	..
Greatest Mileage in one day	4·40	4·36	3·40	3·11	1·91	1·90	2·05	2·22	2·76	3·21	..	3·02	4·40
Number of Auroras	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of Fogs	0	0	1	0	0	0	0	0	0	0	0	0	1
Number of Thunderstorms	0	0	0	0	0	0	1	1	0	0	0	0	2

TABLE XLVII.—*General Meteorological Magnetical Observatory*

Latitude 43° 39'.4 N. Longitude 5h. 17m. 34·7s. W. Elevation

	January.	February.	March.	April.	May.	June.	July.	August.
	°	°	°	°	°	°	°	°
Mean Temperature	18·08	21·74	24·76	39·35	58·51	63·85	73·14	66·19
Difference from average (47 years)	— 4·35	— 0·82	— 4·09	— 1·48	+ 6·51	+ 1·93	+ 5·57	—0·17
Thermic anomaly (Lat. 43° 40')	— 14·72	—12·96	—15·34	—10·85	+ 0·41	— 0·75	+ 4·44	—2·31
Highest Temperature	44·1	45·1	44·9	71·1	78·3	89·5	97·2	90·1
Lowest Temperature	—16·6	— 8·4	4·0	20·0	39·2	47·4	57·2	45·1
Monthly and Annual Ranges	60·7	53·5	40·9	51·1	39·1	42·1	40·0	45·0
Mean Maximum Temperature	26·70	29·60	31.92	48·38	68·76	72·86	83·39	76·03
Mean Minimum Temperature	8·45	13·23	17·61	30·48	47·77	54·01	62·85	56·35
Mean Daily Range	18·25	16·37	14·31	17·90	20·99	18·85	20·54	19·68
Greatest Daily Range	33·5	30·0	30·8	34·0	33·8	31·9	32·6	27·4
Mean height of Bar. at 32° Fah	29·5565	29·7552	29·6224	29·5908	29·6413	29·6181	29·5743	29·6151
Difference from average (46 years)	— ·0961	+ ·1197	+ ·0217	+ ·0021	+ ·0656	+ ·0502	— ·0114	—·0043
Highest Barometer	30·160	30·516	30·374	30·201	29·995	30·052	29·846	29·942
Lowest Barometer	28·907	28·786	28·908	28·704	29·225	29·246	29·224	29·319
Monthly and Annual Ranges	1·253	1·730	1·466	1·497	0·770	0·806	0·622	0·623
Mean Humidity of the Air	83	83	76	70	68	77	70	65
Mean Elasticity of Aqueous Vapour	0·095	0·106	0·107	0·171	0·333	0·454	0·564	0·427
Mean of Cloudiness	0·73	0·77	0·61	0·63	0·55	0·59	0·46	0·54
Difference from average (33 years)	— ·01	+ ·07	— ·02	— ·04	— ·01	+ ·06	— ·04	—·05
Resultant Direction of the Wind	S 81° W	N 29° W	N 28° W	N 19° W	N 70° E	N 75° E	N 35° W	N 12 W
" Velocity "	4·53	2·26	7·30	1·57	2·69	1·22	0·72	2·68
Average Velocity (miles per hour)	12·81	11·60	12·09	11·65	7·51	6·51	8·01	8·45
Difference from average (12 years)	+ 1·60	+ 0·83	+ 0·58	+ 0·81	— 1·64	— 2·08	+ 0·48	+0·92
Total Amount of Rain	0·745	2·125	0·610	1·600	0·805	2·655	0·660	1·995
Difference from average (47 years)	—0·367	+1·224	—0·917	—0·611	—2·292	—0·179	—2·489	—0·847
Number of Days of Rain	4	9	3	11	9	11	9	9
Total Amount of Snow	24·6	21·6	9·0	0·1	....	....	....	....
Difference from average (44 years)	+ 7·9	+ 4·4	— 4·5	— 2·2	....	....	....	....
Number of Days of Snow	15	16	14	3	....	....	....	....
Number of Fair Days	13	9	16	17	22	19	22	22
Number of Auroras observed	0	4	1	1	2	7	3	2
Possible to see Aurora (No. of nights)	12	10	15	17	21	19	24	14
Number of Thunderstorms	0	0	0	1	3	4	6	2
Number of hours of Bright Sunshine	68·1	81·0	154·4	178·0	290·7	232·4	310·0	267·1
No. of hours of possible Sunshine	285·7	291·4	369·9	406·4	461·1	465·7	470·9	434·5

Register for the Year 1887.
Toronto, Ont.

above Lake Ontario, 108 feet. Elevation above the Sea, 350 feet.

September.	October.	November.	December.	1887.	1886.	1885.	1884.	1883.	1882.	1881.
°	°	°	°	°	°	°	°	°	°	°
56·40	44·20	35·11	28·39	44·14	43·71	41·57	43·79	41·95	45·42	46·03
— 2·12	— 2·19	— 0·90	+ 2·50	+ 0·05	— 0·40	— 2·54	— 0·32	— 2·16	+ 1·31	+ 1·92
— 5·10	— 9·60	— 8·09	— 7·61	— 6·88	— 7·31	— 9·45	— 7·23	— 9·07	— 5·60	— 4·99
79·1	65·9	57·6	47·1	97·2	89·5	88·6	89·6	83·4	89·9	92·7
35·1	19·4	6·4	0·0	— 16·6	— 22·8	— 16·1	— 13·3	— 10·5	— 17·4	— 15·1
44·0	46·5	51·2	47·1	113·8	112·3	104·7	102·9	93·9	107·3	107·6
65·82	52·12	41·14	33·15	....	....	....	....	....	....	....
47·19	35·51	28·46	22·50	....	....	....	....	....	....	....
18·64	16·61	12·68	10·65	17·12	16·53	16·85	17·05	17·07	15·70	16·61
30·6	27·0	29·7	22·5	34·0	32·6	39·2	34·8	38·4	36·0	40·9
29·7122	29·6093	29·6270	29·6721	29·6329	29·6255	29·5933	29·6273	29·6496	29·6515	29·6311
+ ·0475	— ·0415	+ ·0080	— ·0230	+ ·0154	+ ·0080	— ·0242	+ ·0098	+ ·0321	+ ·0340	+ ·0136
30·082	30·111	30·592	30·607	30·607	30·283	30·300	30·412	30·365	30·447	30·461
29·113	28·963	28·945	29·060	28·704	28·752	28·714	28·807	28·803	28·781	28·911
0·969	1·148	1·647	1·547	1·903	1·531	1·586	1·605	1·562	1·666	1·550
71	76	77	83	75	77	77	76	77	74	75
0·336	0·235	0·163	0·137	0·261	0·260	0·249	0·261	0·249	0·265	0·260
0·56	0·63	0·68	0·84	0·63	0·61	0·61	0·63	0·64	0·63	0·62
+ ·04	+ ·01	— ·07	+ ·06	+ ·01	— ·01	— ·01	+ ·01	+ ·02	+ ·01	·00
N 31° W	S 78° W	N 81° W	N 65° W	N 46° W	N 56° W	N 62° W	N 55° W	N 77° W	N 47° W	N 50° W
2·56	4·15	3·38	1·21	1·92	2·13	2·60	3·30	2·39	2·11	2·70
8·52	9·28	11·68	10·47	9·88	9·73	9·95	10·29	10·08	10·42	9·91
0·00	+ 0·16	+ 1·08	— 0·63	+ 0·26	+ 0·11	+ 0·33	+ 0·67	+ 0·46	+ 0·80	+ 0·29
1·202	1·622	2·035	1·915	17·969	27·726	26·351	20·532	25·734	20·587	21·138
—2·213	—0·706	—0·693	+0·376	—9·763	— ·006	—1·381	—7·200	—1·998	— 7·145	— 6·594
9	14	9	9	106	112	103	123	124	110	123
....	0·1	7·6	14·9	77·9	73·5	65·6	80·2	84·0	42·5	57·6
....	— 0·7	+ 3·0	+ 0·1	+ 8·0	+ 3·6	— 4·3	+ 10·3	+ 14·1	— 27·4	— 12·3
....	4	11	15	78	66	73	69	73	62	64
21	15	15	12	203	196	203	184	181	209	191
2	2	0	1	25	29	31	20	46	60	23
15	16	10	7	180	189	195	202	207	204	187
4	2	0	0	22	26	19	30	32	28	24
190·4	141·1	99·9	50·4	2663·5	2034·4	2818·3	1931·8	2038·8	2169·5	....
376·3	340·2	286·9	274·3	4463·3	4463·3	4463·3	4474·4	4463·3	4463·3	....

TABLE XLVII.—*General Meteorological Register, Woodstock, 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean Height of Barometer at sea level	29·998	30·182	30·071	30·014	30·006	29·984	29·926	29·993	30·111	30·031	30·047	30·103	30·039
Highest Barometer	30·709	30·993	30·812	30·802	30·350	30·419	30·148	30·260	30·489	30·536	31·002	31·084	31·084
Lowest Barometer	29·303	29·174	29·308	29·199	29·590	29·640	29·592	29·402	29·534	29·447	29·348	29·260	29·174
Monthly and Annual Range	1·406	1·819	1·504	1·603	0·760	0·819	0·556	0·858	0·955	1·089	1·654	1·824	1·910
Mean Temperature of the Air	17·94	22·44	25·70	40·94	61·88	66·34	75·17	65·84	56·23	43·55	34·81	27·12	44·83
Difference from Average	−1·76	+1·84	−1·00	−0·46	+7·68	+2·84	+3·97	−0·06	−3·07	−3·75	+0·71	+2·42	+1·20
Highest Temperature	47·8	47·5	48·3	73·9	88·1	91·0	97·2	95·0	86·4	76·9	59·8	50·5	97·2
Lowest Temperature	−18·0	−2·8	3·8	13·9	39·0	44·0	52·0	36·9	26·4	15·0	3·0	−3·7	−18·0
Monthly and Annual Range	65·8	50·3	44·5	60·0	49·1	47·0	45·2	58·1	60·0	61·9	56·8	54·2	115·4
Mean Daily Range	19·20	16·81	16·59	23·31	25·33	25·23	28·18	27·69	25·92	19·90	16·62	13·09	21·49
Greatest Daily Range	37·6	33·6	29·3	45·5	40·1	38·0	36·0	41·0	44·2	41·1	36·7	27·6	45·5
Mean Humidity of the Air	84	86	81	75	71	79	71	74	78	84	83	89	80
Mean Pressure of Vapour	0·098	0·112	0·118	0·199	0·394	0·508	0·611	0·472	0·364	0·257	0·175	0·139	0·288
Mean Amount of Cloudiness	72	74	58	56	42	51	36	39	46	60	64	78	56
Amount of Rain in inches	1·12	3·28	2·18	0·94	0·96	2·34	0·43	2·04	1·74	2·28	2·77	2·11	22·19
Number of Days	3	11	3	10	7	7	6	6	9	13	7	6	88
Amount of Snow in inches	35·5	13·1	13·3	1·0	..	..	..	..	..	*	4·1	13·0	80·0
Number of Days	17	12	9	3	..	..	..	..	..	1	6	6	54
Mean Velocity of Wind	14·91	12·18	11·32	12·00	6·47	5·38	6·16	4·39	7·09	9·76	11·79	9·65	9·26
Maximum Velocity	39·0	43·0	33·0	39·0	31·0	21·0	27·0	23·0	29·0	32·0	32·0	38·0	43·0
Number of Auroras	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of Fogs	0	2	2	0	0	1	0	1	3	1	1	0	11
Number of Thunderstorms	0	1	0	1	0	1	0	0	0	0	0	0	3

TABLE XLVIII—*General Meteorological Register, Winnipeg, Man., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean height of Barometer at sea level	30·072	30·277	30·165	29·925	29·847	29·850	29·912	29·965	29·967	30·020	30·111	30·195	30·025
Highest Barometer	30·838	31·078	30·973	30·434	30·540	30·180	30·197	30·234	30·454	30·695	31·009	31·010	31·078
Lowest Barometer	29·207	29·589	29·310	29·291	29·382	29·464	29·646	29·649	29·091	29·222	29·418	29·527	29·091
Monthly Annual Range	1·631	1·489	1·663	1·143	1·158	0·716	0·551	0·585	1·363	1·473	1·591	1·483	1·987
Mean Temperature of the Air	−14·46	−8·04	−11·67	+37·27	+57·24	+64·62	+66·50	+61·03	+53·76	+32·43	−17·35	−0·32	+31·64
Difference from Average	−7·11	−8·00	−0·33	+2·86	+5·19	+2·72	+0·49	−2·58	+2·26	−6·10	−0·36	−0·06	−0·92
Highest Temperature	23·2	24·8	43·0	74·8	90·6	88·0	93·2	88·0	83·8	64·0	58·6	38·0	93·2
Lowest Temperature	−42·7	−38·7	−36·5	9·0	29·0	33·3	39·0	33·3	23·2	2·8	−31·4	−41·7	−42·7
Monthly and Annual Range	65·9	63·5	79·5	83·8	61·6	54·7	54·2	54·7	60·6	66·8	90·0	79 7	135·9
Mean Daily Range	23·08	24·06	26·97	23·53	26·15	25·94	25·46	27·38	26·81	24·07	22·07	18·82	24·53
Greatest Daily Range	50·5	35·9	46·5	40·5	44·8	42·6	35·6	39·3	41·3	40·0	44·0	36·4	50·5
Mean Humidity of the Air	97	94	84	69	65	74	74	75	71	72	84	93	79
Mean pressure of Vapour	0·026	0·033	0·075	0·160	0·299	0·453	0·467	0·399	0·297	0·139	0·095	0·051	0·207
Mean amount of Cloudiness	49	42	50	51	54	50	54	51	43	57	50	65	51
Amount of Rain in inches	0·00	R	R	0·25	3·01	2·94	1·98	1·49	1·77	0·25	R	R	11·69
Number of Days	0	1	1	4	13	12	13	15	12	4	1	1	77
Amount of Snow in inches	7·1	11·9	9·3	8·9	*	..	..	..	..	2·1	10·1	13·5	62·9
Number of Days	12	10	8	7	1	..	..	..	..	5	7	14	64
Mean Velocity of Wind	10·21	9·47	13·54	13·12	15·01	13·24	9·28	10·47	14·88	12·54	11·26	11·85	12·07
Maximum Velocity	47·0	27·0	49·0	38·0	48·5	49·0	32·0	37·0	45·0	41·0	32·0	35·0	49·0
Number of Auroras	12	11	10	10	9	6	2	8	12	6	6	6	98
Number of Fogs	0	0	0	0	0	0	0	0	0	0	1	0	1
Number of Thunderstorms	0	0	0	2	7	6	4	5	1	0	0	0	25
Mean proportion of Sunshine	0·52	0·55	0·46	0·49	0·48	0·57	0·60	0·56	0·56	0·43	0·44	0·37	0·50

TABLE XLIX.—*General Meteorological Register, Fort Simpson, B. C., 1887.*

	January.	February.	March.	April.	May.	June.	July.	August	September.	October.	November.	December.	Year.
Mean Height of Barometer at sea level	29·633	29·940	29·832	29·865	29·948	29·990	30·106	30·010	29·926	29·992	29·851	29·739	29·903
Highest Barometer	30·317	30·394	30·406	30·296	30·421	30·296	30·264	30·228	30·190	30·410	30·247	30·432	30·432
Lowest Barometer	28·826	29·373	29·224	29·188	29·193	29·611	29·785	29·571	29·127	29·534	29·076	28·999	28·826
Monthly and Annual Range	1·491	1·021	1·182	1·108	1·228	0·685	0·479	0·657	1·063	0·876	1·151	1·433	1·606
Mean Temperature of the Air	32·24	23·72	36·14	40·36	45·90	51·36	53·44	54·54	51 75	46·47	38·48	32·75	42·26
Difference from Average	3·55	7·16	1·27	0·70	1·19	0·98	1·56	1·50	1·56	0·55	1·12	2·85	1·41
Highest Temperature	49·0	39·0	52·0	54·0	65·0	73·0	73·0	68·0	64·0	64·0	62·0	54·0	73·0
Lowest Temperature	3·0	4·0	11·0	27·0	27 0	35·0	36·0	40·0	34·0	31·0	23·0	5·0	4·0
Monthly and Annual Range	52·0	43 0	41·0	27·0	38·0	38·0	37·0	28·0	30·0	33·0	39·0	49·0	77·0
Mean Daily Range	11·21	16·39	14·95	13·33	15·61	15·68	14·46	13·04	14·30	14·51	11·65	11·78	13·91
Greatest Daily Range	19·0	22·0	26·0	21·0	33·0	31·0	27·0	22·0	26·0	24·0	18·0	19·0	31·0
Mean Amount of Cloudiness	73	45	77	74	66	62	59	59	64	73	72	79	67
Amount of Rain in inches	7·71	0·00	8·16	8·91	3·70	3·30	6·41	3·61	13·14	11·98	16·62	9·27	82 81
Number of Days	14	0	20	22	17	10	16	17	20	23	18	14	191
Heaviest Day's Rain	1·44	0·00	1·16	1 08	0·90	0·77	1·43	0·66	4·22	1·05	4·00	1·52	4·22
Amount of Snow in inches	42·6	27·0	6·5	*	..	..	..	..	..	..	1·0	11·1	88·2
Number of Days	11	10	4	1	..	..	..	..	..	..	2	8	36
Heaviest Day's Snow	9·0	9·0	3·0	*	..	..	..	..	..	..	1·0	4·1	9·0
Mean Velocity of Wind	..	..	..	3·81	4·08	3·04	3·59	1·99	2·56	..	..	11·1	..
Maximum Velocity	..	..	..	16·0	20·0	12·0	15·0	7·0	14·0	..	..	8·0	..
Number of Auroras	0	1	0	0	2	0	0	0	0	1	0	0	4
Number of Fogs	0	0	0	0	0	0	1	0	0	3	1	0	5
Number of Thunderstorms	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE L.—*Comparison of the Amount of Sky Clouded, Ontario, 1870-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1870	78	67	64	53	46	44	50	36	44	62	59	77	56
1871	79	65	64	63	40	49	42	42	48	61	74	80	59
1872	76	51	51	52	54	57	47	51	57	53	73	76	58
1873	77	57	64	61	53	42	49	44	50	60	76	79	59
1874	76	71	73	53	46	52	47	37	47	65	69	77	59
1875	69	58	57	57	47	44	38	55	53	65	71	75	57
1876	74	67	66	55	52	51	44	39	61	64	82	71	60
1877	66	52	63	41	42	46	39	47	39	66	69	69	53
1878	67	54	61	54	54	44	45	40	52	56	74	81	57
1879	68	64	60	52	39	45	39	46	52	46	73	79	55
1880	65	58	52	55	48	47	43	42	49	58	68	74	55
1881	65	58	63	41	47	50	43	42	57	65	72	71	56
1882	67	59	61	51	52	47	45	56	44	47	66	80	56
1883	66	61	49	53	61	55	51	36	51	60	67	71	57
1884	71	75	51	54	57	33	50	37	45	57	65	72	56
1885	63	52	50	46	48	46	41	57	39	63	80	76	55
1886	71	59	63	48	43	48	40	43	45	51	69	65	54
1887	66	65	50	49	37	47	39	36	45	59	63	75	53

TABLE LI.—*Comparison of the Amount of Sky Clouded, Quebec, 1870-1887.*

1870	60	57	43	45	36	45	51	41	36	61	69	68	51
1871	55	54	55	57	43	43	48	44	41	61	64	66	53
1872	60	41	50	46	53	47	44	43	50	45	64	59	50
1873	62	44	55	56	42	35	40	35	49	59	66	67	51
1874	70	46	58	48	52	52	51	30	43	56	68	62	53
1875	52	51	55	50	56	46	43	42	58	66	63	65	54
1876	66	54	69	59	60	54	51	35	64	72	77	64	58
1877	69	64	63	43	54	54	58	63	45	64	74	68	60
1878	64	54	63	72	67	58	55	60	53	63	82	81	64
1879	69	57	65	58	50	59	51	52	57	59	76	68	60
1880	64	71	46	58	55	48	49	41	65	67	68	73	59
1881	57	63	66	48	52	51	47	48	46	63	68	68	56
1882	59	52	56	58	55	53	54	47	59	50	65	74	57
1883	58	51	57	53	46	60	51	48	47	61	71	71	56
1884	62	72	58	69	62	41	64	43	51	68	76	73	62
1885	65	54	51	51	45	60	51	51	49	61	74	73	57
1886	71	60	61	40	60	54	50	51	53	47	77	67	58
1887	67	57	63	50	46	49	54	46	53	69	72	69	58

TABLE LII.—*Comparison of amount of Sky Clouded, N. Brunswick, 1870-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1870	64	62	47	53	57	55	51	44	48	55	73	63	56
1871	61	50	62	78	64	54	67	54	50	65	58	55	60
1872	56	50	54	58	74	65	57	59	70	49	64	54	59
1873	54	53	57	63	45	46	51	53	55	53	63	52	54
1874	62	44	46	54	50	67	56	49	55	50	62	60	54
1875	45	49	49	55	49	56	50	54	53	58	68	57	54
1876	50	46	67	64	64	65	51	35	50	56	78	53	57
1877	52	62	59	52	56	55	51	59	50	55	60	49	55
1878	51	45	60	70	69	56	49	55	44	65	63	58	57
1879	55	56	58	52	60	70	47	55	59	52	66	54	57
1880	53	57	53	52	63	52	56	49	63	57	49	57	55
1881	52	63	59	53	68	64	64	74	58	57	61	59	61
1882	53	55	58	60	54	58	55	45	67	48	64	55	56
1883	47	38	60	56	65	65	58	41	41	51	61	65	54
1884	53	70	60	74	61	45	69	63	48	57	62	61	60
1885	66	64	62	60	55	70	64	66	51	67	71	79	65
1886	66	59	62	42	56	49	55	62	51	45	63	62	56
1887	60	50	63	51	53	50	61	50	48	53	61	54	55

TABLE LIII.—*Comparison of the amount of Sky Clouded, Nova Scotia, 1870-1887.*

1870	64	68	64	58	59	53	42	45	48	60	71	74	59
1871	76	59	67	69	55	54	55	54	48	60	72	73	60
1872	68	60	64	60	73	67	51	62	56	52	67	72	63
1873	61	60	60	66	48	54	51	52	56	57	69	88	60
1874	73	59	59	61	52	72	52	56	55	45	62	71	60
1875	59	57	55	59	50	49	54	58	56	66	73	70	59
1876	66	62	71	67	64	62	56	36	50	54	80	73	62
1877	62	65	72	63	58	54	64	60	46	64	70	66	62
1878	70	54	70	69	75	58	59	53	46	69	71	72	64
1879	68	69	64	57	57	64	53	57	56	57	73	69	62
1880	60	66	63	56	61	54	59	47	56	55	60	79	60
1881	61	67	65	57	67	62	61	70	59	62	68	70	64
1882	65	64	65	61	60	61	58	54	66	51	71	72	62
1883	56	55	64	58	62	58	60	49	44	62	65	76	59
1884	60	70	64	73	61	42	72	55	48	60	67	69	63
1885	71	61	67	52	50	55	58	63	46	62	69	75	61
1886	75	60	65	48	59	56	58	58	56	49	70	78	61
1887	77	62	70	57	60	52	60	57	57	66	70	73	63

TABLE LIV.—*Comparison of the Amount of Sky Clouded, P. E. Island, 1872-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1872	..	..	..	.	..	..	..	..	66	59	65	71	..
1873	62	57	66	70	54	56	55	55	61	61	79	70	62
1874	76	54	52	59	48	68	50	47	51	39	68	68	59
1875	51	48	57	58	54	48	57	48	53	66	82	81	59
1876	62	63	66	70	59	59	52	35	47	70	86	61	61
1877	48	65	67	58	54	47	59	55	45	68	70	73	59
1878	64	52	66	67	71	49	53	54	38	74	78	69	61
1879	63	67	65	60	59	67	67	59	57	62	78	72	65
1880	62	63	64	53	68	59	60	54	63	67	66	74	63
1881	61	72	67	62	72	63	67	74	67	67	78	79	69
1882	69	69	62	62	60	69	55	55	64	56	76	76	64
1883	48	52	66	61	64	64	58	50	42	65	66	82	60
1884	55	68	67	78	63	50	76	56	54	73	72	81	66
1885	60	60	61	57	55	58	54	54	61	68	73	74	61
1886	65	58	67	48	67	55	62	64	56	49	78	77	62
1887	68	56	75	72	65	52	71	55	57	71	75	84	67

TABLE LV.—*Comparison of the Amount of Sky Clouded, Manitoba, 1871-1887.*

1871	..	..	..	..	..	..	..	..	..	61	56	48	..
1872	46	51	47	59	65	43	43	31	61	47	71	47	51
1873	58	62	45	41	56	39	44	35	61	55	62	45	50
1874	57	51	36	34	42	46	34	44	33	29	53	52	42
1875	24	36	45	57	45	47	36	40	47	61	53	54	45
1876	42	37	47	40	49	44	38	48	44	55	63	44	46
1877	38	31	36	38	61	64	35	34	40	50	56	59	45
1878	45	65	53	57	53	41	41	35	56	67	42	75	53
1879	48	50	45	51	57	58	45	47	38	62	64	45	51
1880	49	46	42	45	62	46	43	51	58	67	54	50	51
1881	30	64	39	48	51	58	49	41	63	58	67	39	40
1882	54	50	53	45	47	48	49	31	37	61	60	55	49
1883	43	31	40	49	50	47	46	50	41	65	59	31	47
1884	34	41	32	47	35	47	48	43	54	58	56	50	45
1885	32	37	53	57	53	52	46	44	41	56	67	46	49
1886	42	44	43	44	48	43	38	40	47	48	39	39	43
1887	39	39	45	51	47	47	41	44	38	51	47	54	45

TABLE LVI.—*Comparison of the Amount of Sky Clouded, B. Columbia, 1872-1887.*

	January.	February.	March.	April.	May,	June.	July.	August.	September.	October.	November.	December.	Year.
1872	53	54	41	45	45	46	37	43	66	59	65	71	52
1873	62	57	66	70	54	56	55	55	37	34	63	65	56
1874	73	62	59	48	55	53	33	54	60	55	66	71	57
1875	44	44	65	33	49	51	26	26	27	53	68	64	46
1876	56	64	63	51	49	50	39	43	42	54	60	69	53
1877	63	47	56	56	50	49	45	32	57	50	64	60	52
1878	68	77	62	48	49	35	39	25	46	50	73	55	52
1879	56	68	68	51	50	47	..	..	..	..	..	..	..
1880	79	48	64	45	74	48	54	47	65	56	48	71	58
1881	55	67	74	50	61	56	55	48	47	65	74	73	60
1882	67	76	..	..	..	..	32	42	34	57	54	63	..
1887	82	51	81	74	66	62	42	36	57	60	65	76	63

TABLE LVII.—*Comparison of the Amount of Sky Clouded, Newfld., 1870-1887.*

1870	..	..	..	..	..	..	..	..	..	..	..	..	..
1871	..	..	..	..	..	..	..	..	61	77	71	62	..
1872	61	65	71	68	69	63	54	54	56	56	74	71	64
1873	64	67	60	70	61	56	68	52	65	63	71	74	64
1874	71	61	69	66	67	73	58	59	62	62	77	80	67
1875	73	62	58	69	70	60	63	63	60	73	77	69	66
1876	68	75	70	70	67	68	63	49	62	74	82	86	69
1877	75	78	74	69	69	63	69	68	58	67	73	80	70
1878	85	70	86	71	77	73	64	67	65	74	83	84	75
1879	88	81	74	71	79	75	64	61	69	56	..	83	..
1880	80	60	65	62	78	77	64	53	70	60	69	81	69
1881	72	71	58	62	57	64	72	72	64	68	79	79	68
1882	65	69	52	58	51	68	60	61	57	54	62	72	61
1883	56	47	63	52	56	64	66	63	52	53	55	68	58
1884	54	52	60	75	76	63	76	56	58	66	61	63	63
1885	60	66	64	66	68	66	62	62	66	76	70	72	67
1886	74	70	70	63	64	72	71	63	60	58	73	63	67
1887	66	56	77	82	72	61	70	60	73	63	61	67	67

TABLE LVIII.—*Comparison of the Mean Proportion of Bright Sunshine (constant sunshine being represented by 1·) at the different stations in the Dominion of Canada.*

WINNIPEG, Man.

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1882	0·36	0·39	0·47	0·56	0·58	0·57	0·53	0·68	0·51	0·33	0·32	0·39
1883	·41	·54	·60	·46	·59	·57	·79	·53	·55	·33	·28	·50
1884	·49	·44	·51	·44	·61	·51	·49	·53	·42	·39	·28	·25
1885	·46	·52	·44	·40	·51	·53	·49	·51	·51	·39	·19	·36
1886	·48	·40	·46	·47	·63	·65	·63	·51	·37	·44	·54	·53
1887	·52	·55	·46	·49	·48	·57	·60	·56	·56	·43	·44	·37

WINDSOR, Ont.

1883	0·25	0·33	0·41	0·47	0·42	0·45	0·59	0·68	0·42	0·34	0·38	0·22
1884	·22	·17	·34	·41	·42	·55	·52	·57	·54	·38	·29	·13
1885	·28	·30	·41	·40	·41	·60	·63	·42	·57	·35	·11	·17
1886	·17	·32	·36	·51	·57	·59	·52	·49	·51	·55	·33	·29
1887	·28	·20	·44	·47	·52	·54	·71	·52	·40	·43	·37	·25

STRATFORD, Ont.

1883	0·34	0·36	0·45	0·42	0·40	0·48	0·53	0·69	0·48	0·33	0·25	0·16
1884	..	·15	·41	·40	·30	·62	·53	·40	·40	·27	·22	·22
1885	·32	·30	·34	·36	·33	..	..	..	..	..	..	..
1886	..	·22	·29	·48	·54	·46	·58	·52	·43	·38	·22	·24
1887	·17	·17	·34	·37	·60	·52	·71	·56	·45	·30	·25	·13

WOODSTOCK, Ont.

1882	0·21	0·33	0·33	0·43	0·45	0·52	0·56	0·44	0·60	0·54	0·30	0·06
1883	·25	·36	·44	·39	·37	·44	·48	·64	·47	·31	·31	·21
1884	·15	·17	·43	·39	·37	·57	·53	·60	·56	·40	·22	·18
1885	·25	·29	·39	·43	·43	·58	·60	·37	·54	·34	·13	·12
1886	·13	·35	·30	·46	·53	·53	·55	·51	·51	·40	·30	·24
1887	·21	·21	·40	·43	·57	·51	·64	·54	·47	·32	·31	·16

TORONTO, Ont.

1882	0·34	0·35	0·40	0·50	0·51	0·59	0·61	0·54	0·65	0 62	0·28	0·10
1883	·30	·44	·52	·45	·40	·52	·58	·70	·51	·37	·31	·11
1884	·18	·17	·43	·41	·45	·69	·52	·65	·57	·40	·22	·11
1885	·28	·35	·35	·50	50	·62	·67	·51	·64	·35	·17	·13
1886	·20	·35	·33	·44	·57	·51	·59	·55	·50	·47	·35	·21
1887	·24	·28	·42	·44	·63	·50	·66	·61	·56	·41	·35	·18

TABLE LVIII (Continued.)—*Mean Proportion of Bright Sunshine, &c., 1887.*

ST. CATHARINES, Ont.

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1883	0·13	0·18	0·32	0·38	0·41	0·47	0·51	0·64	0·41	0·31	0·28	0·14
1884	·16	·14	·29	·28	·32	·61	·55	·64	·58	·32	·17	·13
1885	..	..	..	..	..	..	.	..	·58	·35	·14	·18
1886	·12	·32	·30	·41	..	..	·50	·52	·52	·42	·31	·25
1887	·17	·21	·35	·42	·59	·49	·61	·64	·45	·35	·34	·19

LINDSAY, Ont.

1883	0·29	0·38	0·52	0·53	0·43	0·54	0·58	0·70	0·51	0·40	0·27	0·17
1884	·16	·19	·48	·43	·42	·64	·52	·63	·55	·40	·25	·21
1885	·33	·37	·43	·48	·52	·61	·63	·45	·63	·34	·13	·19
1886	·25	·38	·35	·52	·57	·54	·57	·54	·52	·43	·28	·27
1887	·26	·31	·42	·47	·62	·51	·65	·58	·45	·32	·35	·12

BARRIE, Ont.

1883	0·25	0·26	0·40	0·42	0·36	0·44	0·54	0·63	0·42	0·29	0·19	0·09
1884	·12	·13	·38	·36	·39	·58	·48	·51	·43	·31	·17	·16
1885	·21	·28	·35	·40	·46	·57	·61	·35	·52	·23	.12	·09
1886	·11	·25	·29	·41	·53	·49	·52	·46	·42	·31	·18	·11
1887	·16	·18	·34	·31	·55	·47	·60	·67	·37	·30	·28	·06

KINGSTON, Ont.

1883	0·33	0·41	0·52	0·52	0·48	0·53	0·56	0·61	0·54	0·36	0·32	0·27
1884	·18	·17	·42	·35	·38	·51	·41	·67	'61	·37	·24	·20
1885	·23	·42	·37	·46	·51	·59	·62	·47	·61	·31	·15	·19
1886	·23	·30	·35	·50	·50	·46	·48	·55	·50	·39	·25	·28
1887	·22	·30	·41	·52	·57	·52	·63	·65	·46	·29	·30	·20

PEMBROKE, Ont.

1883	0·	0·	0·	0·	0·40	0·	0·56	0·55	0·38	0·31	0·19	0·07
1884	·14	·14	·41	·38	·40	·59	·36	·45	·38	·08	·14	·17
1885	·17	..	·45	·29	·45	·46	·51	·39	·36	·44	·15	·24
1886	·35	·26	·31	·52	·35	·27	·46	·51	·47	·45	·30	·32
1887	·44	·52	·65	·55	·73	·56	·50	·64	·56	·23	·32	·27

TABLE LVIII (Concluded).—*Mean Proportion of Bright Sunshine, &c., 1887.*

CORNWALL, Ont.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1883	0·34	0·37	0·49	0·62	0·45	0·50	0·58	0·57	0·54	0·35	0·20	0·16
1884	·20	·20	·42	·36	·39	·64	·39	·51	·50	·29	·21	·13
1885	·24	·42	·46	·53	·61	·54	·59	·52	·62	·32	·13	·17
1886	·25	·32	·30	·52	·49	·47	·55	·65	·47	·36	·25	·27
887	·23	·33	·40	·42	·52	·52	·58	·51	·36	·21	·25	·17

MONTREAL, Que.

1882	0·34	0·44	0·53	0·47	0·48	0·60	0·63	0·68	0·53	0·57	0·41	0·00
1883	·42	·48	·52	·61	·45	·54	·62	·61	·60	·42	·25	·27
1884	·28	·22	·47	·34	·44	·69	·46	·67	·59	·34	·28	·22
1885	·24	·50	·53	·56	·63	·49	·64	·55	·64	·35	·17	·26
1886	·29	·31	·39	·60	·53	·46	·56	·60	·56	·56	·26	·33
1887	·29	·41	·46	·58	·66	·58	·63	·67	·49	·35	·33	·25

FREDERICTON, N. B.

1882	0·41	0·40	0·41	0·42	0·52	0·49	0·56	0·67	0·38	0·55	0·38	0·40
1883	·49	·53	·45	·50	·46	·48	·50	·64	·56	·46	·46	·35
1884	·45	·32	·38	·28	·36	·56	·31	·48	·50	·39	·31	·32
1885	·34	·45	·42	·50	·56	·45	·52	·52	·58	·43	·36	·27
1886	·26	·42	·41	·57	·44	·56	·50	·46	·46	·53	·25	·34
1887	·34	·50	·32	·32	·56	·56	·44	·56	·49	·46	·34	·41

SYDNEY, N. S.

1882	0·36	0·35	0·38	0·42	0·46	0·41	0·53	0·45	0·38	0·48	0·24	0·24
1883	·40	·40	·33	·40	·38	·43	·44	·52	·53	·32	·28	·17
1884	·32	·33	·31	·22	·34	·47	·25	·45	·49	·31	·20	·13
1885	·33	·39	·39	·45	·50	·46	·54	·49	·56	·29	·23	·14
1886	·22	·38	·35	·49	·48	·41	·49	·48	·49	·52	·38	·21
1887	·27	·44	·36	·31	·39	·60	·50	·55	·42	·29	·22	·20

TABLE LIX.—*Comparison of the Rainfall in Ontario in each Year, 1869-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1869	....	....	....	....	....	....	....	...	4·37	1·65	1·83	2·30	....
1870	3·17	0·60	0·56	2·34	1·53	3·80	4·67	2·67	3·51	3·91	1·25	1·11	29·12
1871	0·81	0·22	2·61	2·47	1·56	2·74	1·90	1·85	1·77	1·18	1·96	0·61	19 68
1872	0·23	0·62	0·31	1·07	2·78	2·46	2·44	2·51	3·85	3·00	0·67	0·18	20·12
1873	1·27	0·13	1·54	2·84	2·00	2·27	2·88	2·04	3·28	3·41	0·74	1·69	24·09
1874	2·36	1·16	1·25	1·14	1·75	2·19	2·92	1·05	2·16	2·19	0·92	0·39	19·48
1875	0·02	0·56	0·99	1·26	3·26	1·77	2·39	2·69	3·25	2·96	1·07	1·69	21·91
1876	1·84	1·47	1·21	1·89	2·80	2·03	3·36	1·05	2·57	2·89	1·99	0·00	23·10
1877	0·08	0·06	1·69	1·87	0·99	2·08	2·67	3·29	1·17	3·30	4·09	0·87	22·16
1878	0·93	1·31	2·53	2·61	2·88	1·94	4·07	3·37	6·49	3·70	2·54	1·76	34·15
1879	0·20	0·25	0·80	0·87	1·63	3·59	3·04	2·09	3·02	1·13	3·29	1·78	21·69
1780	1·65	0·86	0·88	2·92	3·30	3·18	3·05	2·77	2·89	3·21	2·32	0·25	27·28
1881	0·12	1·65	1·04	0·36	2·40	2·80	2·06	1·16	2·27	4·51	2·44	1·82	22·63
1882	1·04	0·96	1·85	1·41	3·12	3·26	1·83	3·42	2·34	1 59	1·26	0·62	22·70
1883	0·39	1·58	0·13	1·47	4·66	4·98	4·49	2·00	2·83	2·31	2·71	0·75	28·30
1884	0·31	1·36	1·36	0·98	2 94	1·64	3·42	1·97	2·86	3·14	1·70	2·09	23·77
1885	0·86	1·79	3·49	1·53	2 27	3·41	2·61	4·08	3·07	3·07	2·38	1·14	29·70
1886	1·71	1·28	2·00	1·78	1·83	2·61	2·02	2·99	3·79	2·26	2·00	0·49	24·76
1887	1·14	2·16	0·63	1·61	1·42	2·33	2·09	1·54	1·56	2·47	1·08	1·78	19·81

TABLE LX.—*Comparison of the Rainfall in Quebec in each Year, 1869-1887.*

1869	....	....	....	....	....	....	....	....	3·50	5·12	0·33	0·50	....
1870	0·64	0·31	0 06	0·67	1·54	1·90	4·29	2·79	2·25	4·15	2·34	0·42	21·36
1871	1·10	0·17	2·36	2·56	1·21	1·79	5·93	3·27	2·08	3·83	0·83	0·45	25·58
1872	0·07	0·01	0·01	1·50	2·72	2·44	3·93	4·48	3·84	3·59	2·22	0·64	25·45
1873	0·90	0·10	0·38	1·64	2·23	2·11	3·21	2·51	3·33	7·07	0·78	0·59	24·85
1874	1·33	0·53	1·55	0·67	2·96	4·39	5·54	2·12	2·23	2·53	1·69	0·39	25·93
1875	0·00	0·20	0·24	1·33	4·35	2·89	4·39	4·88	6·86	3·67	0·34	0·87	30·03
1876	1·03	0·69	0·89	0·67	3·10	4·30	4·92	2·16	4·10	2·54	1·37	0·00	25·77
1877	0·06	0·11	1·30	1·85	1·70	2 63	2·37	4·36	2·39	2·97	2·76	1·02	23·52
1878	0·26	0·19	1·07	2·46	3·95	2·94	4·81	3·83	1·51	4·43	2·72	1·45	29·62
1879	R	0·10	0·84	0·85	1·99	4·19	4·66	3·10	3·25	2·24	2·12	1·16	24·50
1880	0·64	0·38	0 11	2·20	2·83	2·04	3·44	2·08	3·16	5·52	1·60	0·06	24·08
1881	R	0·91	0·94	0·82	3·20	1·80	3·41	3·39	2·35	3·00	1·78	1·93	23 62
1882	0·81	0·47	1·53	0·90	2·02	4·98	4·09	3·70	4·83	2·11	1·12	0·04	26·60
1883	0·09	0·25	0·25	0·41	4·84	3·91	3·97	2·34	3·24	2 93	1·70	0·84	24·54
1884	0·14	0·67	0·67	1·85	3·34	2·25	*6·00	2·87	3·02	2·36	1·89	1·06	26·12
1885	0·69	0·06	0·24	0·61	1·70	4 63	3·10	2·85	3·70	3·49	2·74	0·68	24·44
1886	1·18	0·47	0·40	0·52	3·32	3·11	4·10	3·84	4·57	1·49	1·52	0·46	24·98
1887	0·61	0·24	0·52	1·99	1·34	2·85	3·77	2·72	2·00	3·13	1·06	1·13	21·36

TABLE LXI.—*Comparison of the Rainfall in N. Brunswick in each Year, 1869-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
1869	....	....	....	....	....	....	....	....	2·18	4·56	5·88	4·76	....
1870	6·72	5·19	1·29	4·15	1·62	2·90	2·96	2 70	2·79	5·41	5·43	1·08	43·24
1871	1·64	1·58	1·67	3·35	2·94	3·46	2·97	3·76	2·99	5·31	3·46	2·41	35·54
1872	2·13	0·51	1·28	1·44	6·22	3·77	4·03	4·82	3·17	7·04	5·16	0·39	39·96
1873	2·42	0·32	1·06	1 68	1·75	3·48	3·55	2·63	3·39	4·51	2·85	0·48	28·12
1874	1·49	0·98	2·25	1·02	2·79	5·61	2·46	3·66	1·90	1·83	2·19	0·63	26·81
1875	0·57	2·23	0·97	1·52	2·71	4·20	3·77	2·85	4·38	6·71	2·10	0·52	32·53
1876	1·26	1·72	2 89	1·16	3·18	3·11	3·52	2·07	2·62	4·12	5·52	0·34	31·51
1877	0 26	0·05	3·91	2·61	3·90	1·31	2·35	4·79	2·71	3·47	4·32	1·35	31·03
1878	1·83	0·70	2 20	2·87	2·65	3·53	4·81	4·07	1·80	2·87	3·67	3·16	34·16
1879	0·08	1·78	1·68	1·67	3·03	4·26	4·42	5·35	3·24	3·73	2 24	0·98	32·46
1880	1·22	1·12	0·17	1·80	2·86	1·94	3·70	3·01	4·11	3·35	2·72	0·50	26·50
1881	0·79	1·06	3·39	0·79	5·48	3·15	4·58	5·83	2·73	3·04	1·64	2·88	35·36
1882	0·61	0·87	3·34	1·04	2·61	5·76	3·96	2·65	4·07	2·88	0·97	0·93	29·69
1883	0·66	0·59	1·47	0·94	4·31	4·05	4·43	2·12	2·02	3·99	2·32	1·37	28·27
1884	1·25	3·17	1·48	4·26	3 97	2·35	7·28	3·92	2·07	1·97	3·37	3·23	38·32
1885	1·37	0·89	1·65	2·28	2·88	3·39	3·10	3·47	3·06	4·52	3·92	2·47	33 00
1886	3·78	1·76	0·60	0·25	4·53	1·82	3·83	3·05	3·37	1·65	3·66	2·62	30·92
1887	3·31	0·54	2·03	1·87	1·79	4·27	4·64	3·93	1·67	2·87	2·91	3·02	32·85

TABLE LXII.—*Comparison of the Rainfall in N. Scotia in each Year, 1869-1887.*

1869	....	....	....	...	....	....	....	....	2·22	7·12	5·13	5·40	....
1870	4·79	4·87	0·67	3·29	1·95	28·1	3·15	29·9	4·89	5·13	7·08	4·61	46·23
1871	2·20	1·54	2·92	2·91	2·58	3·43	3·22	4·08	3·88	4·03	3·72	2·13	36·64
1872	2·33	1·94	0·88	2·57	5·19	4·05	3·36	6·36	3·37	5·24	5·83	1·18	42·30
1873	4·20	1·09	1·86	3·10	1·66	2·87	4·45	4·33	4·14	6·74	5·82	1·16	41·42
1874	2·38	1·32	2·81	0·96	4·13	5·77	2·40	2·55	4·80	3·06	3·12	3·65	36·95
1875	0·10	2·15	0·63	1·90	2·21	2·49	4·21	4 68	1·97	5 67	3·63	0·97	30·61
1876	1·14	1·81	2·38	1·35	3·58	3·96	3·60	4·01	3·22	4·28	4·80	0 96	35·09
1877	0·54	0·88	5·48	2·69	4·01	2·54	3·67	2·85	3·29	4·71	6·37	1·33	38·36
1878	4·84	1·50	6·26	3·13	3·39	3·73	1·45	4·64	0·98	3·98	6·01	3·91	43·82
1879	0·01	0·71	2·73	1·22	3·55	2 30	3·53	3·78	2·59	3·23	2·42	1·63	27·70
1880	4·22	1·92	0·51	2·89	2·84	2·25	3·87	2·58	4·00	3 47	3·08	2·31	33·94
1881	1·73	1·89	2·38	2·08	2·86	3·83	4·22	2·90	1·88	3·67	2·02	3·22	32·59
1882	1·44	1·05	2·60	1·60	3·31	4·19	3·71	2·72	5·93	5·38	2·57	0·87	35·37
1883	0·89	1·43	3·21	2·09	6·41	2·19	3·68	3·81	3·17	4·58	2·89	2·47	36·82
1884	1·88	2·87	2·28	4·11	3·40	3·00	7·29	2·35	2·11	2·51	5·66	4·27	41·73
1885	3·21	0·74	1·22	2·55	3·00	2·82	3·44	3·80	2·09	5·69	4·70	4·51	38·27
1886	4·94	1·08	1·08	0·92	5·11	2·33	3·23	4·26	3·43	2·04	3·99	2·64	35·05
1887	3·09	1·86	2·40	4·06	1·40	2·10	1·60	7·68	3·80	2·74	4·46	3·88	39·07

TABLE LXIII.—*Comparison of Rainfall in P. E. Island, in each Year, 1872-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1872	....	....	....	7·30	4·59	3·02	3·44	4·58	3·19	4·37	2·71	0·49	....
1873	2·50	0·27	0·44	2 64	1·31	4·00	3·06	3·97	4·17	7·34	2·98	0·64	33·12
1874	2·06	0·76	1·82	0·42	4·09	3·10	3·06	2·28	4·96	2·79	2·52	2·67	30·53
1875	0·01	1·50	0·33	1·75	2·63	2·78	3·72	4·49	2 84	6·74	2·64	0·43	29·86
1876	1·01	0·62	1·52	1 24	2·35	2·59	4·26	2·78	1·46	3·89	3·63	0·78	26·13
1877	0·11	0·15	3·74	2·02	2·90	1·38	3·13	2·17	4·50	5·54	4·92	0·89	31·45
1878	2·02	0·55	4·36	2·33	2·27	3·41	4·16	6·77	1·70	4·85	6·04	1·69	40·15
1879	0·00	0·67	2·64	0·49	2·03	2·64	4·26	4·50	2·55	3·46	0 70	0·88	24·92
1880	0·94	0·98	0·09	1·09	3·20	2·89	3·34	2·27	2·10	2·56	1·77	0·65	21·88
1881	0·84	0·85	1·71	1·72	3·30	4·40	3 39	4 81	2·46	3·72	1·17	2·75	31·12
1882	0·41	0·80	1·97	1·47	3·36	3·59	3·06	3·37	4·36	3·52	1·47	0·69	28·07
1883	0·27	0·96	2·13	1·62	3·80	2·41	3·92	2·45	2·67	3 82	1·85	1·69	27·59
1884	0·31	2·12	1·90	3·56	4·73	3·29	8·34	2·98	2·29	2·40	4·57	2·34	38·83
1885	1·09	0·39	0·90	3·30	2·53	2·80	4·06	1·98	1·80	4·98	3·37	2·29	29·49
1886	3·88	0·70	0·69	0·57	4·23	1·69	2·51	4·80	2·88	3·37	3·97	3·63	32·92
1887	2·85	0·66	2·65	2·45	2·46	1·30	4·66	2·76	2·09	4·13	3 42	4·30	33·73

TABLE LXIV.—*Comparison of Rainfall in Manitoba, in each Year, 1871-1887.*

1871	....	....	....	....	....	....	....	....	....	0·95	0·15	0·00	....
1872	0·00	0·00	0·25	1·50	3·80	1·62	1·85	7·25	6·34	1·56	R	0·00	22·15
1873	0·00	0·00	0·00	0·05	2·04	3·57	4·16	2·47	2·11	0·12	0·00	0·00	14·52
1874	0·00	0·00	0·51	0·10	1·76	2·44	3·76	2·66	2·30	0·14	0·07	R	13·74
1875	0·00	0·00	0·00	0·18	2·52	3·98	0·64	3·45	0·87	0·31	0·24	0·00	12·19
1876	0·00	0·00	0·00	0·23	2·35	4·49	3·42	8·26	1·09	0·05	0·00	0·00	19·89
1877	0·00	0·08	R	0·40	5·13	6·34	2·02	0·82	1·84	0·90	0·31	1·23	19·07
1878	0·10	0·26	1·90	3·54	2·36	3·84	4·89	1·17	1·50	1·61	0·05	R	21·22
1879	0·04	0·00	0·19	2·47	2·49	6·57	3·86	1·66	1·23	2·43	0·07	0·00	21·01
1880	R	0·00	0·57	R	4·88	2·98	2·75	3·71	3 88	0·81	0·04	R	19·62
1881	0·00	0·00	0·00	0·38	2·37	3·74	1 22	1·76	2·82	0·84	0·50	0·00	13·63
1882	0·00	R	0·00	0·63	0·59	1·90	4·47	1·28	0·86	3·57	0·32	R	13·62
1883	0·10	0·00	R	0·23	1·23	2·25	2·48	3·53	1·18	2·13	R	R	13·13
1884	0·00	R	0·01	1·22	3·48	3·32	2·30	3·85	3·17	0·71	0·03	R	18·09
1885	R	R	R	1·22	2·06	2·75	3·52	1·33	0·49	0·37	0·02	R	11·76
1886	R	0·01	0·00	1·57	1·25	1·45	1·40	0·92	1·29	1·10	R	0·02	9·01
1887	0·00	R	0·03	0·53	2·29	3·81	2·84	2 25	1·36	0·20	0·02	R	13·33

TABLE LXV—*Comparison of the Rainfall in B. Columbia in each Year, 1873-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
1873	....	....	....	....	....	0·59	0·13	0·34	0·20	0·44	1·52	1·36	....
1874	2·06	1·43	0·42	0·47	0·92	0·67	0·18	0·67	0·52	0·26	2·71	1·18	11·49
1875	1·45	0·28	2·72	0·69	1·32	0·85	1·13	1·00	0·63	2·55	3·97	5·34	21·93
1876	1·19	2·70	1·81	0·45	0·61	0·48	0·31	0·84	0·89	1·66	2·30	0·96	14·20
1877	3·48	2·87	3·70	1·46	1·26	1·32	0·80	1·36	3·65	2·66	5·81	3·11	31·48
1878	2·31	2·54	2·49	1·10	1·94	0·62	1·22	0·94	1·97	2·67	4·20	2·47	24·47
1879	2·65	3·61	5·57	1·51	2·43	1·83	4·04	1·74	1·47	5·08	3·25	4·71	37·89
1880	4·65	1·28	1·68	1·31	2·39	0·99	2·05	1·08	1·68	2·72	1·25	5·90	26·98
1881	1·83	4·53	2·21	2·18	2·39	3·04	1·96	1·64	1·79	3·57	3·10	5·40	33·64
1882	1·65	1·70	1·77	1·86	0·85	1·50	1·92	1·39	0·94	2·94	1·64	3·08	21·24
1883	1·57	1·00	0·69	0·89	0·72	1·37	0·12	0·29	1·10	1·49	3·26	1·56	14·06
1884	2·16	0·90	0·45	0·72	0·50	1·47	1·07	1·57	1·71	2·32	0·77	0·55	14·19
1885	3·94	2·65	0·48	0·22	1·75	0·69	0·52	0·18	2·63	1·60	3·48	1·35	19·49
1886	2·48	2·26	1·72	1·54	0·88	1·51	1·50	2·06	2·43	4·49	5·51	6·93	33·31
1887	5·40	3·29	5·72	3·71	2·48	1·65	1·53	0·81	4·21	4·64	7·58	7·10	48·12

TABLE LXVI—*Comparison of the Rainfall in Newfoundland in each Year, 1872-1887.*

1872	3·59	5·10	3·35	4·92	8·31	5·05	6·17	4·86	4·24	9·65	4·76	2·73	62·73
1873	1·92	0·94	3·08	1·14	1·53	1·54	3·25	2·34	2·81	3·58	5·28	1·90	29·31
1874	3·35	0·87	3·62	0·37	4·47	4·46	2·94	6·13	2·83	2·13	3·28	3·34	37·79
1875	0·02	0·73	0·57	2·07	2·76	3·17	3·50	3·91	5·71	4·57	1·34	0·94	29·29
1876	0·61	0·55	1·79	1·49	3·50	2·39	3·05	5·63	4·72	3·86	3·80	1·41	32·78
1877	0·72	2·70	2·26	4·04	2·36	2·60	6·41	3·53	2·88	5·09	7·15	3·67	43·41
1878	3·50	0·84	3·83	4·39	3·41	3·70	5·48	3·99	3·63	3·51	7·26	2·68	46·22
1879	1·14	1·94	2·17	3·43	2·99	3·32	3·31	4·69	4·14	3·43	2·89	1·25	34·70
1880	1·01	1·10	0·50	0·89	0·94	4·50	3·59	1·45	2·84	1·82	1·69	1·37	21·70
1881	1·02	1·64	2·51	2·23	3·15	6·14	6·81	3·91	5·85	5·25	2·08	1·39	41·98
1882	0·19	0·26	0·27	0·77	2·15	4·17	7·13	6·50	5·43	2·35	2·60	1·61	33·43
1883	R	0·89	0·21	0·27	4·22	3·52	4·26	3·17	4·73	4·75	2·12	2·30	29·94
1884	1·58	1·07	1·74	3·51	3·61	2·01	12·07	3·28	6·12	7·28	3·90	2·29	48·46
1885	2·27	0·58	2·47	1·69	3·45	3·29	1·54	2·49	4·74	4·48	4·23	4·21	35·44
1886	3·30	1·51	1·67	1·29	2·70	4·55	7·13	3·85	2·69	1·39	1·87	2·46	34·41
1887	1·51	0·27	3·61	2·02	2·92	1·61	2·74	6·84	2·75	6·04	5·42	2·49	38·22

TABLE LXVII.—*Comparison of the Quarterly Rainfall and the depth of Snow in each Month and Year, 1869-1887.*

ONTARIO.

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1869	...	....	....	5·78	....	....	....	....	....	....	5·0	18·1	9·6	....
1870	4·33	7·67	10·88	6·26	29·14	26·0	18·9	46·4	S	0·0	0·5	9·1	23·0	123·9
1871	3·64	6·77	5·52	3·75	19·68	21·5	17·7	11·2	0·7	S	0·1	9·1	24·1	75·4
1872	1·16	6·31	8·80	3·85	20·12	12·0	11·3	12·7	4·1	S	S	7·4	33·9	81·4
1873	2·94	7·11	8·20	5·84	24·85	24·9	10·2	23·8	1·3	S	3·5	19·4	13·9	97·0
1874	4·77	5·08	6·13	3·40	19·40	20·1	12·8	8·4	6·9	0·1	0·5	13·3	12·9	75·0
1875	1·57	6·29	8·32	5·73	21·91	28·5	12·9	23·7	3·3	1·8	2·9	8·3	16·1	97·5
1876	4·52	6·72	6·98	4·88	23·10	9·3	20·5	31·1	1·1	S	1·7	4·2	23·5	91·4
1877	1·84	4·94	7·12	8·26	22·16	17·8	2·4	26·0	0·2	S	0·1	3·5	2·3	52·3
1878	4·77	7·43	13·94	8·00	34·14	13·8	11·4	4·6	S	0·1	1·0	4·8	24·8	60·4
1879	1·25	6·09	8·15	6·19	21·68	17·2	19·4	10·0	2·4	0·1	2·2	15·7	20·7	87·7
1880	3·39	9·40	8·71	5·73	27·23	5·9	14·2	10·1	3·8	0·1	3·2	14·4	14·6	66·3
1881	2·81	5·56	5·48	8·78	22·63	23·4	9·7	16·4	1·5	S	0·1	8·3	4·6	64·0
1882	3·85	7·79	7·59	3·47	22·70	15·7	8·4	12·7	11·1	0·2	S	9·1	26·3	73·5
1883	2·10	11·11	9·32	5·77	28·30	21·5	22·7	20·7	3·3	0·1	S	9·2	14·0	91·5
1884	3·03	5·56	8·25	6·93	23·37	35·0	15·9	8·7	2·3	0·6	1·8	10·1	17·2	91·6
1885	6·14	7·21	9·76	6·59	29·70	19·2	14·1	14·9	12·2	2·3	0·5	6·0	22·3	91·4
1886	4·99	6·22	8·80	4·75	24·76	21·8	15·0	9·5	7·5	0·6	4·3	11·2	20·5	90·4
1887	3·93	5·36	5·19	5·33	19·81	25·7	21·4	10·4	1·7	*	1·8	9·3	14·8	85·1

TABLE LXVIII.—*Comparison of the Quarterly Rainfall and the depth of Snow in each Month and the Year, 1869-1887.*

QUEBEC.

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.
1869	....	....	...	5·95	....	....	....	....	...	....	4·2	18·2	22·7	....
1870	1·01	4·11	9·33	6·91	21·36	29·5	22·1	9·8	3·4	0·0	2·8	3·7	21·5	92·8
1871	3·63	5·56	11·18	5·11	25·58	26·5	11·2	13·7	3·6	S	1·3	7·4	20·3	84·0
1872	0·09	6·66	12·25	6·45	25·45	12·3	27·5	18·9	6·6	0·3	0·9	10·4	37·3	114·2
1873	1·38	6·98	9·05	8·44	24·85	49·9	20·0	26·1	7·8	0·3	S	23·1	11·2	138·4
1874	3·41	8·02	9·89	4·61	25·93	21·2	12·4	20·5	20·3	5·4	S	11·6	15·7	107·1
1875	0·44	8·57	16·13	4·88	30·02	33·3	20·7	14·5	6·1	2·0	9·2	22·1	15·1	123·0
1876	2·61	8·07	11·18	3·91	25·77	17·1	22·8	35·5	9·7	2·3	5·4	4·2	27·3	124·3
1877	1·47	6·18	9·12	6·75	23·52	28·5	13·7	20·5	7·4	0·7	3·4	8·7	9·4	92·3
1878	1·52	9·35	10·15	8·60	29·62	25·9	8·1	14·5	4·6	0·2	1·7	12·1	29·4	96·5
1879	0·94	7·03	11·01	5·52	24·50	33·4	15·1	16·5	9·5	0·1	0·6	11·8	26·9	113·9
1880	1·13	7·07	8·68	7·20	24·08	17·3	22·8	18·8	7·6	1·2	3·4	15·8	17·0	103·9
1881	1·85	5·82	9·15	6·80	23·62	23·4	9·3	19·7	6·2	0·7	6·7	11·4	9·0	86·4
1882	2·81	7·90	12·63	3·27	26·00	28·5	21·4	16·5	7·4	0·2	S	6·2	27·2	107·4
1883	0·59	9·16	9·32	5·47	24·54	20·3	18·2	36·7	6·6	1·5	1·8	8·9	23·7	117·7
1884	1·48	7·44	11·89	5·31	26·12	27·9	27·8	20·0	5·7	6·0	3·6	17·4	21·9	130·3
1885	0·99	6·94	6·65	6·86	24·44	21·7	25·3	27·9	15·2	5·3	4·3	10·3	29·0	137·0
1886	2·05	6·95	12·51	3·47	24·98	21·6	23·0	22·2	3·2	2·2	0·5	25·6	25·0	121·3
1887	1·37	6·18	8·49	5·32	21·36	38·7	34·3	26·0	7·3	1·1	3·5	15·4	21·6	147·9

TABLE LXIX.—*Comparison of the Quarterly Rainfall and the depth of Snow in each Month and Year, 1869-1887.*

NEW BRUNSWICK.

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1869	....	....	....	15·10	....	....	....	....	....	....	1·3	4·7	10·9	....
1870	13·20	8·67	8·35	12·92	43·24	38·9	32·3	22·9	4·0	S	4·0	4·3	37·1	143·5
1871	4·89	9·75	9·72	11·18	35·54	12·9	8·7	11·2	2·2	0·3	1·7	12·8	16·2	65·8
1872	3·93	11·43	12·02	12·59	39·96	25·2	20·8	35·4	6·1	S	S	6·0	42·2	135·7
1873	3·80	6·91	9·57	7·84	28·12	24·6	26·7	26·6	6·1	0·0	S	23·1	11·2	118·3
1874	4·72	9·42	8·02	4·65	26·81	21·2	12·4	20·5	20·3	5·4	S	11·6	15·7	107·1
1875	3·77	8·43	11·00	9·33	32·53	40·6	16·4	22·6	9·3	2·5	S	19·9	15·3	126·6
1876	5·87	7·45	8·21	9·98	31·51	22·6	20·7	15·8	9·5	2·8	3·2	2·0	29·4	106·0
1877	4·22	7·82	9·85	9·14	31·03	21·3	27·8	23·3	2·4	0·9	0·6	3·6	7·4	87·3
1878	4·73	9·05	10·68	9·70	34·16	22·8	10·9	22·8	5·7	0·0	0·0	13·6	11·6	87·4
1879	3·54	8·96	13·01	6·95	32·46	28·6	23·4	20·9	9.6	0·0	0·2	12·4	20·1	115·2
1880	2·51	6·60	10·82	6·57	26·50	17·4	22·6	23·6	3·9	0·2	0·1	6·7	17·8	92·3
1881	5·24	9·42	13·14	7·56	35·36	21·7	21·5	14·9	4·2	1·0	2·5	6·0	6·4	77·3
1882	4·82	9·41	10·68	4·78	29·69	33·9	39·9	21·5	16·5	1·6	0·0	11·9	13·7	139·0
1883	2·72	9·30	8·57	7·68	28·27	18·2	16·9	22·9	8·3	2·5	2·1	4·3	20·4	95·6
1884	5·90	10·58	13·27	8·57	38·82	13·6	20·0	16·3	2·9	6·8	1·1	7·8	21·0	89·5
1885	3·91	8·55	9·63	10·91	33·00	23·4	26·0	31·4	10·4	3·9	1·7	2·8	18·7	118·3
1886	6·14	6·60	10·25	7·93	30·92	26·3	22·3	20·9	5·0	0·0	0·0	6·5	21·1	102·1
1887	5·88	7·93	10·24	8·80	32·85	38·2	35·7	22·7	12·1	0·0	1·6	3·6	15·0	128·9

TABLE LXX.—*Comparison of the Quarterly Rainfall and the depth of Snow in each Month and Year, 1869-1887.*

NOVA SCOTIA.

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1869	....	....	....	17·65	....	....	....	....	....	....	1·5	2·3	6·1	....
1870	10·33	8·05	11·03	16·84	46·25	16·7	26·5	28·6	0·8	2·1	2·2	4·9	14·3	96·0
1871	6·66	8·92	11·18	9·92	36·64	18·2	11·7	12·0	10·9	0·3	0·1	7·9	24·1	85·2
1872	5·15	11·81	13·09	12·25	42·30	12·3	14·9	46·9	3·5	0·1	0·3	4·5	42·0	124·5
1873	7·15	7·63	12·92	13·72	41·42	18·1	18·3	16·8	6·2	2·7	0·0	6·2	18·6	86·9
1874	6·51	10·86	9·75	9·83	36·95	16·6	26·7	6·7	22·9	0·4	0·0	2·1	11·1	86·5
1875	2·88	6·60	10·86	10·27	30·61	39·8	25·3	14·2	8·2	S	S	11·3	5·8	104·6
1876	5·33	8·89	10·83	10·04	35·09	21·1	28·2	5·6	12·0	1·6	S	0·6	18·5	87·6
1877	6·90	9·24	9·81	12·41	38·36	21·9	8·7	14·3	3·3	1·1	1·2	1·3	16·0	67·8
1878	12·60	10·25	7·07	13·90	43·82	4·6	7·5	11·0	0·3	0·0	0·0	1·3	5·6	30·3
1879	3·45	7·07	9·90	7·28	27·70	34·9	15·9	14·4	10·4	S	0·3	19·4	17·7	113·1
1880	6·65	7·98	10·45	8·86	33·94	14·5	25·8	24·5	8·4	0·1	S	4·6	16·8	94·7
1881	5·91	8·77	9·00	8·91	32·59	22·6	24·0	6·5	2·4	....	2·5	10·0	9·2	77·2
1882	5·09	9·10	12·36	8·82	35·37	28·3	40·1	13·8	11·0	0·2	0·0	6·9	14·9	115·2
1883	5·53	10·69	10·66	9·94	36·82	24·4	13·6	13·3	6·8	4·2	0·1	5·5	19·3	87·2
1884	7·03	10·51	11·75	12·44	41·73	13·0	13·6	27·1	3·7	2·1	1·8	2·6	15·2	79·1
1885	5·17	8·37	9·33	15·40	38·27	20·6	23·4	32·3	4·1	S	0·3	0·5	14·5	95·7
1886	7·10	8·36	10·92	8·67	35·05	7·8	14·2	12·7	1·8	0·00	*	1·4	11·4	49·3
1887	7·35	7·56	13·08	11·08	39·07	21·3	16·0	10·5	4·6	0·0	0·0	1·3	4·8	58·5

TABLE LXXI.—*Comparison of the Quarterly Rainfall and the depth of Snow in each Month and Year, 1872-1887.*

PRINCE EDWARD ISLAND.

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.
1872	....	14·91	11·21	7·57	....	....	....	....	8·0	S	S	6·6	50·3	....
1873	3·21	7·95	11·20	10·96	33·12	18·3	20·6	19·5	9·0	0·0	0·0	13·0	17·5	97·9
1874	4·64	7·61	10·30	7·98	30·53	12·9	19·9	12·3	29·5	0·7	0·0	8·6	33·2	117·1
1875	1·84	7·16	11·05	9·81	29·86	58·9	30·9	12·0	8·3	0·5	0·1	15·5	9·8	136·0
1876	3·15	6·18	8·50	8·30	26·13	27·9	27·5	8·3	15·6	0·8	0·8	0·4	24·4	105·7
1877	4·00	6·30	10·30	11·35	31·95	25·1	14·2	7·2	3·4	0·0	4·7	5·2	29·9	89·7
1878	6·93	8·01	12·63	12·58	40·15	19·8	19·2	18·3	1·7	0·0	0·0	5·7	13·6	78·3
1879	3·31	5·16	11·41	5·04	24·92	61·9	26·7	19·5	12·7	0·0	0·7	16·1	14·8	152·4
1880	2·01	7·18	7·71	4·98	21·88	30·7	28·7	30·1	7·8	S	0·0	6·8	27·9	132·0
1881	3·39	9·42	10·67	7·64	31·12	47·6	31·9	0·7	8·1	S	6·9	13·0	8·2	116·4
1882	3·18	8·42	10·79	5·68	28·07	43·9	38·2	27·0	18·4	2·9	0·0	18·8	20·0	169·2
1883	3·36	7·83	9·04	7·36	27·59	24·8	12·7	23·6	11·6	2·7	0·4	4·7	29·8	110·3
1884	4·33	11·58	13·61	9·31	38·83	13·0	14·0	14·5	5·5	4·0	4·0	6·5	13·5	75·0
1885	2·38	8·63	7·84	10·64	29·49	24·9	22·5	18·8	11·4	....	1·6	2·2	11·1	102·5
1886	5·27	6·49	10·19	10·97	32·92	17·3	17·5	10·2	3·7	0·0	0·0	*	12·0	60·7
1887	6·16	6·21	9·51	11·85	33·73	34·5	26·5	6·8	12·0	*	*	*	16·3	96·1

TABLE LXXII—*Comparison of the Quarterly Rainfall and the depth of Snow in each Month and Year, 1871-1887.*

MANITOBA.

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1871	....	....	....	1·10	....	....	....	....	....	....	0·9	11·5	8·9	....
1872	0·25	6·92	15·42	1·56	22·15	5·0	4·8	16·3	39·2	0·0	3·7	9·0	3·4	81·4
1873	0·60	5·66	8·74	0·12	14·52	6·2	16·4	4·0	0·4	0·0	10·6	8·9	10·9	57·4
1874	0·51	4·39	8·72	0·21	13·74	9·2	10·6	5·8	6·6	0·0	1·4	17·4	4·6	62·6
1875	0·00	6·68	4·96	0·55	12·19	4·3	3·8	1·9	5·8	S	9·2	8·4	8·2	41·6
1876	0·00	7·07	12·77	0·05	19·89	9·1	11·0	11·1	0·9	2·3	5·7	19·3	7·4	66·8
1877	0·08	11·87	4·78	2·44	19·17	3·1	2·2	8·7	3·8	0·1	1·0	1·6	0·4	20·9
1878	2·26	9·74	7·53	1·66	21·22	2·0	1·2	0·8	1·8	5·5	7·5	1·7	7·1	27·6
1879	0·23	11·53	6·75	2·50	21·01	7·1	3·4	5·8	1·6	0·8	1·4	2·6	18·5	41·2
1880	0·57	7·86	10·34	0·85	19·62	5·7	8·4	4·7	7·9	S	0·3	1·2	6·4	34·6
1881	0·00	6·49	5·80	1·34	13·63	0·9	28·3	4·9	2·5	S	4·9	17·9	4·4	63·8
1882	R	3·12	6·61	3·89	13·62	8·9	9·0	14·1	2·9	1·7	2·7	10·8	11·3	61·4
1883	0·10	3·71	7·19	2·13	13·13	4·9	5·4	3·9	3·2	0·3	1·2	7·8	7·4	34·1
1884	0·01	8·02	9·32	0·74	18·09	4·4	8·9	8·5	5·6	0·0	5·4	4·6	7·8	45·2
1885	R	6·03	5·34	0·39	11·76	2·4	2·8	6·1	5·0	2·2	2·5	3·9	6·6	31·5
1886	0·01	4·27	3·61	1·12	9·01	7·0	6·7	3·3	2·5	0·4	0·8	4·6	2·9	28·2
1887	0·03	6·63	6·45	0·22	13·33	8·8	6·5	6·5	5·1	1·2	1·0	5·8	10·6	45·5

TABLE LXXIII.—*Comparison of the Quarterly Rainfall and the depth of Snow in each Month and Year, 1872-1887.*

BRITISH COLUMBIA.

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1872	....	....	....	....	....	....	....	....	....	....	S	S	18·0	....
1873	....	....	0·77	3·32	....	9·0	S	3·0	0·0	0·0	0·0	S	6·0	18·0
1874	3·91	2·06	2·37	4·15	11·49	13·5	7·5	7·0	0·0	0·0	0·0	13·0	2·0	43·0
1875	4·45	2·86	2·76	11·86	21·93	7·2	0·0	4·8	S	....	....	5·5	1·8	19·3
1876	5·70	1·54	2·04	4·92	14·20	2·0	2·0	3·2	....	....	....	1·2	1·1	9·5
1877	10·05	4·04	5·81	11·58	31·48	3·0	1·5	0·9	0·0	0·0	0·0	0·0	0·0	5·4
1878	7·34	3·66	4·13	9·34	24·47	1·0	2·3	0·2	4.7	0·0	0·0	0·7	2·9	11·8
1879	11·83	5·77	7·25	13·04	37·80	18·8	20·2	4·7	0·1	0·0	0·1	2·2	14·7	60·8
1880	7·61	4·69	4·81	9·87	26·98	31·3	14·7	10·7	2·4	0·0	0·0	1·7	12·4	73·2
1881	8·57	7·61	5·39	12·07	33·64	16·6	6·2	0·5	0·4	S	1·4	3·6	3·6	33·1
1882	5·12	4·21	4·25	7·66	21·24	8·4	13·7	3·1	0·0	0·1	S	2·4	3·6	31·3
1883	3·26	2·98	1·51	6·31	14·06	10·1	6·5	1·1	S	....	....	7·3	4·0	29·0
1884	3·51	26·9	4·35	3·64	14·19	5·9	3·7	0·2	0·0	0·0	0·2	1·1	6·7	17·8
1885	7·07	2·66	3·33	6·43	19·49	10·7	3·9	0·7	0·4	S	S	0·7	2·3	18·7
1886	6·46	3·93	5·99	16·93	33·31	15·6	1·2	2·6	0·0	1·3	0·6	0·3	13·1	34·7
1887	14·41	7·84	6·55	19·32	48·12	10·2	14·5	3·8	0·5	0·1	0·5	0·9	3·0	33·5

TABLE LXXIV.—*Comparison of the Quarterly Rainfall and the depth of Snow in each Month and Year, 1871-1887.*

NEWFOUNDLAND.

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1871	....	....	....	....	....	....	....	....	....	....	0·8	3·5	....	....
1872	12·04	18·28	15·27	17·14	62·73	7·0	26·2	70·5	9·5	3·0	0·0	4·0	44·7	164·9
1873	5·94	4·21	8·40	10·76	29·31	38·2	41·9	19·8	11·8	4·2	S	8·4	51·5	175·8
1874	7·84	9·30	11·90	8·75	37·79	13·7	17·0	11·6	19·2	6·6	0·1	9·3	23·4	100·9
1875	1·32	8·00	13·12	6·85	29·29	52·9	26·8	17·8	9·9	8·7	0·1	17·2	13·4	146·8
1876	2·95	7·36	13·40	9·07	32·78	42·5	62·3	10·0	15·8	8·4	0·3	3·5	24·4	167·2
1877	10·05	9·00	12·82	15·91	43·41	34·3	28·7	15·2	12·4	0·9	2·7	11·2	7·2	112·6
1878	8·17	11·50	13·19	13·45	46·22	6·0	9·4	25·3	3·2	0·0	0·0	2·4	12·0	58·3
1879	5·25	9·74	12·14	7·57	34·70	41·6	10·5	41·6	6·9	S	S	8·9	48·9	158·4
1880	2·61	6·33	7·88	4·88	21·70	28·6	58·2	65·4	11·3	2·6	0·0	10·0	9·9	186·0
1881	5·17	11·52	16·57	8·72	41·98	16·3	29·0	11·5	8·5	2·0	0·4	13·5	21·0	102·2
1882	0·72	7·09	19·06	6·56	33·43	36·9	38·7	29·5	17·6	6·6	S	8·2	26·2	163·7
1883	0·60	8·01	12·16	9·17	29·94	26·9	18·0	22·9	10·4	4·0	1·2	13·0	27·2	123·6
1884	4·39	9·13	21·47	13·47	48·46	16·4	18·8	34·4	9·1	1·7	4·5	17·9	21·0	123·8
1885	5·32	8·43	8·77	12·92	35·44	25·5	21·2	20·9	17·3	0·8	S	3·9	16·9	106·5
1886	6·48	8·54	13·67	5·72	34·41	13·2	22·3	14·7	4·6	1·5	1·7	5·1	12·4	75·5
1887	5·39	6·55	12·33	13·95	38·22	18·3	15·5	10·6	10·7	3·6	0·0	4·7	12·3	74·7

TABLE LXXV.—*Comparison of the Number of Days on which Rain fell in the Province of Ontario, 1869-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1869	....	....	....	...	....	....	....	....	8·2	8·6	6·0	7·0	....
1870	6·7	1·9	2·5	8·4	7·4	11·0	12·4	10·4	9·6	14·2	5·6	3·3	93·4
1871	3·6	1·5	7·6	10·5	6·9	9·7	8·4	5·2	7·5	8·0	5·5	3·1	77·5
1872	1·2	3·0	1·6	6·4	12·3	8·6	9·5	10·2	14·2	10·4	5·2	1·0	83·6
1873	3·6	1·1	5·1	9·9	8·9	7·8	9·7	8·7	12·6	13·1	3·1	5·9	89·5
1874	8·2	4·5	6·3	3·6	8·3	10·3	9·8	4 3	9·8	11·6	5·6	3·3	85·6
1875	0·6	2·9	3·8	6·3	11·1	8·2	7·8	10·5	11·1	11·5	4·7	6·4	84·9
1876	8·3	4·3	5·8	9·1	12·9	10·1	10·7	4·9	12·4	11·4	9·2	0·1	99·2
1877	1·5	0·7	5·1	6·9	6·8	11·4	9·3	10·6	8·1	12·4	12·3	7·4	92·5
1878	4·2	3 2	10·4	10·6	12·0	8·8	9·8	11·4	12·3	13·4	10.6	3·6	110·3
1879	0·8	1·0	4·8	4·9	7·0	12·2	9·5	7·9	12·8	7·3	7·3	5·9	81·4
1880	8·1	5·1	4·0	11·0	12·1	11·4	12·9	10 0	11·5	11·9	5·9	2·4	106·3
1881	0·6	5·3	2·6	3·0	10·7	9·9	8·6	5·4	10·2	14·7	9·4	8·3	89·2
1882	4·3	6·3	7·5	6·6	10·4	11·2	8·8	11·8	7·3	7·2	6·3	3·0	90·7
1883	2·2	1·9	1·1	7·6	14·2	12·8	12·4	7·0	10·1	9·9	9·1	3·7	92·0
1884	1·1	5·4	5·7	5·0	12·4	5·6	10·0	7·5	9·9	11·1	4·9	5·6	84·2
1885	2·6	0·8	1·8	5·2	8·5	10·1	7·8	10·5	7·3	10·3	9·7	4·2	78·8
1886	3·7	4·1	5·5	6·1	7·0	9·8	7·4	6·8	11·5	8·5	5·4	1·9	77·5
1887	2·9	5·0	2·5	6·4	6·5	8·7	7·1	6·1	6·9	10·4	6·0	4·4	72·9

TABLE LXXVI.—*Comparison of the number of Days on which Rain fell in the Province of Quebec, 1870-1887.*

1870	4·0	1·2	0·7	6·0	8·5	11·7	13·5	11·0	9·3	12·5	6·0	2·7	87·1
1871	5·0	3·7	6·3	13·7	12·3	14·2	19·0	12·5	7·6	11·2	2·9	2·4	110·8
1872	0·5	1·2	0·6	5·2	11·8	9·8	12·3	12·4	11·5	10·8	4·0	1·5	81·6
1873	3·0	0·8	2·2	8·4	9·5	8·2	12·4	9·2	10·3	11·9	2·0	4·0	81·9
1874	5·7	2·3	4·4	2·0	9·5	14·4	13·4	7·3	7·6	9·4	4·6	1·5	82·1
1875	0·0	2·0	1·3	5·3	12·1	8·9	12·5	12·1	13·0	12·1	2·1	5·4	86·8
1876	4·6	2·3	5·7	5·9	16·0	15·4	14·5	7·4	12·8	12·9	10·0	0·0	107·4
1877	1·1	1·8	5·8	7·8	9·9	12·9	12·5	13·3	9·9	12·7	12·2	3·8	103·7
1878	2·6	1·4	5·5	13·2	16·4	11·4	11·6	15·6	10·6	16·1	9·0	3·2	116·6
1879	0·4	1·3	4·9	4·9	11·9	15·2	15·8	12·5	13·1	9·2	7·9	4·2	101·3
1880	6·0	4·4	1·4	10·9	15·2	11·7	13·5	11·9	15·3	15·0	5·9	0·7	111·9
1881	0·3	3·2	3·7	4·4	13·7	9·7	15·0	13·9	11·7	13·8	8·8	8·5	106·7
1882	2·1	2·6	4·5	5·3	11·1	19·5	15·4	11·3	11·5	9·7	4·9	1·1	99·0
1883	0·9	2·3	2·4	4 1	14·6	14·1	12·1	10·1	10·7	10·8	8·1	3·3	93·5
1884	1·6	3·1	4·1	9·2	13·4	7·9	16·4	10·0	12·0	11·2	6·1	3·9	98 9
1885	8·6	0·4	1·6	4·7	7·4	14·2	10·6	9·9	10·8	10·1	7·3	3·7	84·3
1886	4·2	3·2	2·1	4·3	12·6	11·7	13·2	10·3	12·4	6·3	6·5	2·0	88·8
1887	2·4	1·1	3·5	5·8	6·9	8·5	11·9	8·7	8·6	11·2	5·1	3·6	77·3

TABLE LXXVII.—*Comparison of the Number of Days on which Rain fell in the Province of New Brunswick, 1870-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1870	....	....	....	10·0	11·0	10·0	13·5	12·0	11·0	12·5	16·5	5·5	....
1871	5·7	5·3	6·7	12·3	11·7	13·0	11·0	10·3	10·3	13·0	5·7	4·2	109·2
1872	4·4	2·2	2·2	9·2	16·4	12·0	11·8	12·2	11·2	12·6	9·2	1·8	105·3
1873	7·4	0·8	4·2	8·6	11·0	10·8	13·4	9·0	11·3	12·7	6·0	2·6	97·8
1874	5·0	2·6	4·1	3·1	10·1	16·7	9·3	10·4	9·9	9·9	6·6	3·0	90·7
1875	0·5	5·7	1·4	5·8	10·0	9·6	13·4	10·8	11·3	10·4	5·1	3·1	87·1
1876	4·0	3·9	8·8	8·5	15·0	13 1	13·3	7·6	8·8	10·1	10·7	1·3	105·1
1877	2·3	2·6	8·9	9·6	13·0	10·0	10·9	13 3	9·7	10·9	10·4	3·0	103·6
1878	5·9	2·1	8·8	14·1	15·0	11·0	10·8	13·4	9·3	14·1	11·2	7·4	123·1
1879	0·6	5·3	7·1	4·9	11·7	15·9	12·3	10·3	12·6	9·1	9·2	5·1	104·1
1880	7·5	5·0	1·0	7·7	13·6	7·8	13·3	11·1	12·6	10·8	7·6	2·8	100·8
1881	2·4	5·1	6·6	5·4	15·0	11·9	15·4	14·9	9·7	12·4	9·2	9·3	117·3
1882	2·8	2·7	5·1	3·8	10·0	14·0	13·3	9·1	13·5	9·1	5·4	2·4	91·2
1883	2·1	2·9	4·9	5·5	16·3	14·6	13·3	9·3	8·1	10·7	9·6	6·9	104·2
1884	4·0	6·3	4·4	12·4	13·9	12 1	16·7	11·8	10·7	11·0	9·3	5·9	118·5
1885	5·6	1·1	3·1	6·8	8·7	14·8	11·7	10·0	7·4	9·8	9·0	7 3	95·3
1886	8·3	4·8	3·2	3·3	18·3	8·1	12·0	11·7	12·6	6·9	11·2	5·7	101·1
1887	7·1	3·2	6·2	5·9	8·3	10·9	13·5	10·8	8·8	9·0	8·0	6·9	98·6

TABLE LXXVIII.—*Comparison of the Number of Days on which Rain fell in the Province of Nova Scotia, 1870-1887.*

1870	12·0	8·7	5·3	13·0	9·3	9·7	9·8	11·6	8·7	12·9	16·3	9·1	126·4
1871	7·4	5·4	7·6	10·9	12·7	12·4	12·0	13·4	10·5	11·8	9·0	6·7	119·8
1872	7·1	5·0	1·8	8·7	11·1	14·4	12·8	13·8	11·7	13·8	12·5	6·0	123·7
1873	8·9	2·5	6·4	10·2	7·3	11·6	15·9	10·4	10·2	12·3	9·9	5·4	111·0
1874	9·0	4·2	6·0	4·0	10·6	15·5	9·8	10·2	10·5	9·3	8·2	8·2	105·5
1875	1·6	6·4	3·0	4·9	10·1	8·5	11·3	10·2	9·6	13·2	8·0	5·0	91·8
1876	4·4	5·4	6·1	8·0	13·1	13·9	13·8	8·7	9·1	11·3	11·2	4·7	109·7
1877	2·4	3·7	11·8	9·6	11·7	9·7	12·7	11·9	8·3	11·7	12·0	4·9	110·4
1878	8·7	2·7	10·6	11·1	11·1	8·9	7·8	10·6	6·6	12·1	14·4	7·1	111·7
1879	0·7	2·9	7·6	4·5	11·1	11·7	10·8	11·0	9·4	8·4	7·7	7·2	93·0
1880	10·5	7·0	2·1	8·0	11·5	8·9	14·8	10·3	10·5	10·0	8·7	6·9	109·2
1881	4·0	6·0	5·6	7·2	11·3	12·3	11·8	10·8	8·2	13·0	9·4	10·4	110·0
1882	4·8	3·0	6·5	6·0	11·2	13·4	10·4	9·8	11·8	9·6	7·8	3.8	98·1
1883	3·3	3·0	5·7	7·0	13·5	9·1	8·8	10·8	7·5	10·7	9·0	8·1	96·5
1884	5·1	8·5	5·3	11 9	10·4	8·5	14·8	8·4	10·7	12·1	11·1	6·7	113.5
1885	8·9	2·4	4·7	7·9	8·6	10·1	11·0	12·3	9·6	12·1	10·7	10·9	109·2
1886	12·3	4·5	5·0	5·1	11·4	8·4	11·0	10·8	11·4	7·0	11·0	8 9	106·8
1887	9·8	6·3	7·3	8·1	7·2	7·9	7·2	10·4	8.3	11·9	10·8	8·3	103·5

TABLE LXXIX.—*Comparison of the Number of Days on which Rain fell in the Province of Prince Edward Island, 1873-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1873	....	....	....	....	....	....	....	....	12·0	16·0	8·0	4·0	....
1874	11·0	4·0	5·5	3·5	10·5	21·0	14·0	10·5	12·5	13·5	13·0	9·5	128·5
1875	1·0	8·0	2·0	7·0	13·5	11·0	14·0	12·5	13·5	17·5	11·0	4·5	115·5
1876	7·0	4·0	7·0	8·0	16·5	13·0	16·0	10·5	8·5	11·0	13·5	6·0	120·0
1877	2·0	3·5	13·5	11·0	11·0	9·5	15·0	13·5	8·5	15·0	16·5	8·5	127·5
1878	9·5	7·0	11·0	15·5	11·0	8·0	12·3	12·1	7·0	14·5	12·7	6·7	127·3
1879	0·0	2·5	7·8	4·5	11·2	14·3	14·0	10·7	12 7	11·0	9·3	4·3	102·3
1880	6·3	3·0	0·7	6·7	16·0	9·7	13·3	11·7	12·7	16·5	8·5	5·5	110·6
1881	3·0	4·5	7·5	11·0	18·5	16·0	20·0	21·5	13·0	14·5	10·0	11·5	151·0
1882	3·5	3·5	5·0	8·0	15·5	18·0	14·0	13·0	16·5	12·5	10·5	3·0	123·0
1883	1·5	4·5	8·0	10·0	18·0	17·5	15·0	13·5	9·0	15·0	13·5	7·5	133·0
1884	2·5	8·0	6·5	17·5	14·5	15·0	20·5	12·0	16·0	17·0	15·0	7·0	151·5
1885	7·5	7·5	3·5	12·0	15·5	15·0	12·5	13·0	14·0	16·0	12·5	9·0	138·0
1886	11·0	6·0	6·5	8·0	19·0	11·5	18·0	18·0	13·0	16·0	16·0	7·0	150·0
1887	8·0	6·0	17·0	14·0	11·0	11·0	18·0	14·0	11·0	18·0	14·0	9·0	151·0

TABLE LXXX.—*Comparison of the Number of Days on which Rain fell in the Province of Manitoba, 1873-1887.*

1873	....	....	....	....	....	....	....	....	13·0	3·0	0 0	0·0	....
1874	0·0	0·0	2·0	1·0	8·0	6·7	11·7	6·3	6·7	3·5	0·5	0·5	46·9
1875	0·0	0·0	0·0	4·0	8·7	10·3	7·0	12·7	7·7	4·0	2·0	0·0	56·4
1876	0·0	0·0	0·0	3·0	8·3	12·0	11·0	15·3	6 7	2·3	0·3	0·0	58·9
1877	0·0	0·7	0·3	2·3	11·0	17·7	9·5	8·5	7·2	6·5	2·0	5·0	70·7
1878	0·2	1·7	4·5	10·0	8·3	6·5	9·2	7·3	8·4	6·5	1·8	0·2	64·6
1879	0·5	0·0	1·5	7·3	10·7	15·3	13 0	8·0	6·2	8·6	1·6	0·0	72·7
1880	0·2	0·0	3·2	0·2	16·2	11·2	10·2	14·6	15·2	6·0	1·6	0·2	78·8
1881	0·0	0·0	0·5	4·0	12·7	13·4	8·0	9·6	15·2	5·4	1·2	0·0	70·0
1882	0·0	R	0·0	1·8	6·8	7·4	10·2	5·7	4·0	9·5	0·8	R	46·2
1883	0·3	0·0	0·4	2·1	6·2	10·6	10·2	8·2	4·8	7·5	0·1	R	50·4
1884	0·0	0·2	0·7	4·5	2·5	8·2	9·6	8·5	11·5	2·9	0·4	0·1	49·1
1885	R	0·1	0·2	6·1	5·6	7·3	11·5	7·5	3·9	2·2	4·5	0·2	49·1
1886	0·0	0·4	0·1	6·7	7·1	7·6	7·0	5·6	6·2	4·7	0·2	0·4	46·0
1887	0·0	0·1	0·2	2·7	8·9	11·1	8·7	8·8	6·1	2·1	1·0	0·2	49·9

TABLE LXXXI.—*Comparison of the Number of Days in which Rain fell in the Province of British Columbia, 1875-1887.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1875	2·5	2·5	14·5	6·0	8·5	4·0	6·0	4·5	5·0	12·0	11·5	15·0	92·0
1876	6·0	9·0	10·5	7·5	9·0	6 5	5·5	7·0	7·0	11·0	8·0	6·5	93·5
1877	10·7	10·0	10·0	4·7	10·0	9·7	8·3	6·7	13·0	7·3	16·7	12·7	119·8
1878	8·3	8·9	11·2	5·4	10·8	3·9	5·7	2·4	7·0	10·6	10·8	5·3	91·3
1879	4·9	7·6	12·1	8·4	11·4	9·7	9·9	7·8	6·5	11·2	7·6	9·9	107·0
1880	9·6	4·6	9·7	7·0	10·9	8·1	9·0	6·6	6·9	6·3	2·6	7·0	88·3
1881	3·1	8·1	11·5	8·3	7·8	14·4	7·2	7·6	10·0	10·0	8·6	12·8	109·0
1882	4·8	5·5	5·0	9·3	5·9	7·5	7·1	7·9	5·9	10·9	5·4	7·5	82·7
1883	4·5	3·1	3·4	7·0	6·3	5·0	1·7	3·3	5·9	7·4	8·1	5·7	61·4
1884	4·0	1·5	2·1	5·3	3·9	7·1	7·0	5·7	9·0	8·8	4·1	2·8	61·3
1885	4·6	7·2	2·6	2·4	8·0	8·2	5·0	2·0	12·0	5·5	11·7	6·0	75·2
1886	11·2	8·0	4·5	6·0	5·7	8·8	6·3	6·1	7·4	10·2	12·5	15·3	102·0
1887	11·1	2·9	12·3	12·0	8·2	7·4	5·8	5·3	8·3	10·8	11·0	12·3	107·4

TABLE LXXXII.—*Comparison of the Number of Days in which Rain fell in the Province of Newfoundland, 1873-1887.*

1873	....	....	....	....	....	....	....	....	13·0	15·0	13·2	6·5	....
1874	0·0	0·0	2·0	1·0	8·0	6·7	11·7	6·3	6 7	3·5	0·5	0·5	46·9
1875	0·2	2·8	1·7	6·3	10·0	8·2	12·5	12·5	10·5	13·7	6·0	5·3	89·7
1876	2·0	1·5	5·2	3·7	8·8	8·4	9·7	8·7	9·8	15·0	10·5	4·4	87·7
1877	1·7	5·0	11·3	9·8	9·3	12·7	11·8	13·6	9·3	10·0	10·2	4·8	109·5
1878	6·8	0·8	7·6	8·2	10·2	9·2	12·4	11·0	10·0	15·3	20·2	8·5	120·2
1879	1·7	3·7	7·3	4·5	13·0	11·3	10·3	9·0	9·5	9·5	7·0	4·0	90·8
1880	5·5	4·0	0·5	6·0	6·5	13·5	12·5	11·0	15·0	6·5	7·5	3·0	91·5
1881	3·5	4·0	4·5	2·0	7·0	9·0	8·0	8·5	8·0	9·0	8·5	5·5	77·5
1882	1·3	1·5	1·7	4·7	7·2	11·5	13·5	11·8	11·6	9·0	7·2	6·0	87·2
1883	0·4	2·2	2·8	3·6	13·0	10·8	10·0	6·7	12·0	8·0	7·3	4·7	81·5
1884	3·7	4·7	4·7	9·0	9·7	11·7	17·7	10·7	15·0	11·7	9·3	5·7	113·6
1885	5·7	1·7	6·3	6·0	11·7	10·7	10·3	10·3	13·0	12·7	8·7	10·3	107·4
1886	10·7	6·7	9·3	8·7	7·7	12·7	15·3	7·7	10·7	7·3	7·3	8·0	112·1
1887	5·7	2·3	8·7	10·3	11·3	6·7	8·7	12·0	11·0	12·7	11·3	7·0	107·7

TABLE LXXXIII.—*Comparison of the Quarterly Number of Days of Rain and the Number of Days of Snow in each month and year, 1869-1887.*

ONTARIO.

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1869	....	....	....	21·6	....	....	....	....	....	....	5·1	10·9	9·1	....
1870	11·1	26·8	32·4	23·1	93·4	12·3	11·4	11·2	0·7	0·0	0·7	5·4	12·3	54·0
1871	12·7	27·1	21·1	16·6	77·5	13·2	9·3	7·3	1·2	0·2	0·7	6·1	14·5	52·5
1872	5·8	27·3	33·9	16·6	83·6	9·4	7·2	11·1	3·1	0·2	0·8	7·8	16·1	45·7
1873	9·8	26·6	31·0	22·1	89·5	13·6	8·2	10·6	2·8	0·1	3·6	12·9	8·8	60·6
1874	19·0	22·2	23·9	20·5	85·6	12·6	10·5	9·0	6·7	0·3	1·4	7·9	11·2	59·6
1875	7·3	25·6	29·4	22·6	84·9	15·5	9·4	10·6	4·8	2·1	3·1	7·4	9·7	62·6
1876	18·4	32·1	28·0	20·7	99·2	9·4	10·4	10·8	2·9	0·1	3·7	5·4	14·2	56·9
1877	7·4	25·1	28·0	32·0	92·5	10·8	4·1	14·0	0·7	0·3	0·3	4·3	3·6	38·0
1878	17·9	31·4	33·4	27·6	110·3	10·4	7·4	5·5	0·1	0·2	1·5	5·2	14·6	44·9
1879	6·6	24·1	30·2	20·5	81·4	12·4	13·5	9·7	4·0	0·2	1·7	9·2	11·6	62·3
1880	17·1	34·5	34·4	20·2	106·2	5·2	10·9	9·1	3·1	0·4	2·2	10·3	11·4	52·6
1881	8·5	23·7	24·2	32·8	89·2	12·5	7·3	9·6	8·9	S	0·2	7·4	5·3	45·2
1882	18·1	28·2	27·9	16·5	90·7	11·0	7·7	9·6	2·8	1·4	1·0	5·8	13·9	53·2
1883	5·2	34·6	29·5	22·7	92·0	11·6	10·9	8·3	3·0	0·2	0·3	4·5	9·1	47·9
1884	12·2	23·0	27·4	21·6	84·2	12·9	11·0	5·6	2·6	1.4	1·5	5·5	8·3	48·4
1885	5·2	23·8	25·6	24·2	78·8	11·7	8·5	10·3	4·7	2·4	1·6	5·4	10·4	55·0
1886	13·3	22·9	25·5	15·8	77·5	11·3	9·0	6·6	2·4	*	0·9	6·9	9·7	46·8
1887	10·4	21·6	20·1	20·8	72·9	12·2	10·2	6·6	2·3	*	2·2	6·4	9·6	49·5

TABLE LXXXIV.—*Comparison of the Quarterly Number of Days of Rain and the Number of Days of Snow in each month and year, 1870-1887.*

QUEBEC.

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1870	5·9	26·2	33·8	21·2	87·1	14·3	13·5	7·5	2·7	0·0	2·0	4·5	14·0	58·5
1871	15·0	40·4	39·1	16·5	1·0	13·7	7·8	5·7	4·3	1·3	1·4	8·1	12·1	54·4
1872	2·3	26·8	36·2	16·3	81·6	9·9	8·4	11·4	4·1	0·2	0·7	7·4	14·6	56·7
1873	6·0	26·1	31·9	17·9	81·9	13·7	8·7	11·2	4·2	1·4	2·7	14·7	9·0	65·6
1874	12·4	25·9	28·3	15·5	82·1	12·3	7·6	12·7	10·0	3·0	0·6	7·4	12·0	65·6
1875	3·3	26·3	37·6	19·6	86·8	12·8	11·9	13·4	6·1	3·0	4·3	11·9	10·2	73·6
1876	12·6	37·2	34·7	22·9	107·4	12·7	11·7	15·8	9·2	1·4	4·5	4·6	14·2	74·1
1877	8·7	30·6	35·7	28·7	103·7	15·3	10·4	12·6	4·0	1·7	2·3	8·8	10·0	65·1
1878	9·5	41·0	37·8	28·3	116·6	12·9	8·2	10·1	3·2	0·7	1·8	11·3	17·9	66·0
1879	6·6	32·0	41·4	21·3	101·3	16·4	11·6	14·1	6·1	0·5	2·7	9·3	16·1	76·2
1880	11·8	37·8	40·7	22·7	113·0	13·0	13·3	11·8	6·8	1·3	3·9	10·3	12·7	73·1
1881	7·2	27·8	40·6	31·1	106·7	13·1	9·2	14·0	6·9	0·3	2·3	8·9	10·8	65·5
1882	9·2	35·9	38·2	15·7	99·0	14·9	12·2	11·3	8·5	0·8	S	6·4	15·6	69·7
1883	5·6	32·8	32·9	22·2	93·5	10·4	12·6	13·2	5·7	1·2	2·0	6·7	12·3	64·1
1884	8·8	30·3	38·4	21·2	98·9	12·8	15·1	9·6	4·4	2·5	4·1	10·9	9·7	69·1
1885	5·6	26·3	31·3	21·1	84·3	12·0	10·5	10·8	6·5	1·9	1·9	6·1	12·1	61·8
1886	9·5	28·6	35·9	14·8	88·8	11·6	8·9	9·4	2·8	1·4	1·9	9·5	11·3	56·8
1887	7·0	21.2	29·2	19·9	77·3	14·5	12·0	11·7	3·5	0·3	2·9	7·9	9·1	61·9

TABLE LXXXV—*Comparison of the Quarterly Number of Days of Rain and the number of Days of Snow in each month and year, 1870-1887.*

NEW BRUNSWICK.

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW. January.	February.	March.	April.	May.	October.	November.	December.	Year.
1870	....	31·0	46·5	34·5	....	....	....	....	....	....	3·5	6·5	15·5	....
1871	17·7	37·0	31·6	22·9	109·2	11·0	6·0	8·0	7·7	2·3	2·0	5·7	11·2	53·9
1872	8·8	37 6	35·2	23·6	105·2	8·4	7·6	11·6	3·0	0·6	0·2	5·8	13·0	50·2
1873	12·4	30·4	33·7	21·3	97·8	10·0	10·0	10·4	4·8	0·0	0·2	9·6	8·2	53·2
1874	11·7	29·9	29·6	19·5	90·7	8·9	8·3	6·0	9·1	0·9	....	5·3	9·4	47·9
1875	7·6	25·4	35·5	18·6	87·1	12·1	10·0	8·7	4·9	1·7	1·3	9·6	8·8	57·1
1876	16·7	36·6	29·7	22·1	105·1	10·4	7·9	8·3	6·8	1·6	2·8	2·9	11·3	52·0
1877	13·8	32·6	33·9	24·3	103·6	9·1	10·6	9·6	3·4	0·9	1·3	3·0	7·1	45·0
1878	16·8	40·1	33·5	32·7	123·1	9·1	6·6	9 8	4·6	0·0	0·1	6·7	7·3	43·6
1879	13·0	32·5	35·2	23·4	104·1	13·0	10·3	9·3	6·9	0·0	0·9	7·3	11·6	59·3
1880	13·5	29·1	37·0	21·2	100·8	8·1	11·0	9·6	3·8	1·3	0·4	4·7	10·1	49·0
1881	14 1	32·3	40·0	30·9	117·3	10·3	10·6	5·6	4·5	0·5	3·1	5·3	4·7	44·6
1882	10·6	27·8	35·9	16·9	91·2	14·3	9·4	10·4	8·4	1·9	0	7·3	11·4	63·1
1883	9·9	36·4	30·7	27·2	104·2	11·1	8·3	13·7	5·8	0·3	1·5	6·3	12·5	59·5
1884	14·7	38·4	39·2	26·2	118·5	10·1	12·4	9·0	3·4	3·0	3·3	6·2	11·1	58·5
1885	9·8	30·3	29·1	26·1	95·3	9·8	10·8	11·2	4·8	1·0	1·7	2·6	9·1	51·0
1886	16·3	24·7	36·3	23·8	101·1	11·1	8·3	9·4	2·9	*	0·4	4·3	9·8	46·2
1887	16·5	25·1	33·1	23·9	98·6	13·8	11·6	11·5	5·0	0·0	1·1	2·6	6·0	51·6

TABLE LXXXVI.—*Comparison of the Quarterly Number of Days of Rain and the Number of Days of Snow in each month and year, 1870-1887.*

NOVA SCOTIA.

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1870	26·0	32·0	30·1	38·3	126·4	10·0	11·0	12·0	1·5	2·8	1·7	3·2	8·7	50·9
1871	20·4	36·0	35·9	27·5	119·8	10·3	7·0	8·1	5·1	0·6	0·7	6·5	12·8	51·1
1872	13·9	39·2	38·3	32·3	123·7	8·9	7·3	13·7	3·5	0·7	0·5	5·7	15·5	55·8
1873	17·8	29·1	36·5	27·6	111·0	8·7	10·1	9·0	5·0	1·3	..	6·7	10·9	51·7
1874	19·2	30·1	30·5	25·7	105·5	10·5	9 0	8·4	12·0	1·4	..	4·6	9·3	55·2
1875	11·0	23·5	23·1	26·2	83·8	12·7	10·3	10·2	3·6	1·0	1·0	7·6	7·3	53·7
1876	15·9	35·0	31·6	27·2	109·7	9·7	12·7	6·3	8·4	3·0	2·2	2·4	11·0	55·7
1877	17·9	31·0	32·9	28·6	110·4	9·7	6·8	9·0	3·2	0·7	1·4	2·4	9·7	42·9
1878	22·0	31·1	25·0	33·6	111·7	7·0	6·4	6·9	1·6	0·0	0·0	2·8	7·9	32·6
1879	11·2	27·3	31·2	23·3	93·0	14·2	8·5	7·0	5·8	0·4	1·0	7·0	9·4	53·3
1880	19·6	28·4	35·6	25·6	109·2	7·1	11·0	13·5	5·8	0·9	0·1	5 1	10·4	53·9
1881	15·6	30·8	31·8	32·8	110·0	8·9	9·8	4·9	5·2	0·3	2·5	5·3	4·4	41·3
1882	14·3	30·6	32·0	21·2	98·1	11·8	10·3	8·1	7·3	0 7	0·0	5·4	9·4	53·0
1883	12·0	29·6	27·1	27·8	96·5	10·5	7·3	8·0	4·3	0·7	0·5	3·3	8·2	42·8
1884	18·9	30·8	33·9	29·9	113·5	7·5	7·8	9·0	1·8	1·0	2·0	3·1	7·9	40·1
1885	16·0	26·6	32·9	33·7	109·2	10·6	10·3	11·5	3·6	•	0·6	2·4	9·4	48·4
1886	21·8	24·9	33·2	26·9	106·8	6·0	8·8	7·6	2·6	0·0	0·5	3·9	7·9	37·3
1887	23·4	23·2	25·9	31·0	103·5	12·3	11·8	9·7	4·9	0·2	0·6	2·2	4·7	46·4

TABLE LXXXVII.—*Comparison of the Quarterly Number of Days of Rain and the Number of Days of Snow in each Month and Year, 1873-1887.*

PRINCE EDWARD ISLAND.

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1873	..	..	..	28·0	..	..	..	..	..	..	..	15·0	15·0	..
1874	20·5	35·0	37·0	36·0	128·5	12·0	12·5	13·0	11·0	2·0	..	5·5	13·0	69·0
1875	11·0	31·5	40·0	33·0	115·5	16·0	11·0	11·0	5·5	1·0	1·0	10·0	11·5	67·0
1876	18·0	37·5	35 0	29·5	120·0	11·5	11·5	8·0	10·5	1·0	1·0	2·0	10·0	55·5
1877	19·0	31·5	37·0	40·0	127·5	9·5	7·5	7·0	4·0	0·0	3·5	4·0	12·5	48·0
1878	27·5	34·5	31·4	33·9	127·3	11·5	10·0	9·5	1·0	0·0	0·0	2·5	8·5	43·0
1879	10·3	30·0	37·4	24·6	102·3	17·8	10·7	9·0	7·3	0·0	1·0	9·0	12·0	66·8
1880	10·0	32·4	37·7	30·5	110·6	10·3	13·3	12·7	3·7	1·3	0·0	9·0	18·0	68·3
1881	15·0	45·5	54·5	36·0	151·0	16·0	14·5	6·5	8·0	..	3·5	7·5	9·0	65·0
1882	12·0	41·5	43·5	26·0	123·0	18·5	14·0	11·0	14·5	3·0	0·0	10·0	13·0	84·0
1883	14·0	45·5	37·5	36·0	133·0	15·5	8·5	14·5	7·0	1·5	2·5	5·0	18·5	73·0
1884	17·0	47·0	48·5	39·0	151·5	13·0	14·0	14·5	5·5	4·0	4·0	6·5	13·5	75·0
1885	18·5	42·5	30·5	37·5	138 0	13·5	12·0	10·5	3·5	..	1·0	4·0	14·5	59·0
1886	28·5	38·5	49·0	39·0	150·0	9·5	11·0	13·0	5·5	..	0·0	2·0	13·0	54·0
1887	31·0	36·0	43·0	41·0	151·0	16·0	15·0	10·0	9·0	1·0	1·0	5·0	9·0	66·0

TABLE LXXXVIII.—*Comparison of the Quarterly Number of Days of Rain and the Number of Days of Snow in each month and year, 1873-1887.*

MANITOBA.

						NUMBER OF DAYS OF SNOW.								
	Winter.	Spring.	Summer.	Autumn.	Year.	January.	February.	March.	April.	May.	October.	November.	December.	Year.
1873	....	....	....	3·0	....	....	....	....	....	....	10·5	11·0	7·0	....
1874	2·0	15·7	24·7	4·5	46·9	9·0	8·0	7·0	5·0	....	3·5	10·5	8·0	51·0
1875	0·0	23·0	27·4	6·0	56·4	7·0	7·0	6·0	8·0	1·0	7·0	11·5	9·0	56·5
1876	0·0	23·3	33·0	2·6	58·9	10·0	9·0	7·0	2·0	1·7	4·7	12·3	6·3	53·0
1877	1·0	31·0	25·2	13·5	70·7	3·7	2·3	7·7	4·7	0·3	2·5	4·2	3·0	28·4
1878	6·4	24·8	24·9	8·5	64·6	2·7	3·8	1·5	1·3	1·7	6·0	3·2	8·7	28·9
1879	2·0	33·3	27·2	10·2	72·7	6·8	6·8	3·0	1·5	0·2	0·8	7·8	11·0	37·9
1880	3·4	27·6	40·0	7·8	78·8	7·0	8·4	3·8	4·0	0·2	1·4	6·0	8·6	39·4
1881	0·5	30·1	32·8	6.6	70·0	3·3	12·0	5·2	2·5	....	6·8	14·0	5·8	49·6
1882	R	16·0	19·9	10·3	46·2	8·3	6·3	7·7	2·0	1·2	2·2	8·0	8·4	44·1
1883	0·7	18·9	23·2	7·6	50·4	7·3	5·0	5·6	3·4	1·3	2·5	7·7	4·2	37·0
1884	0·9	15·2	29·6	3·4	49·1	5·5	7·0	4·6	3·4	....	4·6	4·7	5·8	35·6
1885	0·3	19·0	22·9	6·9	49·1	4·2	5·1	6·7	4·4	2·3	3·5	3·0	5·5	34·7
1886	0·5	21·4	18·8	5·3	46·0	7·3	7·2	5·8	1·6	1·2	1·8	5·2	4·3	34·4
1887	0·3	22·7	23·6	3·3	49·9	7·1	7·6	5·1	3·0	2·1	3·8	5·0	7·5	41·2

TABLE LXXXIX.—*Comparison of the Quarterly Number of Days of Rain and the Number of Days of Snow in each month and year, 1875-1887.*

BRITISH COLUMBIA.

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1875	19·5	18·5	15·5	38·5	92 0	6·5	0·0	8·5	2·0	0·0	0·0	7·0	5·0	29·0
1876	25·5	23·0	19·5	25·5	93·5	2·5	2·5	6·0	....	....	....	2·0	2·0	15·0
1877	30·7	24·4	28·0	36·7	119·8	2·0	0·7	2·3	0·0	0·0	0·3	0·0	0·0	5·3
1878	29·4	20·1	15·1	26·7	91·3	0·8	1·3	0·0	0·8	0·0	0·0	0·4	1·9	5·2
1879	24·6	29·5	24·2	28·7	107·0	8·0	7·6	3·5	0·2	0·1	0·6	2·1	7·4	29·5
1880	23·9	26·0	22·5	15·9	88·3	9·2	5·4	4·9	1·3	0·0	0·0	2·3	5·9	29·0
1881	22·7	30·5	24·8	31·4	109·4	7·4	4·0	1·3	2·0	1·0	1·0	3·2	3·6	23·5
1882	15·3	22·7	20·9	23·8	82·7	6·5	7·1	1·8	0·0	0·2	0·4	3·1	4·4	23·5
1883	11·0	18·3	10·9	21·2	61·4	7·3	4·0	1·0	0·1	0·2	0·3	5·1	4·3	22·3
1884	7·6	16·3	21·7	15·7	61·3	4·0	3·3	0·7	0·3	....	1·0	1·4	5·3	16·0
1885	14·4	18·6	19·0	23·2	75·2	5·6	3·8	0·6	0·4	....	....	0·7	2·0	13·1
1886	23·7	20·5	19·8	38·0	102·0	5·8	2·0	2·0	0 0	1·3	1·2	1·4	4·4	18·1
1887	26·3	27·6	19·4	34·1	107·4	6·4	7·7	2·8	1·0	0·4	0·6	1·7	3·5	24·1

TABLE XC.—*Comparison of the Quarterly Number of Days of Rain and the Number of Days of Snow in each month and year, 1873-1887.*

NEWFOUNDLAND

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
1873	....	....	....	34·7	....	....	....	....	....	....	....	10·7	17·7	....
1874	2·0	15·7	24·7	4·5	46·9	8·8	8·0	7·0	7·6	4·3	2·3	5·2	10·0	53·2
1875	4·7	3·0	35·5	25·0	68·2	17·2	13·0	11·5	7·3	3·0	1·0	9·5	17·0	79·5
1876	8·7	20·9	28·2	29·9	87·7	14·0	13·3	5·2	7·3	3·5	2·0	2·7	12·0	60·0
1877	18·0	31·8	34·7	25·0	109·5	11·0	10·5	7·5	5·0	1·5	1·8	3·2	10·8	51·3
1878	15·2	27·6	33·4	44·0	120·2	9·6	8·4	11·2	3·7	0·0	0 0	3·0	5·7	41·6
1879	12·7	28·8	28·8	20·5	90·8	16·0	9·7	7·7	6·3	0·0	1·5	4 7	11·2	57·1
1880	10·0	26·0	38·5	17·0	91·5	15·0	10·5	10·0	4·5	4·0	0·0	5·0	10·5	59·5
1881	12·0	18·0	24·5	23·0	77·5	10·0	10·0	6·5	5·5	5·5	2·0	7·3	9·7	56·5
1882	4·5	23·4	36·9	22·2	87·0	11·2	10·7	5 7	9·0	4·8	1·2	5·8	13·2	61·6
1883	5·4	27·4	28·7	20·0	81·5	10·8	8·6	10·0	6·0	1·5	1·3	2·3	11·0	51·5
1884	13·1	30·4	43·4	26·7	113·6	9·3	9·0	11·7	6·3	5·0	5·0	8·0	8·8	63·1
1885	13·7	28·4	33·6	31·7	107·4	9·3	8·8	6·3	10·0	4·0	3·0	4·0	9·3	54·2
1886	26·7	29·1	38·7	22·6	112·1	8·7	9·7	12·0	5·9	3·5	3·3	5·3	7·3	56·5
1887	16·7	28·3	31·7	31·0	107·7	10·1	9·7	9·3	5·7	3·7	3·3	4·0	10·0	55·8

TABLE XCI.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, January, 1887.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	46·0	44·0	43·0	46·0	43·0	38·0	28·0	28·0	29·0	29·0	31·0	36·0	36·75
2	36·0	40·0	42·0	45·0	45·0	35·0	30·0	10·0	10·0	10·0	2·0	1·0	25·50
3	1·0	3·0	4·0	4·0	1·0	1·0	1·0	6·0	6·0	7·0	7·0	8·0	1·91
4	10·0	11·0	11·0	10·0	10·0	8·0	7·0	10·5	16·0	23·0	23·0	25·5	13·75
5	27·0	30·0	30·0	30·5	31·0	34·0	35·0	35·0	36·0	38·0	37·0	33·0	33·04
6	32·0	31·0	37·0	39·0	44·0	47·0	48·0	52·0	49·0	46·0	42·0	35·0	41·83
7	32·0	28·0	29·0	33·0	35·0	36·0	40·0	44·0	46·0	47·0	47·0	47·0	38·66
8	47·5	48·0	45·0	43·0	36·0	32·0	26·0	20·0	19·0	19·0	15·0	10·0	30·04
9	7·0	0·0	0·0	0·0	1·0	3·0	1·0	1·0	0·0	1·0	0·0	0·0	0·16
10	2·0	5·0	8·0	12·0	13·0	17·0	20·0	21·0	19·0	19·0	17·0	14·0	13·91
11	14·0	13·0	13·0	14·0	10·0	10·0	3·0	4·0	8·0	15·0	18·0	20·0	1·00
12	15·0	12·0	10·0	10·0	10·0	7·0	5·0	5·0	6·0	7·0	10·0	16·0	9·41
13	16·0	16·0	17·0	15·0	10·0	5·0	4·0	5·0	6·0	6·0	6·5	7·0	9·46
14	7·0	7·0	12·0	8·0	2·0	1·0	5·0	8·0	13·0	8·0	5·0	2·0	0·3
15	2·0	2·0	5·0	8·0	10·0	10·0	12·0	14·0	16·0	17·0	20·0	25 0	11·41
16	26·0	28·0	27·0	26·0	25·0	22·0	20·0	23·0	26·0	28·0	27·0	26·0	25·33
17	25·0	27·0	28·0	31·0	34·0	32·0	29·0	27·0	25·0	25·0	25·0	20·0	27·33
18	20·0	10·0	7·0	2·0	2·0	12·0	10·0	2·0	2·0	4·0	7·0	8·0	2·50
19	10·0	10·0	11·0	12·0	11·0	7·0	5·0	2·0	6·0	11·0	12·0	14·0	9·25
20	16·0	17·0	19·0	20·0	22·0	19·0	17·0	15·0	15·0	15 0	14·0	13·0	16·83
21	12·0	11·0	11·0	11·0	10·0	10·0	9·0	13·0	21·0	22·0	23·0	23·0	14·66
22	24·0	26·0	28·0	25·0	22·0	16·0	13·0	10·0	14·0	14·0	15·0	15·0	18·50
23	15·0	14·0	14·0	13·0	9·0	5·0	1·0	1·0	2·0	6·0	10·0	18·0	9·00
24	20·0	26·0	27·0	24·0	20·0	17·0	13·0	15·0	16·0	18·0	18·0	20·0	19·50
25	21·0	23·0	21·0	21·0	19·0	5·0	4·0	4·0	5·0	6·0	7·0	14·0	12·50
26	15·0	16·0	16·0	12·0	11·0	7·0	10·0	8·0	8·0	7·0	7·0	5·0	1·50
27	2·0	0·0	0·0	5·0	7·0	10·0	10·0	11·0	8·0	3·0	2·0	8·0	3·83
28	15·0	15·0	10·0	4·0	12·0	14·0	18·0	21·0	23·0	26·0	26·0	30·0	17·83
29	35·0	35·0	35·0	36·0	38·0	36·0	34·0	34·0	34·0	33·0	34·0	36·0	35·00
30	36·0	36·0	38·0	41·0	42·0	37·0	36·0	35·0	33·0	36·0	31·0	31·5	36·04
31	34·0	35·0	35·0	32·0	25·0	14·0	18·0	20·0	21·0	21·0	23·0	25·0	25·25
	18·66	18·61	18·81	18·01	17·48	3·84	12·71	12·98	14·26	15·90	16·24	17·55	16·26

TABLE XCII.— *Observed Bi-Hourly Temperature at Regina, North-West Territories, February, 1887.*

12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
30·0	36·0	32·0	29·0	27·0	24·0	22·0	21·0	20·0	20·0	20·0	20·0	25·08	1
23·0	30·0	34·0	38·0	35·0	33·0	32·0	31·0	32·0	34·0	35·0	35·0	32·66	2
38·0	41·0	44·0	43·0	43·0	37·0	35·0	35·0	35·0	37·0	40·0	43·0	39·25	3
45·0	47·0	47·0	46·0	46·0	42·0	35·0	30·0	27·0	25·0	22·0	22·0	36·16	4
22·0	22·0	22·0	21·0	20·0	20·0	18·0	20·0	24·0	30·0	33·0	36.0	24·00	5
38·0	38·0	35·0	29·0	23·0	17·0	14·0	14·0	15·0	17·0	17·0	17·0	22·83	6
18·0	18·0	15·0	13·0	12·0	12·0	10·0	12·0	20·0	23·0	26·0	29·0	17·33	7
34·0	34·0	35·0	35·5	35·0	35·0	34·0	30·0	32·0	33·0	34·0	33·0	33·71	8
30·0	29·0	21·0	16·0	14·0	13·0	13·0	16·0	21·0	28·0	30·0	33·0	22·00	9
34·0	39·0	43·0	41·0	41·0	37·0	32·0	26·0	26·0	32·0	40·0	42·0	36·08	10
43·0	44·0	43·0	43·0	38·0	34·0	28·0	26·0	27·0	27·0	31·0	34·0	34·83	11
46·0	45·0	37·0	34·0	26·0	14·0	12·0	10·0	3·0	0·0	0·0	2·0	19·08	12
5·0	7·0	9·0	12·0	7·0	5·0	0 0	5·0	10·0	9·0	9·0	8·0	0·33	13
7·0	1·0	3·0	3·0	3·0	4·0	3·0	3·0	5·0	8·0	11·0	20·0	4·58	14
21·0	21·0	22·0	22·0	22·0	10·0	3·0	5·0	7 0	10·0	15·0	15·0	5·25	15
11·0	8·0	5·0	1·0	2·0	9·0	13·0	15·0	11 0	10·0	10·0	10·0	8·75	16
8·0	3·0	1·0	2·0	5·0	1·0	3·0	5·0	5·0	4·0	9·0	9·0	0·25	17
9·0	7·0	6·0	4·0	5·0	6·0	6·0	3·0	3·0	2·0	3·0	5·0	0·75	18
10·0	13·0	15·0	17·0	16 0	10·0	3·0	2·0	2·0	5·0	6·0	6·0	8·40	19
6·0	7·0	6·0	6·0	4·0	8·0	10·5	5·0	6·0	4 0	3·0	2·0	0·79	20
2·0	3·0	5·0	10·0	8·0	6·0	2·5	7·0	7·0	5·0	2·0	2·0	1·46	21
4·0	5·0	8·0	17·0	20·0	6·0	5·0	2·0	7·0	15·0	21·0	23·0	11·08	22
25·0	26·0	31·0	34·0	32·0	22·0	16·0	15·0	15·0	18·0	22·0	25·0	23·42	23
32·0	33·0	32 0	32·0	25·5	18·0	7·0	4·5	5·0	6·0	7·0	7·0	17·42	24
12·0	14·0	15·0	18·0	22·0	10·0	6·5	3·0	5·5	10·0	14·0	17·0	12 25	25
21·0	25·0	34·0	33·0	31·0	19·0	11·0	11·0	12·0	12·0	12·0	13·0	19·50	26
14·0	14·0	10·0	8·0	5·0	0·0	12·0	16·0	16·0	11·0	11·0	10·0	2·08	27
10·0	6·0	4·0	5·0	5·0	8·0	14·0	17·0	17·0	17·0	18·0	18·0	11·58	28
....	....	....	.. ..	....	....	....	....	....	....	....	....	....	..
....	....	....	....	....	....	....	....	....	...	....	....	....	..
....	....	....	....	....	....	....	....	....	....	....	....	....	..
18·78	20·71	21·21	21·44	19·59	14·21	9·91	8·20	8·98	11·00	13·03	14·64	15·14	

TABLE XCIII.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, March, 1887.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10 30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	16·5	8 0	7·0	8·5	8·5	5·5	6·0	4·0	1·0	1·0	5·0	10·0	4·08
2	14·0	18·0	19·0	21·0	21·0	12·0	5·0	3·0	4·0	8·0	9·0	13·0	12·25
3	17·0	19·0	23·0	26·0	25·0	22·0	15·0	12·0	13·0	18·0	25·0	28·0	20·25
4	26·0	22 0	17·0	10·0	6·0	2·0	5·0	6·0	8·0	14·0	16·0	15·0	1·25
5	15·0	12·0	16·0	16·0	18·0	21·0	23·0	25·0	29·0	26·0	25·0	17·0	20·25
6	15·0	13·0	11·0	10·0	7·0	5·0	4·0	2·0	0·0	3·0	8·0	13·0	3·51
7	15·0	18·0	20·0	21·0	18·0	15·0	5·0	2·0	3·0	5·0	5·0	6·0	7·58
8	8·0	6·0	3·0	0·0	2·0	4·0	6·0	6·0	5·0	5·0	5·0	4·0	4·50
9	4·0	3·0	0·0	2·0	8·0	12·0	18·0	21·0	22·0	20·0	20·0	17·0	12·25
10	17·0	16·0	16·0	20·0	22·0	29·0	32·0	34·0	35·0	35·0	35·0	34·0	27·08
11	30·0	30·0	24·0	23·0	27·0	33·0	33·0	35·0	38·0	38·0	35·0	30·0	31·33
12	25·0	16·0	9·0	3·0	5·0	10·0	12·5	8·0	7 0	3·0	1·0	4·0	7·96
13	8·0	11·0	10 0	5·0	1·0	8·0	10·0	16·0	17·0	17·0	20·0	21·0	6·33
14	20·0	20 0	21·0	11·0	26·0	26·0	25·0	21·0	21 0	22·0	17·0	16·0	20·50
15	14·0	17·0	17·0	18·0	21·0	22·0	26·5	30·0	28·0	27·0	25·0	22·0	22·29
16	20·0	17·0	15·0	21·0	22·0	23·0	25·0	28·0	27·0	25·0	22·0	18·0	21·91
17	15·0	13·0	12·0	13·0	15·0	15·0	17·5	20·0	18·0	20·0	19·0	18·0	16·29
18	18·0	16·0	15·5	17·0	20·0	17·5	21·0	33·0	34·0	32·0	30·0	27·0	23·41
19	22·5	18·0	19·5	24·0	25·0	27·0	28·0	28·0	26·0	25·0	23·0	18·0	23·66
20	14·0	13·0	9·0	4·0	18·0	29 0	33·0	33·0	31·0	25·0	23·0	23·0	21·25
21	21·0	19·0	17·0	15·0	23·0	26·0	30·0	34·0	34·0	32·0	28·0	28·0	25·59
22	27·0	28·0	24·0	22·0	33·0	35·0	38·0	39·0	40·0	37·0	32·0	30·0	31·09
23	28·0	28·0	26·0	25·0	30·0	35·0	34·0	31·0	23·0	21·0	18·0	15·0	26·17
24	11·0	10·0	9·0	8·0	9·0	12·0	14·0	12·0	12·0	9·0	5·0	3·0	9·50
25	1·0	3·0	6·0	5·0	2·0	10·0	15·0	15·0	15·0	14·0	10·0	7·0	6·25
26	4·0	3·0	0·0	0·0	7·0	11·0	15·0	15·0	18·0	13·0	12·0	12·0	9·16
27	13·0	15·0	12·0	10 0	12·0	15·0	10·0	10·0	8·0	8·0	6·0	5·0	10·33
28	4·0	0·0	0·0	2·0	2·5	3·0	3·0	12·0	16·0	10·0	6·0	6·0	5·37
29	5·0	5·0	2·0	5·0	7·0	20·0	30·0	35·0	32·0	30·0	28·0	27·0	18·83
30	26·0	26·0	25·0	28·0	28·5	34·0	35·5	35·0	35·0	27·0	22·0	20·0	28·50
31	12·0	18·0	22·0	22·0	30·0	33·0	39·0	44·0	39·0	38·0	35·0	32·0	30·33
	10·52	9·04	7·64	7·73	11 60	15·30	18·20	20·00	19·88	17·70	15·35	13·00	13·74

TABLE XCIV.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, April, 1887.*

12·30 A.	2.30 A.	4·30 A.	6.30 A.	8·30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
32·0	30·0	29·0	29·0	36·0	39·0	39·0	37·0	34·0	34·0	34·0	33·0	33·83	1
35·0	35·0	37·0	36·0	32·0	24·0	19·0	18·0	15·0	12·0	10 0	8·0	23·41	2
8·0	7·0	9·0	10·0	10·0	12·0	16·0	20·0	23·0	17·0	13·0	14·0	13·25	3
18·0	21·0	24·5	29·0	35·0	36·0	37·0	37·0	35·0	34·0	33·0	33·0	31·04	4
32·0	31·0	30·0	33·0	34·0	36·0	36·0	37·0	38·0	35·0	31·0	27·0	33·33	5
27·0	25·0	23·0	24·0	31·0	39·0	42·0	49·0	48·0	45·0	45·0	43·0	36·75	6
43·0	43·0	45·0	45·0	45·0	42·0	42·0	40·0	38·0	39·0	40·0	45·0	42·25	7
45·5	46·0	45·0	45·0	46·0	45·0	43·0	43·0	40·0	39·0	40·0	46·0	43·62	8
45·0	42·0	42·0	40·0	41·0	46·0	46·0	46·0	46·0	40·0	38·0	30·0	41·91	9
26·0	20·0	18·0	22·0	29·0	34·0	38·0	39·0	38·0	35·0	30·0	27·0	29·66	10
24·0	20·0	17·0	24·0	28·0	31·0	34·5	36·0	28·0	26·0	25·0	24·0	26·46	11
24·0	23·0	24·0	25·0	29·0	30·0	30·5	31·0	30·0	28·0	25·0	21·0	26·71	12
18·0	15·0	14·0	18·0	25·0	31·0	32·0	32·0	34·0	32·0	28·0	24·0	25·25	13
22·0	22·0	20·0	24·0	30·0	32·0	42·0	46·0	44·0	40·0	37·0	32·0	32·58	14
27·0	27·0	25·0	30·0	32·0	34·0	42·0	42·0	42·0	40·0	37·0	34·0	34·33	15
32·0	31·0	28·0	27·0	32·0	34·0	42·0	43·0	42·0	39·0	37·0	33·0	35·00	16
30·0	30·0	29·0	27·0	34·0	37·0	46·0	50·0	51·0	41·0	40·0	38·0	38·75	17
30·0	28·0	28·0	32·0	36·0	38·0	44·0	50·0	48·0	46·0	40·0	39·0	38·25	18
36·0	34·0	32·0	34·0	35·0	43·0	50·0	50·0	47·5	47·0	42·5	40·0	40·91	19
28·5	18·0	20·0	35·0	44·0	50·0	54·5	57·0	56·0	51·0	37·0	35·0	40·50	20
34·0	34·0	34·0	35·0	43·0	48·0	48·0	49·0	49·0	48·5	47·0	47·0	43·04	21
47·0	46·0	38·0	30·0	31.0	34·0	39·0	38·0	37·0	36·0	29·0	24·0	35·75	22
24·0	25·0	27·0	28·0	34·0	37·0	37·0	36·0	35·0	33·0	29·0	25·0	30 83	23
25·0	24·0	24·0	25·0	38·0	43·0	46·5	47·0	47·5	41·0	30·0	25·0	34·66	24
23·0	19·0	18·0	28·0	44·0	49·0	52·5	52·5	51·0	48·0	35·0	28·0	37·33	25
24·0	20·0	18·0	29·0	48·0	54·0	57·0	60·0	58·0	54·0	53·0	51·0	43 83	26
50·0	50·0	40·0	46·0	52·0	53·0	53·0	54·0	50·0	49·0	45·0	40·0	48·50	27
38·0	37·0	41·0	47·0	50·0	58·0	64·0	60·0	59·0	59 0	58·0	55·0	52·16	28
52·0	50·0	48·0	47·0	54·0	78·0	79·0	80·0	78·0	60·0	58·0	58·0	61·83	29
50·0	45·0	44·0	45·0	48·0	52·0	55·0	55·0	51·0	46·0	45·0	43·0	48·25	30
....	....	....	....	....	....	....	....	....	....	....	....	....	..
31·67	29·93	29·05	31·63	36 87	40·63	43·55	44·48	43·10	39·82	36·38	34·06	36·76	..

TABLE XCV.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, May, 1887.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	40·0	35·0	35·0	35·0	38·0	43·5	44·0	44·0	45·0	44·0	40·0	38·0	40·12
2	35·0	32·0	30·0	30·0	43·0	44·0	48·0	51·0	51·0	48·0	44·0	40·0	41·33
3	34·0	30·0	29·0	30·0	48·0	65·0	67·0	72·0	70·0	62·0	59·0	55·0	51·75
4	50·0	49·0	46·0	44·0	52·0	59·0	63·0	66·0	63·0	60·0	55·0	43·0	54·17
5	39·0	35·0	32·0	39·0	55·0	58·0	60·0	66·5	66·0	60·0	53·0	50·0	51·12
6	50·0	47·0	45·0	46·0	47·0	53·0	60·0	58·0	57·0	60·0	65·0	66·0	54·50
7	67·0	63·0	61·5	60·0	49·0	42·0	37·0	36·0	40·0	45·0	62·0	62·0	52·04
8	61·5	58·5	53·5	55·0	58·0	60·0	68·5	72·0	69·0	65·0	61·0	55·0	61·42
9	52·0	47·0	43·0	50·0	69·0	70·0	73·0	81·0	80·0	75·0	70·0	65·0	64·58
10	64·0	61·0	58·0	62·0	78·0	85·0	93·0	95·0	82·0	78·0	72·0	66·5	74·54
11	62·0	56·0	49·0	56·0	64·5	70·0	73·0	75·0	70·0	65·0	60·0	59·0	63·29
12	59·0	56·0	44·0	40·0	44·0	48·0	48·5	48 5	46·0	44·0	44·0	42·0	47·00
13	41·0	40·0	40·0	40·0	40·5	41·0	42·0	42·0	42·0	39·0	37·0	35·0	39·96
14	33·0	33·0	31·0	33·0	35·0	36·0	36·0	40·0	42·0	50·0	45·0	41·0	37·92
15	33·0	31·0	27·0	28·0	33·0	33·0	34·0	35·0	36·0	36·0	37·0	42·0	33·75
16	50·0	51·0	53·5	50·0	46·0	47·0	49·0	49·0	48·0	43·5	37·0	33·0	46·42
17	33·0	31·0	30·5	34·0	39·5	42·0	47·0	56·0	54·0	53·0	50·0	49·0	43·25
18	49·0	50·5	53·5	58·0	62·0	68·5	78·0	83·0	83·0	80·0	75·0	59·0	66·62
19	53·0	47·0	44·0	46·0	46·0	48·0	52·0	52·0	49·0	47·0	44·0	40·0	47·33
20	38·0	38·0	36·0	36·0	38·0	43·0	46·0	48·0	48·0	47·0	45·0	42·0	42·08
21	40·0	37·0	34·0	32·0	37·0	40·5	41·0	43·0	44·0	46·0	46·0	48·0	40·71
22	47·0	48·0	50·0	51·0	51·0	48·0	47·0	47·0	47·0	45·0	42·0	42·0	47·08
23	39·5	35·0	38·0	42·0	52·0	60·0	70·5	75·0	63·0	60·0	57·0	54·0	53·83
24	50·0	49·0	45·0	52·0	68·0	68·0	70·0	76·0	76·0	75·0	75·0	70·0	64·50
25	65·5	64·0	60·0	58·5	63·0	65·5	69·0	70·0	69·0	66·0	58·0	50·0	63·21
26	45·0	43·0	45·0	54·0	62·0	64·0	69·0	70·0	68·0	67·0	60·0	55·0	58·50
27	52·0	48·0	45·0	53·0	63·0	77·0	78·0	78·0	75·0	70·0	68·0	60·0	63·92
28	56·0	48·0	45·0	57·5	65·0	70·0	75·0	75·0	72·0	70·0	64·0	63·0	63·37
29	63·0	61·0	59·0	55·0	64·0	68·0	69·0	70·5	68·0	62·0	60·0	60·0	63·29
30	49·0	43·0	37·0	40·0	51·5	62·0	62·0	60·0	60·0	58·5	57·0	55·0	52·92
31	49·0	48·0	47·0	45·0	46·0	53·5	67·5	80·0	73·0	70·0	68·0	60·0	58·92
	48·37	45·64	43·43	45·55	51·87	55·89	59·26	61·76	59·87	57·77	55·16	51·60	53·01

TABLE XCVI.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, June, 1887.*

12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
49·0	48·0	47·0	45·0	46·0	63·0	63·0	60·0	58·0	58·0	55·0	50·0	53·50	1
48·0	47·5	45·0	46·0	51·5	54·0	58·0	60·0	58·5	55·0	53·0	50·0	52·21	2
48·0	44·0	46·0	48·0	54·0	60·0	60·0	62·0	59·0	57·0	55·0	45·0	53·17	3
35·0	33·0	41·0	50·0	63·0	69 0	70·0	75·0	73·0	70·0	67·0	65·0	59·25	4
62·0	62·0	61·0	60·0	57·0	54·0	55·0	65·0	65·0	62·5	60·0	55·0	59·87	5
50·0	48·0	45·0	48·0	52·5	55·0	65·0	65·0	71·0	66·0	53·5	48·0	55·58	6
46·0	40·0	45·0	48·0	48·5	50·0	55·0	60·5	66·0	67·0	65·0	55·0	53·83	7
46·0	38·0	39·5	48·5	59·0	70·0	72·0	65·0	65·0	65·0	56·0	56·0	56·66	8
54·0	54·0	50·0	56·5	70·0	75·0	74·0	64·0	62·0	60·0	55·5	54·0	60·75	9
54·0	52·0	58·0	62·0	65·0	70·0	75·5	78·0	73·5	66·0	55·0	48·0	63·08	10
50·0	54·0	55·0	58·0	60·0	65·0	69·0	70·0	70·0	65·5	55·0	55·0	60·54	11
52·5	50·0	58·0	60·5	65·0	68·0	70·0	72·0	74·0	70·0	68·0	63·0	64·25	12
61·0	59·0	60·0	61·5	70 0	73·0	75·5	82·0	81·0	72·0	70·0	64·0	69·08	13
60·0	60·0	59·0	58·0	59·5	72·0	76·0	77·0	74·0	70·0	68·0	63·0	66·37	14
60·0	56·0	60·0	62·0	67·0	70·0	75·0	77·0	80·0	72·0	69·5	53·0	66·79	15
50·0	44·0	43·0	43·5	44·0	56·5	67·0	75·5	75·0	70·0	66·0	63·0	58·12	16
5)·0	57·0	57·0	60·0	60·5	62·0	64·0	70·0	70·0	65·0	64·0	61·0	62·46	17
59·0	58·0	54·0	60·0	65·0	70·0	74·0	75·0	72·0	70·0	64·0	59·0	65·00	18
59·0	55·0	54·0	60·0	65·0	70·0	72·0	70·0	67·0	64·0	62·0	58·0	63·00	19
54·0	55·0	50·0	53·0	56·0	65·0	66·0	70·0	70·0	61·0	57·0	54·0	59·25	20
53·0	50·0	47·0	52·0	57·0	67·0	71·0	70·0	70·0	60·0	58·0	58·0	59·41	21
55·0	70·0	71·0	71·0	56·5	58·0	57·0	43·0	45·0	54·0	65·0	67 0	59·37	22
70·0	71·0	72·0	68·0	61·0	57·0	56·0	56·0	55·5	54·0	50·0	49·5	60·00	23
49·0	48·0	51·5	52·0	58·0	61·0	69·5	83·0	85·0	82·0	79·0	76·5	66·25	24
63·5	57·0	55·0	55·0	55·0	57·0	57·0	67·5	67·0	66·0	62·0	60·0	60·16	25
59·0	59·0	60·0	70·5	75·0	75·0	83·0	80·0	75·0	65·0	55·5	51·0	67·33	26
48·0	48·0	46·0	53·0	58·0	62·0	59·0	60·0	60·0	57·0	54·0	50·0	54·58	27
50·0	49·0	42·0	47·5	58·0	67·0	76·0	79·0	76·0	69·0	63·0	57·0	61·12	28
52·0	48·0	50·0	51·0	46·0	45·0	45·0	46·5	47·0	44·0	44·0	42·0	46·71	29
42·0	41·0	51·5	56·0	68·0	69·0	69·0	72·0	72·0	65·0	63·0	60·0	60 75	30
....	....	....	...	....	....	....	....	....	....	....	....	....	..
53·27	51·85	52·45	55·48	59·07	63·65	66·62	68·33	67·88	64·07	60·40	56·33	59·95	

TABLE XCVII.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, July, 1887.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	58·0	50·0	49·5	52·5	57·0	59·0	64·0	68·0	71·0	70·0	69·5	67·0	61·29
2	65·0	62·5	60·0	63·0	68 0	71·0	72·5	73·0	73·0	70·0	67·5	67·0	67·71
3	67·0	64·0	60·0	62·5	69·0	72·0	74·0	74·0	73·5	70·0	69·0	64·0	68 25
4	62·0	57·0	56·0	61·0	68·0	72·0	73·0	75·0	78·0	75·0	70·0	67·0	67·83
5	55·0	47·0	45·0	66·0	75·0	80·0	85·0	86·0	86·0	84·0	71·0	69·0	70·75
6	59·0	59·0	55·0	60·0	75·0	80·0	87·0	90·0	88·0	80·0	65·0	63·0	71·75
7	57·0	56·0	62·0	70·0	81·0	89·0	75·0	77·0	76·0	70·0	65·0	62·0	70·00
8	61·0	59·0	58·0	58·0	65·0	67·0	71·0	78·0	80·0	75·0	70·0	60·0	66·83
9	55·0	65·0	53·0	67·0	80·0	85·0	90·0	92·0	92·0	79·0	70·0	62·0	72·92
10	56·0	54·0	50·0	55·0	67·0	71·0	73·0	71·0	70·0	65·0	60·0	50·0	61·83
11	43·0	41·0	40·0	52·0	60·0	72·0	72·0	73·0	72·0	69·0	64·0	60·0	59·83
12	53·0	45·0	43·0	40·0	40·0	45 0	63·0	65·0	72·0	68·0	65·0	52·0	54·25
13	48·0	47·0	46·0	49·5	53.0	59·0	63·0	65·0	65·0	60·0	57·5	53·5	55·54
14	50·0	48·0	48·5	50·5	51·0	52·5	53·0	55·0	50·0	48·0	48·0	45·0	49·96
15	44·0	41·0	41·0	47·5	59·0	63·0	70·0	70·0	60·0	58·0	54·0	53·0	55·04
16	50·0	48·0	48·0	52·0	56·0	64·0	76·0	71·0	69·0	69·0	62·0	59·0	60·33
17	50·0	44·0	44·0	52·0	69·0	75·0	80·0	80·0	74·0	73·0	70·0	68·0	64·92
18	67·0	64·0	60·0	59·0	60·0	65·0	75·0	82·0	80·0	79·0	68·0	60·0	68·25
19	56·0	54·0	50·0	6·0	65·0	71·0	75·0	85·0	83·0	70·0	68·0	60·0	66·42
20	50·0	45·0	40·0	60·0	63·0	70·0	74·0	73 0	70·0	69·0	62·0	60·0	61·33
21	55·0	54·0	53·0	59·0	59·0	59·0	61·0	65·0	66·0	63·0	57·0	52·0	58·58
22	52·0	52·0	54·0	58·0	65·0	70·0	71·0	72·0	76·0	65·0	60·0	50·0	62·08
23	48·0	45·0	48·0	50·0	59·5	74·0	83·0	86·0	71·0	69·0	66·0	60·0	63·29
24	55·0	47·0	46·0	48·0	55·0	63·0	66·0	65·0	63·0	61·0	59·0	57·0	57·08
25	57·0	54·0	56·0	58·0	61·0	67·0	71·0	74 0	71·0	66·0	62·0	61·0	63·16
26	59·0	56·0	55·0	57·0	63·0	66·0	71·0	70·0	65·0	57·0	50·0	40·0	59·08
27	40·0	43·0	45·0	48·0	60·0	61·0	63·0	65·0	66·0	62·0	61·0	59·0	56·08
28	59·0	58·0	56·0	58·0	61·0	66·0	70·0	72·0	70·0	70·0	68·0	55·0	63·58
29	50·0	42·0	45·0	50·0	58·0	63·0	68·0	70·0	70·0	65·0	60·0	55·0	58·00
30	53·0	46·0	48·0	55·0	67·0	73·0	82·0	85·0	86·0	75·0	70·0	64·0	67·00
31	59·0	56·0	54·0	57·0	59·0	70·0	75·0	76·0	74·0	72·0	65·0	59·0	64·66
	54·61	51·24	50·61	55·98	62·86	68·21	72·47	74·29	72·92	68·58	63·66	58·50	62·83

TABLE XCVIII.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, August, 1887.*

12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P	8.30 P.	10.30 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
56·0	54·0	55 0	61·0	69·0	76·0	74·0	84·0	83·0	80·0	60·0	54·0	67·17	1
50·0	54·5	57·0	65·5	68·5	81·0	86·0	85·0	84·0	78·0	72·0	64·0	70·46	2
60·0	58·0	54·0	59·0	67·0	68·0	68·0	61·0	64·0	62·0	55·0	52·0	60·66	3
50 0	49·0	47·0	50·0	53·0	62·0	69·0	65·0	64·0	62·0	60·0	53·0	57·00	4
45·0	41·0	40·0	54·0	62·0	70·5	74·0	76·0	75·5	72·0	63·0	55·0	60·66	5
51·0	46·5	44·0	53·0	65·0	81·0	86·0	82·0	80·0	75·0	70·5	65·0	66·68	6
62·0	60·0	54·0	60·0	61·0	65·0	65·0	60·0	55·0	52 0	51·0	51·0	58·00	7
50·0	50·0	52 0	53·0	58·5	59·0	65·0	65·0	64·0	59·5	57·0	54·o	57·25	8
51·0	48 0	47·0	50·0	58·0	69·0	73·0	75·0	78·0	65·0	52·0	51·0	59·75	9
50·0	50·0	51·0	55·0	64·0	71·0	74·0	74·0	71·0	67·0	62·0	58·0	62·25	10
52·0	50·0	48·0	48·0	59 0	63·0	65·0	69·0	70·0	70·0	63·0	57·0	59·50	11
50·0	51·5	54·0	60·0	64·0	76 0	81·0	82·0	82·0	76·0	67·0	58·0	66·79	12
55·0	54·0	52·0	61·0	68·0	76·0	79·0	72·0	63·0	61·0	60·0	59·0	63·33	13
59·0	56·0	55·0	57·0	65·0	69 0	71·5	69·0	68·0	68·0	63·0	56·0	63·04	14
50·0	50·0	52 0	57·0	65·0	72 0	75·0	75·0	75·0	76·0	60·0	55·0	63·50	15
50·0	50 0	51·0	55·5	66·0	77 0	80·0	89·0	85·0	75·0	68·0	60·0	67·21	16
56·0	54·0	52·0	56 0	65·0	73·0	78·0	79·0	76·0	69·0	65·0	60·0	65·21	17
52·0	49·0	51·0	54·0	60·0	71·0	76·0	68·5	68·0	60·0	58·0	53·0	60·04	18
50·0	48·0	45·0	50·0	62·0	68·0	70·5	73·0	73·0	65·0	62·0	58 0	60·37	19
54·0	52·0	53 0	59·0	68·0	75·0	80·0	79·0	68·0	63·0	59·0	53·0	63·58	20
51·0	51·0	50·0	50·0	48·5	49·0	50·5	51·0	53·0	52·0	51·0	51·0	50·66	21
50·0	49·0	50·0	50·0	55·0	58·0	59·0	59·0	60·0	55·0	53·0	50·0	54·00	22
49 0	49·0	48·0	49·0	50·0	50·0	54·0	55 0	56·0	53·0	45·0	42 0	50·00	23
38·0	36·0	35·0	42·0	55·0	57·0	60·0	60·0	59·0	54·5	45·0	43·0	48·71	24
40 5	35·0	36·0	39·0	45·0	63·0	64·0	65·0	62·0	58·0	51·0	49·0	50·62	25
47·0	40 0	42·0	48·0	59·0	62·5	64·0	64·0	62·0	57·0	57·0	56·0	54·87	26
53·0	53·0	52·0	53·0	58·0	64·0	69·0	69·0	65·0	64·0	56·0	55·0	59 25	27
54·0	55·0	55·0	56·0	60·0	79·0	80·0	82·0	81·0	68·0	60·0	56·0	65·50	28
60·0	60·0	59·0	59·0	67·0	74·0	75·0	76·0	75·0	68·0	62·0	56·0	65·92	29
52·0	48·0	50·0	55·0	62·0	65·0	70·0	73·0	71·0	65·0	55·0	49·0	59·58	30
49·0	49·0	50·0	51·0	60·0	64·0	66·5	68·0	66·0	62·0	59 0	56·5	58·42	31
51·50	50·01	49·71	53·87	60·89	68·00	71·03	71·11	69·57	64·90	58·76	54 50	60 32	

TABLE XCIX.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, September, 1887.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	48·0	42·0	50·0	52·0	55·5	60·0	68·0	68·0	67·0	64·0	61·0	60·0	57·96
2	59·0	55·0	56·0	58·0	60·0	60·0	64·0	67·0	65·0	59·0	58·0	57·0	59·83
3	55·0	54·0	52·0	52·0	56·0	62·0	70·0	76·0	73·0	68·0	65·0	60·0	61·92
4	58·0	56·0	55·0	55·0	66·0	70·0	73·0	75·0	70·5	66·0	59·0	57·0	63·37
5	53·0	51·0	49·0	52·5	66·0	72·0	76·0	69·0	70·0	64·0	59·0	57·0	61·54
6	56·0	56·0	55·0	54·0	53·0	54·5	60·0	61·0	64·0	68·0	63·0	48·0	57·71
7	44·0	39·0	35·0	36·0	58 0	60·0	70·0	71·0	70·0	65·0	55·0	54·0	54·75
8	50·0	47·0	50·0	50·0	60·0	65·0	69·0	69·0	67·0	58·0	50·0	45·0	56·67
9	39·0	39·0	35·0	35·0	45·0	51·0	55·0	58·0	58·0	52·0	50·5	50·0	47·29
10	47·0	42·0	40·0	47·0	59·0	72·5	76·5	74·0	71·0	67·0	64·0	55·0	59·58
11	51·0	46·0	44·0	47·0	52·5	65·0	71·0	69·0	66·0	61·0	55·0	52·0	56·63
12	51·0	50·0	49·0	49·0	49·0	50·0	56·0	60·0	50·5	45·0	42·0	42·0	49 46
13	42·0	41·0	39·0	40·5	48·0	52·0	53·5	54·0	53·0	52·0	40·0	35·0	45·83
14	32·0	32·0	31·0	30·0	36·0	49·0	52·5	54·0	57·0	53·0	47·0	42·0	42·96
15	35·0	30·5	30·0	41·0	46·0	56·0	58·0	65·0	65·0	59·0	55·0	52·0	49·37
16	45·0	43·5	39·0	38·0	57·0	74·0	85·5	86·5	87·0	64·5	53 0	44·0	59·75
17	43·5	40·0	40·0	38·0	44·0	49·0	58·0	59·0	56·0	50·0	42·0	30·0	45·79
18	22·0	22·0	23·0	31·0	50·0	56·0	61·0	61·0	60·0	59·5	57·0	55·0	46·46
19	55·0	55·0	51·0	42·0	52·0	63·0	67·0	67·0	64·0	56·0	48·0	46·0	55·50
20	40·0	37·0	36·0	39·0	46·0	47·0	48·0	52·0	54·0	45·0	36·0	35·0	42·92
21	31·0	28·0	25·0	27·0	40·0	45·0	50·0	50·0	49·0	40·0	30·0	28·0	36·92
22	25 0	25·0	30·0	45·0	48·0	48·0	50·0	51·0	53·0	40·0	38·5	35·0	40·71
23	34·0	32·5	25·0	37·5	50·0	54·5	63·0	68·0	68·0	58·0	48·0	42·0	48·37
24	36·0	32·5	30·0	32·0	45·0	55·0	59·0	63·5	65·0	50·0	47·0	46·0	46·75
25	46·0	46·0	45·0	45·0	47·0	49·0	60·0	58·0	54·0	54·0	55·0	56·0	51·25
26	48·0	46·0	40·0	41·0	43·0	48·0	57·0	61·0	60·0	50·0	41·0	37·0	47·67
27	30·0	30·0	30·0	36·0	50·0	65·0	71·0	74·0	75·0	70·0	67·0	26·0	55·00
28	48·0	46·0	40·0	35·0	54·0	70·5	80·0	81·0	82·0	78·0	70·0	61·5	62·17
29	58·0	55·0	52·0	50·0	63·0	67·0	81·0	85·0	84·0	66·0	54·0	51·0	63·83
30	49·0	44·0	40·0	39 0	55·0	81·0	83·0	81 0	81·5	65·0	59·0	58·0	61·29
..	....	....	....	....	....	....	....	....	....	....	....	....	....
	44·35	42·10	40·53	42·48	51·80	59·03	64·87	66·27	65·32	58·23	52·30	48·42	52·97

TABLE C.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, October, 1887.*

12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
58·0	55·0	54·0	53·0	66·0	70·0	70·0	68·0	60·0	48·0	45·0	45·0	57·67	1
44·0	42·0	40·0	41·0	46·0	48·0	60·0	63·0	59·0	47·0	45·0	32·0	47·25	2
32·0	27·0	25·0	25·0	32·0	43·0	49·5	54·0	53·0	40·5	36·0	32·0	37·42	3
30·0	25·0	25·0	27·0	40·0	54·0	60·0	60·0	60·0	56·0	50·0	50·0	44·75	4
48·0	45·0	40·0	37·0	43·0	50·0	58·0	58·0	58·0	50·0	45·0	33·0	47·08	5
29·0	25·5	21·5	20·0	23·0	38·0	40·0	44·5	42·0	40·0	35·0	32·0	32·54	6
32·0	30·0	29·0	27·0	28·0	29·0	29·0	29·5	33·0	30·0	30·0	30·0	29·71	7
30·0	28·0	28·0	28·0	30·0	31·0	32·0	32·5	32·0	32·0	32·0	32·0	30·62	8
32·0	31·0	31·0	31·0	35·0	40·0	45·0	43·0	43·0	42·0	42·0	42·0	38·08	9
41·0	41·0	40·0	40·0	38·0	40·0	43·0	39·0	35·0	28·0	25·0	22·0	36·00	10
18·0	16·0	8·0	8·0	21·0	33·0	50·0	52·0	60·0	58·0	54·0	54·0	36·00	11
42·0	42·0	40·0	38·0	44·0	45·0	48·0	45·0	40·0	37·0	32·0	23·0	39·67	12
19·0	16·0	14·0	13·0	25·0	36·0	42·0	45·0	44·0	36·0	32·0	25·0	28·91	13
24·0	23·0	24·0	28·0	32·0	50·0	60·0	68·0	65·0	50·0	44·0	36·0	42·00	14
36·0	32·5	32·0	32·0	40·0	42·0	44·0	50·0	41·0	34·0	26·0	24·5	36·83	15
18·0	18·0	18·0	18·0	34·0	50·0	55·0	55·0	49·0	39·0	35·0	28·0	34·77	16
25·0	22·0	18·0	14·0	33·0	47·0	54·0	55·0	52·0	49·0	40·0	32·0	38·77	17
28·0	25·0	19·0	15·0	32·0	38·0	47·0	55·0	50·5	47·5	45·5	30·0	36·04	18
30·0	28·0	32·0	35·0	38·0	42·0	47·0	38·0	38·0	34·0	32·0	30·0	35·33	19
24·0	25·0	25·0	25·5	30·0	32·0	35·0	35·0	30·0	24·5	21·0	20·0	27·25	20
10·0	4·0	−8·0	−3·0	13·0	30·0	40·0	40·0	37·0	35·0	33·0	31·0	21·83	21
26·5	21·0	−20·0	−22·0	29·0	37·0	39·5	32·0	30·0	22·0	12·5	−12·0	25·21	22
−6·0	−5·0	−3·0	−3·0	−8·0	12·0	13·0	10·5	5·0	2·0	0·0	−5·0	4·21	23
−6·0	−10·0	−13·0	−12·0	−1·0	8·0	10·5	12·0	11·0	3·0	1·0	−4·0	0·04	24
−4·0	−4·0	−4·0	−2·0	8·0	15·0	23·0	21·0	19·0	8·0	7·0	4·0	7·58	25
1·0	−2·0	−5·0	1·0	10·0	21·0	24·5	30·0	28·5	24·0	21·0	18·0	14·33	26
16·0	13·0	12·0	15·0	24·0	36·0	45·0	46·0	42·0	38·0	35·0	31·0	29·41	27
29·0	26·0	21·5	27·0	30·0	39·0	44·0	40·0	39·0	38·5	35·0	32·0	33·41	28
32·0	32·0	31·0	28·0	35·0	48·0	68·0	64·0	58·5	46·0	44·0	39·0	43·79	29
34·0	24·0	20·0	20·0	31·0	54·0	62·5	60·0	52·0	43·0	39·0	27·0	38·87	30
22·0	18·0	12·0	12·5	30·0	52·0	65·0	69·0	69·0	60·0	49·5	38·5	41·46	31
26·02	23·35	20·87	21·32	29·90	39·03	45·27	45·61	43·34	36·84	33·02	28·26	32·73	

TABLE CI.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, November, 1887.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	38·0	35·5	30·0	35·0	40·0	42·0	43·0	39·0	38·0	36·0	33·0	32·0	36·79
2	30·0	21·5	21·0	22·0	32·0	33·5	38·0	39·0	39·0	37·0	34·0	28·0	31·25
3	28·0	27·0	24·0	22·0	20·0	36·0	40·0	42·0	35·0	27·0	18·0	15·0	27·83
4	12·0	11·0	9·0	16·0	35·0	45·0	60·0	55·5	48·0	36·0	36·0	35·0	33·21
5	28·0	27·0	23·0	23·0	31·0	47·0	67·0	65·0	54·0	49·0	45·5	41·0	41·71
6	40·0	37·0	35·0	29·0	41·0	50·0	50·0	52·5	38·0	30·0	30·0	28·0	38·38
7	20·0	15·0	11·0	2·0	15·0	20·0	22·0	27·0	25·0	25·0	23·0	20·0	18·75
8	14·0	16·0	17·0	18·0	24·0	38·0	55·0	50·0	50·0	37·0	35·0	32·0	32·17
9	28·0	26·5	25·0	27·0	30·0	48·0	60·0	65·0	60·0	51·5	40·0	38·0	41·58
10	33·0	31·5	30·0	32·0	36·0	43·0	47·0	50·0	47·5	45·0	44·0	39·0	39·83
11	35·0	35·0	30·0	21·0	27·0	35·0	50·0	49·0	46·0	43·0	40·0	37·0	37·33
12	37·0	35·0	29·0	22·0	30·0	37·0	38·0	43·5	48·0	46·0	36·0	35·0	36·38
13	34·0	34·0	36·0	38·0	40·0	42·0	46·0	46·0	43·0	40·0	40·0	36·0	39·58
14	35·5	34·0	32·0	38·0	30·0	44·0	45·0	45·0	39·0	37·0	35·0	35·0	38·25
15	35·0	33·0	27·0	22·0	23·0	28·0	40·0	40·0	34·0	28·0	25·0	17·0	29·33
16	15·0	15·0	14·0	12·0	20·0	29·0	29·0	26·0	23·0	22·0	20·0	18·0	20·25
17	15·0	12·0	9·0	7·0	15·0	28·0	33·0	32·5	38·0	36·0	35·0	35·0	24·62
18	34·0	34·0	33·0	24·0	24·0	20·0	15·0	15·0	12·0	10·0	7·0	5·0	19·42
19	5·0	4·0	0·0	−4·0	0·0	10·0	14·0	18·0	18·0	15·0	15·0	12·0	8·92
20	10·5	6·0	1·0	14·0	22·0	38·0	40·0	40·0	38·0	35·0	32·0	28·0	25·38
21	22·0	22·0	18·0	10·0	16·5	23·0	23·0	24·0	22·0	18·0	10·0	5·0	17·79
22	0·0	0·0	0·0	−5·0	−5·0	−8·0	−4·0	−2·0	6·0	4·0	2·0	5·0	−0·58
23	5·0	5·0	8·0	10·0	16·0	16·0	18·0	17·0	15·0	13·0	12·0	9·0	12·00
24	9·0	6·0	5·0	0·0	−1·0	−3·0	−5·0	12·0	10·0	8·0	−6·0	−6·0	−5·75
25	−5·0	−3·0	−5·0	−8·0	−12·0	−11·0	−6·0	−5·0	−7·0	−10·0	−14·0	−16·0	−7·17
26	−20·0	−22·0	−25·0	−25·0	−14·0	−2·0	6·0	15·0	15·5	14·0	12·0	10·0	−2·96
27	9·0	2·0	5·0	8·5	14·0	15·0	20·0	28·0	27·0	26·0	25·0	24·0	16·96
28	22·0	22·0	20·5	20·0	23·0	27·0	28·0	31·0	26·5	20·0	18·0	14·5	22·71
29	13·0	9·0	5·0	4·0	7·0	9·0	7·0	6·0	6·0	4·0	3·5	2·5	6·33
30	2·0	1·0	0·0	2·0	3·0	5·0	8·0	7·5	6·0	5·0	5·0	4·0	4·04
....	....	....	....	....	....	....	....	....	....	....	....	....	....
	19·80	17·93	15·58	14·55	19·72	26·35	31·23	32·45	30·02	26·25	23·43	21·00	23·19

TABLE CII.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, December, 1887.*

12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P	6.30 P.	8.30 P.	10.30 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
4·0	0·0	3·0	5·0	7·0	8·0	10·0	11·0	11·0	11·0	10·0	10·0	7·50	1
10·0	9·0	4·0	2·0	5·0	10·5	15·0	15·0	13·0	12·0	10·0	9·5	9·54	2
9·0	7·0	7·0	8·0	8·5	9·0	10·0	10·5	10·0	6·0	1·0	2·0	7·00	3
4·0	5·0	9·0	6·0	5·0	4·0	4·0	3·5	2·0	1·0	1·0	2·0	3·37	4
2·0	3·0	3·0	8·0	12·0	12·5	15·0	10·0	8·0	6·0	4·0	1·0	6·87	5
3·0	4·0	4·0	2·0	0·0	6·0	7·0	13·0	14·0	13·0	9·0	4·5	4·46	6
3·0	1·0	1·5	8·0	11·5	15·0	15·0	20·0	28·5	22·0	20·0	15·0	13·37	7
14·0	12·0	6·0	5·0	7·0	7·0	14·0	12·0	10·0	7·0	7·0	3·0	8·67	8
0·0	2·0	3·5	1·0	10·0	10·0	12·0	14·5	10·0	10·0	1·0	5·0	4·83	9
8·0	16·5	18·0	10·0	9·0	9·0	5·0	4·0	6·0	20·0	22·0	23·0	12·54	10
25·0	25·0	14·0	6·0	0·0	3·0	15·0	15·0	20·0	18·0	16·5	16·0	2·79	11
15·0	14·0	16·0	18·0	28·0	28·0	30·0	28·0	11·5	9·0	8·0	7·0	17·71	12
5·0	4·0	2·0	0·0	6·0	18·0	22·0	23·0	18·0	12·0	8·0	7·0	10·41	13
7·0	6·0	6·0	9·0	11·0	14·0	15·0	12·0	12·0	10·0	10·0	9·5	10·13	14
9·0	9·0	10·5	16·5	20·0	26·0	27·5	30·0	33·0	26·5	24·0	22·0	21·17	15
21·0	20·0	24·0	24·0	27·0	28·0	29·0	28·0	25·5	18·0	14·5	13·0	22·67	16
12·0	10·0	9·0	11·5	14·0	18·0	23·5	26·0	24·0	23·0	23·0	22·0	18·00	17
21·0	18·0	14·0	14·0	12·5	18·0	16·0	10·0	0·0	5·0	11·0	15·0	7·71	18
17·0	20·0	23·0	24·0	26·0	32·0	32·0	33·0	35·0	35·0	35·5	36·0	29·04	19
36·0	34·5	34·0	34·0	32·0	27·0	22·0	20·0	23·0	25·0	26·0	26·0	28·29	20
32·0	32·0	28·0	10·0	4·0	15·0	19·0	26·0	24·0	22·0	22·0	22·0	4·33	21
23·0	25·0	28·0	31·0	31·0	35·0	36·0	43·0	40·0	28·0	24·0	22·0	30·50	22
20·0	17·0	10·0	10·0	8·0	5·0	9·0	10·0	7·5	7·0	6·5	6·0	9·66	23
6·0	6·0	5·0	7·0	12·0	18·0	15·0	13·0	11·0	3·0	5·0	7·0	6·50	24
10·0	10·0	10·5	11·0	12·0	13·5	10·0	12·0	15·0	18·0	20·0	24·0	13·83	25
28·0	29·0	30·0	28·0	27·0	25·0	20·0	16·5	17·0	20·0	20·0	20·0	23·37	26
24·0	25·0	25·0	20·0	20·0	23·0	24·0	24·0	20·0	20·0	21·0	21·5	22·29	27
23·0	23·0	25·5	18·0	10·0	0·0	12·0	14·0	14·0	14·0	13·0	12·5	1·66	28
11·0	1·0	6·0	4·0	0·0	2·0	5·5	4·0	2·0	2·0	6·0	9·0	0·12	29
9·0	10·0	11·0	12·0	12·0	9·0	6·0	0·5	3·0	8·0	8·0	9·0	8·12	30
10·0	10·0	10·0	10·0	10·0	9·0	8·0	3·0	8·0	8·0	7·0	6·5	3·37	31
1·19	2·71	3·31	0·55	2·31	4·98	7·79	8·76	7·55	4·05	2·09	0·36	2·51	

TABLE CIII.—*Registered Bi-Hourly Temperature at Montreal, January, 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	12·4	12·8	12·5	13·7	13·6	15·6	16·3	15·0	14·0	13·6	10·7	6·2	13·03
2	1·6	3·0	1·3	3·2	5·4	6·3	5·5	6·8	8·0	7·7	8·4	11·1	5·42
3	14·8	17·5	19·5	21·5	21·9	14·9	12·3	9·5	11·0	12·4	10·1	10·8	14·68
4	8·0	8·0	8·0	7·3	6·4	1·3	0·7	2·2	3·0	3·3	3·5	3·7	4·25
5	1·5	3·0	6·0	10·0	16·2	19·0	18·3	22·9	23·5	23·4	22·5	23·7	15·58
6	22·2	18·8	18 7	18·6	20·3	22·0	21·2	21·3	21·8	20·4	20·0	19·5	20·32
7	19·0	16·0	15·2	12·0	8·7	7·1	5·5	3·2	2·0	4·0	5·8	6·0	5·74
8	5·9	10·5	14·0	15·3	14·0	10·7	9·4	9·0	10·1	11·2	11·4	12·0	11·13
9	14·8	21·0	22·4	23·8	23·8	15·5	13·3	12·3	12·3	12·4	8·4	6·4	15·53
10	4·0	1·5	1·2	0·7	1·0	3·0	3·6	4·6	2·5	0·5	0·2	4·2	1·10
11	0·5	0·0	1·1	2·3	1·7	3·7	9·3	15·0	15·9	16·0	15·6	16·7	7·30
12	20·8	18·0	18·0	17·6	18·4	21·0	22·8	25·3	25·3	25·0	23·2	16·1	20·96
13	7·7	7·0	2·5	6·6	5·4	1·7	2·3	2·4	4·1	7·5	7·4	6·7	2·66
14	4·7	3·2	4·7	2·3	1·2	1·7	2·6	3·5	3·4	2·7	2 7	1·8	0·39
15	2·3	3·0	3·0	3·1	3 0	3·0	5·8	6·7	6·2	6·2	6·0	6·5	4·57
16	7·1	7·9	8·0	6·5	6·7	9·2	7·6	8·6	5·3	5·7	2·2	0·3	5·84
17	2·6	4·4	6·0	2·7	1·8	7·7	15·7	24·0	27·0	28·2	18·5	11·0	9·85
18	7·0	3·0	2·6	8·2	10·7	9·7	11·4	12·8	15·2	17·5	17·6	17·4	9·43
19	15·6	15·0	15·0	15·1	8·0	3·7	0·5	3·5	5·0	6·0	2·4	1·3	4·69
20	3·2	5·2	6·0	6·8	3·9	1·5	7·3	20·0	26·0	27·5	30·.	33·4	10·11
21	40·0	37 0	31·0	19·0	15·0	10·3	11·7	11·0	8·7	8·2	7·0	3·3	16·85
22	0·5	2·0	2·7	0·8	0 6	9·8	13·2	17·9	26·0	26·7	24·9	32·5	12·47
23	29·7	28·5	27·0	29·2	28·1	27·7	28·1	28·7	28·5	27·5	27·2	27·0	28·10
24	27·9	27·0	28·0	31·0	31·9	37·0	34·2	24·8	21·8	19·0	15·7	13 2	25·96
25	9·9	7·3	6·4	6·0	9·6	13·5	18·7	21·9	14·2	11·2	14·0	14·3	12·25
26	14·2	15·0	10·5	3·7	0·8	1·0	0·7	2·2	0·9	2·2	5·2	7·1	2·42
27	7·7	8·2	12·0	14·4	10·1	2·8	0·8	0·3	2·0	2·8	2·8	6·0	4·51
28	6·5	6·2	5·8	3·3	0·4	7·2	13·7	15·4	18·2	30·7	33·8	35·0	10·98
29	36·9	37 0	37·8	37·3	37·1	37·0	36·9	36·0	33·6	32.3	27·2	28·4	34·79
30	26·3	22·0	21·0	26·0	27·2	29·7	32·9	33·5	32·2	30·3	32·4	23·7	28·10
31	16·7	12·6	9·0	3·2	1·3	3·0	3·6	3·4	2·2	1·2	1·1	1·0	4·86
	6·85	5·62	4·11	3·35	4·17	7·16	8·85	10·26	9·55	9 25	8·33	7·38	7·07

TABLE CIV.—*Registered Bi-Hourly Temperature at Montreal, February, 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
0·5	2·2	4·1	8·3	7·2	3·2	1·3	0·6	1·9	3·6	3·2	3·5	3·30	1
5·9	5·2	8·4	10·2	10·0	8·2	6·5	4·0	2·2	0·4	2·5	3·6	4·51	2
5·6	6·3	9·5	10·2	12·5	16·9	13·3	13·4	14·7	16·0	19·1	16 3	12·82	3
16·9	18·9	16·1	12·9	9·6	12·7	10·6	9·9	7·6	4·0	2·4	0·7	10·19	4
0·6	1·9	2·9	5·1	1·5	2·7	4·6	6·4	5·0	3·0	0 8	1·8	1·03	5
1·3	0·4	0·0	0·5	1·7	2·7	5·1	7·5	9·6	11·2	11·6	11·4	5·18	6
7·9	7·0	6·1	5·5	7·8	11·7	12·7	12·7	10·7	10·7	7·6	6·0	8·87	7
5·8	5·3	7·4	13·8	27·3	29·8	32·7	33·4	34·2	35·7	44·0	42·3	25·97	8
39·4	37·0	33·0	29·0	26·2	26·0	23·8	24·0	21·3	19·0	17·7	17·2	26·13	9
16·9	15·3	15·1	16·0	19·8	25·5	28·8	31·8	32·1	32·1	33 4	30·7	24·79	10
27·1	22·0	17·0	13·0	12·4	11·8	11·7	11·5	11·7	11·3	9·6	8·2	13·94	11
8·1	4·4	1·0	4·0	2·8	0·4	0·7	1·0	0·0	0·8	2·7	3·0	0·01	12
2·1	2·5	3·9	4·1	2·6	2·2	3·5	5·0	4·5	2·0	1·8	2·5	0·53	13
3·2	5·0	4·4	2·9	0·4	6·1	12·1	17·0	17·1	6·0	14·1	15·8	6·03	14
18·8	22·2	23·2	26·0	22·1	20·0	27·6	31·4	31·5	32·2	33·1	33·8	26·82	15
33 6	33·8	32·9	32·3	30·1	30·9	31·9	31·6	30·0	29·6	29·9	30·0	31·38	16
29·5	27·4	24·0	22·5	20·4	22·1	22·1	23·8	20·0	17·0	13·5	11·4	21 14	17
9·7	6·6	5·7	7·0	10·6	15·5	22 2	23·7	26·5	28·0	30 3	30·0	17·98	18
29·9	27·0	26·0	33.0	32·3	33·2	34·4	33·0	30 6	28·6	27·2	25·8	30·08	19
21·8	17·9	13·0	11·2	14·8	17·7	19·7	20 5	19·0	18·4	17·4	16 0	17·28	20
16·4	14·0	12·6	11·6	13·1	16·5	18·8	19·5	15·0	13·7	12·9	9·1	14 43	21
8·8	7·5	6·8	6·1	8·4	13·3	16·7	19·1	19·7	18·4	19·3	22·6	13·89	22
23·2	24·0	22·0	21·0	24·2	27 7	27 4	27·0	24·7	21·0	19·3	18·1	23·30	23
22·5	27·0	27·0	18·1	28·1	32·0	33·3	32·0	28 0	26·6	18·4	12·2	25·43	24
7·6	3·0	1·1	2·6	0·3	3·8	4·8	6·8	5·0	3·6	3·7	4·5	3·23	25
0·0	4·0	2·6	10·0	8·4	0·0	8·7	10·8	10·0	20·4	21·8	23·2	5·83	26
23·0	32·9	28·2	26·8	26·9	27·0	24·9	22·5	20·0	18·0	14·5	12·9	23·13	27
9·6	6·0	2 0	1·8	0·8	2·8	4·9	7·8	7·8	3·7	2·4	4·0	3·83	28
....	....	....	....	....	...	....	....	....	....	....	....	....	..
....	....	....	....	....	....	....	...	....	....	....	....	....	..
....	....	....	....	....	....	....	....	....	....	....	....	....	..
13·25	12·30	10·61	9·55	11·29	14 24	15·99	17·09	16·15	15·22	15·09	14·41	13·77	

TABLE CV.—*Registered Bi-Hourly Temperature at Montreal, March, 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	3·0	1·0	6·5	5·9	1·4	5 7	6·6	7·3	6·2	4·0	5 1	5·4	2·61
2	5·6	8·5	13·0	17·3	20·5	21·9	18·7	22 0	21·0	23·7	20·6	17·5	17·52
3	16·6	10·1	6·3	5 5	10·0	14·0	14·2	14·5	13·7	11·6	8·0	4·4	10·74
4	7·1	6·6	10·0	7·8	10·6	11·5	12·2	13·3	13·0	11·0	3·8	1·1	9·00
5	0·9	2·2	6·7	11·3	9·2	6·0	4·8	2·0	2·0	2 2	0·7	0·0	4·00
6	2·5	4·0	12·0	18·0	20 1	22·0	23·8	25·5	26·4	27·0	27·0	28·6	19·74
7	29·2	30·3	31·0	25·0	23·9	24·6	26·2	26·7	27·0	30·7	31·4	31·8	28 15
8	31·9	29·3	27·4	25·5	27·4	29·6	29·9	29·0	27·7	24·5	23·1	19·6	27·08
9	13·7	15·6	13·8	12·0	14·0	23·0	31·1	33·9	34·2	32·2	32·6	33·2	24·11
10	33·1	32·1	28·5	30·5	30·7	31·4	32·7	32·0	30·0	26·3	21·3	15·6	28·68
11	13·7	11·6	9·5	8·7	11·4	17·3	22·5	25·3	25·7	21·6	17·3	17·2	16·82
12	15·7	16·0	15·3	16·9	20·3	24·8	25·7	28·7	28·8	26·7	27·2	27·4	22·79
13	28·1	29·5	26·8	26·9	31·3	34·7	34·9	34·8	33 6	28·9	32·1	34·3	31·32
14	33·9	32·5	31·8	30·8	27·3	18·2	15·7	15·8	14·7	12·2	8·8	9·0	20·89
15	8·5	8·0	7·0	5·3	9·6	10·7	11·7	13·0	13·0	11·1	10·9	11·2	10 00
16	11·1	10·2	10·3	12·5	15·5	18·5	20·1	20·0	16·6	16·0	16·0	17 0	15·31
17	17·7	18·8	19·0	19·0	20 6	23·7	25·3	25·1	23·5	23·0	23·2	24·7	21·97
18	28·9	30·0	31·2	32·0	34·0	37·3	36·7	36·3	34·0	32·2	33·6	33·5	33·21
19	35·1	35·2	35·2	35·2	39·2	40·9	41·1	41·0	39·1	37·6	35·6	33·7	37·41
20	33·9	34·0	34·7	35·0	37·1	40·7	39·7	38·8	38·0	35·0	32·8	32·0	35 97
21	29·9	28·2	26·9	28·0	30·9	34·8	35·5	36·0	35·0	34·0	33·1	32·7	32·08
22	32·6	32·9	32·0	32 0	32·9	32·8	32·9	31·7	28·5	26·8	23·7	21·8	30·05
23	19·8	17·9	16·0	16·3	16·4	19·0	20·8	20·9	20·0	17·0	15·7	14·3	17·84
24	14·7	15·0	12·2	15·0	20·3	25·0	30·3	29·1	30·9	30·2	31·4	32·1	23·85
25	32·9	32 2	32·3	25·4	21·7	18·0	17·5	16·9	16·1	14·7	13·7	14·2	21·30
26	12 2	12·0	6·5	7·6	12 4	16·5	16·7	18·0	16·5	14·6	13·5	13 3	13·32
27	12·8	12·6	11·0	13·5	19·9	22·3	22·8	21·0	21·3	20·9	20·1	21·2	18·28
28	18·3	20 0	21·2	24·0	25·3	26·1	25·8	26·0	26·0	24·3	21·4	20·0	23·20
29	15·9	14·0	11·2	12·5	15·1	17·7	20·4	20·9	17·0	13·8	12·5	8·8	14·98
30	8 6	5·8	3·7	5·8	10·7	15·1	18·5	20 0	20·9	17·7	17·1	15·8	13·31
31	13·7	14·0	14·0	16·5	23·0	27·9	27·9	29·2	30·3	23·5	21·6	21·0	21·88
	18·70	18·18	17·31	17·53	20·14	22·57	23·65	24·22	23·44	21·63	20·44	19·75	20·63

TABLE CVI. *Registered Bi-Hourly Temperature at Montreal, April, 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
13·9	10·7	13·0	12·2	17·0	25·1	28·9	30·4	30·0	26·0	22·9	21·1	20·93	1
19·3	15·4	12·0	13·8	18·5	30·0	34·3	36·2	36·0	31·7	31·8	30·7	25·81	2
29·5	30·3	30·9	32·5	34·0	38·4	39·3	40·3	39·2	36·7	37·1	36·0	35·35	3
35·1	35·0	34·1	34·0	34·6	36·5	35·0	33·5	34·0	33·4	33·1	33·2	34.29	4
34·6	36·0	35·0	32·2	29·4	30·0	29·6	28·3	28·0	25·5	23·1	19·9	29·30	5
18·3	16·6	13·5	17·4	26·6	26·0	28·1	30·3	30·3	28·2	26·3	26·3	23·99	6
22·1	18·0	17·2	18·7	22·1	26·2	28·2	30·1	30·0	25·9	25·6	25·3	24·12	7
25·1	25·0	22·0	22·0	27·8	33·6	38·0	37·3	38·2	35·0	34·0	32·0	30·83	8
30·0	28·4	28·7	35·0	37·1	41·9	44·1	47·6	49·0	46·5	46·1	44·2	39·88	9
44·9	45·2	44·1	44·9	47·1	49·0	51·5	54·0	53·2	50·5	49·1	49·0	48·54	10
48·2	47·5	45·3	46·8	46·1	42·7	44·9	44·8	44·0	38·0	34·4	31·8	42·88	11
27·8	26·0	26·1	25·3	26·7	29·7	32·0	33·2	33·0	29·8	29·5	28·2	28·94	12
28·8	24·5	21·7	24·5	27·0	29·2	31·5	33·9	35·3	29·0	27·6	29·3	28·53	13
28·2	27·0	27·9	28·8	32·4	35·2	37·3	39·4	40·0	34·0	29·7	28·5	32·37	14
26·5	24·6	25·7	26·8	29·8	35·8	38·3	40·8	41·5	39·5	37·4	37·3	33·67	15
36·4	35·9	35·5	35·7	36·4	37·5	36·6	36·8	37·0	36·1	31·3	30·9	35·51	16
28·7	25·3	22·0	22·7	26·3	26·2	28·6	29·0	30·0	31·6	37·0	26·5	27·83	17
26·2	22·3	21·2	26·3	29·9	32·7	33·5	34·3	34·5	32·0	31·0	27·8	29·31	18
26·0	24·2	23·2	28·0	33·1	37·2	38·7	40·3	41·2	38·7	38·4	35·4	33·70	19
24·1	34·2	30·0	36·0	38·9	41·1	43·6	46·2	46·0	42·2	41·1	40·2	39·47	20
40·2	39·9	35·5	39·5	48·1	50·9	52·8	54·5	54·0	48·5	47·1	45·5	46·38	21
44·9	44·8	41·1	46·0	48·1	51·0	54·9	55·9	53·8	51·8	46·1	44·8	48·60	22
44·1	43·3	42·0	48·5	49·4	51·7	48·2	47·4	46·0	46·0	47·1	46·7	46·70	23
45·1	42·1	40·0	39·9	41·1	43·0	45·1	44·0	42·6	41·0	37·4	35·7	41·42	24
35·9	36·1	34·1	36·4	39·1	38·4	44·4	46·7	45·1	43·6	43·5	43·5	40·57	25
39·9	40·0	40·2	39·9	40·0	43·4	50·9	51·4	48·7	44·1	42·7	41·4	43·55	26
38·9	37·2	36·0	36·3	36·1	43·6	47·8	48·4	46·0	43·2	39·4	36·8	40·81	27
35·6	34·5	35·7	40·5	48·0	52·4	54·9	56·3	55·3	51·7	49·1	45·0	46·58	28
42·9	41·0	39·6	39·1	39·8	40·3	43·2	45·4	44·5	41·8	40·9	40·6	41·59	29
40·4	40·0	40·5	39·2	41·1	39·5	41·9	43·4	45·9	45·3	47·1	45·0	42·44	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....
33·05	31·70	30·46	32·30	35·05	37·94	40·20	41·34	41·08	38·24	36·90	35·29	36·13	

TABLE CVII.—*Registered Bi-Hourly Temperature at Montreal, May, 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	43·4	43·0	40·5	44·3	49·9	53·2	57·9	60·2	58·3	56·5	52·3	50·0	50·79
2	48·4	45·0	43·2	49·7	58·9	64·7	68·0	71·6	72·0	61·6	56·1	53·1	57·69
3	59·5	59·0	57·3	59·1	65·0	71·3	75·4	77·5	75·0	69·0	67·0	64·2	66·61
4	61·4	61·0	60·0	59·0	60·1	61·9	64·3	65·3	63·2	61·2	56·1	52·3	60·48
5	50·9	50·0	50·1	50·2	55·2	60·4	62·6	63·9	63·0	57·8	56·3	54·2	56·22
6	51·7	47·5	44·8	46·2	48·6	53·0	60·0	63·2	65·2	62·2	57·2	53·7	54·44
7	52·7	53·3	51·0	53·7	58·0	60·7	55·9	55·2	57·8	57·0	55·1	54·2	55·38
8	53·8	53·8	52·9	55·0	60·1	65·2	70·7	72·0	70·7	67·0	63·4	61·0	62·13
9	58·9	57·2	56·9	60·0	66·3	70·6	75·7	79·2	78·8	71·2	67·0	65·4	67·27
10	63·4	61·0	66·2	68·6	72·9	79·4	83·7	84·5	79·0	74·7	65·6	60·3	71·61
11	57·4	53·7	50·0	51·4	57·1	63·3	68·4	70·6	68·8	63·0	60·1	55·0	59·90
12	54·9	49·0	46·7	49·5	53·3	59·5	63·7	65·2	62·5	57·2	53·1	49·2	55·32
13	46·7	46·1	41·0	46·3	49·6	54·1	58·9	60·8	61·0	57·2	55·9	50·2	52·32
14	54·4	55·4	50·0	52·0	60·1	65·0	68·2	69·0	67·8	61·5	59·9	59·0	60·19
15	58·9	58·0	54·0	58·0	63·1	70·7	76·9	78·0	76·6	70·2	67·7	66·0	66·51
16	62·9	63·0	62·2	61·9	64·2	67·9	73·1	75·0	72·7	70·7	67·3	64·9	67·15
17	62·7	64·0	57·0	61·2	62·6	65·3	70·1	71·9	71·0	66·3	63·1	58·9	64·51
18	58·0	57·0	54·0	51·0	54·0	59·2	63·5	66·6	65·0	62·3	58·2	59·4	59·02
19	56·0	57·0	46·0	55·4	60·5	66·2	70·0	71·3	70·2	67·0	62·8	61·0	62·20
20	61·5	62·0	55·0	54·5	57·9	60·9	63·0	65·0	62·0	60·0	56·8	53·7	59·36
21	52·4	51·0	51·0	55·0	62·1	66·0	70·1	72·2	71·8	66·3	63·4	61·0	61·86
22	59·4	58·7	54·4	57·2	63·9	70·5	75·3	79·5	80·2	76·0	72·4	68·4	67·99
23	59·2	61·0	62·1	67·0	74·1	77·6	80·2	82·3	80·0	77·0	73·7	68·8	71·92
24	68·7	66·5	63·5	66·1	73·6	77·2	78·1	80·3	68·8	67·8	65·6	64·7	70·08
25	64·9	64·3	59·8	58·0	62·7	71·0	74·1	75·9	75·0	69·6	66·3	63·5	67·09
26	62·0	60·0	56·7	58·3	62·9	65·0	69·8	71·9	65·0	61·4	59·3	56·0	62·37
27	53·7	53·4	52·7	53·0	55·1	57·3	59·8	58·0	55·0	52·6	51·9	50·3	54·40
28	49·1	49·0	47·9	50·2	54·9	59·6	62·1	64·3	62·9	61·2	56·0	51·9	55·76
29	49·4	46·2	45·0	53·0	58·1	58·8	61·4	61·7	59·5	58·7	54·8	52·5	54·93
30	53·4	52·0	50·5	57·3	59·9	63·0	66·5	68·0	67·0	64·0	60·1	57·2	59·91
31	55·9	54·2	52·9	62·0	67·1	71·0	72·8	73·3	72·5	68·8	63·9	59·7	64·51
	56·31	55·24	52·85	55·62	60·38	64·82	68·39	70·11	68·33	64·42	60·92	58·06	61·29

TABLE CVIII.—*Registered Bi-Hourly Temperature at Montreal, June, 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
57·7	55·5	54·0	58·7	61·0	62·4	57·9	58·8	62·0	62·5	61·1	59·7	59·27	1
58·7	57·3	57·0	60·0	65·2	71·9	76·5	77·3	76·9	73·0	61·9	60·5	66·35	2
59·0	59·0	59·1	59·5	58·3	59·7	69·6	67·3	67·0	63·8	58·1	56·3	61·39	3
55·9	55·0	54·2	53·5	56·2	60·9	64·1	66·7	66·0	62·7	61·1	58·2	59·54	4
57·9	56·6	57·0	60·5	63·6	64·3	67·9	64·8	65·6	63·9	61·1	60·3	61·96	5
59·8	60·2	60·0	62·0	65·5	70·2	74·4	76·0	74·7	71·2	66·1	64·0	67·01	6
65·1	65·0	65·0	66·0	65·5	67·7	72·5	73·7	75·8	71·0	67·3	66·3	68·41	7
66·8	66·0	67·5	71·5	76·5	78·1	79·5	79·8	77·0	74·0	71·1	66·5	72·86	8
65·8	60·2	59·7	61·7	65·3	69·0	70·6	71·7	70·8	67·0	62·0	61·4	65·43	9
61·9	56·3	55·0	61·2	67·1	71·7	74·9	74·9	73·0	67·3	64·1	63·0	65·87	10
58·9	55·0	53·3	62·5	68·6	75·0	77·9	77·9	75·8	70·0	67·9	67·3	67·51	11
65·3	63·3	62·4	67·5	72·6	76·0	76·9	78·5	75·0	72·2	69·6	68·0	70·61	12
64·6	63·1	62·8	65·5	72·6	75·5	79·9	80·3	79·3	77·0	74·9	69·0	72·04	13
63·9	61·0	58·0	63·7	66·3	69·7	71·8	72·0	70·0	65·8	61·1	60·6	65·33	14
59·1	56·0	54·7	62·8	69·1	73·2	77·6	78·5	77·0	72·0	67·3	66·8	67·84	15
65·9	65·0	64·0	64·4	65·1	67·0	67·0	67·3	68·5	69·0	67·3	65·3	66·32	16
59·9	57·0	53·0	57·4	61·5	64·2	66·9	67·5	67·8	64·2	61·8	59·8	61·75	17
55·9	53·1	51·6	57·5	59·0	61·0	66·2	68·1	66·0	61·5	60·0	59·0	59·91	18
58·3	55·1	52·0	61·7	64·1	68·3	70·9	69·7	63·5	62·0	61·1	60·0	62·22	19
60·1	59·1	59·4	62·5	64·8	69·6	70·0	70·7	71·0	66·9	63·1	62·8	65·07	20
60·9	59·4	58·5	63·2	71·1	74·9	77·2	77·0	67·6	69·2	67·5	67·2	67·81	21
66·9	65·0	63·1	63·1	66·1	65·4	64·0	61·1	61·0	61·1	61·0	60·9	63·23	22
61·4	62·0	62·0	62·9	70·0	73·1	76·0	74·0	72·2	69·5	66·6	66·0	67·97	23
65·9	64·0	61·4	63·7	64·0	72·1	72·8	72·7	70·0	65·7	62·1	58·2	66·05	24
57·9	55·0	54·8	60·3	64·8	65·6	68·1	67·5	67·4	65·0	62·1	60·3	62·40	25
59·9	58·5	58·5	63·0	67·1	65·0	69·6	70·5	70·0	67·1	62·1	59·0	64·19	26
58·4	61·0	60·5	65·9	69·1	72·9	74·9	76·1	72·8	69·0	65·1	64·3	67·50	27
63·6	63·0	60·0	64·9	71·9	76·8	79·4	80·3	78·5	74·9	71·9	69·2	71·20	28
67·8	66·0	65·4	69·2	74·7	80·8	84·3	86·1	83·4	79·1	76·3	73·4	75·54	29
70·8	70·4	69·5	71·9	76·9	82·4	84·3	85·0	84·0	79·3	77·1	74·6	77·18	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....
61·80	60·10	59·11	62·94	66·79	70·15	72·79	73·06	71·65	68·56	65·35	63·60	66·33	

TABLE CIX.—*Registered Bi-Hourly Temperature at Montreal, July, 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11 00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	71·4	70·3	69·3	71·2	77·4	82·9	84·3	87·1	84·2	82·0	77·0	76·2	77·77
2	75·9	72·2	74·9	76·1	82·1	86·7	87·9	84·3	78·0	71·0	69·4	69·8	77·36
3	69·1	69·0	68·2	69·1	71·2	68·2	73·0	75·7	76·5	74·5	70·1	69·4	71·17
4	68·9	68·2	68·4	73·9	81·7	87·0	89·4	88·2	88·0	83·2	78·9	78·8	79·55
5	77·4	73·2	71·3	76·0	80·1	82 4	83·1	84·8	83·0	79·3	76·9	75·5	78·58
6	72·5	72·0	71·6	74·3	82·1	84·0	81·8	69·5	76·8	75·7	71·2	70 7	75·18
7	69·8	69·8	67·8	70·5	75·7	80·0	80·9	78·0	78 8	76·9	74·1	72·4	74·56
8	70·4	68·0	67·5	74·2	78·1	82·5	82·9	82·2	82·5	77·0	74·1	72·0	75·95
9	69·9	68·2	69·0	73·9	79·1	83·6	86·9	86·8	85·0	68·5	69·3	69·6	75·82
10	71·1	70·0	70·7	69·3	69·9	72·0	73·1	72·1	72·2	70·4	68·7	68·0	70·62
11	67·9	67·3	66·0	68·5	70·1	74·4	75·9	76·4	77·1	73·0	71·1	68·8	71·38
12	63·9	61·0	60·0	65·7	70·9	74·2	78·9	80·6	81·6	76·7	75·1	70·0	71·55
13	69·4	70·9	71·0	73·3	78·6	81·8	83·3	85·3	82·6	79·2	75·7	70·0	76·76
14	64 9	61·0	57·9	65·0	67 0	72·5	74·1	76·1	74·0	69·7	67·0	66·0	67·93
15	63 2	62·7	61·5	64·7	68·1	71·8	70·1	71·0	68·8	65·3	64·7	63·6	66·29
16	61·2	61·0	62·0	63·0	65·9	71·4	72·9	76·4	77·8	74·0	71·1	69·5	68·85
17	66 0	67·0	67·0	71·5	74·2	75·0	77·6	77·2	76·9	73·0	70·6	68·9	62·07
18	65·8	61·5	62·1	66 5	72·1	72·6	77·4	79·3	77·9	73·0	69·9	68·3	70·53
19	65·7	63·0	62·4	67·2	74·1	79·2	81·1	83·0	81·5	77·0	72·1	70·7	73·08
20	67·9	66·0	66·0	72·1	78·0	82 4	85·0	84·3	83·6	79·2	74·1	72·0	75·88
21	70·9	69·3	68·7	69·7	74·1	74·5	74·1	71·7	69·0	68·8	69·7	68·0	70·71
22	67·3	66·0	65·4	68·0	72·1	76·9	77·0	79·2	73·0	73·0	73·0	71·0	71·82
23	71·4	70 7	70·2	70·4	71·5	76·5	78·4	78·0	77·0	71·5	69·4	67·0	72·67
24	63·9	62 0	60·0	64·0	69·1	76·4	78·9	80 5	78·5	73·3	71·3	70·4	70·69
25	68·4	69·0	65·0	68 8	71·6	74·5	77·0	76·9	77·1	74·4	70·1	68·0	71·73
26	66·1	67·0	64·0	70·7	73 8	80·2	83·7	85·0	83·0	76·5	73·6	72·0	74·63
27	69·4	67 0	65 8	68·0	78·2	83 9	86·9	88·0	85·5	81·7	76·9	76·9	77·35
28	74 9	73·3	69·2	75·5	80·1	86·0	77·7	76·7	75·9	72·2	70 3	70·0	75·15
29	68·8	70·1	65·0	69·5	73·3	79·0	80·3	80·6	79·2	73·5	70·1	69·9	73·28
30	67·9	64·1	61·0	69·9	76·9	81·9	85·9	88·3	86·0	83·3	79·1	76·1	76·70
31	73·8	72·0	69·6	75·0	80·1	81·0	82·9	84·2	81·0	76·0	72·2	69·5	76·44
	68·87	67·51	66·40	70·18	74·75	78·56	80·08	80·24	79·10	74·93	72·15	70·61	73·62

TABLE CX.—*Registered Bi-Hourly Temperature at Montreal, August, 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11·00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
67·1	64·6	62·1	70·3	77·1	80·6	82·5	82·9	81·0	74·5	72·1	68·7	73·62	1
66·7	65·7	63·8	67·6	74·1	80·0	81·9	83·0	79·0	74 9	70·1	66·9	72·81	2
61·9	62·7	59 0	64 0	71·0	76 1	80·4	83·9	83·0	79·0	74·1	74·2	72·44	3
72·5	72·1	70·0	72·1	78·3	85·2	86·4	85·4	82·2	77·7	75·0	73·3	77·52	4
71·8	70·9	69·0	73·2	75 5	79·7	81·9	82·4	80·0	76·0	73 3	73·2	75·58	5
69·9	70·0	70·0	70·1	73·1	75·7	79·0	78·5	75·2	69·0	62·8	57·2	70·87	6
54·9	52·9	52·0	57·0	62 1	65·3	68·6	70·0	68·5	64·0	63·0	61·5	61·65	7
60·6	59·2	53·0	61·5	67·1	72·2	73·5	72·9	72·0	64·3	63·1	61·8	65·10	8
58·9	56·0	54·0	63·2	70·2	75·8	78·9	80·7	78·1	72·8	69·3	66 8	68·73	9
65·9	65·0	63·1	66·6	70·1	78·4	79·9	79·4	79·0	74·8	71·9	70·0	72·01	10
69·7	69·0	68·6	70·0	72·1	70·8	74·0	74 0	72·0	69·2	69·0	68·5	70·58	11
68·9	68·7	68·2	69·7	74·0	71·7	70·1	67·7	65·5	61·8	58·0	57·2	66·79	12
56·4	57·0	55·0	60·3	66·0	68·0	69·9	71·0	69 0	62 5	63·1	62·2	63·37	13
59·8	58·6	55·9	60·3	69·1	72·0	76·5	77·5	75·5	73·0	69·5	66·2	67·83	14
67·1	68·0	66·2	64·5	72·8	77·2	79·8	79·9	77·8	73·0	69·1	71·1	72·21	15
69·0	68·0	67·0	65·9	69·4	75·8	77·8	77·8	74·0	65·8	62·1	58·4	69·25	16
57·7	57·0	57·8	61·0	64·6	68·7	72·6	73·0	71·8	66·3	62·1	60·7	64·44	17
61·0	61 8	62·0	62·2	65·0	63 3	62·2	62·5	62·8	62·0	60·9	59·1	62·07	18
60·5	60·6	60·6	63·9	67·2	70·6	71·9	71·7	68·8	63·7	64·0	61 8	65·44	19
61·0	61·0	58·2	57·4	64·4	69·6	71·0	72·0	70·0	66·0	63·8	62·9	64·78	20
60·9	57·3	63·8	59·0	65·2	69·5	70·9	73·0	70·9	65·4	63·5	61·9	65·11	21
60·9	58·5	55·0	59·4	67·2	69·4	69·8	70·8	70·0	64·9	62·1	62·9	64·24	22
59·9	61·0	57·7	57·1	59·6	60·7	60·9	63·0	62·9	60·8	58·1	56·4	59·84	23
54·8	55·0	52·8	54·4	58·7	63·0	65·3	65·0	63·1	63·2	61·1	57·9	59·53	24
54 1	54·0	51·4	54·0	57·0	59·9	62·8	62·0	62·0	59·0	57·1	54·1	57·28	25
54·4	53·5	51·4	54·8	58·6	60·0	64·9	67·3	64·0	59·7	58·2	57·8	58·72	26
56·2	56·0	52·0	55·9	64·1	66·1	69·0	67·7	65·8	61·5	59·6	58·3	61·02	27
57·8	57·9	54·5	57·8	62·1	65·0	68·2	69·0	67·5	63·7	62·1	59·4	62·08	28
59·7	56·8	51·2	59·9	65·7	69·4	67·3	68·6	61·4	57·6	55·0	54·4	60·58	29
54·9	52·9	50·3	54·0	59·9	67·0	69·6	69·8	68·0	62·2	60·6	57·3	60·49	30
55·9	52·3	51·9	56·0	63·0	69·9	72·4	71·6	69·4	62·9	63·1	61·1	62·46	31
61·64	60·78	58·95	62·04	67·24	70·86	72·88	73·35	71·30	66·81	64·41	62·68	66·08	

TABLE CXI.—*Registered Bi-Hourly Temperature at Montreal, September, 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	57·9	54·0	50·2	55·3	63·8	71·1	75.9	76·0	73·7	66·8	66·1	65·0	64·65
2	63·0	59·0	60·8	59·5	59·7	59·6	60 3	61·9	62·0	60·5	60·1	59·2	60·47
3	57 9	52·8	54·0	58·2	59·2	60·4	63·0	62·9	63·9	60·8	59·2	55·5	58·98
4	52·9	51·6	49·6	58 0	63·5	63·5	72·9	72·3	70·9	64·7	64·1	61·5	62·12
5	58·9	60·8	57·7	59·9	65·5	71·6	74 3	75·2	73·4	68·9	65·1	63·4	62·22
6	61·9	60·6	60·0	61·4	63 4	73·0	77·9	71·7	69·6	64·6	63·9	64·0	66·00
7	64·8	65·8	65·0	67·1	71·0	77·8	75·9	75·2	71·6	65·9	63·1	60·8	68·67
8	55·5	52·0	52·0	53·9	55·1	58·8	61·9	63·3	62·0	57·8	56·1	53·2	56·80
9	49·7	51·7	46·2	51·4	60·1	62·4	66·5	67·5	67·7	59·2	58·8	57·8	58·25
10	57·8	58·0	57·2	52·8	54·5	57·3	59·4	60·6	61·0	53·7	51·1	48·0	55·95
11	45·9	45·3	43·4	46·0	52·3	53·8	59·4	59·0	58·6	54·0	51·1	50·0	51·57
12	47·1	47·5	46·5	48·8	53·1	61·8	59·8	58·1	56·0	56·0	56·1	55·1	53·82
13	55·2	56·4	56·0	56·6	61·6	69·0	68·8	69 0	68·0	65·8	65·1	65·0	63·04
14	65·4	67·7	63·0	63·8	67·4	72·0	73·5	73·2	70·5	66 3	63·1	62·2	66·51
15	58·0	59·1	54·9	57·0	63·1	66·9	67·9	66·3	62·8	55·9	54·1	52·7	59·89
16	50·9	49·1	46·6	48·7	54·2	54·4	57·9	58·2	56·0	51·8	51·0	49·4	52·35
17	47·9	45·9	45·8	47·5	51·3	56·7	58·1	59·4	56·9	52 0	50·6	47·6	51·64
18	47·5	45·1	42·4	49·8	57·0	64·0	69·1	70·5	66·4	60·5	56·7	58·0	57·25
19	53·8	52·8	52·1	55·5	60·1	65·9	69·8	69·0	63·9	56·8	52·4	48·3	58·37
20	47·9	47·4	45·8	47·5	53·0	56·5	58·8	60·1	58·0	54·8	54·4	50·3	52·88
21	49·0	46·4	45·0	48·2	54·9	65·7	68·4	69·5	64·8	66 8	65·8	65 0	59·12
22	63·1	62·0	58·0	55·0	57·2	57·9	54·9	57·1	54·4	51·8	49·5	47·3	55·68
23	45·9	45·0	40·0	40·2	45·7	50·8	51·3	50·9	48·6	47·8	45·1	43·0	46·19
24	42·1	41·0	40·0	42·2	44·3	45·9	49·9	52·0	60·6	47·9	46 8	45 8	46·54
25	45·8	45·1	40·2	44·0	51·0	54·2	52·2	53·3	49·1	45·0	43·7	43·7	47·19
26	46·0	47·0	44·6	44·1	46·1	46·0	51·0	50·8	50·7	48·9	48·1	49·2	47·71
27	44·8	44·2	43·0	44·0	50·1	56·5	58·9	60·2	56·8	54·6	54·1	53·8	51·75
28	50·8	50·1	48·4	49·1	50·4	53·8	56·2	57·4	52·5	49·7	47·2	46·3	50·99
29	45·6	45·0	44·0	44·3	45·8	49·1	53·9	57·1	57·0	57·6	53·8	51·2	50·37
30	50·9	52·4	50·0	45·3	50·3	57·5	63·9	65·7	59·9	55·5	55·1	53·7	55·02
	....	....	....	....	....	....	....	....	....	....	....	....	....
	52·80	51·36	50·41	51·84	56·16	60·46	63·06	63·45	61·54	57·41	55·71	54·20	56·53

TABLE CXII.—*Registered Bi-Hourly Temperature at Montreal, October, 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
55·9	58·1	57·1	59·5	57·1	59·8	56·9	58·0	57·0	55·8	56·0	56·0	57·27	1
56·1	56·3	54·0	55·1	56·0	60·0	63·7	61·8	59·0	56·0	55·9	57·0	67·57	2
56·8	57·5	53·0	53·4	55·1	59·7	62·0	59·2	55·8	54·9	49·6	47·2	55·35	3
48·0	52·0	50·4	49·7	52·2	54·0	57·9	57·9	52·5	51·6	51·0	50·6	52·32	4
50·9	50·4	50·0	49·7	52·1	53 8	54·6	54·0	52·0	50·7	50·2	50·3	51·56	5
50·6	49·9	49·8	50·4	51·1	55·7	57·8	55·2	54·1	52·3	52·1	51·4	52·53	6
51·9	52·1	49·4	50·3	55·1	56·4	58·1	58·4	56·0	50·5	49·2	44·8	52·68	7
43·4	43·0	42·0	42·9	47·1	50·3	51·9	50·9	46 1	46·7	46·7	46·8	46·52	8
46·6	47·0	46·9	47·0	49·6	50·3	49·9	51·1	50·0	49·1	49·1	48·8	48·78	9
48·8	47·8	49·5	49·5	52·2	59·9	60·9	59·5	54·9	53·0	50·1	44·0	52·51	10
42·1	37·7	37·8	38·3	43·0	47·1	48·4	47·8	46·0	43·5	41·1	40·0	42·73	11
37·1	34·4	35·2	36·0	39·1	42·0	42·9	40·7	41·6	40·0	37·1	37·2	38·61	12
37·9	38·6	39·0	39·0	41·7	42·3	47·9	44·4	45·8	44·0	43·1	43·2	42·24	13
41·9	38·5	38·2	37·0	42·2	42·0	41·8	42·3	37·5	36·0	31·4	31·8	38·38	14
30·9	33·0	30·9	33·4	38·1	42·0	44·4	45·2	42·1	39·0	39·5	36·9	37·95	15
35·4	34·9	34·0	36·2	46·1	52·2	55·9	57·0	54·9	51·0	49·1	46·0	46·06	16
41·6	42·2	41·6	44·4	49·1	53·7	57·0	58·3	57·0	55·2	56·1	56·5	51·06	17
54·3	53·2	56·0	55·0	51·7	53·0	52·9	51·0	47·0	45·0	45·1	41·4	50·47	18
39·9	38·8	36·8	36·0	41·0	48·1	50·5	5 ·0	46·7	43·0	42·6	41·0	42·87	19
39·7	39·8	35·0	35·3	42·5	51·9	56·9	58·8	56·1	51·8	48·1	47·5	46·95	20
49·9	46·1	45·9	46·4	47·0	47·5	47·9	46 2	44·5	44·0	41·5	41·2	45·67	21
38·9	37·0	36·8	36·5	38·1	38·7	37·9	37·3	36·0	34·5	32·1	31·5	36·28	22
29·9	28·3	26·8	27·0	31·2	34·5	36·6	37·0	37·9	34 0	33·9	37·9	32·92	23
43·7	47·2	48·5	47·0	46·9	43·0	42·5	41·0	39·0	35·0	33·1	33·0	41·66	24
32·0	31·8	31·0	31·7	35·8	41·6	42·9	39·8	36·5	34 0	30·1	28·8	34·67	25
37·9	26·9	24·5	24·0	26·1	29·3	30·0	30·2	29·3	28·3	27·6	25·5	28·30	26
24·9	25·0	25·8	25·3	30·1	34·4	37·6	39·4	38·9	40·2	39·1	36·7	33·12	27
34·9	32·0	28·7	28·6	35·1	44·7	46·5	46·1	44·0	41·0	41·1	41·0	38·64	28
38·7	37·7	37·9	37·5	40·1	49·0	32·4	29·7	27·0	24·0	22·3	22·6	32·49	29
23·1	24·1	22·8	23·0	23·7	27·0	27·9	27·8	26·5	24·5	26·1	27·0	25·29	30
28·3	30·5	31·8	31·3	34·1	37·0	38·7	38 1	38·0	36·7	35·2	33·4	34·42	31
41·68	41·03	40·23	40·53	43·56	46·84	48·17	47·55	45·49	43·40	42 10	41 19	43·48	

TABLE CXIII.—*Registered Bi-Hourly Temperature at Montreal, November, 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	28·4	25·0	22·8	22·7	25·2	28·4	29·9	31·3	29·3	27·5	27·4	25·7	26·97
2	26·5	26·0	24·0	26·5	34·1	39·4	43·9	44·8	42·7	42·6	42·6	41·2	36·19
3	40·4	40·2	38·8	37·7	36·1	36·2	37·1	35·9	35·2	34·1	34·7	33·0	36·70
4	33·8	38·6	44·0	46·1	48·1	47·1	47·5	44·1	36·2	31·8	30·9	30·1	39·86
5	29·8	25·9	17·3	17·0	20·5	23·8	26·0	27·1	25·8	26·5	26·1	26·9	24·39
6	28·3	31·1	34·0	35·9	36·1	39·3	39·3	35·2	31·0	29·6	28·1	26·3	32·61
7	26·9	37·2	40·0	47·7	49·0	53·8	56·0	56·1	54·7	52·5	52·8	56·4	48·59
8	54·1	53·0	50·0	38·2	37·8	38·0	37·9	33·7	30·2	28·6	23·2	20·9	37·13
9	19·8	20·5	19·7	19·2	23·2	27·9	31·8	31·5	30·0	29·1	27·2	26·4	25·52
10	25·3	24·0	24·5	26·2	29·1	31·3	31·1	30·3	33·3	35·0	36·1	33 5	29·98
11	32·9	33·0	31·4	31·2	31·8	32·1	32·9	33·5	34·0	32·4	33·1	32·1	32·53
12	33·2	34·3	33·5	33·1	33·0	33·5	33·9	35·2	33·0	32·8	32·5	33·2	33·43
13	31·4	31·3	29·4	29·4	30·1	31·5	32·8	32·8	31·0	29·0	31·0	30·8	30·87
14	31·9	31·5	31·0	30·3	33·6	35·0	35·5	34·0	33·0	33·2	32·3	32·4	32·81
15	32·0	32·0	32·0	32·0	32·7	32·8	32·9	33·0	32·8	33·2	33·1	33·2	32·64
16	33·2	33·2	33·9	33·2	33·6	35·9	34·9	33·6	31·0	30·7	30·1	29·2	32·71
17	28·8	29·2	30·0	30·1	28·9	30·1	33·9	37·1	37·9	37·6	33·9	27 7	32·10
18	34·8	25·0	25·2	25·0	28 3	30·2	34·9	35 2	32·5	31·0	29·1	32·7	29·49
19	33·7	32·1	32·8	34·5	33·7	36·8	34·6	32·5	33·0	32·7	32·7	32·9	33·50
20	33·4	33·5	33·0	33·3	34·1	34·5	33·7	33·0	31·0	29·5	29·1	28 0	32·18
21	25·8	27·1	27 0	28·5	28·9	29·7	30·9	30·9	31·0	31·8	30·1	30·0	29·31
22	29·4	29·0	28·0	29·5	31·5	34·5	37·1	34·8	31·5	32·0	29·4	30·5	31·43
23	31·8	32·2	32·2	33·8	34·2	32·7	31·9	31·0	32·3	31·7	28·1	24·5	31·37
24	22·7	19·0	14·0	10·9	12·9	16·8	18·5	20·0	21·0	20·5	20·8	20·0	18·09
25	19·8	21·0	21·0	28·8	33·6	36·0	33·9	33·0	32·0	31·5	31·1	30·7	29·37
26	30·9	31·2	31·1	31·7	31·6	32·5	32·9	32·8	32·7	32·7	32·7	32·9	32·14
27	32·9	33·0	33·0	34·0	36·1	48·2	49·4	51·0	50·3	51·8	52·3	52·0	43·67
28	47·7	41·1	37·2	33 7	33·1	33·5	34·0	30·0	26·5	25·3	22·4	20·3	32·07
29	17·0	17·0	13·2	11·0	13·2	15·9	16·8	18·3	17·9	17·3	16·5	15·8	15·83
30	14·7	14·0	11·0	7·3	5·7	6·2	6·4	6·8	5·0	3·1	0·9	0·5	6·72
	....	....	....	....	....	....	....	....	....	....	....	....	....
	30·04	30·04	29·17	29·25	30·66	32·79	33·74	33·32	31·93	31·24	30·34	29·63	31·01

TABLE CXIV.—*Registered Bi-Hourly Temperature in Montreal, December, 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
0·4	0·3	1·0	0·9	0·7	4·0	5·5	4·6	4·0	4·5	4·0	3·8	2·38	1
1·5	3·0	4·5	1·3	3·6	7·4	10·4	11·9	13·5	18·4	27·1	29·0	10·97	2
30 5	32·7	32·8	33·3	35·1	36·1	37·4	36·7	35·4	33·4	34·1	33·8	34·28	3
33·9	34·0	33·0	33·5	35·1	36·0	37·4	38·7	38·9	38·0	38·6	38·9	36·33	4
39·0	39·7	39·6	40·3	37·7	37·3	36·9	35·6	34 9	34·0	33·1	30·7	36·57	5
30·9	30·8	29·5	26·2	27·1	30·1	30·0	29·7	28·0	27·3	27·6	25·2	28·53	6
22·3	21·0	21·0	20·0	19·8	21 6	22·4	21·2	20·0	18·9	17·8	18·2	20·35	7
19·0	17·2	17·3	21·5	22·3	24·8	24·8	23·4	22·1	22·7	20·3	17·5	21·07	8
16·2	15·7	14·8	15·7	16·4	18·2	20·7	22·8	20·4	18·0	17·4	16·8	17·76	9
18·5	19·3	20·7	23·0	23·2	27·3	29·0	30·2	31·2	32·5	32·9	33·7	26·79	10
35·7	35·7	35·0	33 8	33·6	33·7	33·6	33·1	32·7	32·6	32·2	32·1	33·65	11
31·9	32·0	31·6	31·8	31·1	32·8	35·5	33·2	30·6	29·6	24·9	23·0	30·63	12
21·8	22·2	21·8	23·3	25·7	28·2	28·9	29·8	30·0	31·0	32·1	32·6	27·28	13
33·1	33·0	33·4	33·2	34·1	34·8	34·9	34·1	33·8	34·0	34·1	33·7	33·85	14
33·8	32·9	32·1	31·9	32·1	33·8	33·9	33·5	32·8	32·5	32·1	33·0	32·87	15
30·6	27·0	24·2	18·6	15·4	17·0	17·7	19·0	17·3	16·4	16·3	15·4	19·58	16
17·1	19·2	21·0	24 0	26·2	27·8	29·6	30·1	30·0	29·1	25·1	25·1	25·36	17
24·3	23·9	23·0	22·3	23·2	24·2	25·2	26·8	26·8	28·0	28·1	28·1	25·33	18
28·8	30·0	29·0	28·0	26·2	25·9	24·9	26·9	22·0	20·0	17·5	16·0	24·60	19
15·5	14·6	12 0	9·3	11·5	16·3	16·6	17·1	15·7	15·7	16·2	14 9	14·62	20
12·7	13·0	13·5	13·3	13·7	14·6	15·8	16·0	16·1	15·3	12·5	9·7	13·85	21
8·8	8·8	8·5	9·3	10·5	12·8	12·7	13·9	11·7	7·2	7·4	8·7	10·02	22
8·7	7·3	3·0	2·0	2·8	6·7	6·6	7·5	5·8	5·2	4·7	4·5	5·40	23
5·6	3·0	2·1	1·0	1·6	5·0	7·6	9·5	10·0	10·8	10·7	10·7	6·47	24
9·6	8·7	7·7	4·4	4·3	5·3	6·6	7·0	6·0	3·0	2·8	1·3	5·56	25
1·0	0·9	2 6	2·6	2·2	1·0	3·6	5·5	6·3	7·0	6·3	5·9	2·36	26
5·9	5·0	4·7	2·5	5·7	7·5	6·9	6·8	6·0	8·0	7·8	9·0	6·32	27
8·6	7·7	9·0	19·2	26·6	28·6	29·0	31·0	20·0	18·0	17·0	17·9	19·38	28
21·3	20·1	14·0	9·0	6·5	6·6	3·8	1·6	1·0	1·3	3·3	4·7	6·05	29
7·7	9·0	11·0	12·0	11·1	8·1	8·5	7·9	9·5	9·7	9·5	7·0	9·25	30
8·0	8·0	9·0	9·5	8·3	5·0	5·4	5·9	7·0	9·7	11·0	8·0	7·90	31
17·76	17·40	16·62	16·35	17·10	19·11	19·81	20·11	18·86	18·39	17·97	17·73	18·01	

TABLE CXV.—*Registered Bi-Hourly Temperature at Sydney, N. S., January, 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	29·5	30·9	32·0	33·0	33·7	34·0	34·2	34·1	35·0	36·0	36·4	40·5	34·11
2	46·0	47·0	49·0	50·4	49·7	54·4	56·2	57·0	53·7	47·4	43·7	40·5	49·58
3	38·0	33·2	32·6	30·0	28·0	25·0	23·0	20·0	16·6	14·8	14·0	15·0	24·18
4	16·2	16·0	15·6	16·0	15·0	16·4	19·2	19·7	19·0	15·3	14·4	13·6	16·39
5	12·6	10·0	9·0	10·8	14·4	23·6	25 8	25·0	24·3	24·2	25·0	25·0	19·14
6	26·0	26·0	26·0	26·0	27·0	30·0	30·4	31·0	30·2	31·7	34·0	35·2	29·45
7	34·8	34·0	33·3	34·0	33·0	34·0	33·0	30·8	29·5	27·7	24·0	23·0	30·93
8	18·2	14·4	13·2	13·0	11·0	11·0	10·0	9·0	7·6	7·0	6·0	7·0	10·62
9	6·6	4·7	5·0	6·3	8·7	11·0	10·2	9·5	7·2	5·5	4·7	4·6	7·00
10	3·0	1·6	1·0	2·0	5·8	14·0	23·3	27·0	34·0	40·0	36·0	34·0	18·47
11	31 0	25·0	19·4	16·0	14·5	12·0	10·0	9·5	9·6	9·5	10·0	10·0	14·71
12	10·0	7·5	11·0	18·8	25·0	33·0	34·8	36·0	35·2	34·8	34·0	33·0	26·09
13	32·8	30·0	29·0	27·0	24·8	27·7	29·0	25·7	16·0	9·5	7·0	7·1	22·13
14	5·3	3·0	0·8	3·7	3·0	2·0	5·4	6·0	7·0	7·0	10·4	15·4	4·50
15	18·1	21·2	24·6	26·0	26·0	25·0	26·0	23·6	24·0	24·0	24·0	24·0	23·88
16	23·0	22·1	23·0	23·0	23·0	25·0	24·0	23·4	21·2	19·3	19·0	18·7	22·06
17	18·0	19·8	17·5	17·8	16·9	22·2	24·0	25·0	23·2	21·9	20·0	25·0	20·94
18	24·6	28·0	32·0	35·0	38·4	41·0	38·1	35·0	34·0	30·8	25·0	21·0	31·91
19	18·0	15·0	10·6	5·0	3·0	2·6	3·0	3·5	1·1	1·0	1·6	1·2	5·03
20	2·9	1·4	5·0	7·9	14·6	15·0	12·8	15·0	12·0	9·6	10·5	12·9	9·97
21	14·9	22·0	35·0	40·0	38·6	38·6	40·0	40·0	29·2	23·0	19·0	17·0	29·77
22	14·1	12·1	9·7	7·9	8·1	11·0	13·2	13·6	14·6	15·0	17·0	21·0	13·11
23	28·5	32·7	34·5	34·4	36·9	36·4	31·3	27·0	25·8	24·7	22·2	20·1	29·54
24	20·0	20·4	21·5	23·0	26·3	30·6	33·0	33·5	35·0	44·1	44·4	46·4	31·55
25	47·0	47 0	47·7	43·3	29·3	24·1	23·8	24·8	23·3	22·8	22·5	26·0	31·80
26	26·0	34·0	36·0	35·5	34·9	33·0	27·5	23·5	20·0	18·0	16·2	15·2	26·65
27	13·2	13·5	14·0	14·0	12·0	13·0	11·8	7·9	4·2	1·7	2·4	3·3	9·25
28	0·6	1·0	0·0	3·7	2·0	10·0	13·0	15·0	17·4	20·2	27·0	30·0	11·04
29	32·7	34·7	38·3	40·0	42·2	43·0	44·5	44·0	44·2	44·0	44·0	43·0	41·22
30	35·0	34·0	33·2	32·0	33·0	33·1	33·9	33·9	33·2	33·0	33·0	33·0	33·36
31	33·0	33·0	33·2	34·0	35·0	39·0	38·1	34·9	30·6	24·6	21·0	18·4	31·23
	21·92	21·78	22·98	22·41	22·83	24·86	25·24	24·64	23·16	22·14	21·46	21·94	22·89

TABLE CXVI.—*Registered Bi-Hourly Temperature at Sydney, N. S., Feb'y, 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
16·0	13·4	12·7	12·0	10·0	12·0	10·4	9·1	6·0	2·8	1·3	2·8	9·04	1
2·0	1·0	0·7	0·2	0·0	3·0	3·8	4·1	1·7	0·8	2·1	1·0	1·02	2
0·2	0·4	2·0	1·8	1·0	8·7	13·0	16·0	16·3	16·8	17·8	19·2	8·70	3
25·0	26·6	28·2	27·5	29·0	30·8	24·1	15·0	12·4	11·0	7·7	5 2	20·21	4
5·0	4·0	4·0	2·4	4·0	7·0	8·0	9·0	4·0	1·7	1·6	0·6	4·27	5
2·4	2·8	2·0	0·6	4·8	9·6	11·0	13·1	14·6	15·0	15·0	15·6	8·87	6
11·0	14·1	10·4	10·0	8·2	12·0	14·0	11·0	7·0	3·6	1·2	4·4	8·91	7
0·7	6·8	8·0	11·3	8·3	6·0	10·3	14·0	13·0	11·0	14·0	20·8	4·62	8
24·0	27·0	31·5	35·0	37·9	37·9	36·7	32·7	29·0	21·2	18·3	14·5	28·81	9
13·0	12·8	12·0	12·0	12·1	15·7	16·9	16·1	14·0	13·0	12·0	13·2	13·57	10
14·0	17·2	24·0	31·6	33·0	30·0	27·8	23·4	24·0	27·0	26·0	26·0	25·33	11
25·5	25·0	22·0	21·4	10·8	10·0	10·1	8·4	5·0	0·4	3·6	8·0	10·58	12
10·0	11·7	14·9	15·4	9·8	3 3	6·0	7·7	1·2	7·3	6·0	6·0	5·24	13
6·7	6·4	8·8	7·1	5·0	2·5	5·0	7·0	7·7	1·0	4·6	6·8	2·02	14
4·9	4·4	2·3	1·7	7·5	18·8	22·4	25·9	29·0	30·0	31·1	33·7	15·42	15
34·9	36·0	35·0	35·0	35·1	37·0	35·0	33·8	31·1	30·8	29·9	28·6	33·52	16
27·0	25·4	19·8	19·5	22·0	31·5	32·5	33·0	33·8	30·8	23·7	20·4	26·62	17
15·0	13·4	9·0	9·0	10·1	13·6	16·2	17·0	16·8	12·0	12·0	13·5	13·13	18
14·0	14·1	16·9	20·5	25·7	33·0	37·0	40·4	42·6	41·0	38·0	35·0	29·85	19
32·7	33·0	33·0	33·2	33·3	33·0	31·0	28·0	23·5	21·0	20·3	18·8	28·40	20
16·2	15·0	13·0	14·0	14·0	14·9	14·8	13·4	11·2	8 3	7·5	8·0	12·53	21
9·0	7·1	7·0	5·0	9·0	13·0	16·1	18·0	18·0	14 0	12·7	13·4	11·86	22
13·0	12·1	12 0	12·4	17·8	22·0	24·1	23·1	21·0	18·0	16·0	16·0	17·29	23
14·0	13·4	11·0	8·0	13·0	21·1	25·0	23·0	21·5	21·0	20·5	22·0	17·79	24
24·2	30·1	28·5	27·0	23·6	25·0	24·0	18·2	15·5	13·7	11·7	10·1	20·97	25
11·1	12·0	12·6	10·0	10·0	12·1	12·0	10 0	9·0	2·4	1·7	1·0	8·21	26
0·0	2·0	3·2	7·0	20·5	24·2	28·4	34·8	39·0	37·4	35 8	33·0	22·07	27
30·0	28·6	28·0	25·5	27·0	26·2	26·0	26·6	22·7	18·4	14·6	11·3	23·74	28
....	....	....	....	....	....	...	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....
12·78	12·73	12·16	12·18	14·15	18·35	19·34	18·97	17·52	14·76	13·24	12·97	14·93	

$21\frac{1}{2}$

TABLE CXVII.—*Registered Bi-Hourly Temperature at Sydney, March, 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	9·0	7·1	4·4	1·0	5·0	10·5	13·0	14·1	12·0	9·8	8·8	7·3	8·33
2	6·9	5·3	3·0	0·6	5·0	16·0	21·7	23·8	21·0	17·5	18·6	21·3	13·29
3	23·2	25·5	28·0	23·0	19·8	19·0	16·0	14·0	10·0	6·0	4·3	2·2	15·92
4	1·0	1·6	2·0	7·0	5·0	9·2	11·0	13·2	14·1	10·0	8·0	4·0	5·74
5	0·0	5·5	6·1	1·6	0·5	1·0	2·8	4·0	5·0	5·2	5·5	3·0	3·08
6	4·0	4·0	5·4	4·0	6·0	11·6	13·9	15·0	14·0	11·0	6·8	9·7	5·88
7	10·0	10·0	11·0	10·4	18·0	27·3	28·0	27·0	24·8	20·8	12·1	8·8	17·35
8	5·0	9·0	11·9	14·2	19·7	27·4	31·0	33·0	30·5	28·5	26·4	25·0	21·80
9	24·1	22·7	23·0	21·4	23·5	26·4	27·4	28·0	27·0	21·0	16·4	16·2	23·09
10	11·1	10·1	9·9	9·9	17·9	27·6	30·0	29·0	27·6	23·3	21·5	20·7	19·88
11	19·5	26·3	25·4	26·2	29·0	34·2	36·2	35·9	35·0	35·0	34·6	34·4	30·97
12	34·0	34·0	34·0	33·4	34·1	35·0	35·0	34·6	34·2	34·0	33·4	33·0	34·06
13	32·7	32·0	32·0	31·7	31·1	32·7	32·4	33·1	33·6	32·5	32·0	31·9	32·31
14	31·3	31·0	30·6	29·5	33·0	35·8	37·0	37·0	38·0	37·0	36·6	37·0	34·48
15	36·0	35·5	34·8	34·3	36·7	38·8	38·0	35·0	32·0	31·0	31·0	31·4	34·54
16	32·3	33·0	33·5	33·3	33·6	34·7	34·9	34·0	34·0	33·6	33·7	34·1	33·72
17	34·0	34·0	34·0	34·0	35·0	36·9	37·1	35·0	34·3	33·1	33·0	33·0	34·45
18	33·0	33·0	33·0	33·1	33·2	36·0	36·1	35·8	35·0	33·3	33·0	33·0	33·96
19	32·7	33·0	33·0	33·7	34·6	36·5	37·3	35·0	34·0	33·0	32·4	31·4	33·88
20	31·0	31·0	31·4	31·6	33·0	33·0	33·0	34·0	34·2	33·0	32·4	32·0	32·47
21	31·0	31·0	31·0	30·3	31·5	33·3	34·0	34·8	34·0	32·4	31·7	32·0	32·25
22	31·0	30·0	28·0	28·0	33·4	39·2	39·6	37·8	34·4	32·2	32·0	33·0	33·12
23	36·0	38·4	38·3	38·0	42·0	40·8	38·0	36·5	35·4	33·4	33·2	32·5	36·88
24	30·0	27·1	25·0	25·0	24·4	25·1	25·0	27·1	27·0	24·0	22·0	23·6	25·44
25	24·0	22·0	22·0	23·3	29·9	38·0	37·3	35·3	33·6	37·0	38·0	36·0	31·37
26	32·2	24·0	20·0	18·0	20·0	24·4	27·0	27·4	26·0	23·0	19·0	16·0	23·08
27	14·0	13·0	13·0	12·8	14·5	17·0	19·0	20·7	21·0	21·3	20·8	20·4	17·29
28	18·0	17·7	16·0	19·1	24·0	29·0	31·1	31·4	32·0	33·0	34·3	38·2	26·98
29	42·0	45·0	47·0	46·4	45·4	46·6	46·3	48·6	46·0	47·0	40·6	35·0	44·65
30	33·0	32·5	32·6	32·0	32·2	29·0	32·5	32·8	31·0	28·2	27·0	26·0	30·73
31	25·0	24·8	23·0	21·8	24·0	28·7	28·0	28·8	28·0	25·2	24·3	24·0	25·47
....	23·19	22·80	22·56	22·04	24·97	28·34	29·16	29·15	28·02	26·29	24·92	24·52	25·50

TABLE CXVIII.—*Registered Bi-Hourly Temperature at Sydney, N. S., April, 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 A.	9.00 A.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°
22·0	20·7	19·2	21·0	27·0	31·1	34·0	35·0	34·8	31·0	29·0	27·0	27·65	1
26·2	26·4	25·5	26·7	30·0	31·0	29·4	28·5	28·0	29·0	31·5	33·0	28·77	2
35·0	33·7	33·7	39·5	40·8	37·1	35·5	35·9	36·1	34·0	31·4	32.0	35·39	3
31·2	31·4	33·4	33·7	36·0	38·0	40·0	40·6	40·0	36·5	35·4	34·8	35·92	4
33·8	32·9	31·6	32·3	35·2	38·0	36·7	36·4	38·0	41·0	41·4	43·1	36·70	5
43·0	44·0	45·6	47·0	49·6	45·0	41·0	39·7	35·0	32·0	30·8	29·1	40·15	6
28·4	27·0	28·0	28·0	28·0	31·2	30·8	31·4	31·0	27·0	23·6	23·3	28·14	7
21·0	21·0	22·7	24·8	29·1	32·2	34·2	34·7	33·2	29·6	28·1	28·0	28·22	8
27·2	26·4	26·7	28·6	32·1	36·4	35·8	35·0	32·2	30·5	30·2	31·3	31·03	9
31·0	31·0	31 2	32·0	37·0	45·8	46·8	46·0	41·0	34·7	31·0	30·7	36·52	10
32·0	34·0	34·3	36·8	44·0	57·0	52·3	50·0	51·6	41·0	36·0	33·6	41·88	11
30·0	28·0	22·3	20·0	20·0	20·4	22·0	19·4	20·0	20·6	22·0	23·0	22·31	12
22·7	20·1	19·0	19·0	19·3	23·4	26·8	26·7	28 0	28·0	28·0	27·6	24·05	13
27·0	26·0	26·0	26·4	26·5	29·0	29·0	29·0	28 5	28·7	30·0	30·3	28·03	14
28·9	28·0	29·0	29·0	29·4	31·0	32·4	33 7	32·8	31·6	32·0	33·0	30 90	15
33·0	30 3	29·0	32·6	36·6	39·5	41·7	40·4	38·0	33.5	30·0	28·1	34·39	16
26·0	24·0	24·0	26·1	33·4	36·2	45·0	44·4	37·0	33·2	31·4	29·8	32·54	17
31·0	31·0	31 8	32·5	38 2	38·2	42 2	45·1	46·8	38·0	33·6	32·4	36·78	18
31·3	31·0	31·4	32·0	33·9	35·2	36·0	36·0	34·5	33·5	33·1	33·9	33·48	19
34·0	34·0	34·3	35·0	36 6	37·0	37·0	37·1	38·5	36·4	36·0	36·4	36·03	20
36·0	36·6	35·5	35·7	36·0	38·6	39·0	40·0	38·0	37·5	37·0	37·3	37·27	21
37·0	36·6	36·6	36·2	38·3	43·0	45·4	42·3	39·0	36·6	35·5	39·2	38·81	22
40·0	39·1	37·0	37·9	39·3	39·4	41·0	40·6	40·0	40·0	39·3	38·4	39·33	23
38·0	36·7	37·0	40·9	48·0	48·0	47·0	45·8	45·4	43·0	38·5	37·0	42·10	24
36·0	35·0	35·6	35·2	38·0	43·2	46·2	46·0	45·0	39·0	38·0	34·1	39·28	25
32·0	32·0	32 8	34·1	37·1	39·7	41·7	37·1	36·0	38·0	46·0	38·0	37·04	26
36·0	35·8	34·8	36·7	40·0	46·6	47·2	47·0	48·0	42·7	40·0	36·1	40·91	27
36·0	34·1	33·5	36·0	46·1	51·0	55 0	53·0	41·7	32·4	31·3	30·2	40·03	28
29·2	28·7	28 0	29·9	31·2	36·0	41·3	43·1	41·0	39·0	37·5	39·0	35·33	29
39·7	41·0	44·4	48·6	49·4	50·0	49·0	50·0	48·0	47·6	46·8	46·0	46·71	30
....	....	....	....	....	....	....	....	....	....	....	....	....	..
31·82	31·22	31·13	32·47	35·54	38·27	39·38	39·00	37·57	34·87	33·81	33·19	34·86	....

TABLE CXIX.—*Registered Bi-Hourly Temperature at Sydney, N. S., May, 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	44·1	45·0	45·0	45·4	48·0	54·0	56·0	55·0	47·0	39·0	37·0	39·0	46·21
2	37·0	36·0	38·0	43·3	48·7	48·0	46·0	44·2	40·0	35·0	34·1	34·1	40·37
3	34·0	34·0	35·3	39·0	46·0	46·5	46·4	45·3	45·0	44·5	40·6	39·4	41·33
4	40·0	39·5	39·5	40·2	47·3	55·4	59·0	59·7	54·0	51·0	48·3	47·2	48·42
5	46·0	42·7	42·3	44·0	53·0	57·9	54·0	53·0	45·7	44·0	39·6	39·6	46·82
6	37·6	36·0	34·1	38·4	42·0	43·8	48·1	44·9	45·0	44·0	41·6	40·8	41·36
7	36·2	33·0	31·0	39·0	50·3	58·8	62·0	62·0	57·5	56·7	51·0	43·3	48·40
8	42·1	42·0	41·0	42·8	40·5	48·0	52·4	56·0	55·0	50·0	40·8	36·4	45·58
9	41·0	38·0	37·0	38·0	39·4	40·8	41·0	41·6	40·4	39·0	37·0	35·9	39·09
10	35·3	31·2	31·0	43·0	49·8	56·5	59·8	64·9	63·0	60·0	58·0	56·1	50·72
11	47·0	44·0	42·6	44·2	46·6	43·5	41·8	39·5	39·6	38·0	35·1	38·0	41·66
12	38·0	36·5	37·0	39·6	41·0	42·0	42·5	43·2	41·4	38·8	36·3	37·5	39·48
13	37·3	37·0	35·0	39·0	39·0	42·0	41·0	40·0	38·0	35·9	33·3	32·0	37·46
14	32·0	31·3	33·9	38·0	32·0	44·0	45·0	43·6	41·0	37·0	34·0	32·5	37·86
15	32·0	32·0	34·0	36·7	40·0	47·0	55·1	53·6	53·7	47·6	43·5	38·6	42·84
16	36·6	34·8	34·7	41·7	52·0	54·0	52·0	46·2	47·7	41·0	37·1	38·0	42·98
17	37·0	36·4	36·4	41·0	50·0	56·4	53·1	49·9	47·9	59·0	55·0	53·0	47·92
18	52·3	53·4	53·2	52·8	56·0	59·0	58·0	58·5	57·0	55·0	53·0	51·0	54·93
19	50·0	51·0	51·0	50·0	52·9	56·5	59·0	61·2	48·0	41·0	42·0	41·0	50·30
20	44·0	47·0	47·0	49·0	58·2	62·0	55·7	51·2	50·0	53·0	48·0	43·0	50·67
21	40·6	38·0	36·3	46·9	55·0	62·0	63·1	51·0	46·0	40·0	38·3	38·0	46·27
22	36·0	34·7	34·0	41·3	43·5	46·0	47·0	47·8	47·0	41·0	37·0	37·0	41·02
23	36·0	36·5	37·5	39·0	40·0	40·0	42·0	42·9	44·0	42·0	38·6	38·0	39·71
24	37·6	37·1	38·6	39·4	40·4	41·0	41·0	41·0	40·0	40·0	39·2	40·0	39·60
25	40·0	39·9	39·4	40·0	42·0	44·8	46·6	50·0	53·0	49·0	52·8	51·4	45·74
26	52·0	53·0	53·0	56·0	60·1	64·7	66·0	68·0	68·4	60·0	55·0	53·4	58·72
27	51·0	48·4	48·5	51·2	53·0	58·0	49·0	43·0	41·4	41·0	41·0	41·0	47·21
28	41·7	41·0	41·0	42·0	45·0	46·7	44·4	44·2	44·0	42·1	42·6	43·4	43·18
29	43·4	43·0	44·1	47·0	53·0	60·0	57·1	52·9	51·3	46·0	44·8	43·0	48·80
30	43·0	43·0	42·0	42·4	45·4	43·0	46·0	49·0	45·0	44·2	42·3	43·3	44·05
31	43·0	43·6	43·3	43·3	45·0	47·8	51·6	53·5	51·0	47·8	45·4	45·0	46·69
....	40·77	39·97	39·87	43·02	47·26	50·65	51·02	50·22	47·84	45·25	42·65	41·61	45·01

TABLE CXX—*Registered Bi-Hourly Temperature at Sydney, N. S., June, 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
45·9	46·8	44·6	46·7	51·3	57·9	64·0	65·0	62·0	56·0	51·6	48·6	53·37	1
48·0	49·0	50·0	55·0	60·0	70·0	63·6	65·0	60·4	50·7	48·5	48·4	55·72	2
47·0	45·9	44·4	43·7	44·5	46·0	45·0	45·3	46·0	44·0	42·0	41·0	44·57	3
39·6	36·0	36·0	44·1	47·0	49·8	54·2	52·0	49·0	44·4	42·0	40·3	44·53	4
40·0	41·0	41·2	47 6	50·0	52·9	55·7	56·1	52·0	50·0	45·8	43·9	48·02	5
44·0	44·0	46·0	54·2	64·1	65·8	72·0	66·0	61·2	59·0	57·0	54·0	57·27	6
52·0	48·0	46·5	54·5	51·0	52·0	52·0	51·2	49·0	48·4	45·0	42·5	49·34	7
41·4	37·0	35·0	45·3	54·3	57·9	58·0	50·5	49·0	50·0	48·0	49·8	48·02	8
50·0	49·4	50·0	51·0	45·7	50·1	50·1	50·0	50·7	49·0	45·0	44·0	48·75	9
42·8	42·2	42·6	46·4	47·5	51·7	53·0	53·3	52·0	48·0	44·4	39·0	46·91	10
37·3	35·0	35 2	47·0	56·6	62·0	67·1	66·8	61·6	53·0	48·0	46·0	51·30	11
44·8	44·1	44 3	51·0	57·0	63·0	66·8	67·1	63·4	57·5	52·0	50·2	55·10	12
49·2	48·1	49·0	53·0	59·8	63·3	66·0	66·0	63·1	64·0	50·0	50·2	56·81	13
49·0	47·0	46·0	46·0	45·5	46·0	47·0	46·4	45·6	44·4	43·0	41·1	45·57	14
37·7	36·0	37·4	48·6	56·4	61·7	64·3	65·4	59·0	55·4	51·0	48·8	51·81	15
48·0	46·3	47·0	51·7	56·5	57·6	61·0	59·9	54·0	52·8	52·5	52·3	53·30	16
52·0	52·0	54·8	57·0	60·4	55·4	56·7	56·9	54·0	48·2	45·0	45·0	53·12	17
43·7	41·4	44·0	50·0	55·4	56·9	58·6	58·9	57·0	55·4	48·0	43·6	51·08	18
42·7	44·0	46·0	52·7	59·4	65·0	67·0	66·1	65·0	57·4	50·5	46·4	55·18	19
44·6	43·4	46·0	51·8	61·0	69·0	72·2	73·2	69·1	53·8	47·7	45·1	56·41	20
43·7	46·0	49·0	54·0	63·9	71·0	73·7	72·0	66·0	60·0	53·7	51·0	58·67	21
51·0	50·8	49·4	53·9	61·0	67·5	62·4	60·4	58·0	55·0	54·3	55·2	56·57	22
55·7	56·0	57·0	59·0	62·2	64·0	66·4	74·0	71·0	67·0	63·0	60·4	62·98	23
62·1	61·6	61·4	62·0	71·4	75·0	72·6	77·0	72·7	67·3	63·6	63·4	67·51	24
60·9	62·4	60·0	61·0	65·0	75·0	76·6	83·2	77·1	60·7	56·3	56·9	66·26	25
58·0	57·0	56·0	62·7	71·0	75·5	75·5	76·0	72·0	67·0	61·0	56·0	65·64	26
55·5	55·2	55·0	63·0	69·5	69·0	60·0	57·5	52·0	51·2	48·5	50·0	57·20	27
49·3	48·4	51·0	50·0	49·5	50·4	53·0	53·9	53·4	51·2	48·0	48·7	50·57	28
44·0	41·0	40·0	47·2	56·0	57·3	55·7	57·5	55·4	53·0	53·0	53·0	51·09	29
53·0	53·0	53·4	56·6	65·0	71·1	72·0	74·7	71·0	64·7	58·3	56 4	62·43	30
....	....	....	....	....	....	...	....	....	....	....	....	....	....
47·76	46·94	47·27	52·22	57·26	60·99	62·07	62·24	59·06	55 62	50·56	49·04	54·17	....

TABLE CXXI.—*Registered Bi-Hourly Temperature at Sydney, N.S., July, 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	56·0	55·2	56·0	58·0	65·6	73·3	80·0	80·0	77·0	71·8	64·4	61·0	66·52
2	59·7	59·0	58·5	63·8	70·3	76·0	83·4	83·8	80·0	70·0	69·0	66·7	70·02
3	65·0	66·0	65·7	71·0	77·0	76·8	80·0	78·1	73·0	68·4	62·0	56·2	69·93
4	52·5	50·2	50·7	59·8	71·3	78·8	82·0	79·9	72·0	68·5	64·2	62·4	66·02
5	60·0	60·0	61·2	64·8	73·4	73·0	73·0	68·3	64·2	60·3	54·8	54·7	63·98
6	55·5	56·2	56·2	59·0	65·0	75·0	80·3	77·5	72·8	68·1	66·8	65·8	66·60
7	66·2	65·2	65·2	64·0	67·8	72·0	75·4	72·8	72·0	67·0	62·6	62·5	67·73
8	62·0	63·8	64·8	66·3	71·5	76·0	76·5	75·4	75·0	73·0	66·5	62·5	69·44
9	59·9	56·3	55·8	64·9	69·6	71·4	68·0	65·5	62·0	58·3	54·0	50·0	61·31
10	48·0	43·7	43·7	55·7	65·5	63·0	67·0	65·6	64·2	59·1	53·6	46·3	56·28
11	51·5	52·2	54·0	54·7	56·7	59·8	58·0	56·6	56·0	54·3	54·0	54·0	55·15
12	53·4	53·4	53·4	54·0	55·0	58·0	56·8	56 0	56·0	54·8	54·0	54·0	54·90
13	53·0	53·0	53·0	54·0	56·0	58·0	59·0	61·7	60·2	58·1	58·7	58·3	56·92
14	57·3	58·8	59·0	60·0	63·7	64·7	61·0	60·0	59·0	57·0	55·0	54·4	59·16
15	53·0	51·1	52·0	55·0	58·9	61·8	61·0	61·3	55·0	55·0	55·0	55 0	56·13
16	54·8	53·1	54·0	59·0	61·7	65·0	67·0	65·2	62·0	59·0	56·4	55·6	59·40
17	54·0	54·9	55·6	57·6	61·0	68·0	74·0	70·0	67·6	62·2	60·0	60·0	62·08
18	60·0	59·4	59·3	60·0	62·3	65·0	64·5	63·0	59·8	58·2	57·7	57·1	60·53
19	57·8	57·1	57·4	61·0	64·6	67·7	68·8	69·0	68·4	62·7	56·5	53·0	62·00
20	50·3	48·0	46·0	50·0	62·0	65·5	68·0	74·0	71·0	65·0	57·2	54·1	59·25
21	51·5	50·0	48·2	55·0	66·0	73·0	77·0	75·6	68·0	62·8	58·7	57·0	61·90
22	56·0	56·0	56·0	60·0	69·0	74 0	69·2	69·0	68·0	62 4	58 0	57·8	62·95
23	56·9	57·4	57·8	61·0	68·0	78·0	80·0	80·8	77·0	73·5	69·3	68·0	68·97
24	66·3	66·0	67·0	71·2	74·0	75·4	72·4	73·2	73·0	73·0	69 8	69·6	70·91
25	67·0	67·7	66·7	67·7	70·0	77·4	81·0	78·8	78·0	74·0	70·0	68·0	72·19
26	69·0	68·4	67·4	71·4	70·9	73·7	71·6	75·0	76·0	70·7	65·2	63·0	70·19
27	60·8	58·6	57·0	62·0	65·0	67·0	67·0	69·4	65·4	60·0	59·0	58·6	62·48
28	58·0	58 0	58·0	61·0	66·0	69·1	74·5	76·8	74·0	68·7	63·4	63·2	65·89
29	63·0	62·4	63·2	65·0	71·4	76·0	73·8	72·0	73·0	70·5	68·0	65·0	68·61
30	65·4	63·4	62 0	64·2	67·5	72·3	75·0	77·6	74·9	69·2	63·0	60·0	67·88
31	60·0	61·0	62·0	63·7	68·0	75·0	80·6	80·2	78·0	73·3	70·7	68·7	70·10
....	58·19	57·56	57·64	61·12	66 28·	70·62	71·80	71·04	68·79	64·84	61·21	59·44	64·04

TABLE CXXII.—*Registered Bi-Hourly Temperature at Sydney, N.S., Aug., 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
67·8	66·2	66·7	69·0	76·4	82·5	85·6	83·4	77·4	67·7	66·0	66·0	72·89	1
65·0	64·7	63·0	63·7	70·8	76·0	76·0	72·0	69·0	64·0	60·6	61·0	67·15	2
60·4	60·0	60·0	62·0	63·4	61·0	62·2	64·2	62·0	60·0	54·7	53·0	60·24	3
51·0	49·0	48·4	54·7	66·0	73·0	72·0	69·0	67·0	62·2	60·6	60·4	61·11	4
59·0	59·2	60·0	63·4	65·3	69·6	76·6	76·0	70·1	65·0	63·4	62·7	65·86	5
60·5	59·0	59·8	64·0	69·0	76·0	76·3	73·0	71·8	69·0	68·3	68·5	67·93	6
68·0	68·0	66·8	67·3	67·6	70·0	65·0	65·8	65·0	63·4	62·9	62·3	66·01	7
62·0	60·0	59·0	62·0	65·1	68·0	67·8	66·6	64·0	61·4	59·5	57·4	62·73	8
58·0	57·0	54·0	57·0	63·3	69·8	75·0	75·3	72·0	68·8	63·7	60·4	64·53	9
61·5	59·8	59·2	64·2	74·0	80·0	82·0	82·8	79·0	73·0	64·8	57·2	69·79	10
57·0	55·6	54·8	59·5	70·0	79·2	78·8	78·8	77·0	69·3	63·0	59·0	66·83	11
60·0	58·5	56·2	62·0	68·0	73·5	73·0	71·4	66·0	63·7	62·8	62·2	64·78	12
61·3	61·4	62·0	62·1	63·7	62·4	70·8	65·5	61·0	56·2	55·0	53·0	61·20	13
51·0	51·9	52·4	56·9	59·6	61·0	61·3	61·0	58·0	57·7	55·5	55·0	56·77	14
54·0	56·5	56·5	60·8	66·3	68·3	71·0	73·0	70·7	65·3	61·7	61·0	63·76	15
58·7	58·1	50·0	60·7	69·0	75·4	75·9	75·6	71·3	65·0	63·6	62·1	65·45	16
61·4	61·1	61·0	63·0	67·6	69·0	69·4	68·2	66·3	61·2	57·8	54·2	63·35	17
51·4	50·0	48·0	53·0	64·4	71·1	72·7	71·3	69·0	64·9	63·0	62·8	61·80	18
63·1	63·0	62·5	63·0	64·0	66·9	72·0	71·0	68·0	66·0	64·4	63·0	65·77	19
61·6	62·0	61·0	63·7	68·4	69·0	68·6	68·0	67·0	63·0	57·0	54·0	63·61	20
53·0	53·4	56·0	57·0	59·6	60·0	57·1	57·0	58·1	57·3	53·6	54·0	56·34	21
50·5	54·0	54·8	57·6	64·2	71·0	74·0	68·8	67·3	63·0	60·0	60·0	62·10	22
59·0	57·0	57·0	57·0	60·2	64·0	67·4	67·0	63·0	59·1	55·5	55·4	60·13	23
52·0	50·0	48·0	52·3	61·0	65·0	66·6	66·3	63·0	59·0	54·8	53·2	57·60	24
53·0	55·0	56·0	54·2	53·8	58·0	59·5	60·3	60·1	60·4	62·0	63·3	57·97	25
64·0	64·7	64·0	63·3	64·0	66·0	63·0	62·0	62·0	59·4	58·0	57·0	62·28	26
54·3	56·0	55·4	58·7	62·0	64·0	62·0	63·4	61·4	59·0	58·1	54·1	59·03	27
51·4	53·0	53·3	57·0	61·4	63·1	63·0	62·2	61·0	55·8	54·0	50·1	57·11	28
47·0	44·2	42·9	46·0	58·0	62·2	62·4	61·0	60·0	56·0	54·1	54·5	54·03	29
53·7	54·0	52·0	54·9	55·5	58·1	59·0	59·0	58·0	53·5	49·5	46·1	54·43	30
42·9	44·6	42·4	45·3	57·7	63·2	64·5	63·4	61·0	56·4	52·0	51·4	52·73	31
57·21	57·00	56·23	59·29	64·50	68·27	69·37	68·46	66·02	62·12	59·35	57·88	62·13	.

TABLE CXXIII.—*Registered Bi-Hourly Temperature at Sydney, N. S., Sept., 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	51·6	52·9	51·0	52·5	59·4	61·0	60·4	59·5	58·0	57·0	56·8	57·1	56·43
2	57·0	57 6	57·8	58·0	58·7	60·0	61·6	64·0	58·0	53·0	53·6	52·0	57·61
3	49·7	48·0	48·0	51·0	59·6	66·0	68·5	69·6	66·0	62·5	61·0	59·0	59·08
4	58·0	57·5	57·0	58·0	64·0	66·4	65·5	65·8	63·0	59·8	58·0	55·6	60·72
5	52·6	51·0	49·0	51·3	62·0	65·7	68·4	67·4	63·6	58·6	54·7	53·0	58·11
6	50·0	51·0	51·0	54·0	58·7	62·6	66·8	71·0	67·4	62·4	59·4	59·2	59·46
7	59·0	58·1	56·7	59·9	63·4	69·6	70·0	68·6	66·0	62·4	63·1	64·0	63·40
8	64·7	65·0	65·0	65·0	68·6	74·0	73·0	71·4	68·0	67·0	66·0	65·0	67·72
9	64·0	63·6	62·0	61·6	64·7	66·0	71·2	70·8	65·6	60·0	56·6	54·0	63·34
10	50·8	49·0	49·0	53·8	64·0	67·5	69·0	65·8	63·0	60·4	60·2	60·8	59·44
11	59·2	58·1	54·0	54·4	57·0	58·0	58·5	57·3	56·0	51·6	50·0	49·4	55·29
12	46·0	44·6	41·9	44·0	55·3	59·0	61·6	64·0	60·0	54·0	52·0	49·0	52 62
13	47·0	47·2	43·0	45·0	58·3	63·0	66·0	66·4	62·3	55·0	53·0	50·0	54·68
14	48·0	46·5	48·0	52·5	61·0	66·0	68·6	68·0	64·1	60·0	59·0	57·5	58·27
15	58·0	59·4	61·3	62·0	66·0	66·5	63·1	63·8	63·0	61·6	61·4	61·0	62·26
16	60·0	59 0	58·8	59·0	61·4	63·8	63·7	62·0	58·0	52·4	52·4	54·1	58·72
17	54·5	52·3	52·0	53·0	55·2	57·0	57·5	53·0	51·0	50·4	50·0	49·6	52·97
18	49·0	49·0	47·4	50·6	55·4	58·0	58·7	58·2	57·0	51·0	49·0	48·0	52·61
19	48·0	47·1	47·6	48·3	56·9	61·0	66·0	67·5	64·0	58·4	57 0	56·4	56·52
20	56·4	56·4	56·8	55·1	57·0	57·0	60·0	18·4	55·5	52·2	50·1	48·0	55·24
21	46 6	44.3	42·3	45·9	54·0	57·0	58·0	58·0	57·0	54·0	51·5	54·0	51·88
22	55·3	56·4	57·0	58·3	60·0	61·4	61·0	61·4	60·0	60·0	59·5	59·0	59·11
23	58·7	56·0	55·0	54·0	56·3	59·9	62·0	60·3	58·0	55·0	54·4	54·0	56·97
24	52·8	51·0	49·6	49·8	50·0	52·8	53·3	54·0	54·0	54·0	55·5	57·0	52 82
25	57·6	65·0	64·2	65·0	65·5	64·6	64·4	64·2	64·0	64·0	63·0	62·0	63·62
26	58·0	56·0	56·0	56·2	60·0	63·0	60·0	57·5	55·0	48·4	46·2	45·0	55·11
27	44·7	42·0	41·4	43·0	51·7	55·0	57·4	58·0	55·0	49·6	46·4	44·9	49·09
28	42·3	42·8	45·0	47·2	52·8	57·6	59·7	57·6	55·4	52·5	49·8	47·3	50·83
29	45·2	45·0	42·4	44·5	51·1	58·0	59·0	58·0	54·0	51·0	50·0	49·0	50·60
30	47·0	46·0	47·0	47·0	48·4	51·3	53·0	53·4	51·3	48·2	47·0	46·0	48·80
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	53·06	52·60	51·91	53·33	58·55	61·62	62·87	62·50	59·77	56·21	54·89	54·03	56·78

TABLE CXXIV.—*Registered Bi-Hourly Temperature at Sydney, N. S., Oct., 1887.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
45·6	43·0	41·0	40·7	48·9	53·7	56·8	55·6	54·4	47·0	45·0	43·6	47 94	1
43·5	40·1	43·6	47·0	52·6	59·4	61·5	60·0	56·0	53·4	51·4	50·0	51·54	2
50·5	53·0	54·0	53·5	55·4	57·5	58·3	60·6	59·4	57·0	56·7	56·0	55·99	3
55·0	54·2	54·0	55·0	57·0	58·0	58·7	57·3	56·0	55·0	55·0	55·0	55·85	4
55·4	55·7	57·0	58·0	59·0	60·7	61·6	62·2	62·0	61·3	61·4	62·0	59·69	5
61·0	61·0	59·8	59·8	59·0	58·3	61·0	58·8	58·0	57·0	57·3	54·7	58·81	6
53·3	53·2	53·0	53·0	55·0	58·5	57·5	56·0	53·4	51·0	50·0	51·0	53·72	7
48·4	49·0	50·0	49·8	52·5	53·0	54·0	51·0	49·6	45·8	46·4	47·5	49·75	8
47·5	48·0	50·4	50·5	51·0	53·0	54·0	53·0	51·0	51·1	51 0	51·4	51·03	9
51·0	51·0	50·0	49·0	52·4	54·0	55·6	54·0	53·0	52·5	50·4	53·1	52·17	10
52·4	47·2	45·0	44·5	53·2	59·0	59·6	56·0	54·0	53·0	53·5	53·2	52·55	11
53·0	52·5	50·0	48·4	49·3	49·8	48·4	48·0	45·7	42·7	41·6	40·2	47·47	12
40·7	39·2	37·5	39·2	44·4	53·5	53·0	50·7	47·0	44·5	46·0	45·0	45·06	13
44·7	45·0	45·5	48·0	48·9	51·8	51·0	50·9	50·9	46·9	44·6	47·0	47·86	14
46·4	44·4	44·0	44·0	47·3	48·9	48·0	46·6	43·4	41·5	41·8	41·4	44·79	15
40·0	40·0	38·5	38·2	43·7	49·0	50·6	52·0	51·0	48·0	47·4	46·3	45·39	16
43·0	41·0	41·2	40·0	49·4	54·4	58·8	57·0	53·0	47·0	43·3	42·7	47·57	17
40·6	40·0	44·3	44·6	51·4	58·0	57·0	59·0	57·0	57·2	57·6	58·0	52·06	18
56·2	56·0	55·0	54·8	53·5	52·0	52·3	51·0	49·4	48·0	47·0	48·0	51·93	19
47·6	47·0	47·0	46·4	48·5	50·0	48·8	49·4	47·6	46·0	45·4	43·0	47·22	20
46 0	47·3	47·0	47·2	49·5	51·1	52·0	51·0	51·7	52·0	52·0	53·0	49·98	21
54·0	55·0	52·4	49·0	52·0	52·7	52·0	52·4	46·6	44·2	44·0	45·0	50·03	22
43·7	43·5	44·2	41·5	42·0	43·0	43·0	42·0	41·3	41·6	41·3	40·1	42·27	23
36·5	35·0	36·3	37·0	41·6	43·8	44·0	45·5	48·0	52·0	54·0	47·0	43·39	24
46·3	42·9	42·7	41·o	43·4	43·2	42·5	42·4	40·0	39·3	39·8	39·0	41·87	25
36·4	34·0	37·9	37·8	43·4	43·0	41·0	39·4	36·0	34·0	31·5	31·8	38·02	26
31·0	30·0	28·0	25·5	32·0	37·0	38·7	39·0	37·6	36·0	36·0	36·8	33·97	27
35·4	35·0	33·2	31·0	35·0	40·0	45·0	45·0	41·2	40·4	42·7	43·7	38·97	28
43·7	43·2	43·3	43·0	47·6	51·5	51·0	51·4	50·0	50·7	47·3	46·4	47·42	29
44·0	41·5	41·4	41·7	43·0	45·8	45·8	45·2	42·6	42·0	41·8	42·3	43·09	30
41·7	41·8	42·2	44·3	46·2	47·1	46·0	44·0	41·0	37·0	37·0	36·6	42·08	31
46·27	45·80	45·46	45 27	48·65	51·34	51·85	51·17	49·25	47·59	47·10	46·80	48·05	

TABLE CXXV.—*Registered Bi-Hourly Temperature at Sydney, N. S., Nov., 1887.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	36·7	38·0	40·0	37·0	35·1	36·0	37·6	36·5	32·8	32·5	32·0	33 4	35·63
2	32·4	31·4	31·0	29·2	32·9	41·0	43·1	42·5	39·0	33·1	30·6	29·0	34·60
3	28·0	28·0	28·8	33·0	39·9	42·9	42·6	38·0	34·6	32·5	31·7	32·0	34·33
4	31·7	31·0	28·6	26·9	32·4	39·4	42·0	43·0	43·4	47·0	50·0	52·1	38·96
5	53·5	54·4	53·5	53·4	44·0	40·0	36·0	34·0	30·4	27·6	26·3	26·0	39·92
6	23·2	21·9	21·5	21·7	23·4	22·7	22·8	23·7	24·0	22·6	24·0	24·8	23·03
7	22 6	20·8	21·7	24·0	26·5	30·4	34·0	36·6	38·4	41·0	41·3	43 6	31·78
8	44·0	43·3	43·7	43·0	44·0	48·6	51·6	51·1	46·6	47·0	40·0	37 0	44·99
9	32·3	29·0	29·0	29·0	30·0	31·6	30·8	29·5	29·0	30·6	31·5	33·1	30·45
10	32·5	34·0	34 6	34·7	34·9	36·6	36·8	36·7	35·5	35·0	34·0	32·0	34 77
11	32·0	30·0	30·0	31·0	34·0	38·5	39·0	41·7	41·4	42·8	45·5	42·0	37·32
12	38·0	34·2	33·7	33·4	35·0	36·9	39·8	39·6	38·0	37·7	38·0	37·0	36·77
13	34·6	33·0	37·7	38·0	38·0	44·0	41·0	39·4	37·6	36·7	35·6	35·4	37·33
14	34·0	33·0	32·8	32·8	35·6	38·6	39·6	38·0	36·0	36·4	36·4	36·5	35·81
15	36·1	36·0	35·9	34·2	36·1	42·0	45·0	43·6	42·0	42·0	44·4	46·5	40·32
16	49·4	51·0	52·0	53·0	54·0	53·8	53·0	52·0	50·3	49·3	45·0	45·0	50·65
17	46·0	44·4	43·5	42·5	39·5	41·0	40·0	41·2	40·0	38·0	37·0	39·8	41·08
18	43·0	45·0	42·0	38·0	39·5	44·3	45·0	44·4	40·8	39·6	38·4	38·3	41·53
19	39·0	36·0	33·0	30·2	31·1	36·9	39·0	39·2	36·8	39 0	39·0	42·1	36·78
20	45·4	50·6	55·0	57·7	58·4	59·7	58·6	58·0	57·7	57·2	59·7	59·0	56·42
21	57·7	57·0	55·0	54.2	55·3	56·0	55·3	56·0	54·1	53·4	49·0	48·0	54·25
22	44·4	42·8	42·0	42·0	42·6	42·2	41·5	41·3	38·0	35·0	34·0	32·6	39·87
23	30·4	29·2	28·0	28·5	29·0	33·6	39·0	39·5	36·3	33·3	32·4	31·7	32·58
24	30·0	33·0	35·0	38·6	37·1	34·4	34·0	32·3	29·0	27·0	27·0	27·6	32 08
25	27·0	26·1	26·4	26·0	27·0	29·1	29·6	29·9	30·0	29 8	29·6	30·1	28·38
26	29·4	30·4	31·6	34·0	34·6	36·0	38·0	39·0	38·8	39·4	39·6	40·0	35·90
27	39·8	39·2	39·1	39·0	40·0	43·0	43·9	43·8	43·5	43·0	43·0	44·4	41·81
28	45·0	45·0	45·0	45·0	47·3	49·0	48·3	49·0	49·0	49·0	51·0	51·0	47·80
29	51·5	51·7	53·0	54·0	47·0	41·0	39·0	34·0	32·8	31·0	27·0	24·0	40·50
30	23·6	24·0	24·0	23·8	24·0	25·0	25·0	23·2	22·7	21·5	20·0	20·0	23·07
....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	37·11	36·78	36·90	36·93	37·61	39·71	40·36	39·89	38·28	37·67	37·12	37·13	37·96

TABLE CXXVI.—*Observed Bi-Hourly Temperature at Sydney, N.S., Dec., 1887.*

1·00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
19·0	17·2	15·6	14·9	13·8	15·0	15·8	16·0	16·0	18·0	18·3	21·0	16·72	1
21·4	20·8	20·0	21·0	23·9	27·0	28·1	29·9	27·2	24·4	22·4	22·0	24·01	2
22·0	24·4	24·0	26·6	30·2	33·2	35·2	35·9	35·7	35·0	34·4	34·6	30·93	3
33·0	32 2	34·1	34·5	33·9	33·5	33·0	33·0	32·8	32·9	33·0	34·5	33·37	4
34·0	34·1	34·4	34·6	35·0	36·4	36·4	36·4	36·7	36·0	37·3	38·0	35·78	5
37·6	36·7	37·0	37·2	38·1	40·6	40·8	38·6	37·0	35·6	34·3	31·5	37·08	6
29·0	28·4	29·0	29·0	28·9	29·2	28·4	28·9	28·6	29·0	28·6	28·9	28·53	7
28·0	28 1	28·4	28·5	29·0	30·1	31·0	30·0	30·4	29·0	29·0	29·0	29·21	8
28·9	27·1	25·0	25·2	24·3	25·0	26·2	25·8	25·3	25·8	26·8	27·3	26·06	9
27·0	26·0	25·2	23·0	26·0	29·0	33·9	33·4	30·2	27·6	28·0	27·0	28·03	10
27·0	29·0	29·8	32·0	34·6	38·0	39·7	39·8	39·0	40·2	42·0	45·0	36·34	11
47·0	48·0	50·0	50·4	52·0	53·0	53·0	54·0	53 3	53·0	49·4	46·4	50·79	12
46·0	42·0	41·3	41·0	41·0	40·0	38·8	36·0	35·0	35·0	33·9	33·0	38·58	13
32·5	31·9	31·0	31·0	31·4	32·0	32·4	32·9	30·7	30 0	29·4	30·4	31·30	14
30·0	30·0	29·8	28·7	28·6	35·0	36·4	36·0	35·8	36·4	37·0	37·4	33·43	15
37·0	37·0	38·0	41·0	45·0	46·0	47·0	48·0	47·1	47·9	44·9	42·6	43·46	16
42·0	41·0	39·0	37·0	35·0	40·0	43·0	43·5	40·8	36·0	33·1	34·0	38·70	17
33·0	31·4	31·0	31·0	31·7	33·6	34·6	35·2	35·0	37·0	38·6	39·6	34·31	18
39·5	39·0	38·6	38·9	39·0	39·8	41·0	41·7	39·7	38·0	46·8	35·6	38·97	19
35·5	35·7	36·0	36·0	36·0	38·3	38·8	38 0	36·2	35·1	34·1	33·5	36·10	20
31·6	32·0	32·4	31·8	32·4	34·0	34·9	34·0	29·0	29·0	29·2	31·0	31·77	21
31·0	30·0	28·7	28·6	27·8	28·5	28·6	27·2	24·0	22·7	22·6	23·5	26·93	22
23·0	23·6	24·6	24·9	25·0	28·0	28·7	26·0	24·0	23·8	22·0	22·6	24·68	23
22·4	21·6	22·0	23·0	23·2	25·0	24·0	24·1	23·4	22·8	21·8	21·4	22·89	24
19·0	18·5	18·6	19·3	19·5	20·0	20·0	18·4	17·3	17·0	17·0	18·0	18·55	25
17·0	17·5	18·0	17·4	17·5	19·0	17·4	17·4	16·4	15·4	15·0	16·5	17·04	26
17·0	17·0	17·6	18·0	17·6	19·0	19·5	19·0	18·0	18·0	18·0	18·8	18·13	27
18·3	18·0	18·0	18·3	18·4	20·2	21·8	22·0	20·0	16·4	16·4	20·2	19·00	28
22·8	27·0	29·0	30·7	33·0	34·3	36·0	38·0	34·3	34·0	33·0	34·0	32·17	29
34·0	33·2	33·0	32·6	32·8	33·0	31·5	27·0	23·4	19·4	15·3	13·0	27·35	30
11·6	8·4	7·0	7·0	7·2	9 2	10·2	9·8	7·5	8·6	9·5	12·0	9·00	31
28·94	28·61	28·58	28·81	29·41	31·13	31·81	31·48	29·99	29·32	28·75	29·11	29·66	....

TABLE CXXVII.—*Temperature at the Observatory, Toronto, for each Hour,*

Hour ending.	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	11·8	12·1	12·3	12·3	12·7	12·9	11·9	11·3	12·0	11·4	11·1	11·0
2	3·2	5·2	3·8	3·7	3·1	3·4	6·0	7·0	4·4	1·3	0·2	1·3
3	11·0	11·9	12·8	14·7	12·5	9·5	11·0	13 0	9·0	0·5	4·4	8·1
4	14·0	14·1	13·1	12·2	10·9	11·0	11·1	11·9	12·8	13·0	14·2	16·6
5	21·3	21·7	22·2	22·4	22·9	23·8	24·0	24·0	25·0	25·6	26·3	26·0
6	18·8	17·1	15·7	14·0	13·8	11·7	10·7	11·9	14·8	18·0	19·0	19·7
7	11·9	13·0	12·0	11·1	10·9	10·4	10·1	8·4	6·7	7·3	8·1	8·7
8	2·1	4.5	3·7	2·6	2·2	0·1	0·9	0·1	1·3	6·1	7·6	7·1
9	6·0	8·0	7·4	8·1	7·9	7·1	8·6	9·1	15·8	17·3	17·0	17·7
10	8·0	8·0	7·9	9·2	7·3	7·9	5·8	4·3	4·7	7·7	10·4	13·1
11	7·2	5·2	3·8	2·0	0·1	0·1	1·4	3·7	3·2	4·4	6·0	7·2
12	22·0	22·3	23·0	23·9	23·9	24·5	24·3	24·8	24·7	27·1	29·0	29·2
13	11·9	8·1	5·9	5·0	3·9	3·0	3·0	3·2	5·1	7·6	12·0	12·7
14	16·2	17·7	19·0	21·1	21·4	21·0	21·0	21·2	22·9	24·7	26·6	28·0
15	21·8	19·8	18·5	17·6	17·9	17·8	16·9	15·9	15·0	14·9	14·2	15·1
16	12·2	13·8	13·8	13·7	12·4	12·1	12·4	13·1	14·9	16·7	19·2	21·0
17	22·0	23·0	23·0	23·3	24·0	24·9	23·0	23·0	25·0	29·1	33·0	32·3
18	12 3	10 0	6·0	2 9	1·0	4·2	8·0	11·0	11·1	11·3	10·7	10·7
19	0·2	2·7	5·1	8·1	8·1	9·0	10·8	10·3	12·3	14·3	16·7	18·9
20	17·7	18·6	20·0	21·9	27·7	28·3	29·7	31·3	33·3	35·1	36·4	37·5
21	32·4	31·8	30·7	29·9	27·9	25·4	23·1	21·0	22·4	20·8	19·3	20·2
22	28·3	29·0	30·3	30·8	31·6	32·3	33·0	33·6	34·0	36·3	40·9	40·7
23	38·7	39·6	39·1	40·0	39·2	40·9	41·1	42 0	41·9	42·6	43·4	42·7
24	42 7	40·9	39·6	36·0	30·9	29·2	28·8	28·8	27·2	27·0	27·2	27·5
25	17·0	18·3	23·9	25·8	27·0	28·2	30·3	32·0	33·2	35·1	36·3	40·1
26	23·2	21·4	17·9	14·9	12·9	10·4	8·1	6·0	5·0	5·0	5·1	5·9
27	1·9	0·1	1·0	0·7	0·6	1·0	3·1	5·3	10·3	18·2	19·9	20·9
28	27·3	29·4	29·7	31·0	31·7	32·0	32·4	34·0	36·3	37·7	38·9	39·7
29	37·2	36·0	34·9	33·8	32·9	32·4	32·1	32·2	33·0	34·1	34·7	34·2
30	29·0	31·8	31·4	32·0	32·1	32 8	32·9	33·1	34·2	35·1	36·1	38·3
31	10·0	8·0	6·8	6·0	6·0	6·0	6·1	6·6	7·6	8·4	8·6	7·9
	16·47	16·42	16·16	15·93	15·58	15·45	15·13	15·19	16·45	18·32	19·70	20·51

from self Registering Photographic Instruments during the Month of January, 1887.

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid.	
°	°	°	°	°	°	°	°	°	°	°	°	°
10·1	10·1	9·0	7·1	5·0	3·7	2·4	1·1	0·0	0·8	− 1·1	− 1·6	7·89
−1·4	−1·1	0·1	−0·9	−2·5	−3·1	−3·9	−5·8	−9·0	−13·1	−13·4	−12·7	−4·56
12·7	14·0	17·0	16·0	13·9	10·9	9·2	7·4	7·6	10·0	10·8	12·1	2·05
19·0	19·0	19·2	18·9	19·7	20·9	22·0	23·0	23·9	24·0	23·4	21·0	17·04
25·3	26·0	25·7	25·5	23·6	21·2	22·9	22·0	21·3	20·4	19·4	18·9	23·23
20·2	20·9	20·9	19·9	19·1	18·0	17·3	17·6	16·8	15·1	13·4	12·1	16·52
9·3	10·7	9·7	9·4	6·9	3·9	4·0	2·8	1·8	0·0	0·3	4·8	7·59
8·8	9·8	9·8	8·8	7·0	6·0	5·4	5·0	4·6	5·2	4·0	5·6	4·84
17·3	17·7	18·1	19·0	20·0	21·3	18·0	17·9	13·7	12·6	10·1	8·9	13·50
15·7	17·1	18·9	16·8	15·0	13·1	12·0	11·8	11·0	10·1	10·1	8·8	10·61
9·0	11·0	13·8	15·3	16·9	17·0	18·4	20·0	21·3	21·6	21·9	21·8	10·50
29·9	30·0	29·8	24·3	23·0	21·6	20·1	19·1	18·6	17·7	16·0	13·7	23·44
13·4	13·0	15·9	15·3	14·4	13·8	14·3	14·3	15·7	18·1	18·1	16·1	10·99
29·0	33·5	33·0	33·0	32·0	31·3	30·3	28·0	27·4	27·1	24·0	22·8	25·51
16·1	17·5	17·7	17·4	13·9	9·3	12·7	11·4	9·9	10·7	11·9	11·9	15·24
21·3	22·0	21·7	20·1	20·0	21·9	21·1	20·9	19·0	16·1	20·1	21·7	17·55
31·3	24·8	23·2	22·6	21·0	18·9	16·1	14·2	14·4	14·2	14·2	14·0	22·27
−8·4	−7·2	−6·0	−3·9	−5·8	−7·1	−8·0	−7·9	−6·9	−5·1	−3·6	−1·8	−4·54
20·8	22·3	22·9	22·2	21·6	21·2	21·1	20·0	19·6	18·9	18·3	17·3	15·09
37·6	38·1	39·0	39·7	39·6	39·4	42·2	42·8	42·9	40·1	38·3	35·2	33·85
21·2	21·9	21·4	20·1	19·0	17·0	15·8	14·9	15·0	24·6	25·6	26·9	22·84
41·4	42·0	41·4	40·6	39·1	39·0	39·4	39·8	40·0	39·9	39·2	39·6	36·76
43·9	44·2	44·0	43·2	42·9	42·2	42·0	41·6	42·7	42·0	43·3	43·5	41·74
27·9	27·7	25·0	24·2	23·2	23·0	22·9	20·0	17·7	17·1	18·4	19·4	26·75
40·3	40·1	39·9	38·6	35·6	34·6	34·1	32·9	31·8	30·7	27·0	25·1	31·56
6·9	8·7	9·9	9·4	8·6	6·9	5·3	4·7	4·0	3·0	2·2	2·6	8·67
23·0	24·9	26·0	26·8	27·0	27·0	27·9	29·0	29·9	29·0	28·6	28·3	17·05
38·0	37·2	36·9	36·8	37·2	38·1	38·2	38·0	38·4	38·4	37·9	39·3	35·60
34·9	35·7	35·2	35·0	33·3	32·3	32·0	31·2	30·1	29·7	29·4	29·1	33·14
38·2	39·2	28·9	28·0	24·0	21·9	20·2	18·7	16·7	14·9	13·0	11·7	28·09
7·8	7·8	8·0	7·5	6·2	5·9	5·2	5·4	5·4	5·7	5·4	5·4	6·82
21·31	21·89	21·81	21·18	20·00	19·07	18·73	18·12	17·27	17·38	16·98	16·82	17·99

TABLE CXXVIII.—*Temperature at the Observatory, Toronto, for each Hour,*

Hour ending.	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	5·1	5·0	4·8	4·0	3·6	3·1	3·2	3·1	2·2	4·2	5·4	6·9
2	11·0	10·7	5·4	5·4	7·1	7·1	11·7	12·9	13·6	14·2	15·0	15·6
3	25·0	27·1	23·3	23·6	24·9	25·9	25·6	24·0	24·2	26·1	27·9	27·4
4	21·1	18·2	16·5	16·2	16·1	15·5	11·0	10·6	10·7	11·7	13·0	14·7
5	0·0	0·9	0·0	0·2	0·2	0·4	2·0	4·0	7·1	10·1	11·3	15·5
6	24·7	23·7	22·9	22·7	22·2	22·2	22·2	23·1	25·0	27·0	29·3	30·1
7	27·0	27·0	27·3	25·4	21·9	20·2	19·8	18·8	18·7	18·4	18·8	18·5
8	28·3	29·0	29·9	31·1	31·1	32·0	32·3	32·6	33·0	35·3	40·4	42·0
9	32·2	30·0	27·0	25·3	24·0	22·6	21·2	21·3	22·2	23·3	24·1	25·9
10	18·7	18·3	18·3	19·4	21·2	21·4	20·2	20·5	30·3	35·7	38·0	39·9
11	33·0	32·9	32·9	32 8	29·8	26·0	22·9	21·0	19·3	19·0	18·3	18·0
12	4·9	5·1	5·0	4·8	3·3	2·9	2·0	3·0	4·3	7·2	8·8	11·5
13	0·4	—0·2	—0·5	0·9	—1·3	—1·4	—6·7	—8·0	—2·5	3·2	7·9	10·1
14	5·4	6·0	5·4	7·0	8·0	8·8	8·9	10·3	16·0	24·9	26·1	27·3
15	32·3	32·4	32·7	33·2	33·6	33·9	34·0	34·4	34·9	35·2	36·5	36·7
16	33·0	32·9	32·7	32·8	32·0	32·1	32·2	32·4	34·1	34·4	35·2	35·2
17	29·0	28·9	25·9	24·0	22·2	20·8	20·3	20·1	22 9	23·3	24·9	25·9
18	24·6	24·3	24·8	24·8	26·0	28·0	30·1	32·0	33·5	34·2	36·2	38·2
19	33·3	32·9	32·0	31·9	31·4	31·2	30·2	29·7	30·0	30·4	30·2	30·8
20	18·7	17·4	17·0	16·0	12·8	11·2	12·1	13·9	15·9	18·0	20·0	22 3
21	18·7	18·8	17·9	18·3	18·8	18·2	18·2	17·4	20·2	23·0	24·9	26·3
22	27·4	27·9	28·1	28·0	24·9	23·9	23·8	23·8	23·9	25·4	27·0	27·9
23	23·0	22 2	23·0	22·5	21·0	19·0	19·9	21·8	26·1	27·1	27·9	29·1
24	33·1	33·0	33·0	33·0	33·0	33 0	32·2	29·3	28·4	29·3	30·7	30·3
25	9·4	8·3	7·7	7·1	5·9	5·3	4·4	6·6	9·0	11·2	12·0	14·0
26	23·3	24·8	25·3	26·3	27·6	28 2	29·0	29·7	31·2	31·0	31·4	32·2
27	25·1	24·1	23·7	22·7	22·1	21·0	20·2	20·0	19·5	18·9	18·6	18·5
28	12·7	10·2	8·9	7·6	6·2	5·2	4·3	5·0	6·0	7·5	9·1	11·5
..	....	....	....	....	....	....	....	....	....	....	....	....
..	....	....	....	....	....	....	....	....	....	....	....	....
..	....	....	....	....	....	....	....	...	....	....	....	....
	20·73	20·42	19·68	19·54	18·91	18·49	18·11	18·33	19·99	21·76	23·17	24·37

from self-Registering Photographic Instruments during the month of February, 1887.

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	°
8·3	8·6	8·0	8·0	6·7	6·3	6·0	6·2	6·9	7·0	7·7	11·0	5·89
16·0	16·2	16·8	17·4	18·1	18·9	13·7	13·0	15·9	21·0	22·2	23·8	14·28
27·6	25·9	26·1	26·0	24·6	23·9	24·0	24·0	23·9	23·2	22·8	21·3	24·96
15·2	15·5	15·0	14·3	12·1	9·4	7·4	6·1	4·8	2·9	1·7	1·0	11·69
14·0	15·7	16·0	17·0	17·8	17·8	19·0	22·2	22·2	22·0	23·2	25·0	11·82
31·2	31·6	32·0	32·2	32·3	32·4	32·5	32·2	31·5	29·4	28·8	27·4	27·86
18·1	19·5	19·0	20·3	20·6	21·2	22·8	23·4	24·3	25·3	27·8	28·1	22·18
41·1	41·2	40·9	43·3	43·7	45·0	41·0	40·0	40·5	39·7	37·3	34·7	36·89
26·2	27·0	27·9	28·2	27·8	26·0	24·2	23·0	20·9	20·0	18·9	18·4	24·48
41·1	42·2	40·6	39·5	39·0	38·9	37·6	37·0	36·2	35·0	34·2	34·0	31·55
16·3	15·8	14·7	14·7	13·1	10·9	8·8	8·0	7·7	6·9	5·8	5·0	18·07
13·1	14·4	14·9	14·4	12·8	9·2	6·9	5·3	4·0	2·0	1·0	1·0	6·74
11·4	12·9	14·0	13·9	13·5	12·0	10·2	5·6	3·9	3·1	3·1	3·0	4·52
28·0	29·0	29·8	29·6	29·5	29·8	30·9	31·7	31·1	31·7	31·8	32·0	21·62
36·9	38·2	38·0	37·0	36·2	36·1	35·2	35·0	34·4	34·0	33·9	33·7	34·93
34·8	34·9	34·8	34·4	34·1	33·0	32·8	32·8	32·1	30·9	30·1	29·6	33·05
26·9	27·1	27·9	27·3	25·9	24·9	25·0	25·9	26·1	27·0	27·5	26·6	25·26
40·0	43·0	41·9	40·0	39·1	38·9	39·2	38·1	36·8	36·0	36·0	34·9	34·19
31·0	28·1	26·3	25·4	23·8	22·2	20·9	20·9	21·1	21·0	20·1	19·9	27·28
22·3	22·7	22·4	21·7	21·0	20·0	19·2	19·0	19·0	19·1	19·0	19·0	18·32
27·0	26·1	25·9	25·0	24·4	24·1	24·9	25·1	25·8	26·2	26·7	26·9	22·87
29·0	31·0	29·0	28·8	27·9	26·9	26·4	26·1	26·0	25·0	24·4	23·9	26·52
30·0	29·9	30·0	30·1	30·3	31·0	31·4	32·0	32·6	33·8	33·7	33·9	27·55
28·0	26·0	24·3	21·0	18·7	15·1	15·0	14·4	13·2	12·5	11·6	10·2	24·51
16·2	16·8	17·2	16·7	16·3	15·0	14·3	13·3	13·0	19·2	21·5	22·3	12·61
32·6	33·0	34·7	35·0	35·0	35·6	36·8	37·2	37·0	33·2	28·9	26·1	31·04
17·0	16·4	15·0	14·1	12·9	12·1	12·8	12·2	13·0	14·2	14·7	13·9	17·61
14·8	16·4	17·1	17·0	16·4	16·2	16·1	16·2	16·3	16·1	17·1	17·0	12·12
....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....
24·81	25·18	25·01	24·72	24·06	23·32	22·68	22·35	22·15	22·05	21·84	21·56	21·80

TABLE CXXIX.—*Temperature at the Observatory, Toronto, for each Hour,*

Hour ending.	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
°	°	°	°	°	°	°	°	°	°	°	°	°
1	17·1	20·8	21·4	19·0	18·0	18·1	18·1	15·6	15·0	16·2	17·9	20·3
2	23·1	20·0	19·0	18·1	21·3	19·0	17·9	22·4	32·0	34·7	39·7	43·0
3	27·7	26·8	26·2	25·0	24·0	22·3	22·2	25·3	26·2	28·2	28·7	29·4
4	21·1	18·6	19·0	17·4	15·9	14·8	13·3	13·8	15·2	17·7	18·9	19·2
5	5·0	4·1	4·3	5·9	6·0	6·2	6·1	5·0	13·0	15·0	16·2	17·0
6	28·1	29·0	30·2	31·0	31·3	31·9	32·2	32·8	33·3	34·0	34·9	35·0
7	36 2	35·1	36·0	36·0	36·2	36·3	36·8	37·3	38·2	38·2	39·0	40·9
8	28·0	25·9	25·8	25·4	26·7	25·2	23·9	25·0	26·3	27·7	29·9	31·1
9	30·4	31·1	31·1	30·2	29·8	29·0	29·8	33·7	38·0	39·2	41·3	42·9
10	33·7	32·7	32·1	31·9	30·5	29·6	28·4	26·0	26·0	25·7	25·7	26·6
11	18·9	17·7	16·8	16·1	15·1	14·0	13·9	16·0	18·0	20·2	22·0	24·0
12	19·7	20·4	19·0	17·5	17·9	17·9	17·9	21·9	24 0	26·7	29·1	31·0
13	29·2	29·3	30·0	29·2	30·2	30·5	31·9	34·0	34·9	36·1	35·0	36·1
14	23·8	25·0	26·3	25·9	20·4	18·2	16·1	15·0	14·1	13·7	12·9	13·4
15	13·6	14·1	13·0	13·9	12·0	10·6	10·9	12·0	13·9	14·9	16·1	17·9
16	15·2	15·1	15·0	14·6	13·9	13·0	12·9	14·0	15·0	15·7	17·4	19·0
17	20·5	20·8	20·0	18·9	17·8	16·6	15·6	15·0	15·1	16·1	17·0	18·3
18	23·7	23·0	22·2	21·6	20·8	20·9	21·0	21·4	21·8	22 2	23·3	25·1
19	30·7	30·0	29·7	28·9	27·7	27·0	26·7	26·8	26·8	28·2	29·2	31·0
20	31·3	31·1	31·0	30·8	30·0	29·5	28 9	29·0	29·1	29·9	30·1	30·9
21	31·0	31·0	31·0	31·0	30·9	31·0	31·0	31·1	31·6	32·1	32·6	32·6
22	29·2	29·0	29·2	29·4	29·2	28·9	29 9	31·8	32·2	33·2	30·0	29·4
23	21·9	20·1	18·9	17·4	16·1	14·9	14·3	15·0	16·3	18·3	19·9	21·9
24	24·4	24·0	26·1	27·1	27·8	27·3	30·8	32·0	34·0	36·6	38·4	40·3
25	28·0	25 8	24·6	23·9	23·9	21·2	21·1	20·8	21·0	23·0	24·9	24·8
26	16·7	14·9	13·3	12·4	11·8	11·1	12·9	16·0	19·3	20·6	21·9	22·7
27	19·1	19·6	19·9	20·0	20·1	21·1	24·9	26·1	26·6	26·6	27·0	27·0
28	29·0	27·8	24·0	23·5	21·9	21·0	21·0	21·1	22·1	23·8	24·9	25·3
29	15·3	14·2	12·8	11·8	9·9	8·7	8·3	8·9	9·0	11·8	13·8	16·1
30	11·2	11·4	12·4	12·1	11·8	11·1	12·2	17·2	20·6	22·3	25·2	26·6
31	12·9	13·1	11·0	10·7	10·1	10·8	15·0	24·4	29·6	30·2	30·4	31·0
	23·09	22·63	22·30	21·82	21·26	20 57	20·83	22·14	23 81	25·12	26·23	27·41

from Self-Registering Photographic Instruments for the Month of March, 1887.

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid.	
°	°	°	°	°	°	°	°	°	°	°	°	°
22·8	24·0	24·8	25·3	25·4	25·2	25·3	26·0	26·4	26·4	25·6	26·0	21·69
43·3	45·2	41·3	39·2	37·0	35·2	34·7	32·9	31·4	29·9	28·8	27·9	30·71
29·6	29·9	28·9	28·9	27·2	26·1	24·9	24·0	24·1	23·9	23·1	22·6	26·05
18·9	18·9	18·2	17·0	15·6	13·3	12·0	10·8	9·4	8·1	7·0	6·0	15 00
18·7	19·8	20·2	21·5	22·5	24·0	24·1	24·7	25·2	26·0	26·9	27·8	16·05
35·9	36·0	36·1	35·7	35·9	35·4	35·1	36·0	35·8	35·8	36·6	36·0	33·92
41·9	41·9	42·2	42·1	41·0	38·8	36·8	35·2	34·2	32·0	31·8	30·4	37·27
31·1	32·1	32·1	32·8	31·2	30·0	28·9	27·9	27·3	27·2	28·4	29·9	28·32
44·1	44·9	43·2	40·1	40·7	39·8	38·6	37·9	36·9	36·0	35·3	34·4	36·60
27·0	27·1	27·0	27·1	26·0	24·0	21·8	20·7	20·4	20·9	20·4	19·4	26·28
25·0	26·7	27·6	27·9	27·8	25·9	24 0	22·8	21·8	21·1	20·2	20·3	20·99
33·7	35·7	36·6	37.7	37·9	35·6	30·0	26·6	24·8	24·2	23·9	25·6	26·47
35·9	35·0	36·1	35·9	35·2	33·2	32·0	30·1	28·9	26·9	24·9	23·9	31·85
14·1	15·7	16·0	16·8	17·3	17·3	17·9	17·9	18·0	17·9	16·9	15·9	17·77
19·5	21·8	24·1	24·8	22·9	20·8	19·0	17·2	16·0	16·6	15·9	15·7	16·55
22·1	23·9	24·8	25·4	24·0	22·8	21·0	20·0	19·7	20 0	20·0	20·1	18·52
19·0	18·9	19·3	19·2	18·7	18·8	19·1	19·8	21·2	22·9	23·4	23·9	18 99
27·2	27·1	27·9	27·2	27·4	37·8	28·1	29·4	30·3	30·8	31·1	31·0	25·49
32·0	31·4	31·6	31·9	30·2	30·1	30·1	30·0	30·3	31·0	31·2	31·6	29·75
31·1	31·3	31·8	32·0	32·1	31·6	31·0	31·0	31·1	31·2	31·2	31·1	30·75
32·8	32·6	32·2	32·1	32·1	31·9	31·7	31·6	31·4	30·4	29·6	29·1	31·46
27·3	26·6	25·4	23·8	22·7	22·2	22·3	22·8	23·1	23·4	23·6	22·8	26·98
23·8	27·1	27·4	28·4	28·9	27·6	26·0	24·7	23·0	22·3	21·8	25·3	21·73
40·3	41·2	43·0	41·6	41·3	41·0	38·2	39·0	35·7	34·0	34·2	32·1	34·60
24·9	26·0	26·2	27·0	27·1	26·4	25·4	24·6	23·6	21·1	19·9	18·9	23·92
24·0	25·0	25·0	25·8	26·0	24·8	23·0	21·5	20·2	19·2	19·1	19·1	19·43
26·7	27·3	26·9	27·0	25·6	27·0	28·0	27·1	27·8	28·3	29·0	30·1	25·37
25·2	25·2	24·0	23·9	22·9	20·0	19·0	19·6	19·2	19·2	18 7	17·0	22·47
16·3	18·1	16·7	17·0	13·7	11·4	12·0	11·4	11·6	11·0	11·4	12·0	12·63
27·6	28·8	30·0	30·2	30·0	28·1	25·9	24·0	22·0	21·0	18·9	16·2	20·70
31·0	31·4	31·1	30·9	31·0	29 0	29·4	25·7	24·1	23·9	23·2	23·0	23·45
28·15	28·92	28·96	28·91	28·30	27·25	26·30	25 58	24·99	24·60	24·26	24·03	24·89

TABLE CXXX.—*Temperature at the Observatory, Toronto, for each Hour,*

Hour Ending.	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	23·0	22·8	22·5	22·1	23·6	23·9	25·0	29·4	32·0	33·4	33·8	35·1
2	26·2	26·0	25·4	25·0	24·9	25·3	29·0	34·8	37·3	38·2	38·8	38·7
3	32·3	29·4	29·0	30·9	28·9	28·7	32·9	37·8	40·0	42·3	43·7	44·9
4	40·7	38·9	38·8	37·3	36·9	38·0	40·8	43·9	47·0	50·3	53·6	52·0
5	26·2	23·0	22 0	21·3	21·0	20·3	21·0	21·5	22·1	21·6	22·0	22 6
6	22·8	23·1	22·1	21·6	21·2	22·2	24·9	27·7	30 1	31·3	33·1	35·1
7	30·1	28·8	27·2	26·3	26·2	27·1	30·0	34·0	34·2	33·2	33·2	33·0
8	27·1	27·0	27·3	26·2	26·1	26·4	30·0	34·9	37·8	41·0	41·8	43·0
9	30·1	29·5	29·4	29·4	29·2	29·6	32·3	39·3	43·0	45·5	48·8	55·0
10	47·0	46·1	46·8	51·3	51·1	50·9	56·0	59·2	63·9	67·0	70·1	72·1
11	58·0	55·9	55·0	54·4	54·6	53·8	54·8	56·0	58·3	49·7	50·1	48·7
12	40·3	40·4	40·0	39·3	38·0	37 3	36·8	36·3	36·6	36·9	37·0	36·3
13	35·0	35·2	35·3	35·9	36·0	36·0	36·0	36·0	36·1	37·4	37·0	38·1
14	34·7	35·1	35·3	36·0	36·7	36·8	37·1	37·1	37·8	39·3	41·0	41·2
15	38·9	39·0	39·0	38·7	38·1	37·8	37·9	38·4	43·1	48·0	48·8	52·0
16	48·0	47·1	46 5	46·0	44·1	41·0	39·3	38·2	38 1	39·2	39·0	38·3
17	28·2	28·1	27·9	27·8	27·2	27·8	29·2	33·0	33·0	34·3	36·3	36·7
18	27·9	28·0	27·9	28·1	28·9	31·0	32·5	33·6	34·4	35·1	36·0	35·1
19	29·2	27·4	27·0	26·6	25·0	24·9	30·9	37·0	40·3	42·3	46·0	43·0
20	32·9	32·1	29·1	28 1	28·7	29·4	35·9	38·8	44·5	48·2	52·0	53·8
21	41·1	40·7	39·1	39·4	39·3	39·8	40·9	43·0	48·0	50·4	47·1	51·1
22	36·6	34·9	33·9	36·0	36·1	37·3	42·2	45·1	46·6	48·0	48·9	48·9
23	46·8	45·9	44·9	45·0	45·0	44·4	44·8	46·0	48·0	53·2	57·0	58·6
24	38·8	38·3	37·9	37·2	36·3	35·9	36·0	40·1	42·0	41·6	42·1	43·4
25	37·1	37·2	37·1	37·1	35·9	37·0	38·9	41·9	42·9	45·3	47·8	47·0
26	32·2	30·8	33·1	33·1	34·3	34 3	37·4	41·2	42·0	45·1	47·9	45·2
27	31·3	31·6	29·3	30·1	29·9	30·2	36·0	42·4	46·0	48·0	47·0	49·1
28	34·7	33·7	33·8	33·0	33·0	34·7	39·0	42·6	44·9	46·6	47·0	46·2
29	45·9	44·2	44·0	44·0	44·0	43·0	43·2	43·0	43 0	45·4	45·9	46·2
30	42·7	42·0	41·1	40·5	39·9	40·1	42·0	45·3	48 5	50 2	52·2	55·7
..	....	....	....	....	....	....	....	....	....	....	....	....
	35·53	34·74	34·26	34·26	34·00	34·16	36·42	39·25	41·38	42·93	44·16	44·87

from Self-Registering Photographic Instruments, during the month of April, 1887

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	°
35·3	35·9	36·0	35·9	34·0	33·0	31·1	30·0	29·0	28·6	27·8	27·0	29·59
38·9	39·9	40·1	39·2	40·2	37·9	34·2	31·4	30·4	29·8	29·1	31·4	33·00
47·7	49·0	48·1	46·2	43·9	42·1	41·7	42·0	40·0	40·2	42·1	42·8	39·44
51·8	52·3	50·2	46·6	42·0	39·0	37·3	35·0	33·7	32·9	29·6	26·8	41·48
23·0	24·9	25·2	25·0	24·4	23·0	24·1	24·1	23·8	23·3	23·0	22·9	23·01
36·0	37·2	38·7	39·2	40·9	39·0	36·0	35·0	34·2	33·8	32·0	30·1	31·14
32·9	33·2	33·7	34·2	34·0	32·0	29·7	28·5	28·4	28·0	27·0	26·9	30·49
45·1	49·2	48·0	47·2	41·0	38·0	35·9	33·2	32·2	31·8	32·7	31·9	35·62
60·0	62·9	64·0	59·9	59·7	56·0	56·3	56·8	54·9	52·1	52·8	47·0	46·81
72·1	71·4	69·9	65·7	61·0	60·3	58·1	54·6	57·0	59 0	57·6	52·8	59·21
47·3	45·9	47·9	46·2	45·1	44·1	43·0	42·6	42·3	41·3	40·8	40·6	49·02
36·0	34·6	33·4	32·8	32·9	33·1	33 2	34·0	34·2	34·9	35·1	35·0	36·02
39·0	40·5	42·0	41·0	39·7	39·0	37 1	36·4	35·9	35·3	35·1	35·0	37·08
41·0	41·2	42·8	42·9	42·9	42·0	41·7	41·0	39·8	39·0	39·0	39·0	39·18
47·8	47·2	45·0	44·4	45·2	45·5	48·0	48·0	46·8	46·2	44·0	44·3	43 84
39·0	39·0	38·0	36·8	35·9	35·9	32·7	31·0	30·0	29·2	29·0	28·6	31·98
35·3	35·7	38·0	36·8	35·9	35·9	32·7	31·0	30·0	29·2	29·0	28·6	31·98
35·1	34·7	36·0	36·0	34·4	34·2	33·0	31·0	29·0	27·4	26·7	27·0	31·79
44·0	46·2	43·0	43·0	42·0	41·4	37·8	36 1	37·1	36·0	35·1	34·2	36·48
54·9	51·1	52·0	51·6	49·2	51·6	49·1	46·8	44·0	42·0	42·6	42·0	42·93
52·9	53 6	54·0	58·6	58·4	56·5	52·2	47·9	43·9	41·9	39·0	37·8	46·53
49·0	47·8	45·7	44·4	43·6	44·2	45·1	49·0	48·8	47·0	46·4	47 0	43·85
58·0	58·0	55·4	53·6	48·9	46·1	44·8	43·0	42·0	41·2	39·7	39·1	47·89
43·5	42·1	41·6	39·9	39·9	40·0	38 0	37·3	34·0	34·2	37·2	36·9	38·93
46·8	48·4	50·2	49·4	50·9	50·4	46·0	43·0	38·9	36 8	32·7	32·7	42·14
42·9	43·0	44·1	45·2	48·7	45·7	41·8	38·2	37·1	34·1	32·0	31·0	39·18
50·0	50·9	50·0	50·0	49·0	47·2	45·0	44·9	42·0	40·0	38·3	37·0	41·46
46·9	43·6	42·0	42·9	42·6	44·9	45·8	44·9	43·7	42·8	41·9	43·1	41·43
46·3	49·1	50·2	51·1	51·0	50·1	50·0	50·1	49·6	45·9	44·7	43·0	46·37
56·2	57·3	57·7	58·2	59·0	57·4	54·3	52·9	51·0	49·6	49·0	49·8	49·69
....	....	....	....	....	....	....	...	....	....	....	....	....
45·16	45·53	45·42	44·84	43·91	42·83	41·19	40·04	38·83	37·84	37·07	36·41	39·79

TABLE CXXXI.—*Temperature at the Observatory, Toronto, for each hour,*

Hour ending.	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	48·7	48·0	48·0	48·0	46·0	44·4	44·8	44·4	44·5	46·2	48·1	50·2
2	44·0	44·2	45·0	46·2	47·3	48·2	49·9	55·4	57·8	58·9	61·0	64·1
3	50·0	49·1	49·2	50·9	53·9	54·5	59·1	60·9	63·8	67·6	66·9	66·3
4	58·1	55·1	52·9	50·3	47·2	47·4	50·8	53·4	55·0	56·4	58·6	61·0
5	44·0	45·9	46·6	46·4	45·8	46·9	50·0	55·0	55·6	54·4	57·8	59·0
6	54·2	54·7	53·5	53·9	55·0	56·0	51·0	57·8	58·3	60·0	60·7	62·9
7	52·7	52·9	53·0	52·9	53·5	52·7	52·9	54·6	57·2	56·0	54·9	58·9
8	51·3	53·3	54·0	52·9	52·2	52·4	54·7	56·1	55·9	56·6	62·3	63·7
9	59·2	59·0	58·9	59·0	52·2	49·4	55·0	63·1	66·1	69·1	68·4	71·3
10	60·6	60·0	60·0	60·1	60·9	58·6	60·6	70·8	66·3	67·5	73·0	72·1
11	64·8	66·4	64·5	60·2	57·9	60·3	62·0	65·2	66·0	65·9	63·9	62·9
12	52·9	49·2	52·9	52·9	49·1	54·0	58·0	63·8	66·1	67·2	66·9	67·8
13	58·0	58·3	57·9	57·1	56·3	57·0	57·0	59·9	61·0	59·1	57·0	56·1
14	45·2	44·0	42·0	40·9	40·0	47·4	52·4	57·4	57·9	58.0	60·0	60·0
15	44·9	42·6	47·0	47·4	44·2	45·9	51·9	58·4	62·0	64·9	67·3	68·4
16	48·8	46·2	46·9	48·4	46·9	49·4	59·9	64·0	68·4	67·8	67·1	69·0
17	53·0	51·3	58·0	59·1	56·0	54·2	58·2	64·0	67·9	71·1	67·8	66·9
18	54·9	54·4	53·8	52·7	52·8	54·0	55·9	58·9	61·0	63·0	63·9	65·0
19	50·0	47·7	47·3	45·0	44·3	45·9	50·0	55·5	59·1	63·7	63·4	65 7
20	51·2	50·0	48·0	47·0	45·9	50·5	56·5	64·5	66·3	71·0	74·7	74·9
21	56·0	54·5	52·9	51·9	51·7	58·0	60·6	64·3	61·7	62·0	63·9	66·4
22	52·9	51·9	51·8	50·4	50·3	53·7	58·6	62·1	63·2	65·1	68·0	72·2
23	55·0	56·2	54·5	54·8	54·8	57·6	63·0	68·8	69·7	72·0	73·6	75·0
24	59·8	60·1	60·9	60·9	60·9	61·4	62·3	64·3	64·9	70·0	72·0	71·9
25	51·9	51·9	51·7	52·0	52·8	55·4	59·9	64·0	67·4	67·9	68·0	69·9
26	50·8	52·9	53·7	51·9	50·9	53·3	54·9	60·2	59·0	62·0	61·5	62·6
27	49·9	48·8	49·7	50·5	51·0	52·0	53·0	54·8	55·9	57·1	57·3	59·2
28	56·3	56·8	56·9	57·0	55·3	57·8	59·1	62·0	63·0	65·0	66·9	65·0
29	51·9	52·3	49·5	52·4	53·9	57·7	61·1	57·4	60·2	62·7	65·2	68·0
30	50·1	49·8	49·7	49·0	49·1	52·8	55·2	59·0	60·0	61·4	65·0	65·6
31	53·9	54·3	54·2	55·8	55·9	55·9	54·0	54·6	55·0	53·7	55·3	57·0
	52·74	52·32	52·42	52·19	51·39	53·03	55·85	59·83	61·17	62·69	63·89	65·13

from Self Registering Photographic Instruments, during the month of May, 1887.

1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.	9 p. m.	10 p. m.	11 p. m.	Mid.	
°	°	°	°	°	°	°	°	°	°	°	°	°
52·0	54·5	56·0	58·1	56·0	54·1	51·0	48·3	47·6	45·7	44·2	43·3	48·78
66·2	63·0	63·9	64·1	64·7	63·3	59·8	57·9	50·0	49·0	49·3	49·8	55·13
67·7	67·3	67·6	64·7	64·6	61·7	59·3	58·0	59·0	58·1	57·2	58·9	59·78
59·9	60·1	60·3	62·0	63·0	64·6	60 2	56·3	53·7	50·1	47·2	46·0	55·41
61·0	59·4	58·6	58·1	57·9	57·2	55·3	55·0	52·3	51·7	53·2	55·0	53·42
64·0	65·0	64·0	65·8	63·0	57·3	51·8	56·2	56·9	56·9	55·1	54·4	57·85
61·3	63·2	60·2	63·2	58·0	55·0	53·8	56·0	56·7	54·2	56·3	54·0	56·00
67·3	69·7	70·0	70·1	64·9	62·4	60·8	60·1	60·5	60·2	60·0	60·0	59·64
70·8	68·1	65·2	71·0	71·2	64·0	61·3	61·0	59·2	57·8	58·5	59·5	62·43
74·9	76·0	74·1	75·5	75·0	73·0	69·2	65·9	63·0	62·1	64·0	66·8	67·08
62·9	64·1	64·0	65·8	66·9	66·2	62 0	57·0	54·1	52·9	51·0	53·1	61·67
65·2	63·1	65·0	69·6	71·8	71·8	64·0	65·5	61·0	64·0	52·6	51·2	61·07
55·1	57·2	58·3	60·0	60·9	60·1	57·0	52·1	50·9	48·9	47·8	47·1	56·23
59·8	62·2	63·1	64·0	63·7	62·9	58·1	53·2	53·2	52 2	49·7	49·8	54·05
68·8	63·0	64·2	65·2	62·1	60·4	56·6	51·3	48·1	48·8	47·3	49·0	55·40
69·8	72·1	73·1	74·1	78·1	75·6	69·9	65·0	60·2	55·8	55·0	53·3	61·87
65·0	70·0	67·4	70·0	65·8	63·0	60·1	59·3	58·2	57·4	56·4	55·2	61·47
66·9	67·2	70·0	71·9	72·0	70·9	66·1	63·0	61·0	57·0	53·2	53·7	60·97
69·0	70·4	70·0	69·8	71·4	70·6	68·1	66·6	60·0	56·6	57·1	54·1	59·22
75·4	77·9	79·0	77·1	75·7	75·0	69·1	66·9	63·3	61·8	59·8	58·0	64·15
66·8	68·5	68·3	66·0	66·9	62·9	59·0	55·9	55·0	56·3	56·1	53·1	59·95
71·7	71·9	70·6	71·0	69·0	62·5	63·1	62·1	57·8	56·7	54·8	55·0	61·10
75·7	75·9	75·9	77·0	78·7	75·0	70·8	66·7	61·0	62·2	62·3	62·2	66·60
70·0	65·6	62·9	61·7	64·0	65·2	62·5	60·6	59·0	58·2	55·9	52·9	62·83
69·4	68·2	66·5	68·0	69·9	70·0	66·7	63·0	60·0	57·2	53·7	50·7	61·50
63·2	62·8	63·4	58·7	55·3	55·9	54·2	52·9	53·5	52·3	50·1	49·7	56·07
59·8	59·5	58·9	59·1	58·1	58·0	57·7	57·3	57·0	56·8	56·8	56·4	55·61
63·9	68·5	70·5	67·2	57·0	59·9	58·1	57·1	55·3	53·5	50·7	49·5	59·68
67·0	66·4	67·0	65·1	64·7	64·9	59·7	55·4	54·8	52·9	51·3	50·0	58·81
64·0	64·4	66·0	65·9	63·9	62·9	59·9	56·1	53·2	53·3	53·8	54·9	57·71
59·6	57·9	58·1	56·1	57·9	57·4	57·2	58·0	56·2	57·3	55·9	56·3	56·11
65·62	65·91	65·85	66·32	65·55	63·99	60·72	58·70	56·51	55·42	54·07	53·64	58·95

TABLE CXXXII.—*Temperature at the Observatory, Toronto, for each hour,*

Hour ending.	1 a. m.	2 a. m.	3 a. m.	4 a. m.	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	54·9	52·4	52·3	52·9	53·8	51·2	50·0	50·1	49·0	50·4	51·1	51·7
2	58·2	55·6	55·9	57·0	58·3	59·0	59·0	58·5	59·4	51·0	54·2	55·0
3	52·9	51·9	50·9	51·0	51·7	51·1	54·1	57·2	56·0	57·2	59·7	63·0
4	58·1	58·6	59·0	57·3	57·0	59·7	62·1	65·9	70·2	72·8	74·8	73·9
5	60·2	59·4	59·2	59·1	59·0	59·8	58·9	61·7	64·1	68·0	63·3	62·6
6	61·0	61·0	60·4	60·9	61·1	60·7	59·2	61·6	63·7	63·1	62·3	63·1
7	62·7	62·0	61·0	60·0	59·2	59·0	58·9	60·9	60·9	58·2	63·0	64·8
8	62·9	62·7	61·7	61·2	61·0	60·8	61·3	62·7	63·5	68·8	69·9	72·0
9	67·6	66·0	65·0	65 4	66·0	65·9	67·4	67·1	66·9	68·8	69·0	64·2
10	61·0	61·0	60·1	60·2	57·9	58·1	64·0	66·9	69·9	70·5	70·2	69·9
11	56·0	57·0	55·6	55·7	55·0	59·4	62·6	65·7	65·9	67·8	70·1	71·9
12	55·8	55·2	52·0	50·9	49·6	56·7	62·0	66·5	67·2	68·6	70·9	73·1
13	59·0	56·9	57·4	60·0	62·0	64·9	66·9	70·2	72·0	72·3	74·0	73·9
14	66·8	66·0	65·5	64·0	63·1	67·1	70·2	71·3	72·9	72·7	70·1	69·1
15	55·1	53·1	52·8	52·4	53·2	59·4	65·2	68·5	69·0	70·6	69·7	70·9
16	59·0	59·9	58·8	60·4	62·3	65·0	70·7	73·3	76·8	78·2	82·5	85·0
17	71·0	70·3	69·2	68·5	68·4	64·9	63·4	64·0	61·7	62·1	64·1	63·3
18	57·2	57 6	58·0	58·6	59·1	60·3	62·0	62·0	62·5	63·9	65·0	65·7
19	54·8	53·1	53·0	54·0	56·0	56·9	55·2	56·4	57·1	61·7	65·0	64·5
20	57·1	55·6	54·7	55·4	55·9	55·9	58·9	66·2	65·0	68·7	68·8	64·8
21	60·0	59·9	58·4	58·2	58·1	58·9	63·0	64·3	61·9	68·0	71·0	70·4
22	62·3	60·9	59·3	56·3	57·2	61·5	66·0	69·0	70·0	71·0	71·0	73·0
23	54·4	53·0	53·4	54·0	55·1	57·2	62·9	66·2	67·0	68·7	70·0	67·9
24	58·0	57·9	57·2	56·9	53·9	57·9	59·7	61·2	61·6	62·0	63·5	62·7
25	49·7	49·0	48·1	48·9	50·7	54·9	62·1	64·0	67·0	71·1	67·0	71·6
26	53·4	53·0	53·1	53·0	52·8	56·4	60·8	65·1	66·0	68·0	69·0	69·0
27	57·3	55·7	55·8	55·0	54·3	57·9	64·1	67·6	69·2	70·9	70·9	70·2
28	55·8	54·3	53·0	52·7	52·6	59·5	67·3	72·4	71·8	72·9	74·0	74·6
29	59·9	58·7	60·2	59·0	58·0	61·7	72·0	76·9	77·1	78·1	78·9	80·3
30	62·9	61·3	62·1	61·0	60·2	63·7	73·7	78·5	80·1	83·0	81·7	81·0
....	....	....	....	....	....	....	....	....	....	....	....	....
	58·83	57·97	57·44	57·32	57·42	59·51	62·79	65·37	66·18	67·64	68·49	68·77

from Self-Registering Photographic Instruments, during the Month of June, 1887.

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	°
53·2	56·2	56·0	54·2	55·8	54·9	54·9	55·1	55·5	56·8	57·9	58·5	53·70
55·2	56·3	58·0	64·6	61·0	58·8	54·9	52·0	53·8	54·3	54.2	53·9	56·59
65·0	66·6	63·9	62·8	61·9	62·0	61·3	62·3	64·2	64·0	61·7	60·0	58·85
72·2	73·0	74·8	75·8	71·0	70·8	67·0	65·1	63·5	62·1	61·2	60·9	66 12
67·0	68·9	72·1	73·6	69·0	64·0	62·1	61·8	61·8	59·2	60·7	60·8	63·18
65·1	64·9	63·8	63·1	64·1	64·6	65·0	64·8	64·8	64·1	63·0	62·9	62·85
68·0	67·5	66·9	66·2	66·0	65·9	63·0	62·3	62·0	62·1	62·8	62·9	62·76
71·9	71·8	74·6	75·0	74·2	73·0	70·0	69·0	68·8	68·4	70·7	70·0	67·75
63·9	64·8	64·1	67·4	68·3	66·2	64·0	61·3	60·8	60·5	61·9	61·4	65·16
68·9	68·8	70·1	70 1	69·1	70·2	68·0	62·9	61·4	61·1	60·2	59·2	64·99
72·9	73·0	73·1	72·7	71·1	70·7	67·2	64·0	60·9	59·4	56·2	56·1	64·17
75·0	74·2	73·9	74·1	74·0	72·2	67·9	63·1	60·0	57·9	57·0	56·4	63·93
75·2	75·8	77·6	76·9	75·0	73·4	71·0	68·0	69·9	68·9	68·1	67·2	69·02
67·0	68·0	69·0	69·9	71·2	71·9	68·1	62·9	62·0	61·2	60·9	57·0	67·00
70·1	72·1	73·5	70·9	73·8	72·3	70·0	65·9	63·3	63·0	60·9	60·0	64·82
88·0	88·9	90·1	90·1	89·0	87·2	83·7	78·2	74·9	73·6	72·3	71·6	75·81
62·1	60·0	59·4	60·1	58·9	60·0	58·8	57·0	56·9	57·2	56·9	56·9	62·30
66·1	68·0	68·1	66·6	66·6	65·9	63·4	61·3	59·8	57·8	59·0	57·0	62·15
70·5	67·0	67·0	68·0	66·8	63·6	60·9	59·3	58·0	57·6	57·9	57·7	60·08
69·1	69·2	70·0	70·4	70·0	70·0	67·8	63·8	62·8	61·4	61·1	60·9	63·48
71·1	67·2	67·1	70·1	69·3	67·8	70·1	66·9	65·1	64·0	64·0	63·6	64·94
69·2	70·5	71·0	67·1	67·0	67·3	65·6	62·9	64·0	61·5	58·0	56·0	64·90
67·4	67·6	69·6	65·7	67·7	65·0	62·1	61·0	58·8	57·0	56·9	58·1	61·95
59·3	61·9	62·0	63·3	61·2	62·7	60·3	57·8	56·8	54·0	51·9	51·0	58·95
71·2	71·3	70·9	70·6	69·7	70·9	65·0	60·9	58·0	56·0	54·0	53·2	61·48
67·6	68·1	69·7	70·0	70·0	68·7	64·6	61·4	59·4	59·4	58·8	57·2	62·27
69·7	69·9	71·3	71·1	71·1	71·9	68·1	64·0	60·4	59·3	61·0	60·0	64·45
75·9	77·1	78·0	78·0	78·0	76·9	73·0	69·0	67·9	64·8	63·1	62·0	67·69
80·2	81·0	82·9	83·0	82·7	81·5	76·9	72·0	68·3	67·0	66·0	65·3	71·95
84·1	83·3	85·1	85·1	85·2	82·0	78·2	72·2	70·1	69·1	68·0	66·4	74·08
....	....	....	....	....	....	....	....	....	....	....	....	....
69·40	69·76	70·45	70·55	69·96	69·08	66·43	63·61	62·46	61·42	60·88	60·14	64·24

TABLE CXXXIII.—*Temperature at the Observatory Toronto, for each hour,*

Hour ending	1 a. m.	2 a. m.	3 a. m.	4 a. m.	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	64·8	65.0	65·5	65·8	65·8	68·6	74·0	78·2	79·2	81·2	83·7	86·0
2	69·1	69·0	68·7	67·0	67·5	72·4	75·8	80·3	82·0	83·1	83·1	86·2
3	68·0	68·0	68 7	69·5	66·8	71·3	77·0	80·4	79·0	80·0	79·9	80·5
4	70·9	70·0	68·7	68·0	67·2	70·5	76·0	79·5	81·1	83·7	85·3	86·2
5	72·1	72·0	72·0	71·0	71·0	71·1	71·9	73·8	75·2	75·2	76·0	76·9
6	67·6	68·4	68·9	68·5	68·9	70·5	74·9	78·8	79·7	81·0	79·0	84·5
7	63·8	64·4	63·1	62·0	61·4	64·3	71·1	75·4	80·9	82·0	83·0	85·0
8	68·4	66·1	66·0	63·4	63·0	68·1	76·2	79·5	81·2	81·7	83·0	85·0
9	68·9	67·8	66·7	66·2	66·0	68·0	71·9	74·8	72·0	74·0	72·2	78·6
10	66·4	64·0	52·9	63·3	62·7	63·1	64·7	64·7	66·4	67·0	66·9	67·4
11	60·0	58·4	58·2	57·8	57·9	62·4	69·0	71 3	76·9	79·0	81·0	82·9
12	65·9	65·8	62·8	60·2	59·4	63·5	68·9	74·2	79·2	82·0	83·0	84·4
13	72·8	71·0	71·0	69·0	67·9	73·5	79·2	79·7	81·3	82·4	84·1	86·1
14	68·9	67·7	66·6	64·1	63·0	66·0	69·0	71·0	71·1	71·0	71·9	72·3
15	64·2	63·5	64·0	63·7	65·0	65·5	66·5	67·2	67·1	66·0	66·7	64·6
16	61·0	61·7	61·3	62·2	63·0	68·1	78·5	83·0	83·7	86·0	93·7	95·7
17	77·8	76·0	74·9	73·0	71·1	68·4	68·6	71·4	76·0	78·5	79·0	82·4
18	71·9	71·9	71·3	69·9	68·6	67·9	68·0	71·0	72·0	72·9	69·9	70·9
19	66·8	66·0	65·1	64·5	63·7	67·4	70·3	74·6	75·0	76·8	76·9	78·0
20	61·2	62·0	61·7	62·0	62·1	65·2	69·6	75·9	77·5	79·0	79·0	81·0
21	69·1	68·5	68·0	67·6	66·9	69·2	71·0	73·6	74·2	73·3	77·0	78·0
22	69·5	69·4	69·0	69·1	69·2	69·7	70·0	70·6	72·1	75·3	77·0	75·8
23	65·0	63·0	60·2	59·2	58·6	58·2	61·0	63·9	66·0	69·0	71·0	72·4
24	60·0	59·7	58·7	58·0	57·2	62·4	66·4	71·0	71·3	73·1	72·9	74·8
25	67·8	67·6	67·9	67·7	66·9	67·9	68·8	71·1	73·8	77·5	78·0	77·6
26	67·0	66·6	67·0	65·9	64·8	68·0	71·2	78·8	81·9	82·1	81·3	80·4
27	68·9	67·9	66·0	62·7	61·6	65·3	70·4	77·8	81·0	81·8	83·1	84·0
28	67·0	66·0	65·0	64·0	63·3	66·0	73·2	78·8	80·9	81·8	84·0	82·3
29	68·6	68·2	67·2	66·2	65·2	66·1	68·7	72·0	75·8	75·0	77·0	77·2
30	65·9	65·0	65·0	64·0	63·0	66·8	71·1	77·6	79·9	81·7	83·2	84·9
31	71·1	68·9	67·2	66·9	66·1	66·3	68·9	74·1	77·1	77·6	77·0	78·2
	67·43	69·76	66·11	65·24	64·77	67·12	71·05	74·65	76·47	77·76	78·67	80·01

from Self Registering Photographic Instruments, during the month of July, 1887.

1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.	9 p. m.	10 p. m.	11 p. m.	Mid.	
°	°	°	°	°	°	°	°	°	°	°	°	°
85·8	84·2	82·0	86·2	84·0	84·0	80·3	79·3	78·0	73·3	73·9	71·6	76·68
89·0	85·3	83·2	77·0	81·0	77·0	75·1	73·9	72·8	71·0	69·8	69·0	76·18
90·9	83·0	81·0	78·2	78·4	79·0	77·6	76·4	75·8	74·9	74·0	72·1	75·98
85·9	85·3	87·3	87·9	87·8	82·2	81·0	77·3	73·7	72·9	72·0	72·2	73·06
79·9	78·8	80·9	81·2	80·0	78·3	75·0	73·2	71·9	71·0	69·9	68·1	74 43
83·6	85·1	82·0	81·0	77·1	75·8	74·2	72·1	69·0	66·3	65·0	64·0	74·41
85·0	84·0	88·0	89·3	88·7	88·0	84·1	80·0	74·1	72·1	69·1	68·1	76·12
85·0	86·8	85·1	86·6	85·2	84·1	82·0	77·0	73·7	71·7	70·3	69·4	76·61
78·3	78·2	78·1	76·4	77·1	76·9	73·6	70·9	71·0	69·4	68·2	68·1	72·21
69·0	70·7	71·9	74·9	75·0	75·1	73·2	69·4	66·0	63·9	62·9	62·3	67·24
83·9	85·0	86·0	83·3	82·2	82·0	78·0	72·7	72·0	69·1	66·0	65·8	72·53
86·4	90 0	91·0	92·2	92·0	85·1	81·5	77·4	73·1	76·3	76·8	74·0	76·88
85·3	86·1	87·1	89·0	87·0	90·0	85·0	80·1	76·0	73·0	71·0	70·0	79·07
72·6	72·2	71·9	71·2	71·0	70·1	68·7	65·1	65·9	63·8	65·2	65·8	68·59
66·0	69·0	71·0	70·1	71·1	71·1	68·7	65·0	63·3	62·8	62·0	61·0	66·05
97·0	97·3	98·0	98·1	95·0	94·0	90·0	85·8	82·0	80·0	77·2	77·2	82·06
84·7	86·1	84·9	87·0	89 1	88·7	85·8	83·0	79·9	77·9	75·0	72·8	78·83
72·4	73·0	75·2	74·8	75·9	75·5	71·4	68·9	68·2	68·8	68·3	67·8	71·10
76·4	78·0	78·9	78·6	78·0	78·9	75·0	67·5	65·3	63·8	62·0	61·0	71·19
82·0	80·0	80·8	79·1	80·7	79·1	77·8	75·6	73·9	72·8	71·1	71·0	73·34
76·0	75·4	75·9	80·1	75·6	77·6	73·6	71·4	71·0	70·8	70·2	70·0	72·67
76·8	79 3	80·9	81·4	79·9	84 0	79·0	75·7	73·0	70·8	69·1	68·0	73·94
72·2	73·0	72·8	74 0	73·8	72·7	70·1	65·0	64·8	62·2	61·1	60·4	66·23
74·3	75·5	76·1	76·4	74·9	73·3	72·2	69·2	68·9	68·6	68·0	67·3	68·72
78·3	78·2	77·0	78·0	76·9	76·6	73·9	70·8	70·0	67·0	66·8	67·0	72·18
81·1	80·3	81·2	81·2	82·8	82·1	78·0	72·7	71·0	69·6	70·4	69·9	74·80
84·1	85·9	86·2	86·0	85·1	83·8	81·2	76·0	72·9	73·0	70·0	68·6	75·97
82·9	83·8	85 2	86·3	87·0	83·0	79·2	77·0	75·4	73·8	71·6	70·0	76·15
77·4	77·9	77·4	78·4	79·9	78·9	76·0	71·3	70·5	69·1	66·2	65·0	72·30
82·9	81·9	86·9	84·4	82·0	81·9	79·0	76·0	74·5	74·8	73·8	71·9	75·75
78·0	79·3	80·0	80·3	80·0	81·1	77·0	74·0	73·0	70·8	69·0	68·3	73·76
80·42	80·92	81·42	81·54	81·10	80·32	77·33	73·86	71·95	70·49	69·22	68·31	73·87

TABLE CXXXIV.—*Temperature at the Observatory, Toronto, for each hour,*

Hour ending.	1 a. m.	2 a. m.	3 a. m.	4 a. m.	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	67·9	66·2	65·1	64·9	66·2	62·1	67·0	70·3	76·2	78·6	79·0	79·5
2	69·0	69·1	68·9	67·9	67·0	69·1	71·4	79·0	83·7	84·0	81·8	81·7
3	68·4	67·0	65·0	63·4	62·5	64·4	70·0	77·9	82·0	83·6	83·9	85·7
4	70·1	68·4	70·0	68·0	67·0	67·9	68·4	78·0	81·3	83·0	85·1	87·3
5	77·9	76·1	74·9	74·5	74·2	75·2	78·0	80·8	82·3	85·2	85·9	89·1
6	70·6	69·1	66·7	63·4	61·6	60·9	62 2	67·7	69·1	72·1	73·0	73·9
7	56·5	55·2	54·2	54·0	53·0	54·8	58·2	64·0	65·7	66·2	67·0	67·2
8	55·9	55·9	55·2	55·3	54·9	56·3	60·0	69·0	72·1	72·1	71·9	73·1
9	60·0	59·1	57·9	57·4	57·3	59·0	62·2	69·9	72·9	74·7	77·0	77·5
10	67·0	66·3	65·3	65·3	66·1	66·6	67·6	74·0	73·3	76·0	78·8	82·0
11	70·0	70·3	71·1	71·8	69·9	69·4	69·3	69·6	71·1	72·9	74·0	76·1
12	70·3	68·0	67·0	64·9	63·0	63·0	66·9	69·0	70·3	70·1	69·9	70·9
13	58·0	56·8	54·6	54·0	52·9	53·8	57·0	64·4	65·7	67·1	67·0	66·6
14	58·2	57·6	56·2	56·0	55·2	56·9	60·1	65·5	69·9	71·4	72·0	71·8
15	64 0	63·7	62·0	59·9	59·0	60·9	63·0	67·4	72·7	72·6	73·8	74·0
16	64·1	65·3	65·1	64·8	63·9	64·1	67·1	69·0	72·1	74·8	76·0	78·1
17	59·7	58·7	58·0	57·2	55·8	56·0	60·0	66·3	69·1	70·1	70·0	70·0
18	62·7	62·2	61·9	61·9	62·1	63·0	64·0	67·2	70·9	73·9	76·0	75·5
19	62·0	59·0	55·3	52·8	52·7	52·8	56·0	60·7	64·3	67 2	67·9	69·3
20	50·8	50·4	50·9	52·0	53·9	54·3	57·6	64·5	66·8	67·0	67·3	71·6
21	55·4	53·9	51·2	51·0	51·2	51·3	56·0	60·8	62·0	61·7	58·9	59·5
22	60·1	60·1	60·1	60·2	60·7	60·2	61·1	62·0	62·4	62·7	64·8	64·9
23	63·2	63·3	62·9	62·0	60·2	59 3	59·9	60·8	64·0	66·8	68·2	69·7
24	62·8	62·2	61·9	60·1	60·0	59·1	57·1	58·3	61·0	63·0	65·0	64·9
25	48·3	49·0	49·9	47·2	46·2	46·9	51·0	58·0	60·0	61·5	63·0	63·8
26	51·8	51·4	51·1	49·8	49·0	48·0	53·0	56·7	58·0	60·5	60·3	62·7
27	48·2	46·7	46·9	46·6	46·2	46·2	49·6	58·2	60·9	62·9	63·1	63·9
28	52 0	51·1	51·2	50·0	50·1	49·2	54·3	62·6	65·2	67·0	66·2	65·0
29	58·1	58·0	57·9	57·9	57·1	58·0	60·0	65·7	68·0	71·5	71·2	71·4
30	59·9	60·6	60·2	57·1	56·1	55·9	60·4	68·9	72·7	74·4	75·8	73·0
31	57·7	56·3	55·2	56·0	54·8	50·1	56·0	62·2	65·9	69·8	69·3	70·4
	61·31	60·55	59·80	58·95	58·38	58·54	61·43	66·75	69·41	71·11	71·71	72·58

from Self-Registering Photographic Instruments, during month of August, 1887.

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	°
81·2	81·9	83·0	82·7	81·8	78·8	76·1	74·3	72·0	72·0	71·4	70·6	73·70
81·8	82·9	82·2	83·8	82·9	82·6	77·2	73·2	71·0	70·0	68·2	71·0	75·81
87·0	88·0	87·0	84·8	84·9	84·0	82·2	81·8	79·0	77·0	73·3	71·9	77·28
87·0	88·0	90·0	89·0	84·9	83·2	82·0	81·1	78·9	77·9	80·0	78·9	78·98
89·6	82·7	85·0	86·5	74·2	73·1	75·1	72·9	72·3	72·2	72·1	72·4	78·43
74·0	75·4	74·3	74·3	72·8	70·4	65·9	63·0	61·9	59·9	58·0	57·8	67·42
68·0	68·9	69·0	70·0	70·4	69·2	68·0	65·1	61·7	59·1	58·2	57·0	62·53
73·1	73·3	73·2	72·7	71·6	71·3	67·6	64·9	63·1	61·7	61·9	61·1	65·30
78·9	78·8	76·7	80·2	79·2	77·8	74·4	72·0	70·4	69 0	68·0	67·2	69·90
82·4	82·1	81·9	84·4	85·9	85·2	81·9	78·8	76·3	75·8	71·9	71·2	75·25
78·4	80·9	82·6	84·6	82·3	82·9	79·2	76·8	73·9	73·0	71·9	71·3	74·72
70·8	71·2	71·8	72·9	70·6	69·1	65·1	62·1	60·1	59·8	59·1	59·2	66·88
67·7	67·4	68·0	68·9	68·0	67·4	65·8	62·4	62·2	61·9	60·9	59·6	62·42
72·0	72·0	71·8	72·4	71·0	69·0	67·2	66·4	65·2	65·3	64·3	64·2	65·53
74·4	75·1	76·1	75·2	74·4	72·8	68·7	66·4	67·2	67·7	66·1	65·1	68·43
78·4	78·0	80·0	80·9	79·7	76·0	71·0	67·3	64·4	62·3	60·9	59·6	70·12
71·0	71·1	70·4	69·1	68·1	68·0	65·3	65·0	64·6	64·2	64·1	63·6	64·81
75·9	77·2	76·0	76·9	80·9	78·9	77·9	67·3	67·0	65·9	65 9	65·8	69·87
71·0	72·1	73·0	73·0	72·9	70·8	66·9	63·2	60 3	56·0	54·0	52·9	62·75
71·8	72·2	71·0	72·8	71·2	71·0	70·8	67·2	64·1	61·9	58·9	56·9	63·20
59·6	59·9	60·3	62·1	62·0	62·1	61·4	61·2	61·1	60·7	60·6	60·2	58·50
66·9	68·8	68·4	67·8	66·7	66·1	65·0	64·3	64·0	64·0	64·0	63·8	63·71
68·6	68·4	68·9	69·9	68·2	67·9	66·8	64·9	63·7	63·0	62·4	62·8	64·83
67·9	68·1	67·8	66·7	67·6	65·9	61·7	59·0	57·0	55·2	53·0	51·1	61·52
65·0	66·0	65·9	66·1	65·3	63·7	60·1	57·9	56·2	55·2	54·0	53·0	57·22
63·2	64·8	64·3	65·2	64·5	62·0	58·0	55·0	54·0	52·9	51·6	49·7	56·56
64·0	65·8	65·0	64·7	64·4	64·0	62·0	59·1	58·0	56·9	54·9	52·7	57·12
67·0	68·2	67·8	66·6	67·0	65·7	60·0	58·5	59·8	59·2	59·1	59·3	60·09
71·7	72·1	72·9	72·7	73·0	70·0	71·1	62·5	59·1	59·0	59·0	60·2	64·92
72·7	73·1	73·2	74·0	73·1	70·3	63·2	60·0	57·9	56·8	57·3	58·2	65·20
70·4	70·4	70·0	69·0	68·2	66·9	63·1	61·9	60·0	59·3	57·9	56·9	62·40
73·27	73·70	73·79	74·19	73·15	71·81	69·05	66·31	64·72	63·70	62·67	62·10	66·63

TABLE CXXXV.—*Temperature at the Observatory, Toronto, for each hour,*

Hour ending.	1 a. m.	2 a. m.	3 a. m.	4 a. m.	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	55·7	54·8	54·0	52·4	52·6	53·9	56·2	59·4	66·0	66·0	66·8	69·2
2	64·3	64·7	64·6	64·1	63·7	63·9	64·6	68·2	68·0	70·0	71·1	72·1
3	54·1	53·1	51·0	50·8	49·9	50·1	53·9	59·6	60·9	63·0	64·8	67·0
4	55·4	55·0	54·7	53·3	50·9	48·8	53·7	62·6	67·0	68·7	70·0	70·2
5	52·3	52·8	52·1	52·0	51·7	51·8	54·8	63·5	68·0	70·0	70·6	73·0
6	60·4	60·5	61·0	62·8	61·3	61·3	62·8	66·0	65·8	67·0	69·9	70·4
7	67·0	66·1	66·4	66·0	67·4	68·1	70·0	72·0	71·3	73·7	73·1	72·1
8	55·3	55·0	53·1	52·3	50·1	48·6	51·0	55·8	57·1	59·3	62·0	63.5
9	46·0	45·1	45·0	44·7	45·2	47·0	50·9	54·5	57·2	60·0	61·9	61·5
10	54·2	53·6	52·7	51·9	49·9	48·1	47·4	47·7	48·2	50·8	51·9	53·7
11	45·9	45·0	45·0	46·6	46·9	46·9	47·5	49·3	52·0	55·0	57·0	59·3
12	56·0	56·3	56·1	56·1	56·2	56·6	57·1	58·1	60·1	63·4	65·0	63·6
13	59·0	59·1	59·0	59·1	59·8	59·3	59·8	62·0	65·2	69·4	72·6	74·6
14	72·7	69·9	66·2	62·3	59·0	56·2	58·8	63·7	66·0	68·0	69·8	72·1
15	57·0	57·0	56·7	53·9	53·2	53·2	55·7	61·0	63·3	64·2	62·1	61·3
16	46·6	45·4	45·3	45·2	45·0	44·3	45·2	49·0	50·8	52·4	54·0	55·0
17	44·0	40·9	39·3	40·0	41·0	41·0	43·1	50·3	55·0	57·0	58·1	58·1
18	48·3	47·9	46·4	46·0	46·0	46·0	48·2	56·0	59·9	61·4	62·2	64·0
19	49·2	48·0	46·9	47·0	46·0	46·2	48·0	55·1	60·0	67·9	70·3	72·5
20	50·7	50·9	49·9	49·0	48·0	46·9	49·0	50·4	55·8	57·7	58·3	59·0
21	44·7	44·4	44·5	44·3	45·5	47·0	48·7	49·9	55·0	60·9	68·0	75·0
22	58·0	57·0	56·1	55·9	54·8	53·2	53·4	54·9	56·0	57·1	58·2	58·7
23	48·9	47·9	46·9	44·4	41·8	42·0	44·0	44·0	43·0	44·5	44·9	45·4
24	40·0	38·9	37·9	37·2	36·3	35·9	37·3	42·0	44·8	47·5	48·3	49·6
25	40·9	40·9	39·4	39·9	39·1	37·9	40·8	45·9	48·0	51·0	53·0	54·0
26	43·0	41·0	39·2	38·7	38·0	39·2	40·2	47·9	51·0	54·7	55·2	57·4
27	43·0	43·3	44·3	44·2	43·9	44·1	46·0	48·9	52·1	55·2	57·1	58·0
28	49·1	48·9	49·0	49·2	49·7	48·8	49·9	52·3	55·3	60·7	59·9	60·1
29	52·9	52·9	52·0	52·2	52·0	52·6	53·0	54·9	57·8	59·0	60·9	60·3
30	58·8	58·0	58·4	57·3	57·2	57·0	57·2	57·2	57·0	57·2	58·4	58·1
..	....	....	....	....	....	....	....	....	....	....	....	....
	52·45	51·81	51·10	50·63	50·07	49·84	51·61	55·37	57·92	60·42	61·84	62·96

from self Registering Photographic Instruments, during month of September, 1887.

1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.	9 p. m.	10 p. m.	11 p. m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	°
70·8	71·5	72·0	72·1	71·7	70·9	70·2	69·8	68·5	67·0	65·2	64·0	64·20
73·8	74·4	72·8	71·1	70·0	67·7	64·5	62·1	58·3	58·9	57·7	56·0	66·11
68·2	69·4	66·2	66·9	66·2	64·1	60·9	59·8	58·6	57·5	56·8	56·1	59·54
69·0	69·0	69·9	69·2	69·0	66·5	57·9	55·9	53·8	52·0	53·1	53·2	60·37
73·9	74·8	73·3	74·2	75·2	72·9	70·2	68·9	65·2	62·6	61·3	61·0	64·42
74·0	74·9	75·1	73·5	72·4	71·4	69·5	68·1	67·9	70·7	71·9	70·2	67·87
72·1	70·8	72·3	65·5	65·8	61·8	59·2	56·2	55·8	55·9	56·0	55·9	65·85
64·8	63·0	64·0	63·3	63·1	61·0	56·0	57·8	56·0	52·5	48·0	47·0	56·65
60·0	60·1	58·0	57·1	55·1	55·0	55·1	55·8	55·3	55·8	56·1	58·0	54·18
55·0	57·0	55·2	54·8	54·0	52·1	48·7	47·9	48·3	48·8	47·2	44·4	50·98
58·0	57·0	57·2	56·3	55·9	55·1	55·9	56·1	56·9	56·6	56·5	56·0	53·08
63·8	63·0	64·0	62·1	62·1	61·0	59·9	59·0	59·0	58·2	58·2	58·2	59·71
75·9	77·8	76·1	75·9	75·0	74·0	76·7	77·2	79·4	78·0	76·7	75·1	69·86
72·8	73·8	74·8	74·2	72·6	69·0	65·5	60·9	61·0	59·0	54·2	54·6	65·71
58·9	59·0	62·4	63·2	63·0	59·0	55·9	54·2	52·9	51·4	49·2	47·8	57·31
55·1	54·4	55·1	54·7	53·1	51·9	47·0	45·7	44·0	45·0	45·9	44·9	48·96
59·0	60·0	60·8	60·2	58·0	55·1	52·9	51·0	50·6	50·0	49·9	49·0	51·02
65·0	65·4	65·9	63·3	61·8	59·9	57·5	55·3	55·8	55·1	52·9	51·0	55·88
73·8	74·6	73·1	71·4	68·0	64·0	61·0	57·4	56·1	55·2	54·0	52·5	59·09
58·8	58·4	58·1	58·0	56·8	54·0	51·6	48·5	48·0	48·4	47·8	46·7	52·53
71·2	71·0	72·0	72·0	69·0	67·0	66·0	65·3	65·7	64·9	62·0	60·0	59·75
59·7	60·0	59·3	58·3	55·8	53·7	52·8	52·0	51·6	51·0	50·8	50·0	55·35
46·1	46·0	47·7	47·4	46·9	45·0	43·8	44·0	42·7	41·3	42·1	41·7	44·68
51·0	51·2	51·8	50·1	49·8	47·0	43·8	41·0	42·4	41·3	41·7	41·1	43·63
53·8	54·0	54·1	54·4	54·0	50·0	47·9	45·9	44·7	43·0	41·0	42·2	46·45
58·0	57·9	58·0	57·5	56·0	53·0	51·9	50·1	47·0	43·7	41·9	42·2	48·45
58·8	58·9	57·4	56·0	55·0	54·0	53·2	52·0	51·9	51·8	49·9	49·4	51·18
61·7	62·9	62·4	62·9	59·9	56·9	55·0	54·2	53·2	54·2	53·9	53·0	55·13
61·0	60·4	61·9	61·6	59·1	58·0	58·0	58·3	57·9	58·0	58·3	58·8	57·16
58·9	59·9	61·4	61·6	61·1	61·1	61·0	61·0	59·7	59·2	59·0	57·3	58·88
....	....	....	....	....	....	....	....	....	....	....	....	....
63·43	63·68	63·74	62·96	61·85	59·74	57·64	56·38	55·61	54·90	53·97	53·24	56·80

TABLE CXXXVI.—*Temperature at the Observatory, Toronto, for each hour,*

Hour ending.	1 a. m.	2 a. m.	3 a. m.	4 a. m.	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	56·2	56·4	55·2	53·0	51·0	50·2	53·0	57·3	61·0	61·4	62·9	61·3
2	54·3	54·9	54·9	54·9	54·1	53·8	53·0	54·8	56·4	58·1	60·9	62·4
3	51·1	51·7	54·0	54·4	55·1	55·9	56·1	56·1	57·0	57·0	56·1	55·1
4	48·9	48·9	48·3	48·0	48·0	47·8	47·0	48·1	49·8	52·9	53·3	53·0
5	50·0	49·9	49·8	48·1	47·0	47·9	48·9	49·9	51·1	52·9	56·1	58·2
6	46·8	47·1	47·8	47·9	47·0	46·9	46·9	47·9	47·9	48·3	49·7	50·1
7	46·3	44·1	44·0	42·2	42·5	45·0	46·6	49·0	50·1	50·4	52·0	53·3
8	49·8	50·0	49·7	51·1	50·7	51·0	51·9	53·7	55·3	56·4	57·0	58·1
9	55·2	55·1	55·1	55·2	55·0	54·3	54·9	57·2	61·8	61·0	62·5	63·1
10	59·6	59·2	59·3	60·0	60·0	58·9	56·3	54·0	53·7	54·0	53·6	52·6
11	46·0	43·8	41·7	40·7	39·1	42·0	42·8	44·0	47·1	49·0	48·9	49·1
12	33·7	34·0	34·0	35·0	35·8	35·7	36·7	39·0	40·1	42·0	44·0	45·5
13	48·8	48·4	47·0	46·0	46·1	45·0	44·1	46·9	49·9	52·0	50·2	51·2
14	35·1	35·0	36·0	36·2	35·9	34·7	34·9	37·4	39·1	41·5	43·3	44·0
15	28·8	30·0	29·0	28·2	27·0	30·0	31·0	38·3	41·9	45·2	45·0	46·1
16	31·9	39·8	30·0	30·7	30·8	31·0	32·0	36·3	45·0	48·1	49·8	52·0
17	42·2	42·4	40·2	40·9	40·1	38·6	39·3	47·0	52·0	55·1	57·1	58·1
18	51·8	50·8	50·2	50·0	50·0	49·0	48·6	49·0	50·0	51·1	52·3	52·9
19	35·5	35·0	35·9	35·9	36·0	36·0	36·1	40·0	45·6	46·3	45·0	47·0
20	40·7	37·3	37·9	37·8	37·0	36·7	37·0	40·0	46·0	50·0	51·0	53·1
21	46·9	46·1	45 8	45·1	44·8	44·9	44·0	42·1	42·8	42·0	43·9	42·9
22	35·1	35·3	35·1	34·0	33·4	32·9	34·0	34·0	35·9	38·3	39·8	39·0
23	29·1	28·0	26·8	28·4	29·2	30·2	31·9	38·8	39·2	40·9	40·9	41·9
24	46·1	45·1	44·0	42·6	40·9	40·1	39·8	39·7	40·1	40·7	41·9	41·1
25	35·2	35·9	35·9	34·8	35·0	33·5	31·9	33·8	34·2	35·1	34·8	35·2
26	23·8	23·5	22·8	21·8	22·0	21·5	21·7	28·6	32·0	36·4	37·9	36·8
27	28·6	28·2	28·0	27·9	29·1	30·1	30·9	34·0	40·8	43·0	44·0	44·1
28	28·9	27·0	26·9	25·9	26·0	27·2	31·1	34·0	35·2	39·2	42·1	43·0
29	39·9	39·9	40·0	40·1	40·7	40·0	40·1	41·0	42·0	39·9	35·9	33·1
30	24·0	23·3	22·8	21 9	21·0	20·1	20·0	22·0	24·0	26·0	28·5	30·1
31	34 1	34·3	35·0	34·9	35·0	34·2	33·3	36·3	38·9	40·2	41·3	43·2
	41·43	41·01	40·75	40·44	40·17	40·17	40·51	42·91	45·35	46·92	47·80	48·28

from Self-Registering Photographic Instruments, during month of October, 1887.

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	°
57·1	58·0	59·1	58·2	58·0	57·2	56·0	53·8	51·3	51·4	53·0	54·1	56.09
62·5	61·0	61·8	61·0	60·0	58·0	55·0	53·9	52·0	54·0	53·7	50·8	56·51
54·9	55·0	55·4	54·8	54·0	53·2	52·9	53·0	52·0	52·1	50·0	49·3	54·01
51·8	52·7	53 0	54·9	53·1	52·1	51·2	51·0	50·9	50·0	49·7	50·1	50·60
57·7	58·4	57·3	55·2	54·8	52 9	50 6	49·8	49·1	48·0	47·1	47·0	51·57
50·0	51·0	51·1	51 3	51·8	52·1	52·8	52·9	48·9	46·7	45·0	47·0	48·95
54·7	55·9	56 0	55·1	55 6	54·1	52·0	52·1	52·7	53·0	51·1	50·0	50·33
59·7	63 6	63 9	59·7	59·0	58·0	56·9	57·2	58 2	56·0	55·0	54·8	55·70
63·0	61·2	61·8	61·1	61·0	60·1	60·7	60·6	61·2	60·9	60·0	59·4	59·23
52 0	52·2	52·0	51·0	50·0	48·3	47·1	47·8	47·7	47·5	46·9	46·3	52·92
50 7	49·5	47·0	47·5	46·3	44·1	42 0	39·8	38·3	37·4	35·9	34·0	43·61
44·0	44 9	44·1	44·2	44·1	44·2	45·2	46·0	46·9	46·2	45·8	47·9	41·63
52·6	51·5	52·9	50·7	47·4	47·0	46·2	44·6	41·9	40·0	38·1	36·0	46 85
44·9	46·6	46 0	45 5	43·7	40·8	35·8	35·0	36·0	34·9	31·3	30·0	38·48
46·8	47·0	47·1	47 0	45·2	44·4	42·6	42·0	36·6	34·5	33·0	32·1	38·28
53·2	54·1	54·0	53·9	51·9	51·1	50·1	46 0	44·9	44·2	42·9	42·7	43 23
60·8	59 6	60·7	59·0	60·0	59 2	60 0	61·0	58·1	56 7	55·0	52·8	52·33
53·1	53·9	52·8	50·8	48 2	44·7	42 4	40·0	39·6	37·8	37·0	37·0	47·63
46·9	50·0	50·3	49·1	46 0	44·1	42·0	43·4	43·1	41·8	41·0	41·0	42 21
54·9	54·0	55·0	54·7	52·2	54·1	53·0	52·1	51·6	50·0	49·9	47·7	47·24
43 0	40·2	43·0	40·7	38·4	36·3	35·1	34·9	34·4	35·4	35·0	34·9	40·94
38·8	38·7	38·3	37·9	37·7	37·1	36·9	35·0	32·9	29·0	28·9	29·9	35·33
41·8	40·9	41·7	42 9	44·8	45 9	47·8	48·0	48·0	49·0	49·1	50·0	39·80
41·0	40·9	39·9	39·8	39·3	38·9	38·6	38·2	38·0	38·0	36·7	36·0	40·31
35·8	36·0	35·9	35·2	34·1	33·0	31·6	30·0	28·8	28·0	28·0	25·2	33·20
36·0	36·8	37·0	36·0	34·8	32·0	30·0	29·7	28·3	29·0	29·0	28·9	29·85
45·1	46·1	48·0	47·0	45·0	42·1	40·1	38·9	36·8	34·7	34·0	30·1	37·36
44·8	44·1	45 0	45·2	43·3	43·3	41·5	39·9	39·3	40·0	39·9	39·4	37·18
32·1	32·0	31·1	30·8	28·0	27·9	27·1	27·0	26·8	26·3	26·0	25·8	33·90
31·3	32·2	32 0	31 8	31·0	31·7	31·2	31·4	31·0	32·2	33·1	34·0	27·78
45·5	46·1	46·0	45·5	42·9	39·0	39·1	42·2	40·9	40·0	39·9	38·0	39·41
48·60	48·84	49·01	48·31	47·15	46·03	44·95	44·43	43·43	42 73	41·97	41·36	44·27

TABLE CXXXVII.—*Temperature at the Observatory, Toronto, for each hour,*

Hour ending.	1 a. m.	2 a. m.	3 a. m.	4 a. m.	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	37·0	35·1	33·2	31·0	29·8	28·5	26·1	29·5	31·9	34·7	34·9	35·1
2	27·3	28·0	27·9	26·6	27·9	27·7	29·0	35·9	39·9	44·8	48·8	52·3
3	45·9	44·1	42·8	40·6	38·8	37·9	36·0	39·0	42·0	45·1	45·0	45·5
4	34·1	33·8	35·0	35·9	36·0	40·2	44·1	45·8	46·0	45·1	44·0	40·2
5	32·2	32·0	30·0	28·9	28·7	27·1	26·2	26·8	27·7	29·0	31·0	32·3
6	36·1	34·8	34·9	36·1	37·0	36·4	35·9	34·8	41·8	45·0	46·9	49·2
7	45·7	50·0	47·2	45·3	46·2	46·0	45·4	47·9	48·1	50·0	54·0	55·8
8	48·7	48·0	47·0	42·8	38·0	36·7	34·0	34·0	35·0	36·6	38·1	40·0
9	27·9	27·8	26·9	26·0	26·1	25·2	24·7	30·9	31·6	32·2	33·1	34·1
10	39·9	40·0	40·1	40·0	40·0	40·9	42·0	42·2	39·0	38·6	39·1	38·8
11	32·1	30·9	30·0	30·3	30·9	30·9	30·9	31·0	31·9	32·1	33·0	33·5
12	33·1	32·7	31·7	30·9	31·7	32·2	33·0	34·2	34·7	36·0	36·8	37·2
13	34·0	33·9	32·9	33·0	31·6	30·5	30·6	31·4	33·3	35·1	37·7	39·0
14	39·0	39·1	39·0	38·8	38·9	39·0	39·1	39·0	39·1	40·1	41·6	41·0
15	39·2	39·3	39·0	38·9	38·9	38·8	38·0	37·9	38·0	39·0	40·0	39·9
16	38·1	37·9	37·8	37·1	37·8	38·0	37·5	36·6	39·0	39·8	40·8	41·0
17	39·9	39·2	39·6	41·7	39·8	38·9	36·9	37·0	39·0	39·1	39·8	39·0
18	32·2	31·0	31·3	31·8	32·3	32·9	33·2	33·9	35·3	36·9	38·9	40·1
19	39·8	39·1	38·9	38·1	38·0	37·8	38·0	38·3	38·8	39·3	42·0	42·9
20	32·3	32·3	31·2	30·3	29·4	28·1	28·1	28·0	28·3	28·8	28·9	29·0
21	31·9	32·0	31·9	32·0	31·8	30·2	29·9	29·0	29·1	29·0	28·0	28·2
22	27·1	27·7	26·7	25·9	24·8	24·0	23·8	25·2	27·8	32·3	35·2	36·2
23	37·9	38·8	38·0	38·0	37·2	37·1	37·6	37·9	37·2	37·9	38·7	38·3
24	28·0	27·0	26·1	25·7	25·6	25·7	25·9	26·7	27·1	29·2	29·0	28·1
25	35·1	36·0	35·2	34·1	34·0	34·0	33·9	34·0	35·2	36·7	38·0	38·9
26	34·6	34·7	34·5	34·9	35·0	35·3	36·0	36·2	37·0	37·9	38·0	38·3
27	45·0	46·7	47·1	48·2	48·7	47·0	45·3	48·2	51·4	53·0	53·0	55·0
28	32·2	31·8	30·8	30·1	29·0	26·9	24·1	23·6	24·0	24·5	25·1	25·6
29	12·6	12·4	8·8	8·3	8·9	7·2	8·9	10·0	12·2	16·7	19·1	20·4
30	19·5	18·0	17·0	15·9	16·3	18·0	19·0	18·7	18·7	18·4	16·7	16·6
..	....	....	....	....	....	....	....	....	....	....	....	....
	34·61	34·47	33·75	33·24	32·97	32·64	32·44	33·45	34·67	36·10	37·17	37·75

from Self Registering Photographic Instruments, during month of November, 1887.

1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.	9 p. m.	10 p. m.	11 p. m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	°
35·9	35·2	35·5	34·1	33·0	29·0	28·0	26·1	25·0	25·0	25·3	24·3	30·97
53·0	52·3	52·0	51·1	48·3	44·2	45·1	44·0	43·3	44·7	44·1	45·9	41·00
44·7	44·2	44·1	43·0	41·7	41·7	41·1	41·0	40·7	39·2	37·2	35 0	41·51
37·9	37·0	37·0	36·4	35·4	33·4	34·2	33·7	34·0	34·8	33·9	33·1	37·54
35·4	35·8	35·9	37·0	37·3	36·5	35·2	36 8	37·0	37·1	35·9	35·0	32·78
50·3	50·8	50·1	49·9	49·7	47·9	46·1	46·7	45·0	48·2	47·9	48·5	43·75
55·7	53·0	51·1	54·0	54·0	55·0	53·0	53·3	56·3	57·0	56·0	53·2	51·38
40·9	41·1	40·9	39·9	37·0	34·3	33·0	31·3	30·0	28·9	28·9	28·1	37·22
34·9	34·3	35·9	36·2	36·8	37·9	39·8	39·0	38·8	38·0	39·0	39·6	33·20
37·0	37·3	37·1	36·7	36·2	36·2	35·0	35·0	33·9	34·0	33·7	32·7	37·73
35·0	34·3	34 0	33·4	33·0	32·3	32·2	32·4	33·0	33·0	32·8	33·0	32·33
38·8	39·9	39·9	38·0	36·8	35·7	35·0	34·9	34·2	33·9	33·3	34·0	34·97
40·3	39·8	39·2	39·0	38·1	37·3	37·1	37·2	38·9	39·3	39·7	39·0	36·16
41·0	40·6	40·0	40·1	40·0	40·0	40·1	40·3	40·8	40·2	40·0	39·5	39·85
39·7	39·6	39·8	40·0	39·2	38·9	38·6	38·0	38·0	38·3	38·8	38·4	38·93
41·2	41·1	41·0	40·1	39·1	39·0	38·9	38·9	39·0	39 8	40·0	40·0	39 15
39·2	39·1	39·8	38·3	37·7	36·0	35·2	35·7	35 2	34·0	33·0	32·9	37·79
41·9	42·6	42·0	41·2	40·1	39·7	40·0	40·1	40·1	40·1	39·9	39·8	37·39
40·0	39·0	39·7	40·1	39·1	38·7	38·9	38·8	38·8	38·8	37·9	33·9	38·95
30·0	30·0	29·0	28·1	27·1	27·1	27·0	27·0	27·9	31·1	31·6	31·8	29·27
28·2	29·0	29·9	29·9	30·0	29·9	29·9	30·4	30·4	29·7	29·0	28·0	29·89
36·3	36·3	36·0	35·6	34·8	36·0	34·1	33·1	36·9	37·2	37·9	38·0	32·04
37·9	37·0	36·0	34·9	34·1	33·4	32·3	31·5	30·8	29·1	28·2	28·2	35 33
27·2	27·8	29·0	30·0	31·0	31·7	31·9	32·1	32·1	32·7	33·7	34·9	29·09
38·0	38·5	38·1	37·6	36·9	36·2	35·9	35·2	35·0	34·9	34·5	34·9	35·87
38·9	38·8	38·7	39·0	40·0	41·7	42·2	41·9	42·0	43·0	43·7	44·0	38·60
54·8	57·0	55·0	53·6	48·8	43·2	39·8	36·3	34·2	33·9	33·2	33·0	46·31
25·2	24·2	23·3	22·1	19·8	18·8	17·0	15·6	15·8	14·2	13·8	12·1	22·90
21·4	22·1	22·2	21·2	19·2	19·2	18·9	17·9	18·7	18·9	19·1	19·8	16·00
16·0	16·0	15·5	14·2	12·2	10·4	9·6	8·1	7·0	6·7	7·0	8·1	14·32
....	....	....	....	....	....	....	....	....	....	....	....	....
37·89	37·79	37·59	37·16	36·21	35·34	34·84	34·41	34·43	34·52	34·30	33·96	35·07

TABLE CXXXVIII.—*Temperature at the Observatory, Toronto, for each hour,*

Hour ending.	1 a. m.	2 a. m.	3 a. m.	4 a. m.	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	9·0	9·2	8·8	8·3	8·0	8·0	8·0	10·4	12·0	14·9	20·2	21·0
2	27·4	26·8	27·1	27·1	27·9	29·1	29·8	30·0	30·0	30·2	32·2	33·6
3	34·1	34·8	34·9	34·2	34·1	34·0	34·2	35·0	36·0	37·0	37·6	37·9
4	38·3	38·9	39·0	39·0	39 5	39·9	40·2	41·0	42·7	43·0	45·1	45·2
5	35·8	35·5	36·0	35·1	34·8	34·1	34·1	34·0	33·9	33·9	33·7	32·8
6	30·0	30 0	30·2	29·6	28·3	27·6	27·1	27·2	29·4	31·4	34·0	36·0
7	29·2	30·0	30·1	30 9	31·1	31·2	31·9	33·3	34·1	37·3	38·5	39·1
8	35·8	35·2	33·9	33·0	32·9	34·8	33·9	33·1	34·9	36·0	36·6	36·8
9	35·1	35·0	35·2	34·2	34·0	33·0	33 0	33·0	33·0	33·2	35·0	36·1
10	37·8	38·1	38·7	38·0	38·0	38·6	38 9	38·8	39·7	39·9	40·0	40·4
11	38·0	38·0	37·7	37·0	36·7	36·2	36·1	36·0	36·4	36·9	37·7	38·2
12	35·9	34·0	33·4	33·0	32·8	32·0	30·9	30·1	30·2	31·0	31 9	31·6
13	31·0	30·9	31·0	30·0	30·2	30·9	31·2	31·8	32·6	33·4	35·0	35·1
14	33 2	33·1	33·2	33·4	33·9	34·0	34·0	33·9	35·0	36·6	36·8	37·9
15	32·4	31·1	32·0	32·0	33·0	33·7	32·7	32·7	32·9	33·2	34·0	34·3
16	24·0	24·1	25·2	25 9	25·9	24·3	22·9	22·6	24·6	27·0	29·3	31·2
17	26·2	25·9	25·8	24·8	22·7	22·7	24·1	25·7	26·8	28·9	30·8	31·9
18	29·1	29·0	29·9	28·1	28·0	28·0	28·1	28·0	29·1	30·0	31·7	33·0
19	33·0	32·1	30 9	30·1	29·9	29·7	28·9	28·3	28·1	28·8	29·5	30·1
20	29·6	29·9	31·0	31·8	30·0	29·9	29·9	29·9	31·1	31·5	31·0	30·8
21	27·6	26·9	27·0	26·4	26·1	26·0	25·1	24 9	25·8	26·1	26·7	27·7
22	14·9	15·1	14·0	12·1	12·1	12·3	10·9	10·1	12·1	13·6	16·7	18·3
23	21·8	21·4	21·5	20·0	18·0	14·9	11·9	11·4	17·0	19·5	21·0	22·2
24	25·0	25·0	24·9	25 0	25·0	25·0	25·2	24·2	24·8	25·0	24·1	24·2
25	20·1	20·1	19·9	19·4	18·3	17·0	16·7	16·3	17·1	18·4	18·7	19·8
26	21·8	24·0	23·8	23·8	22·1	20·0	19 1	19·1	19·6	20·1	21·6	22·7
27	21·2	22·4	20·4	19·5	18·3	17·0	15·1	13·2	18·6	22·7	28·3	27·6
28	31·0	31·9	33·3	33·3	34·5	35·4	37·0	36·4	35·0	34·2	34·3	33·3
29	14·0	12·2	11·1	10·8	9·1	7·9	8·6	8·2	9·0	10·2	11·6	12·2
30	10·0	9·9	8·9	6·9	5·0	3·1	1·1	3·1	6·9	9·7	11·9	13·2
31	9·1	10·9	12·3	18·0	19·0	19·4	19·0	19·0	19·4	21·9	21·2	21·2
	27·14	27·14	27·10	26·80	26·43	26·12	25·79	25·83	27·03	28·24	29 57	30·17

from Self-Registering Photographic Instruments, during month of December, 1887.

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	
21·8	21·8	22·0	22·1	22·9	24·0	24·1	24·8	25·0	26·0	27·0	27·4	17·78
34·8	35·5	36·0	35·9	35 0	34·9	34·0	34·1	33·9	33·2	33·9	34·1	31·94
39·0	38·9	38·0	37·4	36·8	37·0	37·8	38·0	38·2	38·8	38·4	38·1	36·68
45·1	45·0	45·8	45·0	45·9	45·1	45·0	45·8	46·1	42·6	39·2	38·1	42·52
32·3	31·3	31·4	31·7	30·6	30·0	30·0	29·0	29·0	29·2	29·2	30·1	32·40
37·0	37·8	37·3	36·0	33·8	31·2	30 2	28·9	28·3	28·0	29·0	29 1	31·14
39·0	38·9	38·0	37·3	36·4	36·3	36·3	36·0	35·9	35·2	35·0	35·2	34·84
36·0	36·2	35·9	35·0	33·7	33·1	32·9	32·7	32·2	32·2	32·8	35·0	34·36
37·0	37·0	37·0	36·2	35·8	34·9	34·3	34·9	35·8	36·0	36·8	37·8	35·14
40·6	40·6	40·5	40·4	40·1	40·1	40·0	39·8	40·8	39·0	38·8	38·6	39·43
37·9	37·7	37·9	37·9	37·7	37·6	37 9	38·0	38·2	38·0	37·8	37·0	37·44
31·7	31·8	31·8	31·9	31·9	32·0	32·0	31·0	31·0	31·1	31·2	31·1	31·89
35·9	35·0	34·9	34·7	34·1	34·3	34·5	34·2	34·1	34·0	33·9	33·8	33·19
37·8	37·8	37·1	36·2	35·1	33·1	30·8	29·2	29·9	31·9	32·7	32·9	34·15
35·9	36·4	36·0	33·2	31·9	30·0	29·5	29·0	28·5	27·0	25·2	24·7	31·72
32·0	33·6	32·9	31·6	30·7	29·8	29·0	27·1	26·4	26·0	25·7	26·0	27·41
31·1	31·9	31·9	31·8	31·1	31·0	30 9	30·4	29·9	29·3	29·1	29·1	28·49
34·0	34·7	35·6	34·9	34·4	34·0	34·1	34·0	34·0	33·8	33·9	33·3	31·74
31·2	33·0	31·8	30·8	30·6	30·8	30·9	30·2	30·9	32·0	32·4	31·9	30·66
29·2	28·8	30·0	31·2	32·0	32·0	32·0	31·9	30·7	29·6	28·2	28·8	30·45
28·3	28·8	28·0	27·8	28·2	26·2	24·9	23·1	21·9	21·2	20·3	16 9	25·49
20·0	20·2	21·9	21·9	21·0	21·1	21·2	21·9	22·4	22·8	22·9	22·0	17·56
22·8	24·1	24·9	25·2	25·8	26·0	25·8	26·0	26·8	27·0	27·1	26·0	22·00
24·5	23·9	23·0	23·0	23·0	22·1	22·1	22·3	21·9	21.6	21·4	21·0	23·63
21·0	21·0	20·0	19·6	18·9	18·8	19·0	19·1	19·8	20·0	20·2	21·0	19·18
23·4	24·0	23·6	22·1	21·9	21·0	20·0	17·5	17·1	19·2	19·0	19·2	21·07
28·7	29·8	30·9	31·3	31·6	31·6	32·4	32·3	32·3	32·5	32·3	31·3	25·89
31·1	28·8	27·1	25·2	23·8	22·0	21·1	20·6	19·9	20·0	19·9	16·0	28·55
13·2	11·9	12·1	12·3	12·1	11·3	10·5	9·9	10·8	11·1	10·9	9·8	10·87
13·9	14·0	14·4	14·4	11·8	9·6	10·0	8·0	6·8	5·3	6·9	7·9	8·86
21·4	22·0	22·2	23·0	24·0	25·0	25·2	25·6	26·3	27·8	29·0	30·7	21·36
30·57	30·72	30·64	30·23	29·76	29·22	28·98	28·56	28·54	28·43	28·39	28·19	28·32

REPORT

OF THE

METEOROLOGICAL SERVICE

OF THE

DOMINION OF CANADA

BY

CHARLES CARPMAEL, M.A., F.R.A.S.,

DIRECTOR.

FOR THE YEAR ENDING DECEMBER 31, 1888.

OTTAWA :

PRINTED BY S. E. DAWSON, PRINTER TO THE QUEEN'S MOST EXCELLENT MAJESTY.

1892.

CONTENTS.

Report of the Director of the Meteorological Office..... vii
Remarks in Tables accompanying the Report..... x
List of Books received by presentation during the year 1888..... xxxii
List of Stations in connection with Meteorological Office..... xxxviii

TABLE I.—Means for each month, and for the year, of the Reduced Barometer, and of the Temperature of the Air, from observations made at the same absolute time, as follows :—Greenwich Civil Time 0·8 p.m., 8·8 p.m. and 4·8 a.m. (of next day), up to 30th June ; afterwards at 1 p. m., and 1 a.m. of next day..... 2

TABLE II.—Resultant Direction and Velocity of the Wind from Observations made at the same absolute time, as follows :—Greenwich Civil Time 0·8 p.m., 8·8 p.m. and 4·8 a.m. (of next day), up to 30th June; afterwards at 1 p.m. and 1 a.m. of next day..... 12

TABLE III.—Mean Temperature of the several months, and the year, at stations in the Dominion of Canada, during the year 1888..... 16

TABLE IV.—Highest Temperature in each month, at stations in the Dominion of Canada, during the year 1888..... 22

TABLE V.—Lowest Temperature in each month at stations in the Dominion of Canada during the year 1888..... 28

TABLE VI.—Mean Temperature in each quarter, and for the year, with the Highest and Lowest Temperature in the year 1888, and the date of their occurrence..... 34

TABLE VII.—Mean Daily Range in each month, and for the year 1888..... 40

TABLE VIII to XIX.—Daily Mean Temperature at certain stations in the Dominion of Canada, during the year 1888..... 44

TABLE XX.—Means of Daily Temperature at stations in Tables VIII to XIX, collected in five-day periods..... 140

TABLE XXI.—Percentage of Cloud in each month, and for the year 1888, at stations in the Dominion of Canada..... 164

TABLE XXII.—Percentage of Sky Clouded in the several Provinces of the Dominion of Canada, in each month, and for the year 1888..... 167

TABLE XXIII to XXVII.—Proportion of Bright Sunshine registered in each hour of the day during which the sun was above the horizon at :—
Winnipeg, Niagara Falls, S..... 168
Woodstock, Toronto..... 169
Lindsay, Barrie..... 170
Kingston, Montreal..... 171
Fredericton, N.B., Sydney, N.S..... 172

TABLE XXVII.—Mean proportion of Sunshine at the stations in tables XXIII and XXVIII, Constant Sunshine being represented by 1..... 173

TABLE XXIX.—Number of days completely Clouded at stations in the several Provinces of the Dominion of Canada, for the year 1888..... 173

TABLE XXX.—Rainfall in inches, in each month, and in the year 1888, at the several stations in the Dominion of Canada; the stations in Ontario being divided into Counties..... 174

Rainfall Maps for Ontario for each quarter and year.

TABLE XXXI.—Quarterly Rainfall at the several stations, with the fall of Snow in each month, and the total precipitation of Rain and Melted Snow expressed in inches, during the year 1888..... 185

TABLE XXXII.—Number of days on which Rain fell in each month, and in the year 1888, at the stations in Table..... 196

TABLE XXXIII.—Quarterly number of days of Rain, with the number of days of Snow, during the year 1888..... 207

TABLE XXXIV.—Average depth of Rain in inches in the several Provinces in the Dominion of Canada, in each month, and in the year 1888..... 218

TABLE XXXV.—Differences between the Rainfall in inches, during the year 1888, in the several Provinces of the Dominion of Canada, and the average Rainfall derived from 16 or more years..... 219

TABLE XXXVI.—Quarterly depth of Rain in inches, in Provinces of the Dominion of Canada, and the average depth of Snow in each month and the year 1888..... 220

TABLE XXXVII.—Average number of days of Rain in the several Provinces of the Dominion of Canada, in each month, and in the year 1888..... 221

TABLE XXXVIII.—Quarterly average number of days of Rain in the several Provinces of the Dominion of Canada and the number of days of Snow in each month, and in the year 1888..... 222

TABLE XXXIX.—Daily Mean Temperature at Ft. Churchill, Hudson Bay, during the year 1888..... 223

TABLE XL.—General Meteorological Register, Sydney, N.S., 1888..... 224

TABLE XLI.—General Meteorological Register, Fredericton, N.B., 1888..... 225

TABLE XLII.—General Meteorological Register, St. John, N.B., 1888..... 226

TABLE XLIII.—General Meteorological Register, Montreal, P.Q., 1888..... 227

TABLE XLIV.—General Meteorological Register, Ottawa, Ont., 1888..... 228
TABLE XLV.—General Meteorological Register, Woodstock, Ont., 1888..... 229
TABLE XLVI.—General Meteorological Register, Toronto, Ont., 1888..... 230
TABLE XLVII.—General Meteorological Register, Winnipeg, Man., 1888..... 232
TABLE XLVIII.—General Meteorological Register, Ft. Simpson, B.C., 1888.. 233
TABLE XLIX to LX.—Observed Bi-Hourly Temperature at Regina, N.W.T., for each month in the year 1888... 234
TABLE LXI to LXXIII.—Registered Bi-Hourly Temperature at Montreal in 1888..... 246
TABLE LXXIV to LXXXIV.—Registered Bi-Hourly Temperature at Sydney, N.S., in 1888..... 258
TABLE LXXXV to XCVI.—Temperature at the Observatory, Toronto, for each hour from Self-Registering Photographic instruments in the year 1888 280

EIGHTEENTH ANNUAL REPORT

OF THE

METEOROLOGICAL SERVICE

OF THE

DOMINION OF CANADA

FROM 1ST JANUARY TO 30TH SEPTEMBER, 1888.

CHARLES CARPMAEL, M.A., F.R.A.S., *Director.*

METEOROLOGICAL OFFICE,
TORONTO, 30th September, 1888.

The Honourable the Minister of Marine and Fisheries, Ottawa.

SIR,—I have the honour to submit herewith report of the Meteorological Service from 1st January to 30th September, 1888.

Since the date of my last report the following stations have been added to the list:—

Ontario.

Class I—

Alexandria	James Smith, M.A.

Class II—

Trenton	W. J. Clarke (resumed).
Bond Head	H. B. Jeffs.
Collingwood	A. D. Knight.
Clontarf	H. A. Schultz, from Class III.
Haliburton	C. S. Stewart, from Class III.
Sutton West	S. G. Tremayne.
Sault Ste Marie	T. H. Elliott.
North Bruce	J. B. Muir.
Port Dover	L. G. Morgan.
Lake Abittibi	Officer in charge H. B. Co. Post.

Class III—

Mid Lothian	G. Whelpton.
Humber, Rosewood Farm	F. J. Sleightholm.
Wyoming	J. Osborne.
Mountsberg	W. J. McNiven.
Mulmer	O. J. Ewing.
Kerwood	R. H. Morgan.
St. Mary's	J. Thompson
Nelson	J. Ireland.
Coldstream	Daniel Zavitz.
Tobermory	John Ainsley.

Quebec.

Class II—
Roberval, Lake St. John .....Rev. J. E. Lizotte.

New Brunswick.

Class II—
Parker's Ridge.....G. Parker, (resumed).

Prince Edward Island.

Class I—
Charlottetown .....Arthur Newberry.

Manitoba.

Class III—
Rapid City.....Alex. Palen.

North-West Territory.

Class II—
Winnifred .....Omar F. H. Harvey.
Vermillion.....Rev. R. Young.
Peace River.....Rev. J. G. Brick.
Churchbridge.....W. H. Collier.

British Columbia.

Class I—
Spences Bridge.....J Murray.

Class II—
Barkerville.....Hugh Watt, M.D.
Harrison..... J. C. Brown.

Class III—
Vancouver.....W. D. Mackintosh.

Owing to the Ontario Government having withdrawn the allowance annually made to the principals, the following High School Stations ceased reporting :—

Ontario.

Class I—
Simcoe, Hamilton, Barrie, Peterborough, Pembroke, Windsor, Stratford, Cornwall, Goderich.

Mr. McBride, of Stratford, however, still continues to furnish such observations as he can conveniently take.

Mr. Sylvanus Phillips, having resigned the position of principal of the High School Petrolea, the observations from this place have also ceased.

Class II—
Mount Forest.....Wm. Wylie, observer, deceased.

Class III—
Copetown..... J. Ireland, observer, resumed at Nelson.
Aylmer..... W. H. Draper, observer, resumed at St. Thomas.

Mr. Blue, of the Bureau of Industries, and the Department of Agriculture, of Manitoba, still continue to assist this service as in the past. An increasing interest

in the work manifested by some of the observers has induced me to supply several with self-registering thermometers, to enhance the value of their observations, and I have several applications asking for an increase of instrumental aid ; these I have been compelled to hold in abeyance until I receive a further supply of instruments.

I have again to refer to the stations on the line of the Canadian Pacific Railway, as mentioned in my last report, where the frequent changes of the agents at the stations lead to breaks in the series, and sometimes to a lengthened suspension. Notwithstanding this disadvantage, thanks are due to many of the agents for a continuous report containing much valuable information.

I have also to thank Prof. J. H. Panton, of the Agriculture College, Guelph, who, in addition to taking charge of the observations at that station, has induced several of the students, on leaving the College, to keep a register of rainfall at their own residences.

I regret to have to report the deaths of three of the gentlemen who worked in connection with this service, namely, Hon. John Ferguson, Bathurst, N.B., Mr. Chipman Seely, of Grand Manan, N.B., and Mr. Thos. Phillips, of Point Escuminac, N.B. The Hon. John Ferguson worked for us from the commencement of the service, and is succeeded by Mr. James Andrew. Mr. Seely's place is taken by his widow, Mrs. Clara Seely, and Mr. H. W. Phillips, son of the late Mr. Thos. Phillips, is performing the duties for the present at Point Escuminac.

Storm Signal Service.

There were 404 warnings of approaching storms issued from 1st January to the 30th September, 331, or 81·9 per cent. of which were verified. The small number of warnings issued is caused by the fact that the most stormy portion of the year is not embraced in this report.

The period has not been marked by a large number of important cyclones. The most noteworthy storms were as follows :—

January 26th. An easterly gale swept over the Gulf and Maritime Provinces, and was reported as being one of the most severe storms for many years. St. Andrews reports that vessels dragged their anchors in the harbour, and the Halifax papers report that the wind reached hurricane force. Ample warning was given for this storm, from 11 to 20 hours at most places.

On June 27th a north-east gale prevailed over portions of the Gulf of St. Lawrence. It caused considerable damage to the lobster fishery industry. It was produced by the sudden movement of a depression in from the Atlantic, and was not warned. A heavy storm in June is very exceptional.

Owing to the remarkable and unusual development of an apparently unimportant depression, a westerly gale prevailed on 11th and 12th July, over the lake region, and an easterly storm over Eastern Canada. The lakes were not warned and elsewhere the warning was received too late in many places.

A West Indian hurricane swept up the Mississippi Valley on 21st and 22nd August, and skirted the lakes to the Maritime Provinces. It caused a general storm from the lakes to the Atlantic. Ample warning was given everywhere.

On 26th September a gale occurred throughout Canada, which is reported as being very severe along our Atlantic coast. The agent at Dalhousie says :—" Ship ashore and waterlogged 30 miles below here." Percé reported four boats lost, two men drowned, and Charlottetown informed us that the schooner "Carrier Dove," coal laden, went ashore on Tyron shoals the night of the 26th, total loss. Ample warning of this storm was given everywhere, as much as from 20 to 30 hours in many localities.

The following shows the actual result :—

TABLE No. 1.

The following table shows the total number of warnings issued and the percentage verified :—

Year.	No. issued.	No. verified.	Percentage verified.
1877	743	510	68·6
1878	860	673	78·3
1879	712	591	83·0
1880	889	736	82·8
1881	854	727	85·1
1882	841	658	78·2
1883	1,085	858	79·1
1884	798	663	83·2
1885	830	741	89·3
1886	906	799	88·2
1887	1,093	972	88·9
1888 (9 months) 1st January to 30th September	404	331	81·9

Probability Service.

Forecasts o the weather have been issued regularly and published in the newspapers, also posfted up in the telegraph offices.

Manitoba and the North-West Territories have made application to be furnished with probabilities of the weather, and it is to be hoped that such arrangements will be arrived at with the telegraph company as will permit of that Province and the Territories being regurlarly informed of approaching changes in the weather.

The signals, showing expected weather, carried on the trains, have been given regularly, and the thanks of the service are due to the executive heads of the several railway companies, and also to the station masters, who reported the signals carried, for their hearty co-operation, but I regret to say the same spirit did not seem to animate all the subordinate officers whose duty it was to change the discs, as in many instances the wrong signal was carried for hours, and in some cases for days, after it should have been removed, thus misleading the public and giving false reports to the farmers, for whose special benefit these signals are promulgated.

Special predictions have been asked for on many occasions, such being sent, by request, while important works were in progress, to the Waterworks Department at Hamilton by telegraph. The Parkdale Waterworks Department was also supplied with special information. Montreal requested predictions for Sundays, and evidence has been given in the law courts concerning the state of the weather on several occasions.

Appended is Table II showing the number of predictions and percentage of fulfilment in each district for the period, and is satisfactory.

TABLE II.

Number of Predictions and Percentage of Fulfilment in each District, in each Month, and in the nine months.

MONTH.	Lower Lake Region.						Upper St. Lawrence.						Lower St. Lawrence.					
	Number issued.	Verified.					Number issued.	Verified.					Number issued.	Verified.				
		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly
January	122	99	16	7	81·1	94·3	100	74	16	10	74·0	90·0	94	74	15	5	78·7	94·7
February	107	85	16	6	79·4	94·4	101	84	12	5	83·2	95·0	102	81	12	8	80·2	92·1
March	103	67	14	22	65·0	78·6	108	78	14	16	72·2	85·2	107	72	12	23	67·3	78·5
April	100	76	11	13	76·0	87·0	91	74	9	8	81·3	91·2	90	63	13	14	70·0	84·4
May	112	90	18	4	80·4	96·4	99	88	9	2	88·9	98·0	94	70	15	9	74·5	90·4
June	98	81	16	1	82·7	99·0	97	77	16	4	79·4	95·9	90	69	13	8	76·7	91·1
July	111	84	17	10	75·7	91·0	105	86	12	7	81·9	93·3	100	81	13	6	81·0	94·0
August	108	93	13	2	86·1	98·1	102	85	14	3	83·3	97·1	113	81	19	13	71·7	88·5
September	97	73	10	14	75·3	85·6	87	68	13	6	78·2	93·1	86	59	13	14	68·6	83·7
Total for nine months	958	748	131	79	78·1	91·8	890	714	115	61	80·2	93·1	875	650	125	100	74·3	88·6

TABLE II.—*Concluded.*

Number of Predictions and Percentage of Fulfilment in each District, in each Month, and in the nine months.

MONTH.	Gulf.						Maritime.						Total.					
	Number issued.	Verified.					Number issued.	Verified.					Number issued.	Verified.				
		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly		Number fully	Number partly	Number not	Percentage fully	Percentage fully and partly
January	98	73	17	8	71·5	91·8	98	78	17	3	79·6	96·9	512	398	81	33	77·7	93·6
February	102	83	10	9	81·4	91·2	103	82	14	7	79·6	93·2	514	415	64	35	80·7	93·2
March	95	69	13	13	72·6	86·3	104	85	10	9	81·7	91·3	517	371	63	83	71·8	83·9
April	88	62	14	12	70·5	86·4	88	64	19	5	72·7	94·3	457	339	66	52	74·2	88·6
May	96	78	15	3	81·3	96·9	96	78	14	4	81·2	95·8	497	404	71	22	81·3	95·6
June	91	69	12	10	75·8	89·0	92	72	16	4	78·3	95·7	468	368	73	27	78·6	94·2
July	102	88	10	4	86·3	96·1	95	82	8	5	86·3	94·7	513	421	60	32	82·2	94·3
August	108	84	21	3	77·8	97·2	107	88	12	7	82·2	93·5	538	431	79	28	80·1	94·8
September	84	57	11	16	67·9	81·0	90	64	18	8	71·1	91·1	444	321	65	58	72·3	86·7
Total for nine months	864	663	123	78	76·7	91·0	873	693	128	52	79·4	94·0	4460	3468	622	370	77·8	91·9

Telegraph Signal Stations.

The hours of observation at these stations were changed on 1st of July from 7 a.m. and 10 p.m., Eastern Standard Time (5 hours from Greenwich) to 8 a.m. and 8 p.m. This change was made in order to keep the observations to the same hours as those adopted in the United States, so that synchronous charts can be formed of North America, from which to prepare the daily probabilities.

Arrangements are being made to start two new telegraph reporting stations, one in British Columbia, and one to the north-east of Lake Superior.

A storm signal station has been started at Tobermory, under Mr. John Ainsley, and is now in proper working order.

The Storm Signal Station at Louisbourg, C.B., N.S., has been closed owing to the French Cable Company having discontinued their office at that place.

Central Office.

There has been no change in the *personnel* in the office. Lieut. A. R. Gordon, Deputy Superintendent, has been absent since June, being in command of the cruisers for the protection of Canadian fisheries.

The staff perform their duties with zeal and diligence, and to give an idea of the amount of actual clerical labour alone that is performed in the office, I give the following:—An average of 7,424 returns, containing nearly 20,000 pages of tabular matter: are received during the year, from over 400 observers. This mass of figures has to be carefully examined, and where errors are found the attention of the sender has to be called to his fault. These corrections and instructions by letter add considerably to the daily correspondence, which amounts, in the average, to over 1,700 letters written in a year and more than 1,100 received; besides this there are about 5,700 postal cards mailed, acknowledging receipt of returns and enquiring for those not yet to hand, but due. In connection with storm warnings, from September, 1887, to September of this year, there were issued and sent by telegraph 172 warnings and safety messages, which were distributed to 2,250 stations, and 2,250 telegrams were received in reply; there were also 3,370 reports of storms, acknowledgment of warnings and safety messages received by mail. In connection with the train weather signals, there were 4,160 special predictions issued by telegraph and 3,016 reports from the railway station masters received. We have therefore 6,400 communications sent out, and 7,486 received, or on an average of 46 to be dealt with on each working day of the year—this does not include telegrams. Besides this, there were over 450 calls by telephone, asking for probabilities of the weather, the temperature and correct time. There were also 18 letters received asking for special information of one kind or another.

I cannot conclude under this heading, without again mentioning the fact, that the Meteorological Staff still remains outside the benefit of Superannuation, and although I have earnestly and persistently recommended that this should be granted I regret to say that, so far, my efforts in this direction have been without avail. A knowledge of the work required in this office cannot be acquired elsewhere, and to attain skill in some of its branches, especially weather prognostications, long and continuous study is required. I consider that to supply the necessary encouragement in future, and as a reward for faithful services in the past, the staff of the Central Office should be placed on the regular list of Civil Servants.

Time Service.

The method of performing this work, together with a table showing the discordance at the different observatories will be found in the report on the Magnetic Observatory.

The Report on the St. John Observatory forms Appendix "A".

The Report on the Quebec Observatory forms Appendix "B".

Chief Signal Office, United States Army.

Brigadier-General Greely, Chief Signal Officer, U. S. Signal Service, has cordially co-operated with the Dominion Service, courteously supplied information asked for, and exchanged reports with this office for the mutual benefit of the two services.

Volunteer Observers.

The thanks of the Service are due to the observers who contribute so much useful information unremunerated. In Ontario and Manitoba the Service has the valuable aid of many of this class of observers, but in New Brunswick and Nova Scotia, and especially in Quebec, there is apparently but little interest taken by the people in a science which is of so much benefit to the public.

Great North-Western Telegraph Company.

The management of this Company is entitled to the thanks, not only of the service, but of the general public, for the efficient manner in which the telegraph work has been performed and the readiness with which suggestions for increasing the display of "probs." has been acquiesced in. All complaints of irregularities have received prompt attention and deficiences rectified.

Publications.

The Monthly Review has been issued regularly, but is too far behind time to be of the same interest, or indeed value, as formerly, when each month was published about the middle of the month next following. The Government having now established a printing bureau at Ottawa, it is to be hoped that the "Monthly Weather Review" will be more prompt in its appearance every month. The Annual Report of the service for the year 1885 has just been received and distributed, the same remark as to lateness in publication made with regard to the Weather Review applies to the Annual Report. The report for 1886 is however being pushed rapidly towards completion, when that for 1887, will be taken in hand, and I hoped before the new year (1889) is many months old to have both these reports printed and ready for issue.

About 700 Annual Reports and over 800 copies of the Monthly Weather Review are distributed as follows :—

Country.	Report.	Review.
Great Britain and Ireland	80	75
Norway	5	5
Sweden	4	4
Denmark	2	2
Netherlands	2	2
Belgium	3	3
France	11	10
Germany	21	20
Austria	18	18
Spain	1	1
Portugal	4	4
Russia	6	6
Roumania	1	1
Greece	1	1
Tasmania	1	1
Newfoundland	3	3
Canada	420	543
United States	58	60
Mexico	3	3
West Indies	4	4
Turkey	1	1
Switzerland	3	3
Italy	10	11
Sicily	1	1
India	9	12
Ceylon	3	3
China	1	1
Japan	3	2
Phillipine Islands	1	1

Annual Reports of the Monthly Weather Review—*Concluded.*

Country.	Report.	Review.
East Indies	1	1
Mauritius	1	1
Cape of Good Hope	1	1
Australia	7	6
New Zealand	1	1
Costa Rica	2	2
Guatemala	1	1
Brazil	2	2
Uraguay	1	1
Argentine Republic	2	2
Chili	1	1

Library.

The number of publications received continues to increase each year and was 204 for the period comprised in this report, an increase of 55 on that for the same number of months last year, and six new contributors have been added to the list of those with whom publications are regularly exchanged.

Inspection of Stations.

Only thirty stations have been inspected during the period comprised in this report, being less than last year by fifteen, and are as follows :—

By Inspector Payne : Port Dalhousie, Welland, Niagara Falls S., Port Colborne, Sombra, Amherstburg, Pelée Island, St. Thomas and Stoney Creek, all in Ontario.

By Inspector Stupart, in Ontario ; Port Dover, London, Southampton, Owen Sound, Presqu'Isle, Tobermory and Collingwood.

By Inspector Webber : Kilmahumaig, Charlottetown and Georgetown, in Prince Edward Island ; Bird Rocks, Gaspé, Percé, Chicoutimi and Father Point, in Quebec ; Point du Chêne, Point Escuminac, Chatham and Dalhousie, in New Brunswick ; and Pictou in Nova Scotia.

Woodstock, in Ontario, I inspected myself.

The reports of the inspectors are given in the Appendix, and lettered respectively "D," "E" and "F."

By reading these reports, scanty in number though they be, the imperative necessity of personal inspection is sufficiently manifested, and I would earnestly invite the attention of the Minister to this portion of my report, and request his careful consideration of my remarks and suggestions on the subject. To insure efficiency it is desirable that all of the principal stations should be inspected at as early a date as possible ; minor stations, not being of so much importance, could wait until opportunity offered from time to time to visit them. As early as 1874 my predecessor, the late Professor Kingston, in his report for that year, draws the attention of the Department to this important duty, and I cannot do better than quote his exact words, which are as follows :—

"Printed and written instructions alone, without oral instruction, are not sufficient. Although many of the mistakes that occur in a report, will be detected by a practised examiner, yet there will be a large number which he has no means of discovering ; nor is it certain whether those which he does discover, as well as others which escape detection, are caused by accident, or chronic misconception. Moreover, to correct errors, whether in principal or in detail, by letter, involves great waste of labour at the Central Office ; and although the practice can never be completely

dispensed with, it might be materially lessened by giving adequate oral instruction, not only before the agent takes charge of the station, but also from time to time afterwards. No amount of culture, on the part of an observer in charge, can supersede the necessity of systematic visitation, and the need is vastly greater when the observer has had little previous instruction or experience in Meteorology.

"If no other reason for visitation existed, the services of an inspector are still imperatively required, for determining the errors of instruments. The determination of the errors of the instruments, by comparison with portable standards, is necessary from time to time, even when they have been previously ascertained, because errors are liable to change; but it is still more necessary at those stations which have been furnished by private persons, and where no determination of the errors has previously been effected. To show that anxiety regarding a knowledge of instrumental errors is not mere punctilliousness, I remark that the prognostication of weather (the only immediate practical use of meteorology in the opinion of some persons) depends chiefly on a knowledge of the difference of the barometric pressures at the same instant, at different stations; differences which will be either reserved, concealed, or exaggerated, wherever an uncompensated error in a barometer is allowed to remain; and which if they do not necessarily baffle the sagacity of the examiner of the weather maps, are certainly liable to endanger the soundness of his interpretations.

"Faulty barometric reports are due, not only to uncompensated instrumental errors, but errors in the supposed heights of the barometer above sea level. This also is a fruitful source of embarrassment to the officer whose duty it is to interpret weather maps, and its removal is one among the duties which a station inspector is called on to perform."

I also beg to quote from the Report of the Chief Signal Officer of the United States, for last year, in which, under the head of "Inspection of Stations," he says:—

"The lack of sufficient appropriation for mileage prevented the Chief Signal Officer carrying out what should be a sound rule of the service, the inspection of every station at least once a year. It is beyond question that the continued efficiency by subalterns in any service depends, to a great extent, on personal attention being given by their superior officers to methods and manners in vogue, and this is especially true of the Signal Service. The continued accuracy of the instruments at signal service stations can only be insured through comparison made by inspecting officers who are provided with sub-standards from the central office. Barometer errors are largly cumulative, and whenever these cumulative errors are not corrected through frequent comparisons, as is only possible by these inspections, such neglect results not only in largely increasing the work of this office in correcting the records subsequently, but is also liable to seriously affect the observations for current use, and thus lead the indications officer at a critical period into errors of prognostications, which may seriously affect the public."

If these remarks are applicable to the United States Signal Corps, with its trained staff of observers, ready at a moment's notice to take charge of a station, how much more do they apply to the Canadian Meteorological Service, whose observers have to be selected from persons having little, or perhaps no experience at all, in meteorology, and who never have had the advantage of instruction.

The stations in Great Britain and Ireland, connected with the Meteorological Office, London, are constantly inspected, and in every country where meteorology is worked out on a large scale inspection is admitted as the only system whereby reliable and satisfactory results can be obtained. I would therefore recommend that a sufficient appropriation be placed at my disposal to enable me to have the meteorological stations in the Dominion inspected and the observers thereof thoroughly instructed in the duties required of them, if this is not done the data furnished the Central Office cannot be accurate and reliable, thus imparing the general efficiency of the Service, multiplying errors, often perplexing the officers in

making forecasts of the weather and consequently endangering the accuracy of the predictions.

All of which is respectfully submitted.

CHARLES CARPMAEL,
Director.

APPENDIX "A."

REPORT OF THE ST. JOHN OBSERVATORY.

St. John Observatory, St. John, N.B., 1st October, 1888.

To the Director,
Meteorological Office, Toronto.

Sir,—I have the honour to submit my report for the nine months ending 30th September, 1888.

The meteorological observations have been taken and recorded at the usual hours.

Observations for time have been made as usual, and the daily time signal given to the shipping and others by dropping the ball at 1 p.m., local time.

The standard clock has been enclosed in a vault thickly lined with felt; I trust it will now not be subjected to the extreme range of temperature as formerly.

The office in Customs building has frequently been visited by ship-masters, for the purpose of comparing their instruments with those used in the observatory.

Storm signals, when ordered up from Toronto, have been promptly displayed from the signal station.

I have the honour to be, Sir,
Your obedient servant,

GEO. HUTCHINSON, *Director.*

APPENDIX "B."

METEOROLOGICAL STATION AT THE QUEBEC OBSERVATORY,

Quebec Observatory, Quebec, 22nd, October 1888.

To the Director,
Meteorological Office, Toronto.

Sir,—I have the honour of submitting the following report of the observatory under my charge, for the past year, in accordance with your request to that effect.

The duties in connection with this observatory have continued to be as in the immediate past.

The "time" service has presented more than ordinary difficulties, owing to the extremely cloudy weather that has prevailed throughout the greater part of the season, and my having, unfortunately, neglected to have the clocks put in satisfactory condition before the beginning of the season, and being unwilling to do so after it had commenced, resulting, occasionally, in my having to depend on a "rate" that there was no possibility of establishing.

The "ball" will require to be renewed at the Citadel next season, as the extreme height that its situation requires it to "drop" from has been extremely damaging to it. Altogether, I think it would be advisable if some other system could be devised for this particular case—and I do not see that there should be any

difficulty in so doing—so that a sharply-dropping ball instead of the comparatively sluggish motion that must follow in the case of the present system, where the weight of the ball itself has to overcome the inertia of some 150 feet of inch chain, would be the result. In a previous report I suggested the possibility of the electric light, which is in use in this city, being used for the purpose of time-signal giving; the only objection that I can see to the suggestion is, that it would require a change in the hours that the shipping might not immediately recognize, and, possibly, the important one of increased expense. In any case, something ought to be done to overcome the objection that I have pointed out.

I have the honour to be, Sir,

Your obedient servant,

W. A. ASHE, F.R.A.S.,

Director of the Quebec Observatory.

APPENDIX "C."

KINGSTON OBSERVATORY, December, 1888.

SIR,—I have the honour to submit, for the information of the Minister of Marine and Fisheries, the followng report of Kingston Observatory:—

In my last report I stated that the result of the alteration in the supports of the piers of the Transit had been very satisfactory. The piers now rest on truncated pyramids, composed of heavy stone blocks set in cement, the base being six feet below the surface of the ground. The space between these stone supports, and an inclosing brick wall, about 8 inches wide, is filled in with charcoal. The Sidereal Clock is set on a similar foundation.

The stability of the adjustments of the transit and clock, in consequence of these arrangements, continues to be of a remarkably perfect kind, and saves the observer much time in making corrections, which disturbances in the position of the instrument would have otherwise rendered necessary. The rate of the clock is regular and of very small amount.

During the past year about $60 has been expended in improvements and repairs. A circular railway has been laid on the floor of the Equatoreal Room for the more convenient movement of the Observing Steps, and the mode of revolution of the dome has been simplified. A meridian mark also has been set on Wolfe Island.

The usual observations for the time, and with the Equatoreal, have been made during the year.

I am, Sir,

Your most obedient servant,

JAMES WILLIAMSON,

Director of Kingston Observatory.

WM. SMITH, Esq.,

Deputy Minister of Marine, Ottawa.

APPENDIX "D."

METEOROLOGICAL OFFICE, TORONTO, 1888.

SIR,—I have the honour to submit the following report of the stations inspected by me this year:—

PORT DALHOUSIE, Ont., 9th August.—Mast and all signal appliances in good order, new cross beams well checked as ordered on last inspection, had been prop-

erly placed. Will require new halyards next spring. Agent reports that the signal lamps sometimes go out.

Welland, Ont., 9th August.—Instruments in an unsatisfactory state and poorly placed. Minimum thermometer broken ; rain gauge complete. Observer was too ill to interview, which will account partly for the state of this station at the time.

Niagara, South, Ont., 11th August.—All instruments were in good order and well attended to ; the observer wishes to discontinue use of sunshine recorder at end of year ; will continue temperature and rainfall observations.

Port Colborne, Ont.—New signal mast ordered for this station was in position and is a good mast, but the check timbers were not in position, stays not belayed, or shed and fence erected as per contract. Contractor was remonstrated with for leaving things in such a disgraceful condition and was to finish work at once.

Agent still complains of signal lamps not working well in high winds.

Sombra, Ont., 14th August.—Thermometers and rain gauge all in good order and well placed, except that minimum was reading one degree too low, which was rectified. Records properly kept, observer willing and intelligent ; volunteers to undertake sunshine records in place of Windsor, Ontario, discontinued. Station in centre of fine agricultural district.

Amherstburg, Ont., 16th August.—The signal agent's work is undertaken here by the telegraph operator, who was new to the place. Proper instructions were given and reports will be attended to. The mast, halyards, &c., were in good order. Storm warnings much appreciated. Lake traffic very extensive here.

Pelée Island, Ont., 20th August.—Observer, who is the lighthouse keeper, has been newly appointed. The thermometer and rain gauge were in good order, but the exposures were poor. The inner and outer thermometer sheds are worn out, and owing to the position of the thermometer, being close to the water of the lake, the temperature must be somewhat modified by its influence.

This is a fine position for a storm signal station, the exposure is good and the number of vessels passing here very large, it being on the main course from Detroit River to the Lake Erie ports and Welland Canal. Would also recommend that an anemometer be placed here, as the exposure would give valuable wind records. A 70-foot mast can be obtained at moderate cost and erected at the minimum rate.

St. Thomas, Ont., 22nd August.—The rain observations had been discontinued here; obtained a new observer, Mr. W. H. Draper, who has voluntered to take the observations at St. Thomas ; he had previously been observing for this service at Aylmer, and understands well what is required.

Stoney Creek, Ont., 23rd August.—The thermometer, rain gauge and wind vane at this station were all in very good order. The thermometer was especially well placed on double screen, with inner and outer shed, and the records well kept. Col. Van Wagner, the volunteer observer, takes much interest in the work. He would be willing to take maximum and minimum temperature observations, and as the position is in the fruit growing district, where these observations are of special interest, I would strongly recommend that he be supplied with a maximum and minimum thermometer, especially as Hamilton has ceased reporting.

I have the honour to be, Sir,
Your obedient servant,

H. V. PAYNE,
Inspector.

C. Carpmael, Esq., M.A., F.R.A.S.,
Director of the Meteorological Service, Toronto.

APPENDIX "E."

METEOROLOGICAL OFFICE, TORONTO, 1888.

CHARLES CARPMAEL, Esq., M.A., F.R.A.S.,

Director of the Meterological Service, Toronto.

SIR,—I have the honour to submit the following report of stations inspected by me this year :—

PORT DOVER, Ont., visited the 16th February.—All the instruments and apparatus at this station were in good condition, and the work well done. Barometer, Adie No. 1425, was removed, this station not being required now to make barometric returns.

LONDON, Ont., visited 17th February.—The instruments here were in first rate order, and the observations well taken.

SOUTHAMPTON, Ont., inspected 19th May.—Adie barometer, No. 1426, removed from Port Dover, was placed here, but it being very sluggish the observer was directed to continue reading the Green barmometer and take a series of comparisons between the two instruments and forward the result to the Central Office, Toronto, on 1st June. The last memtioned barometer being very dirty was cleaned and left in good condition.

The wind-vane was out of adjustment, recording south instead of north-west, this was learned to have been caused by a tinsmith who repaired the instrument, but afterwards failed to properly adjust it.

Mr. Thomas Davis is Storm Signal Agent here, and takes great interest in the work and keeps the apparatus in first-class order.

OWEN SOUND, Ont., visited 22nd May.—Mr. R. Thomson is Storm Signal Agent, and keeps everything in good order. He reports that the signal lamps do not burn all night, this is owing to his being obliged to use sperm oil, the owners of the elevator, on which the signal is placed refusing to allow coal oil to be employed.

The signal at this place has a bad exposure; it cannot be seen from the lower end of the harbour, the view being interrupted by the Canadian Pacific Railway elevator, which was built subsequently to the placing of the storm signal in its present position.

PRESQU'ISLE, Ont.—Storm signal, mast, gear, &c., in good order. Anemometer and anemograph working well. The wind-vane needed a little repair, the fans being shaky.

TOBERMORY, Ont., May 23rd to 30th.—There was no difficulty in selecting a good site for a storm signal at this station, and a splendid heavy Norway pine spar was secured for a mast, being 90 feet in length, 19 inches in diameter at the base and 14 inches at the top, and was placed in position. It is visible for many miles both from Lake Huron and the Georgian Bay.

An anemometer and wind-vane were placed under my direction, on a barn near the telegraph office, and wires were led from the anemograph to the telegraph office, a distance of about 30 yards.

Telegraphic communication at this place is at present unsatisfactory, the line being grounded at many places and in wet weather useless.

A rain gauge was put in position and the station was placed in charge of Mr. John Ainsley.

COLLINGWOOD, Ont., June 2nd.—The recently appointed agent here is Mr. A. Knight. No observations were being taken, the instruments not being in position. Instructions were given as to how and where the instruments should be placed, and a stand was ordered to be made for the anemometer, and placed on a small barn at the back of the observer's house. At this station the storm signal is hoisted at the

end of a gaff on the town flag pole. The arrangement is a bad one, and the cone has been much chafed by the vangs. The cone was to be repaired, and the Agent shown how to prevent the chafing in future. On the 26th July visited this station again to ascertain why no reports had been furnished to the Central Office.

Found that the Agent had been keeping no regular or proper record, simply noting the observations on the fly-leaf of his book of instructions, and the index corrections for the thermometers had been lost, indicating great carelessness on the part of the observer. The instruments were well placed, the cone had been repaired. Mr. Knight was again given full instructions as to how the work was to be done, and he promised to do it.

Yours obediently,
R. F. STUPART,
Inspector.

APPENDIX "F."

METEOROLOGICAL OFFICE, TORONTO, 1888.

C. CARPMAEL, Esq., M.A. F.R.A.S.,
&c., &c., Toronto.

SIR,—I have the honour to submit the following report of the stations in Canada inspected by me this year.

PT. DU CHENE, N.B., visited June 22.—The observer at this station again asserted that he could find no time to attend to the observations, the instruments were therefore taken from him It will, in future, be a Drum Station only. The mast and signals were in good order.

KILMAHUMAIG, P.E.I., visited June 23rd.—All the instruments were in very good condition and well exposed. Mr. Hunter had ceased reporting as he found tri-daily observations too arduous at his time of life ; he will, however, in future, as long as he is able to, send maximum and minimum returns and precipitation.

CHARLOTTETOWN, P.E.I , visited June 25th.—This place was re-started as a first-class telegraphic station, with Mr. Arthur Newberry in charge. The instruments were placed in capital positions on the Government Square, with the anemometer on the post office roof. The storm signal mast was removed to a better position as it had been partly hidden by the erection of a large building. Mr. Newberry was instructed thoroughly in all the requisite duties, and will undoubtedly be a very conscientious observer. Mr. McInlay, a gentleman of considerable ability, will assist in doing the duties.

GEORGETOWN, P.E.I., visited June 29th.—Dr. Kay has ceased observing on account of extreme old age.

PICTOU, N.S., visited June 28th.—It was found necessary to erect a new drum mast at this station, the old one being worn out. Everything else was in the good order usual at this station.

BIRD ROCKS, P.Q.—It was found impossible to land here owing to heavy surf running. Full instructions were therefore left with the observer's family on the Magdalen Islands, and were afterwards received and successfully carried out.

GASPÉ, P.Q., visited July 18th.—The mast and signals were in very good order. Mr. Eden has promised to pay more attention to the storm reports in future.

PERCÉ, P.Q., visited July 19th.—The mast and signals were in good order. The agent was instructed fully with regard to the storm reports.

PT. ESCUMINAC, N.B., visited July 20th.—The electric wind-mill vane was not working, owing to the contact markers being covered with dirt and oil. The anemo-

meter is apparently as good as when placed in position three years ago ; it is one of the new pattern. This has proved a most useful and satisfactory wind station.

Chatham, N.B., visited July 20th.—A new storm signal mast was required at this station, together with drum and cone ; the whole apparatus having been smashed to pieces during a heavy gale. The anemometer was quite useless, being surrounded by trees and buildings. The exposure for rain gauge and thermometers was fair. Mr. D. T. Johnston was informed that greater attention must be given to the work.

Dalhousie, N.B., visited 21st July.—The drum mast required some little repairs. Mr. H. A. Johnson, the agent, was informed that he must forward his returns of observations promptly, and pay more attention to the storm reports.

Father Point, P.Q., visited 24th July.—A little air was found in the barometer at this station. The force of the wind had been estimated since July, 1887. It was necessary to order that the thermometer shed should be repainted. Everything else was in excellent condition.

Chicoutimi, P.Q., visited 28th July.—The barometer was quite useless at this station, and it was necessary to furnish a new one. The maximum and minimum thermometers were indifferently suspended, no suitable screen having been supplied. The rain guage was in a poor position and was moved to a more open space. No wind vane had been furnished, consequently it was found very difficult to obtain the true direction of the wind. The cloister Nuns have charge of this station ; they had received no instructions as to clouds, in fact the station was in urgent need of inspection.

Capt. Lemaitre, of S.S. "Beaver," reported that he had derived immense advantage from the service. Numbers of others also testified to its usefulness.

I was requested to draw the attention of the Director of the Meteorological Service to the necessity of establishing storm signal stations at Miscou and Caraquette. There are about 300 fishing schooners engaged about the coast there.

A storm signal would also be of much benefit at Point Escuminac.

I am, Sir,

Your obedient servant,

B. C. WEBBER,

Inspector.

APPENDIX "G."

REPORT OF THE MAGNETIC OBSERVATORY.

Magnetic Observatory, Toronto, 30th September, 1888.

The Honourable
The Minister of Marine and Fisheries,
Ottawa.

Sir,—I have the honour to submit herewith report from the 1st of January to the 30th September, 1888.

During the year the regular routine magnetical and meteorological observations have been carried on as formerly, and the self-recording magnetographs have been kept in operation, as likewise have the barograph, thermograph, and other self-recording instruments. The hourly readings of the traces from these instruments have been recorded, and for each month, daily and hourly averages have been obtained.

The time exchanges with Montreal, Quebec, and St. John, have all been registered on the chronograph at Toronto, the comparisons taking place as usual

during the evening when direct telegraph communication with the different observatories can be more easily obtained.

The errors of the Toronto clock, and of the time pieces used by the observers elsewhere, are computed from the latest observations.

The examination of the clock and chronometer comparisons and transit observations, sent in from the observatories at Quebec and St. John, has been performed.

The time was obtained from observations of stars made at short intervals. The positions of the stars as given in the "Berliner Yahrbuch" have been used in the reductions.

The collimation error of the transit instrument has been determined frequently from micrometrical measurements on the collimating telescope.

Preparations were made, in conjunction with other observatories throughout the world, to observe the occultations of small stars by the moon during the total eclipse of 28th January; but owing to strong twilight, low elevation of the moon at totality and smoky and misty horizon no occultations could be obtained.

Time Service.

The time exchanges between the various observatories and Toronto have as usual been carried on at intervals of about a fortnight.

The following table shows the difference between the time determined at Toronto and that as given at the various exchanges. The sign + indicates that the time as sent from the different observatories is faster than Toronto time:—

1888.		Montreal.	Quebec.	St. John, N.B.
		Secs.	Secs.	Secs.
January,	18	+ 0·11	+ 0·24	— 0·64
February,	14			+ 2·60
do	17	+ 0·47	+ 1·08	
do	29	+ 0·65	+ 0·31	+ 2·20
March,	15	— 0·25		— 0·98
do	27	— 0·11	+ 1·10	+ 0·92
April,	12	*	— 0·25	— 2·23
do	24	+ 0·36	+ 1·29	— 1·60
May,	16	+ 0·42	+ 1·68	— 0·41
do	30	+ 0·27	+ 0·24	+ 0·90
June,	19	+ 0·66	+ 0·96	+ 2·42
July,	5	+ 0·34	+ 0·34	— 0·70
do	19	+ 0·12	+ 0·07	— 0·15
August,	2	+ 0·55	— 0·72	+ 0·89
do	13		+ 0·47	— 2·86
do	29	+ 0·56	— 0·14	+ 1·06
September,	21	+ 0·63	— 1·12	— 1·03

All of which is respectfully submitted.

CHARLES CARPMAEL,
Director.

APPENDIX "H."

REPORT OF THE McGILL COLLEGE OBSERVATORY FOR THE YEAR ENDING DECEMBER, 1888.

Montreal, December, 1888.

I have the honour to present the report on this observatory for the year now closed, being my fifteenth annual report.

* Sidereal clock broken.

Meteorological Observations.

The "Chief Station" observations of the pressure, temperature and hygrometric conditions of the air; the velocity and direction of the wind; the percentage of bright sunshine and of cloudiness; the character and amount of precipitation; and the general weather conditions have been made at every fourth hour (beginning at 3h.) throughout the year. The series of bi-hourly temperatures commenced in 1884, and being supplementary to the above, has also been carried forward without interruption. While the primary object of these observations is to obtain a knowledge of the laws of the diurnal and annual variation of the meteorological elements of this district, they are also of great commercial importance as a record of climate to which authentic reference may be made, as for instance, in connection with loss or damage to property or as to the varying seasonal effects of climate as regards agriculture. The telegraphic observations forming a part of the Canadian series of observations upon which the weather predictions are based, have been regularly dispatched at the hours of 8, 15 and 22 up to 1st July, and at the hours 8, 15 and 20 since that date, to the Meteorological Office, Toronto. Appended hereto is a summary of the meteorological observations of the year. The daily as well as monthly and yearly summaries have been published in the Montreal *Gazette*.

Time Service.

Determinations of clock errors have been made by the observations of 812 star transits on 139 nights and by solar transits on six days. A determination of the clock error is made in the following manner:—A comparison of the sideral clock and the mean-time clock is obtained on the chronograph. The transit of six stars (one polar star and two equatorial stars in each of the reversed positions of the instrument) are then observed and recorded on the chronograph. The inclination of the axis is measured before and after the observation of the stars in each position. The observations being completed, the clocks are again compared. The chronograph sheet is read and the observations recorded, the instrumental errors deduced, and finally the the clock errors are obtained. The error of the sidereal clock is allowed to accumulate, whereas the marking of the meantime clock is made to correspond to the local meantime of the 75th meridian—known as Eastern Standard time. All the signals issuing from this observatory correspond with the marking of this clock.

The noon time ball for the use of shipping has been dropped on week days, during the season of navigation excepting three days, when failures occurred. Special signals have been transmitted daily to the fire alarm office for the noon stroke on the alarm bells.

By means of the automatic system of clock signals which we have used for several years, a knowledge of the standard time has been widely distributed.

The Corporations and institutions named below receive these signals:—

The Canadian Pacific Railway Company, transmitting it daily to all stations along their line to the Pacific coast.

The Grand Trunk Railway Company, through the Great North-Western Telegraph Company, for all their lines east of Kingston.

The Great North-Western Telegraph Company, transmittsng it daily to all the telegraphic stations in Eastern Ontario and the Province of Quebec.

The Government of Canada, at Ottawa, through the Great North-Western Telegraph Company, for the noon gun and the regulation of the public clock.

The Harbour Commissioners at Montreal.

The Post Office at Montreal.

A number of jwellers and manufacturing establishments requiring an accurate time standard are also in receipt of these signals, for which they pay annually a small sum, about sufficient to cover the rental of the telegraph line used for the purpose.

The exchanges of clock signals with the Toronto observatory were made on 18 nights. After correcting for known errors and for personal equation, the average of the differences obtain between the meantime clocks of the two observatories is $0^s{\cdot}29$, and the greatest difference on any one night was $0^s{\cdot}72$. The comparisons for the year show that the probable error of time as given by one observatory at any time as compared with that given by the other is $0^s{\cdot}12$. The exchanges on seven nights were found to be favorable to the measurement of "wave time" and gave a mean result of $0^s{\cdot}027 \times 0^s{\cdot}002$ for about 335 miles of No. 10 iron wire, under the conditions of an ordinary telegraph line.

Sunspots.

The alterations to the photoheliograph for the production of 4-inch images—as explained in last year's report—were completed in August, but little work has been done with the instrument owing to the present period being one of minimum spots. All the spots visible on the sun during the year were observed by projection on a screen attached to the "Blackman" telescope. "Thompson's discs" were employed for the purpose, and the latitude and longitude of each spot read off with approximate accuracy. A summary of the results of these observations is presented herewith.

Soil Temperature.

The apparatus for the observation of the temperature of the soil at various depths has been in operation since October. The following is a brief description of the method :—

Couples of copper and iron are placed in the ground at the required depths. A wire passes from each couple to a switch-board in the observing room, and there is a return wire common to all couples, which, in the observing room, passes through a delicate galvanometer and a couple similar to those in the ground to make connection with the other wires at the switch-board. The galvanometer is made to read zero on the circle when the circuit is open. If now the circuit be closed at the switch-board the needle will be found to deflect, but may be brought back by bringing the inside couple to the same temperature as that in the ground. For this purpose the inside couple is immersed in water or, in winter, a mixture of snow and water. When the balance is established, the temperature of the water is the same as that of the ground at the depth of the outside couple. These observations are undertaken in conjunction with Prof. Penhallow, representing the Natural History Society of Montreal, and are of great importance in their bearing on agriculture in Canada. The results will appear in the journal of the society.

Assistance.

The need of further assistance is much felt. A considerable portion of my time and that of my assistant is now taken up in replying to enquiries on the part of the public. Owing to the situation of the observatory, in a large and growing city, this demand upon our time will of necessity increase.

Longitude.

In the autumn of last year, the facilities of the observatory, at the request of Capt. E. Deville, were granted for the purpose of a longitude dermination of some point in the west, with a view to closing the chain of longitudes now being carried across the continent in connection with the Dominion Lands Survey. The longi-

tude of this station having been determined with great accuracy by direct telegraphic connection with Cambridge, which is the initial point for longitude in America, is well suited to become the base station for Canadian longitudes.

Respectfully submitted,

C. H. McLEOD,

Superintendent.

Sunspots during the year 1888, observed by projection on Thomson's discs.

Date of Commencement of each Rotation of the Sun.	No. of days on which observations were made.	Total number of spots observed.	No. of Groups.	Average distance from the Equator.	Average number of spots per day.	Spots North of the Equator.		Spots South of the Equator.	
						Number.	Average heliographic latitude.	Number.	Average heliographic latitude.
				°			°		°
Jan. 1 to Jan. 22·6	10	5	4	5·3	1·9	0	.....	5	5·0
Jan. 22·6	13	11	5	4·7	1·0	0	.....	11	4·7
Feb. 18·9	9	20	7	3·4	5·9	5	3·6	15	4·0
March 17·3	9	7	4	5·0	1·3	5	4·2	2	6·6
April 13·6	12	9	6	7·7	1·4	1	0·6	8	8·7
May 10·8	11	15	7	4·5	2·7	1	3·2	14	4·6
June 7·0	12	22	5	6·0	3·5	14	7·6	8	3·7
July 4·2	17	20	8	8·8	1·5	1	6·2	19	9·0
Aug. 0·4	13	11	6	8·4	0·8	6	8·6	5	8·1
Aug. 27·7	11	16	11	3·9	4·6	3	3·4	13	4·0
Sept. 23·9	9	4	3	5·8	0·5	1	12·4	3	3·6
Oct. 21·2	10	20	14	4·0	2·1	4	5·4	16	3·6
Nov. 17·5	8	4	3	8·0	0·5	0	.....	4	8·0
Dec. 14·8 to Dec. 31	5	5	3	5·0	1·6	0	.....	5	5·0
Year 1888	149	157	79	5·9	2·1	37	6·7	120	5·5

The dates given in the first column, except January 1 and December 31, correspond with the coincidence of the assumed prime meridian of the sun with the central meridian as defined in the "Observatory" ephemeris for 1888. The numbers in the third column give the "new" spots for each rotation and for the year. The numerals in the sixth column are obtained by dividing the total number of single spot observations in a rotation by the number of days on which observations were made during the rotation.

SUMMARY ABSTRACT

Observations made at McGill College Observatory, Montreal, Canada.—Height

Month.	Thermometre.					* Barometer.				† Mean pressure of vapours.	‡ Mean relative humidity.	Mean dew point.
	Mean.	¶ Deviation. from 14 years means.	Maximum.	Minimum.	Mean daily range.	Mean.	Maximum.	Minimum.	Mean daily range.			
January	3·66	— 7·24	40·0	—20·5	15·09	30·1413	30·865	29·538	·333	·0446	78·8	—1·8
February	12·42	— 3·15	38·6	—24·4	20·28	30·0971	30·617	29·514	·314	·0737	79·6	7·1
March	23·22	— 0·11	44·2	— 2·9	13·21	29·9866	30·563	29·173	·250	·1077	76·8	16·8
April	36·85	— 2·46	76·0	11·4	13·66	30·0719	30·507	29·544	·217	·1493	67·0	26·1
May	53·55	— 1·07	79·8	31·1	16·65	29·9576	30·306	29·555	·145	·2631	63·4	40·1
June	65·81	+ 1·24	88·1	46·5	18·16	29·8603	30·238	29·479	·161	·4319	67·0	53·7
July	67·93	— 1·17	87·1	47·4	20·04	29·9051	30·232	29·186	·161	·4190	62·2	53·7
August	64·18	— 3·07	85·8	47·6	14·28	29·8849	30·285	29·624	·138	·4562	75·5	55·5
September	55·43	— 3·03	74·0	33·2	13·56	30·0342	30·621	29·485	·187	·3556	78·9	48·5
October	39·51	— 5·84	58·0	28·5	11·31	29·9184	30·478	29·386	·215	·1913	77·9	32·8
November	33·25	+ 1·33	68·0	1·0	12·09	30·0876	30·804	29·354	·291	·1761	80·5	27·7
December	22·39	+ 3·70	45·8	—10·5	13·18	29·9220	30·558	29·283	·266	·1128	80·8	17·2
Sums for 1888	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Means for 1888	39·83	— 1·74	.....	.....	15·12	29·9889	.....	.....	·223	·2318	74·0	31·4
Means for 14 years ending Dec. 31st, 1888	41·58	.....	.....	.....	.....	29·9769	.....	.....	.....	·2489	74·3	.....

* Barometer readings reduced to 32° Fah., and to sea level. † Inches of Mercury. ‡ Saturation, 100. § For 7 for 14 years, inclusive of 1888. The monthly means are derived from readings taken every 4th hour, beginning with the ground and 810 feet above sea level.

The greatest heat was 88·1 on June 22nd; greatest cold 24·4 below zero on February 10th; extreme range of range was 2·3 on November 28th. The warmest day was June 22nd, when the mean temperature 77·52. The coldest 30·865 on January 16th, the lowest was 29·173 on March 21st, giving a range of 1·692 for the year. The lowest 26th, and the greatest velocity in gusts was at the rate of 90 miles per hour for 3 miles, and 110 miles per hour for 1 S. 74° W., and the resultant mileage 60,750. Auroras were observed on 21 nights. Fogs on 31 days. Hoar-frost on coronas on 7 nights. The sleighing of the winter closed, in the city, on April 7th. The first appreciable snowfall of

The mean temperatures for January and December are the lowest on the record for the 14 years over which an earthquake rumble on July 1st.

FOR THE YEAR 1888.

above sea level, 187 feet. Latitude N. 45° 30′ 17″. Longitude 4h. 54m. 18·55s. W.

C. H. McLEOD, *Superintendent*.

Wind.		Sky clouded, per cent.	Possible bright sunshine, per cent.	Inches of rain.	Number of days on which rain fell.	Inches of snow.	Number of days on which snow fell.	Inches of rain and snow melted.	Number of days on which rain *and* snow fell.	Number of days on which rain *or* snow fell.	Month.
Resultant direction.	Mean velocity in miles per hour.										
S. 77° W.	18·68	50·4	41·2	0·08	2	33·6	17	2·81	2	17	January.
S. 44° W.	17·19	54·2	45·3	0·55	2	30·0	16	2·71	2	16	February.
S. 64° W.	22·26	79·6	31·4	1·17	6	25·2	14	3·45	3	17	March.
S. 81° W.	16·28	60 6	54·1	0·80	11	7·1	12	1·54	6	17	April.
S. 46° W.	13·24	67·8	45·0	1·97	16	Inapp.	1	1·97	1	16	May.
S. 59° W.	13·47	59 6	58·9	3·12	19	....	....	3·12	....	19	June.
S. 73° W.	13·31	52 1	69·2	1·32	13	....	....	1·32	....	13	July.
S. 70° W.	12·54	65·4	43·4	7·89	19	....	....	7·89	....	19	August.
S. 66° W.	11·46	60·8	48·2	3·69	16	....	....	3·69	....	16	September.
W.	15·85	69·8	36·3	3·82	22	7·8	5	4·55	2	25	October.
N. 66° W.	17·65	74·0	33·2	5·10	16	11·0	10	6·40	4	22	November.
N. 81° W.	18·33	74·4	25·1	1·57	8	17·6	17	3·12	2	23	December.
....	.....	....	....	31·08	150	132·3	92	42·57	22	220	Sums for 1888.
S. 74° W.	15·85	64·1	44·3	....	....	....	....	3·55	....	18·3	Means for 1888.
....	.....	61·2	§46·4	27·20	132	125·8	85	39·66	15	202	Means for 14 years ending Dec. 31st, 1888.

years only. ¶ "+" indicates that the temperature has been *higher*: "—" that it has been *lower* than the average
3h. 0m., Eastern Standard time. The anemometer and wind vane are on the summit of Mount Royal, 57 feet above

temperature was therefore 112·5. Greatest range of the thermometer in one day was 50·1 on January 13th: least
day was February 10th, when the mean temperature was 15·90 below zero. The highest barometer reading was
relative humidity was 23 on May 26th. The greatest mileage of wind recorded in one hour was 62 on November
mile, on March 13th. The total mileage of wind was 139,303. The resultant direction of the wind for the year is
15 days. Thunder storms on 20 days, and lightning without thunder on 8 days. Lunar halos on 9 nights. Lunar
the autumn was on October 3rd. The first sleighing of the winter was on December 18th.
the present series of observations extends. The rainfall for August is the greatest recorded in 14 years. There was

APPENDIX "I."

BRIEF HISTORY OF THE METEOROLOGICAL SERVICE.

In October, 1870, the late Professor G. T. Kingston submitted to the Hon. P. Mitchell, then Minister of Marine and Fisheries, the outlines of a scheme for a Meteorological Service in Canada. He proposed that the organization should consist of,—

I. A meteorological office to exercise supervision over the observing stations, as regards instruments, modes of registration, &c., &c., and also to receive reports from them for reduction and compilation.

II. *a*. A few well equipped stations where observations may be taken, day and night , at equal intervals, not exceeding three hours, for determining certain constants needed in reducing observations from inferior stations.

b. A few similarly equipped stations, in telegraphic communication with the central office, to supply materials for storm warnings, *a* and *b* to be often, though not always, identical.

III. Numerous stations more or less furnished according to the duties to be performed.

At the time that he made this proposition he had (if we include ten Ontario Grammar Schools, the use of the returns from which was allowed to him by the Rev. Dr. Ryerson) opened correspondence with

29 stations in Ontario.
6 " Quebec.
9 " Nova Scotia.
2 " New Brunswick.

Or in all 46 stations.

The scheme met with the approval of the Minister of Marine and the sum of $5,000 was placed in the estimates for 1871-72, for obtaining the necessary instruments, &c., with a view of ultimately establishing storm signals.

Professor Kingston then entered into correspondence with the Chief Signal Officer, Washington, D.C., to arrange as to the conditions under which he would be willing to furnish warnings when storms were expected to Canadian ports ; as with the small number of stations, and inadequate money appropriation at his disposal, it was impossible for him to undertake that work at the head office at Toronto. At the same time he entered into correspondence with additional stations in Canada and in Newfoundland, so that by the end of the year he had in communication with the head office one hundred and twenty-three stations in Canada and two in Newfoundland.

During 1872, reports were received from 115 stations, of which 74 were reporting only rain and general weather, and of these rain reports 19 were incomplete.

The expenditure in the fiscal year 1872-73 was $10,000, and during 1873 reports were received from 93 stations, and by the end of the year 33 stations had been equipped for the display of storm signals. The expenditure during the next three fiscal years was as under :—

1873-74	$33,491 03
1874-75	35,079 76
1875-76	37,000 00

The year 1876 marks an era in the history of the Meteorological Service. Up to this time no daily forecasts, popularly known as "probabilities," had been issued, and for all storm warnings the Service had depended on the Signal Office at Washington.

Early in this year, however, arrangements were made with the Chief Signal Officer, by which a considerable number of telegraphic reports were handed, three times a day, to an agent of the Toronto Office at Buffalo, N.Y., and telegraphed to Toronto. Later in the year after an interview between the acting Superintendent

of the Canadian Service and the Chief Signal Officer, arrangements were completed by which additional reports of observations at United States stations were furnished daily, and forwarded direct from New York. Daily forecasts of the weather, based on these reports together with those from stations in Canada, were issued by the Toronto Office, and also storm warnings when considered necessary. The daily forecasts were sent out at 10 a.m. each week day from the beginning of October, and were published in the afternoon papers.

At the close of 1876 there were reporting to the head office 101 stations in Canada and 6 in Newfoundland, of which 14 sent reports three times a day by telegraph.

From the 1st of October in the following year the daily forecasts were transmitted by telegraph to 75 of the principal places in Canada, west of Quebec, and posted up both in the telegraph offices and post offices. On the 3rd of December this service was extended to 20 places in the Maritime Provinces.

In 1879 the number of places receiving the "probabilities" was further increased to about 125, which included 5 stations in Prince Edward Island. In the same year five new telegraph reporting stations were added to the list of those reporting to the Central Office, viz., Yarmouth, N.S., Humboldt, Battleford, Edmonton, N.W.T., and Prince Arthur Landing on Lake Superior. The total number of stations reporting by mail to the Central Office was at the end of this year 146.

Early in the year 1880 Prof. G. T. Kingston, who had been superintendent of the Meteorological Service from its first establishment, was obliged by failing health to resign his position. He was succeeded by Charles Carpmael, M.A., F.R.A.S. During this year five new storm signal stations were established, and arrangements were made with the railway companies to have the daily probabilities posted at their stations, and with the telegraph companies to have them posted at 300 places fairly distributed over the different parts of the Dominion reached by them. In the following year the number of stations receiving the probabilities was again greatly enlarged, and their usefulness was very much increased by their being issued at 1 a.m., so that they might be posted as soon as the telegraph offices opened in the morning, instead of at 10 a.m., as had been previously done. The publication of the probabilities was further extended in 1882 to every office on the lines of the Great North Western Telegraph Company, which embrace practically the whole of Ontario and Quebec, and to ports of New Brunswick. In the remaining portions of New Brunswick and in Nova Scotia they continued to be posted as previously. Arrangements were made, too, in this year with the Governments of Ontario and Manitoba, under which observations of rainfall at a large number of stations in these provinces were taken and forwarded to the Meteorological Office at Toronto.

The observatories of Quebec and St. John, N.B., were placed under the supervision of the Meteorological Service in 1883. A system of "train weather signals" was inaugurated in 1884, whereby forecasts as to general weather were disseminated among farmers and others living within sight of the railways by means of discs carried by the morning trains to indicate either "fair" "showers" or "rain." At the end of this year there were 267 stations reporting to the Central Office, of which 24 reported three times a day by telegraph.

Notwithstanding the immense extension of the service since 1879, the expenditure had increased less than $10,000, that in 1878-79 having been $40,400, including the Quebec and St. John observatories, and in 1883-84 it was $50,160.

Since 1884, the service has continued to grow, so that at the present time, December, 1888, we have 354 stations reporting to the Central Office of which 27 report by telegraph. Instruments have also been furnished to a number of Hudson's Bay Posts, and observation will be taken shortly, if they are not already being taken, which will add greatly to the extent of country from which statistics are obtained. The grant for the present fiscal year is $55,000.

CHARLES CARPMAEL, *Director.*

Publications presented to the Meteorological Service and Magnetic Observatory Libraries during the year 1888.

Title of Publication.	By Whom Presented.
ENGLAND.	
Greenwich Observations, 1886	The Astronomer Royal, Greenwich.
Greenwich Magnetical and Meteorological Observations, 1886	do do
Report of the Astronomer Royal to the Board of Visitors of the Royal Observatory	do do
Third and Fourth Reports of the Committee on the best means of comparing and reducing Magnetic Observations	British Association, London.
Atlantic Weather Charts, Part III, Feb. 15th to 24th May; Part IV, 25th, May to 3rd September	R. H. Scott, London.
Quarterly Weather Report, England, Part III, 1879	do do
Monthly Weather Report, England, January to April, 1887	do do
Weekly Weather Report, England, with Summaries and Appendices, Vol. IV, No. 52, and Vol. V, No. 1 to 38 inclusive	do do
Daily Weather Report, England, December 18th, 1887, to December 22nd, 1888	do do
Hourly Readings, April to December, 1885, in duplicate	do do
Meteorological Observations at Stations of the 2nd order, for the year 1883 and 1884	do do
Contributions to our knowledge of the Meteorology of the Arctic Regions, Part V	do do
Suggestions for an International Nomenclature of Clouds by R. Abercromby, and remarks concerning the Nomenclature of Clouds by Prof. H. H. Hildebrandsson	do do
Instructions for observing clouds on land and sea. London, 1888	Ralph Abercromby, London.
Report of the Meteorological Council to the Royal Society for the year ending 31st March, 1887	The Royal Society, London.
Observations of the International Polar Expedition, 1882-83, at Fort Rae.	do do
Rousdon Observatory Meteorological Observations, Vol. IV	C. E. Peck, M.A., Devon.
The Summary of a Meteorological Journal kept by C. L. Prince at Crowborough, Sussex	C. L. Prince, Crowborough.
Journal of Liverpool Astronomical Society to November, 1888	The Society, Liverpool.
Results of Meteorlogical and Magnetical Observations, 1887	Rev. S. J. Perry, Stoneyhurst.
Report of the British Association, 1887	British Association, London.
The Meteorological Record for the quarters ending September and December, 1887	Royal Meteorological Society, London.
Querterly Journal of the Royal Meteorological Society. Vol. XIV, Nos. 65, 66 and 67	do do do
List of Fellows of the Royal Meteorological Society, March 1st, 1888	do do do
Note on the Verification of Thermometers at the Freezing Point of Mercury by G. M. Whipple	G. M. Whipple, Richmond.
Report of the Kew Committee for the year ended October 31st, 1887	do do
NORWAY.	
Jahrbuch des Norwegischen Meteorologischen Instituts fur 1886	Dr. H. Mohn, Christiana.
Tordenvejrens Hyppighed i Norge, 1867-1883	do do
Vejledning til Udforelse of meteorologiske Jagttagelser ved det norske meteorologiske Instituts Stationer, 1888	Dr. H. Mohn, Christiania.
Studier over Nedborens Varighed og Faithen in Norge	do do
Oversigt over Luftens Temperatur og Nedbor i Norge i Aaret, 1887, samt Tabeller over Temperatur og Nedbor, 1883-1887	do do
Beobachtung's Ergebnisse der Norwegischen Polarstation Bossekop in Alten, 1882-83, II. Theil, Erdmagnetismus Nordlicht	Aksel S. Steen, Christiania.
Journal de Sciencias Mathematicas Physicas e Naturaes Num, XLV., Junho de 1887	Royal Academy of Science, Christiania.
Bergens Museums Aarsberetning for 1886	The Museum, Bergen.
SWEDEN.	
Les Orages dans la Peninsule Scandinave par H. Mohn et H. Hildebrand Hildebrandson	Royal Society of Science, Upsala.
Bulletin Mensuel de l'Observatoire Météorologique de l'Université d'Upsal	Dr. H. Hildebrandisson, Upsala.
DENMARK.	
Bulletin Meteorologique du Nord, November, 1887 to November, 1888	Danish Meteorological Institute, Copenhagen.
HOLLAND.	
Nederlansch Meteorologisch Jaarboek voor 1887	Meteorological Institute, Utrecht.
Verdeeling der Warmte over de Aarde Amsterdam, 1888	C. H. D. Buys Ballot, Amsterdam.
Archives du Musee Teyler, Série II., Vol. III., Deuxième Parte	Le Conservateur de la Bibliotheque, Haarlem.
Catalogue de la Bibliotheque, dressé par C. Ekama	do do

List of Publications.—*Continued.*

Title of Publication.	By Whom Presented.
BELGIUM.	
Annales de l'Observatoire Royal de Bruxelles; Annales Metéorologique, Tome II	M. F. Folie, Brussels.
FRANCE.	
Observations Magnétiques faites à l'Observatoire du Parc Saint-Maur pendant l'année 1886	M. Th. Monreaux, Paris.
Annales du Bureau Central Metéorologique de France, 1-4, 1884	M. E. Mascart, Paris.
Bulletin Annuel de la Commission Metéorologique du département des Bouches-du-Rhone, 1881 to 1886	M. Stephen, Marseille.
SPAIN.	
Observaciones Meteorologicas de Madrid, 1882 y 1883; also for 1884 y 1885	Miguel Merino, Madrid.
Resumen de las Observaciones Meteorologicas de Provincias, 1883	do do
PORTUGAL.	
Observacoes Meteorologicas feitas no Observatorio E. Magnetico da Universidade de Coimbra no Anno de 1886 y 1887	A. S. Viegas, Coimbra.
Historia dos Establicimentos Scientificos de Portugal	Royal Academy of Science, Lisbon.
Journal de Sciencias Mathematicas Physicas e Naturaes, No. XLV	do do
GERMANY.	
Ergebnisse der Meteorologischen Beobachtungen im Jahre, 1886	Wilhelm von Bezold, Berlin.
Neber eine nahezu 26 tägige Periodicitat de Gewittererscheinongen	do do
Zur Thermodynamik de Atmosphare	Wilhelm von Bezold, Berlin.
Vierteljahs-Wetter-Rundschen au der Hand der taglichen synoptischen Wetterkarten fur den Nordtalantischen Ocean des Danischen und der Deutschen Seewarte Winter, 1883-84	Director der Deutschen Seewarte, Berlin.
Die Regenverhaltnisse der Iberischen Halbinsel von G. Hellman	G. Hellman, Berlin.
Statistische Correspondenz Berlin No. 3-23 und 31-47	Prof. E. Blenck, Berlin.
Jahresbericht uber die Beobachtungs Ergebnisse der im Konigreich Preussen und in der Reichslanden 1887	Dr. A. Muttrich, Eberswalde.
Jahresbericht uber die Beobachtungs Ergebnisse der von dem forstlichen Versuchsanstalten des Konigreichs Preussen ete das Jahr, 1887	do do
Deutsches Meteorologisches Jahrbuch fur 1887	Dr. Paul Schreiber, Chemnitz.
Jahrbuch des Konigl: Sachsischen Meteorologischen Instituts III Abtheilung des Jahrganges IV 1886	do do
Deutsches Meteorologisches Jahrbuch fur 1887 Stuttgart 1888	Dr. V. Zech, Stuttgart.
Meteorologische Central Station: Resultate Com.: Jahre 1887	do do
Uebersicht uber die Witterungs berhaltnise des Jahres 1887 nach den Beobachtungen der Wurttemb: Met. Stationen	do do
Jahrbuch der Meteorologischen Beobachtungen der Wetterwarte der Magdeburgischen Zeitung	A. W. Grutzmacher, Magdeburg.
Deutsches Meteorologisches Jahrbuch fur 1887 Grossherzogthum Baden	The Director, Karlsruhe.
Monatsbericht der Deutschen Seewarte, Aug., 1887, to Aug., 1888	Dr. Neumayer, Hamburg.
Meteorologische Beobachtungen in Deutschland, 1886, Jahrgang IX	do do
Deutsche Ueberseeische Meteorologische Beobachtungen Heft I 1884-87.	do do
Inaugural Dissertation zur Erlangung der Doktorwurde Gottingen, 1888	Director of the Magnetic Observatory, Gottingen.
Leopoldina Heft XXII, und XXII, 1886 und 1887	Dr. Knoblauch, Halle.
Nachrichten von der Koniglichen Gesellschaft der Wessenschaften und der Georg:—August Universitat zu Gottingen, 28 December, 1887, No. 21	Dr. Karl Schering Strasbourg.
Beobachtungen der Meteorologischen Station Bayern Jahrgang IX, Heft 3 and 4, Jahrgang X, Heft 1 and 2	Dr. Carl Lang, Munich.
Ubersicht uber die Witterungsberhaltnisse Bayern, November, 1887, to October, 1888	do do

List of Publications.—*Continued.*

Title of Publication.	By Whom Presented.
AUSTRIA.	
Jahrbucher der K. K. Central Anstalt fur Meteorologie und Erdmagnetismus Jahrgang. 1886, Neue Folge XXII Band	Dr. J. Hann, Vienna.
Ueber die Beziehungen Luftdruck und Temperatur Variationen auf Berggipfeln.	do do
Die Regenverhaltnisse des Russischen Reiches von H. Wild	do do
Resultate der Meteorologischen Beobachtungen auf dem Sonnblick (3090 m) January—August, 1887	do do
Resultate des ersten Jahrganges der meteorologischen Beobachtungen auf dem Sonnblick (3095 m)	do do
Magnetische und Meteorologische Beobachtungen und der K. K. Sternwarte zu Prag: im Jahre, 1887	Dr. L. Weinek, Prague.
Meteorologischen und Magnetische Beobachtungen Pola November, 1887, to November, 1888	K. K. Kreigsmarine, Pola.
Jahresubersieht der Meteorologischen und Magnetischen, Pola. 1887	do do
Jahrbücher der Königl; ung Central-Anstalt fur Meteorologie und Erdmagnetismus, XVI Band, Jahrgang, 1886	The Director Buda-Pesth.
Rapporto Annuale de Osservatorio Marittimi di Trieste, 1885	Prof. Ferdinando Osnaghi, Trieste.
RUSSIA.	
Die Regen-Verhaltnisse des Russischen Reiches von Supplementband zum Repo.torium fur Meteorologie mit einem Atlas	Dr. H. Wild, St. Petersburg.
Annalen des Physikalischen Central Observatoriums, Jah.gang, 1886, theil II	do do
Meteorological Observations taken on board ship in different latitudes during 1878-1886	do do
Repertorium fur Meteorologie herausgegeben von der Kaiserlichen Academie der Wissenschaften Band X., and XI	do do
Uber die Winter Isothermen von Ost-Siberien und die Angebliche Zunahme der Temperatur mit der Höhe daselbst, von H. Wild	do do
Uber die elektronomotorische Gegenkraft im galvanischen	do do
Bobachtungen der Russischen Polarstation und der Lenamündung II. Theil Meteorologische Beobachtungen Bearbutet von A. Eigner	A. Grigorico, St. Petersburg.
II Lieferung Beobachtungen vom Jahre 1883-84 herans gigeben, unter Reduction von R Lenz, 1887	A. Woeikof, St. Petersburg.
Klima des Ben Nevis in N. W. Schottland	do do
II. und III. Klimatologische zeit und Streitfragen	Dr. Karl Weibrauch, Dorpat.
Dorpat Meteorological Observations July, 1886 to January, 1888	do do
Neue Untersuchungen uber die Bessetsche Formel und deren Verivendung in der Meteorologie	do do
Privatbeobachtungen der Regenstation Alswig in Jahre, 1886	do do
Bericht uber die Ergebnisse der Beobachtungen an den Regenstationen der Kaiserlichen linlandischen gemein ukigen und okonomischen Societat fur das Jahr, 1886	do do
Meteorologische Beobachtungen des Tiflises Physikalischen Observatoriums im Jahre 1886	Dr. J. Mielberg, Tiflis.
SWITZERLAND.	
Etude Consacree Specealement aux Apparitions de 1873 et de 1879	Societe de Physique et d'Histoire Naturelle, Geneve.
ITALY.	
Annuario Meteorologico Italiano, Anno III., 1888	P. F. Denza, Moncalieri.
Bolletino Mensuale Moncalieri	do do
Publicazioni del Reale Osservatorio di Brera in Milano XXXIII. Osservazioni sulle Stelle Doppie	G. V. Schiaparelli, Milan.
Osservazioni Meteorologiche Orarie Otteunti du Strumenti Registratori durante L'Anno, 1882	Director of the Royal Observatory, Milan
Osservazioni Meteorologiche Esegnite Nell'Anno 1887, col Riassunto Composto sulle Medesine	E. Pini, Milan.
Determinazioni della Latitudine della Stazione Passagi di Stelle al Primo Verticale memoria di Francisco Porro	Director of the Royal Observatory, Milan
SICILY.	
Osservazioni Meteorologische Siracusa, July 1887 to June 1888	V. Giuliano, Siracuse.
ROUMANIA.	
Annales de L'Institute Meteorologique de Roumanie pour l'année 1886	Stefan C. Hepites, Bucharest.

List of Publications.—*Continued.*

Title of Publication	By Whom Presented
TURKEY.	
Observatoire Imperial Météorologique de Constantinople: Climatologie de Constantinople deduite de 20 Annees D'Observations	The Director, Constantinople.
INDIA.	
Indian Meteorological Memoirs, Vol. III, Part II. The Rainfall of India	H. F. Blanford, F.R.S., Calcutta.
Indian Meteorological Memoirs, Vol. IV, Part IV	do do
Report on the Administration of the Meteorological Department of the Government of India in 1886-87	do do
Monthly Reports from Six Stations in India, July, 1887, to June, 1888	do do
Meteorological Observations at Seven Stations in India, in the year 1887, corrected and reduced	do do
Cyclonic Memoirs: Part I., Bay of Bengal, Cyclone of May 20th, 29th, 1887	do do
Memoir of the Winds and Monsoons of the Arabian Sea and North Indian Ocean	W. L. Dallas, Calcutta.
Bombay Meteorological and Magnetical Observations, 1886	Charles Chambers, Bombay.
Brief sketch of the Meteorology of the Bombay Presidency in 1886-87	do do
On the Luni-Solar Variations of Magnetic Declination and Horizontal Force at Bombay, and of Declination at Trevandrum	do do
Report on the Meteorology of India in 1886	John Eliot, M. A., Simla.
Daily Weather Reports of India, November 17th, 1887, to November 21st, 1888	do do
CEYLON.	
Results of Meteorological Observations in Ceylon, August, 1887, to July, 1888	Hon. Lieut. Col. F. C. H. Clark, Colombo.
CHINA.	
Observations made at the Hong Kong Observatory in the year 1887	W. Doberck, Hong Kong.
Bulletin Mensuel Zi-ka-Wei, China, July, 1886, to September, 1887	Stanislas Chevalier, S. J., Zi ka-Wei.
JAPAN.	
Report of the Meteorological Observations in the Empire of Japan, June to October, 1884	J. Arai, Tokio.
Monthly Summaries and Monthly Means for the year 1886, with 41 Maps	do do
Annual Meteorological Report for the year 1886, Tokio. Part II	do do
Monthly Report of the Meteorological and Magnetical Observations, Tokio	do do
Diagrams of the Meteorological Observations made during the years 1877 to 1886, at Tokio	Director of the Naval Observatory, Tokio.
Table of the Meteorological Observations made during the years 1877 to 1886, at Tokio	do do
Report of the Expedition to Mount Fugi, by E. Knipping, 1887	do do
Report of the Solar Eclipse of 19th August, 1887	do do
AUSTRALIA.	
History and Description of Mr. Tibbutt's Observatory, Windsor, N.S.W.	John Tibbutt, F.R.A.S., Windsor.
TASMANIA.	
Papers and Proceedings of the Royal Society of Tasmania for 1887	The Royal Society, Hobarton.
JAVA.	
Observations made at the Magnetical and Meteorological Observatory at Batavia	Dr. J. P. Van der Stok, Batavia.
Rainfall in the East Indian Archipelago. Eighth year, 1886	do do
MAURITIUS.	
Annual Report of the Royal Alfred Observatory for 1886	C. Meldrum, Mauritius.
Mauritius Meteorological Results for 1886	C. Meldrum, Mauritius.

List of Publications.—*Continued.*

Title of Publication.	By Whom Presented.
CAPE OF GOOD HOPE.	
Cape Meridian Observations, 1882 to 1884	David Gill, Esq., F. R. S., Cape of Good Hope.
Annals of the Cape Observatory, Vol. II, Part 3. on Variations of the Instrumental Adjustments of the Cape Transit Circle, by W. H. Finlay, M. A	do do
CANADA.	
The Meteorology of Nottingham, England, for the past 12 years, 1867 to 1878 inclusive, and 1880 to 1886	M. O. Tarbolton, F.G.S., Wallace, N. W.T.
Manitoba Gazette, Vol. XVII, No. 1 to 51	The Provincial Secretary, Winnipeg.
The Historical and Scientific Society of Manitoba, Annual Report for the year 1887	The Secretary, Winnipeg.
Thirteenth Annual Report of the Ontario Agricultural College and Experimental Farm, 1887	The Principal, Guelph.
Annual Report of the Bureau of Industries for the Province of Ontario, 1887, Parts I to III	A. Blue, Toronto.
Registration Report of Ontario, 1886	Registrar General, Toronto.
Annual Report of the Canadian Institute, Session 1886-87	The Institute, Toronto.
Proceedings of the Canadian Institute, Toronto, whole number Vol. XXIII and XXIV	do do
Report of the Department of Marine and Fisheries for the year ended June 30th, 1887 (3 copies)	Wm. Smith, Ottawa.
Canada Statistical Record, 1887	Department of Agriculture, Ottawa.
The Ottawa Naturalist, Vol. II, No. 1 to 6	Ottawa Field Naturalists' Club, Ottawa.
Annual Report of the Geological Survey of Canada, with 7 maps, Vol. II, 1886	A. R. C. Selwyn, C.M.G., Ottawa.
Annual Report of the Harbour Commissioners of Montreal for the year 1887	Harbour Commissioners, Montreal.
Annuaire de L'Universite Laval pour L'Anné Académique 1888-89	Laval University, Quebec.
Commissioners of Sewerage and Water Supply for the City of St John (east side) and Town of Portland	G. Murdoch, C.E., St. John.
UNITED STATES.	
Report of the Chief Signal Officer for 1886 and Part I. 1887 (in duplicate)	Chief Signal Officer, Washington.
Monthly Weather Review, October, 1887, to September, 1888 (in dup)	do do
Summary and Review of International Meteorological Observations, October, 1886, to October, 1887 (in dup)	do do
Contributions to the Natural History of Alaska by Turner (in dup)	do do
Summary and Review of International Meteorological Observations, October, 1886 to, October, 1887	do do
Charts shewing the Rainfall in the United States for each month from January, 1870, to December, 1873	do do
International Charts :—Monthly Isobars and Winds, November, 1886, to October, 1887	do do
International Charts, daily, November 1st 1886 to October 31st, 1887	do do
Tridaily Weather Map, August, 1887, to April, 1888	do do
General Subject Indexes to the Monthly Weather Reviews, and Annual Reports of the Chief Signal Officer of the Army (5 copies)	do do
Pilot Chart of the North Atlantic, January to December, 1888	Hydrographic Officer, Washington.
Annual Report of the Board of Regents of the Smithsonian Institute, Part II.,	Smithsonian Institute, Washington.
Comparison of Standard Barometers	Frank Waldo, Washington.
Bulletin of the Philosophical Society at Washington, Vol. X., 1887	The Society, Washington.
Principal Meteorological Conditions in Michigan in 1885 and 1886	State Board of Health, Lansing.
Proceedings and Addresses at a Sanitary Convention held at Traverse City, Michigan, on August 24th and 25th, at Owosso, Mich., Nov. 22nd and 23rd, at Albion, December 6th and 7th, 1887, and at Manistee on June 5th and 6th., 1888	Dr. H. B. Baker.
Michigan Health Reports, Abstracts and Proceedings, January 10th, April 11th, July 10th, and October 23rd, 1888	Sec. State Board of Health, Lansing.
Abstract of Proceedings of the State Board of Health	do do
Fourteenth and Fifteenth Annual Reports of the Secretary of the State Board of Health of Michigan, Sept. 30th, 1886	do do
First Quarterly Report of the Michigan State Laboratory of Hygiene	do do
Dangers of Gasoline by J. H. Kellog, M.D	do do
Proceedings of the Michigan Engineering Society at its Ninth Annual Convention held at Kalamazoo, January 17th to 20th, 1888	F. Hodgman, Climax.
Transactions of the Connecticut Academy of Arts and Sciences, Vol. VII, Part 2	Connecticut Academy, New Haven.
Report presented by the Board of Managers of the Observatory of Yale University to the President and Fellows, 1886-87, 1887-88 (in dup.)	Board of Managers, New Haven.
Henry Draper Memorial, Second Annual Report of the Photographic Study of Stellar Spectra	E. C. Pickering, Cambridge.

List of Publications.—*Concluded.*

Title of Publication.	By Whom Presented.
UNITED STATES.	
Bulletin of the New England Meteorological Society, No. 38 to 49	The Society, Cambridge, Mass.
Zone Catalogue of 4050 Stars	J. G. Porter, Cincinnatti.
Report of Nevada Weather Service, February to November, 1888	C. W. Friend, Carson City.
Report of Ohio Meteorological Bureau, December, 1887, to November, 1888	B. F. Thomas, Columbus.
Annual Report of Ohio Meteorological Bureau for 1887	do do
History of the Administration of the State University of Iowa	Dr. G. Hinrichs, Iowa City.
Climate of Southern Russia and Iowa compared	do do
Tornadoes and Derechos in Iowa	Dr. Gustavus Hinrichs, Des Moines.
Reports of Iowa Weather Service, 1879-80-81-82-86	do do
Annual Report and Sun Tables for the Year 1887, New York	Daniel Draper, New York.
Reports from New York Meteorological Observatory, December, 1887 to November, 1888	do do
Annual Report of the Trustees of Astor Library for 1887	Astor Library, New York,
MEXICO.	
Annuario del Observatorio Astronomico Nacional de Tacubaya para el Ano de 1889	Senhor Angel Anguino, Tacubaya.
Boletin Mensuel, Observatorio Mexico 1888, No. 1 to 10, with supplement to No. 5	Senhor Maraino Barcena, Mexico.
CUBA.	
Observaciones Magneticas y Meteorologicas del R. Colegio de Belen 3er Trimestre, Enero-Junio, Julio-Sept., 1886	The Director, Havana.
COSTA RICA.	
Boletin Trimestral del Instituto Meteorologico Nacional Publicado bajo la direccion Prof. Enrique Piltier, Nos. 1-2, Enero-Junio, 1882	Prof. Enrique Piltier, San Jose.
Anales del Museo Nacional Republica de Costa Rica, Tomo I., Ano de 1887	Senhor Anastasio Alfaro, San Jose.
Lista de las Plantas encontradas hasta Ahora en Costa Rica y en Los Territories Limitrofes extractada de la Biologia Central America, Estudios Cientificos Segunda Parte	Senhor A. Alfaro, San Jose.
BRAZIL.	
Boletino Mensaes do 1° Observatorio Meteorologico da Reparticao dos Telegraphos do Brazil, Na ilha do Governador Anno de 1886, Vol. I., 1887, Vol. II.	Senhor Barao de Capanema, Rio de Janeiro.
BUENOS AYRES.	
Anales de la Oficina Meteorologica Argentina, Tomo VI., 1885	Gualtero G. Davis, Cordoba.
Bulletin de la Academia Nacional de Ciencias en Cordoba, Tomo X., Entrega 1 and 2, Tomo XI., Entrega 1 and 2	Academy of Sciences, Cordoba.
URUGUAY.	
Boletin Mensuel Observatorio Meteorologico Montevideo, Ano I., Nos. 1, 2 and 3	P. Luis Morandi, Montevideo.

Meteorological Stations in correspondence with the Central Meteorological Office, Toronto.

Chief Stations.

Province.	Station.	Superintendent.
Nova Scotia	Sydney	Thomas C. Hill.
do	Halifax	Augustus Allison.
New Brunswick	St. John	G. Hutchinson.
do	Fredericton	Dr. Harrison, University of New Brunswick.
Quebec	(a) Quebec	Officer Commanding Royal Artillery.
do	Montreal	C. H. McLeod, B. S., C. E.
Ontario	Woodstock	Rev. Prof. N. Wolverton, B. A.
do	Toronto	Magnetic Observatory.
Manitoba	Winnipeg	Officers of St. Johns College.
N. W. Territory	(a) Regina	North-West Mounted Police.

(a) Chief Stations in a partial sense only.

Reporting Telegraph Stations.

Station.	Observer.	Station.	Observer.
Charlottetown, P. E. I.	Arthur Newberry.	(1) Toronto	Observatory.
Yarmouth, N. S.	J. E. Murphy.	Port Stanley	M. Payne.
(1) Sydney, N. S.	T. C. Hill.	Saugeen	K. Stewart.
(1) Halifax, N. S.	A. Allison,	Parry Sound	Rev. R. Mosley.
Chatham, N. B.	G. A. Blair,	Port Arthur	W. P. Cooke.
Grand Manan, N. B.	H. S. Seeley,	Minnedosa, Man.	Rev. J. N. Wellwood.
Bird Rock, N. B.	T. Turbide,	(1) Winnipeg, Man.	St. Johns College.
Anticosti, S. W. Pt., Que.	G. Pope.	Qu'Appelle, N. W. T.	Leslie Gordon.
Father Point, Que.	J. McWilliams.	Edmonton, do	Alex. Taylor.
Quebec, Que.	W. A. Ashe.	Medicine Hat, do	J. L. Ewart.
(1) Montreal, Que.	C. H. McLeod, C. E.	Calgary, do	H. S. Cayley.
Rockliffe, Que.	W. H. McIntyre,	Prince Albert, do	Rev. Canon Flett.
Kingston, Ont.	A. P. Knight, M. A.	Swift Current, do	W. G. Knight.

Reserve Telegraph Stations.

Station.	Observer.	Station.	Observer.
St. Andrews, N. B.	Dr. Gove.	Kincardine	Dr. Martyn.
London, Ont.	E. B. Reed.		

Cautionary Storm Signal Stations.

Station.	Person in Charge.	Station.	Person in Charge.
New Brunswick.		*Ontario.*	
(*d*) Point Lepreaux	George Thomas.	Kingston	A. P. Knight.
(*b*) St. Andrews	Dr. Gove.	McDonald's Cove	Miss N. Prinyer.
(1) St. John	G. Hutchinson.	Cobourg	F. Reynolds.
Point du Chene	H. H. Schaefter.	Port Hope	T. F. Janes.
(*a*) Chatham	G. A. Blair.	Queen's Wharf, Toronto	A. Taylor.
(*c*) Bathurst	Hon. J. Ferguson.	Oakville	A. Blakeley.
(*d*) Dalhousie	H. A. Johnson.	Burlington Beach	J. Campbell.
Nova Scotia.		Hamilton	G. Black.
		Port Dalhousie	E. F. Dwyer.
Digby	N. A. Turnbull.	Port Colborne	D. Hughes.
Liverpool	J. L. Hemmeron.	(*b*) Port Dover	H. Morgan.
(1) Halifax	R. Engineers, Citadel.	(*a*) Port Stanley	M. Payne.
(*c*) Cow Bay	C. Archibald.	(*d*) Goderich	R. Campbell.
(*d*) Little Glace Bay	C. H. Rigby.	Kincardine	Dr. Martyn.
Sydney	W. J. Phoran.	(*a*) Saugeen	Thos. Davis.
(*a*) Yarmouth	E. Murphy.	(*d*) Presqu'Isle	J. McKenzie.
(*c*) Port Hastings	W. J. McKeen.	Collingwood	Mrs. A. Bligh.
Louisburg	W. H. Townsend.	Owen Sonnd	R. Thompson.
(*d*) Pictou	M. Campbell.	Sarnia	M. Fleming.
P. E. Island.		Bayfield	J. Gardiner.
		Port Burwell	G. B. McConnel
Charlottetown	Arthur Newberry.	(*c*) Deseronto	Messrs. Rathbun.
Quebec.		Port Credit	A. Blakeley.
		Midland	W. Henderson.
Percé	P. Vibert.	Trenton	W. J. Clarke.
Gaspé	J. Eden.	Amherstburg	W. H. McEvoy.
(*a*) Father Point	J. McWilliams.	Picton	J. A. Rawson.
(*a*) Quebec	W. A. Ashe.		
Montreal	Alex. Robinson.		

(1) Chief Station. (*a*) Telegraph Station. (*b*) Reserve Telegraph Station. (*c*) First Class Station. (*d*) Second Class Station. (*e*) Third Class Station.

Ordinary Stations.

Station.	Observer.	Station.	Observer.
Nova Scotia.		New Brunswick.	
Class I.		*Class I.*	
Truro	James Little, M.A.	(*f*) Bathurst	Hon. J. Ferguson.
Class II		*Class II.*	
(*f*) Pictou	M. Campbell.	(*f*) Dalhousie	H. A. Johnson.
(*f*) Little Glace Bay	C. H. Rigby.	Point Lepreaux	G. Thomas.
Sable Island	Wm. M. Allan.	Point du Chene	H. H. Schaefer.
White Head	J. P. Dillon.	Point Escuminac	T Phillips.
Digby	N. A. Turnbull.	Parker's Ridge	G. Parker.
Class III.		Woodstock	A. P. Allingham.
		Dorchester	E. V. Tait, M.A.
Beaver Bank	James Grove.	Quebec.	
(*f*) Cow Bay	C. Archibald.	*Class I.*	
(*f*) Port Hastings	W. J. McKeen.		
Newfoundland.		Huntingdon	Dr. Sheriff.
Class I.		Cranbourne	P. Cassidy.
		Class II.	
St. Johns	James Higgins.		
Class II.		Belle Isle	M. Colton.
		Chicoutimi	Rev. Abbe Huart.
Point Rich	Light Keeper.	Richmond	R. V. Webber, M.D.
St. Pierre	Medical Officer.	Danville	E. J. Devey.
		Brome	G. H. Hall.

Ordinary Stations.—*Continued.*

Station.	Observer.
Quebec.—*Continued.*	
Roberval	Rev. J. E. Lizotte.
Cape Norman	H. Locke.
Heath Point	T. Gagné.
Anticosti, W. P.	A. Moluin.
Bicquet	E. Parent.
Point des Monts	L. F Fafford.
Cape Magdalen	G. Lavergne.
Cape Chatte	T. Cotter.
Greenly Island	Light Keeper.
Quebec	Lt. Col. J. Pope
Class III.	
Point Platon	Hon. H. G. Joly.
Ontario.	
Class I.	
Guelph	Agricultural College.
(*f*) Kincardine	Dr. Martyn.
Ottawa	A. McGill, M.A.
London 2	W. J. McIntosh.
London	E. Baynes Reed.
Conestogo	G. A. McIntyre.
Lindsay	Thos. Beall.
Mount Forest	Wm. Wylie.
Deseronto	Messrs. Bathbun.
Durham	Dr. Gunn.
Petrolia	S. Phillips, B.A
Little Current	T. S. Potts
Alexandria	J. Smith, M A.
Class II.	
Norwood	Rev. J. Carmichal, M.A.
Fitzroy Harbor	D. S. Baird.
Coldwater	J. V. Lazonby.
Galt	A. Barrie.
Point Clark	D. Small.
Point Pelee	James Cummins.
Notawasaga Island	G. Collins.
Owen Sound	J. McLean.
Eagle River	Agent C.P.R.
Savanne	do
Uplands	Peter McDonald.
Owen Sound	John Parker.
Bond Head	H. B. Jeffs.
Clontarf	H. A. Schultz.
Haliburton	C. S. Stewart.
Sutton West	S. J. Tremayne.
Sault Ste. Marie	T H. Elliott.
North Bruce	J. B. Muir.
Port Dover	L. G. Morgan.
Lake Abittibé	Jessie Whiteway.
Brantford	T. M Macintyre, M.A.
Egremont	G. McCulloch.
Zurich	G. Hess.
Listowel	A. Kay.
Northcote	F. Kosmark.
Lakefield	S. Sheldrake, M.A.
Presqu'Isle	John McKenzie.
Elora	T. Connon.
Brampton	J. Reynolds.
Gravenhurst	T. M. Robinson.
Beatrice	J. Hollingsworth.
Bancroft	J. Cleak.
Oshawa	Rev. J. Middleton.
Bienam	J. S. Mellor.
St. George	Dr. Kitchen.
Trenton	J. W. Clarke.
Stoney Creek	C. F. Van Wagner.
Sprucedale, Muskoka	A. McKenzie
Whiteside	E. D. Sutton.
(*f*) Goderich L. H	G. N. Macdonald.
Axe Lake	J. Clapton.

Station.	Observer.
Ontario.—*Continued.*	
Chatham	W. D. A. Ross.
Niagara Falls, S.	E. Morden.
Buda	Agent C.P.R.
Chapleau	do
Ignace	do
North Bay	do
Biscotasing	do
Missanabie	do
White River	do
Heron Bay	do
Cartier	do
Schreiber	do
Nepigon	do
Mattawa	do
Sudbury	Thomas Frood.
Lucknow	N. McDonald.
Sharon	J. D. Graham.
Minden	M. Brown.
Alton	W. J. Dods.
Streetsville	Dr. Thom.
Ridgetown	T. Scane, P.L.S.
Ingersoll	Rev. E. C. Saunders, B.D.
Charlinch	C. J. Tisdale.
Sombra	W S. Howell.
Wanstead	A. E. Wark.
Class III.	
Essex—	
Cottam	W. E. Wagstaff.
Maidstone	J. F. Kane.
Wheatley	D. H. Bedford.
Kent—	
Blenheim	W. R. Fellows.
Dealtown	S. J. Pardo.
Elgin—	
Aylmer	W. H. Draper.
Cowal	S. Maccoll.
Lyons	Wm. McCredie.
St. Thomas	S. Williams.
Lambton—	
Wyoming	J. Osborne.
Oil Springs	Alex. Smyth.
Petrolia	P. McG. Brown.
Sarnia	W. Mowbray.
Thedford	Martin Wattson.
Watford	D. Ross.
Wilsoncroft	J. L. Wilson.
Huron—	
Egmondville	G. H. Creswell.
Sunshine	George Hood.
Bruce—	
Lion's Head	M. J. Morris.
Tobermory	John Ainsley.
Wiarton	W. Woodman.
Grey—	
Bognor	C. W. Henning.
Simcoe—	
Midland	W. Henderson.
Orillia	H. W. Fitton.
Muhmur	A. J. Ewing.

Ordinary Stations.—*Continued.*

Station.	Observer.
Ontario.—*Continued.*	
Middlesex—	
Ailsa Craig	John Rennie.
Delaware	A. Francis, M.D.
Coldstream	Daniel Zavitz.
Wilton Grove	Hy. Anderson.
Kerwood	R. H. Morgan.
Oxford—	
Otterville	Thomas Wright.
Princeton	David Beamer.
Norwich	W. J. Stover.
Brant—	
Paris	John Kay.
Perth—	
Kirkton	Henry Doupe.
St. Mary's	J. Thompson.
Wellington—	
Drayton	W. Fitzgerald.
Fergus	A. D. Ferrier.
Dufferin—	
Orangeville	N. Gordon.
Wentworth—	
Copetown	John Ireland.
N. Glanford	E. Dickenson.
Mountsberg	W. J. McNiven.
Halton—	
Georgetown	J. Barber, jr.
Nelson	John Ireland.
Peel—	
Credit	W. B. Dixie, M.D.
York—	
Humber	F. J. Sleightholm.
Aurora	Rev. W. Amos.
Scarborough	R. Martin.
Muskoka—	
Mid Lothian	G. Whelpton.
Ontario—	
Cannington	R. C. Brandon.
Port Perry	Rev. John Carry.
Durham—	
Port Hope	John Foot.
Northumberland—	
Hastings	C. O. Gorman, M.D.
Warkworth	T. W. Carlaw.
Lennox and Addington—	
Denbigh	James Lane.
Gladstonbury	E. H. Ruttan.
Harrowsmith	John Donnelly.

Station.	Observer.
Ontario.—*Continued.*	
Leeds and Grenville—	
Merrickville	John Burchill, P.L.S
Prescott	C. Chapman.
Renfrew—	
Clontarf	A. Shultz,
Lanark—	
Oliver's Ferry	A. E. Hume.
Victoria—	
Bobcaygeon	John Stewart.
Kirkfield	J. McTaggart.
Peterborough—	
Burleigh	Wm. McIlmoyle.
Ennismore	Thos. Thedford.
Haliburton—	
Haliburton	C. R. Stewart.
Hastings—	
Belleville	John Johnston.
L'Amable	B. Spur.
Shannonville	John Kemp.
Stirling	B. F. Butler.
Manitoba.	
Class I.	
St. Andrews	John Stewart.
Stony Mountain	S. L. Bedson.
St. Boniface	Rev. G. Cloutier.
Class II.	
Russell	A. G. Butcher.
Brandon	Agent C.P.R.
Sourisford	D. Sheriff.
St. Albans	P. Criddle.
Hillview	T. W. Stevenson.
Portage la Prairie	H. J. Woodside.
Fort Osborne	Alfred Codd, M.D.
Gladstone	Rev. C. R. Littler.
Elkhorn	A. D. Jolliffe.
E. Selkirk	C. E. Stewart.
Swampy Island	H. E. Plunkett.
Class III.	
Eastern Group—	
Arnaud	J. Q. Summer.
Greenwood	H. Furlong.
Foxton	G. W. White.
Clandeboye	M. E. M. Muckle.
Selkirk, E.	Wm. Gibbs.
Selkirk, E., (2)	C. E. Stewart.
Morris	Jas. Laurie.
St. Anne	Theo. Parent.
Oak Bank	Wm. Goodridge.
Gretna	Franz Kliever.
Dominion City	R. W. Dick.
Stuartburn	L. G. Ramsay.
Eden	J. Honeyman.
Florenta	A. McKenzie.
Alexandria	W. Hood.
Morden	N. P. Morden.

Ordinary Stations.—*Concluded.*

Station.	Observer.
Manitoba.—*Continued.*	
Ossawa	C Cowland.
Clarkleigh	J. H. Fingland.
Meadowlea	W. J Bodkin.
Carman	C. O. Evans.
St. Laurent	G. Hackland.
Marquette	G. E. Bower
Milford	W. T. Sutcliffe.
Douglas	R. B. Hetherington.
Treherne	Wm. Cooper.
Bagot	N. W. De Cow.
Central Group—	
Pembina Crossing	R. N. Lea.
Oak Land	T. H. Metcalf.
Carman	R. Grant.
Portage la Prairie	Thos. Collins.
Beaconsfield	J. B. Ashby.
Swan Lake	G. B. Gordon.
Ruttanville	Thos. Haygard.
Clearwater	L. Manning.
Otenaw	A. W. Playfair.
Cartwright	E. F. Heath.
Glendenning	H. Mason.
Ninette	Thos. R. Trotter.
Cartwright	H. F. Coates.
Moropano	P. Strang.
Gladstone	T. L. Morton.
Woodside	D. McRae.
Western Group—	
Rapid City	A. Palen.
do	James Drury.
Souris	Dr. J. C. Stogte.
Griswold	Rev. W. A. Burnham.
Elm Valley	G. W. Grimmet.
Brandon	J. W. Sitten.
Oak River	C. T. Haight.
Strathclair	Rev. J. McKay.
Carducis	John Ross.
Assessippi	M. H. Hewitt.
Shellmouth	Wm Denmark.
Rossburn	C. H. Lawford.
De Clare	W. P. Orr.
Beulah	J. S. Torrance.
Shoal Lake	R. Findlay.
Birtle	A. B. Wood.
Fort Ellice	G. J. Kinnaird.
Napinka	H. Pollock.
Desford	T. A. Rockey.
Turtle Mountain	J. D. Hanson.
Hartney	W. Laughland.
Wakopa	T. A. Sharp.
Smith's Hill	F. Burrows.
Strathclair	D. Armit.

Station.	Observer.
N. W. Territories.	
York Factory, H. B.	Wm. Wood.
Fort Churchill	J. Spencer.
Fort Chippewyan	Ven. Arch. D. Reeve.
Class II.	
Balgonie	Agent, C. P. R.
Moose Jaw	do
Lesser Slave Lake	W. E. Trail.
Poplar River Post	Wm. Aiken.
Kilnap	J. Tarbolton.
Pheasant Forks	J. M. Peregrine.
Maple Creek	Agent, C. P. R.
Banff	G. McLeod.
Gleichen	Agent, C. P. R.
Maple Creek	do
Grenfell	J. Fotheringham.
Chaplin	Agent, C. P. R.
Winnifred	O. F. Harvey
Vermillion	Rev. R. Young.
Peace River	Rev. J. G. Brink.
Churchbridge	W. H. Collier.
British Columbia.	
Class I.	
Port Moody	W. Elson.
Fort Simpson	R. H. Hall.
Spence's Bridge	John Murray.
New Westminster	Capt. Peele.
Class II.	
Victoria	W. T. Livock.
Quamichan	W. H. Lomas.
Soda Creek	Hy. Yeats
Clinton	M. S. Wade, M. D.
Kamloops	E. H. Jones.
Barkerville	Hugh Watt, M.D.
Harrison	S. C. Brown.
Class III.	
Maple Grove	S. M. Baiss.
Nicola Lake	E. Dalley.
Langley	J. Mackie.
Clinton	J. F. Smith.
Douglas Lake	Ronald Macrae.
Vancouver	W. D. Mackintosh.

Stations from which special Weekly Reports of Observations made at 7 a.m., Toronto Time.

Station.	Observer.	Station.	Observer.
Nova Scotia.		Sunshine Stations.	
(*f*) Glace Bay	C. H. Rigby.	Sydney, N. S.	T. C. Hill.
New Brunswick.		Fredericton, N.B.	Dr. Harrison.
(*d*) Dalhousie	H. A. Johnson.	Montreal, Q.	Prof. McLeod.
(1) Fredericton	Dr. Harrison.	Kingston, O.	A. P. Knight, M.A.
Ontario.		Barrie, O.	H. B. Spotton, M.A.
(1) Woodstock	Prof. Wolverton, B.A.	Lindsay, O.	Thos. Beall.
N. W. Territory.		Niagara Falls S., O.	E. Morden.
(*e*) York Factory	Wm. Woods.	Toronto, O.	Observatory.
		Woodstock, O.	Prof. Wolverton.
		Winnipeg, Man.	St. Johns College.

Stations in operation on the line of the C. P. Railway.

Station.	Observer.	Station.	Observer.
Kaministiqua	Agent C. P. R.	Bagot	Agent C. P. R.
Fort William	do	Austin	do
Buda	do	Carberry	do
Dexter	do	Sewell	do
Savanne	do	Brandon	do
Barclay	do	Alexander	do
Taché	do	Griswold	do
Eagle River	do	Elkhorn	do
Vermillion	do	Oak Lake	do
Hawk Lake	do	Portage la Prairie	do
Rat Portage	do	Fleming	do
Keewatin	do	Moosomin	do
Rennie	do	Broadview	do
Moumouth	do	Grenfell	do
Beauséjour	do	Indian Head	do
Rosser	do	Pasqua	do
Marquette	do	Chaplin	do
Reaburn	do	Maple Creek	do
High Bluff	do	Gleichen	do
Burnside	do		

REMARKS ON THE TABLES.

The times of observation given on Table I are those employed at all the telegraph stations in North America. Most of the stations report by telegraph to Toronto three times daily; but there are some which report only by mail, of which some take observations at three hours, some omit the night hour, and some observe only in the morning.

Barometric Corrections.

The readings of the barometer, as given in the present tables, are reduced to sea level by means of the formula of Laplace, omitting the terms which depend on the latitude, and that for the diminution of gravity with increased height above the sea. At Toronto the standard barometer has a tube with an internal diameter of

·506 of an inch. The correction for capillarity has, by frequent measurements of the meniscus, been determined as ·007 of an inch. The correction has been applied in the tables.

Remarks on the Combinations Employed for Obtaining the Mean Temperature.

Unless otherwise stated, the mean temperatures given are the arithmetic means of the temperatures observed at 7 a.m., 2 p.m. and 9 p.m., giving double weight to the last mentioned hour.

Halifax, N.S.,	equal intervals of three hours.		
Sydney, N.S.,	do	four	do
Woodstock, Ont.,	do	do	do
Fredericton, N.B.,	do	three	do
Montreal, Q.,	do	four	do
St. John Coll., Man.,	do	three	do
St. John, N.B.,	do	four	do

Toronto, 6 and 8 a.m., 2, 4, 10 and 12 p.m.

Rockliffe, Port Stanley, Port Dover, Parry Sound, Saugeen, Father Point, Quebec Observatory, Yarmouth, Chatham, St. Andrews, Charlottetown, Grand Manan, Bird Rock, Anticosti, S.W.P., Kingston, Port Arthur, Minnedosa, Qu'Appelle, Edmonton, Medicine Hat, Calgary, Prince Albert, and Swift Current, at 7 a.m., 3 p.m. and 10 p.m., Toronto time, up to 30th June, and from 1st July, at 1 p.m., and 1 a.m., of next day.

At the following stations the mean temperatures are obtained from the daily maximum and minimum : Owen Sound, Brantford, London,* Mount Forest, Zurich, Joly, Sombra, Ingersoll, Coldwater, Sprucedale, Haliburton, Glace Bay, Soda Creek, Mattawa, St. Francis, Birnam, Oshawa, Lucknow, Minden, Ridgetown, Parker's Ridge, N.B., St. Albans, Portage la Prairie, Gladstone, Kilnap, Victoria, Quamichan, Port Moody.

At Point Clark, Egremont, Point Lepreaux, N. B., Axe Lake, Whiteside, Chatham, Chaplean, Cartier, Buda, Heron Bay, Listowel, Northcote, Nepigon, Niagara Falls S., Point Pelee, St. George, Stoney Creek, Sharon, Schreiber, White River, Brome, Anticosti, W.P., Anticosti, S.P., Bicquet, Cape Chatte, Cape Magdalen, Cape Norman, Point des Monts, Sable Island, Whitehead, Digby, Hillview, Fort Osborne, Swampy Island, Chaplin, Grenfell, Maple Creek, Gleichen, Balgonie, Indian Head, North Bruce, Cottam, the entries of the extremes of temperature are taken from the highest and lowest readings of the thermometer at observation hours.

I am indebted to the Grand Trunk Railway Company for the monthly sheet showing the temperature at a number of stations along the line of that railway taken at the hour of 9 a.m., noon and 3 p.m. I have used these observations, corrected by the Toronto normals, in deducing the following mean temperatures : Sarnia, Fort Erie and Pickering.

For Belleville, Brockville, Ont., Sherbrooke, Point Lévis, Que., the means published are the means of the 9 a.m. observations uncorrected ; these means are likely to be slightly too low in the winter months (November to March), and rather higher than the true mean in the summer months.

*London, Mr. McIntosh.

DOMINION OF CANADA.

METEOROLOGICAL TABLES

FOR THE YEAR 1888.

TABLE I.—*Means for each month, of the reduced Barometer, and of the follows : Greenwich time,* $0^h\ 0^m$, $8^h\ 0^m$

STATIONS.	January.			February.			March.		
St. Johns, Nfld.	29·587	29·586	29·576	29·842	29·824	29·828	29·715	29·728	29·720
Sydney	29·811	29·808	29·808	29·988	29·960	29·997	29·896	29·856	29·891
Bird Rock	29·764	29·768	29·767	29·967	29·950	29·975	29·914	29·886	29·905
S. W. Pt. Anticosti	29·762	29·756	29·751	29·935	29·928	29·949	29·919	29·894	29·904
Halifax	29·945	29·906	29·906	30·034	29·989	30·042	29·930	29·875	29·930
Grand Manan	29·998	29·933	29·952	30·034	30·003	30·029	29·944	29·902	29·937
St. Andrews	29·986	29·924	29·944	30·019	29·983	30·026	29·924	29·886	29·920
Yarmouth	29·981	29·929	29·937	30·018	30·005	30·024	29·922	29·892	29·913
Charlottetown	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chatham	29·923	29·895	29·908	30·031	29·989	30·044	29·960	29·922	29·955
Father Point	29·970	29·927	29·941	30·011	29·985	30·000	29·957	29·915	29·920
Quebec	30·095	30·045	30·068	30·056	30·038	30·057	29·997	29·947	29·975
Montreal	30·157	30·107	30·140	30·082	30·067	30·071	30·042	29·986	30·008
Rockliffe	30·244	30·168	30·222	30·121	30·045	30·081	30·132	30·049	30·101
Kingston	30·181	30·146	30·181	30·093	30·065	30·071	30·079	30·040	30·048
Toronto	30·206	30·181	30·222	30·091	30·062	30·076	30·133	30·091	30·120
Port Stanley	30·186	30·185	30·214	30·076	30·049	30·064	30·121	30·082	30·112
London	30·215	30·204	30·248	30·095	30·059	30·075	30·148	30·097	30·136
Saugeen	30·154	30·165	30·184	30·031	30·030	30·029	30·128	30·078	30·101
Parry Sound	30·186	30·165	30·211	30·049	30·037	30·046	30·120	30·075	30·102
Port Arthur	30·254	30·252	30·267	30·043	30·013	30·054	30·224	30·164	30·188
Winnipeg	30·344	30·317	30·337	30·145	30·137	30·142	30·272	30·221	30·230
Minnedosa	30·319	30·262	30·302	30·166	30·085	30·128	30·261	30·176	30·223
Qu'Appelle	30·314	30·242	30·325	30·153	30·111	30·156	30·244	30·178	30·213
Swift Current	30·357	30·322	30·340	30·130	30·091	30·142	30·257	30·156	30·185
Medicine Hat	30·366	30·287	30·323	30·068	30·014	30·061	30·187	30·055	30·095
Calgary	30·389	30·236	30·267	30·086	29·999	30·066	30·222	30·046	30·127

Temperature of the air, from observations made at the same absolute time, as p.m. and 3h 0m a.m. (of next day).

STATIONS.	January.			February.			March.		
	°	°	°	°	°	°	°	°	°
St. Johns, Nfld.	23·0	24·6	22·6	23·0	25·0	22·6	31·1	32·4	30·0
Sydney	15·4	18·6	16·0	19·2	23·6	19·3	28·6	33·0	28·4
Bird Rocks	15·0	15·4	15·3	14·8	17·4	15·4	26·3	29·9	26·7
S. W. Pt. Anticosti	10·0	12·8	11·4	9·1	13·0	10·5	25·4	27·9	25·8
Halifax	13·3	19·5	17·0	19·0	27·2	21·3	28·2	34·8	29·6
Grand Manan	13·4	18·2	16·1	21·8	27·6	23·9	27·9	33·3	29·8
St. Andrews	8·0	15·3	12·3	17·6	25·2	20·9	25·1	32·7	28·9
Yarmouth	18·4	22·0	19·9	23·6	28·4	25·6	28·6	33·2	30·1
Charlottetown	....	....	....	....	....	....	....	....	....
Chatham	— 1·0	13·0	3·7	5·0	23·0	10·9	24·0	34·0	26·7
Father Point	0·2	5·0	2·3	4·8	11·8	8·8	20·4	26·2	23·3
Quebec	— 0·8	5·2	2·5	8·5	14·8	11·1	19·0	27·3	23·7
Montreal	0·6	6·9	4·8	9·5	16·0	13·0	18·5	26·3	22·5
Rockliffe	— 7·1	6·9	— 2·2	0·3	16·4	8·0	10·5	23·7	15·8
Kingston	5·6	13·1	9·0	13·4	21·0	16·5	17·6	26·3	22·2
Toronto	12·6	18·9	14·1	19·6	25·1	21·7	19·1	26·1	22·2
Port Stanley	14·6	21·4	15·7	19·1	27·0	21·9	20·9	28·6	24·8
London	13·2	19·5	14·0	17·5	25·8	21·0	19·3	28·6	23·1
Saugeen	13·3	18·1	13·9	16·0	22·0	17·7	15·0	24·8	19·5
Parry Sound	1·5	12·5	5·5	10·5	20.2	13·5	10·9	22·0	16·4
Port Arthur	— 7·4	1·1	— 3·1	0·5	9·5	5·3	2·7	16·7	11·6
Winnipeg	—17·4	— 8·5	—14·6	— 7·4	3·2	— 1·9	— 1·8	15·0	7·0
Minnedosa	—17·7	— 5·0	—11·9	— 7·0	5·2	— 1·8	— 4·0	12·5	3·3
Qu'Appelle	—13·8	— 5·7	—10·0	— 0·4	7·2	1·7	— 0·5	10·9	2·8
Swift Current	— 8·9	— 3·5	— 6·0	10·4	16·8	12·0	5·6	17·4	12·3
Medicine Hat	— 6·9	3·7	— 3·2	17·7	24·5	18·6	10·4	24·8	18·3
Calgary	— 8·9	3·3	0·2	15·6	26·6	20·2	6·1	23·0	15·9

TABLE I.—*Means for each month, of the reduced Barometer, and of the follows: Greenwich time,* $0^h\ 0^m$, $8^h\ 0^m$

STATIONS.	April.			May.			June.		
St. Johns, Nfld.	29·849	29·845	29·873	29·825	29·811	29·823	29·763	29·749	29·771
Sydney	29·996	29·970	30·004	30·007	29·989	30·008	29·886	29·867	29·877
Bird Rocks	30·013	29·981	30·017	30·032	30·017	30·019	29·872	29·871	29·854
S. W. Pt. Anticosti	29·993	29·970	29·994	30·017	29·994	30·007	29·822	29·818	29·811
Halifax	30·026	29·980	30·038	30·040	29·998	30·030	29·916	29·870	29·905
Grand Manan	30·033	29·998	30·037	30·017	29·983	30·001	29·883	29·851	29·871
St. Andrews	30·013	29·975	30·023	30·011	29·972	30·001	29·872	29·840	29·860
Yarmouth	30·026	30·005	30·035	30·014	29·987	30·004	29·906	29·880	29·894
Charlottetown	....	....	....	....	....	....	....	....	....
Chatham	30·047	30·002	30·059	30·059	30·006	30·041	29·887	29·830	29·858
Father Point	30·028	29·989	30·009	29·995	29·955	29·971	29·827	29·779	29·781
Quebec	30·068	30·019	30·053	30·004	29·963	29·985	29·848	29·842	29·838
Montreal	30·086	30·036	30·060	29·987	29·934	29·956	29·873	29·826	29·853
Rockliffe	30·121	30·069	30·121	30·000	29·915	29·956	29·925	29·839	29·890
Kingston	30·105	30·060	30·083	29·975	29·938	29·947	29·901	29·860	29·882
Toronto	30·158	30·109	30·123	29·995	29·952	29·962	29·935	29·895	29·917
Port Stanley	30·158	30·111	30·113	29·960	29·927	29·935	29·930	29·899	29·911
London	30·176	30·121	30·117	29·974	29·913	29·945	29·951	29·896	29·927
Saugeen	30·155	30·113	30·114	29·967	29·932	29·939	29·927	29·888	29·907
Parry Sound	30·141	30·099	30·110	29·967	29·932	29·946	29·915	29·876	29·895
Port Arthur	30·106	30·127	30·149	29·924	29·892	29·908	29·870	29·854	29·863
Winnipeg	30·150	30·101	30·117	29·999	29·924	29·965	29·799	29·758	29·758
Minnedosa	30·125	30·052	30·089	29·989	29·888	29·949	29·749	29·690	29·717
Qu'Appelle	30·100	30·032	30·040	29·978	29·886	29·908	29·760	29·662	29·673
Swift Current	30·092	29·977	30·020	29·974	29·875	29·895	29·748	29·667	29·666
Medicine Hat	30·000	29·898	29·920	29·928	29·812	29·830	29·718	29·632	29·639
Calgary	30·058	29·906	29·932	29·980	29·844	29·864	29·805	29·689	29·686

Temperature of the air, from observations made at the same absolute time, as p.m. and 3h 0m a.m. (of next day).

STATIONS.	April.			May.			June.		
	°	°	°	°	°	°	°	°	°
St. Johns, Nfld	33·0	35·1	30·4	38·5	39·6	35·0	51·0	52·8	45·7
Sydney	32·1	37·0	30·5	43·4	47·3	37·3	54·4	59·5	48·6
Bird Rocks	28·6	31·8	28·1	37·4	42·2	36·1	47·1	51·0	45·8
S. W. Pt. Anticosti	29·6	30·3	28·8	40·4	41·7	38·4	51·4	52·4	49·1
Halifax	34·1	41·8	33·7	45·3	51·5	42·8	56·4	63·8	52·6
Grand Manan	36·1	41·4	36·1	45·8	50·5	44·3	58·2	60·8	53·5
St. Andrews	33·2	42·5	35·1	43·2	53·0	44·9	54·2	65·0	54·8
Yarmouth	36·0	40·7	34·9	45·2	49·7	43·1	54·3	59·0	50·9
Charlottetown	....	....	....	....	....	....	....	....	....
Chatham	30·1	40·9	29·1	44·4	54·8	43·0	58·6	67·7	55·2
Father Point	28·1	32·6	28·3	41·1	45·7	40·4	53·1	56·1	50·7
Quebec	28·9	36·3	31·6	43·9	51·8	45·8	57·6	67·0	60·6
Montreal	33·3	41·1	35·5	49·6	60·2	52·3	62·5	72·4	64·2
Rockliffe	28·6	42·0	31·2	46·5	59·8	49·4	60·0	75·4	59·7
Kingston	33·6	43·2	35·4	48·3	59·3	50·8	60·1	71·5	62·2
Toronto	35·1	45·2	36·7	48·7	58·3	50·3	61·1	71·9	61·2
Port Stanley	34·3	45·1	37·3	48·5	56·9	49·9	59·1	70·5	62·3
London	35·1	48·1	36·5	48·4	60·3	50·0	60·3	72·5	61·5
Saugeen	32·5	41·6	33·4	45·8	53·4	44·7	57·4	68·4	57·4
Parry Sound	29·5	40·1	32·7	46·7	55·3	46·3	58·8	70·4	59·5
Port Arthur	25·2	36·1	30·7	36·8	44·0	39·4	49·8	57·8	52·0
Winnipeg	26·2	40·3	31·9	35·5	57·0	43·6	53·3	70·4	61·7
Minnedosa	22·7	35·6	28·7	35·6	54·5	42·8	52·5	66·3	58·1
Qu'Appelle	24·6	36·7	30·9	36·8	53·9	48·1	52·8	67·5	62·8
Swift Current	27·6	42·9	36·6	38·0	55·9	50·2	49·6	64·0	60·1
Medicine Hat	33·6	49·9	43·3	43·4	60·6	54·4	52·0	67·2	63·0
Calgary	25·2	41·8	38·2	38·1	54·1	50·4	44·4	60·0	57·6

TABLE I.—*Means for each month, of the reduced Barometer, and of the follows: Greenwich time,* $1^h\ 0^m$

STATIONS.	July.		August.		September.	
St. John's, Nfld.	29·824	29·831	29·755	29·779	29·908	29·888
Sydney	29·913	29·918	29·888	29·899	30·061	30·064
Bird Rocks	29·895	29·873	29·861	29·862	30·038	30·040
S. W. Pt. Anticosti	29·859	29·844	29·830	29·839	30·000	29·992
Halifax	29·947	29·943	29·925	29·925	30·085	30·064
Grand Manan	29·941	29·921	29·888	29·906	30·073	30·064
St. Andrews	29·921	29·900	29·881	29·895	30·057	30·024
Yarmouth	29·953	29·947	29·925	29·931	30·074	30·050
Charlottetown	29·907	29·898	29·887	29·881	30·046	30·038
Chatham	29·914	29·886	29·890	29·884	30·068	30·038
Father Point	29·858	29·824	29·860	29·851	30·027	29·994
Quebec	29·925	29·883	29·895	29·877	30·056	30·027
Montreal	29·961	29·908	29·921	29·882	30·064	30·022
Rockliffe	30·006	29·944	29·965	29·922	30·079	30·040
Kingston	29·994	29·931	29·954	29·907	30·058	30·022
Toronto	30·033	29·980	30·000	29·943	30·070	30·046
Port Stanley	30·026	29·977	30·006	29·949	30·048	30·022
London	30·043	29·999	30·01	29·965	30·069	30·050
Saugeen	30·025	29·980	29·988	29·951	30·042	30·018
Parry Sound	30·009	29·953	29·960	29·922	30·044	30·011
Port Arthur	29·968	29·921	29·932	29·902	30·016	29·959
Winnipeg	29·942	29·895	29·966	29·901	29·996	29·957
Minnedosa	29·908	29·845	29·965	29·879	29·998	29·922
Qu'Appelle	29·952	29·837	30·008	29·894	30·040	29·918
Swift Current	29·935	29·782	29·976	29·841	30·003	29·858
Medicine Hat	29·918	29·754	30·003	29·843	29·989	29·832
Calgary	29·949	29·777	29·995	29·836	30·036	29·817

Temperature of the Air, from observations made at the same absolute time, as p.m. and 1h 0m a.m. (of next day).

STATIONS.	July.		August.		September.	
	°	°	°	°	°	°
St. Johns, Nfld	58·6	53·2	57·4	54·3	50·9	49·0
Sydney	63·0	57·1	62·1	57·8	57·2	53·3
Bird Rocks	56·4	55·8	57·9	56·9	55·0	53·3
S. W. Pt. Anticosti	59·8	56·9	54·8	53·4	51·6	49·4
Halifax	63·2	59·5	62·2	60·0	56·7	55·1
Grand Manan	61·0	58·1	61·3	58·8	54·3	53·7
St. Andrews	60·4	60·0	59·3	59·1	53·0	53·1
Yarmouth	58·9	55·8	59·3	57·0	54·4	53·0
Charlottetown	62·9	62·7	61·1	60·9	56·5	53·8
Chatham	65·3	62·2	61·1	59·3	54·1	52·2
Father Point	57·9	57·3	52·9	51·6	48·2	46·6
Quebec	60·6	65·0	57·8	59·4	50·7	53·4
Montreal	66·2	67·7	63·3	64·5	53·6	55·5
Rockliffe	63·4	65·6	60·0	61·9	50·2	51·6
Kingston	65·4	68·4	63·5	67·1	54·3	57·9
Toronto	65·1	66·6	63·6	66·8	54·7	56·1
Port Stanley	65·6	66·4	63·9	66·2	53·1	55·9
London	64·3	67·8	63·1	67·6	52·1	56·0
Saugeen	62·3	63·1	61·4	62·6	52·8	53·9
Parry Sound	64·5	66·2	61·6	64·2	51·5	55·2
Port Arthur	58·6	64·9	54·5	60·8	44·4	51·4
Winnipeg	59·8	68·6	51·9	66·9	45·2	56·6
Minnedosa	57·7	69·0	48·7	63·1	40·0	54·2
Qu'Appelle	55·7	72·7	50·4	68·2	45·3	61·7
Swift Current	54·7	74·4	52·0	71·2	45·8	65·2
Medicine Hat	57·5	76·3	54·2	73·8	48·0	68·4
Calgary	52·5	65·8	50·7	66·9	42·1	65·6

TABLE I.—*Means for each month, of the reduced Barometer, and of the follows: Greenwich time,* $1^h\ 0^m$,

STATIONS.	October.		November.		December.	
St. Johns, Nfld	29·749	29·741	29·884	29·860	29·624	29·622
Sydney	29·854	29·838	30·069	30·081	29·789	29·824
Bird Rocks	29·818	29·795	30·023	30·032	29·761	29·779
S. W. Pt. Anticosti	29·782	29·755	30·020	30·033	29·746	29·769
Halifax	29·877	29·870	30·130	30·115	29·875	29·886
Grand Manan	29·872	29·851	30·120	30·082	29·895	29·882
St. Andrews	29·855	29·851	30·102	30·079	29·866	29·880
Yarmouth	29·871	29·870	30·119	30·087	29·900	29·884
Charlottetown	29·835	29·814	30·079	30·077	29·808	29·845
Chatham	29·855	29·826	30·145	30·126	29·850	29·864
Father Point	29·849	29·828	30·095	30·092	29·843	29·836
Quebec	29·898	29·892	30·111	30·116	29·919	29·912
Montreal	29·927	29·916	30·125	30·113	29·960	29·954
Rockliffe	29·990	29·973	30·182	30·140	30·012	29·991
Kingston	29·940	29·918	30·122	30·101	30·006	29·992
Toronto	29·960	29·962	30·146	30·121	30·040	30·023
Port Stanley	29·941	29·946	30·129	30·098	30·065	30·053
London	29·972	29·964	30·149	30·104	30·082	30·048
Sangeen	29·935	29·941	30·134	30·085	29·997	29·975
Parry Sound	29·944	29·939	30·117	30·105	30·000	29·987
Port Arthur	29·941	29·943	30·158	30·125	30·018	29·995
Winnipeg	29·938	29·922	30·132	30·122	30·041	30·051
Minnedosa	29·914	29·890	30·112	30·102	30·011	30·038
Qu'Appelle	29·935	29·900	30·118	30·100	30·070	30·070
Swift Current	29·924	29·881	30·081	30·027	30·042	30·029
Medicine Hat	29·921	29·789	30·069	29·985	30·054	29·991
Calgary	29·980	29·832	30·136	30·021	30·046	29·986

Temperature of the Air, from observations made at the same absolute time, as p.m. and 1h 0m a.m. (of next day).

STATIONS.	October.		November.		December.	
	°	°	°	°	°	°
St. John Nfld	45·5	44·3	35·5	35·0	29·9	29·5
Sydney	47·7	46·3	37·6	36·4	29·6	30·3
Bird Rocks	45·8	45·2	33·3	33·0	27·5	26·7
S. W. Pt. Anticosti	41·8	42·3	27·7	27·7	21·0	21·4
Halifax	46·0	45·8	36·9	37·6	30·4	30·6
Grand Manan	44·5	44·0	38·2	38·3	29·9	30·5
St. Andrews	42·7	42·9	35·5	36·0	26·3	27·3
Yarmouth	46·1	45·8	38·9	39·5	32·9	33·3
Charlottetown	46·1	46·3	35·5	35·8	26·8	27·4
Chatham	40·9	41·2	29·0	30·9	19·7	20·9
Father Point	38·3	38·4	26·3	27·3	17·9	17·3
Quebec	39·4	39·0	26·6	28·4	17·0	19·0
Montreal	38·0	39·9	31·1	33·0	21·0	23·0
Rockliffe	34·2	37·4	26·8	29·0	17·7	21·1
Kingston	39·5	42·5	34·8	36·5	25·6	28·0
Toronto	41·6	43·5	35·6	37·4	27·8	30·8
Port Stanley	42·8	43·9	36·3	40·3	29·3	31·1
London	40·6	43·3	35·7	38·8	27·7	30·8
Saugeen	40·5	42·9	33·9	36·0	28·4	30·2
Parry Sound	36·9	41·1	30·1	33·4	22·0	25·6
Port Arthur	34·6	39·0	25·5	29·3	14·9	20·3
Winnipeg	34·2	40·3	20·3	25·0	10·3	13·7
Minnedosa	31·3	38·8	16·0	20·6	10·7	13·9
Qu'Appelle	33·7	42·1	18·8	24·3	15·1	18·8
Swift Current	33·6	45·8	19·2	26·7	18·1	21·2
Medicine Hat	35·9	49·5	18·4	28·6	15·2	24·0
Calgary	29·1	45·3	14·6	27·2	17·3	25·3

TABLE I. A.—*Means for the year of the reduced Barometer, Temperature of the Air, Resultant Direction and Velocity of the Wind, from observations made at the same absolute time, as follows :—Greenwich Civil time (January to June), 0h 0m, 8h 0m p.m., and 3h 0m (of next day), (July to December), 1h 0m p.m., and 1h 0m a.m. (of next day).*

STATIONS.	BAROMETER.	TEMPERATURE.	RESULTANT DIRECTION.	RESULTANT VELOCITY.
		°	°	
St. Johns, Nfld	29·775	39·2	.....	....
Sydney	29·928	40·5	S 47 W	3·4
Bird Rocks	29·909	37·4	.....	....
S. W. Pt. Anticosti	29·887	35·3	N 15 W	3·5
Halifax	29·967	41·9	N 65 W	1·1
Grand Manan	29·962	41·6	S 71 W	3·3
St. Andrews	29·948	40·2	.....	....
Yarmouth	29·966	41·8	N 71 W	1·7
Chatham	29·957	38·0	S 58 W	1·7
Father Point	29·928	33·3	N 57 W	5·0
Quebec	29·977	36·4	N 88 E	2·6
Montreal	29·997	39·6	S 73 W	7·1
Rockliffe	30·038	36·2	N 34 W	0·9
Kingston	30·016	41·2	S 58 W	1·7
Toronto	30·048	42·6	N 53 W	2·7
Port Stanley	30·040	43·1	S 84 W	3·0
London	30·055	42·7	.....	....
Saugeen	30·026	40·2	N 77 W	2·3
Parry Sound	30·024	38·4	N 54 W	1·3
Port Arthur	30·030	32·1	N 37 W	1·7
Winnipeg	30·042	31·5	S 19 W	0·9
Minnedosa	30·015	29·6	N 52 W	2·2
Qu'Appelle	30·022	32·4	S 74 W	2·5
Swift Current	29·997	35·4	S 50 W	3·8
Medicine Hat	29·960	38·8	N 85 W	2·3
Calgary	29·981	35·2	.....	....

TABLE II.—*Resultant Direction and Velocity of the Wind for each month Greenwich civil time* $0^h\ 0^m$ *p.m.*, $8^h\ 0^m$ *p.m.*,

STATIONS.	January.			February.			March.		
	°	°	°	°	°	°	°	°	°
Sydney	S 79 W	S 59 W	S 60 W	S 56 W	S 84 W	S 63 W	S 80 W	N 24 W	N 61 W
S. W. Point Anticosti	N 33 W	N 44 W	N 33 W	N 39 W	N 49 W	N 25 W	N 41 E	N 27 E	N 42 E
Halifax	N 53 W	N 48 W	N 45 W	N 20 E	N 33 W	N 30 W	N 1 E	N 24 E	N 38 E
Grand Manan	N 72 W	N 54 W	N 74 W	N 55 W	S 69 W	N 40 W	N 21 W	S 79 W	S 87 W
Yarmouth	N 13 W	N 17 W	N 37 W	N 5 E	N 16 W	N 52 W	N 33 E	N 42 W	N 21 E
Chatham	N 51 W	N 54 W	N 46 W	N 62 W	N 62 W	N 52 W	N 83 E	N 14 E	N 23 E
Father Point	N 52 W	N 86 W	N 65 W	N 24 W	S 50 W	N 88 W	N 31 W	N 86 W	N 59 W
Quebec	N 86 W	N 74 W	N 71 W	N 8 W	S 59 W	N 47 W	N 67 E	S 29 E	N 9 E
Montreal	S 42 W	S 70 W	S 88 W	S 56 W	S 43 W	S 42 W	S 58 W	S 49 W	S 71 W
Rockliffe	S 45 E	N 60 W	N 45 W	S 60 W	N 53 W	S 20 E	N 19 W	N 45 W	S 45 W
Kingston	N 60 W	S 35 W	N 42 W	S 55 W	S 8 E	S 12 W	N 75 W	S 42 W	S 74 W
Toronto	N 33 W	N 68 W	N 60 W	N 77 W	S 64 W	S 61 W	N 24 W	N 60 W	N 48 W
Port Stanley	S 85 W	S 82 W	S 82 W	S 55 W	S 78 W	S 79 W	S 80 W	S 88 W	N 81 W
Saugeen	S 79 W	N 34 W	N 26 W	S 70 W	S 72 W	S 70 W	N 57 W	N 44 W	N 60 W
Parry Sound	N 64 E	N 5 W	N 26 E	N 80 E	S 24 W	S 41 E	N 88 W	N 89 W	N 86 W
Port Arthur	S 88 W	S 76 W	S 76 W	N 47 W	N 52 W	N 31 W	N 32 W	N 17 W	N 34 W
Winnipeg	S 7 E	S 8 W	S 7 W	N 19 W	N 8 E	S 57 W	S 88 E	N 51 W	N 54 W
Minnedosa	N 54 W	N 54 W	N 59 W	N 53 W	N 81 W	N 44 W	N 10 E	N 50 W	N 18 W
Qu'Appelle	N 77 W	N 81 W	S 72 W	N 74 W	N 76 W	N 77 W	S 17 W	S 36 W	S 22 W
Swift Current	S 65 W	S 31 W	S 43 W	S 89 W	S 56 W	S 73 W	S 66 W	S 68 W	S 53 W
Medicine Hat	S 87 W	S 81 W	N 49 W	N 12 E	N 42 W	N 26 W	N	N 77 W	S 66 W

STATIONS.	April.			May.			June		
	°	°	°	°	°	°	°	°	°
Sydney	N 52 W	S 61 W	N 62 W	N 33 W	N 26 E	N 18 W	S 27 W	S 16 W	S 7 W
S. W. Point Anticosti	N 72 E	N 18 W	N 5 E	S 88 E	N 79 E	N 82 E	S 37 E	S 42 E	S 23 E
Halifax	N 3 W	N 28 W	N 10 W	S 80 E	S 45 E	N 71 E	S 73 W	S 35 W	N 82 W
Grand Manan	N 75 W	S 43 W	S 69 W	N 34 E	S 63 W	S 80 W	S 35 W	S 31 W	S 31 W
Yarmouth	N 48 W	N 58 W	N 53 W	N 84 E	S 25 W	S 68 E	S 4 E	S 48 E	S 25 W
Chatham	N 23 E	N 63 E	N 18 E	N 27 E	N 54 E	N 37 E	N 64 W	N 70 W	S 76 W
Father Point	N 1 W	N 17 W	N 1 E	N 59 W	N 19 E	S 73 W	S 77 W	N 6 W	S 83 W
Quebec	N 21 E	S 76 E	N 37 E	N 56 E	N 27 E	N 54 E	N 74 E	N 6 E	S 64 E
Montreal	S 79 W	S 75 W	N 81 W	S 29 W	S 77 W	S 43 W	S 61 W	S 54 W	S 58 W
Rockliffe	N 40 W	N 38 W	N 36 W	N 3 W	N 3 W	S 13 W	N 36 W	N 43 W	N 30 W
Kingston	N 66 W	S 53 W	N 32 W	S 6 E	S 34 W	S 33 W	S 76 W	S 46 W	S 57 W
Toronto	N 28 W	N 56 W	N 26 W	N 5 E	S 71 E	N 29 E	N 68 W	N 13 W	N 83 W
Port Stanley	N 48 W	S 69 W	N 60 W	N 71 E	S 73 E	N 31 W	N 48 W	S 63 W	S 87 W
Saugeen	N 58 W	N 65 W	N 85 W	S 6 E	N 64 W	S 19 W	S 40 W	S 66 W	S 66 W
Parry Sound	N 4 E	S 87 W	N 64 W	S 82 E	S 57 W	S 66 E	S 12 W	S 85 W	S 68 W
Port Arthur	N 4 W	S 55 W	N 52 W	N 37 W	N 73 W	N 21 E	N 12 W	E	N 32 E
Winnipeg	N 28 E	S 17 E	S 30 E	N 3 E	N 15 W	N 52 E	S 29 E	S 23 E	S 53 E
Minnedosa	N 4 W	N 52 W	N 25 W	N 30 W	N 32 W	N 4 W	N 64 E	S 78 E	N 58 E
Qu'Appelle	S 64 E	N 61 W	S 50 E	S 86 W	.....	S 78 W	S 71 E	.....	S 77 E
Swift Current	S 49 W	S 40 W	S 77 E	S 5 W	N 36 W	S 36 E	S 80 W	S 67 W	S 49 W
Medicine Hat	N 46 W	S 79 W	N 78 W	S 64 W	S 37 W	S 17 W	N 84 W	N 77 W	S 77 W

and for the year from observations made at the same absolute time, as follows : and $3^h\ 0^m$ *a.m. (of next day.)*

STATIONS.	January.			February.			March.		
Sydney	7·9	9·6	5·4	3·6	5·8	3·6	0·2	1·6	2·0
S. W. Point Anticosti	16·2	17·7	19·2	6·3	9·2	4·0	5·6	4·8	6·4
Halifax	5·5	5·4	5·2	0·4	2·1	1·2	1·2	2·4	2·2
Grand Manan	5·0	4·0	5·6	2·3	2·0	1·0	2·8	2·5	2·5
Yarmouth	9·7	8·9	8·1	1·9	3·9	2·2	0·9	3 8	2·9
Chatham	2·3	3·7	2·2	0·3	1·8	1·7	0·2	0·9	0·9
Father Point	11·4	10·9	9·4	4·6	4·6	5·9	5·3	3·9	5·5
Quebec	5·6	7·1	6·1	2·0	4·7	1·3	1·8	1·4	3·1
Montreal	11·8	11·8	12·3	6·2	9·8	10·1	9·9	12·9	14·8
Rockliffe	0 2	1·8	0·1	0 5	0·3	0·6	1·0	3·0	0·6
Kingston	1·7	1·9	1·8	2·2	1·4	1·7	1·6	2·8	2·5
Toronto	1·9	5·5	4·9	3·4	4·9	3·3	4·7	5·7	3·7
Port Stanley	5·2	8·7	6·4	2·4	5·3	2 5	2·6	6·0	5·0
Saugeen	1·1	5·0	4·5	5·4	5·2	4·6	2·5	4·5	2·3
Parry Sound	5·1	2·5	4·0	0·9	3·3	2·3	1·7	6·2	2·7
Port Arthur	2·3	3·9	2·1	2·9	3·1	3·7	2·0	3·6	2·9
Winnipeg	1·8	3 0	3·3	5·0	1·4	1·0	0·8	0·7	0·5
Minnedosa	2·6	3·9	2·3	5·3	7·7	3·9	0 9	2·6	0·6
Qu'Appelle	1·8	3·7	2·6	2·0	2·4	1·5	0·2	0·8	0·5
Swift Current	5·7	6·7	8·4	5·2	4·1	1·3	2·5	5·1	3·8
Medicine Hat	3·3	3·6	2·1	1·1	0·7	0·8	1·4	2·4	2 0

	April.			May.			June.		
Sydney	1·3	4·1	1·3	1·5	2·6	1·5	4·3	4·4	3·5
S. W. Point Anticosti	3·7	4·2	2 2	3·4	1·8	1·9	1·5	4·2	3·8
Halifax	0·9	0·8	2·1	2·3	1·3	1·1	1·2	2·6	1·8
Grand Manan	2·9	4·0	3·9	2·2	2·4	2·3	3·5	10·2	6·9
Yarmouth	1·8	6·0	1·8	2·8	1·3	0·5	1·7	3·9	2·5
Chatham	1·0	1·9	0·9	0·6	1·8	0·3	1·1	0·5	1·0
Father Point	8·8	4·2	7·0	2·0	4·0	1·1	4·3	3·2	1·3
Quebec	4·1	2 7	4·7	6·7	7·5	8·4	3·1	1·6	2·0
Montreal	5·2	7·6	7·6	2·6	2·9	5·1	8·5	8·6	7·2
Rockliffe	1·2	3·3	1 2	0·8	0·7	0·1	1·0	3·7	0·5
Kingston	1·6	3·6	1·0	1·0	2·8	1·9	1·8	4·3	2·8
Toronto	8·0	5·5	4·7	2·9	2·6	1·1	2·1	2·8	1·4
Port Stanley	0·6	7·2	1·8	2·3	2·7	0 7	3 2	4·6	3·1
Saugeen	1·8	5·2	0·8	2·2	2·5	1·2	2·6	1·7	2·2
Parry Sound	1·2	6·1	1·1	1·4	5·2	0 4	0·3	6·1	0·7
Port Arthur	2·2	1·9	1·2	1·8	1·2	2·4	2·4	3·3	2·3
Winnipeg	0·9	2·9	3·0	1·6	6·6	3·1	4·2	6·9	6·3
Minnedosa	2·9	2·9	3·4	2·8	4·5	2·1	2·9	4·3	3·8
Qu'Appelle	0·8	1·0	0·5	0·6	....	0·2	1·4	....	1·0
Swift Current	3·1	3·7	2·0	3·4	0·8	1·1	4·6	5·3	2·8
Medicine Hat	1·7	3·1	2·4	0·4	1·1	1·2	3·1	3·0	2 1

TABLE II.—*Resultant Direction and Velocity of the Wind for each month, Greenwich civil time,* $1^h\ 0^m$ *p. m.*,

STATIONS.	July.			August.			September.		
	°	°	°	°	°	°	°	°	°
Sydney	S 23 W	.....	S 13 E	S 42 W	.....	S 14 W	S 24 W	.....	S 13 W
S. W. Pt. Anticosti	S 57 E	.....	S 74 E	N 24 W	.....	N 6 W	N 78 E	.....	S 4 E
Halifax	S 27 W	.....	S 51 W	S 58 W	.....	S 47 W	N 48 W	.....	S 7 W
Grand Manan	S 63 W	.....	S 40 W	S 61 W	.....	S 48 W	N 69 W	.....	S 37 W
Yarmouth	S 76 W	.....	S 34 W	S 27 W	.....	S 39 W	N 70 E	.....	S 7 W
Chatham	N 58 W	.....	S 72 W	N 66 W	.....	N 76 W	N 71 W	.....	N 46 W
Father Point	S 82 W	.....	S 57 W	S 64 W	.....	N 62 W	S 72 W	.....	S 52 W
Quebec	S 62 W	.....	N 72 W	N 16 W	.....	N 69 W	N 67 E	.....	N 43 E
Montreal	S 65 W	.....	S 87 W	S 80 W	.....	S 51 W	S 72 W	.....	S 47 W
Rockliffe	N 41 W	.....	N 45 W	N 41 W	.....	N 59 W	N 24 W	.....	S 15 W
Kingston	N 85 W	.....	S 57 W	N 70 W	.....	S 47 W	S 48 W	.....	S 47 W
Toronto	N 22 W	.....	N 49 W	N 63 W	.....	N 61 W	N 22 W	.....	N 28 W
Port Stanley	N 30 W	.....	N 77 W	S 81 W	.....	N 80 W	S 81 W	.....	N 79 W
Saugeen	S 73 W	.....	N 55 W	N 87 W	.....	N 56 W	S 61 W	.....	S 51 W
Parry Sound	N 77 W	.....	N 76 W	N 84 W	.....	N 77 W	N 65 E	.....	N 41 E
Port Arthur	N 29 W	.....	N 53 W	N 76 W	.....	N 58 W	N 13 E	.....	N 3 E
Winnipeg	S 27 W	.....	N 62 W	N 53 W	.....	N 54 W	N 74 W	.....	S 33 W
Minnedosa	N 43 W	.....	N 65 W	N 59 W	.....	N 53 W	N 63 W	.....	S 76 W
Qu'Appelle	S 55 W	.....	N 81 W	S 73 W	.....	N 57 W	S 64 W	.....	N 63 W
Swift Current	S 15 W	.....	S 38 W	S 23 W	.....	N 55 W	S 33 W	.....	N 59 W
Medicine Hat	N 89 W	.....	S 69 W	S	.....	N 43 W	N 76 W	.....	N 49 W

	October.			November.			December.		
Sydney	S 38 W	.....	S 12 W	S 50 W	.....	S 56 W	S 40 W	.....	S 47 W
S. W. Pt. Anticosti	N 59 W	.....	N 1 E	N 5 W	.....	N 10 W	N 16 W	.....	N 24 W
Halifax	S 80 W	.....	N 84 W	N 64 W	.....	N 58 W	N 74 W	.....	N 64 W
Grand Manan	S 71 W	.....	S 69 W	S 77 W	.....	N 86 W	S 66 W	.....	N 75 W
Yarmouth	S 87 W	.....	S 82 W	N 20 W	.....	S 50 W	S 80 W	.....	S 88 W
Chatham	N 48 W	.....	S 68 W	N 30 W	.....	N 51 W	N 63 W	.....	N 32 W
Father Point	N 16 W	.....	N 53 W	N 15 W	.....	N 73 W	N 39 W	.....	N 52 W
Quebec	N 5 E	.....	N 2 E	N 41 E	.....	N 1 W	N 41 W	.....	N 81 W
Montreal	N 82 W	.....	S 62 W	S 88 W	.....	N 60 W	N 79 W	.....	N 79 W
Rockliffe	N 16 E	.....	N 16 E	N 45 W	.....	N 45 W	N 45 W	.....	N 45 W
Kingston	N 84 W	.....	N 20 W	S 9 W	.....	S 4 W	S 72 W	.....	S 87 W
Toronto	N 3 W	.....	N 34 W	N 28 W	.....	N 46 W	N 74 W	.....	S 80 W
Port Stanley	N 70 W	.....	N 68 W	S 86 W	.....	S 46 W	S 79 W	.....	S 66 W
Saugeen	N 64 W	.....	N	N 79 E	.....	N 70 W	N 73 W	.....	N 76 W
Parry Sound	N 41 E	.....	N 13 W	N 7 E	.....	N 29 W	N 59 W	.....	N 82 W
Port Arthur	N 13 W	.....	N 9 E	N 20 W	.....	N 54 W	N 21 W	.....	N 83 W
Winnipeg	S 4 E	.....	S 8 E	S 8 W	.....	S 1 W	S 16 W	.....	S 18 W
Minnedosa	N 44 W	.....	W	N 64 W	.....	N 70 W	N 85 W	.....	N 89 W
Qu'Appelle	S 52 W	.....	S 58 W	S 35 W	.....	S 43 W	S 70 W	.....	S 71 W
Swift Current	S 45 W	.....	S 60 W	S 54 W	.....	S 33 W	S 35 W	.....	S 15 W
Medicine Hat	S 68 W	.....	N 87 W	S 50 W	.....	N 64 W	S 88 W	.....	N 84 W

and for the year, from observations made at the same absolute time, as follows : and $1^h\ 0^m$ *a.m. (of next day).*

STATIONS.	July.			August.			September.		
Sydney	3·8	.....	2·7	4·2	.....	3·4	3·9	.....	2·1
S. W. Point, Anticosti	3·2	.....	3·0	4·8	.....	4·2	1·6	.....	1·0
Halifax	0·7	.....	1·4	1·2	.....	2·7	0·6	.....	2·1
Grand Manan	3·3	.....	7·6	3·4	.....	5·4	0·2	.....	3·2
Yarmouth	1·1	.....	2·8	1·6	.....	1·6	1·0	.....	2·8
Chatham	1·2	.....	0·4	1·3	.....	0·9	1·6	.....	0·3
Father Point	10·9	.....	9·4	3·6	.....	3·1	8·4	.....	7·1
Quebec	2·5	.....	1·6	2·9	.....	4·8	2·0	.....	2·8
Montreal	4·7	.....	7·2	5·8	.....	6·3	3·0	.....	5·1
Rockliffe	1·9	.....	0·7	1·8	.....	0·7	0·5	.....	0·1
Kingston	1·3	.....	0·8	1·4	.....	2·8	0·8	.....	1·2
Toronto	2·0	.....	3·7	2·7	.....	3·0	2·0	.....	1·1
Port Stanley	1·9	.....	2·0	0·7	.....	1·0	0·7	.....	1·0
Saugeen	2·5	.....	2·8	3·0	.....	3·2	1·1	.....	1·7
Parry Sound	0·7	.....	2·3	2·0	.....	4·1	2·5	.....	1·7
Port Arthur	1·1	....	0·7	2·0	.....	1·8	2·4	.....	1·7
Winnipeg	3·2	.....	2·8	2·4	.....	2·2	1·0	.....	1·1
Minnedosa	2·6	.....	2·8	2·7	.....	3·2	4·1	.....	1·4
Qu'Appelle	3·0	.....	5·8	3·2	.....	5·4	5·6	.....	4·8
Swift Current	4·5	.....	1·4	4·7	.....	2·7	6·5	.....	6·0
Medicine Hat	0·8	.....	2·0	0·2	.....	0·2	2·6	.....	2·5

	October.			November.			December.		
Sydney	5·1	.....	5·1	7·4	.....	4·6	6·5	.....	6·6
S. W. Point, Anticosti	1·7	.....	4·1	6·5	.....	8·1	7·6	.....	8·1
Halifax	1·6	.....	1·8	1·1	.....	1·3	3·6	.....	8·2
Grand Manan	3·7	.....	5·8	2·2	.....	4·1	10·9	.....	4·5
Yarmouth	2·8	.....	4·2	1·4	.....	2·5	7·7	.....	4·9
Chatham	1·8	.....	0·8	2·4	.....	1·6	1·1	.....	1·2
Father Point	8·1	.....	7·0	5·7	.....	8·4	9·2	.....	6·0
Quebec	3·0	.....	3·8	4·8	.....	5·5	4·2	.....	3·0
Montreal	4·0	.....	6·3	5·8	.....	5·1	12·6	.....	13·5
Rockliffe	1·0	.....	0·8	1·6	.....	0·8	2·3	.....	0·3
Kingston	0·5	.....	0·7	0·9	.....	0·9	3·7	.....	3·5
Toronto	2·9	.....	3·8	4·5	.....	1·6	3·9	.....	6·9
Port Stanley	3·5	.....	2·0	4·2	.....	2·4	7·1	.....	9·7
Saugeen	0·5	.....	3·0	1·3	.....	3·3	3·6	.....	6·8
Parry Sound	4·0	.....	2·2	2·9	.....	3·7	4·0	.....	4·8
Port Arthur	2·9	.....	3·2	1·7	.....	1·6	3·6	.....	3·1
Winnipeg	2·4	.....	3·1	4·0	.....	3·8	3·5	.....	1·1
Minnedosa	1·4	.....	1·9	1·8	.....	1·7	3·6	.....	4·1
Qu'Appelle	6·2	.....	4·5	5·0	.....	5·3	5·6	.....	5·0
Swift Current	7·9	.....	2·4	5·5	.....	6·7	4·9	.....	6·3
Medicine Hat	1·5	.....	1·6	1·2	.....	2·0	3·1	.....	2·2

TABLE III.—*Mean Temperature of the several months and the year at Stations in the Dominion of Canada during the year 1888.*

Ontario.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	°	°	°	°	°	°	°	°	°	°	°	°	°
Axe Lake	3·2	12·0	15·6	32·5	47·8	60·7	61·9	62·3	47·0	34·1	26·7	20·1	35·33
Alton	9·7	16·9	14·5	35·0	48·4	63·5	65·9	63·4	54·6	38·7	33·3	25·7	38·97
Alexandria	....	....	....	...	....	....	67·8	64·4	53·9	38·3	32·1	22·8	....
Buda	4·8	6·0	14·5	36·7	45·8	65·8	70·7	65·3	53·7	35·9	....	14·6	....
Bond Head	....	....	....	....	....	....	....	65·5	55·5	41·2	35·4	26·1	....
Biscotasing	1·3	1·7	8·7	27·1	42·2	68·3	68·4	65·8	53·5	36·7	25·8	12·9	33·87
Beatrice	5·6	13·7	16·3	33·8	49·5	63·3	64·1	61·4	52·4	37·9	31·3	23·0	31·69
Birnam	14·4	20·5	22·5	39·2	53·2	64·6	66·2	66·0	56·6	43·8	38·2	28·3	42·79
Brantford	15·3	19·8	22·4	40·4	54·2	66·6	68·2	68·3	57·3	42·4	38·7	29·3	43·57
Brampton	12·5	20·0	22·3	40·1	53·4	69·3	68·2	67·6	56·9	43·1	36·0	28·7	43·18
Bala (Whiteside)	6·7	15·9	15·5	33·8	49·8	64·1	64·4	61·8	54·0	39·4	32·8	24·2	38·53
Brockville	2·7	12·4	20·5	39·2	55·4	66·6	70·4	65·4	55·0	39·8	36·0	27·5	40·91
Belleville	7·8	17·0	20·8	39·4	54·4	68·6	68·8	66·8	57·0	46·8	35·8	27·5	42·56
Cartier	5·0	0·7	4·4	30·7	48·4	62·3	62·8	59·0	48·2	34·7	18·4	3·4	36·46
Coldwater	3·8	15·5	19·8	37·4	49·3	66·4	64·9	63·3	54·7	39·7	36·7	24·6	38·67
Cottam	....	....	....	....	....	....	69·5	67·3	56·4	46·4	40·3	31·4	....
Chatham	18·3	25·2	28·0	42·0	53·0	66·0	68·2	66·9	59·3	45·5	41·3	27·3	45·08
Conestogo	12·5	18·9	20·6	38·2	51·7	64·4	65·7	66·2	54·4	41·5	36·2	27·9	41·53
Charlinch	3·7	11·5	14·7	31·9	49·8	61·8	62·3	59·2	50·3	36·6	28·9	20·7	35·95
Cornwall	5·4	12·5	19·0	37·0	53·4	65·0	73·0	65·2	54·8	38·4	33·8	23·3	40·07
Deseronto	9·9	16.3	20·7	39·1	54·0	69·7	70·8	68·7	61·1	41·5	35·0	27·6	42·87
Durham	12·7	16·7	19·9	38·4	51·2	66·9	68·5	65·3	57·0	43·4	38·0	24·2	41·85
Egremont	10·4	17·7	17·6	34·1	48·3	63·5	63·9	62·2	52·3	39·3	33·8	25·3	39·03
Elora	12·6	18·6	19·7	37·2	50·9	65·8	66·7	65·7	54·7	41·0	36·3	27·3	41·38
Fort Erie	17·2	19·2	19·9	33·8	47·4	59·9	60·2	60·0	56·4	37·8	36·4	28·0	39·68
Goderich	15·0	16·2	19·4	34·5	48·5	59·2	62·3	62·1	51·5	41·5	36·8	28·5	39·62
Guelph	11·7	18·3	20·7	37·5	51·2	64·8	68·0	66·5	55·5	41·2	36·8	26·2	41·53
Galt	12·6	18·5	21·2	38·9	49·8	64·9	65·9	66·5	56·6	42·7	37·3	28·6	41·96
Georgina	....	14·9	17·3	34·9	48·2	67·0	64·9	64·4	54·6	39·7	35·2	25·4	....
Gravenhurst	7·1	15·9	17·7	34·9	51·0	64·7	66·2	64·7	54·8	40·2	33·5	25·1	39·65
Haliburton	....	....	....	....	....	65·3	63·2	62·9	52·8	38·1	31·2	21·3	....
Heron Bay	2·9	3·4	8·5	29·4	...	....	....	....	....	....	....	....	....
Ingersol	13·9	17·9	21·6	39·3	52·8	65·7	66·9	68·3	57·3	42·0	37·4	....	....
Kingston	9·2	17·0	22·9	37·4	52·8	64·6	66·9	65·3	56·1	41·0	35·6	26·8	41·23

TABLE III (Continued).—*Mean Temperature, &c.*

ONTARIO.—*Continued.*	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
	°	°	°	°	°	°	°	°	°	°	°	°	°
Little Current	5·7	11·3	15·7	33·1	46·7	65·2	68·2	65·0	56·8	43·5	34·2	25·7	39·26
Listowell	11·5	16·9	16·6	34·7	50·5	62·7	67·9	62·8	54·4	40·6	35·9	26·8	40·11
London	15·6	21·4	23·7	39·9	52·9	64·8	69·1	68·4	57·7	44·2	39·1	30·2	43·91
London (2)	14·8	21·4	23·2	38·2	53·6	64·7	..	....	55·8	42·5	38·3	28·4	...
Lindsay	7·5	16·5	18·6	36·8	51·4	65·5	65·7	64·6	53·6	39·2	33·4	24·9	39·81
Lakefield	5·0	14·2	17·5	36·7	52·0	65·8	66·3	65·7	56·1	40·1	34·2	24·6	39·85
Lucknow	15·6	17·6	21·1	38·4	51·0	63·8	66·3	64·9	56·2	43·2	37·2	28·6	41·99
Minden	4·3	12·5	17·3	34·0	49·4	62·3	62·6	61·1	51·4	39·3	31·3	22·1	37·36
Mattawa	..	8·0	12·6	35·3	49·3	62·7	63·6	60·5	52·7	37·8	....	....	...
Norwood	6·2	11·7	16·1	32·2	49·3	63·8	62·9	....	....	....	34·1	25·5	....
North Bruce	....	..	....	....	..	63·0	64·7	63·1	54·3	40·7	34·8	27·8	
Nepigon	8·1	1·2	7·9	29·4	40·5	55·6	60·2	53·6	48·4	36·5	26·2	15·8	30·40
Newcastle	9·0	17·7	20·0	34·5	49·5	55·8	65·2	63·3	56·3	41·3	35·0	25·2	39·40
Northcote	1·6	7·9	...	....	....	....	....	....	....	....	..	..	...
North Bay	12·3	13·1	12·8	24·7	42·3	56·1	59·7	61·9	54·0	...	..	..	....
Niagara Falls S	17·4	24·4	24·9	40·0	53·6	66·4	67·6	67·5	58·0	44·6	39·1	30·8	44·52
Ottawa	3·2	12·1	21·0	37·2	55·2	68·0	70·3	66·5	55·7	39·2	32·0	23·2	40·30
Owen Sound	10·1	....	19·8	38·0	49·3	63·6	65·1	64·6	55·9	42·8	36·1	26·7	...
Oshawa	13·5	21·2	20·6	..	..	..	....	65·6	56·8	42·0	36·4	28·1	.
Port Arthur	3·2	5·1	10·3	30·6	40·1	53·2	61·8	57·7	47·9	36·8	27·4	17·6	32·11
Parry Sound	6·5	14·8	16·4	34·1	49·4	62·9	65·4	62·9	53·4	39·0	31·7	23·8	38·36
Point Pelee	18·5	24·7	27·9	34·7	52·6	66·9	71·4	70·8	62·5	47·9	44·2	32·1	46·18
Port Stanley	17·2	22·7	24·8	38·9	51·8	64·0	66·0	65·0	54·5	43·4	38·3	30·2	43·07
Port Dover	16·2	20·3	22·0	35·5	48·6	61·8	66·5	66·4	57·3	43·5	38·3	28·8	42·10
Point Clark	17·3	19·3	20·0	35·0	48·7	59·9	62·1	64·0	56·5	44·8	37·9	31·3	41·49
Petrolea	15·9	22·2	26·0	40·1	53·3	64·9	....	..	....	...	....	....	.
Peterborough	7·4	17·4	19·8	38·6	52·7	68·7	67·9	66·0	50·3	40·9	35·3	25·7	40·89
Rockliffe	0·8	8·2	16·7	33·9	51·9	65·0	64·5	60·9	50·9	35·8	27·9	19·4	36·19
Ridgetown	12·4	21·4	26·3	40·6	51·8	64·4	66·3	65·8	56·4	43·1	39·2	29·3	43·08
Renfrew	....	....	18·1	36·9	53·7	67·4	67·0	65·4	55·2	38·5	31·3	22·9	....
St. George	15·0	22·0	23·7	39·9	52·9	66·6	67·6	67·3	55·8	42·9	38·0	29·6	43·44
Savanne	10·4	0·9	5·6	29·5	41·5	59·6	63·9	58·7	..	....	....	8·2	..
Stratford	8·8	14·5	15·2	33·2	45·5	59·7	61·5	59·2	50·2	36·5	32·1	23·7	36·67

TABLE III (Continued.)—*Mean Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ontario.—*Conc'uded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Sudbury	1·4	....	....	....	47·9	63·3	65·8	65·1	54·4	38·1	27·0	17·8	
Saugeen	15·1	18·6	19·8	35·8	48·0	61·1	62·7	62·0	53·4	41·7	24·9	29·3	40·20
Sprucedale	1·4	9·5	15·2	30·9	48·7	61·3	61·9	60·3	51·3	27·7	28·4	18·9	35·46
Sombra	16·0	23·0	23·0	40·2	52·8	63·8	66·9	59·6	. ..	....	....	....	....
Stoney Creek	15·9	23·4	25·2	41·2	50·3	67·3	68·3	70·1	57·9	45·3	40·9	32·9	44·89
Sharon	10·9	18·6	19·6	37·6	51·6	65·1	65·3	65·4	55·0	40·5	35·3	27·1	41·00
Sarnia	14·2	17·7	19·8	35·4	47·2	60·8	70·5	63·2	54·1	41·1	36·5	26 8	40·61
Toronto	15·0	21·9	22·4	38·9	50·6	64·4	66·2	66·0	56·5	43·4	37·4	29·7	42·70
White River	9·4	0·6	1·7	25·9	44·3	59·0	60·9	54·3	46·7	33·4	18·9	13·6	29·06
Wanstead	15·3	21·7	24·8	39·5	52·7	64·5	66 8	65·9	56·1	44·2	39·7	30·4	43·47
Woodstock	14·6	20·8	22·5	39·9	52·6	65·8	67·3	62·9	56·0	42·7	38·1	29·0	42·68
Uplands	2·0	13·9	....	....	....	62·0	62·2	57·3	49·1	34·2	25·6	17·0	....
Zurich	15·7	20·2	22·3	39·0	51·5	64·8	66·3	65·6	56·4	43·9	38·8	29·1	40·80
Quebec.													
Anticosti, S. W. P.	11·4	10·9	26·4	29·6	40·2	51·0	58·4	54·1	50 5	42·0	27·7	21·2	35·28
Anticosti, W. P	10·0	11·3	26·1	29·7	41·6	52·3	61·3	54·7	49·9	41·7	27·8	20·6	35·58
Anticosti, Heath P.	12·9	12·2	24·4	30·0	38·1	51·5	58 3	57·5	52·9	43·3	26·9	20·3	35·69
Brome	2·8	11·6	22·3	35·6	52·4	63·1	63·1	62·9	51·2	39·2	33·4	21·8	38·28
Bird Rock	15·2	15·8	27·6	29·5	38·6	48·0	57·3	58·5	55·0	45·5	33·2	27·1	37·61
Bicquet	....	....	....	32·2	41·9	50·9	54·4	50·6	46·7	39·0	27·8	....	....
Belle Isle	13·4	10·5	21·3	25·6	30·6	39·8	46·3	46·8	41·8	40·3	21·9	14·7	39·67
Cranbourne	0·3	8·9	20·0	29·7	46·3	59·9	59·9	57·2	49·9	35·1	27·2	16·7	32·54
Chicoutimi	4·2	....	19·1	29·5	48·0	58·6	64·6	57·9	51·1	36·8	32·1	13·2	....
Cape Chatte	....	....	....	30·3	42·9	55·0	61·5	55 3	51·1	40·0	28·6	20·9	....
Cape Magdalene	6·8	11·5	26·0	30·2	42 2	55·2	59·9	56·2	51·0	40·5	28·1	20·8	35·70
Cape Norman	15·8	11·6	27·4	27·0	35·2	40·6	49·6	51·8	47 9	42·1	25·4	18·7	32·76
Father Point	2·5	8·5	23·3	29·7	42·4	53·3	57·6	52·2	47·4	38·4	26·8	17·6	33·31
Huntingdon	4·2	12·1	20·3	35·4	51·9	63·7	65·1	63·9	54·2	38·0	32 3	22·7	38·65

TABLE III (Continued.)—*Mean Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Quebec.—*Continued.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Montreal	12·2	12·2	23·2	44·2	54·6	64·3	67·7	66·7	57·3	46·6	33·4	14·2	41·38
Quebec	2·3	11·4	23·3	32·3	47·2	61·8	62·8	58·6	52·0	39·2	27·5	18·0	36·37
Point du Monts	4·0	8·8	26·2	30·9	45·8	60·6	61·3	52·0	44·7	38·7	26·6	16·3	34·66
Richmond	2·3	10·2	21·8	33·9	51·0	64·6	65·2	61·7	52·7	38·0	31·4	21·8	37·88
Roberval	....	....	....	29·0	44·6	60·3	64·1	58·2	51·9	36·5	25·4	14·0	....
Sherbrook	1·6	7·2	21·8	33·6	52·9	63·1	64·3	65·7	52·2	37·0	32·5	23·4	37·67
Point Levis	0·2	10·3	22·6	30·0	46·4	61·2	63·7	60·0	52·6	37·3	25·9	17·2	35·58
New Brunswick.													
Bathurst	7·3	12·2	30·7	35·3	48·3	60·5	68·3	63·2	57·4	42·4	33·0	23·1	40·14
Chatham	18·3	12·7	28·2	33·4	47·4	60·5	63·8	60·2	53·1	41·0	29·9	20·3	39·07
Dalhousie	4·1	7·3	27·3	30·9	43·1	56·7	61·5	58·4	54·0	41·0	27·5	18·5	35·86
Fredericton	7·1	15·9	29·8	37·1	50·3	61·3	65·2	61·2	54·7	41·4	33·8	23·5	40·11
Grand Manan	15·9	24·4	30·3	37·9	46·9	67·5	59·6	60·0	54·0	44·3	38·2	30·2	41·60
Parker's Ridge	....	....	....	....	....	....	....	....	52·2	39·8	29·2	18·1	....
St. Andrews	11·9	21·2	28·9	36·9	47·0	58·0	60·2	59·2	53·0	42·8	35·8	26·8	40·14
St. John	11·1	19·6	29·0	36·2	47·5	55·9	59·9	59·5	53·8	43·9	35·3	27·2	39·81
Woodstock	4·7	11·0	27·0	35·8	48·1	61·2	64·0	59·7	54·8	40·9	32·2	20·2	38·30
Point Lepreaux	13·7	21·0	29·1	34·8	43·6	51·0	55·0	55·7	53·1	44·2	37·0	27·9	38·84
Dorchester	9·1	14·0	25·2	32·3	46·7	57·1	61·3	60·0	54·3	43·7	32·0	23·7	38·28
Nova Scotia.													
Halifax	16·8	22·7	30·6	36·1	45·9	57·0	61·4	61·1	55·9	45·9	37·2	30·5	41·76
Pictou	14·8	18·6	30·3	34·6	45·7	58·1	63·3	62·4	56·7	47·0	38·1	30·0	41·63
Sydney	16·9	20·8	29·7	33·0	42·7	53·7	60·2	60·1	55·8	47·3	37·5	30·5	40·68
Sable Island,	26·1	28·6	31·9	36·6	42·4	51·0	57·0	58·8	57·4	50·6	43·5	36·7	43·38
Truro	12·6	19·5	29·9	35·3	47·1	57·8	61·9	61·6	55·3	45·4	36·7	28·3	40·95
Yarmouth	20·5	25·9	30·6	37·2	46·0	54·7	57·4	58·1	53·7	46·0	39·2	33·1	41·87
Whitehead	19·8	22·4	29·0	38·3	40·5	48·9	55·9	57·7	56·5	48·5	38·3	31·8	40·63
Digby	15·4	20·4	30·8	37·5	46·9	61·3	64·4	59·9	55·0	41·3	37·8	29·2	41·66
Glace Bay	16·7	20·0	28·4	31·6	40·7	51·4	61·9	58·6	55·2	45·1	37·4	29·9	39·74

TABLE III (Continued.)—*Mean Temperature, &c.*

	January.	February.	Mareh.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
P. E. Island.	°	°	°	°	°	°	°	°	°	°	°	°	°
Charlottetown	....	....	....	....	....	....	62·8	61·0	55·2	46·2	35·7	27·1	....
Kilmahumaig	7·9	14·5	25·9	31·4	42·6	57·1	62·1	60·5	55·7	43·6	33·2	24·5	38·25
Newfoundland.													
St. John	23·4	23·5	31·2	32·8	37·7	49·8	55·9	55·8	50 0	44·9	35·2	29·7	39·16
Point Rich	16·2	12·2	29·4	29·4	37·4	46·5	55·1	56·0	52 0	45·7	29·0	22·4	35·94
St. Pierre	2·5	22·8	31·9	36·8	44·6	51·8	57·8	58·7	57·8	50·0	38·3	34·5	42·29
Manitoba.													
Minnedosa	−11·6	−1·2	3·9	29·0	44·3	59·0	63·4	55·9	47·1	35·1	18·3	12·3	29·62
Russell	−14·5	−4·8	1·9	28·5	45·0	58·9	62·1	55·4	50·4	37·0	17·5	16·7	29·51
Stony Mountain	−13·1	−1·7	7·6	31·9	46·0	61·8	64·8	60·9	53·3	39·8	24·2	13·8	32 44
Sourisford	−13·2	−0·6	3·7	32·1	45·1	60·2	63·6	....	53·3	....	23·6	17·0	....
Winnipeg	−14·2	−1·8	6·3	32·8	45·7	62·5	65·6	60·7	53·1	39·7	23·7	12·9	32·25
Hillview	−13·4	−0·7	3 4	31·1	45·2	60·2	64·6	59·5	52·5	38·6	20 2	13·7	31·24
St. Albans	−13·2	−0·1	6·1	33·0	46·6	62·4	66·7	61·8	55·6	41·1	23·7	14·1	33·17
Portage la Prairie	−9·1	−1·7	8·1	33·7	45·5	63·4	65·9	61·8	54·2	41·4	24·8	15 4	33·73
Fort Osborne	−12·4	−1·3	8·5	33·9	49·0	66·7	70·2	64·2	55·6	33·9	25·2	13·7	33·93
Selkirk, E.	−17·4	−5·6	5·7	31 6	42·8	61·4	63·1	57·8	....	....	....	....	....
Gladstone	−14·6	...	5·6	32·9	...	....	63·1	60·6	52·9	....	....	....	....
Swampy Island	−12·9	....	....	24·9	40·4	54·8	64·7	62·6	53·5	42·3	25·8	9·4	....
N. W. Territories.													
Edmonton	−7·1	−12·9	12·7	33·7	49·2	55·5	58·6	58·2	54·8	41·3	23·1	19·2	34·34
Medicine Hat	−2·1	−20·3	17·8	42·3	52 8	60·7	66·9	64·0	58·2	41·7	23·5	19·6	38·64
Qu'Appelle	−9·8	−2·9	4·4	30·8	46·3	61·1	64·2	59·4	53·5	37·9	21·6	17·0	32·44
Chaplin	−10·0	−7·2	8·7	33·4	51·1	60·2	68·0	65·1	58·9	42·3	24·1	20 7	35·81
Grenfell	−10·8	−0·1	3·2	29·6	45·8	62·1	63·5	58·5	52·4	36·5	22·3	14 3	31·46
Parkland	−13·2	−2·1	4·6	27·6	44·4	60·7	61·7	58·5	52·4	38·9	20·1	12·8	30·53
Calgary	−1·8	−20 8	15·0	35·1	47·5	54·0	59·2	58·8	53·8	37·2	20·9	21·3	35·15
Maple Creek	−0·3	−19 8	18·7	43·7	54·0	61·1	70·6	66·8	62·9	45·6	27·7	24·6	41·27

TABLE III (Continued.)—*Mean Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N. W. Territories—*Continued*	°	°	°	°	°	°	°	°	°	°	°	°	°
Gleichen	2·6	17·9	14·9	....	....	....	....	64·1	56·7	39·9	19·0	15·2	....
Balgonie	12·3	1·2	3·7	29·7	47·7	60·0	70·7	59·4	47·9	....	....	....	....
Fort Chipewyan	....	....	3·1	17·5	40·0	47·4	....	56·3	51·6	38·5	13·9	7·9	....
Pheasant Forks	13·2	3·7	0·8	28·3	44·1	61·9	62·6	57·3	50·0	37·2	16·6	11·2	29·43
Regina	13·9	0·0	1·7	29·4	48·1	60·3	64·8	60·5	54·8	37·8	15·8	20·3	31·63
Prince Albert	....	....	....	....	....	....	....	....	....	....	....	....	....
Swift Current	6·1	13·0	11·8	35·7	48·0	57·9	64·6	61·6	55·5	39·7	23·0	19·7	35·37
Banff (National Park)	1·1	25·8	17·7	36·9	...	....	....	....	....	....	20·8	20·5	.....
Hudson's Bay.													
Fort Churchill	18·6	19·2	10·9	7·6	23·8	36·6	52·2	49·9	44·9	30·6	9·6	4·2	16·86
British Columbia.													
Victoria	32·2	41·6	41·7	48·3	54·2	57·4	58·7	60·9	57·1	51·1	42·7	42·9	49·07
Quamichan	....	....	....	....	....	....	62·0	65·4	58·9	50·2	42·6	45·4	.....
Port Moody	25·9	41·8	40·4	48·9	57·5	61·7	62·5	65·5	60·2	52·3	41·5	40·0	49·85
Fort Simpson	25·1	38·0	38·7	41·8	48·3	53·9	55·1	57·0	55·1	47·5	39·8	37·4	44·81
Clinton	5·1	31·7	31·8	42·5	51·8	53·8	58·6	62·5	56·6	42·0	28·4	23·2	40·67
New Westminster	27·9	41·0	40·6	49·7	58·4	61·6	63·4	66·4	61·1	51·6	43·9	41·9	50·63
Maple Grove	....	....	....	....	....	....	....	....	....	....	....	39·7	.....
Barkerville	....	26·4	....	34·1	48·0	54·3	53·6	58·3	52·6	38·2	24·9	21·8	.....
Spence's Bridge	....	....	....	....	...	....	....	76·3	65·3	50·8	35·4	33·7	.....

TABLE IV.—*Highest Temperature in each Month at Stations in the Dominion of Canada during the year 1888.*

Ontario.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
Axe Lake	36·0	40·0	45·0	77·0	78·0	86·0	82·0	77·0	71·0	....	57·0	57·0
Alton	35·8	41·0	50·0	80·5	78·2	92·2	84·2	85·2	79·2	62·2	67·0	44·0
Alexandria	....	....	....	....	....	....	87·2	85·2	74·1	58·8	68·8	45·1
Buda	25·0	43·0	38·0	52·0	71·0	92·0	89·0	89·0	72·0	55·0	....	38·0
Bond Head	....	....	....	....	.. .	....	....	....	....	66·9	65·9	48 6
Biscotasing	24·0	34·0	36·0	57·0	70·0	90·0	85·0	88·0	73·0	57·0	52·0	39·0
Beatrice	38·0	39·5	48·0	76·6	77 0	88·0	86·0	83·8	75·0	57·0	64·0	42·8
Birnam	39·0	43·8	58·7	85·7	82·3	93·0	89·0	89·9	84·0	70·3	70·3	47·0
Brantford	44·0	44·0	62·0	87·0	82·0	97·0	89·0	89·0	81·0	60·0	68·0	49·0
Brampton	40·0	45·0	52·0	82 0	80·0	93·0	89·0	90·0	80·0	65·0	66·0	48·0
Bala (Whiteside)	39·5	44·0	46·0	79·0	78 0	90 0	86·0	85·0	80 0	60·0	60·5	43·0
Cartier	24·0	26·0	2·0	72·0	80·0	90·0	83.0	83·0	72·0	61·0	51·0	25·0
Coldwater	31·8	46 5	47 0	88 5	88·5	95·2	89·0	84·0	79·2	58·5	67·8	45·6
Cottam	....	....	....	....	....	....	90·0	91·0	83·0	72·0	68·0	50·0
Chatham	52·0	52·0	63·0	85·0	85 0	94·0	90·0	90 0	86·0	75·0	75·0	51·0
Conestogo	40·4	42·0	50·3	82·0	82·9	91·0	86·7	89·2	79·0	63·5	64·8	46·0
Charlinch	37·8	40·5	41·9	76·1	82·9	93 0	87·0	85·1	78·5	61·4	60·2	41·8
Deseronto	41·9	42·3	44·2	82·8	80·0	94·0	87·2	88·2	77 8	59 2	65·2	44·2
Durham	46·0	43·0	60·0	72·9	89·0	85 0	87·0	85·0	90·0	60·0	56·0	59·0
Egremont	38·0	38·0	49·0	79·0	77·0	87·0	84·0	86·0	75·0	61·0	62·0	42·0
Elora	38·0	41·0	47·0	80·0	79·0	88·0	83·0	86·0	78·0	65·0	64·0	49·0
Guelph	41·2	41·2	53·6	83·8	79·0	95·0	91·0	87·9	81·0	64·2	66·6	44·6
Galt	43·9	41·3	53·0	84·1	80·0	90·0	87·6	88·0	81·0	66·0	66·4	47·0
Georgina	4 ·0	48·0	47·0	80·0	78·0	89·0	88·0	85 0	77·0	57·8	64·8	44·8
Gravenhurst	43·0	44·0	44·0	78·0	80·0	94·0	87·0	85·0	79·0	62·0	63·0	47·0
Haliburton	....	....	....	...	....	90·0	84 0	83·0	75·0	60·0	61·0	46·0
Heron Bay	32·0	36·0	32 0	49·0	....	....	....	....	....	....	....	...
Ingersoll	40·0	43·0	54·1	84·1	82·1	93·9	88·6	....	....	....	....	....
Kingston	43·9	48·8	50·4	67·4	76·6	89·8	88·8	85·0	73·4	58·7	58·9	47·1

TABLE IV (Continued.)—*Highest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ONTARIO.—*Continued.*	°	°	°	°	°	°	°	°	°	°	°	°
Little Current	30·0	39·0	44·0	70·0	76·0	93·0	91·0	87·0	78·0	64·0	60·0	45·0
Listowel	40·0	42·0	48·0	80·0	80·0	92·0	89·0	88·0	80·0	65·5	65·0	43·0
London	40·8	44·0	55·1	83·3	78·7	88·2	86·0	86·4	80·0	61·5	67·1	50·1
London (2)	40·4	44·3	54·9	84·2	81·1	92·4	87·0	87·3	81·0	57 8	67·0	46·0
Lindsay	39·6	46·5	43·8	83·8	81·5	98·0	91·0	89 6	79·8	62·6	63·7	44·9
Lakefield	39·0	42·5	44·0	86·0	78·0	91·0	87·0	87·5	74·5	62·0	72·0	46·0
Lucknow	38·9	41·9	52·0	83·0	82·0	91·7	88·9	89·9	85·0	64·0	65·8	47·0
Minden	39·9	43·1	46·1	81·0	78·4	92·2	86·4	88·8	76·1	64·0	64·2	45·1
Mattawa	29·9	41·8	48·0	79·9	82·9	91·4	87·9	86·9	76·8	59·8	62·8	42·8
Norwood	39·8	36·9	34·9	81·0	74·8	93·0	84·0	84·0	77·6	....	63·0	42·5
North Bruce	....	....	....	....	....	86·0	86·0	86·0	80·0	60·0	62·0	42·0
Nepigon	26·0	35·0	37·0	55·0	75·0	82·0	82·0	85·0	70·0	64·0	44·0	36·0
Northcote	30·0	20·9	....	....	....	....	....	....	....	....	....	....
North Bay	40·0	41·0	48·0	50·0	68·0	80·0	85·0	86·0	72·0	41·0	....	....
Niagara Falls S.	44·0	46·0	61·0	80·0	81·5	92·0	90·0	88·0	80·0	67·0	69·0	50·0
Ottawa	37·2	37·4	45·4	82·9	82·5	94·9	87·9	88·4	76·1	56·5	65·1	44·0
Owen Sound	38·0	....	54·0	82·0	81·0	89·0	90·0	87·0	83·0	63·0	70·0	46·0
Oshawa	40·5	42·7	44·0	....	....	....	....	86·3	75·7	57·7	61·7	47·5
Port Arthur	31·0	37·0	39·5	54·5	62·0	80·0	87·0	91·0	73·0	59·8	46·5	41·0
Parry Sound	40·2	41·0	46·7	74·0	79·7	85·7	88·7	81·7	75·8	59·8	64·8	43·7
Point Pelee	36·0	45·0	63·0	69·0	71·0	90·0	90·0	98·0	80·0	65·0	70·0	48·0
Port Stanley	39·8	42·0	50·0	67·0	73·2	91·4	86·0	83·0	78·2	65·0	60 2	45·0
Port Dover	40·9	47·8	53·8	67·7	75·7	87·9	83·8	84·8	76·7	65·8	65·8	45·9
Point Clark	36·0	40·0	51·0	62·0	74·0	86·0	77·0	79·0	73·0	68·0	59·0	49·0
Petrolea	42·0	46·0	64·0	85·0	82·1	95·0	....	....	....	....	....	....
Rockliffe	31·9	42·9	45·5	70·7	82 1	91·7	90·3	87·2	76·8	59 8	65·2	45·8
Ridgetown	42·0	45·0	59·0	82·0	77·0	92·0	89·0	90·0	82·0	68·0	68·0	58·0
Renfrew	40·5	41·4	49·0	86·0	84·8	97·3	93·0	91·0	80·0	57·0	69·0	47·0
St. George	40 2	40·8	56·2	83·5	78·1	92·0	87·2	87·8	80 2	69·0	68·8	45·0
Savanne	28·0	42·0	31·0	61·0	66·0	85·0	82·0	82·0	....	....	....	29·0

TABLE IV (Continued.)—*Highest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ONTARIO.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Sudbury	34·0	....	....	....	....	93·0	86·0	86·0	....	60·0	55·0	41·0
Saugeen	38·2	43·0	48·1	79·0	82·1	87·0	87·0	86·5	77·0	64·0	64·2	45·1
Sprucedale	35·0	40·0	44·0	84·0	84·0	94·0	89·0	88·0	80·0	65·0	61·0	42·0
Sombra	40·2	58·6	64·3	83·0	79·7	94·0	90·1	92·3	83·0	..	....	....
Stony Creek	49·0	44·0	56·0	86·0	78·0	93·0	90·0	92·0	83·0	68·0	70·0	51·0
Sharon	40·6	41·9	44·0	83·0	78·3	90·5	87·0	86·0	76·5	61·0	62·3	46·9
Toronto	41·1	43·2	48·3	76·3	74·1	92·0	87·7	84·9	77·6	62·2	62·0	46·7
White River	25·0	25·0	40·0	60·0	75·0	86·0	80·0	76·0	72·0	62·0	40·0	35·0
Wanstead	38·8	45·0	60·0	85·0	81·5	91·8	88·0	91·5	86·2	72·0	72·0	52·0
Woodstock	41·5	42·9	56·6	84·2	79·3	92·0	88·2	89·1	88·1	63·8	65·9	48·9
Uplands	33·8	39·5	....	....	83·5	90·8	85·8	83·0	77·5	58·8	58·5	43·0
Zurich	42·0	43·0	55·0	83·0	85·0	94·0	90·0	93·0	84·0	69·0	68·0	50·0
QUEBEC.												
Anticosti, S. W. P.	32·4	35·0	38·2	45·4	57·9	62·5	70·1	66·2	62·4	57·8	46·4	37·5
Anticosti, W. P.	30·0	33·0	38·0	40·0	60·0	66·0	73·0	67·0	61·0	52·0	42·0	35·0
Anticosti, Heath P.	31·0	38·0	36·0	39·0	56·0	59·0	69·0	65·0	59·0	59·0	40·0	36·0
Brome	40·0	40·0	47·0	66·0	77·0	83·0	79·0	78·0	69·0	58·0	61·0	55·0
Bird Rock	34·6	38·1	41·6	49·7	58·1	65·7	75·2	71·2	67·9	61·6	50·9	39·2
Bicquet	....	...	....	47·0	64·0	64·0	67·0	68·0	63·0	51·0	48·0	...
Belle Isle	36·0	33·0	37·0	37·0	48·0	51·0	59·0	65·0	58·0	49·0	40·0	37·0
Cranbourne	34·0	35·0	51·8	65·8	77·8	84·8	84·8	77·8	73·8	56·8	64·8	59·8
Chicoutimi	29·0	41·4	49·4	57·9	73·7	88·1	89·2	76·7	73·5	54·7	53·9	49·8
Cape Chatte	....	...	...	45·0	57·0	66·0	72·0	78·0	70·0	50·0	42·0	47·0
Cape Magdalen	32·0	35·0	48·0	45·0	64·0	78·0	73·0	79·0	73·0	58·0	44·0	47·0
Cape Norman	34·0	31·4	44·0	39·0	45·0	56·0	62·0	65·0	60·0	65·0	41·0	39·0
Father Point	30·0	32·0	47·2	53·1	67·1	73·5	81·5	73·9	68·6	58·4	56·1	46·3
Huntingdon	47·0	44·0	52·0	82·0	79·0	90·0	88·0	89·0	77·0	62·0	72·0	48·0

TABLE IV (Continued.)—*Highest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
QUEBEC.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Montreal	40·0	38·6	44·2	76·0	79·8	88·1	87·1	85·8	74·0	58·0	68·0	45·8
Quebec	28·8	37·5	46·7	64·0	73·9	84·3	84·7	75·9	72·9	52·4	66·4	44·5
Point des Monts	31·0	31·0	42·0	50·0	65·0	73·0	80·0	71·0	59·0	49·0	44·0	23·0
Richmond	30·7	38·8	53·7	72·6	82·0	87·9	88·5	86·2	74·7	56·4	70·2	50·2
Roberval	....	....	....	60·2	70·9	92·3	86·9	79·1	74·2	55·8	63·7	45·0
NEW BRUNSWICK.												
Bathurst	39·0	44·0	51·0	75·0	78·0	83·0	91·5	89·0	81·0	66·0	63·0	61·0
Chatham	35·3	41·7	48·7	73·7	74·9	83·9	88·1	80·9	78·9	62·0	62·9	48·8
Dalhousie	36·0	38·5	47·0	69·0	61·0	88·0	84·0	77·5	74·0	59·5	50·5	40·0
Fredericton	42·9	45·4	48·8	71·8	77·2	87·7	85·7	78·7	75·8	63·7	60·7	50·3
Grand Manan	46·7	43·7	45·8	60·0	64·6	85·6	78·6	78·6	72·6	58·0	64·6	56·0
Parker's Bidge	....	....	....	....	....	....	....	....	73·0	63·0	63·0	42·0
St. Andrews	44·8	44·3	45·8	59·7	68·1	86·8	82·1	77·6	71·6	60·7	67·7	46·8
St. John	45·0	38·0	45·0	61·0	68·9	76·0	81·9	78·9	73·8	62·5	53·0	49·3
Woodstock	36·0	41·0	47·0	69·0	80·4	86·9	87·9	78·9	73·9	60·0	65·0	46·0
Point Lepreaux	45·0	38·0	42·0	50·0	62·0	68·0	67·0	75·0	63·0	53·0	53·0	46·0
Dorchester	41·0	40·0	47·0	58·0	76·0	83·0	80·0	78·0	71·0	67·0	57·0	46·0
NOVA SCOTIA.												
Halifax	47·8	43·1	45·4	57·0	73·9	93·4	81·0	80·0	76·0	65·0	60·8	50·1
Pictou	48·0	48·0	53·0	70·5	68·3	83·0	84·0	78·0	73·5	69·0	64·2	51·0
Sydney	45·0	45·0	50·8	62·7	70·0	77·3	80·9	80·0	75·2	69·7	63·1	49·7
Sable Island	43·5	44·0	45·0	50·0	61·0	62·0	69·0	69·0	66·0	64·0	57·5	50·0
Truro	48·4	46·3	52·0	66·4	74·8	82·3	79·5	77·5	74·5	68·0	64·8	52·5
Yarmouth	50·9	43·7	50·3	63·4	69·6	72·3	76·5	70·0	65·7	65·7	56·9	52·6
Whitehead	41·0	39·0	42·0	48·0	58·0	73·0	70·0	72·0	65·0	52·0	53·0	43·0
Digby	33·0	42·0	47·0	60·0	75·0	84·0	77·0	75·0	65·0	57·0	60·0	48·0
Glace Bay	47·0	48·0	46·0	47·0	66·0	75·0	88·0	75·0	73·0	68·0	66·0	48·0

TABLE IV (Continued.)—*Highest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
P. E. Island.	°	°	°	°	°	°	°	°	°	°	°	°
Charlottetown	....	....	....	....	....	....	70·0	67·4	62·6	51·3	60·7	33·5
Kilmahumaig	40·0	44·4	46·0	69·2	71·5	83·0	82·6	81·6	75·7	60·5	60·7	44·4
Newfoundland.												
St. Johns	40·7	42·0	41·0	50·3	58·5	74·0	76·0	73·0	76·0	67·5	61·0	51·5
Point Rich	34·0	33·0	48·0	40·0	55·0	57·0	71·0	64·0	62·0	60·0	43·0	41·0
St. Pierre	37·0	37·8	44·6	57·2	60·8	64·4	68·0	68·0	68·0	63·3	55·4	48·2
Manitoba.												
Minnedosa	35·9	38·4	36·9	66·1	73·2	93·8	84·3	84·3	82·8	75·8	47·3	37·9
Russell	33·0	39·0	36·0	62·0	76·0	94·0	81·5	86·5	78·0	77·5	46·5	41·0
Stony Mountain	27·7	37·9	40·9	75·8	76·8	95·7	88·7	96·6	86·7	74·8	51·8	38·9
Sourisford	37·0	45·0	40·0	81·0	88·0	103·0	96·0	100·0	94·0	....	46·0	45·0
Winnipeg	28·0	37·0	40·0	73·0	78·0	96·0	91·0	97·0	87·0	71·2	46·7	35·2
Hillview	29·0	36·0	37·0	70·0	74·0	97·0	85·0	94·0	86·0	76·0	46·0	39·0
St. Albans	40·5	48·0	46·0	71·5	84·5	98·5	92·0	99·0	93·5	82·0	55·5	41·0
Portage la Prairie	37·0	39·0	45·0	68·0	78·0	98·0	89·0	95·0	83·0	73·0	49·0	41·0
Fort Osborne	32·0	38·0	43·0	73·0	78·0	97·0	90·0	93·0	80·0	70·0	48·0	40·0
Selkirk E	30·5	39·5	41·5	74·1	....	94·0	85·0	91·0	....	....	....	....
Gladstone	30·8	....	40·5	68·5	....	99·0	88·9	....	84·0	....	....	....
Swampy Island	27·0	....	....	45·0	73·0	86·0	80·0	82·0	63·5	58·0	40·0	29·0
N. W. Territories.												
Edmonton	50·0	52·0	54·0	54·5	81·0	81·0	87·5	84·0	82·0	78·0	50·0	45·0
Medicine Hat	50·0	42·2	58·0	76·0	82·4	86·9	100·4	97·0	92·8	84·9	55·1	56·1
Qu'Appelle	42·0	40·0	41·9	62·4	71·3	91·7	86·5	91·8	78·2	75·2	44·6	45·3
Chaplin	45·0	40·0	42·0	65·0	75·0	90·0	97·0	98·0	85·0	70·0	43·0	45·0
Grenfell	34·5	34·0	36·0	65·0	78·5	94·0	87·0	88·0	78·0	77·5	40·0	40·5
Parkland	35·8	41·9	46·9	56·3	75·0	97·3	86·8	92·8	81·2	80·4	47·5	37·2
Calgary	50·0	52·0	58·0	72·0	75·0	77·0	92·0	90·0	89·0	79·0	58·0	53·0
Maple Creek	48·0	51·0	56·0	74·0	80·0	85·0	100·0	97·0	89·0	80·0	57·0	53·0

TABLE IV (Continued.)—*Highest Temperature, &c.*

	January.	February	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
N. W. Territories.—*Continued.*	°	°	°	°	°	°	°	°	°	°	°	°
Gleichen	45·0	50·0	55·0	....	....	...	....	92·0	92·0	75·0	50·0	40·0
Balgonie	34·0	34·0	....	57·0	76·0	91·0	90·0	86·0	77·0	....	....	....
Fort Chipewyan	....	....	25·0	42·0	62·0	75·0	78·0	76·0	76·0	65·3	34·3	35·0
Pheasant Forks	39·0	38·0	42·0	58·0	73·0	98·0	98·0	94·0	74·0	70·0	37·0	33·0
Regina	40·0	41·0	40·5	63·5	79·5	95·0	96·0	99·0	83·0	78·5	53·0	55·0
Prince Albert	41·7	41·7	43·7	56·7	79·8	87·7	87·7	91·7	83·7	....	....	....
Swift Current	46·4	47·0	55·6	70·4	73·0	88·0	94·0	95·0	86·0	77·6	48·8	58·0
Banff (National Park)	48·0	48·0	47·5	68·2	....	....	....	....	....	....	....	....
Hudson's Bay.												
Fort Churchill	14·9	16·9	17·0	36·0	38·0	69·1	75·0	69·1	73·2	46·0	31·9	20·9
British Columbia.												
Victoria	54·0	52·0	58·0	65·0	78·0	72·0	85·0	81·0	79·0	69·0	55·0	59·0
Quamichan	....	....	....	....	....	....	92·0	92·0	91·0	76·0	64·0	63·0
Port Moody	58·0	59·5	58·0	68·0	88·0	83·0	92·0	87·0	83·0	70·0	52·0	55·0
Fort Simpson	50·0	51·0	51·0	56·0	71·0	65·0	71·0	68·0	72·0	64·0	57·0	54·0
Clinton	49·5	51·5	52·0	65·0	86·5	81·4	89·0	92·5	92·0	79·0	49·0	43·5
New Westminster	54.0	52·0	56·0	67·0	86·0	80·0	90·0	85·0	82·0	73·0	53·0	56·5
Maple Grove	....	....	....	....	....	....	....	....	....	....	61·0	....
Barkerville	....	42·9	50·5	64·0	85·9	84·9	83·9	86·9	81·9	76·1	41·9	39·9
Spence's Bridge	....	....	....	....	....	....	....	96·5	94·0	80·0	59·0	63·0

TABLE V.—*Lowest Temperature in each Month at Stations in the Dominion of Canada during the Year 1888.*

ONTARIO.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
Axe Lake	38·0	35 0	20·0	2·0	22·0	29·0	39·0	37·0	23·0	17·0	5·0	23·0
Alton	16·9	22·5	10·3	10·8	25·9	34·0	40·0	39·0	28·0	19·4	8·6	6·6
Alexandria	....	....	....	....	....	....	46·0	43·8	29·4	24·4	4·7	15·1
Buda	40·0	45·0	22·0	12·0	23·0	40·0	48·0	43·0	30·0	20·0	....	22·0
Bond Head	....	....	....	....	....	....	....	...	....	21·0	7·5	5·5
Biscotasing	45·0	42·0	30·0	8·0	17·0	40 0	52·0	43·0	29·0	18·0	12·0	20·0
Beatrice	31·0	30·0	15·0	4·0	25·0	33·0	40·4	37·0	27·6	20·0	0·0	14·6
Birman	19·0	23·0	21·0	15·4	24·4	30·0	40·8	34·8	31·4	23·9	11·3	1·0
Brantford	20·0	16·0	2·0	18·0	29·0	36·0	42·0	40·0	33·0	27·0	15·0	2·0
Brampton	20·0	23·0	7·0	20·0	32·0	37·0	48·0	45·0	32·0	27·0	15·0	1·0
Bala (Whiteside)	27·0	31·0	9·0	4·0	30·0	42·0	50·0	45·0	31·0	23·0	9·0	6·0
Cartier	41·0	40·0	22·0	1·0	28·0	38·0	45·0	40·0	27·0	17·0	25·0	26·0
Coldwater	38·0	29·8	18·2	10·2	26·6	33·4	40·5	37·5	28·2	21·5	8·0	9·5
Cottam	....	....	....	....	....	....	54·0	49·0	34·0	23·0	20·0	11·0
Chatham	9·0	11·0	8·0	24·0	31·0	32·0	48·0	45·0	35·0	23·0	18·0	6·0
Conestogo	26·2	25·1	12·5	13·9	16·8	32·2	41·2	37·0	28·6	23·0	10·0	6·0
Charlinch	38·3	38·5	24·0	4·3	21·9	28·1	32·7	32·9	23·1	17·7	7·7	17·3
Deseronto	30·5	22·4	7·4	20·4	27·5	41·9	44·5	41·5	27·5	21·5	5·7	11·2
Durham	18·0	22·0	15·0	15·0	28·0	37·0	45·0	38·0	30·0	23·0	8·0	0·0
Egremont	13·0	22·0	15·0	15·0	28·0	37·0	45·0	35·0	27·0	20·0	14·0	7·0
Elora	17·0	19·0	8·0	15·0	2·0	32·0	45·0	43·0	31·0	27·0	14·0	0·6
Guelph	14·1	18·5	7·9	17·0	28·0	34·8	42 2	39·0	29·6	23·6	12·4	3·0
Galt	20·0	20·0	8·0	15·0	28·0	34·5	45·0	40·0	30·0	24·5	10·9	4·0
Georgina	25·0	25·0	5·0	15·0	25·0	....	43·2	41·8	30·0	24·0	4·0	5 0
Gravenhurst	32·0	29·6	17·0	8·0	26·0	26·0	42·0	40·0	29·0	22·0	3·8	13·8
Haliburton	....	....	....	....	....	39·0	39·0	32·0	20·0	20·0	2·0	16·0
Heron Bay	62·0	65·0	20·0	2·0	....	....	....	....	....	....	....	....
Ingersoll	21·2	23·2	11·0	17·3	28·0	34·0	42·1	....	....	....	....	....
Kingston	19·5	18·5	5·4	17·0	32·5	43·3	54·0	48·4	31·3	22 3	7·3	7·5

TABLE V. (Continued.)—*Lowest Temperature, &c.*

ONTARIO.—*Continued.*	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
Little Current	25·0	27·0	12·0	5·0	26·0	38·0	46·0	43·0	32·0	23·0	4·0	5·0
Listowel	24·0	24·0	16·0	10·0	27·0	32·0	54·0	40·9	30·0	20·0	15·0	4·0
London	16 5	15·6	10 8	18·1	28·6	36 1	44·1	37·9	33·1	25 2	15 5	3·4
London (2)	15·8	17·2	10·0	20 0	27·0	34 3	43·0	37·5	31·8	24·0	14·3	0·8
Lindsay	30·6	29·8	16 3	15·3	26 9	33·9	40·6	39 5	25·7	21·6	0·5	10·2
Lakefield	26 0	26·0	11·5	13·0	27·0	40·0	48·0	48·5	28·5	25·5	2·0	10·0
Lucknow	10·1	20·7	19·0	14·0	25·9	29·9	40·0	39·0	31·4	24·9	13·0	0·0
Minden	42·4	38·2	25·7	1·8	23 7	27·7	31·5	30·5	29·5	18·2	5·4	16·6
Mattawa	36·6	42·1	24·5	4·6	14·8	28·0	35·1	32·1	29·0	18·8	4 7	42·1
Norwood	31·4	26·0	11·6	14·9	20·3	34·0	43·0	35 0	29·0	....	3·4	6·1
North Bruce	....	....	....	....	....	37·0	42 0	46·0	35·0	24·0	15·0	3·0
Nepigon	44·0	46·0	35·0	4·0	22·0	40·0	44·0	37·0	28·0	10·0	8·0	10·0
Northcote	39·0	29·2	....	....	....	....	....	....	....	....	....	....
North Bay	34·0	35·0	23·0	....	15·0	30 0	28·0	40·0	27 0	4·0		
Niagara Falls, S	2·0	5·0	2·0	25·0	35·0	46 0	51·0	51·0	33·0	16·0	6·0	5·0
Ottawa	23·6	32·9	3·7	12·1	30·0	39·4	48·8	45·4	29·5	25·3	0·7	11·4
Owen Sound	20·0	....	12·0	14·0	24·0	38 0	43·0	42·0	32·0	25 0	11·0	1·0
Oshawa	18·6	20·4	3·8	....	....	....	....	41·0	30·1	25·1	7·9	3·8
Port Arthur	37·0	39·0	26·0	1·0	20·0	32·0	42·0	35·5	25·0	23 8	4·0	12·5
Parry Sound	33·6	34·6	23·4	1·5	16·3	34·2	44·0	39·2	28·3	23·8	4·2	13·2
Point Pelee	2·0	4·0	6·0	32·0	36·0	50·0	60·0	55·0	45·0	38·0	30·0	19·0
Port Stanley	14·5	15·3	2·0	18·5	30·8	36·9	41·9	37·9	32·3	25·3	18·6	3·5
Point Dover	19·0	14·0	1·6	22·0	32·0	40·0	47·7	43·7	35·0	30·0	17·0	2·6
Point Clark	2·0	13·0	8·0	18·0	32·0	36·0	47·0	52·0	36·0	30·0	19·0	9·0
Petrolia	18·0	16·0	13·0	18·0	25·0	32·0	....	....	....	....	....	....
Rockliffe	41·6	46·0	18·6	3·6	21·1	32·9	39·1	35 1	26·3	21·1	10 6	19 6
Ridgetown	12·0	16·0	5·0	18·0	25·0	28·0	38·0	34·0	25·0	21·0	14·0	3·0
Renfrew	39·1	39·0	27·4	10·5	25·6	32·6	39·7	40·0	23·6	18·0	7·5	17·2
St. George	10·5	15·0	0·5	22·1	29·0	46·5	51·0	47·0	32·0	26·0	17·0	1·0
Savanne	45·3	49·0	44·5	16·8	12·0	26·0	28·0	30·0	....	....	....	18·0

TABLE V (Continued.)—*Lowest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ONTARIO.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Sudbury	45·0	....	....	....	....	39·0	39·0	50·0	....	23·0	5·0	10·0
Saugeen	10·0	16·1	10·2	13·1	25·1	33·6	39·6	38·1	32·9	24·6	7·6	6·2
Sprucedale	44·5	46·0	29·0	7·0	12·0	26·0	31·0	30·0	19·0	17·0	9·0	25·0
Sombra	15·7	21·0	13·0	17·1	21·6	29·3	41·8	34·3	30·8	....	....	....
Stoney Creek	6·0	12·0	0·0	20·0	36·0	49·0	53·0	52·0	37·0	32·0	18·0	6·0
Sharon	18·0	21·1	3·6	20·0	32·4	45·4	51·0	46·9	31·2	25·0	9·8	4·8
Toronto	11·9	16·1	1·2	21·2	32·9	40·5	47·3	47·3	32·1	28·3	14·1	0·0
White River	58·0	55·0	45·0	5·0	25·0	37·0	42·0	36·0	30·0	0·0	28·0	25·0
Wanstead	10·4	17·5	13·0	23·0	33·0	31·0	43·0	34·5	32·0	24·8	16·5	5·0
Woodstock	22·8	24·0	8·4	11·9	30·8	35·4	44·0	36·0	31.8	26·0	11·5	2·5
Uplands	34·6	35·7	17·3	3·6	21·7	27·9	35·0	24·3	19·0	12·4	15·2	25·2
Zurich	16·0	18·0	18·0	19·0	26·0	32·0	38·0	36·0	32·0	24·0	16·0	2·0
QUEBEC.												
Anticosti, S. W. P	6·6	17·6	1·2	17·2	29·7	36·5	45·3	40·0	38·4	25·0	4·6	5·2
Anticosti, W. P	6·0	14·0	1·0	16·0	28·0	33·0	53·0	46·0	42·0	30·0	4·0	5·0
Anticosti, Heath P	15·0	14·0	3·0	15·0	27·0	42·0	45·0	48·0	40·0	33·0	1·0	4·0
Brome	30·0	34·0	21·0	15·0	32·0	49·0	52·0	49·0	28·0	22·0	12·0	18·0
Bird Rock	17·6	7·2	9·0	12·9	25·2	35·7	49·0	50·4	43·4	26·0	12·1	4·8
Bicquet	....	....	....	19·0	32·0	39·0	42·0	42·0	38·0	30·0	4·0	....
Belle Isle	12·0	18·0	5·0	12·0	18·0	32·0	34·0	40·0	33·0	30·0	6·0	11·0
Cranbourne	27·6	38·4	16·9	0·4	21·0	35·9	39·8	39·8	26·0	21·0	11·6	21·2
Chicoutimi	28·2	36·5	22·7	2·5	24·8	35·0	46·5	44·1	29·6	22·0	11·9	21·2
Cape Chatte	....	....	....	14·0	32·0	42·0	50·0	44·0	38·0	33·0	5·0	4·0
Cape Magdalen	7·0	17·0	1·0	15·0	27·0	39·0	49·0	47·0	37·0	30·0	6·0	2·0
Cape Norman	8·0	17·0	2·0	15·0	20·0	35·0	40·0	47·0	37·0	31·0	0·0	4·0
Father Point	21·9	22·0	6·1	6·1	19·0	36·0	38·1	39·9	30·3	21·4	0·1	7·3
Huntingdon	22·0	36·4	7·0	14·0	26·4	41·0	46·0	45·2	32·0	25·2	2·0	18·0

TABLE V (Continued.)—*Lowest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
QUEBEC.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Montreal	20·5	24·4	2·9	11·4	31·1	46·5	47·4	47·6	33·2	28·5	1·0	10·5
Quebec	22·8	31·7	10·0	6·0	25·1	39·2	42·8	43·7	29·2	26·1	9·5	12·5
Point des Monts	20·0	26·4	10·0	8·0	30·0	51·0	49·0	43·0	37·0	33·0	7·0	9·0
Richmond	32·6	41·4	18·0	4·3	22·0	36·0	41·8	40·6	28·0	20·0	11·0	17·1
Roberval	....	....	....	0·8	22·9	34·4	43·8	37·5	26·6	23·2	9·6	21·2
NEW BRUNSWICK.												
Bathurst	20·0	26·0	4·0	6·0	24·0	37·0	41·0	41·0	29·0	24·0	1·0	10·0
Chatham	31·8	20·8	5·3	6·5	27·7	33·8	39·8	44·0	32·0	25·9	0·3	9·2
Dalhousie	27·0	24·8	4·0	6·0	23·0	38·0	45·0	43·0	36·5	25·5	0·0	6·0
Fredericton	22·0	14·2	2·0	9·7	27·0	37·5	42·0	43·5	30·0	26·0	0·5	7·6
Grand Manan	9·8	6·5	3·5	13·0	29·0	41·0	45·0	45·0	35·0	30·0	4·8	1·8
Parker's Ridge	....	....	....	....	....	....	....	....	27·0	24·0	4·0	11·0
St. Andrews	11·4	10·4	1·6	11·4	29·5	42·7	43·2	44·6	32·0	29·3	1·6	4·4
St. John	11·5	8·0	2·0	12·0	30·0	41·6	44·3	48·0	34·0	25·8	2·5	3·5
Woodstock	25·4	19·6	7·7	6·9	23·7	36·7	41·7	41·7	30·7	21·7	0·9	14·6
Point Lepreaux	8·0	8·0	4·0	20·0	31·0	43·0	48·0	50·0	41·0	32·0	2·5	0·0
Dorchester	16·0	9·0	2·0	8·0	24·0	55·0	40·0	43·0	31·0	25·0	2·0	14·0
NOVA SCOTIA.												
Halifax	5·1	1·0	5·9	18·0	27·0	39·0	32·8	47·0	35·0	30·0	10·2	6·0
Pictou	13·5	3·6	1·8	13·6	27·2	42·5	46·0	47·0	36·0	28·7	9·0	5·0
Sydney	6·0	1·0	5·0	12·9	23·6	34·8	41·0	46·3	36·0	31·2	13·9	12·4
Sable Island	7·0	15·0	16·0	28·0	32·5	40·0	54·0	54·0	51·0	40·0	22·0	23·0
Truro	17·8	8·5	5·3	9·0	23·6	35·0	40·7	37·2	29·0	24·5	3·8	2·0
Yarmouth	3·9	4·6	12·0	21·0	25·4	39·2	44·7	43·2	34·8	28·2	10·8	10·3
Whitehead	1·0	6·0	6·0	21·0	28·5	42·0	50·0	51·0	46·0	30·0	18·0	14·0
Digby	0·0	2·0	14·0	25·0	32·0	48·0	53·0	51·0	46·0	32·0	13·0	5·0
Glace Bay	9·0	3·0	4·0	15·0	25·0	30·0	42·0	42·0	34·0	27·0	14·0	7·0

TABLE V (Continued.)—*Lowest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
P. E. Island.	°	°	°	°	°	°	°	°	°	°	°	°
Charlottetown	....	....	....	....	....	....	55·1	55·5	51·1	40·1	11·0	20·6
Kilmahumaig	17·1	14·0	0·4	10·1	25·1	30·5	41·6	43·6	30·9	27·9	4·2	2·8
Newfoundland.												
St. Johns	3·0	3·0	15·0	18·0	25·0	35·0	35·0	44·0	30·0	29·0	9·0	9·0
Point Rich	15·0	15·0	7·0	10·0	26·0	38·0	44·0	48·0	37·0	34·0	4·0	1·0
St. Pierre	6·8	5·0	14·0	23·0	30·2	36·7	45·5	49·1	41·0	36·7	15·1	17·6
Manitoba.												
Minnedosa	44·5	50·6	28·8	4·2	14·9	22·5	38·5	38·5	15·4	14·9	11·4	14·0
Russell	47·5	49·5	30·0	7·5	11·5	27·0	38·5	24·5	23·0	11·5	21·5	17·0
Stony Mountain	42·0	44·7	25·3	3·0	16·1	25·0	43·0	32·0	23·0	21·1	8·8	14·1
Sourisford	48·5	50·5	28·2	9·0	14·0	24·0	37·0	28·0	22·0	....	11·0	13·0
Winnipeg	45·6	46·4	25·9	0·7	15·3	21·0	43·3	30·3	23·3	20·3	4·3	14·0
Hillview	43·0	46·0	22·0	2·0	22·0	32·0	52·0	36·0	21·0	16·0	10·0	10·0
St. Albans	41·5	46·0	25·0	4·0	14·0	25·0	40·5	30·5	20·0	13·0	10·0	17·0
Portage la Prairie	40·0	42·0	21·0	4·0	20·0	32·0	48·0	38·0	29·0	20·0	3·0	8·0
Fort Osborne	41·0	45·0	17·0	8·0	24·0	38·0	52·0	38·0	26·0	25·0	3·0	11·0
Selkirk, E.	52·0	58·0	38·5	2·3	....	19·5	34·0	26·0	....	....	....	....
Gladstone	41·3	....	22·2	3·9	....	37·2	35·8	....	21·2	....	....	....
Swampy Island	36·0	....	....	8·0	20·0	30·0	54·0	45·0	43·0	29·9	9·0	18·0
N. W. Territories.												
Edmonton	42·0	29·0	39·5	10·0	21·0	29·0	36·0	34·0	29·5	12·0	4·0	5·0
Medicine Hat	39·9	22·7	24·7	9·8	30·3	32·7	44·7	42·0	29·0	13·3	1·1	7·8
Qu'Appelle	44·9	38·4	22·3	5·9	15·0	32·0	43·4	34·6	25·5	19·0	8·0	7·6
Chaplin	40·0	40·0	20·0	0·0	35·0	40·0	56·0	45·0	44·0	24·0	4·0	7·0
Grenfell	47·0	40·5	23·0	6·0	22·0	35·5	51·0	37·0	31·0	19·0	11·0	6·0
Parkland	46·3	45·9	29·6	7·8	35·0	29·0	37·2	30·4	23·3	18·0	19·9	13·9
Calgary	30·7	28·7	28·7	1·5	26·6	27·6	38·0	38·0	27·6	6·5	12·6	0·5
Maple Creek	35·0	23·0	17·0	15·0	37·0	31·0	52·0	50·0	42·0	16·0	4·0	0·0

TABLE V (Continued.)—*Lowest Temperature, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
N.W. Territories.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Gleichen	35·0	30·0	30·0	....	....	....	....	45·0	34·0	19·0	12·0	10·0
Balgonie	45·0	35·0	....	4·0	25·0	40·0	60·0	34·0	32·0	....	....	....
Fort Chipewyan	....	....	37·0	22·0	18·0	24·2	33·0	26·0	25·0	20·8	12·3	18·8
Pheasant Forks	48·5	43·0	28·1	9·0	20·0	43·0	45·0	30·0	25·0	17·0	18·0	16·0
Regina	51·0	43·5	30·0	5·0	13·5	30·0	38·5	33·5	18·0	16·0	8·0	12·5
Prince Albert	55·4	51·4	41·5	23·0	18·0	34·0	42·0	32·0	....	....	....	....
Swift Current	40·2	24·0	25·6	4·4	23·4	32·0	38·0	35·4	28·0	12·0	0·4	7·0
Banff (National Park)	47·1	18·7	31·6	4·1	....	....	....	....	....	....	....	....
Hudson's Bay												
Fort Churchill	44·0	46·0	35·2	15·6	1·8	23·8	32·7	33·7	28·9	10·0	21·5	27·6
British Columbia.												
Victoria	8·0	28·0	20·0	31·0	34·0	40·0	37·0	43·0	38·0	31·0	25·0	26·0
Quamichan	....	....	....	....	....	....	38·0	45·0	35·0	28·0	16·0	15·0
Port Moody	1·0	28·1	22·0	30·0	38·0	42·0	44·0	49·0	44·0	32·5	20·0	18·0
Fort Simpson	2·0	20·0	20·0	28·2	30·0	40·0	41·0	43·0	38·0	28·0	17·0	19·0
Clinton	46·5	6·0	6·5	20·0	27·0	36·5	32·0	38·0	26·5	16·0	3·3	6·5
New Westminster	2·0	31·0	25·0	34·0	41·0	48·0	48·0	53·0	46·0	34·0	25·0	25·0
Maple Grove	....	....	....	....	....	....	....	....	....	....	17·0	....
Barkerville	....	0·8	15·5	4·8	22·0	32·9	33·0	33·9	27·9	11·9	4·8	4·2
Spence's Bridge	....	....	....	....	....	....	....	55·0	42·0	29·0	13·0	10·0

TABLE VI.—*Mean Temperature in each Quarter, and the Highest and Lowest Temperatures in the year 1888, and the date of their occurrence.*

	Winter.	Spring.	Summer.	Autumn.	Year.	HIGHEST TEMPERATURE.		LOWEST TEMPERATURE.	
						Temper.	Date.	Temper.	Date.
Ontario.	°	°	°	°	°	°		°	
Axe Lake	10·27	47·00	57·07	26·97	35·33	—86·0	21 June.	—38·0	23 Jan.
Alton	13 70	48·97	60·63	32·57	38·97	92·2	23 June.	—22·0	10 Feb.
Alexandria	....	....	62·03	31·07	....	....	....	....	....
Buda	5·23	49·43	63·23	....	....	92·0	19 June.	—45·0	10 Feb.
Bond Head	....	....	....	34·23	....	....	....	....	....
Biscotasing	1·90	45·87	62·57	25·13	33·87	90·0	20 June.	—45·0	21 Jan.
Beatrice	11·87	48·87	59·30	30·73	37·69	88·0	21 June.	—31·0	22 Jan.
Birman	19·13	52·33	62·93	36·77	42·79	93·0	21 June.	—23·0	10 Feb.
Brantford	19·17	53·73	64·60	36·80	43·57	97·0	21 June.	—20·0	22 Jan.
Brampton	18·27	54·27	64·23	35·93	43·18	93·0	21 June.	—23·0	10 Feb.
Bala (Whiteside)	12·70	49·23	60·07	32·13	38·53	90·0	22 June.	—31·0	9 Feb.
Brockville	11·87	53·73	63 60	34·43	40·91	....	...	....	....
Belleville	15·20	54·13	64·20	36·70	42·56	....	....	....	....
Cartier	— 0·43	47·13	56 67	18·83	36·46	90·0	21-22 June.	—41·0	21 Jan.
Coldwater	13·03	51.03	60·97	33·67	38·67	95·2	21 June.	—38·0	22 Jan.
Cottam	....	....	64·07	39·37	..	....	....	....	....
Chatham	23·83	53·67	64·80	38·03	45·08	94·0	22 June.	—11·0	9 Feb.
Conestogo	17·33	51·43	62·10	35·20	41·53	91·0	22 June.	—26·2	22 Jan.
Charlinch	9·97	47·83	57·27	28·73	35·95	93·0	21 June.	—38·5	10 Feb.
Cornwall	12·30	51·80	64·33	31·83	40·07	....	....	....	....
Deseronto	15·63	54·27	66·87	34·70	42·87	94·0	21 June.	—30·5	22 Jan.
Durham	16·43	52·17	63·60	35·20	41·85	89·0	20 May.	—22·0	10 Feb.
Egremont	15·23	48·63	59·47	32·80	49·03	87·0	20-21 June.	—22·0	9 Feb.
Elora	16·97	51·30	62·37	34·87	41·38	88·0	20-22 June.	—19·0	10 Feb.
Fort Erie	18·77	47·03	58·87	34·07	39·68	....	....	....	....
Goderich	16·87	47·40	58·63	35·60.	39·62	....	....	....	....
Guelph	16·90	51·17	63·33	34·73	41·53	95·0	22 June.	—18·5	10 Feb.
Galt	17·43	51·20	63·00	36·20	41·96	90·0	20-21 June.	—20·0	22 Jan. / 10 Feb.
Georgina	....	50·03	61·30	33·43	....	89·0	20-22 June.	—25·0	21 Jan. / 10 Feb.
Gravenhurst	13·57	50·20	61·90	32·93	39·65	94·0	22 June.	—32·0	22 Jan.
Haliburton	....	....	59·63	30·20	....	90·0	23 June.	....	....
Heron Bay	3·30		....	....	....	....	....	—65·0	9 Feb.
Ingersoll	17·80	52·60	64·17	....	....	93·9	21 June.	—23·2	22-23 Feb.
Kingston	16·07	51·60	62·77	34·47	41·23	89·8	23 June.	—19·5	22 Jan.

TABLE VI (Continued.)—*Mean Temperature in each Quarter, &c.*

	Winter.	Spring.	Summer.	Autumn.	Year.	HIGHEST TEMPERATURE.		HIGHEST TEMPERATURE.	
						Temper.	Date.	Temper.	Date.
Ontario.—*Continued.*	°	°	°	°	°	°		°	
Little Current	10·90	48·33	63·33	34·47	39·26	93·0	21 June.	—27·0	9 Feb.
Listowel	15·00	49·30	61·90	34·43	40·11	92·0	22 June.	—24·0	21 Jan. 22 Feb.
London	20·23	52 53	65·07	37·83	43 91	88·2	22 June.	—16·5	22 Jan.
London (2)	19·80	52·17	....	36·40	....	92 4	22 June.	—17·2	22 Feb.
Lindsay	14·20	51·23	61·30	32·50	39·81	98·0	21 June.	—30·6	22 Jan.
Lakefield	12·23	51·50	62·70	32·97	39·85	91·0	22 June.	—26·0	22 Jan. 10 Feb.
Lucknow	18·10	51·07	62·47	36·33	41·99	91·7	20 June.	—20·7	9 Feb.
Minden	11·37	48 57	58·37	30·60	37·36	92·2	21 June.	—42·4	20 Jan.
Mattawa	....	49·16	58 93	....	....	91·4	22 June.	—42·1	9 Feb.
Norwood	11·33	48 43	....	....	....	93·0	22 June.	—31·4	22 Jan.
North Bruce	....	....	60·70	34·43	....	86·0	19–22June.	....	.....
Nepigon	— 0·47	41·83	54·07	26·17	30·40	85·0	22 Aug.	—46·0	10 Feb.
Newcastle	15·57	46·60	61·60	33·83	39·40	....	.....	....	.....
Northcote	....	....	....	....	....	..	.....	—39·0	21 Jan.
North Bay	4·53	41·03	58·53	....	....	86·0	7 Aug.	—35·0	10 Feb.
Niagara Falls, S.	22·23	53 33	64·37	38·17	44·52	92·0	20 June.	— 5·0	15 Feb.
Ottawa	12·10	53·47	64·17	31·47	40·30	94·9	22 June.	—32·9	10 Feb.
Owen Sound	....	50·30	61 87	35·20	....	90·0	3 July.	—20·0	21 Jan.
Oshawa	18·43	....	....	35·50	....	....	.....	—20·4	10 Feb.
Port Arthur	4·07	41·30	55·80	27·27	32·11	91·0	23 Aug.	—39·0	9 Feb.
Parry Sound	12·57	48·40	60·57	31·50	38·36	88·7	3 July.	—34·6	10 Feb.
Point Pelee	23·70	51·40	68 23	41·40	46·18	98·0	4 Aug.	— 4·0	15 Feb.
Port Stanley	21·57	51·57	61 83	37·30	42·07	91·4	18 June.	—15·3	10 Feb.
Port Dover	19·50	48·63	63·40	36 87	42·10	87·9	22 June.	—19·0	22 Jan.
Point Clark	18·87	47·87	60·87	38·00	41·46	86·0	20 June.	—13·0	9 Feb.
Petrolea	21·37	52 77	....	....	....	95·0	20 June.	—18·0	22 Jan.
Peterborough	14·87	53·33	61·40	33·97	40·89	....	.....	....	.....
Rockliffe	8·03	50 27	58·77	27·70	36·19	91·7	22 June.	—46·0	10 Feb.
Ridgetown	20·03	52·27	62·83	37·20	43·08	92·0	22 June.	—16·0	9–10 Feb.
Renfrew	....	52·67	62·53	30·90	....	97·3	22 June.	—39·1	22 Jan.
St. George	20·23	53·13	63·57	36·83	43·44	92·0	21–22June.	—15·0	9 Feb.
Savanne	— 1·30	43·53	....	....	....	85·0	18 June.	—49·0	10 Feb.
Stratford	12·83	46·13	56·97	30·77	36·67	...	.....	....	. ....

TABLE VI (Continued.)—*Mean Temperature in each Quarter, &c.*

	Winter.	Spring.	Summer.	Autumn.	Year.	HIGHEST TEMPERATURE.		LOWEST TEMPERATURE.	
						Temper.	Date.	Temper.	Date.
Ontario—*Concluded.*	°	°	°	°	°	°		°	
Sudbury	....	....	61·77	27·63	....	93·0	22 June.	—45·0	12-16 Jan.
Saugeen	17·83	48·30	59·37	35·30	40·20	87·0	21 June. } July. }	—16·1	10 Feb.
Sprucedale	8·70	46·97	57·83	28·33	35·46	94·0	22 June.	—46·0	10 Feb.
Sombra	21·67	50·93	....	....	....	94·0	20 June.	—21·0	10 Feb.
Stony Creek	21·17	52·93	65·43	39·70	44·89	93·0	22 June.	—12·0	9 Feb.
Sharon	16·37	51·43	61·90	34·30	41·00	90·5	23 June.	—21·1	9 Feb.
Sarnia	17·23	47·80	62·60	34·80	40·61	....	....	....	....
Toronto	19·77	51·30	62·90	36·83	42·70	92·0	22 June.	—16·1	9 Feb.
White River	— 2·77	43·07	53·97	21·97	29·06	86·0	19 21 June.	—58·0	21 Jan.
Wanstead	20·60	52·23	62·93	38·10	43·47	91·8	20 June.	—17·5	9 Feb.
Woodstock	19·30	52·77	62·07	36·60	42·68	92·0	20 June.	—24·0	9 Feb.
Uplands	....	....	56·20	25·60	....	90·8	21 June.	—35·7	10 Feb.
Zurich	19·40	51·77	62·77	37·27	42·80	94·0	21 June.	—18·0	9-10 Feb. 24 Mar.
Quebec.									
Anticosti, S.W.P	16·23	40·27	54·33	30·30	35·28	70·1	30 July.	—17·6	10 Feb.
Anticosti, W.P.	15·80	41·20	55·30	30·03	35·58	73·0	5-20 July.	—14·0	10 Feb.
Anticosti, Heath Point	16·50	39·87	56·23	30·17	35·69	69·0	18 July.	—15·0	4 Jan.
Brome	12·23	50·37	59·07	31·47	38·28	83·0	23 June.	—34·0	10 Feb.
Bird Rock	19·53	38·70	56·93	35·27	37·61	75·2	15 July.	—17·6	25 Jan.
Bicquet	....	41·67	50·57	....	....	68·0	13 Aug.	....	....
Belle Isle	16·07	32·00	44·97	29·67	39·67	65·0	13 Aug.	—18·0	10 Feb.
Cranbourne	9·53	45·30	55·67	26·33	32·54	84·8	23 June. July.	—38·4	10 Feb.
Chicoutimi	...	45·37	57·87	27·37	....	89·2	5 July.	—36·5	10 Feb.
Cape Chatte	....	42·73	55·97	29·83	....	78·0	9 Aug.	....	....
Cape Magdalen	14·77	42·53	55·70	29·80	35·70	79·0	9 Aug.	—17·0	10 Feb.
Cape Norman	18·23	34·27	49·77	28·73	32·76	65·0	10 Aug.	—17·0	4 Feb.
Father Point	11·43	41·80	52·40	27·60	33·31	81·5	4 July.	—22·0	10 Feb.
Huntingdon	12·20	50·32	61·07	31·00	38·65	90·0	22 June.	—36·4	10 Feb.

TABLE VI. (Continued.)—*Mean Temperature in each Quarter, &c.*

	Winter.	Spring.	Summer.	Autumn.	Year.	HIGHEST TEMPERATURE.		LOWEST TEMPERATURE.	
						Temper.	Date.	Temper.	Date.
Quebec.—*Concluded.*	°	°	°	°	°	°		°	
Montreal	15·87	54·37	63·90	31·40	41·38	88·1	22 June.	—24·4	10 Feb.
Quebec	12 33	47·10	57·80	28·23	36·37	84·7	4 July.	—31·7	10 Feb.
Point des Monts	13·01	45·77	52·67	27·20	34·66	80·0	4 July.	—26·4	10 Feb.
Richmond	11·43	49 83	59·87	27·07	37·88	88·5	4 July.	—41·4	10 Feb.
Roberval	....	44·63	58·07	25·63	....	92·3	22 June.	....	....
Sherbrooke	9.13	49·87	60.73	30·97	37·67	....	....	....	....
Point Levis	10·90	45·87	58 77	26·80	35·58	....	....	....	....
New Brunswick.									
Bathurst	16·73	48·03	62·97	32·83	40·14	91·5	5 July.	—26·0	10 Feb.
Chatham	19·73	47 11	59·03	30·40	39·07	88·1	4 July.	—30·8	29 Jan.
Dalhousie	12·90	43·57	57·91	29·00	35·86	88·0	21 June.	—27·0	29 Jan.
Fredericton	17·60	49·57	60·37	32·90	40·11	87 7	23 June.	—22·0	28 Jan.
Grand Manan	23·53	47·43	57·87	37·57	41·60	85·6	23 June.	— 9·8	25 Jan.
Parker's Ridge	....	....	....	29·03	....	....	....	....	....
St. Andrews	20·07	47·30	57·47	35·13	40·14	86·8	23 June.	—11·4	25 Jan.
St. John	19·91	46·53	57·73	35·47	39 81	81·9	23 July.	—11·5	25 Jan.
Woodstock	14·23	48·37	59·50	31·10	38·30	87·9	5 July.	—25·4	28 Jan. 28 Feb.
Point Lepreaux	21·27	43·13	54·60	36·37	38·34	68·0	20 June.	— 8·0	25 Jan. 10 Feb.
Dorchester	16·10	45·37	58·53	33·13	38 28	83·0	23 June.	—16·0	23 Jan.
Nova Scotia									
Halifax	23·37	46·33	59·47	37·87	41·76	93·4	23 June.	— 5·1	22 Jan.
Pictou	21·23	46·13	60·80	38 37	41·63	84 0	11 July.	—13·5	26 Jan.
Sydney	22·47	43·13	58·70	38·43	40·68	80·9	22 July.	— 6·0	23 Jan.
Sable Island	28 87	43·33	57·73	43·60	43·38	69·0	27 July.	7·0	22 Jan.
Truro	20 67	46·73	59 60	36 80	40·95	82·3	23 June.	—17·8	23 Jan.
Yarmouth	25·67	45·97	56·40	39·43	41·87	76·5	17 Aug.	3·9	13 Jan.
Whitehead	23·73	42·57	56·79	38 53	40·63	73·0	23 June.	— 1·0	22 Jan.
Digby	22·21	48·57	59·77	36·10	41·66	84·0	23 June.	0 0	12 Jan
Glace Bay	21·71	41·23	58·57	37·47	39·74	88·0	9 July.	— 9·0	23 Jan

TABLE VI (Continued.)—*Mean Temperature in each Quarter, &c.*

	Winter.	Spring.	Summer.	Autumn.	Year.	HIGHEST TEMPERATURE.		LOWEST TEMPERATURE.	
						Temper.	Date.	Temper.	Date.
P. E. Island.	°	°	°	°	°	°		°	
Charlottetown	....	....	59·67	36·33	....	....	....	....	....
Kilmahumaig	16·10	43·70	59·43	33·77	38·25	83·0	7 June.	−17·1	29 Jan.
Newfoundland.									
St. Johns	26·03	40·10	53·90	36·60	39·16	76·0	23 July.	− 3·0	14 Jan. 5 Feb.
Point Rich	19·23	37·77	54·37	32·37	35·94	71·0	12 July.	−15·0	18 Jan. 11 Feb.
St. Pierre	25·73	44·40	58·10	40·93	42·29	68·0	23 July.	− 6·8	17 Jan.
Manitoba.									
Minnedosa	− 2·97	44·10	55·47	21·90	29·62	93·8	18 June.	−50·6	9 Feb.
Russell	− 5·80	44·13	55·97	23·73	29·51	94·0	18 June.	−49·5	9 Feb.
Stony Mountain	− 2·40	46·57	59·67	25·93	32·44	95·7	8 June.	−44·7	9 Feb.
Sourisford	− 2·97	45·80	....	....	....	103·0	18 June.	−50·5	9 Feb.
Winnipeg	− 3·23	47·00	59·80	25·43	32·25	96·0	18 June.	−46·4	9 Feb.
Hillview	− 3·57	45·50	58·87	24·17	31·24	97·0	18 June.	−46·0	9 Feb.
St. Albans	− 2·33	47·33	61·37	26·30	53·17	98·5	18 June.	−46·0	9 Feb.
Portage la Prairie	0·23	47·53	60·63	27·20	33·73	98·0	18 June.	−42·0	9 Feb.
Fort Osborne	− 1·73	49·87	63·33	24·27	33·93	97·0	18 June.	−45·0	9 Feb.
Selkirk, E	− 5·77	45·23	....	....	....	94·0	18 June.	−58·0	7 Feb.
Gladstone	....	....	58·87	....	....	99·0	18 June.	....	....
Swampy Island	....	40·03	60·27	25·83	....	86·0	20 June.	....	....
N. W. Territories.									
Edmonton	6·17	46·13	57·20	27·87	34·34	87·5	10 July.	−42·0	23 Jan.
Medicine Hat	12·00	51·97	63·03	28·27	38·64	100·4	10 July.	−39·9	14 Jan.
Qu'Appelle	− 0·83	46·07	59·03	25·50	32·44	91·8	24 Aug.	−44·9	14 Jan.
Chaplin	1·97	48·23	64·00	29·03	35·81	98·0	22 Aug.	−40·0	13 Jan. 9 Feb.
Grenfell	− 2·50	45·83	58·13	24·37	31·46	94·0	18 June.	−47·0	14 Jan,
Parkland	− 3·57	44·23	57·53	23·93	30·53	97·3	18 June.	−46·3	14 Jan.
Calgary	11·33	45·53	57·27	26·47	35·15	92·0	10 July.	−30·7	19 Jan.
Maple Creek	12·73	52·93	66·77	32·63	41·27	100·0	10 July.	−35·0	14 Jan.

TABLE VI (Concluded.)—*Mean Temperature in each Quarter, &c.*

	Winter.	Spring.	Summer.	Autumn.	Year.	HIGHEST TEMPERATURE.		LOWEST TEMPERATURE.	
						Temper.	Date.	Temper.	Date.
N. W. Territories.—*Con.*	°	°	°	°	°	°		°	
Gleichen	10·07	....	....	24·70	...	....	....	—35·0	20 Jan.
Balgonie	— 2·47	45·80	59·33	....	....	91·0	19 June.	—45·0	14 Jan.
Fort Chipewyan	....	34·63	....	20·10	....	78·0	19 July.	....	....
Pheasant Forks	— 5·37	44·77	56·63	21·67	29·43	98·0	18 June. } 20 July. }	—48·5	19 Jan.
Regina	— 4·07	45·93	60·03	24·63	31·63	96·0	19 July.	—51·0	9 Jan.
Prince Albert	....	....	....	....	....	87·7	June. } July. }	—55·4	21 Jan.
Swift Current	6·23	47·20	60·57	27·47	35·37	95·0	23 Aug.	—40·2	14 Jan.
Banff (National Park)	14·87	....	....	...	....	....	....	—47·1	30 Jan.
Hudson's Bay.									
Fort Churchill	—16·23	22·67	49·00	12·00	16·86	75·0	26 July.	—46·0	8 Feb.
British Columbia.									
Victoria	38·50	53·30	58·90	45·57	49·07	85·0	17 July.	8·0	13 Jan.
Quamichan	....	....	62·10	46·07	....	92·0	17 July.	....	....
Port Moody	36·03	56·03	62·73	44·60	49·85	92·0	18 July.	— 1·0	14 Jan.
Fort Simpson	33·93	48·03	55·73	41·57	44·81	72·0	5 July.	2·0	19 Jan.
Clinton	22·87	49·37	59·23	31·20	40·67	92·5	31 Aug.	—46·5	20 Jan.
New Westminster	36·50	56·57	63·63	45·80	50·63	90·0	31 July.	2·0	20 Jan.
Maple Grove	....	....	....	....	....	....	....	....	....
Barkerville	....	45·47	54·83	28·30	....	86·9	21 Aug.	....	....
Spence's Bridge	....	....	....	39·97	....	....	....	....	....

TABLE VII.—*Mean Daily Range in each month and for the year 1888.*

Ontario.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	°	°	°	°	°	°	°	°	°	°	°	°	°
Alton	17·4	17·6	19·8	17·2	20·7	25·7	25·9	24·3	26·1	16·3	17·0	12·9	20·08
Alexandria	....	....	....	....	....	....	23·2	17·2	16·9	12·5	13·3	15·2	....
Birnam	14·6	14·7	15·1	21·3	23·5	25·8	26·3	23·4	23·5	14·1	11·8	9·8	18·66
Beatrice	20·0	21·9	18·6	19·0	20·8	25·7	25·1	20·7	21·1	14·4	14·4	15·9	19·80
Brampton	17·9	26·5	16·2	19·9	21·1	24·6	24·8	21·1	21·8	16.4	13·7	13·0	19·75
Brantford	18·9	13·5	19·5	21·9	23·2	24·7	27·3	24·8	25·2	16.1	17·7	13·5	20·53
Charlineh	23·6	26·9	21·0	21·4	23·8	29·9	29·7	26·0	26·7	17·9	17·4	18·4	23·56
Conestogo	16·9	15·2	16·6	19·3	21·0	23·8	27·1	25·0	23·4	14·7	13·6	11·6	19·02
Coldwater	23·5	21·9	17·5	20·3	22·9	28·5	27·2	22·5	26·6	17·6	13·9	17·0	21·62
Deseronto	22·5	21·7	17·9	19·5	22 2	25·4	24·9	24·2	24·0	18·7	16·0	14·0	29·17
Durham	13.4	13·7	14·5	17·2	19·0	23·5	24·8	20·3	19·2	14·7	12·2	12·4	47·08
Elora	16·2	18·0	16·2	17·7	18·8	21·8	21·3	20·6	21·1	12·9	13·7	13·0	17·61
Guelph	17·4	18·0	17·8	19·7	20·9	24·8	26·8	24·2	24·2	15·4	16·0	14·7	19·92
Galt	17·9	21·1	18·9	20·2	22·1	23·6	27·3	24·4	23·6	17·0	16·0	13·6	20·47
Georgina	13·0	13·8	10·1	12·1	15·6	24·0	246·	20·6	20·6	14·1	12·7	11·5	16·06
Gravenhurst	23·2	22·6	20·3	18·7	21·5	26·4	26·1	24·0	22·6	16·6	15·3	16·8	12·84
Haliburton	....	....	....	....	...	24·5	26·3	25·3	26·4	16·2	16·3	15·7	....
Kingston	17·2	17·6	15·5	15·6	18·4	18·5	....	....	15·8	13·3	10·9	13·2	....
Ingersoll	14·0	19·0	18·8	20·6	22·9	25·6	27·0	26·9	22·1	16·0	14·0	....	....
Joly	17·4	23·4	19·5	19·4	21·2	23·0	25·8	23·6	21·3	16·7	16·7	17·3	20·44
Lakefield	21·2	22·1	20·3	19·8	19 8	20·8	25·8	27·5	21·4	17·5	17·6	15·6	20·78
Lindsay	20·0	20·7	17·7	20·2	21·9	29 7	31·5	26·5	25·2	17·0	14·4	14·2	21·58
London	15·2	17·7	16·8	21·5	19·2	20·1	21·3	20·9	21·5	14·3	14·6	12·8	17·99
London (2)	17·8	18·1	17·2	20·1	22·9	23·9	....	....	24·3	15·3	15·3	13·1	....
Lucknow	14·5	16·2	18·7	19·1	20·9	24·2	27·2	22·4	23·6	15·2	14·1	12·3	19·03
Little Current	14·8	15·6	16·8	15·8	17·6	25·8	22·0	20·1	17·9	14 9	13·9	14·3	17·46
Minden	28·2	30·3	23·5	23·3	23·9	30·6	32·4	29·7	30·2	22·6	18·8	18·4	25·99
Mattawa	....	27 7	29 8	25·3	21·3	29·1	30·2	26·5	24·0	18·8	....	....	....
Norwood	26·5	20·5	14·7	12·0	20·4	25·6	27·3	....	....	....	13·5	12·8	....
Oshawa	23·7	18·9	15·8	....	....	....	....	23·6	19·8	14·3	14·1	14·0	....
Ottawa	16 9	21·4	16·1	18·5	20·5	23·6	25·2	20·9	18·4	14·4	13·3	14·9	18·67

TABLE VII (Continued.)—*Mean Daily Range, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ontario.—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Owen Sound	16·6	....	15·9	16·3	19·8	22·5	24·4	19·6	18·2	14·6	13·7	13·9	....
Port Arthur	21·4	21·6	23·9	18·8	16·3	18·5	22·1	24·6	20·5	14·8	14·2	19·9	19·72
Parry Sound	23·3	24·5	21·8	19·2	20·8	23·5	23·4	20·3	19·5	14·8	14·7	16·4	20·20
Port Stanley	15·7	17·1	14·2	17·2	17·3	20·5	20·9	19·5	21·8	15·1	12·8	11·8	16·99
Port Dover	17·1	17·4	16·0	16·4	16·3	17·7	18·9	17·5	18·5	14·8	13·7	11·7	16·33
Petrolia	17·7	20·2	18·8	21·8	23·2	24·7	....	....	....	....	....	....	....
Rockliffe	24·8	29·1	22·4	22·2	23·1	28·0	28·7	23·9	22·5	15·9	16·9	17·9	22·95
Renfrew	24·5	23·5	20·9	21·1	25·3	29·6	32·1	26·4	26·2	18·0	16·6	18·1	23·53
Ridgetown	10·6	19·9	17·4	21·2	21·2	25·1	25·8	25·7	27·9	19·6	15·4	13·9	20.31
Saugeen	15·5	17·0	18·8	16·8	17·8	21·7	20·3	18·0	18·4	14·3	13·0	11·0	16·88
Sprucedale	29·8	27·7	24·4	24·3	25·9	30·1	34·6	29·3	29·4	19·8	18·2	18·9	26·02
Sombra	17·7	19·2	18·5	23·0	24·2	25·8	30·2	26·9	30·7	....	....	....	....
Woodstock	17·8	18·9	18·3	21·2	22·4	24·9	27·5	26·7	26·7	16·3	15·4	14·2	20·86
Wanstead	....	....	....	....	....	24·0	25·7	24·5	24·9	15·3	14·5	12·1	....
Toronto	15·7	15·2	14·4	16·7	17·2	22·1	20·9	19·6	18·1	13·6	12·6	12·6	16·56
Uplands	23·7	27·7	....	....	....	27·7	27·8	29·0	29·1	20·3	21·1	23·0	....
Zurich	14·5	17·0	16·2	18·8	21·4	25·0	26·7	23·4	22·3	14·3	13·7	11·8	20·43
Quebec.													
Anticosti, S.-W. P.	10·8	13·6	7·4	6·7	9·0	9·9	11·0	10·4	11·1	9·8	8·3	9·9	9·83
Bird Rocks	14·9	18·7	12·0	12·7	13·2	12·7	11·7	11·2	9·4	10·7	10·0	10·7	11·33
Belle Isle	10·3	13·1	10·7	10·8	10·6	10·3	12·9	12·3	9·3	7·5	7·9	9·9	10·47
Cranbourne	19·7	22·0	18·2	18·2	19·8	21·9	24·7	15·6	17·7	12·3	17·0	16·0	18·59
Father Point	16·5	20·0	13·9	13·6	14·9	17·3	17·9	14·7	15·6	11·7	11·8	15·4	15·27
Huntingdon	13·7	21·1	13·5	16·4	19·4	21·6	24·6	17·7	16·9	12·8	11·0	12·2	16·74
Montreal	15·1	20·3	13·2	13·7	16·6	18·1	20·0	14·3	13·6	11·3	12·1	13·2	15·12
Quebec	16·1	17·4	13·7	14·4	15·5	17·6	20·2	14·0	15·5	11·9	13·8	15·4	15·46
Richmond	26·0	27·0	18·1	20·1	22·9	25·2	27·0	20·4	19·7	14·7	18·2	18·4	21·48
Roberval	....	....	...	17·5	18·9	21·5	20·0	17·8	17·0	13·2	12·2	17·9	....
Chicoutimi	24·2	....	18·8	20·8	19·9	21·2	20·0	16·6	19·6	13·8	15·2	20·3	....

TABLE VII (Continued.)—*Mean Daily Range, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
New Brunswick.	°	°	°	°	°	°	°	°	°	°	°	°	°
Bathurst	19·3	....	18·4	24·3	24·4	23·3	25·4	21·1	24·4	21·6	23·3	28·9	....
Chatham	23·4	26·8	15·0	20·4	20·2	22·1	25·0	17·7	20·9	15·4	14·9	15·9	18·14
Dalhousie	20·2	18·5	14·8	19·6	17·0	21·2	21·6	16·8	17 5	13·9	12·2	15·0	17·18
Fredericton	20·4	22·7	15·7	20·1	20·8	23·9	25·3	16·9	18·6	15·1	16·2	17·5	19·43
Grand Manan	21·0	17 0	12·1	14·8	15·1	18·3	17·7	14·8	13·8	13·3	15·6	15·8	15·78
St. Andrews	19·2	21·8	13·0	15·9	16 8	20·2	20·1	16·6	15·2	14·1	16 2	13·9	16·92
St. John	19·4	17·9	12·5	15·4	16·9	16·0	17·0	13·5	13·4	13·1	13·4	13·7	15·18
Parker's Ridge	....	....	....	....	....	....	....	....	15·5	14·2	13 9	14·2	....
Woodstock	18·3	21·8	13·6	18·8	22·2	20·3	24·5	17·7	17·1	12·7	13 0	12·3	17·69
Nova Scotia.													
Glace Bay	17·6	17·6	15·0	14·3	19·1	23·2	21·8	17·5	16·7	14·5	16·6	13·5	17·28
Halifax	17·0	16·5	11·3	15·7	16·5	20·4	22·1	17·8	16·6	13·6	14·0	14·0	16·29
Pictou	17·0	14·9	17·0	15·1	17·4	17·0	18·3	16·8	14·9	10·9	14·5	13·7	15·62
Sydney	16·2	17·9	13·4	15 2	19·8	22·2	21·3	15·0	17·4	12·2	13 8	13·1	16·46
Truro	19·0	20·2	13·1	19·0	21·7	22·3	22·6	17·9	18·3	14·3	17·2	16·5	18·51
Yarmouth	13·5	16·9	9·4	11·4	13·4	14·6	14·1	12·8	12·7	10·8	12·0	11·7	12·77
P. E. Island.													
Charlottetown	....	....	....	....	....	....	14·8	11·9	11·5	11·2	14·4	12·9	....
Kilmahumaig	19·4	22·3	13·2	15·8	18·6	19·2	19·5	16·6	17·0	13·6	14·4	14·0	16·97
Newfoundland.													
St. Johns	13·7	15·6	8·3	8·0	13·2	19·2	18·7	14·8	13·5	11·8	13·7	11·2	13·47
St. Pierre	8·7	9·9	8·6	12·3	14·5	14·5	12 2	10·4	10·8	9 9	10·5	11·0	11·11
Manitoba.													
Minnedosa	21·2	23·3	24·0	21·3	28·7	23·9	25·7	30·2	30·2	20·2	20·8	21·4	24·24
Sourisford	21·1	26·8	30·1	27·3	34·5	30·3	33·7	36·7	36·1	....	....	19·7	...
Stony Mountain	18·2	22·3	21·7	21·8	26·3	25·3	23·8	29·3	27·4	21·4	19·4	22·6	23·29
Russell	19·8	23·4	22·6	19·6	28·4	25·2	23·6	27·8	27·7	19·0	19·9	20·1	23·09
St. Albans	21·9	22·0	28·0	22·6	31·2	25 2	27·3	32·1	31·4	31·4	21·2	20·5	26·23
Winnipeg	18·6	22·6	24·3	21·8	29·7	25·8	24·8	28·4	25·4	18·3	15·9	19 9	21·96

TABLE VII. (Continued.)—*Mean Daily Range, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA—*Continued.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Portage La Prairie	18·2	20·7	22·0	19·2	25·0	22·8	22·3	25·8	23·1	15·6	15·8	18·5	20·75
Gladstone	19·1	....	23·0	21·7	....	....	27·6	29·9	33·7	....	...	....	....
Selkirk, E.	23·5	26·7	27·1	25·3	27·7	27·3	26·3	28·9	....	....	....	....	....
N. W. TERRITORIES.													
Edmonton	23·9	19·8	24·4	19·9	27·0	21·6	24·3	23·5	25·8	23·5	18·0	16·9	22·38
Medicine Hat	21·2	13·9	20·7	22·0	23·0	22·8	28·7	26·7	29·8	26·1	23·8	17·4	22·93
Qu'Appelle	17·5	19·2	20·6	18·8	23·6	24·0	23·2	25·7	26·5	18·4	15·1	14·7	20·61
Kilnap	19·1	25·8	26·3	20·7	28·3	29·7	26·1	28·1	27·9	18·5	20·2	19·7	24·20
Calgary	19·8	20·0	22·0	22·4	22·7	21·3	27·3	25·4	32·5	25·9	23·0	18·3	23·38
Fort Chipewyan	....	....	17·9	17·7	12·2	19·4	....	19·3	13·3	9·6	10·3	13·9	....
Regina	20·8	20·7	22·0	22·0	27·0	28·3	28·2	30·9	30·9	20·9	19·2	18·9	24·15
Prince Albert	....	....	....	....	....	....	28·0	33·8	....	....	....	....	....
Swift Current	19·3	19·4	24·6	24·6	25·7	23·4	29·6	29·0	30·5	24·6	22·4	20·5	24·47
Banff	21·6	21·8	25·7	25·3	....	...	....	....	....	....	22·1	19·3	....
BRITISH COLUMBIA.													
Victoria	9·5	8·9	13·1	15·8	12·6	18·0	24·0	23·1	23·7	12·9	9·6	10·4	15·13
Quamichan	....	....	....	....	....	....	29·4	30·4	30·5	20·8	22·4	24·4	....
Port Moody	13·6	14·3	18·3	17·4	25·6	20·3	24·0	23·2	19·9	10·3	10·5	7 7	17·09
Fort Simpson	14·8	12·0	13·4	....	17·5	11·7	15·5	12·7	10·6	11·3	13·0	13·1	....
Barkerville	....	14·5	....	22·4	32·5	29·3	26·9	29·4	25·2	18·6	15·3	14·8	....
Spence's Bridge	....	....	....	....	....	....	....	27·5	26·0	17·8	13·4	12·8	....
Clinton	17·3	14·8	18·8	21·5	31·7	23·9	31·4	31·0	32·8	21·0	17·2	14·4	22·98
Maple Grove	....	....	....	....	....	..	...	....	....	....	....	12·3	....

TABLE VIII.—*January, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilmap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	39·5	28·5	32·5	16·0	14·5	15·6	22·0	5·5	1·8	13·5	5·6	....	18·4	12·5	7·5	12·7
2	36·0	27·9	34·0	....	0·6	11·6	11·7	2·0	7·7	15·2	10·4	11·0	18·6	7·6	5·9	....
3	33·0	20·5	24·5	35·3	4·1	10·5	13·0	1·2	1·3	9·3	11·7	6·7	11·8	3·6	5·9	10·8
4	26·0	17·1	25·5	32·5	11·9	9·8	20·8	18·8	17·8	10·5	11·6	7·3	17·5	15·0	15·3	8·8
5	21·0	16·8	19·5	31·7	13·4	8·4	11·7	17·8	17·7	15·0	5·9	7·2	11·9	14·7	14·5	....
6	23·0	22·7	16·5	19·2	20·3	16·3	15·0	16·5	24·8	21·5	22·8	24·0	13·5	11·8	21·9	....
7	22·5	21·6	16·5	19·2	15·2	18·3	18·2	9·7	11·7	25·0	28·9	19·3	22·1	7·9	18·1	....
8	24·5	27·3	15·0	...	19·5	26·8	24·5	2·3	29·8	31·2	38·2	....	26·4	10·1	28·5	32·5
9	27·5	36·5	17·5	...	5·6	21·5	15·3	5·5	1·0	29·0	28·8	17·0	29·8	9·6	5·0	23·1
10	35·0	36·3	27·0	....	3·9	26·1	19·5	1·7	2·0	29·0	26·9	27·5	28·7	1·6	13·2	29·3
11	36·0	27·6	31·0	.	7·3	8·5	6·2	6·8	12·2	9·3	9·8	12·5	21·8	0·3	3·3	....
12	35·5	13·8	27·5	....	21·8	23·6	31·3	22·5	26·5	19·5	24·5	26·0	18·8	23·0	28·9	25·7
13	14·0	16·4	11·5	....	25·3	35·4	38·0	22·3	31·3	37·2	34·6	36·3	34·2	20·0	31·8	35·8
14	16·5	19·8	11·0	....	24·7	32·0	27·0	16·2	23·5	39·3	37·9	38·5	38·2	12·9	29·5	37·0
15	20·5	21·8	12·0	....	7·3	16·9	7·5	1·0	5·7	12·2	22·9	....	23·4	2·4	10·1	17·5
16	28·0	28·1	12·5	....	5·7	2·1	7·8	2·8	1·5	1·5	2·5	0·5	4·7	1·2	3·0	1·3
17	31·0	19·7	16·0	....	5·4	6·0	27·0	11·7	10·5	3·3	13·7	12·5	0·1	11·3	10·3	8·7
18	34·5	10·5	26·0	....	20·6	24·1	29·0	19·5	26·3	31·7	25·5	24·0	15·5	20·3	30·0	25·5
19	28·0	17·9	24·5	....	24·2	32·1	30·2	23·5	30·2	34·7	35·5	36·3	31·6	24·5	31·7	36·5
20	25·5	18·7	29·0	....	22·9	29·3	25·5	27·5	16·5	33·5	35·0	30·0	34·7	14·7	23·7	34·0
21	26·0	16·1	16·5	....	15·2	15·6	19·5	14·0	13·5	24·3	31·0	23·5	20·7	7·6	19·1	21·5
22	26·0	14·3	19·5	....	13·1	13·6	16·8	19·2	11·5	16·2	17·8	....	11·9	20·7	16·0	17·0
23	38·5	20·5	28·0	....	8·0	13·0	10·7	14·0	5·5	12·3	21·7	11·2	19·9	14·4	8·1	12·0
24	36·5	25·3	29·0	....	5·6	7·8	9·3	13·5	11·5	10·2	7·7	12·5	0·0	13·7	9·7	9·0
25	40·5	28·7	34·0	...	0·2	7·2	7·7	8·0	25·7	10·3	15·4	10·3	16·7	6·1	3·9	5·0
26	46·0	44·4	37·0	...	20·1	0·1	0·8	7·0	29·5	1·0	2·1	2·0	2·6	6·3	4·3	2·3
27	47·0	39·1	39·5	....	40·2	6·7	14·7	40·8	45·5	3·3	7·3	5·0	0·7	31·1	33·0	14·2
28	43·5	35·2	39·0	....	39·4	28·0	35·0	41·0	43·0	14·5	11·7	26·7	19·2	28·6	37·1	30·5
29	45·0	34·4	39·0	....	39·3	27·3	33·8	40·5	40·8	19·5	24·2	....	26·9	30·7	36·0	26·6
30	47·5	36·8	42·5	....	40·5	28·7	32·5	42·5	44·2	12·5	9·6	23·5	19·8	33·0	34·3	21·9
31	45·5	34·6	48·0	....	43·0	33·3	26·7	24·8	43·5	26·7	23·8	26·5	23·4	39·4	39·7	26·3
	32·24	25·13	25·89	....	2·14	9·80	9·99	2·61	0·31	13·22	13·93	12·30	13·15	1·82	6·13	10·84

TABLE VIII.—*January, 1888. Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Bisco tasing	Day.
°	°	°	°	°	°	°	°	°	°	°	°	'	°	°	°	
17·5	15·2	18·6	16·7	22 0	....	9·0	4·8	17·0	20·6	20·5	26·7	26·3	6·2	20·7	15·0	1
22·5	18·9	20·6	20·8	19·3	26·0	23·3	19·8	17·3	33·1	21·2	...	11·8	19·5	13·8	9·5	2
18·0	11·8	10·5	14·5	7·5	16·1	7·2	17·7	12·5	20·9	16·4	....	14·4	13·3	11·5	2·3	3
8·0	4·5	9·0	10·0	4 7	11·0	4·7	13·5	11·0	17·1	12·3	....	15·4	5·2	11 6	10·5	4
6·5	1·8	6·7	4·0	9·8	4·4	3·5	9·2	2·5	5·6	12·2	....	13·4	4·0	1·9	3·2	5
11 0	9·7	15·9	14·7	22·0	17·4	14·0	16·3	18·5	25·7	15·6	....	21·5	11·8	8·6	7·3	6
11·0	15·0	24·6	15·0	24·5	20 2	29·0	13·2	15·5	30·7	14·7	....	27·8	0·5	9·5	8·5	7
14·0	23·4	30·6	23·3	34 5	....	30·3	23·2	22·3	26·9	9·6	3·0	17·1	4·7	3·7	7·0	8
18 0	27·4	33·2	23 7	25·5	22·9	32·7	30·3	29·5	30·7	18·6	12·2	12·6	12·7	2·4	10·5	9
24·0	27·2	31·5	25·0	29·7	27·4	30·5	27·8	30·5	36·6	23·5	11·5	12·9	13·0	11·0	1·2	10
21·5	24·1	15·5	21·5	13 0	25·5	15·5	21·5	24·0	24 9	27·8	15·8	3·4	8·0	9·2	20·8	11
12·5	14·3	25·9	11·3	23·3	7·2	19 0	18·0	15·5	12·4	15·5	3·2	4·5	9·8	13·0	14·8	12
29·5	32·4	35·5	32·2	29·7	31·3	33·5	32·0	29·0	31·4	....	21·5	25·0	18·5	18·2	11·7	13
31·0	35 3	35·5	37·0	36·0	34·9	36·0	34·0	31·7	43·9	29·8	14·3	14·9	22·5	11·8	0·3	14
19·0	22·3	24·5	23·0	22·3	....	21·0	23·5	19·3	24 6	11·5	0·8	8·5	23·5	3·6	15·0	15
2·5	7·9	4·1	13·5	7·2	14·5	3·3	15·8	11·0	15 0	7·7	3·2	1·9	8·5	3·1	1·5	16
4·0	0·1	5·0	5·0	0·3	6·5	2·8	0·7	3·5	6·7	5·0	6·0	11·8	1·8	3·8	10·0	17
14·0	15·8	22·5	18·5	15·7	16·9	18·0	16·0	14·5	23·3	28·9	4·0	10·8	0·7	1·0	3·0	18
28·0	36·3	37·7	32·3	32·5	33·5	36·7	34·0	31·3	37·6	29·8	4·2	6·4	20·0	5·5	13·5	19
29·0	33·2	33·6	34·5	31·8	33·5	33·0	32·5	32·2	37·5	26·8	9·3	4·4	26·5	7·1	27·0	20
15·0	23·1	26·2	24·7	24·3	24·2	26·0	22·5	30·3	27·4	13·2	23·7	9·8	19·5	9·4	14·3	21
13·0	14·8	14·0	16·5	19·0	....	16·0	17·0	16·0	20·8	13·0	7·3	5 4	9·0	12·5	2·5	22
30·5	12·1	19·8	21·0	18·5	22·7	15·2	18·5	14·7	19·0	20·8	9·0	6·7	18·5	6·0	2·8	23
3·0	4·8	9·0	5·3	3 3	5·3	7·5	8 2	4·8	9·4	11·7	7·8	2·1	0·0	3·1	10·0	24
5·5	8·8	12·5	12·7	5·0	14·1	12·5	10·5	11·0	15·0	18·5	7·7	14·9	3·0	9·1	4·5	25
2·0	1·1	0·6	0·3	0·5	2·4	2·5	7·0	1·5	11·9	14·5	0·5	0·1	2·5	0·7	17·2	26
0·5	0·4	1·6	5·7	7·2	3·7	2·5	0·8	6 9	3·2	3·7	10·8	4·7	6·7	9·9	20·8	27
18·0	18·8	12·9	11·3	13·0	11·6	13·2	18·8	14·7	10·5	5·7	8·7	2·3	1·2	8·7	20·7	28
22·0	22·9	19·3	15·0	16·8	....	25·7	21·5	21·3	17·4	15·5	3·0	12·6	16·8	1·4	5·2	29
24·0	19·4	19·5	18·0	15·8	13·8	12·5	21·5	19·2	13·9	11·8	17·8	15·9	19·0	16·2	8·0	30
19·0	19·8	19·4	21·2	20·0	19·0	17·3	22·5	23·0	23·8	22·5	19·0	23·0	23·5	17·9	17·5	31
9·13	11·55	14·46	13·09	13·18	14·23	13·43	13·15	12·36	17·45	12·87	8·23	9·70	4·82	4·59	1·29	

TABLE VIII.—*January, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Birnam.	Coldwater.	Conestogo.	Chatham.	Cartier.	Charlmeh.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	27·5	34·3	27·5	16·8	27·8	24·9	10·7	27·4	30·7	35·6	29·3	26·5	....	31·0	25·0
2	16·9	17·8	13·5	18·7	13·0	14·5	4·3	14·3	....	18·5	....	12·3	11·9	15·0	15·0
3	14·0	16·7	13·9	16·8	15·5	14·7	4·5	11·4	....	21·2	10·0	15·7	13·4	14·1	14·0
4	14·0	17·7	21·0	20·7	20·2	30·9	10·2	7·7	21·7	19·7	20·0	19·3	19·7	19·5	14·5
5	3·2	14·7	22·1	1·6	14·3	28·8	6·7	2·1	18·7	0·8	15·3	14·2	13·3	16·9	5·0
6	14·0	22·8	23·9	12·3	25·2	34·2	1·5	13·8	26·3	11·3	24·0	24·3	23·7	20·5	8·0
7	13·6	26·2	33·1	8·1	29·4	35·8	1·0	9·4	29·7	21·6	28·3	28·2	29·3	28·0	16·0
8	7·0	18·0	27·5	15·2	20·8	28·0	18·5	1·9	20·7	17·2	19·3	20·0	....	21·6	17·5
9	7·8	10·7	19·4	1·3	15·0	22·5	2·5	7·4	....	7·6	11·0	14·0	13·0	16·0	3·0
10	12·7	17·3	19·0	3·0	13·4	17·5	3·8	10·8	....	14·9	14·6	14·0	13·6	14·5	16·0
11	10·0	7·0	7·0	1·9	5·8	5·5	24·2	12·6	7·0	0·6	3·6	6·0	4·7	6·4	1·0
12	2·3	6·5	7·0	4·0	5·8	29·5	14·0	3·9	10·3	1·6	3·6	8·5	4·8	0·7	5·0
13	25·2	28·0	28·5	17·6	23·5	22·0	12·8	23·8	....	28·2	2·7	23·0	27·3	25·6	32·5
14	17·6	20·5	12·5	15·8	16·5	19·3	3·0	16·8	18·3	20·3	....	16·2	14·8	13·0	16·0
15	0·9	17·5	13·2	5·6	15·8	15·7	10·2	3·7	11·0	15·4	12·3	12·8	....	15·5	14·5
16	7·3	4·8	0·4	2·3	0·3	7·5	11·5	6·9	4·7	17·3	1·3	0·2	2·9	2·0	12·0
17	7·1	18·7	12·5	2·7	15·2	16·9	3·8	2·0	14·7	22·3	12·3	14·5	14·2	15·6	6·0
18	0·2	12·5	9·1	3·2	14·1	17·3	7·5	0·4	12·7	0·1	12·3	12·8	11·7	9·5	0·0
19	5·3	8·5	6·0	3·3	9·3	11·7	24·5	6·1	9·3	8·2	9·6	8·7	9·1	10·5	2·5
20	7·5	1·3	5·8	8·6	7·6	9·5	27·0	11·5	....	3·5	4·3	6·0	5·5	8·5	8·0
21	20·4	9·0	1·7	10·7	9·7	1·5	34·2	22·7	6·3	11·1	6·6	8·0	7·2	3·8	18·0
22	3·5	3·7	3·0	24·0	5·6	5·0	14·8	7·8	2·7	15·0	1·6	3·5	....	6·6	5·0
23	8·2	2·8	6·5	1·8	11·1	17·3	3·7	8·5	....	11·4	11·3	12·8	....	3·0	4·5
24	6·4	2·0	12·0	3·7	4·7	10·4	15·0	7·7	2·3	4·7	0·3	2·3	2·5	8·0	6·0
25	6·0	10·0	17·2	0·7	18·6	23·5	7·3	6·4	18·0	18·5	15·0	19·5	16·6	11·4	0·5
26	1·5	8·7	13·1	0·2	6·3	15·7	12·3	0·1	....	7·2	5·3	12·0	8·9	13·0	4·0
27	8·7	3·0	12·0	6·3	2·8	6·0	21·2	9·6	3·7	1·2	6·3	2·3	3·8	4·0	8·5
28	5·5	2·5	8·5	4·6	1·6	2·5	16·5	7·1	1·7	3·2	3·3	0·8	0·3	5·5	5·0
29	2·9	11·0	15·1	5·3	14·5	21·0	2·3	2·1	11·0	3·5	8·3	15·0	....	9·6	4·5
30	17·0	22·8	25·0	14·4	21·7	29·1	5·5	17·2	....	16·1	20·6	21·0	20·0	15·3	19·5
31	19·7	25·0	27·0	21·6	22·6	27·5	12·0	18·6	27·0	10·1	23·3	24·2	21·9	20·0	19·0
	5·64	12·52	14·43	15·53	12·53	18·26	5·00	3·72	12·95	9·85	10·35	12·57	11·67	12·60	6·87

TABLE VIII.—*January, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bay.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
28·6	26·1	29·4	30·9	29·1	24·0	30 7	27·5	28·9	29·3	13·5	5·5	9·3	35·0	....	15·7	1
19·9	25·3	14·8	20.5	13·0	12·0	10·7	12·6	16·9	26·7	21·3	15·0	21·3	17·8	21·5	18·5	2
17·4	9·7	14·4	20 5	16·9	12·3	13·0	15·5	16·4	15·8	23·8	11·5	20·0	19·5	9·7	31·8	3
12 8	13·8	15·7	17·3	17·3	....	18·0	23·9	20·9	14·8	23·2	5·0	9·2	24·2	5 0	29·3	4
1·8	23 9	4·1	5·2	2·2	....	19·3	20·5	20·7	2·6	2·2	12·0	2·8	21·8	3·7	24·2	5
15·6	23·9	15·0	9·4	11·9	21·7	27·7	29·3	23·5	8·8	2·4	8·5	5·0	28·5	3·4	34·8	6
16·9	31·5	14·5	18·2	17·1	16·5	28·0	33·0	30·4	19·3	9·1	8 0	7·5	32·2	9·9	....	7
8·9	22·4	7·3	14·5	13·9	2·8	21·0	25·3	24·9	12·9	19·6	3·5	12·3	24·5	9·2	25·0	8
8·4	26·4	9·1	6·2	7·5	13·7	13·7	19·6	18·9	2 1	7·7	1·0	4·5	16·7	3·3	18·0	9
15·5	23·4	1·5	14·2	13·0	11·3	12·7	15·7	15·7	15·3	6 8	1·0	7·0	19·0	7·2	9·8	10
9·5	15·3	10·0	4·3	4·7	9·5	5·0	6·9	12 4	5·4	10·6	5·5	22·5	10·3	....	16·3	11
3·4	4·8	5·5	2·8	2·0	6·2	2·7	12·7	11·7	11·1	1·6	10·5	15·2	14·8	6·8	23·0	12
27·6	16·7	29·0	26·3	24·8	22·5	25 3	24·8	27·0	18·9	3·5	6·0	7·0	30·8	12·5	21·0	13
20·1	22·8	19·5	21·6	17·7	11·8	13·7	17·1	21·7	5 0	25·5	4·0	17·8	19·5	17·5	....	14
4·0	17·8	1·0	21·2	7·8	3·2	12·3	16·3	15·7	9 2	25·6	4 0	31·0	19·0	14·5	7·0	15
10·2	11·2	6·3	7·7	7·2	1·5	1·7	2·4	6·4	2·5	4·8	10·5	9·2	8·5	2·5	19·0	16
10·6	7·7	7·7	16·1	11·8	12·3	15·0	15·0	8·4	3 9	5·0	14·5	6·8	20·0	7·7	12·3	17
1·3	15 8	0·5	6·3	2·2	2·7	12·3	13·3	16·9	8·9	5·4	5·0	9·7	17·5	6·9	13·5	18
1·2	10·3	1·0	4·6	1·7	2·3	6·3	9·7	12·9	7·4	2·5	5·0	17 8	15·3	0·0	10 3	19
12·8	7·3	9·5	4·1	6 6	10·7	5·3	8·5	12·4	11·4	7·5	12·5	32·3	10·2	7·9	5·5	20
19·3	6·3	17·1	11·3	17·8	21·5	13·3	3·1	0·2	23·9	7·9	22·0	28·0	0·5	16·4	....	21
3·0	13·1	0·3	7·6	4·3	0·8	4·0	1·1	1·4	18·3	18·8	22·5	14·5	2·5	11·3	17·0	22
10·4	8·5	10·5	11·3	11·5	8·7	0 7	13·5	8·6	6·8	13·7	13·5	12·2	17·0	1 6	11·5	23
5·2	8·6	5·5	1·7	6·4	5·0	0 7	10·2	7·7	2·0	6·0	12·5	1·5	6·7	7·4	20·3	24
7·9	4·7	6·9	3·2	6·3	7·8	10·0	19·6	10·7	0·7	0·9	6·5	1·0	22·3	5·7	15·5	25
3·0	19·3	2·5	6·8	2·3	2·1	9·3	17·1	5·9	8·2	1·6	15·5	11·5	13·0	8·6	8·5	26
7·3	10·2	6·2	3·4	6·6	9·2	4 7	6·2	6·1	3·3	1·2	11·0	20·5	3·3	4·6	5·5	27
5·2	5·3	5·9	3·1	3·3	11·0	3·3	6·1	9·2	5·3	0·6	8·0	2 0	6·0	6·5	....	28
4·6	7·7	6·0	2·7	7·7	8·8	13·7	12·5	13·9	3·6	3·4	5·5	17·0	15·3	4·9	30 5	29
19·4	11·2	20·2	16·4	19·3	16 7	22·3	25·0	19·7	15·2	6·6	7·0	16·3	23·7	8·7	28·0	30
20·5	22·9	22·3	14·3	20·2	20·9	22·0	27·4	26·5	13·3	14·9	5·5	24 5	26 5	7·8	....	31
7·09	13·90	6·74	9·21	7·45	5·67	11·52	15·58	15·65	4·30	6·18	2·32	8·06	17·44	3 15	18·62	

TABLE VIII.—*January, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolia.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Spruecdale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	5·7	27·0	26·7	28·7	31·3	28·7	17·1	30·0	19·7	29·2	34·0	27·5	30·6	10·0	21·0	32·4
2	12 3	18·4	18·8	14·3	13·4	....	14·7	15·3	27·2	15·5	18 0	20·5	14·9	24·7	26·5	15·0
3	9·5	16·4	19·0	17·2	18·1	17·0	1·8	13·8	6 9	17·6	20·3	22·2	17·6	22·0	9·5	12·5
4	2·5	13·5	24·4	27·4	23·4	28·1	0·8	22·4	0·8	23·7	23·7	22·7	19·5	10·5	1·5	21·0
5	3·2	4·6	19·7	23·3	20·3	....	2·3	23·9	5·7	17·9	24·0	17·7	8·7	0·0	7·5	28·9
6	15·2	15·4	30·0	31·6	27·7	32·8	3·3	29·0	1·2	25·5	28·5	26·0	16·1	6·1	11·5	29·3
7	2·8	13·8	31·1	33·3	33·0	33·4	8·2	35·5	9·7	30 8	32 0	25·2	21·7	10·5	11·5	34·5
8	5·7	6 3	23·8	26·0	23·1	25·0	0·8	21·9	3·8	24·9	21·0	18·9	18·6	10·0	6·5	28·5
9	3·7	8·7	20·6	21 2	19·4	20·0	2·0	21·4	3·6	18·9	19·5	17 8	11·8	5·4	6·0	18·4
10	5·5	14·8	17·8	17·9	17·8	14·5	5·9	16·9	9·4	16·9	17·5	18·8	15·8	17·0	12·0	20·2
11	17·3	6·8	16·0	8 0	9 2	5·0	7·5	5·3	0·1	7 9	8·8	10·4	2·3	27·3	2·0	7·8
12	14·8	1·7	15·3	13·6	12·4	15·0	12 4	10·9	13·0	11·5	12·5	12·3	6·6	10·7	15·5	9·7
13	3·7	25·3	26·2	24·9	25·4	21·2	17·6	24·5	16·4	26·0	30 0	28·5	26·9	20·0	15·0	29·6
14	8·7	19·1	18·5	17·6	20·7	19·6	11·7	14·3	16·3	18 9	16·8	19 4	17·9	29·0	16·0	15·3
15	23·8	2·4	16·0	16·2	17·9	9·8	1·0	19·9	10·7	14·9	15·7	15·8	11·4	25·8	16·5	13·4
16	9 8	9·2	7·0	5·7	5·5	1·7	14·8	4·7	2·9	3·7	6·0	9·1	4·1	8·0	7·8	7·9
17	1·7	8 2	16·2	18·0	16·8	15·0	2·2	13·9	4·0	15·3	10·0	9·9	13·0	15·0	4·0	11·5
18	2·6	1·0	18·3	14·0	15·1	14·2	3·6	12·3	0·3	15·6	11·0	15·1	9·8	8 3	8·0	10·1
19	9·0	5·5	13·7	12·5	12·8	10·5	7·3	7·8	0·0	11·7	14·5	11·6	6·3	22·8	9·5	6·4
20	25·3	10 1	10·2	9·3	7·9	6·3	13·3	10·3	12·4	17·5	7·8	4·7	4·5	34·0	17·5	8·4
21	20·7	22·6	2·0	0·0	4·3	4·4	22·4	0·2	13·9	4·9	3·3	3·2	15·2	30·0	10·5	0·9
22	12·0	2·2	4·8	3·5	2·4	4·2	20·3	0·3	19·6	1·9	2·8	5·5	2·2	18·0	24·7	1·3
23	6·7	11·2	15·0	15·7	14·5	13·4	0·2	10·4	....	14·1	16·3	13·2	12·5	19·0	1·5	7·6
24	1·2	5·1	7 0	10·9	9·5	10·3	11·1	9·8	....	5 7	6·7	2·5	4·1	3·5	3·5	8·2
25	6·8	6·7	18·5	22·8	20·7	21·4	6·3	20·4	....	20 5	22 0	17·3	14·7	5·0	2·5	19·7
26	3·0	3·4	16·8	17·6	18·1	14·0	1·5	17·3	....	9·9	11·0	11·3	7·4	6·0	1·5	17·7
27	11·7	7·4	8·2	8·6	2·2	6·5	8·0	6·3	....	0·9	0·3	1·3	2·3	22 8	1·0	13·1
28	1·8	6·4	12·5	5 7	4·2	1·2	5·8	3·2	....	2·7	0·2	4·9	0·2	4·9	7·0	1·2
29	17·5	3 4	13·5	13·7	12·5	19·3	3·9	8·4	....	13.5	16·5	8·9	10·7	15·5	8·5	11·0
30	22·2	19·7	24·5	26 6	25·3	27·7	12·7	24·4	....	23·7	24·8	24·0	21·8	20·8	7·0	6·0
31	25·2	22·4	26·5	28 4	25·0	29·4	6·9	27 4	....	25·2	24·5	28·7	24·8	24·2	12·5	1·7
	3·15	6·48	17·26	17·24	16·17	15·89	0·78	12·43	....	14·99	15·91	15·11	10·85	10·44	1·44	16·00

TABLE VIII.—*January, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S.-W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
32·0	31·1	18·0	27·0	30·0	11·8	9·5	21·2	32·5	18·3	....	8·3	19·5	8·0	....	1
17·0	17·0	24·0	12·5	16·0	29·6	26·5	24·3	23·5	31·2	....	9·7	20·0	8·2	....	2
18·9	15·4	30·5	16·4	15·0	12·2	14·7	11·2	10·5	20·1	....	11·3	1·7	10·3	....	3
22·5	20·8	21·2	26·7	21·5	5·6	2·5	13·8	10·0	10·9	....	16·3	3·5	3·7	....	4
15·4	20·0	19·3	23·8	20·0	22·2	18·0	21·2	2·5	22·8	....	21·3	4·5	7·5	....	5
22·2	26·1	17·5	32·1	24·5	26·2	25·7	30·5	2·5	30·6	....	27·7	2·8	4·7	....	6
28·7	31·0	11·7	32·9	31·5	27·5	24·0	26·3	21·5	29·7	....	29·7	16·5	3·9	....	7
21·3	23·2	16·0	24·7	26·0	19·7	21·0	28·2	12·5	25·0	....	31·7	3·2	0·2	....	8
15·9	18·9	1·7	19·5	21·0	10·5	9·3	10·0	4·5	17·4	....	21·3	3·0	0·1	....	9
17·9	16·5	2·5	14·2	16·0	6·2	3·8	6·3	8·0	15·2	....	11·0	3·7	6·0	....	10
10·6	7·1	31·0	4·7	11·0	8·1	10·0	15·0	0·5	10·9	....	11·7	2·5	2·9	....	11
13·3	9·0	0·2	18·0	9·5	2·5	3·0	9·8	8·5	10·5	....	10·7	16·5	8·8	....	12
29·3	26·5	1·8	21·8	28·5	9·9	5·5	16·2	27·0	15·0	....	2·7	15·8	10·3	....	13
21·1	15·3	9·2	18·9	16·5	22·2	23·0	22·7	14·5	25·7	....	16·7	12·2	13·1	....	14
17·4	18·3	33·0	12·8	17·0	24·1	22·0	21·3	26·5	25·5	....	25·3	16·8	13·8	....	15
9·0	1·3	4·0	1·2	7·0	2·8	2·8	1·2	8·5	9·6	....	9·7	11·0	....	....	16
18·7	14·3	2·5	15·1	9·5	3·0	2·7	1·3	2·5	11·7	....	7·7	2·2	....	....	17
13·4	15·4	13·3	11·9	17·5	5·1	3·0	8·7	11·5	18·4	....	5·3	8·8	10·7	....	18
12·3	10·6	8·7	9·0	14·5	16·1	13·0	16·3	2·0	20·3	....	17·3	0·2	7·5	....	19
5·5	8·3	35·0	5·4	10·0	16·8	18·7	15·0	7·5	7·8	....	25·7	10·5	1·6	....	20
6·7	3·1	24·5	4·7	1·5	8·3	6·0	6·5	15·0	2·6	....	14·3	15·0	11·2	....	21
1·3	5·6	5·0	0·0	3·0	6·1	1·3	1·2	16·0	4·7	....	11·0	14·5	8·2	....	22
12·4	10·9	13·8	14·2	8·0	1·5	0·3	5·0	6·0	1·9	....	4·3	3·5	....	....	23
2·7	6·9	17·5	10·7	15·5	0·3	3·0	7·3	6·5	4·0	....	7·3	9·0	8·3	....	24
21·9	14·9	12·5	20·3	15·5	0·1	4·5	7·8	0·0	2·5	....	3·3	7·8	15·6	....	25
11·3	14·3	10·0	11·3	17·0	4·6	0·2	3·8	13·7	14·0	....	1·0	3·0	12·1	....	26
0·3	2·8	18·8	6·7	8·0	23·4	22·0	22·7	8·0	25·7	....	23·0	6·0	5·9	....	27
1·5	6·7	15·0	1·1	9·0	5·5	5·8	17·0	10·5	16·1	....	25·3	12·5	....	....	28
11·2	11·5	14·0	18·3	11·0	5·8	6·7	13·8	2·5	6·5	....	30·7	9·0	10·9	....	29
21·0	22·9	21·0	26·9	20·0	5·6	6·8	14·0	1·5	6·7	....	17·7	2·2	2·6	....	30
25·4	24·7	21·2	28·9	25·5	10·6	11·0	12·3	6·5	11·1	. ..	11·3	4·5	7·7	....	31
14·98	14·61	9·42	15·32	15·74	11·41	10·00	12·93	2·80	15·24	....	13·41	0·34	4·21	....	

TABLE VIII.—*January, 1888. Daily Mean Temperature.*

Day.	Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	13·0	17 3	2·1	30·3	....	12·3	5·0	27·8	....	....	2·1	11·0	....	25·2	18·5
2	29·8	22·2	24·3	22·0	24·1	22·9	28·2	22·7	....	31·7	32·2	21·0	33·0	38·2	36·0
3	5·5	30·2	3·4	14·3	11·8	5·2	2·0	9·0	....	10·7	13·4	14·3	16·7	21·6	20·1
4	0 5	17·0	0·3	9·3	8·6	1·9	4·0	3·0	....	3·3	2·2	9·0	6·1	14·8	12·5
5	11·5	30·7	1·2	·0	4·7	0·6	5·2	0·2	....	6·3	8·4	3·3	5·0	9·9	9·1
6	20·0	33·0	7·0	3·8	2·5	1·2	19·5	3·5	....	22·7	20.5	17·0	13·5	21·2	16·7
7	20·0	27·3	10·8	14·0	11·7	16·3	20·0	19·4	....	17·0	19·2	13·8	20·4	34·2	28·4
8	11·7	28·0	6·4	10·2	....	6·5	7·8	5·0	....	....	12·6	12·5	....	23·0	20·4
9	4·0	25·5	2·2	2·0	2·3	0·3	6·8	9·8	....	7·0	5·7	3·8	6·3	10·2	8·3
10	2·3	16·0	4·4	4·2	3·5	3·2	11·7	9·2	....	0·7	3·7	3·0	1·7	18·6	9·1
11	0·7	12·5	1·8	0·5	1·3	3·1	7·0	0·2	....	5·0	2·3	....	6·9	9·7	11·4
12	3·8	9·3	5·7	8·8	7·2	10·4	8·0	15·5	....	2·3	2·9	1·5	1·9	4·2	0·1
13	10·3	2·0	2·8	27 6	20·1	11·1	3·5	25·3	....	4·3	1·8	2·0	5·0	24·2	15·5
14	17·2	21·5	15·6	16·1	19·7	18·8	18·0	11·9	....	25·0	17·0	14·0	27·7	32·0	29·0
15	17·0	11·7	17·2	16·8	....	16·7	21·7	23·0	....	....	25·7	12·5	....	38·0	33·7
16	1·8	9·8	2·7	2·5	0·0	6·4	10·0	11·5	....	1·3	0·7	6·5	1·8	9·1	4·6
17	3·5	2·7	6·6	8·7	1·3	3·6	5·0	1·3	....	8·0	0·1	0·7	3·6	14·4	10·7
18	9·8	15·0	11·0	8·8	10·8	13·9	14·5	11 8	....	13·3	10·9	3·5	11·2	20·3	16·5
19	11·5	28·7	10·3	0·5	3·8	4·2	12·5	1·0	....	13·7	12·8	3·0	11·5	12·7	10·0
20	5·0	17·0	0·3	8·9	6·7	5·7	1·3	6·4	....	1·3	2·8	3·0	3·3	9·0	5·0
21	2·0	15·5	7·5	16·4	14·8	11·4	8·2	14·1	....	5·3	4·6	5·3	2·5	2·3	0·2
22	4·0	10·0	7 7	8·7	....	13·7	5·5	17·2	....	....	1·1	5·0	....	2·5	0·7
23	4·3	4·0	3·7	4·3	1·7	4·2	9·8	2·2	....	0·3	2·5	6·5	0·4	9·2	3·6
24	2·7	9·5	3·7	9·3	3·0	5·5	5·5	7·8	....	2·7	2·2	1·3	4·2	9·0	4·5
25	6·8	4·8	10 7	5·8	8·7	8·8	13·7	4·8	....	1·7	3·9	10·5	5·2	4·0	1·1
26	7·8	0·0	4·7	5·6	8·7	7·4	15·5	10·5	....	8·7	8·0	3·0	9·5	30·9	24·6
27	23·5	24·8	3·6	4·6	4·8	3·7	23·3	7·5	....	18·0	15·8	17·0	9·1	8·6	4·9
28	0·7	29·8	2·5	7·2	7·8	5·3	1·0	10·0	....	9·0	17·7	7·0	10·6	0·3	3·5
29	1·7	28·5	2·8	2·7	....	4·0	2·2	0·6	...	....	10·3	11·0	....	4·2	0·7
30	0·3	9·0	2·3	6·8	9·0	5·6	7·8	3·4	....	1 3	3·0	1·5	3·4	13·5	10·0
31	8 0	9·0	3·0	4·1	2·6	3·3	7·8	6·5	....	9·7	0·8	3·0	4·6	18·1	11·3
	6·82	15·89	2·51	4·22	3·66	2·29	4·03	2·31	....	7·27	5·21	4·09	7·08	15·90	11·88

TABLE VIII.—*January, 1888. Daily Mean Temperature.*

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Glace Bay.	Kilmahumaig.	St. Johns.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
12·3	....	....	17·1	13·0	19·8	25·9	5·8	23·6	19·0	....	25·5	2·9	26·3	21·5	1
36·7	32·8	35·2	40·5	28·7	33·8	41·5	33·9	39·5	36·7	31·0	40·5	21·9	30·7	30·0	2
20·3	19·4	19·5	25·5	33·5	26·0	32·4	26·0	27·3	25·3	23·0	20·0	28·8	32·0	30·5	3
8·4	2·7	14·0	14·6	8·5	14·5	23·7	11·3	21·4	14·0	13·0	12·5	9·6	18·2	8·5	4
8·4	1·7	12·0	13·3	14·0	16·4	22·5	10·5	19·5	16·0	12·0	16·0	3·9	22·3	26·5	5
15·2	7·2	19·5	25·1	26·0	33·2	35·0	20·6	24·5	31·2	22·3	31·5	12·6	28·3	30·5	6
28·8	18·4	34·5	30·5	34·0	32·1	34·4	27·5	32·7	31·8	27·3	29·5	19·2	32·3	32·0	7
19·6	....	....	27·8	31·0	28·3	32·7	24·8	28·9	24·7	....	22·5	23·8	31·8	30·7	8
8·2	7·0	8·5	13·2	17·7	19·1	20·0	9·7	17·1	14·5	13·3	17·0	11·8	30·3	31·0	9
8·7	0·2	16·0	13·2	9·4	16·8	25·5	4·0	19·1	19·5	20·0	23·5	1·4	25·7	19·5	10
10·2	1·2	13·0	16·4	14·5	16·4	24·5	13·4	20·9	20·5	14·7	18·0	7·0	27·2	16·0	11
−0·1	−1·4	−1·2	4·9	1·0	8·8	14·9	3·0	10·4	5·6	2·7	....	1·6	16·0	8·0	12
14·2	1·2	23·0	12·2	7·8	15·1	22·0	8·0	21·1	19·8	17·7	25·0	0·0	7·3	3·8	13
31·3	20·4	29·3	33·7	23·0	27·9	36·4	29·1	31·1	30·2	29·7	24·0	18·4	24·7	26·0	14
34·6	....	....	32·9	25·7	24·9	36·7	24·0	34·3	30·3	....	27·0	16·4	21·0	12·5	15
4·3	0·2	5·0	16·3	11·7	17·3	22·7	22·0	14·6	13·5	7·7	10·0	17·2	22·9	7·3	16
8·4	−5·7	16·7	9·3	7·0	11·2	19·8	6·4	18·6	12·0	12·7	14·0	1·4	11·7	−5·3	17
14·6	5·1	16·3	18·7	16·5	18·7	28·0	12·3	23·8	21·5	20·0	21·5	....	20·8	−0·5	18
10·7	4·0	12·7	18·1	29·2	22·9	28·3	17·5	17·6	22·0	15·0	16·0	13·3	27·8	21·0	19
4·7	−2·7	7·2	12·5	17·5	9·5	23·5	8·5	16·2	16·1	10·3	−9·5	9·6	21·7	17·5	20
−0·8	4·3	0·7	8·1	8·5	2·3	21·4	1·5	10·5	12·1	5·7	−1·5	−0·8	15·3	18·7	21
−1·0	....	....	2·7	1·3	−0·4	13·0	−1·2	10·8	3·7	....	−0·5	−5·2	15·0	10·0	22
2·2	−6·7	5·7	4·8	−2·4	1·5	16·5	4·7	14·2	5·8	6·3	−2·0	−2·7	12·0	−0·7	23
−5·0	4·4	3·2	13·9	−2·2	10·8	27·0	−5·2	14·8	21·1	7·7	−8·5	−1·3	19·7	−2·5	24
−2·0	−5·8	−0·7	1·0	−4·0	−0·8	13·5	−3·5	7·5	3·0	−7·7	−1·0	−0·5	10·0	−1·5	25
20·6	9·5	30·8	22·3	6·8	11·2	31·3	11·1	29·4	22·7	29·0	12·0	−2·8	15·3	−1·5	26
11·4	−7·5	−7·8	23·5	37·0	31·0	31·5	26·8	16·1	29·8	15·0	26·5	19·8	33·5	25·5	27
−4·8	11·7	−1·0	10·7	10·9	26·8	29·1	11·5	6·1	25·0	11·7	21·5	−9·4	34·8	32·7	28
−1·2	....	....	4·5	1·9	9·5	21·0	2·4	11·1	10·1	....	5·0	−6·1	36·0	28·3	29
7·2	−3·7	14·8	14·3	7·2	7·8	26·3	10·9	21·0	16·0	12·7	8·5	2·0	25·3	10·3	30
8·2	−5·2	13·5	17·4	11·3	12·9	29·1	9·7	19·5	20·8	11·7	14·5	4·9	29·8	12·0	31
11·10	4·74	13·69	16·76	14·77	16·93	26·13	12·63	20·10	19·82	15·37	16·67	7·87	23·42	16·17	

TABLE IX.—*February, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	43·5	32·2	42·5	....	30·8	28·0	27·5	28·0	30·0	24·5	18·0	23·5	17·4	26·9	28·5	24·3
2	43·0	29·9	43·0	....	23·3	12·7	20·7	23·0	19·7	5·7	18·7	18·5	3·7	14·0	14·7	11·5
3	44·0	29·3	43·0	....	13·2	12·1	10·8	21·3	11·2	5·0	11·5	14·5	2·0	20·8	15·1	11·7
4	40·0	28·6	41·5	....	13·7	1·9	6·7	23·2	13·0	−1·8	0·8	0·5	4·0	21·9	6·7	5·0
5	36·5	34·8	35·5	....	21·8	4·6	8·0	25·8	21·8	8·0	2·6	....	12·2	26·8	9·1	6·4
6	35·5	36·9	32·5	....	11·5	16·0	12·5	12·0	4·2	25·0	11·6	17·5	13·8	22·7	3·3	19·0
7	38·5	38·7	34·5	....	6·2	16·0	12·3	4·7	0·3	29·0	24·2	26·3	16·8	10·5	3·3	22·0
8	37·5	37·9	36·8	....	0·9	28·7	10·0	6·5	6·0	37·3	31·6	33·0	27·6	6·8	12·7	33·9
9	40·0	38·5	36·5	....	4·3	18·7	5·0	18·0	3·0	31·0	26·3	16·7	28·5	14·8	3·0	17·0
10	40·5	38·8	37·5	....	0·9	18·7	5·0	5·2	0·2	29·7	23·9	17·0	20·5	4·8	4·3	22·0
11	43·0	40·7	42·0	....	0·9	7·9	3·7	1·5	3·8	15·5	8·0	13·3	15·4	3·3	0·9	8·0
12	47·0	38·1	45·5	....	5·2	0·8	6·5	3·3	3·5	3·5	0·3	....	6·6	0·4	3·2	2·5
13	43·5	30·1	43·5	....	4·3	19·3	18·3	14·7	16·5	22·5	18·8	23·5	13·0	11·0	15·9	20·0
14	36·5	40·3	40·0	....	13·5	24·6	18·2	16·5	6·5	23·0	21·5	21·0	24·4	11·7	13·2	20·3
15	40·5	41·2	42·0	....	31·4	9·3	11·3	33·0	38·0	10·8	2·0	17·0	10·1	37·5	27·3	8·0
16	43·5	41·2	45·0	....	37·2	34·0	23·0	35·8	40·3	19·0	21·6	25·5	21·9	41·8	32·0	23·7
17	43·0	41·8	45·5	....	39·8	32·0	23·2	35·0	42·2	20·5	24·7	24·5	30·4	43·2	40·7	17·8
18	43·5	39·9	44·0	....	37·3	26·0	26·0	29·3	37·0	22·3	18·9	21·7	21·3	35·8	36·3	22·7
19	39·5	42·3	45·0	....	33·5	3·4	19·0	29·2	35·0	7·0	5·8	....	0·2	29·8	27·3	1·5
20	40·0	43·7	47·5	....	34·7	11·4	23·8	30·5	35·0	11·0	6·7	17·8	4·7	35·0	30·5	6·7
21	43·5	45·3	45·5	....	37·3	23·3	24·5	28·0	34·8	17·0	21·9	23·7	20·9	34·1	29·8	19·0
22	44·0	39·1	45·0	....	37·3	28·7	31·2	42·5	40·7	21·0	22·1	27·8	22·8	42·9	33·8	22·6
23	46·5	38·1	43·8	....	34·8	33·3	31·5	29·7	30·8	21·7	23·7	24·7	27·7	34·1	31·3	27·9
24	42·5	41·7	43·0	....	29·3	4·7	21·0	27·0	28·8	4·0	6·0	8·5	8·2	28·3	17·9	5·3
25	43·5	46·7	....	....	30·2	1·3	9·0	27·3	26·0	12·3	1·2	1·8	8·4	30·5	15·8	1·9
26	42·0	41·3	41·5	....	35·0	12·3	12·7	28·5	29·2	15·5	11·0	....	17·8	36·2	7·5	15·7
27	42·5	35·9	45·0	....	34·0	11·3	12·5	19·0	37·0	7·2	0·9	13·3	5·2	31·7	28·9	10·1
28	40·0	35·0	45.0	....	16·2	4·1	2·3	0·0	1·8	13·0	12·9	10·7	2·2	4·0	4·1	4·4
29	37·0	35·0	39·0	....	4·8	13·7	14·5	8·8	1·3	16·5	9·0	12·0	5·6	5·4	5·5	12·5
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	41·57	38·04	41·83	....	20·26	2·87	7·20	17·86	19·82	3·70	0·04	1·18	2·10	20·10	13·04	0·14

TABLE IX.—*February, 1888. Daily Mean Temperature.*

Cape Magdalene.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
10·7	8·3	4·0	8·3	9·1	6·9	10·5	3·5	....	6·3	5·4	0·8	4·7	19·1	13·0	1
15·3	14·5	11·3	8·2	14·3	10·5	10·2	8·5	....	14·3	11·9	21·0	14·0	20·0	15·3	2
6·7	3·0	7·1	14 2	17·2	9·7	6·5	5·8	....	14·3	12·7	7·8	16·6	22·7	19·6	3
3·7	9·0	2·0	6·3	3·5	5·1	0·3	9·7	....	4·7	0·9	0·7	4·7	15·1	11·1	4
18·3	13·3	15·7	20·0	....	21·2	9·5	23·6	....	....	18·8	14·0	....	40·1	38·1	5
10·5	9·0	2·6	2·1	8·3	5·3	6·3	0·8	....	....	16·1	7·0	25·9	30·0	27·5	6
10·5	2·3	3 0	21·5	14·7	13·0	4·5	13·8	....	6·3	5·8	2·5	14·8	30·4	26·1	7
26·7	10·0	24·7	18·6	22 4	26·0	24·0	21·6	....	28·0	29·1	21·5	31·1	37·2	34·0	8
11·5	29·5	0·1	8·5	2·5	5·2	7·3	8·5	....	8·0	18·9	17·0	16·2	17·2	20·5	9
16 0	5·0	15·4	16 7	15 9	15·5	21·5	12·4	....	12·3	8·8	10 4	6·7	4·6	2·1	10
5·3	4·3	3·2	4·7	2·4	4·7	7·0	6·0	....	4·3	9·3	7·9	8·0	21·8	14·3	11
6·0	15·5	2·9	3·5	....	7 7	4·3	2·1	...	....	9·9	7·5	....	19·0	14·1	12
22·0	0·5	21·6	29·8	20·5	18·7	7·5	22·2	....	22·0	19·0	3·5	15·7	39·5	24·3	13
15·0	13·5	13·1	20·8	22·2	20·7	14·0	18·0	....	31·0	28·1	20·3	33·5	36·9	35·1	14
2·3	1·5	1·6	6·5	0·5	2·2	1·0	2 5	....	9·3	8·4	7·0	12 6	13·9	12·1	15
0·7	12·5	3·4	4·6	5·9	9·2	1·8	9·3	....	2·7	0·7	1·0	1·6	4·6	2·0	16
0·3	3·0	4·4	13·8	8·5	3·0	0·0	2·0	....	5·7	1·8	2·0	6·2	17·3	14·1	17
2 0	8·8	5·8	9·5	7·1	4·5	7·3	4·0	....	4·0	4·2	0·3	2·6	21·6	15·5	18
3·0	10·5	7·4	13 4	....	9 6	0·5	10·3	....	....	6·4	1·5	....	19·5	15·0	19
13·5	0·3	12·7	32·5	29·8	20·3	9·5	34·0	....	8·3	7·5	0·7	15·6	31·0	28·1	20
29·5	23·5	26·5	27·9	30·3	30·1	20·0	29·1	....	30·3	36·2	25·0	38·7	40·1	38·9	21
18·5	20·7	19·6	23 3	25·2	25·9	19·5	23·9	....	33·0	27·5	26·5	29·3	31·9	30·0	22
15·3	12·3	14·0	20·8	27·7	24·2	22·0	25·4	....	....	17·9	18·5	27·7	32·7	30·5	23
9·5	10·0	7 2	27·5	20·8	24·7	14·3	22·9	....	11·0	11·2	8·5	23·5	29·3	26·6	24
15·5	7·8	10·5	34·9	28·2	23·3	16·3	27·9	....	13·3	12·9	4·0	17·5	29·1	26·0	25
27·8	22·7	25·6	24·5	....	27·7	27·8	27 7	....	....	32·8	24·5	....	37·2	35·8	26
24·0	29·2	16·6	9·8	11·2	13 8	23·0	9 5	....	25 3	25·0	23·5	26·1	29·5	27·8	27
9·0	25·5	2·2	1·3	1·6	0·0	3·3	4·8	....	8·7	8·1	8·8	11·5	14·2	11·7	28
5·0	21·0	3·9	3·7	4·6	1·1	1 8	6·8	....	10·0	8·4	2·0	5·7	12·2	10·2	29
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
11·48	11·65	8·48	12·08	12·42	11·45	8·78	10·18	....	12·20	12·98	7·30	15·87	24·44	21·24	

TABLE IX.—*February, 1888. Daily Mean Temperature.*

Day.	St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Glace Bay.	Kilmahumaig.	St. Johns.	Point Rich.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	8·7	—2·3	14·7	14·5	9·3	14·7	26·5	8·3	20.0	15·6	15·0	12·5	3·0	23·0	12·5
2	11·0	7·7	17·0	13·4	10·7	14·1	21·6	9·6	21·3	13·4	14·0	15·5	5·8	26·0	9·8
3	17·3	11·2	18·3	17·4	12·0	14·7	23·0	15·2	26·0	16·2	22·3	14·0	3·6	22·3	—7·5
4	10·1	—5·3	14·2	11·7	4·3	5·8	20·6	6·0	16·4	11·5	14·7	3·0	8·0	0 3	—7·5
5	37·0	....	....	37·1	25·8	30·8	38·3	30·1	37·3	34·8	....	34·5	19·8	22·7	13·0
6	28·7	16·4	26·8	32·6	30·0	29·8	33·4	31·0	31·1	29 0	20·0	24·0	20·7	25·7	12·5
7	22·2	3·2	30·5	23·7	24·0	19·1	29·0	21·5	29·2	22·7	27 7	20·5	14·6	21·0	5·7
8	32·7	26·0	34·0	32 2	32·2	26·1	36·4	30·3	37·1	32·3	32·0	23 0	19·3	20·5	28·0
9	19·2	16·0	15·7	29 4	37·0	33·0	34·5	30·8	24·0	29·7	16·7	24 0	30·8	30·0	26·7
10	—2·3	—12·8	0·5	9·1	2·3	11·0	23·2	11·1	11·6	9·8	5·0	11·0	9 0	21·8	—6·3
11	14·0	1·7	16·7	27·1	2·0	20·3	38·4	20·1	28·8	29·7	14·3	29·0	1·2	15·7	1·3
12	14·5	....	....	21·2	24·0	31·1	81·0	21·2	21·9	22·0	....	22·5	15·4	34.3	15·0
13	24·8	11·7	28·3	19 8	17·2	21·1	27·8	16·5	25·2	24·1	24·3	23·0	2·6	18·3	1·7
14	33·6	23·0	34·5	30·1	28·0	28·8	28 2	26·0	32·8	29·0	30·3	32·5	24·9	29·3	25·3
15	12·6	11·5	10·5	22 9	24·7	29·1	36 7	29·3	23·1	24·8	24·3	14·5	21·1	31·7	6·5
16	1·6	1 7	5·2	4·4	3·0	7·4	15·5	4·2	10·6	8·4	5·7	4·5	1·9	30·7	15·5
17	9 0	—3·2	13·5	16·4	10·7	12·3	27·0	7·9	24·7	21·9	17·0	15·5	—2·2	16·7	4·3
18	11·5	—0·8	17·3	14·0	15·3	15·0	25·0	6·8	23·2	15·2	17·0	13·0	2·9	21·3	10·5
19	12·6	....	....	14·2	7·0	8·9	24·2	6 4	21·3	12·5	....	12 0	7·4	19·3	9·3
20	21·9	5·2	29·5	18·2	3·0	13·1	22·4	10·3	27·6	17·0	22·0	19·5	0·9	11·3	—0·3
21	37.7	31·4	35.0	38·0	30·9	34·4	36·3	34·7	36·9	33·0	36·7	34·5	25·6	25·0	25·0
22	30·1	22·9	31·0	32·5	30·5	31·4	32·6	28·7	31·7	30·0	26·7	22·0	33·4	31·7	20·8
23	28·9	26·5	33·5	38·9	23·1	21·7	28·5	26·9	31·3	23·8	31·7	29·0	24·2	25·7	11·3
24	23·4	21·5	25·0	24·9	20·9	14·3	25·0	21·3	27·6	21·3	26·7	12·5	16·1	14·0	2·3
25	22·5	9·2	26·7	22·2	15·7	17·6	25·5	20·9	25·6	23·6	21·0	18·5	7·0	18·7	4·3
26	34·9	....	....	33·6	29·5	26·6	36·7	32·9	38·2	32·7	....	31·0	23·2	23·3	19·8
27	28·6	24·9	26·0	33·0	35·5	35·3	34·8	33·1	30·2	30·5	26·0	30·0	32·9	31 3	30·7
28	13·4	—11·0	12·0	22·8	20·5	22·7	27·5	22·8	19·1	20·3	18·7	18·0	19·2	34·5	23·0
29	7·1	—4·7	11·0	11 6	5·5	12 6	19·1	10·2	15·9	11·0	10·7	16·0	9 8	26·3	15·5
..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	19·56	10·91	20·97	22 66	18·63	20 79	28 58	19·52	25·86	22·38	21·43	19·98	14·51	23·53	12·19

TABLE IX.—*February, 1888. Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Sourisford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
17·5	23·5	19·6	24·5	19·7	23·4	20·2	20·3	25·3	23·5	....	21·7	22·8	22·5	18·8	14·2	1
13·0	13·0	8·7	14·7	13·5	16·4	15·8	16·3	14·7	7·6	....	17·5	22·0	21·5	15·4	14·0	2
7·5	9·3	10·6	12·0	12·5	11·7	15·2	11 0	14·5	8·8	....	10·3	23·8	7·2	13·8	0·0	3
5·0	3·6	7·1	1·3	0·3	2·3	0·8	5 0	5·3	0·5	....	18·2	21·8	9·8	13·4	1·5	4
2·5	8·1	9·5	11·2	4·3	....	7·3	6·0	8·0	17·8	....	5·0	15·4	4·7	12·0	7·2	5
10·0	13·8	18·5	14·8	18·2	16·3	16·5	12·5	18·3	13·9	....	9·3	11·9	2·3	4·5	18·5	6
15·5	23·0	24·2	21·5	23·8	24·0	22·7	20·0	24·7	32·9	....	24·2	25·3	4·5	18·5	12·5	7
31·5	34·3	37·0	34·7	37·2	36·3	35·8	33·5	35·8	42·4	....	2·3	4·2	29·2	13·0	9·5	8
29·0	29·5	28·6	29·5	24·0	30·8	27·5	28·0	28·8	38·2	....	17·0	15·5	28·3	12·7	32·0	9
14·0	24·0	27·5	22·3	19·5	25·0	23·5	23·5	23·2	33·2	....	3 8	1·0	14·7	13·3	18·5	10
13·5	15·4	17·3	15·7	4·7	18·7	12·0	19·3	11·8	19·3	....	2·3	4·7	8·2	5·3	15 2	11
1·0	4 6	2·0	0·0	3·5	....	1·8	3·3	1·0	4·5	....	12·7	17·7	10·0	8·2	3·3	12
3·5	16·5	19·6	15·3	5·7	12·7	13·2	14·0	16·2	15·7	....	32·3	32·4	3·3	27·0	12·3	13
18·5	24·5	26·4	27·0	6·8	25·8	22·0	20·0	23·3	22·5	....	2·5	14·4	17 8	14·2	15·5	14
2·5	5·6	5·1	8·0	1·2	9·3	0·3	1·3	4·5	13·3	....	16·7	7·1	7·2	14·5	27·2	15
24·5	25·5	27·4	15·7	11·3	16·8	22·5	15·0	27·3	20·2	....	2·0	12·9	27·5	4·5	1·8	16
29·0	29·3	27·5	27·3	25·5	27·8	22·8	32·3	28·8	20·4	....	12·2	22·0	10·3	12·6	0·2	17
19·5	20·5	21·0	23·0	22·2	24·3	20·8	23·3	26·2	27·8	....	15·0	24·3	14·2	10·1	17·3	18
5·5	6 8	1 8	5·2	1·0	....	3·0	11·5	2·5	1·8	....	23·0	27·1	18·3	18·4	23·0	19
3·0	3·8	0·7	5·0	5·7	5·8	2·0	3·8	3·0	5·8	....	33·8	32·4	8·2	31·8	28·2	20
17·0	20·8	21·1	15·3	19·8	14·1	14·3	12·3	16·7	13·7	....	18·0	20·8	12·0	20·3	18·8	21
21·5	19·1	20·0	23·5	33·7	23·6	23·3	25·3	26·8	22·7	....	22·8	27·9	25·0	22·0	24·2	22
26·5	28·5	28·1	27·2	....	28·7	30·3	33·5	26·2	30·1	....	25·2	28·8	35·5	25·0	25·3	23
3·5	8·4	2·5	0·3	10·5	3·6	5·2	6·3	1·7	4·3	....	23·8	29·1	32·3	24·4	26·5	24
....	4·4	7·9	3·7	4·0	9·0	3·0	1·0	7·0	13·2	....	30·5	33·2	2·5	32·2	17·2	25
8·0	15·9	22·0	13 8	13·0	....	21·3	11·3	14·5	18·6	....	10·0	11·3	4·0	18·2	3·3	26
7·5	2·0	2·6	3·5	8·8	7·2	3·0	7·8	1·0	8·0	....	3·0	2·6	2·5	2·3	21·2	27
2·0	2·9	5·0	0·2	1·0	1·1	2·0	3·8	4·5	3·4	....	2·5	8·7	15·0	5·3	19·8	28
10·5	12·9	16·0	11·5	6·5	12·4	12·5	3·5	13·3	16·2	....	17·0	2·1	9·7	14·8	7·7	29
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	...
1·70	1 18	4·77	1·73	0·59	1·76	0·67	0·07	1 31	5·63	....	12·03	16·86	5·96	10·64	1·69	

TABLE IX.—*February, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Birnam.	Coldwater	Conestogo.	Chatham.	Cartier.	Charlinch.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	21·7	28·5	29·9	23·9	25·9	30·2	0·3	20·9	27·0	17·9	25·3	28·0	25·2	27·5	22·0
2	18·5	29·3	30·3	22·1	26·8	27·5	10·5	....	26·0	19·8	25·6	27·5	26·2	26·6	18·5
3	18·5	25·3	28·4	18·0	27·6	28·8	1·5	11·0	24·3	16·7	25·3	27·2	26·7	29·2	25·0
4	20·1	22·3	29·1	19·4	26·9	29·3	6·2	20·5	....	29·6	24·6	26·8	25·1	25·1	14·5
5	11·4	22·7	22·6	13·7	19·5	19·6	14·7	7·2	18·3	17·6	17·6	20·0	....	21·6	17·5
6	10·8	19·3	9·7	13·0	16·2	24·0	6·3	7·1	12·7	15·1	10·3	16·0	13·8	14·1	10·0
7	25·0	22·2	25·6	23·5	29·6	31·2	5·2	26·3	....	15·6	....	28·8	29·3	22·6	22·0
8	4·5	11·3	11·6	18·0	8·2	10·7	26·0	4·1	....	7·9	....	7·7	9·7	15·6	0·0
9	21·8	8·7	10·2	18·5	13·8	7·0	36·8	25·7	13·0	11·6	16·3	13·8	12·6	8·0	0·0
10	4·0	9·8	5·1	19·9	2·9	10·8	15·7	3·4	0·7	7·1	0·0	3·5	6·1	0·6	10·0
11	0·1	9·7	6·2	0·7	7·4	13·5	15·5	0·6	7·7	3·6	1·0	5·7	7·5	9·0	1·0
12	13·1	7·5	7·1	17·6	12·0	21·0	5·0	11·3	18·3	8·8	12·3	17·3	....	10·3	6·5
13	31·7	20·5	15·6	29·0	31·9	36·0	19·3	33·3	34·7	30·4	30·6	32·2	31·3	28·1	22·5
14	6·1	22·8	31·3	22·9	14·2	20·2	19·0	2·6	....	17·0	15·3	14·3	20·3	20·0	19·0
15	15·5	6·0	1·3	9·4	12·1	0·3	26·2	17·8	11·0	5·5	14·0	8·0	9·4	5·5	10·0
16	5·3	17·3	12·4	5·7	10·4	24·5	2·8	4·7	14·3	3·5	8·6	15·0	9·7	7·0	0·0
17	15·5	27·2	4·8	15·8	25·3	32·6	2·3	13·3	....	21·2	22·0	25·0	24·8	....	18·5
18	15·8	26·7	24·5	16·7	28·4	31·7	9·3	15·3	25·7	14·6	25·6	28·5	27·3	....	22·5
19	27·3	31·8	27·3	24·6	32·3	43·5	12·5	26·2	....	20·7	29·0	29·5	....	27·6	24·0
20	32·9	39·5	39·4	28·6	33·5	41·0	21·2	31·4	33·7	33·1	33·0	29·0	34·9	32·9	35·0
21	20·3	26·5	25·7	25·9	23·7	29·0	6·8	19·2	23·7	27·3	21·0	22·5	22·4	23·5	23·0
22	23·0	30·0	24·3	28·2	27·6	28·5	12·7	25·3	29·3	24·9	22·0	27·5	27·6	26·5	27·0
23	27·7	32·0	21·4	27·6	25·7	37·3	10·0	21·8	....	32·2	29·0	31·0	29·9	29·3	31·5
24	25·0	30·3	30·7	25·1	33·4	36·0	17·3	24·6	....	31·1	27·0	28·2	29·4	30·7	24·5
25	35·0	35·2	38·8	34·0	35·1	34·7	22·7	32·8	34·3	33·4	34·6	33·3	34·0	35·3	32·5
26	14·0	22·2	15·1	23·8	14·6	14·4	3·8	12·4	13·3	22·2	12·0	9·0	....	22·0	22·0
27	2·3	6·7	5·2	6·3	1·9	33·0	16·5	5·1	0·7	8·2	0·6	1·0	1·7	0·5	4·0
28	0·1	13·3	8·5	1·3	9·4	17·0	11·7	1·6	6·0	6·7	4·0	9·2	6·0	...	5·5
29	19·1	23·5	24·5	23·8	24·1	34·5	0·5	15·7	23·7	17·8	23·3	23·3	22·5	14·5	22·0
..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
..	....	....	....	....	....	...	....	....	....	....	....	....	....	....	....
	13·68	19·97	20·54	15·53	18·91	25·24	0·65	11·48	16·68	16·31	17·72	18·63	18·30	18·27	14·92

TABLE IX.—*February, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bay.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
24·6	20·9	22·9	18·1	24·4	21·5	24·3	29·4	26·4	16·0	12·8	12·5	22·7	29·7	12·0	29·3	1
19·2	28·4	20·9	19·4	22·5	26·9	26·0	28·6	27·9	8·3	10·9	10·5	20·8	27·3	12 6	25·5	2
19·9	28·9	15·2	18·9	19·6	12·8	27·3	29·0	27·9	13·7	10·4	11·0	6·3	27·0	16·3	28·5	3
21·3	25·9	20·9	17·8	19·9	22·5	25·3	29·4	29·9	8·3	16·3	15·0	6·7	30·2	7·6	32 0	4
13·6	27·4	9·9	20·3	18·1	0·7	16·0	22·5	21·0	11·9	16·8	13·0	11 3	30·3	17·4	....	5
11·9	13·2	11·0	9 6	12·1	8·3	10·7	16·2	16·4	0·3	17·3	16·0	9·8	18·5	5·0	20·3	6
28·5	14·3	29·0	26·1	29 1	12·9	27·0	29·3	24·4	21·5	10·4	17·5	13·5	33·2	13·2	37·5	7
7·6	21·8	6·7	16·5	8·1	9·5	5·3	9·6	18·4	12·2	24·4	3·0	25·8	13·5	17·3	8·5	8
18·3	1·0	22·5	6·6	18·7	22·0	17·3	9·2	1·9	11·1	4·1	2·5	30·7	7·5	9·8	2·0	9
0·4	9·6	1·9	6·8	2·8	2·0	0·7	4·4	4·6	11·6	3·2	20·5	28·3	10·0	17·2	11·0	10
0·8	2·1	0·7	3·8	1·3	4·7	4·0	9·3	8·9	1·6	6·8	5·0	16·5	14·7	0·2	13·3	11
14·3	7·6	13·1	6·7	15·1	11·5	14·7	17·3	15·0	4·7	0·6	1·5	3·2	18·8	4·5	....	12
33·1	14·7	35·8	27·4	32·6	22·0	32·7	32·8	31·4	23·9	7·0	17·0	0·0	35·7	26·7	36·8	13
10 2	28·9	6·0	20·6	17·1	8·8	15·7	20·0	21·5	18·8	26·8	15·5	18·5	25·8	14·4	21·3	14
13·8	10·5	17·4	5·0	12·4	14·5	13·7	3·2	4·5	1·3	10·1	1·0	17·8	2·8	6·1	2·0	15
8·0	6·0	7·2	1·1	6·6	15·7	12·3	17·5	7·4	8·3	15·5	8 0	12·5	17·5	4·3	22·5	16
18·4	14·7	17·3	22·2	20·1	13·8	22·7	29·8	4·5	16·4	5 4	2·5	....	28·5	11·8	31·0	17
16·7	24·9	21·5	16·0	18·3	17·7	25·7	23·2	10·5	9·2	1·6	7·0	....	30·7	10 5	31·0	18
28·4	28·4	29·2	22·6	25·4	24·0	27·0	34·1	5·5	25·9	9·2	11·0	....	35 3	13·7	....	19
34·2	33·5	32·6	36·9	31·6	30·0	34·0	35·4	8·5	34·9	27·2	17·5	....	39·5	30·0	33·5	20
23·6	32·9	22·1	28·3	24·2	14·8	21·3	26·5	30·2	23·4	22·9	19·0	....	27·2	29·0	29·5	21
24·6	20·4	23·6	25·8	26·6	26·0	22·7	26·0	24·2	23·3	21·7	23·5	19 7	28·3	23·9	28·3	22
30·5	25·9	26·4	31·0	30·0	28·5	25·0	32 1	29·7	23·9	23·9	26 5	30·5	34·5	26·8	32·3	23
26·5	29·4	28·1	30·8	28·3	27·2	31·7	34·0	27·5	19·3	20·8	26·5	31·0	36·3	25·8	34·5	24
34·1	30·7	34·0	35·2	33·7	30·3	32·3	34·7	35·4	33·8	25·4	30·0	1·7	37·3	30·7	34 8	25
16·7	27·4	13·0	24·4	16·3	4·2	10·7	15·1	22·0	23·7	34·3	33·0	3·8	21·0	25·2	..	26
2·0	10·8	0·3	9·4	1·7	3·0	0·7	5·8	5·9	7·8	14·5	31·5	11 7	7·5	8·0	10·3	27
4·6	4·8	2·4	4 1	6·6	5 0	4·7	13·6	5·7	5·5	0·1	28·5	4·2	12·8	2·4	18·5	28
21·5	14·6	21·0	18·2	22·6	17·0	20·7	29·0	23·7	17·0	0·8	24·0	1·0	28·3	8·2	37·0	29
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
15·89	17·90	15·88	16·98	16·48	11·34	16·94	21·45	17·63	12 48	11·67	13·13	1·25	24·39	12·09	24 70	

TABLE IX.—*February, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolia.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Spruecdale.	Sombrt.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	25·3	20·4	28·5	30·2	29·0	29·5	14·4	28·4	....	29·9	30·7	27·0	26·1	30·0	20·5	29·9
2	24·5	19·6	27·0	28·8	28·0	29·1	8·4	26·4	....	28·5	29·5	28·4	23·5	18·2	19·0	27·6
3	8·5	19·1	25·3	28·9	24·0	29·5	6·6	22·5	....	28·6	29·8	21·8	24·4	3·6	19·5	21·3
4	12·0	21·0	27·7	30·3	26·1	30·5	6·9	28·4	....	28·6	27·5	28·3	24·3	5·3	5·0	31·9
5	2·0	8·6	17·7	23·5	24·0	17·1	11·3	21·9	....	22·0	24·0	17·7	18·1	15·5	6·5	29·0
6	5·6	12·2	13·5	17·4	15·2	16·8	4·5	13·8	....	13·2	19·0	16·9	14·9	13·0	0·5	15·0
7	8·8	27·7	29·8	31·3	31·0	28·2	19·1	26·5	....	31·8	34·5	25·0	30·2	18·3	16·0	24·5
8	21·8	6·0	8·2	12·5	9·6	8·6	5·8	18·9	....	10·3	11·7	9·5	7·7	32·5	12·5	10·5
9	29·0	20·6	10·8	6·7	9·1	11·1	21·8	5·7	....	10·5	8·3	8·7	14·7	38·8	3·0	6·4
10	22·3	2·9	3·2	5·7	3·3	8·0	19·3	1·2	19·5	2·7	7·5	0·8	3·8	25·8	20·5	0·9
11	11·8	3·7	5·0	12·3	8·7	7·4	8·6	13·3	3·6	11·2	9·5	7·4	2·7	17·5	8·0	13·9
12	0·5	14·6	14·3	19·3	11·1	21·7	4·8	14·8	0·6	21·4	18·3	16·0	14·1	5·2	3·5	14·4
13	8·5	33·7	32·7	32·1	29·0	36·7	29·2	25·5	24·0	37·1	37·0	34·7	25·1	3·0	9·5	30·4
14	14·3	5·0	9·5	20·9	19·1	....	1·0	23·0	20·5	17·4	23·3	8·9	14·9	23·8	17·5	33·9
15	15·2	16·0	7·5	0·9	2·7	1·8	13·8	0·2	4·6	5·5	5·5	8·2	12·2	13·7	3·0	2·4
16	21·7	6·9	14·5	18·4	16·6	21·4	4·3	16·0	....	17·1	19·0	16·0	9·3	22·8	15·5	15·1
17	10·3	15·4	24·3	30·5	26·5	31·8	10·3	30·0	13·0	27·7	29·8	22·7	22·9	18·3	8·5	31·2
18	17·2	18·1	22·0	26·6	21·1	....	7·4	30·9	7·7	30·4	38·8	23·7	24·8	16·5	7·0	31·5
19	24·2	27·2	33·0	35·0	32·0	38·5	12·8	32·0	16·7	30·4	32·3	33·0	30·6	23·3	7·5	40·7
20	12·8	33·0	31·2	34·7	35·5	33·7	30·1	35·5	26·2	35·5	36·8	33·0	36·4	5·0	12·0	36·5
21	14·5	21·4	25·3	27·8	27·0	26·9	24·7	27·4	28·8	28·4	27·5	23·7	24·6	9·7	15·5	28·4
22	20·7	26·7	26·9	25·6	24·0	28·6	18·8	26·0	25·1	28·7	30·3	26·8	28·2	22·5	28·0	22·0
23	27·2	29·0	28·0	33·2	31·0	31·9	25·4	34·0	26·0	33·3	35·7	29·3	31·2	31·8	12·0	36·0
24	28·2	31·0	35·0	35·9	34·0	36·0	20·8	33·5	24·2	31·9	33·8	31·3	29·4	33·0	17·5	33·4
25	8·0	34·7	33·7	34·2	32·5	34·9	30·7	35·0	27·8	36·3	38·5	34·0	34·7	6·2	33·5	41·1
26	2·3	14·8	13·5	18·2	18·1	13·0	19·8	19·4	25·0	17·5	20·3	12·0	16·1	8·8	26·0	15·4
27	5·8	1·2	4·0	7·2	6·2	6·4	4·7	7·3	7·2	5·6	8·5	2·6	1·7	7·0	0·5	8·5
28	11·2	0·3	10·9	14·2	13·1	15·3	3·1	11·8	14·7	10·9	13·5	6·2	8·5	9·7	10·0	10·6
29	11·5	18·4	24·0	30·1	26·5	31·7	10·4	30·5	10·5	27·8	27·0	21·0	26·5	2·8	14·5	31·4
.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	5·08	14·75	19·13	22·66	20·54	22·24	8·22	21·41	....	22·01	23·40	18·60	18·55	0·92	9·46	23·00

TABLE IX.—*February, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S. W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
28·9	28·7	18·0	28·5	28·5	9·8	15·0	20·0	5·5	12·9	....	9·0	3·5	....	....	1
28·1	28·0	23·0	29·9	28·5	10·2	14·5	5·0	1·5	13·5	....	14 3	5·3	....	....	2
28·5	28·1	5·0	28·4	29·0	11·0	14·7	2·5	7·5	11·6	....	6·3	4·7	....	....	3
27·0	27·1	8·8	29·5	30·0	5·1	1·5	1·0	14·0	5·5	....	11·0	4·5	....	....	4
24·2	23·7	26·3	19·1	22·5	15·6	17·8	18·8	21·5	25·2	....	10·0	20·3	....	....	5
20·2	16·2	16·2	17·4	14·0	16·7	13·8	18·0	9·5	21·7	....	11·7	3·2	....	....	6
31·7	28·8	21·0	29·7	25·5	8·4	10·0	13·7	22·0	19·3	....	1·7	14·0	....	....	7
13·6	12·4	13·7	8·0	16·0	23·0	20·3	22·5	23·5	25·2	....	13·3	24·3	....	....	8
7·1	9·3	25·0	13·0	5·5	16·7	17·5	29·5	2·0	25·0	....	24·0	10·3	....	....	9
5·9	0·9	29·5	7·7	4·0	10·9	11·8	5·0	9·5	2·5	....	6·7	13·7	....	....	10
10·7	9·7	23·3	5·2	5·5	2·1	0·5	4·5	11·5	18·1	....	12·3	7·3	....	....	11
17·9	15·8	9·0	20·1	13·5	7·9	8·3	11·3	1·5	14·3	....	18·7	3·5	....	....	12
33·1	32·6	6·2	36·5	31·0	16·1	13·5	8·2	23·5	16·5	....	7·3	23·0	....	....	13
19·2	23·2	24·5	15·1	22·0	17·7	17·8	20·0	25·0	24·2	....	23·0	19·7	....	....	14
5·7	4·7	21·3	0·2	1·5	1·4	1·3	10·0	3·5	9·7	....	5·3	3·3	....	....	15
13·7	12·6	13·7	22·4	11·5	3·5	3·0	3·8	6·5	2·9	....	1·3	10·7	....	....	16
26·6	27·6	0·0	30·1	26·0	5·2	5·0	7·5	9·0	6·8	....	3·0	2·0	....	....	17
26·5	25·8	0·3	27·0	25·5	6·9	5·5	11·3	4·5	10·3	....	12·0	3·8	....	....	18
31·1	30·4	22·5	34·5	30·0	4·5	6·3	1·2	19·5	6·9	....	9·7	7·5	....	....	19
35·7	36·8	13·7	33·6	34·0	6·1	8·0	5·0	35·5	8·3	....	0·7	25·0	....	....	20
27·6	25·1	5·0	26·7	24·0	29·0	23·8	25·0	29·0	33·5	....	18·0	26·5	....	....	21
30·1	25 3	15·0	28·8	25·0	15·8	18·0	22·5	22·5	23·5	....	15·3	21·2	....	....	22
33·1	31·5	23·8	32·3	30·5	10·0	10·0	12·8	28·5	16·8	....	13·0	22·3	....	....	23
32·6	31·4	28·8	35·1	30·0	5·7	11·5	6·3	23·5	9·8	....	12·3	23·3	....	....	24
35·5	35·7	27·3	33·7	34·0	10·2	11·0	12·5	30·5	13·4	....	8·3	21·5	....	....	25
20·0	17·9	16·2	13·3	29·0	26·3	27·8	20·0	30·5	26·0	....	14·3	24·7	....	....	26
7·3	4·5	15·0	6·6	5·5	22·5	25·7	26·7	12·5	29·3	....	25·3	7·5	....	....	27
12·7	9·8	1·3	16·4	10·0	11·7	9·5	9·8	8·0	16·1	....	24·7	7·7	....	....	28
26·5	28·1	0·5	31·5	25·5	7·6	7·8	11·3	12·0	10·6	....	20·7	3·8	....	....	29
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
21·90	20·82	0·63	21·71	20·22	10·89	11·39	12·18	11·64	15·84	....	10·53	8·91	....	....	

TABLE X.—*March, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Methcene Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kelnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	40·0	30·8	36·0	20·1	1·0	10·3	2·5	18·0	6·3	13·7	11·0	13·5	7·4	14·3	9·2	13·1
2	40·0	34·1	36·5	11·3	9·1	12·4	12·0	21·5	8·7	16·3	10·0	11·5	7·6	18·3	14·0	14·6
3	36·5	32·6	34·5	4·5	4·1	8·2	15·5	13·5	2·0	12·7	13·8	9·5	9·6	13·2	8·5	8·5
4	39·5	38·9	35·5	1·2	4·4	7·6	13·0	11·8	3·5	2·8	8·0	....	3·1	8·1	3·6	4·6
5	43·0	40·2	39·0	4·8	5·3	3·4	12·2	4·5	5·3	9·7	6·9	4·2	2·2	2·0	8 2	6·5
6	37·0	36·7	37·0	0·2	1·4	4·8	5·5	1·0	2·5	4·8	10·7	4·5	1·3	7·5	1·6	10·3
7	35·0	35·4	35·0	2·9	4·6	9·6	6·3	3·7	2·7	8·2	15·2	9·5	3·9	1·9	4·0	8·3
8	32·5	34·4	33·0	8·0	3·8	1·3	8·7	9·2	1·5	6·5	2·3	10·3	1·2	5·1	3·5	3·8
9	31·5	29·8	34·0	21·3	4·4	5·5	2·5	11·3	0·5	16·5	10·7	5·7	3·1	6·7	5·7	10·3
10	42·0	33·1	37·5	30·8	6·0	4·2	3·5	5·5	5·8	15·7	12·4	0·0	9·6	4·2	2·4	8·0
11	43·5	41·7	40·0	20·2	21·4	2·8	28·0	32·0	31·0	2·5	8.5	....	9·6	18·1	9·0	0·5
12	49·5	43·1	39·0	12·9	42·1	9·3	27·2	46·0	48·5	3·3	3·3	10·5	7·3	33·4	33·9	8·3
13	47·5	38·4	45·5	3·1	45·8	23·4	10·0	19·5	46·5	20·0	17·8	25·0	10·4	28·4	36·3	30·4
14	48·0	43·2	43·0	3·6	26·1	19·4	0·2	22·0	24·2	19·0	17·2	16·5	14·3	26·8	17·4	15·7
15	40·0	47·5	45·7	19·0	35·7	4·0	7·0	32·5	34·8	12·7	1·8	10·0	5·5	33·1	19·7	5·3
16	45.5	41·3	43·0	18·7	44·0	24·7	31·3	36·7	42·0	22·5	20·0	15·2	12·5	41·7	38·3	24·6
17	46·5	36·6	43·0	9·1	48·2	32·6	28·0	44 8	48·0	30·5	22·5	31·8	28·4	41·4	43·3	28·7
18	44·5	40·6	41·5	5·3	22·8	25·4	20·2	32·2	26·2	12·8	22·7	....	22·8	21·1	22·3	17·5
19	43·5	41·1	42·0	1·6	31·2	12·0	15·0	33·3	27·0	10·2	5·5	20·0	2·1	29·7	26·0	13·5
20	40·0	41·6	46·0	19·5	19·2	2·6	11·0	26·2	16·5	1·7	2·9	2·5	1·3	17·6	10·0	1·5
21	44·5	39·7	42·5	14·9	25·0	10·9	17·5	28·2	26·8	17·0	6·6	8·5	14·4	25·7	7·9	11·8
22	43·5	40·6	44·5	3·4	39·1	6·6	19·0	34·0	38·0	3·3	8·3	11·2	7·1	34·9	31·3	12·7
23	43·5	36·6	44·0	5·4	33·8	8·7	17·5	11·2	33·5	6·2	9·3	9·0	6·5	24·4	29·6	9·5
24	39·5	38·7	40·5	0·3	15·3	8·0	13·7	2 3	12·7	11·3	11·0	10·5	13·1	16·2	12·0	11·7
25	40·0	43·1	40·5	10·8	13·7	3·9	9·8	15·0	11·5	0·3	9·9	....	11·0	17·8	6·3	8·5
26	43·0	43·9	41·5	10·7	18·2	4·0	13·5	25·8	17·8	3·0	1·7	5·7	4·6	27·1	12·3	1·5
27	42·5	39·0	45·0	14·4	27·7	3·9	11·0	27·5	26·0	7·5	9·6	0·2	6·6	31·8	21·3	0·3
28	45·5	41·0	46·0	0·7	26·0	6·7	16·2	20·0	21·0	6·2	0·9	2·5	5·5	18·8	14·7	4·8
29	42·5	37·5	42 0	0·3	11·7	3·9	7·5	14·2	12·5	4·0	3·0	0·0	14·4	7·7	6·5	0·1
30	40·5	37·9	38·5	7 7	18·2	3·3	10·0	21·5	19·2	8·5	0·8	2·0	20·5	16·4	11·5	3·1
31	43·0	40 1	39·0	8 6	19·3	11·3	17·5	17·0	18·2	11·7	5·7	13·5	21·3	15·8	16·0	11·3
	41·73	38 68	40 35	3·12	17·82	4·37	8·69	14 89	18·69	0·80	1·74	3·72	4·55	15·01	11·78	3·20

TABLE X.—*March, 1888. Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stoney Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Silkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
7·5	7·3	12·5	2·0	9·5	3·8	5·8	4·5	0·5	2·2	....	10·2	16·2	0·2	15·4	4·0	1
2·5	9·7	11·0	3·5	18·8	4·3	11·7	8·0	4·0	7·8	....	11·0	10·6	3·0	7·4	1·7	2
6·0	11·1	11·5	4·0	12·5	12·4	11·0	1·3	4·5	15·5	....	1·0	4·0	0·8	5·9	5·3	3
3·5	5·1	2·7	0·5	2·5	....	7·3	0·5	0·8	7·7	....	0·8	4·5	3·2	1·7	5·8	4
5·5	0·5	2·9	2·2	5·0	0·3	0·2	5·5	2·0	3·3	....	3·5	1·9	8·3	4·7	4·7	5
8·5	3·1	5·3	5·3	5·2	5·2	5·0	0·2	5·2	0·2	....	7·3	7·3	17·2	4·2	6·5	6
9·0	5·5	8·0	5·5	5·3	4·5	4·7	0·0	7·5	2·0	....	12·2	12·6	22·0	11·8	10·5	7
5·5	5·1	1·7	12·0	5·2	11·1	2·3	2·5	15·5	1·9	....	21·3	16·2	25·5	17·1	15·0	8
4·5	0·5	15·1	0·7	15·3	0·7	9·2	4·5	1·8	1·1	....	21·2	26·8	29·7	21·9	22·5	9
3·5	3·7	8·1	0·0	9·5	4·2	6·0	0·3	2·0	0·9	....	32·5	30·9	15·8	33·9	25·0	10
1·0	1·8	5·0	3·5	0·0	....	2·0	8·3	2·0	9·9	...	15·0	21·0	3·2	20·5	0·8	11
8·5	0·6	0·5	7·0	10·5	5·2	1·7	4·5	13·7	5·4	....	2·7	3·2	6·8	0·5	3·0	12
16·5	18·6	7·9	21·8	26·5	20·5	21·0	15·5	23·5	22·5	....	0·3	1·9	14·5	3·6	20·8	13
28·0	28·3	19·0	28·5	23·0	26·9	28·0	29·3	22·3	26·9	....	15·2	13·4	18·8	9·8	12·5	14
2·5	0·7	5·5	1·0	3·7	1·7	0·5	5·5	0·8	1·4	....	25·0	26·1	31·0	17·0	18·8	15
2·0	7·5	13·1	8·2	17·3	7·2	12·3	8·0	11·7	11·1	....	19·5	24·7	12·2	18·0	5·7	16
23·5	23·3	25·0	19·3	31·0	20·3	24·5	27·5	20·0	24·6	....	4·7	6·5	15·3	7·1	3·8	17
28·5	27·4	21·2	26·7	22·0	....	25·0	29·5	28·0	25·5	....	13·0	15·1	24·2	11·2	8·2	18
13·0	4·8	7·0	5·8	0·5	6·9	10·0	12·0	7·8	2·4	....	31·0	37·4	23·0	30·6	33·8	19
8·0	9·3	3·1	7·3	12·3	7·2	4·0	12·7	4·2	5·5	21·2	39·0	41·0	31·0	38·5	11·2	20
11·0	12·7	20·6	13·5	13·5	14·4	15·0	9·0	14·0	22·7	23·8	23·3	21·2	3·3	26·1	18·5	21
4·5	9·4	3·9	8·5	12·5	8·8	2·5	6·7	2·0	15·3	12·7	7·2	12·1	8·7	14·5	7·8	22
7·0	5·3	8·1	4·7	12·0	4·5	3·3	9·0	7·3	4·4	9·3	1·3	2·0	9·0	2·2	13·7	23
9·0	7·6	13·5	11·0	12·5	10·4	13·0	7·3	13·5	15·2	2·2	5·2	4·4	13·5	1·1	15·5	24
3·5	15·3	11·3	19·5	16·0	....	14·7	15·5	21·0	23·0	14·0	16·7	13·3	21·2	9·5	15·8	25
15·0	8·4	6·7	20·0	7·0	19·0	5·0	11·0	16·0	18·4	2·0	27·8	33·4	15·3	22·7	16·0	26
13·5	4·1	3·6	11·8	4·3	10·7	2·5	7·5	13·5	10·2	2·1	35·2	33·9	17·0	35·2	22·5	27
15·0	8·0	6·2	14·5	5·7	12·3	3·0	9·0	16·7	14·1	8·2	30·2	30·9	27·2	29·0	23·5	28
16·5	7·4	6·6	16·0	3·0	16·3	6·7	6·0	17·0	16·7	12·0	22·3	29·4	24·5	24·0	24·2	29
14·0	4·2	6·3	10·5	3·3	13·8	5·0	7·5	10·5	17·3	8·8	23·0	26·3	25·2	24·3	11·5	30
14·0	8·4	7·6	12·5	10·2	12·6	11·0	10·5	15·0	14·5	5·3	22·0	24·8	24·3	27·5	25·0	31
8·12	3·94	1·89	7·65	3·74	6·28	3·40	6·06	8·54	5·71	....	15·64	14·51	14·47	15·17	....	

TABLE X.—*March, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Birnam.	Coldwater.	Conestogo.	Chatham.	Cartier.	Charlotteh.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	15·0	24·7	25·9	14·4	16·5	32·5	−3·5	14·7	21·7	20·5	19·0	19·5	19·3	19·8	16·5
2	13·0	22·0	30·1	4·7	27·5	34·5	−4·3	12·2	22·7	14·1	19·6	23·2	19·4	25·5	11·0
3	4·0	11·0	12·4	17·6	7·1	18·0	−8·0	3·6	6·3	10·7	5·6	5·8	10·9	17·0	9·0
4	−0·5	7·0	11·4	6·6	6·0	15·5	−10·2	−0·3	8·0	−1·6	5·3	5·7	....	6·0	2·5
5	−1·3	9·3	9·0	10·9	3·1	12·5	−6·8	−3·7	3·3	−0·7	3·6	4·5	3·3	4·3	2·0
6	6·4	13·0	11·0	6·4	11·5	19·5	−1·0	5·2	....	10·8	8·6	11·8	10·2	7·5	8·0
7	12·8	16·7	19·8	8·0	18·1	19·7	2·0	13·5	....	18·0	15·3	17·0	16·2	15·5	13·0
8	17·8	21·8	20·7	5·5	18·4	23·6	8·5	16·4	20·3	18·8	18·0	18·8	17·9	18·0	14·0
9	19·9	22·3	24·0	7·5	23·3	29·7	10·0	17·7	26·7	23·4	21·0	24·5	23·7	21·3	20·5
10	32·5	32·0	36·7	5·3	34·3	40·5	20·8	34·5	....	29·6	34·3	28·0	32·8	33·0	28·0
11	18·2	26·8	26·0	8·5	23·5	29·3	−3·0	17·5	21·7	29·1	20·0	21·0	....	25·3	21·0
12	1·3	9·3	12·0	6·7	7·7	15·2	−9·7	−0·7	6·0	12·9	3·3	6·5	6·3	12·2	3·5
13	0·7	5·0	6·5	9·5	4·6	12·8	−8·0	0·0	2·3	6·7	1·6	4·5	2·0	5·5	0·0
14	15·8	13·6	13·5	10·7	15·7	20·5	−8·5	15·7	10·7	23·3	11·3	13·7	14·7	....	9·0
15	24·0	28·7	26·5	16·0	27·8	33·1	11·3	23·9	25·3	26·0	....	26·5	23·4	19·9	24·0
16	21·4	28·3	34·5	6·6	28·9	36·0	−7·0	19·0	26·3	29·6	26·6	25·5	28·6	30·6	27·5
17	7·3	16·5	15·2	19·8	12·8	26·0	−3·5	3·9	11·3	11·8	6·0	12·0	12·7	16·5	5·0
18	15·5	23·0	21·5	22·0	18·5	28·5	12·7	11·0	17·7	10·9	15·0	20·0	....	15·7	6·0
19	36·5	32·3	41·6	16·2	38·1	54·5	25·3	36·4	44·0	20·9	41·6	41·3	40·9	36·6	31·0
20	36·6	44·3	50·4	8·9	39·8	49·7	16·5	....	41·3	37·4	38·6	37·7	39·7	37·6	43·5
21	26·3	31·8	31·5	6·7	29·7	30·1	12·8	25·9	26·7	34·7	27·3	28·8	30·2	27·0	29·5
22	−7·5	13·8	8·3	12·5	−7·0	12·0	−7·0	−6·6	6·7	15·4	−4·3	6·5	6·6	....	11·0
23	−0·4	7·5	−5·5	10·9	−0·3	9·7	−12·3	−3·1	0·7	10·1	−3·6	0·2	0·3	9·0	3·5
24	−4·1	7·8	−4·5	8·9	−1·7	9·5	−5·5	−4·7	1·7	12·1	−4·6	2·0	2·3	2·0	1·0
25	8·6	22·7	6·5	24·1	14·2	23·6	2·5	....	20·3	14·3	14·0	14·5	....	11·8	8·5
26	29·6	35·3	32·7	10·4	36·5	41·4	14·0	29·8	35·3	31·7	32·6	34·7	34·7	31·5	25·0
27	34·6	36·7	36·1	9·6	36·1	33·0	21·7	34·3	34·7	37·9	33·6	33·8	36·4	38·0	36·0
28	29·8	32·3	30·9	5·6	32·2	36·3	17·3	29·4	30·0	35·3	30·3	31·0	32·3	33·5	33·5
29	22·3	32·8	29·2	11·1	30·5	44·7	13·8	21·1	28·7	29·6	29·0	30·0	29·4	30·0	31·0
30	25·4	31·5	36·5	6·8	34·5	39·0	9·7	21·8	29·7	32·1	29·6	33·0	32·9	31·4	32·5
31	26·3	33·0	36·4	11·3	31·8	37·5	18·0	24·4	28·3	32·1	27·0	30·3	30·1	31·1	30·5
	16·28	22·31	22·51	19·78	20·55	28·02	4·36	14·69	19·94	20·67	17·57	19·75	20·65	21·15	17·33

TABLE X.—*March, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bay.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
17·0	28·9	17·5	29·4	15·5	14·3	19·0	26·1	18·9	12·3	15·7	7·0	0·3	25·0	17·2	29·3	1
15·2	22·4	12·0	11·3	12·2	10 7	25·7	29·4	27·4	11·6	15·1	9·5	2·5	28·5	9·5	33·2	2
5·7	22·8	5·5	14·3	6·2	0·3	4·7	13·0	18·5	9·8	13·0	7·5	5·7	11·5	13·3	30·3	3
0·4	9·3	0·1	6·1	2·1	1·5	2·0	10·8	8·4	3·9	5·2	5·5	6·8	10·2	4·6	....	4
0·2	6·4	2·5	2 4	2·1	0·1	6·7	9·5	9·2	7·2	3·3	4·0	1·5	9·8	5·0	12·0	5
9·4	9·2	8·2	10·8	9·0	8·0	8·3	13·9	10·4	7·7	0 2	1·5	5·2	12·0	11·8	17·5	6
15·7	12·7	15·1	16·8	16·2	15·4	14·7	20·2	14·4	12·6	8·7	11·0	7·8	19·7	19·4	26·7	7
18·9	12·7	21·7	19·7	19·5	17·0	14·7	19·7	15·9	18·4	14 2	14·5	10·7	23·3	22·1	27·8	8
20·5	14·8	19·0	23·3	20·2	19·5	20·0	25·3	21·4	16·3	15·2	14·0	28·8	24·7	24·3	28·7	9
32·8	23·6	38·7	31·1	32·2	32·0	28·0	38·1	35·9	25·7	18·1	12·0	13·7	39·5	25·9	....	10
19·7	37·1	19·5	29·2	21·1	7·7	19·3	27·4	26·7	23·0	29 9	11·5	2·5	27·8	30·1	15·5	11
5·4	18·3	2·3	7·6	5·7	4·0	3·3	11·2	11·4	5·8	3·5	13·5	1·8	14·3	5·9	18·3	12
2·5	4·3	1·2	7·5	4·3	3·8	1·7	6·8	4·9	1·7	1·1	14·0	0·7	8·5	9·3	22·2	13
12·3	12·4	17·5	27·2	13·1	12·5	8·0	15·4	16·4	20·8	15·9	13·5	12·0	15·5	27·0	34·2	14
24·6	21·3	25·6	25·2	25·7	23·6	21·3	28·0	30·4	26·2	18·5	15·0	21·8	25·5	29·0	34 0	15
24·8	30·0	23·5	29·5	25·8	19·5	28·0	31·5	31·4	24·9	24·1	11·5	6 7	34·0	27·7	27·3	16
7·0	18·9	5·7	14·7	6·7	6·0	19·0	18·5	15·4	9·0	18·8	11·5	4·8	14·3	11·6	....	17
11·6	19·2	16·5	14·6	13·8	17·7	17 3	23·6	19·0	7·6	7·4	15·0	23·0	24·2	11·0	51·7	18
35·6	37·1	36·5	30·7	36·3	38·0	42·0	48·0	38·5	22·9	11·5	25·0	25·0	50·0	19·8	53·5	19
35·7	42·7	39·2	40·6	38·9	31·3	39·7	44·9	42·0	39·4	33·2	24·5	13·2	46·8	36·4	27·5	20
29·0	29·7	28·1	35·1	30·1	19·7	26·0	30·0	28·9	30·4	33·3	25·0	2·8	34·0	36·8	10·5	21
9·3	14·7	7·0	19 9	10·1	3·9	3·3	9·4	13·4	15·4	24·6	17·0	15·7	14·5	23·4	15·0	22
2·2	5·2	3·5	11·5	3 8	0·8	5 7	4·4	0·1	3·9	13·0	1·0	12·0	9·5	10·4	14·5	23
1·9	1·5	5·0	9·5	3·7	2·5	5·3	2·5	1·2	2·6	10·1	7·5	7·3	11·5	7·0	....	24
11·7	12·7	15·5	16·3	18·1	16·0	14·7	17·6	7·4	9·3	2·4	13·0	5·2	23·3	15·8	39·0	25
31·1	31·4	31·7	31·2	30·7	27·7	32·0	37·3	30·9	24·9	14·4	16·5	21·0	39·8	22·7	35·0	26
36 3	38·5	37·3	39·5	37·2	35·3	34·3	36·1	37·9	37·4	23·3	27·5	15·3	38·7	38·8	31·7	27
31·1	33·0	30·5	27·5	31·6	27·9	31·3	32·5	32·2	33·4	33·6	30·0	13·0	38·8	36·1	31·8	28
24·8	29·6	24·5	32·9	29·2	20·7	28·7	32·9	27·4	27·3	30·1	27·5	20·3	33·0	34·9	44·5	29
29·8	38 8	27·3	32·8	29 6	25·5	29·7	35·0	32·9	23·9	20·3	30·5	23·7	38·8	31·7	37·3	30
27·6	34·8	23·0	33·5	29·6	24·5	32·3	34·6	29·2	29·9	27·1	28·0	21·8	33·7	32·3	....	31
17·73	21·63	15·87	22·03	18·79	15·71	16·56	23·66	21·13	17·26	16·09	12·81	7·90	24·91	21·00	27·83	

TABLE X.—*March, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Sprucedale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	3·2	16·4	21·6	28·5	24·0	29·1	11·5	28·9	16·3	24·0	25·0	19·5	18·2	3·0	19·0	30·1
2	0·5	14·4	22 8	30·5	29·0	31·2	8·3	32·5	8·4	25·7	27·3	23·2	16·5	6·5	12·5	33·2
3	0·3	5 6	11·2	10·7	13·1	14·9	8·2	21·9	9·8	11·9	13·3	9·0	8·0	12·3	12·0	20·6
4	2·5	2·0	8·0	13·2	8·2	11·8	2·8	13·8	2·5	9·6	12·5	5·7	3·6	11·7	0·3	18·7
5	5·0	1·9	7·0	9·2	4·7	10·1	1·9	10·3	1·9	5·5	6·3	5·7	2·8	2 5	7·5	14·1
6	12·2	7·0	13·5	16·5	11·7	19·4	9·5	13·8	16·1	14·4	15·5	12·0	10·1	3·3	5·0	14·5
7	9·3	12·9	14·3	22·6	17·1	23·8	18·7	32·9	17·0	19·7	22·3	18·0	16·0	0·2	11·5	22·6
8	10·0	14·8	16·2	23·8	18·1	24·5	17·2	26·4	11·7	21·7	22 2	17·4	20·0	13·3	17·5	27·7
9	29·3	18·8	23·8	25·6	20·5	29·4	16·8	24·9	20·5	26·6	27·5	26·8	22·5	29·0	6·5	28·2
10	19·8	34·7	35·3	37·8	36·0	40·2	28·1	36·5	23·3	36·0	34·0	36·6	35·9	10·5	27·0	36·0
11	3·3	20·1	20·0	28·7	28·1	23·4	25·1	30·5	27·4	25·6	27·8	19·8	21·2	3·0	32·0	29·1
12	4·3	2·4	10·0	11·9	9·7	11·5	3·9	16·9	9·0	10·9	12·0	8·6	6·4	7·0	10·0	15·1
13	0·8	2·1	8·7	7·6	6·7	11·1	3·2	7·8	3·0	6·6	9·0	5·7	2·9	4·2	8·0	6·5
14	9·7	16·2	8·8	17·2	17·1	17 0	17·5	16·3	17·5	19·8	20·3	9·3	9·9	16·5	6·5	19·9
15	24·5	22·1	26·2	27·6	28·0	33·9	23·9	26·0	29·1	28·6	30·7	23·5	27·5	21·5	20·0	28·3
16	8·3	24·1	27·5	35·3	32·5	31·4	20·1	36·5	24·0	32·6	35·8	28·0	26·5	7·8	29·5	35·1
17	3·0	6·3	10·8	23·4	18·1	15·4	6·8	26·4	10·3	18·0	17·5	8·6	7·8	4·2	11·5	24·6
18	21·8	12·5	18·7	23·5	18·6	27·5	8·7	21·3	11·0	23·1	22·5	19·5	15·7	28·0	1·5	22·8
19	27·0	39·0	46·0	40·2	34·4	52·7	24·1	41·5	23·8	46·4	42·0	41·4	40·1	17·8	22·5	45·0
20	14·2	38·9	38·5	39·9	38·5	44·5	39·6	50·0	37·1	42·9	46·0	39·2	40·4	11·7	29·5	48·0
21	8·3	27·2	27·3	31·4	30 5	27·3	25·3	32·5	36·1	32.4	34·0	27·5	30·9	0·5	33·0	33·9
22	7·8	10·8	8·0	11·8	9·1	9·6	15·2	22·4	8·0	10·9	13·0	7·9	12·3	20·3	17·0	13·0
23	9·8	2·2	1·3	8·3	3·2	2·4	0·8	13·8	2·0	6·0	7·5	1·5	2·5	12·5	8·0	3·5
24	4·3	6·2	2·2	8·2	6·2	....	1·5	7·3	6·2	7·0	10·3	1·6	4·8	10·2	1·5	7·7
25	7·5	6·9	17·3	22·2	19·6	22·9	11·5	15 9	14·4	19·4	21·7	13·7	16·4	11·5	2·0	16·0
26	22·0	31·2	34·0	36·6	35·9	40·6	21·4	35·5	10 3	37·3	41·0	35·0	34·2	17·6	14·5	28·1
27	19·3	35 4	33·1	34·9	35·5	34 6	37·7	37·5	39·8	37·8	44·7	33 0	36·9	13·0	22·0	39·7
28	17·0	30·3	28·6	33·6	33·5	30·6	34·1	32·4	36·1	35·4	37·3	28·5	30·7	13·5	34·0	32·3
29	22·5	23·4	24·9	31·3	29·0	34·6	29·5	33·5	33·5	31·9	35·5	27 8	28 8	12·0	22·5	32·5
30	26·5	23·8	29·8	36·1	35·5	37·0	26·9	41·5	30·6	34·8	33 7	26·4	30·4	19·5	16 5	41·8
31	21·2	26 3	29·0	35·4	31·5	38·5	30·8	38·0	33·1	33·9	35·5	31·7	31·2	17·3	28·0	38·2
	10·34	16·43	20 03	24·75	22·05	26·03	16·68	26·30	18·05	23·75	25·24	19·75	19·61	5·60	15·15	26 05

TABLE X.—*March, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Bronte.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
22·7	23·8	11·2	28·1	24·0	4·5	8·3	0·7	5·0	9·6	....	18·0	2·7	9·2	...	1
21·4	26·6	8·0	31·6	29·5	7·5	11·7	5·0	8·0	20·4	....	30·0	5·0	6·2	....	2
11·9	11·8	17·5	12·6	20·5	29·0	28·5	28·7	11·5	29·7	....	31·7	12·5	8·7	....	3
7·4	10·2	17·3	11·1	10·0	33·7	31·5	31·3	5·5	33·1	....	32·0	8·5	12·2	....	4
6·1	6·9	8·8	10·5	8·5	30·9	29·8	31·2	3·0	30·4	....	33·3	7·3	13·9	....	5
13·3	12·0	5·0	19·0	11·0	30·9	30·0	31·3	9·0	30·7	....	31·7	8·8	20·4	....	6
19·1	17·2	5·0	21·5	18·0	32·3	33·7	32·8	14·0	32·2	....	32·3	14·5	25·1	....	7
22·2	17·8	7·5	23·6	16·0	32·6	31·8	31·3	21·5	29·5	....	32·3	26·5	31·6	....	8
25·6	23·7	18·8	29·1	19·5	33·0	31·5	31·2	25·0	31·0	....	28·7	25·0	29·1	....	9
34·5	35·6	13·7	40·6	35·5	29·2	31·0	25·0	31·5	27·3	....	21·3	25·2	32·6	....	10
24·8	25·3	6·3	24·1	28·0	28·7	30·7	23·0	33·5	27·9	....	21·3	24·7	31·6	....	11
9·5	9·9	18·8	12·1	12·0	27·0	27·3	27·5	13·0	24·9	....	22·0	24·8	19·2	....	12
5·1	5·4	15·5	10·6	5·0	28·7	29·5	26·0	21·5	31·2	....	21·3	26·7	12·7	....	13
14·9	15·2	4·0	18·6	14·0	32·9	31·5	29·0	34·0	31·8	....	21·7	27·3	32·9	....	14
26·3	25·1	17·0	33·5	22·0	28·5	28·5	26·0	30·0	32·0	....	25·7	29·2	17·4	....	15
30·6	32·5	6·3	31·2	31·5	27·9	27·5	22·8	28·5	28·7	....	31·7	26·0	25·8	....	16
12·9	17·4	13·2	17·5	19·0	22·5	21·0	22·5	....	22·7	....	19·3	8·5	7·9	....	17
20·9	22·0	10·8	26·7	18·0	22·0	17·5	23·5	3·0	20·1	....	10·7	8·8	4·7	....	18
37·8	45·1	24·5	53·1	40·0	20·5	18·3	14·7	20·0	23·5	....	2·0	20·5	11·2	....	19
40·4	44·4	5·0	44·5	44·0	29·5	28·2	22·7	43·0	28·6	....	10·0	36·0	34·1	....	20
32·4	30·6	5·5	27·6	28·5	33·7	34·7	30·0	41·0	34·1	....	21·3	39·2	41·6	....	21
14·4	10·1	10·5	8·1	14·5	35·7	33·3	32·3	31·5	35·5	....	31·3	25·3	20·8	....	22
6·8	3·0	14·7	0·6	3·5	35·1	36·7	32·5	12·5	34·8	....	30·3	10·7	14·7	...	23
9·2	4·6	15·0	1·4	3·5	23·7	24·5	26·8	6·5	28·3	....	31·7	3·3	2·0	....	24
19·5	15·1	6·0	18·8	7·5	17·8	14·3	26·7	13·5	22·8	....	22·7	5·0	....	....	25
34·1	35·4	15·0	40·3	32·0	13·9	14·2	14·8	28·5	17·1	....	21·0	17·0	16·4	....	26
38·9	37·5	25·5	35·8	6·5	22·4	17·0	13·7	40·5	22·7	....	21·3	30·2	30·2	....	27
33·7	33·9	19·0	29·7	31·0	27·8	28·8	20·3	44·5	30·8	....	24·3	38·5	34·8	....	28
32·9	31·8	15·0	32·4	29·5	30·6	32·7	32·3	34·0	35·6	....	31·3	32·0	29·7	....	29
32·1	34·5	15·3	38·1	34·5	22·4	23·8	22·0	30·0	25·7	....	23·3	22·5	19·8	....	30
34·0	34·2	17·0	36·5	32·5	21·9	21·8	18·7	30·5	24·0	....	23·0	26·8	23·6	....	31
22·44	22·54	1·67	24·76	22·34	26·35	26·12	24·35	22·27	27·64	....	24·34	19·97	10·07	....	

TABLE X.—*March, 1888. Daily Mean Temperature.*

Day.	Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	4·8	11·0	7·3	15·7	14·5	6·2	7·7	4·9	....	12·0	8·4	5·5	11·7	17·8	14·4
2	8·2	32·5	7·3	6·1	6·3	6·1	7·8	6·0	....	14·3	14·7	7·5	13·5	17·9	14·5
3	26·3	33·5	19·9	11·5	13·6	17·7	20·5	13·9	....	28·0	27·6	23·5	25·5	23·2	24·3
4	30·7	34·2	25·6	4·1	....	14·4	30·2	7·1	....	....	33·6	34·5	....	30·4	29·8
5	28·8	33·7	21·8	2·2	4·3	10·5	31·3	5·4	....	33·3	32·3	34·0	30·0	29·5	27·8
6	27·5	33·5	18·9	10·5	10·5	11·4	29·0	10·1	....	32·0	30·6	31·7	29·8	29·7	27·9
7	31·5	33 0	22·4	17·2	16·9	17·8	30·0	16·6	....	33·7	31·3	32·3	26·4	25·3	24·1
8	31·5	31·0	30·5	21·2	25·2	31·1	32·0	23·2	....	33·3	26·6	33·8	26·3	26·5	25·7
9	29·8	29·0	26·0	25·3	28·9	30·2	32·5	32·2	....	32 3	30·8	35·5	31·4	31·3	30·7
10	28·5	28·3	25·2	27·5	28·6	30·9	31·0	29·4	....	....	31·1	32·5	32·4	34·0	32·2
11	30·5	20·0	25·2	31·6	....	29·8	32·0	30·5	....	....	22·1	33·5	...	31·9	27·8
12	24·3	22·5	26·2	7·0	11·9	28·8	26·5	13·7	....	23·3	22·5	21·7	27·7	31·1	30·4
13	29·0	27·8	26·7	9·6	20·4	31·2	28·3	28·4	....	31·3	30·7	28·2	30·4	33·0	32·2
14	30·7	24·7	29·7	32·3	34·5	31·3	31·5	32·3	....	33·7	34·4	36·0	34·1	34·3	34·0
15	30·5	27·5	29·9	26·5	31·0	31 1	32·7	30·7	....	37·7	33·4	35·5	37·1	36·6	35·9
16	29·3	29·3	30·0	26·0	28·3	29·2	31·2	28·4	....	29·0	31·5	30·0	35·7	35·8	34·3
17	21·0	20·0	15·6	8·3	12·8	16·2	26·3	9·3	....	29·0	29·3	27·3	27·7	28·5	27·6
18	15·0	14·3	6·4	3·7	....	12·7	16·2	6·5	....	....	21·4	17·8	....	22·2	18·9
19	23·3	6·0	16·8	22·4	21·5	19·9	17·0	19·7	....	28·7	24·3	21·5	24·2	27·3	25·7
20	36·0	19·0	33·1	38·0	36 6	36·9	33·2	37·2	....	33·3	34·4	28·3	35·8	37·7	36·5
21	43·0	32·8	42·4	38·5	38 5	41·2	35·0	38·8	....	44·7	41·3	37·0	42·7	41·0	40·1
22	35·7	36·3	30·9	21·5	25·3	27·6	35·5	25·0	....	44·7	43·3	39·5	43·5	40·1	40·0
23	30·5	36·2	25·7	9·1	12·8	15·0	31·7	13·5	....	35·3	35·8	34·0	31·8	27·2	27·5
24	19·0	34·3	9·0	7·5	6·9	5·1	13·5	6·9	....	23·3	18 6	17·8	19·0	23·3	20·2
25	9 8	29·0	13·0	14·6	....	10·4	10·0	10·6	....	....	15·8	11·5	....	19·6	18·7
26	11·5	20·5	20·5	26·5	24·0	20·7	17·5	22·1	....	26·3	22·8	21·0	25·0	29·8	26·9
27	24·8	24·0	30·8	36·1	37·7	32·5	27·3	37·5	....	28·0	24·0	20·5	29·7	32·3	31·4
28	25·7	28·3	32·5	35·2	37·0	35·2	31·0	41·6	....	32·3	31·2	27·0	33·9	37·0	35·6
29	32·5	36·5	30·2	32 5	35·6	33·3	34·5	33·8	....	36·0	36·2	35·0	38·0	37·2	36·9
30	24·3	28·0	24·3	30·8	31·9	28·8	25·3	28·0	....	....	28·1	26·5	31·1	35·1	33·3
31	20·7	24·0	18·7	30·8	31·6	29·9	22·3	30·9	....	....	27·9	24·0	29·7	32·7	30·6
	25·96	27·41	23·32	20·32	23·22	23·32	26·15	21·75	.....	30·65	28·25	27·28	29·79	30·31	28·91

TABLE X.—*March, 1888. Daily Mean Temperature.*

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Glace Bay.	Kilmahumaig.	St. Johns.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
13·0	6·2	14·2	15·9	11·5	13·4	19·5	14·6	19·4	16·0	19·7	12·0	7·6	21·7	7·5	1
14·4	9·0	15·7	14·0	9·5	17·6	19·5	13·0	20·5	14·0	15·7	20·5	8·3	20·7	32·7	2
25·3	20·0	25·5	20·6	22·2	31·8	32·5	27·7	26·6	31·0	23·3	26·0	18·0	33·3	31·7	3
32·2	....	....	33·5	35·0	33·3	32·3	32·9	30·2	28·7	....	32·0	28·7	31·0	33·0	4
31·3	27·4	30·7	32·8	35·0	33·1	32·7	31·7	30·7	31·9	31·0	29·5	30·3	31·3	33·0	5
30·6	26·0	32·3	31·9	36·3	31·5	30·5	30·9	30·1	30·0	30·3	32·5	26·6	34·0	33·3	6
26·6	23·0	24·3	30·3	36·8	32·7	31·3	29·4	26·2	31·0	24·7	33·0	31·2	32·0	33·5	7
24·4	26·4	24·0	28·4	27·7	29·4	30·2	27·1	25·7	27·8	25·7	25·5	28·1	32·7	32·7	8
28·0	32·4	28·7	30·8	37·8	27·0	30·7	21·2	30·0	29·7	28·3	28·5	25·5	31·2	31·3	9
31·0	30·3	30·7	32·7	30·6	29·8	31·3	32·6	31·2	30·7	28·0	28·5	29·7	29·3	31·5	10
29·0	12·1	....	29·6	34·5	29·0	31·1	28·7	30·2	29·9	....	28·0	19·0	27·5	27·7	11
28·1	26·9	28·7	28·0	28·9	27·4	31·2	28·5	31·5	28·3	30·0	28·0	21·1	28·0	26·0	12
33·2	29·9	32·0	33·2	37·5	32·3	35·0	32·4	36·1	32·0	34·3	31·0	25·5	31·3	30·5	13
33·5	34·4	33·5	35·0	33·2	33·7	34·7	37·1	35·1	34·2	34·7	32·5	30·2	33·3	31·5	14
35·2	33·8	35·3	35·5	34·0	33·1	33·5	34·0	34·7	33·8	34·7	33·5	30·9	35·3	32·0	15
33·7	31·0	32·5	36·3	31·5	34·9	34·0	33·3	34·6	32·2	34·3	31·0	27·3	34·7	33·5	16
28·7	27·8	24·3	32·8	33·0	29·9	34·5	31·3	29·8	31·3	36·7	26·5	32·6	34·5	29·5	17
20·0	....	....	25·5	24·2	24·4	32·3	22·3	22·1	25·2	....	20·5	24·1	32·3	23·0	18
24·4	20·0	26·7	25·9	21·4	22·4	28·7	19·0	26·0	25·3	24·3	23·0	20·6	26·0	12·7	19
34·2	31·9	35·3	33·2	35·2	25·9	33·0	32·8	37·0	30·2	33·7	32·0	25·9	23·7	22·5	20
39·6	44·3	37·2	40·7	41·3	37·3	39·9	41·2	43·5	35·5	42·7	37·0	26·4	30·2	35·7	21
39·1	45·0	36·7	37·9	25·0	40·3	40·5	48·1	38·5	35·8	43·0	....	39·3	34·8	42·5	22
31·7	29·4	26·8	34·3	45·0	37·9	38·0	39·0	29·3	33·5	31·7	....	36·4	36·0	45·3	23
21·8	16·4	21·5	27·4	36·7	29·1	29·6	27·3	24·5	28·2	28·7	....	30·4	37·7	31·5	24
18·7	....	....	20·7	19·4	22·6	27·3	21·7	22·4	21·4	....	56·5	19·4	32·0	24·5	25
26·2	16·5	26·7	26·6	20·4	20·3	26·0	23·5	28·7	21·6	31·7	24·0	12·6	27·0	19·8	26
27·7	28·3	29·3	25·8	19·3	22·5	27·5	26·2	31·6	24·3	33·0	26·0	20·1	28·3	23·5	27
37·4	32·9	36·0	24·4	32·7	32·8	38·0	35·4	41·9	32·7	32·3	31·5	26·4	31·5	29·8	28
36·2	37·8	35·2	41·5	43·8	43·0	43·2	42·3	35·8	33·3	38·0	39·5	37·2	33·7	38·5	29
33·0	29·9	32·3	35·2	38·7	31·7	37·8	33·3	35·3	31·7	34·3	27·0	31·9	35·3	27·0	30
30·6	27·5	29·5	29·2	27·0	28·9	31·0	28·9	30·2	28·4	35·0	....	25·0	27·7	23·5	31
29·60	27·04	29·10	30·60	30·32	29·66	31·88	29·92	30·63	29·03	30·82	28·35	25·94	31·16	29·38	

TABLE XI.—*April, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	47·0	40·6	47·5	8·5	20·9	18·0	10·0	....	20·0	1·7	12·2	....	27·1	19·1	17·8	....
2	47·5	39·3	48·0	10·7	20·8	17·4	7·2	....	33·0	17·2	10·6	15·0	28·1	26·4	20·0	16·5
3	47·0	32·1	49·0	8·7	21·5	16·0	11·5	....	27·2	20·0	13·4	17·0	24·5	7·9	14·2	19·8
4	40·5	31·8	42·5	4·1	22·3	18·7	21·3	....	22·5	12·3	14·5	12·0	9·9	7·6	26·7	17·5
5	43·5	41·9	39·5	1·1	27·4	8·0	21·2	....	28·8	3·7	6·8	11·2	7·6	22·4	16·0	7·8
6	46·5	42·9	43·5	15·8	40·4	15·4	25·5	....	46·0	19·2	14·9	20·0	11·9	35·7	33·7	13·5
7	47·0	37·0	49·0	28·5	44·4	29·3	31·8	....	47·5	30·5	23·2	30·0	16·0	40·6	40·7	24·3
8	44·0	33·6	45·0	35·5	44·5	30·7	37·5	....	46·2	37·0	32·7	....	30·8	36·0	42·3	34·9
9	43·5	34·6	43·5	13·3	40·0	32·7	31·2	....	37·5	30·5	32·8	29·3	34·7	32·0	36·2	32·7
10	43·0	43·1	42·5	1·4	37·3	22·7	30·0	....	35·2	14·5	28·9	26·2	22·6	29·1	29·3	22·8
11	50·5	47·3	47·5	16·8	45·3	28·0	32·5	....	50·0	9·5	25·3	29·5	19·6	40·2	37·4	28·3
12	49·5	39·4	51·0	26·6	53·5	33·4	46·8	....	56·7	31·2	39·0	36·5	35·4	45·4	48·3	37·0
13	47·5	39·4	51·0	32·2	54·0	46·0	32·2	....	50·5	39·5	40·8	41·0	41·1	44·7	45·3	40·3
14	49·5	36·8	56·5	24·9	49·7	42·0	47·5	....	47·8	43·5	40·8	36·8	40·9	42·9	44·0	41·5
15	50·0	35·6	49·5	19·3	43·0	36·0	33·8	....	50·0	37·2	36·3	....	35·3	31·4	44·7	37·9
16	45·0	40·6	44·5	18·9	34·3	34·7	33·7	....	38·0	33·5	36·0	31·2	21·5	24·9	32·0	31·5
17	42·5	44·8	46·0	15·0	32·9	26·0	25·5	....	35·0	28·8	22·3	22·5	12·7	26·0	28·3	22·5
18	49·5	44·5	47·0	11·5	41·0	25·3	34·3	....	42·3	33·0	22·5	30·0	24·5	36·0	32·7	23·1
19	51·0	45·5	53·0	14·6	50·1	38·7	44·2	....	59·0	37·2	32·1	38·8	29·3	42·1	44·5	38·6
20	52·5	45·4	58·0	22·2	57·5	39·3	43·8		58·8	31·3	39·3	38·5	33·3	43·7	46·9	39·5
21	57·0	47·8	55·0	25·1	51·3	34·7	47·0	....	56·2	33·5	37·4	37·5	30·4	44·8	48·7	33·5
22	54·0	47·9	52·0	27·7	54·1	37·3	46·2	....	60·0	37·8	41·6	....	41·5	46·0	42·5	34·3
23	54·0	46·8	55·5	30·3	59·5	42·7	45·5	....	64·2	44·5	35·4	41·0	35·1	54·3	52·0	42·0
24	51·0	45·5	55·0	20·0	54·0	52·7	45·0	....	55·2	40·7	45·0	40·0	46·0	43·0	56·3	53·8
25	49·5	42·0	49·0	19·8	44·6	42·7	35·0	....	39·5	32·0	42·5	37·7	39·9	44·1	34·9	38·9
26	43·0	40·3	44·0	23·4	42·5	28·7	31·8	....	39·0	28·2	26·0	28·3	27·0	35·4	29·9	22·7
27	43·5	46·9	45·5	11·3	32·8	26·0	29·7	....	26·8	20·3	25·0	25·5	20·0	27·0	21·3	23·3
28	52·0	47·9	52·0	23·4	41·2	21·3	32·3	....	39·0	27·3	24·5	26·0	25·0	34·8	22·1	27·9
29	52·5	46·5	52·5	31·3	53·4	36·0	41·2	...	45·8	36·0	35·9	....	20·2	45·1	38·3	38·0
30	52·0	44·5	53·0	33·5	53·7	42·7	46·3	....	49·5	40·0	43·7	41·5	35·2	44·1	44·1	42·9
....	....	.. .	....	....	....	....	....	....		....	....	....	....	....	....	....
	48·30	41·75	48·91	17·54	42·27	30·76	33·42	...	43·67	28·29	29·38	29·74	27·55	35·07	35·71	29·58

TABLE XI.—*April, 1888. Daily Mean Temperature*

Portage la Prairie.	Minnedosa.	Russell.	Stoney Mountain.	Sourisford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
21·5	15·1	12·5	17·5	9·2	....	10·0	18·5	20·0	17·9	13·5	23·5	26·9	22·2	23·4	17·0	1
21·0	15·6	16·9	16·3	19·0	19·1	14·5	18·0	27·3	20·3	7·2	26·0	25·3	28·0	27·2	15·5	2
22·5	18·9	15·7	16·0	24·5	21·1	18·5	10·8	23·0	25·6	3·0	26·2	27·3	29·0	21·7	17·0	3
20·0	14·4	15·4	26·7	23·0	24·2	20·3	19·3	26·3	28·2	11·5	30·5	31·6	29·8	30·0	24·5	4
23·5	10·1	5·4	17·0	8·3	19·0	11·3	14·7	14·0	14·5	6·7	36·8	40·2	37·0	33·0	30·8	5
14·5	12·3	10·8	11·5	15·7	12·1	11·2	15·5	15·5	13·9	5·2	30·5	33·7	19·7	30·7	19·7	6
26·0	26·2	26·4	26·5	22·8	25·5	26·7	25·5	29·5	28·1	33·7	14·3	19·7	27·0	15·5	16·0	7
35·0	30·5	29·0	33·3	32·7	....	28·3	33·3	39·0	36·3	30·8	20·5	26·0	37·8	19·2	24·7	8
38·5	31·1	31·0	34·2	33·3	36·6	31·5	34·5	36·3	32·5	38·2	31·8	32·9	42·5	29·9	18·8	9
35·0	24·2	23·4	33·3	24·5	33·7	25·3	29·0	31·3	30·8	23·3	35·2	33·9	43·2	39·2	31·3	10
27·0	18·9	25·8	24·7	24·5	24·8	26·2	23·5	29·0	24·2	26·0	34·5	37·2	26·5	38·7	26·7	11
43·0	34·2	35·6	40·3	34·7	40·9	37·3	36·3	41·8	40·6	34·5	24·0	28·3	39·7	24·0	21·0	12
47·0	36·7	37·3	41·5	36·3	42·5	40·5	41·5	43·5	40·1	28·0	28·8	31·9	40·2	24·8	25·0	13
41·5	39·0	39·5	37·8	40·3	37·2	41·2	43·7	39·5	33·5	34·0	20·5	30·1	34·7	34·5	29·7	14
40·5	38·2	37·5	37·5	40·0	...	39·5	43·0	40·0	33·7	34·5	27·8	34·2	36·0	25·7	24·5	15
36·0	33·4	31·9	35·2	34·7	35·8	34·5	37·8	35·3	32·9	28·3	27·2	31·1	37·8	29·6	21·5	16
30·0	24·2	22·8	29·0	25·0	30·9	26·0	30·0	26·7	27·0	22·7	35·0	31·9	30·2	29·4	28·0	17
27·0	23·8	20·0	26·8	23·3	27·1	24·7	26·5	27·3	24·1	21·8	30·2	32·4	38·8	31·3	26·5	18
32·0	29·0	31·5	27·3	35·0	28·5	33·0	34·0	26·3	23·9	21·6	31·3	30·9	33·7	28·4	24·8	19
35·0	32·0	33·6	32·5	39·7	32·7	35·5	40·7	37·5	30·5	30·0	28·0	33·1	30·8	32·4	26·5	20
35·5	31·5	33·5	38·2	39·5	38·0	34·5	35·0	39·0	37·3	32·3	29·2	29·9	39·2	39·6	29·2	21
38·0	36·0	36·0	38·0	35·5	....	39·3	40·3	38·3	36·1	30·5	34·0	32·4	40·3	32·0	24·0	22
38·0	36·9	40·0	35·5	44·3	37·9	43·5	39·0	36·7	37·1	29·5	53·5	32·4	38·5	33·2	29·3	23
49·5	50·7	50·9	48·5	60·8	47·7	56·5	53·8	50·3	50·6	37·1	31·0	29·1	45·0	28·5	27·0	24
56·5	44·5	36·3	61·8	62·0	60·2	49·5	53·5	64·0	65·7	30·9	38·0	36·4	46·7	33·8	31·5	25
45·0	36·3	30·8	40·5	40·0	46·3	33·5	43·0	42·7	35·7	28·3	51·0	53·5	49·0	50·5	45·5	26
28·5	28·2	25·3	26·7	29·8	28·7	30·0	30·3	29·5	...	17·1	57·3	60·2	44·8	62·0	50·5	27
30·0	28·2	29·1	29·0	29·0	29·3	29·5	31·5	29·5	26·0	23·7	57·7	68·0	35·2	60·0	40·7	28
32·5	31·3	23·9	33·8	25·5	...	40·0	34·3	37·0	29·7	31·3	38·2	54·5	34·3	38·9	33·5	29
41·0	38·4	33·1	39·5	41·0	40·2	39·3	40·0	40·0	38·6	40·2	30·8	37·7	44·8	31·3	35·3	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
33·67	28·98	28·51	31·88	32·07	32·81	31·13	32·95	33·87	31·57	24·93	32·54	35·03	36·75	32·28	27·14	

TABLE XI.—*April, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Birnam.	Coldwater.	Conestogo.	Chatham.	Cartier.	Charlotteh.	Durham.	Peseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	25·3	31·7	33·8	27·6	29·0	37·3	19·0	24·1	29·0	29·6	27·6	29·7	....	21·1	31·0
2	28·5	32·3	34·6	31 2	29·7	38·5	20·8	28·6	27·3	33 6	27·0	27·3	28·9	32·6	30·0
3	22·7	32·5	32·2	32·5	27·8	32 0	22·0	19·0	28·3	33·6	20·3	26·7	28·7	28·2	24·0
4	30·1	38·3	38·4	39·5	36·6	39·0	25·0	30·0	39·7	39·1	33·6	33·5	36·1	34·9	31·0
5	35·0	42·3	50·6	33·1	50·0	52·0	33·5	36·1	43·3	37·3	41·3	43·5	45·5	46·2	36·5
6	30·1	40·7	42·8	34·9	37·2	45·0	23·5	28·5	38·3	36·0	34·0	37·0	39·2	42·4	35·0
7	16·6	29·5	27·0	25·4	22·5	30·5	13·5	15·1	19·7	27·7	19·0	22·8	26·6	27·8	22·5
8	20·9	34·0	28·2	25·9	29·0	33·2	24·7	19·1	30·0	28·7	25·3	34·2	...	27·0	24·0
9	29·5	37·3	39·8	36·3	36·1	43·4	30 5	30·1	40·7	35·0	34·3	33·5	....	33·5	32·0
10	36·4	40·2	44·9	37·1	41·1	45·0	35·3	37·0	40·7	38·1	38·0	36·0	39·6	42·0	38·0
11	35·1	41·8	30·6	33·3	40·9	45·0	37·2	34·4	40 0	38·2	36·3	38·3	41·4	42·2	36·5
12	26·3	32·5	34·4	33·1	28·5	32·3	20·0	23·1	27·3	33·6	25·3	28·2	31·3	31·9	26·5
13	29·7	35·7	38·3	33·1	34·1	41·9	25·3	30 8	36·7	34·5	35·3	36·5	33·2	35·3	32·5
14	33·5	36·0	36·9	39·9	34·3	38·8	29·2	33·2	33·3	36·4	31·6	33·0	34·3	35·5	30·0
15	31·4	37·3	35 7	38·8	38·1	36·1	31·3	30·6	37 0	37·9	34·3	37·5	....	37·5	29·0
16	30·0	38·3	33·3	31·7	33·9	35·7	29 5	28·0	34·0	35·6	29·3	33·4	34·5	31·0	27·0
17	31·5	34·7	30·8	31·8	33·2	36·5	30·7	31·2	35·7	38·6	32·3	32·3	33·8	30·5	30·0
18	30·9	39·5	41·0	32·4	36·3	42·3	30·0	31·1	35·3	38·2	33·3	35·7	36·2	36·0	35·0
19	32·0	38·3	35·4	32·8	36·3	40·7	31·5	32·1	34·7	40·8	32·6	33 8	35·6	36·0	32·5
20	31·4	36·2	34·9	30·6	32·3	36·0	30·5	31·7	32·7	36·5	31·0	31·7	32·5	33·5	30·0
21	31·9	37·0	33 2	34·7	31·2	39·7	31·0	30·3	32 3	37·7	29·0	31·3	....	32·8	31·5
22	34·5	40·0	33·0	31·1	36·5	39·3	34·0	34·3	37·0	39·6	32·6	33·8	....	38·5	31·5
23	35·3	38·8	35·9	37 4	35·7	37·6	31·8	33 0	35 7	38·4	32·6	34 5	....	31·4	34·0
24	30·3	33·0	34·0	34·7	31·7	34·5	28·7	27·4	30·7	35·7	27·0	31·5	31·1	33·8	27·5
25	38·4	42·3	38·3	43·8	42·9	40·0	38·0	36·1	42·3	38·9	38·0	40·2	40·0	39·0	32·5
26	50·0	52·0	52·2	50·9	51·6	52·1	48·3	46·4	58·0	48·2	50·3	53·0	54·0	49·7	56·5
27	56·4	58·7	64·4	63·7	60·2	60·5	58·7	51·9	68·0	59·6	50·3	61·5	63·1	61·5	62·5
28	56·3	60·3	66·3	62·9	64·0	63·5	42·5	55·9	71·7	61·6	59·0	66·0	....	65·6	67·5
29	43·5	67·5	55·2	52·7	63·5	55·8	30·2	38·5	55·3	55·3	54·6	59 0	....	67·5	53·0
30	33 3	45·0	41·2	40·4	41·2	40·8	25·3	31·0	38·7	49·9	36 6	40 3	41·2	47·5	36·0
	....	....	...	....	....	....	....	....	....	....	....	....	....	....	....
	33·85	40·12	39·24	37·43	38·18	42·00	30 72	31·95	38·44	39·13	34·10	37·19	37·46	38·90	34·88

TABLE XI.—*April, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bay.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
27·4	30·1	26·6	29·9	27·0	27·0	28·3	32·6	27·9	19·8	29·1	14·0	10·5	31·2	29·9	....	1
30·6	31·5	29·7	32·9	30·4	24·5	25·3	32·2	29·1	32·7	26·4	21·5	14·3	22·5	33·8	33·3	2
24·7	29·9	15·0	31·3	27·6	26·3	23·7	31·6	27·5	23·0	22·3	23·0	24·7	31.0	30·7	32·5	3
32·6	36·5	31 7	32·0	33·3	34·2	27·7	39·0	37·9	27·4	21·6	22·5	27·8	36·0	33·6	37·0	4
35·4	46·7	33·5	38·6	36·2	36·8	47·0	48·0	48·1	28·0	28·4	23·0	35·2	46·5	22·3	46·5	5
31·6	43·8	31·2	40·1	34·8	27·2	33·3	43·1	39·4	34·9	33·6	26·5	12·0	41·0	37·6	41·3	6
16·7	29·6	15·7	26·7	20·2	15·5	29·7	26·9	28·4	27·2	21·3	21·0	9·0	28·0	19·9	39·0	7
21·9	28·7	18·0	29·1	27·5	23·0	27·7	32·1	26·9	19·4	17·1	21·0	22·3	29 0	23·8	....	8
31·6	27·4	33·8	34·6	34·4	33·5	39·3	40·5	38·6	23·9	19·7	26·5	32·0	42·0	29·4	41·7	9
37·9	43·6	38·2	38·7	40·2	36·3	37·7	44·1	42·9	35·6	27·5	18·0	34·0	44·5	34·1	43·8	10
36·5	43·6	37·3	38·3	35·8	34·5	26·0	44·0	42·2	36·6	33·4	20·5	30·5	42·0	37·0	46·0	11
27·7	35·5	26·5	33·6	28·4	26·7	35·0	30·6	30 9	28·9	31·3	27·0	32·0	32·3	30·3	36·0	12
32·5	31·4	33·5	32·4	32·6	34·8	33·3	35·4	32 9	26·7	22·4	26·0	36·2	37·8	31·2	35·7	13
35·0	34·0	34·7	34·3	34·8	33·7	37·7	35·6	36·4	35·4	28·0	27·5	37·3	37·0	34·4	39·0	14
33·7	40·5	33·8	34·7	35·7	32·3	52·0	36·4	36·1	37·8	28·5	26·5	35·2	36·3	33·4	....	15
31·6	37·0	28·0	35·4	33·7	30·2	30·0	35·1	33·9	29·1	27·5	22·0	31·8	35·8	35·3	39·3	16
33·2	31·2	33·2	35·9	35·1	33·8	33·3	34·2	30·9	31·4	27·7	25·5	29·2	37·8	39·2	40·3	17
32·5	38·5	32·0	40·1	34·8	30·7	31·3	39·1	35·4	29·4	32·9	22·0	32·5	39·7	39·8	43·5	18
33·5	36·7	31·3	36·1	35·3	33·0	33·0	36·4	34·7	33·4	28·7	27·5	32·0	38·8	36·6	40·5	19
33·4	34·0	33·0	37·3	33·5	31·3	32·7	33·6	34·6	32·9	29·6	25·5	29·8	55·7	37·8	38·3	20
33·6	36·7	34·0	37·3	33·7	32·2	29·3	34·6	32·9	35·4	30·5	24·0	27·5	35·5	39·6	41·2	21
36·7	34·9	35·0	38·5	37·4	34·3	33·3	37·5	34·4	36·0	33·2	28·0	37·0	35·2	39·0	....	22
36·6	38·0	33·0	39·0	37·3	35·7	31·7	36·6	34·6	37·4	33·9	31·0	28·5	34·7	37·2	41·0	23
30·4	36·5	27·7	33·4	31·5	31·8	29·0	34·3	31·9	33·5	35·5	29·0	32·2	34·5	33 8	38·0	24
41·0	37·7	38·8	37·5	40·8	39·0	36·3	38·7	38·9	34·9	32·8	29·5	33·3	37·8	41·5	40·5	25
51·3	50·3	49 7	45·2	51·0	42·2	50·7	52·1	55·8	48·9	39·4	28·5	39·7	50·8	52·0	50·5	26
59·9	59·9	54·8	52·1	61·0	52·0	62·3	62·2	66·2	56·4	49·1	24·0	46·0	38·5	58·2	56·5	27
58·7	63·9	55·0	52·8	66·3	51·0	62·3	66·2	67·9	60·4	55·7	30·0	29·0	61·7	67·3	58·2	28
44·0	63 1	46·7	52·0	56·2	35·5	59·7	56·7	58·6	52·7	62·5	23·0	29·7	61·8	51·7	....	29
34·2	48·7	33·3	41·2	36·9	33·5	40·0	47·1	38·9	36·9	54 8	28·0	31·3	44·0	36·9	42·7	30
....	....	....	....	....	....	....	....	....	...	....	....	....	....	....	....	..
34·87	39·28	33·80	37·39	36·78	33·08	34·67	39 89	38·40	34·03	32·16	24·73	29·42	39·98	37·24	34·74	

TABLE XI.—*April, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Spruceldale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	17·0	24·4	31·8	35·6	30·5	36·3	26·9	34·5	29·5	30·4	33·3	28·7	28·6	14·7	13·5	37·2
2	22·8	28·7	27·3	35·2	31·5	33·9	31·1	37·5	31·8	32·4	36·7	28·3	29·5	20·9	29·0	38·4
3	23·3	21·1	29·0	29·7	27·0	32·8	24·6	30·4	28·5	30·6	29·5	25·0	28·6	22·9	18·5	32·8
4	26·7	31·7	33·7	36·0	30·0	41·7	29·3	37·0	28·7	38·2	40·0	36·1	35·1	23·3	18·5	37·7
5	36·2	37·0	39·8	43·8	41·9	53·9	33·3	47·5	31·2	49·5	43·5	39·1	41·5	31·0	29·5	46·6
6	20·7	31·7	35·0	44·2	38·4	43·1	34·7	45·5	38·5	41·7	45·0	32·7	36·4	13·7	31·5	43·4
7	12·3	16·6	20·8	28·9	27·5	28·0	14·1	33·5	22·7	26·1	28·5	20·4	22·0	11·8	22·5	29·2
8	22·2	19·9	25·9	28·4	26·0	....	17·9	28·4	22·0	30·9	31·7	25·0	28·6	28·5	14·5	31·6
9	34·5	33·8	39·5	40·5	33·0	45·3	30·5	36·5	31·5	36·4	33·8	40·0	37·3	37·5	18·0	37·5
10	37·7	38·7	40·0	41·6	39·5	43·2	35·0	45·5	34·3	41·9	45·3	40·9	42·0	35·8	35·0	48·2
11	30·7	35·2	39·5	43·5	39·9	42·4	35·2	47·0	37·1	44·4	46·7	36·9	40·4	20·7	35·0	44·0
12	29·7	25·5	26·0	30·8	29·0	28·8	23·5	36·5	28·0	31·1	33·3	30·0	28·0	34·3	32·3	33·5
13	39·5	33·7	33·7	36·9	33·9	33·7	30·1	33·5	30·7	36·4	37·8	35·1	34·4	38·8	17·5	34·9
14	34·7	35·5	33·6	37·5	37·5	37·0	34·8	46·0	34·1	36·8	39·3	34·5	35·0	34·2	35·0	39·3
15	31·8	30·6	34·3	34·0	33·5	35·5	31·4	34·0	32·3	39·6	37·8	33·3	35·2	29·5	24·0	35·5
16	29·5	29·7	30·2	35·2	33·0	31·0	33·5	34·5	33·4	37·6	37·7	29·2	32·4	31·0	26·0	36·6
17	33·0	33·7	33·3	38·2	34·4	38·9	37·3	36·5	35·5	34·1	32·8	34·2	34·1	29·0	23·5	32·4
18	31·7	33·2	34·3	42·2	37·0	38·5	34·1	41·5	41·8	39·5	41·5	34·4	35·4	28·8	38·0	42·8
19	35·2	33·2	31·9	38·2	35·5	36·2	31·0	37·5	36·8	38·2	39·3	32·9	35·2	29·0	29·0	31·9
20	31·0	33·3	31·2	34·0	32·5	34·0	36·1	34·0	38·6	35·4	36·3	31·7	33·2	26·2	28·0	35·1
21	30·0	34·1	30·8	34·8	30·5	33·7	36·2	36·5	37·3	33·5	34·2	31·7	34·1	32·5	33·0	35·7
22	31·8	35·4	32·5	37·5	32·0	35·7	37·5	36·5	39·3	37·8	39·5	32·3	36·5	36·5	25·0	38·0
23	31·5	36·7	32·2	37·4	34·0	35·7	35·5	35·0	36·5	36·4	39·0	33·9	36·6	30·3	36·5	37·1
24	30·0	30·0	28·8	35·8	33·0	32·2	30·7	33·5	33·8	34·1	35·5	28·6	30·4	35·2	31·0	35·3
25	41·5	38·8	38·8	35·9	32·5	42·3	39·0	41·0	....	40·3	42·3	39·9	41·5	50·3	27·0	35·5
26	39·0	52·1	53·0	44·9	39·5	53·1	48·5	51·0	57·1	52·5	54·0	57·5	52·3	....	41·5	49·7
27	45·3	59·0	57·7	52·6	45·5	64·1	58·7	60·0	63·1	61·2	61·5	64·9	63·1	....	51·1	61·2
28	29·8	56·1	54·0	54·1	52·1	68·3	53·4	64·0	67·8	65·9	71·5	62·0	67·8	....	56·0	63·1
29	30·5	40·8	36·8	52·3	52·1	44·8	38·3	60·5	47·1	61·8	68·0	39·4	53·3	....	58·0	60·4
30	30·0	32·7	34·3	46·8	41·4	37·6	34·4	45·0	37·1	43·0	40·3	35·6	38·3	....	41·5	39·5
	....	....	....	....	....	....	....	....	...	....	....	....	....	....	....	....
	30·65	34·09	34·98	38·88	35·47	40·06	33·92	40·68	36·90	39·93	41·17	35·82	37·57	29·51	30·86	40·15

TABLE XI.—*April, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zuriel.	Anticosti, S. W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
29·8	31·0	8·3	34·6	31·0	25·9	25·5	22·7	31·5	26·2	....	26·0	25·7	17·9	25·2	1
32·7	31·6	7·7	31·3	31·0	28·4	26·5	23·0	33·5	27·9	....	20·0	26·3	24·8	28·3	2
30·2	32·2	15·0	32·1	30·5	28·1	28·5	25·7	28·5	26·2	....	18·7	20·7	19·8	27·5	3
37·4	38·4	12·3	41·3	38·0	23·2	27·0	32·3	33·0	23·9	....	19·0	26·8	17·9	25·0	4
41·9	48·9	10·2	52·7	50·0	23·4	24·0	21·5	40·5	26·1	....	21·0	30·2	20·6	25·5	5
41·7	42·8	9·3	42·5	44·0	28·5	33·0	31·7	37·5	29·9	34·2	24·0	33·3	31·2	35·3	6
27·1	26·1	8·8	25·5	29·0	20·7	18·5	31·8	20·0	24·8	16·3	23·7	12·5	11·2	16·2	7
30·1	29·7	23·3	31·1	28·0	19·8	21·7	17·3	18·5	16.9	20·0	21·3	14·2	11·2	15·5	8
35·8	37·3	39·5	43·7	38·5	22·0	20·0	27·2	25·5	23·7	24·0	23·3	16·5	16·2	21·0	9
39·4	43·1	35·3	43·3	44·0	25·3	24·0	30·2	37·0	24·1	28·7	20·3	30·3	23·2	24·5	10
43·6	42·9	26·3	43·0	43·0	29·8	26·5	26·3	36·0	30·9	31·5	17·0	27·2	30·8	33·0	11
32·0	30·6	24·8	28·5	31·0	29·1	29·5	27·5	32·0	29·3	29·8	21·7	31·5	32·7	31·3	12
35·9	35·6	23·7	41·5	31·5	30·3	29·7	28·3	26·0	31·3	30·5	27·3	21·0	22·6	28·5	13
38·1	37·2	29·3	35·7	36·5	29·5	30·7	30·0	34·0	29·1	31·0	29·7	28·8	....	29·0	14
37·0	37·6	33·8	36·0	36·5	31·3	32·5	30·3	32·5	30·6	32·0	26·3	31·5	34·0	34·2	15
35·5	37·0	32·5	31·7	32·5	35·2	35·7	32·3	34·0	32·0	32·0	29·0	29·5	36·3	33·5	16
35·8	32·6	31·2	36·8	30·0	33·7	34·8	33·5	36·5	32·6	33·5	32·0	32·2	33·7	34·8	17
39·2	38·2	29·5	38·5	36·5	32·5	31·5	33·0	40·0	32·0	34·0	30·7	34·5	36·0	33·2	18
37·1	36·6	29·5	35·6	36·0	31·8	33·5	36·5	36·5	31·0	35·2	26·3	30·3	35·6	35·0	19
36·1	33·5	27·0	32·0	33·5	29·7	32·5	35·3	35·0	30·7	32·5	27·7	30·7	35·1	33·0	20
35·4	33·9	25·3	34·0	33·0	31·1	30·5	36·7	33·5	32·0	30·8	30·3	30·0	31·0	28·8	21
38·4	36·4	28·8	36·0	34·0	31·6	31·3	31·5	34·5	33·1	30·0	33·7	31·3	30·6	27·7	22
39·2	35·8	30·0	34·8	33·5	31·9	30·5	31·5	35·5	34·5	33·7	31·3	29·7	32·3	28·8	23
33·3	35·1	29·7	31·0	30·0	32·2	33·0	30·0	32·5	30·8	35·3	30·7	30·8	32·4	30·7	24
38·7	41·0	39·0	43·0	39·0	30·7	30·3	30·0	35·0	32·5	35·2	27·3	29·7	43·1	30·8	25
47·1	52·5	44·8	52·7	54·0	34·0	34·8	34·0	40·5	32·7	38·5	24·3	37·0	45·6	36·5	26
52·9	62·9	50·0	66·5	64·5	25·1	35·3	34·8	54·5	38·1	42·0	26·0	44·0	45·2	40·5	27
60·5	66·5	22·3	67·3	67·0	38·6	35·5	34·8	60·0	36·8	43·0	29·0	50·0	46·0	44·5	28
60·4	65·9	29·2	44·5	57·5	31·5	30·7	35·7	55·5	33·3	32·0	27·0	40·5	37·8	36·3	29
43·2	44·4	26·0	38·0	45·0	32·7	34·5	25·3	39·5	31·7	35·0	22·3	33·0	36·2	34·2	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
38·86	39·91	25·85	39·51	38·95	29·59	29·73	30·02	35·64	29·49	32·19	25·57	29·66	29·48	30·28	

TABLE XI.—*April, 1888. Daily Mean Temperature.*

Day.	Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	19·5	23·3	26·2	28·7	....	29·4	17·8	29·7	....	....	26 5	22·3	....	35·6	34·2
2	33·7	22·0	26·6	30·0	30·8	27·6	25·3	32·8	23·0	30·0	29·0	25·0	30·8	32·0	32·4
3	26·3	24·5	26·6	28·8	30 5	27·2	28·8	28·7	24·3	31·3	28·6	23·5	31·3	33·9	31·9
4	23·0	24·5	24·4	32·8	33·5	28·2	25·5	31·0	21·0	33·0	26·5	24·8	29·5	34·8	32·4
5	23·8	18·7	26·8	33·5	35·0	28·1	24·3	34·0	20·1	32·3	33·0	25·2	35 0	40·3	38·6
6	33·3	24·7	31·8	37·7	38·2	36·0	30·7	38·6	25·5	34·7	36·6	31·0	40·1	43·6	42·2
7	17 5	24·3	15·7	19·0	21·4	16·1	16·5	18·4	9·8	26·0	24·4	22·0	29·2	35·5	32·2
8	23·0	20·3	18·7	20·8	....	19·0	23·0	18·7	11·0	....	21·4	16·5	....	25·7	22·3
9	22·5	20·0	19·6	25·7	26·9	23·2	24·7	20·2	15·0	32·0	26·0	21·0	26·3	30·3	27·7
10	24·0	22·0	22·9	37·8	35·1	27·0	29·7	35·2	28·3	33·0	25·4	26·3	31·2	32·5	31·1
11	34·0	23·5	30·0	38·4	35·7	30·4	30·3	33·6	32·5	30·3	26·9	27·5	32·0	33·3	33·2
12	29·0	24·5	28·6	29·1	32·4	31·9	30·1	33·0	26·0	31·3	27·5	27 8	31·3	33·4	32·1
13	28·5	30·7	30·2	29·3	29·4	27·4	29·3	24·1	20·6	29·3	33·2	....	32·3	32·9	32·3
14	27·7	32·3	26·3	33·0	34·6	30·8	31·8	34·1	26·4	....	34·6	33·0	35·2	34·0	32·7
15	31·0	32·0	31·3	33·0	....	34·8	31·0	30·9	30·9	....	34·0	27·5	....	36·9	37·5
16	34·0	31·5	31·9	34·5	34·4	33·1	33·7	33·5	33·0	34·0	31·7	31·2	36·9	37·9	38·5
17	33·5	32·5	32 2	36·8	38·9	36·9	35·5	34·5	38·0	40·0	36·3	39·0	38·0	37·8	38·2
18	34·8	33·7	33·6	36·6	38·8	34·0	34·5	35·5	39·8	43·7	39·1	35·5	41·0	40·1	39·9
19	31 0	35·5	34·1	35·5	35·8	34·6	36·5	34·4	32·3	40·3	38 3	36·5	42·5	41·3	41·6
20	31·0	31·0	33·0	33·0	33·9	32·2	32·7	32·8	34·7	34·0	35·4	29·5	41·6	41·6	42·1
21	30·0	25·5	29 9	34·0	35·2	33·1	36·3	32·9	33·6	31·7	31·2	33·5	33·4	35·3	36·8
22	31·3	34·0	28·8	37·5	....	34·0	29·8	36 0	29·9	....	33·1	30·5	....	37·5	35·2
23	31·0	34·0	30·8	35·7	36·7	33·5	31·2	34·5	30·6	33·0	36·7	32·7	39·1	41·6	40·8
24	32·5	34·3	33·5	31·8	34·7	35·6	35·7	33·6	30·1	36·3	36·2	37·5	38·2	37·6	37·1
25	29·5	27·5	33·9	38·4	40·3	32·4	33·8	33·9	34·3	38·3	35·9	38·0	40·0	40·3	39·0
26	38·3	30·7	35·4	47·0	50·9	42·2	36·2	43·5	39·6	....	43·0	38·0	45·3	50·1	41·9
27	43·5	29·3	38·1	54·3	57·2	46·6	35·7	48·0	50·5	42·7	43·0	37·0	52·5	47·0	48·9
28	40·5	35·0	42·4	66·5	64 8	52 8	47·8	55·7	40 1	52·3	53·4	50·7	55·9	51·8	48·0
29	31·0	32 8	31·6	47·2	....	35·9	35·5	47·8	34·2	....	37·2	38·5	....	43·8	47·3
30	33·5	23·7	34·9	35·8	36·2	33·2	33·7	37·8	32·8	42·7	35·8	35·0	38·9	39·0	39·8
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	30·24	27·04	29·66	35·41	36·85	32·27	30·91	33·91	28·99	35·33	33·38	30·87	37·10	37·86	36·93

TABLE XI.—*April, 1888. Daily Mean Temperature.*

St. John	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Glace Bay.	Kilmahumaig.	St. Johns.	Point Rich.	Day
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
32·6	30·8	....	31·3	27·5	26·7	31·5	29·8	35·3	28·5	....	26·0	22·8	23·3	22·8	1
31·5	28·4	30·7	29·5	30·4	29·1	35·6	28·2	32·5	29·0	31·3	32·0	24·3	28·3	22·5	
32·8	33·3	28·7	31·8	30·4	29·9	33·3	29·6	34·6	30·2	34·3	30·5	29·6	30·3	27·0	3
32·0	23·4	33·2	29·7	25·9	25·4	31·9	21·2	34·9	27·7	34·7	24·0	28·1	30·7	24·7	4
37·0	31·5	34·3	37·3	29·5	28·0	37·0	24·6	38·4	30·7	37·3	26·5	21·6	29·3	22·0	5
40·2	40·4	37·8	37·7	35·2	32·7	38·9	36·6	39·6	34·5	38·3	33·5	30·8	31·0	26·0	6
34·2	32·3	30·0	38·8	38·6	37·1	39·1	36·5	35·3	31·7	38·7	31·0	34·8	39·0	27·5	7
23·4	....	....	26·3	21·0	24·2	30·5	21·9	24·7	25·3	....	23·5	21·1	30·7	22·0	8
27·4	22·0	29·0	29·1	26·2	24·9	31·1	26·1	29·0	34·5	28·7	25·0	21·9	26·3	23·0	9
30·9	23·4	29·0	30·7	28·3	25·6	29·9	29·8	31·9	29·5	32·0	....	23·6	27·5	24·0	10
31·3	30·3	31·7	29·0	32·8	29·0	31·7	29·9	32·5	30·0	33·3	23·0	22·6	28·0	22·3	11
31·6	32·4	30·5	33·3	36·8	29·9	36·6	31·9	34·5	31·0	34·0	....	28·6	29·7	28·5	12
32·1	32·8	30·3	32·6	32·8	35·1	37·3	33·7	34·0	32·0	32·3	30·0	31·7	32·0	31·8	13
32·2	31·0	30·7	34·6	34·5	33·5	35·7	36·0	34·7	33·0	34·3	31·2	30·8	33·0	33·5	14
37·2	36·4	....	34·4	34·5	30·8	36·8	37·4	36·3	30·5	....	30·5	33·1	33·0	35·5	15
35·4	38·3	36·3	35·8	33·0	32·4	36·2	30·4	37·7	33·0	23·3	32·0	32·4	31·7	35·5	16
37·3	38·9	37·5	34·5	35·7	33·0	33·4	35·3	37·0	32·8	35·0	36·5	31·8	32·7	32·5	17
38·4	36·8	34·0	39·2	39·9	34·4	36·0	40·3	39·6	33·2	42·0	32·0	32·0	23·0	33·5	18
39·9	43·1	38·3	40·7	40·0	35·2	37·1	39·8	39·2	33·8	43·3	35·5	33·9	36·0	32·3	19
43·4	37·4	39·5	39·2	36·0	38·2	36·0	42·5	41·9	33·5	45·0	35·5	35·4	34·3	33·5	20
35·1	34·3	33·7	36·1	38·0	33·7	41·7	40·5	37·0	35·0	41·0	34·5	33·4	32·0	27·5	21
35·2	23·3	....	37·3	40·5	38·3	39·7	38·2	37·0	35·0	....	35·5	33·6	42·0	33·8	22
40·1	37·3	37·8	39·2	36·1	39·1	41·4	41·0	39·0	36·0	43·3	37·5	34·9	35·8	34·5	23
37·1	35·9	36·3	37·3	38·2	37·1	41·0	....	38·1	38·5	36·7	35·0	36·2	36·0	38·3	24
39·0	37·8	36·8	39·5	37·2	35·2	38·7	39·7	39·0	36·7	39·7	35·0	34·4	39·7	30·5	25
40·5	40·9	37·7	43·5	39·0	34·8	35·4	38·3	40·2	40·3	45·0	33·5	34·6	34·2	31·3	26
49·6	35·8	42·5	44·4	39·4	38·1	41·3	45·4	45·0	37·2	49·3	34·0	40·5	33·8	31·5	27
44·8	54·9	42·8	42·2	50·3	44·3	41·7	44·6	45·6	37·4	47·7	....	38·2	43·7	33·5	28
46·0	50·5	....	44·4	41·5	39·7	44·0	50·2	42·6	37·3	....	37·0	50·9	35·2	33·0	29
38·8	41·3	39·0	42·2	35·0	34·1	37·8	38·6	48·9	37·0	44·3	31·0	33·6	33·2	28·8	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
36·23	35·77	34·80	36·07	34·65	32·99	36·61	35·29	37·19	33·25	37·54	31·55	31·36	32·84	29·43	

TABLE XII.—*May, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Fort Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	53·5	45·1	50·0	37·5	51·0	47·3	42·5	..	52·0	42·3	49·2	45·0	46·4	40·2	44·7	46·7
2	49·5	45·7	52·0	37·7	46·9	40·7	47·5	....	48·0	38·7	44·7	39·5	38·3	42·1	40·0	37·8
3	51·0	41·4	50·0	42·3	51·8	40·0	45·0	....	52·0	37·8	41·7	40·5	40·7	48·1	43·3	39·6
4	52·5	46·0	51·5	43·6	51·2	44·7	47·8	....	50·3	48·0	45·4	46·0	44·0	44.8	49·0	44·3
5	49·0	47·7	49·5	....	52·5	46·7	58·0	....	50·0	44·2	60·5	47·8	44·2	48·8	50·0	45·5
6	54·0	45·7	57.5	47·2	52·2	51·3	61·7	....	62·7	51·5	64·4	...	50·8	55·1	50·3	52·7
7	53·5	45·6	60·5	47·3	59·2	54·7	61·9	....	64·8	50·2	57·5	54·2	50·2	57·9	56·3	51·7
8	56·0	43·9	63·5	43·2	65·9	57·3	58·0	....	63·5	50·0	54·8	53·5	52·4	49·0	58·5	57.0
9	49·5	44·0	52·0	33·6	46·2	42·7	42·2	....	48·5	48·8	45·8	43·8	54·1	43·2	46·3	45·0
10	50·0	42·0	47·5	24·8	44·9	36·7	47·0	....	42·3	32·5	41·6	35·2	32·6	36·4	42·7	34·5
11	49·0	43·6	49·0	34·1	49·9	30·7	41·3	....	47·8	28·0	32·7	34·5	25·9	46·7	40·5	27·5
12	53·0	49·2	53·0	35·3	53·7	34·0	45·5	...	55·5	33·0	37·3	38·5	26·0	48·4	49·5	35·9
13	54·5	42·2	57·5	41·7	58·4	44·0	53·5	....	62·0	46·0	46·0	...	37·6	56·1	49·7	41·7
14	55·0	46·7	58·0	....	57·5	40·0	45·2	....	56·5	42·5	41·7	37·0	42·3	50·2	51·1	43·4
15	57·5	58·4	58·5	....	47·0	41·3	40·0	.	46·0	45·2	44·9	49·5	26·0	38·6	45·0	....
16	65·0	55·5	60·0	....	43·0	42·7	41·3	....	45·8	42·0	42·3	53·2	37·5	37·1	42·7	....
17	61·0	47·1	62·0	....	46·9	44·0	46·7	....	41·2	42·3	43·3	36·3	44·4	41·4	41·0	43·0
18	53·0	45·4	63·0	31·9	43·9	42·0	46·2	....	46·5	44·2	42·2	38·5	46·1	33·7	42·7	41·5
19	52·0	46·6	52·0	....	44·7	46·7	39·8	....	40·8	40·0	46·7	51·5	40·3	33·8	39·7	49·0
20	48·5	46·5	50·0	43·7	44·4	42·7	42·5	....	42·5	43·2	41·9	....	41·7	39·3	39·7	41·5
21	51·5	46·3	53·0	29·4	47·3	46·0	48·8	....	46·5	29·8	45·6	52·0	43·0	45·0	42·5	54·7
22	52·0	47·7	57·0	39·3	50·1	51·3	54·2	....	51·0	51·5	52·1	51·8	50·7	43·9	47·0	....
23	52·0	49·4	58·0	40·9	55·6	55·0	50·0	....	65·2	55·7	54·5	52·0	56·6	52·3	52·3	....
24	57·0	49·2	58·0	46·0	58·9	54·0	53·8	....	63·3	48·3	52·3	55·0	55·9	51·6	55·0	....
25	55·0	52·1	58·5	40·7	61·6	57·3	63·7	....	67·2	62·0	57·2	55·3	54·5	53·3	57·3	53·4
26	56·5	54·1	63·0	41·5	60·1	55·3	61·5	....	63·3	57·0	56·7	55·2	56·9	55·3	50·0	62·6
27	55·5	55·4	60·5	44·6	61·7	53·3	61·2	....	61·2	54·5	53·5	....	51·6	59·1	51·3	54·3
28	57·0	49·5	72·0	42·6	58·0	51·3	58·0	....	58·5	43·2	52·0	55·3	47·5	59·8	53·0	....
29	61·0	50·7	66·5	41·1	58·0	44·7	56·3	....	59·3	37·5	46·1	55·0	40·5	56·3	52·7	....
30	59·5	56·3	65·0	42·5	53·0	42·7	58·0	....	53·5	37·0	44·8	54·2	41·8	49·6	47·3	....
31	59·0	57·6	74·0	47·5	62·2	53·3	63·7	....	65·7	36·5	50·8	56·8	44·9	56·7	57·9	50·4
	54·15	48·28	57·50	40·01	52·80	46·27	51·12	....	53·98	44·11	48·07	47·67	44·36	47·54	48·03	45·77

TABLE XII.—*May, 1888. Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Jolys.	Biscotasing.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
43·0	41·4	46·3	44·0	46·0	44·1	43·0	42·0	47·0	42·9	40·3	31·5	32 6	36 7	34·7	34·3	1
40·5	35·7	37·5	44·0	37·5	43·6	40·8	38·5	44·7	46·0	40·0	34·0	37·9	40·8	34·5	30·8	2
39·0	37·9	38·4	40·2	38·3	40·9	41·0	40·0	42·5	40·9	36·7	44·8	39·2	39·7	41·9	19·2	3
46 5	39·9	41·5	41·3	41·5	41·8	41·2	44·3	43·0	38·8	36·4	48·5	46·0	35·0	46·5	33·3	4
43 5	43·4	43·2	41·7	44·0	43·2	40·3	45·7	47·2	36·5	38·0	34·0	42·2	35·0	41·3	27·0	5
49·5	47·0	52·6	51·8	51·2	....	45·7	49·0	52·0	49·5	41·2	41·5	42·9	46·8	41·4	33·0	6
59·0	53·7	52·1	56·3	49·5	59·2	51·5	55·3	63·3	57·5	58·8	46·0	41·5	56·5	46·2	35·0	7
62·0	52·8	52·5	62·0	52·8	61·1	54·5	57 8	63·5	59·6	57·5	47·2	41·7	65·5	50·5	35·8	8
59·0	52·4	53·9	53 0	50·7	54·4	49·0	55·2	60·8	54·7	48·2	53·5	55·9	47·5	52·8	41·5	9
40·5	34·2	28·5	38·0	40·5	42 9	34·0	43·0	44·5	37·8	36·5	61·8	58·4	48·2	57·4	37·0	10
26·0	24·5	24·3	24·2	26·9	25·6	28·0	28 5	25·3	27·9	22·8	63·7	64·4	54·0	66·4	41·7	11
27·5	29·4	32·0	27·5	34·0	27·3	36·7	34·0	29·7	26·1	25·5	49·0	49·9	26·5	60·1	37·8	12
33·5	35·7	37 7	35·3	38·5	....	37·8	34·0	37·3	30·4	31·5	35·0	38·4	26·2	36·8	21·7	13
37·5	39·4	41·4	40·7	43·3	38·7	39·0	41·3	41·2	36·1	33·0	34·2	37·2	27 3	37 3	32·5	14
35·0	39·5	38·1	38·3	39·5	38·1	37·5	39·5	33 0	34·7	31·2	35·8	34·9	24·0	36·7	36·8	15
36·0	37·2	40·3	38·2	43·3	38·1	39·0	38·7	39·0	34·8	37·3	38 7	35·4	36·3	36·5	39·5	16
39·0	42·4	46·5	44·0	44·5	40·2	45·7	42·3	48·0	32·0	46·6	39·5	41·4	44 2	39·9	37·8	17
47·0	44·5	42·1	47·0	43·7	46·7	44·0	50·0	50·5	39 5	49·7	39·7	42·0	47·8	43·5	38·2	18
51·0	47·8	50·5	54·0	45·3	52·0	47·8	46·8	53·3	50·4	50·3	41 2	38·9	51·2	44·0	41·3	19
53 5	48·0	41·5	53·0	45·0	....	45·2	51·3	60·8	47·8	40·5	44·3	43·7	53·8	46·6	46·5	20
49·0	48·2	46·2	51·8	50·8	50·9	48·3	45·7	58 5	49·6	35·8	50·7	51·2	55·7	50·0	46·0	21
56·0	52·8	48·5	53·0	50·8	52·9	51·2	58·3	52·5	47·0	47·5	54·5	56·9	64·0	60·1	44·7	22
51·5	52·2	53·5	55·2	50·0	53·5	51·8	50·3	57·3	51·9	42·5	65·0	57·9	49·2	62·4	57·3	23
....	53·1	55·5	51·5	....	51·2	51·0	53·3	57 0	51·3	48·5	61·0	62·0	48·8	63·8	63·5	24
53 5	54·5	57·3	54·3	57·3	54·3	54·0	54·7	55·0	54 4	42·5	67·8	59·4	51·7	66·6	62·3	25
57·0	53·7	59·7	60·0	56·2	57·4	55·0	59·5	59·0	52·0	43·7	57·0	58·4	54·3	60·7	65·0	26
50·0	51·5	54·6	51·0	52·0	....	53·5	55·3	53·2	42 0	39·0	59 2	60·5	62·2	58·8	59·2	27
43·0	43·2	45·8	40·3	45·0	39·4	45·5	48·5	49·5	35·6	36·0	58·3	60 5	53·5	61 0	59·0	28
46·0	46·0	45·1	46·2	44 0	46·9	49·3	45·8	42 3	44·9	40·5	53·5	61·8	40·3	56·4	51·3	29
44·0	44·1	43·9	44·5	41·5	44·2	44·0	48·7	48·0	39·9	38·3	46·2	53 7	41·5	49 2	51·2	30
46·0	46·5	44·3	43·5	50·8	44·8	48·2	47·5	46·7	39·5	35·0	51·3	54·0	46·7	52·7	58·5	31
45·48	44·28	45·01	45·99	45·13	45·68	45·19	46·60	49·03	42·83	40·37	47·84	48·41	45·76	49·41	42·18	

TABLE XII.—*May, 1888. Daily Mean Temperature.*

Day.	Bentrice.	Brampton.	Birnam.	Coldwater.	Cenestogo.	Chatham.	Cartier.	Charlmch.	Durham.	Descronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	32·8	35·7	36·3	35·5	36·0	40·0	34·5	32·6	35·0	42·3	32·6	35·2	36·3	37·2	32·5
2	37·5	42·8	37·3	36·8	41·5	35·3	37·8	35·5	40·3	42·9	36·0	41·0	41 7	41·5	32·5
3	41·3	45·0	48·9	42·5	43·6	50·2	41·7	43·0	43·3	49·6	40·0	43·3	43·5	42·0	35·0
4	50·7	47·3	58·4	41·1	47·0	43·0	44·0	49·9	54·7	54·9	50·6	53·0	53·3	50·9	50·0
5	39·1	45·5	52·9	47·8	46·5	49 3	36·3	37·1	42·7	53·2	40·0	46·0	46·1	48·8	42·5
6	42·6	52·3	48 9	37·1	49·5	57·1	43·0	44·1	46·3	48·7	42·3	46·5	....	47·6	44·5
7	43·7	46·5	49·1	37·0	45·4	49·5	47·5	43·0	47·0	45·5	41·6	44·5	44·0	45·5	39·5
8	44.5	48·5	48·7	38·6	46·0	49·0	53·7	46·2	49·0	51·4	46·6	46·0	45·0	45·7	38·5
9	54·0	57·3	62·2	52·2	57·4	56·3	50·3	53·7	60·0	61·0	56·6	57·7	56·0	58·0	51·0
10	59·5	60·0	62·2	62·3	63·1	60·7	56·2	58·5	62·3	64·5	60·3	61·8	61·7	64·7	60·0
11	67·9	65·5	67·2	66·1	64·0	67·5	58·5	67·6	....	66·2	66·0	66·0	65·5	65·0	61·5
12	52·0	61·3	64·3	60·6	51·4	44·0	47 8	49·9	55·7	56·3	54·3	53·5	56·4	56·1	64·0
13	37·8	45·2	40·9	40·5	39·4	40·7	37·2	37·6	36·7	48·4	35·3	37·8	....	41·1	40.5
14	32·6	44·0	39·1	35·0	39·1	41·3	34·5	....	....	46·7	37·0	38·5	35·9	38·0	39 5
15	36·3	40·5	31·6	35·5	40·1	50·2	31·8	....	....	41·9	36·6	43 5	38·5	41·3	36 0
16	36·4	42·5	41·9	34·3	38·9	42·0	38·8	36·7	35·7	45·4	33·0	37·5	36·3	38·4	37·5
17	42·5	47·5	45·4	41·2	48·6	50·8	44·2	38·4	46 7	44·6	39·6	45·7	46·6	45·0	36·0
18	45·3	44·3	50·7	44·4	43·4	48·8	42·8	40·7	46·0	48·1	43·3	42·0	46·0	47·1	41·5
19	42·6	47 0	46·5	46·3	43·6	45·5	42·0	43·6	40·3	47·8	40·3	40·0	40·2	45·2	41 5
20	46·1	53·0	44·6	45·0	51·1	50 5	49·8	46·2	48·7	47·7	45·6	47 0	....	51·5	40·0
21	53·0	55·7	54·2	49·6	54·0	55 0	50·5	53·8	....	50·7	50·6	51·8	52·3	53·6	47·5
22	59·3	63·0	62·0	58·8	61·2	58·5	58·0	58·7	66·3	58·0	61·0	61·2	60·2	57·8	54·0
23	63·4	65·3	62·3	64·8	65·5	60 0	72·0	63·3	68·0	61·5	61·6	62·0	63·0	59 5	56·0
24	66·3	64·2	62 6	61·3	64·2	64·0	72 0	64·2	....	67·9	62·6	64·5	62·7	62·7	60·0
25	64·4	62·7	62·2	58·0	61·9	60·5	67·3	66·6	66·0	66·4	62·0	60·8	61·7	61·1	62 5
26	58·8	63·0	65·8	56·3	64·6	61·4	60·0	56·9	....	54·5	60·0	63.5	62·8	64·4	60·0
27	59·6	64·5	60·2	61·4	63·6	65·3	57·0	59·4	64·3	66·8	64·3	63 5	....	62·0	63·0
28	63·3	66 0	67·9	64·9	64·3	56·2	53·0	61·1	62·7	65·6	60·3	60·2	63·5	66·6	62·5
29	56·3	67·5	62·0	63·8	59·8	58·6	50·5	....	57·7	60 7	56·0	59·0	58·5	60·3	65·0
30	48·5	57·5	51·1	48·3	54·1	51·5	45·3	48·9	....	59·6	49 6	55·0	54·8	51·0	50·0
31	52·3	52·7	54·4	53·4	52·8	55·3	44·8	51·4	52·3	53·8	51·0	50·3	49·5	....	53·5
	49·47	53·35	53·24	49 34	51·66	53·02	48·44	49.79	51·15	53·96	48 29	50·91	51·19	49·78	48·19

TABLE XII.—*May, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bay.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
33·3	37·0	31·5	38·1	35·7	37·5	33·3	37·6	35·4	34·4	40·9	37·5	32·5	38·3	36·8	38·5	1
38·4	42·6	34·4	43·7	40·0	36·3	38·3	42·5	38·2	39·4	42·7	43·5	35·0	38·5	43·6	41·7	2
43·2	46 2	41·8	47·5	44·6	37·5	42·0	47·0	40·0	40·8	32·6	41·5	34·5	45·0	49·4	45·0	3
53·3	55·5	52·2	53·7	53·0	42·2	47·3	52·4	58·3	49·6	44·5	21·5	34·0	60·8	46 8	56·8	4
41·2	51·7	41·0	44·4	43·0	40·0	45·0	51·0	46·3	43·6	49·2	35·0	37·5	46·0	46·4	52·5	5
42·9	43·6	43·3	47·2	46·6	39·8	45·3	52·4	44·5	41·4	38·8	37·5	42·0	52·8	52 3	....	6
41·9	47·2	39·7	46·0	41·2	45·0	60·0	46·5	45·7	45·4	39·4	34·5	44·2	45·0	49·8	45·7	7
49·6	46·4	46·0	48·8	47·5	44·0	60·7	48·7	47·7	41·6	42·5	36·0	44·3	48·5	55·1	47·8	8
56·1	60 5	53·8	57·8	55·9	47·1	63·7	61·0	58·8	53·5	45·9	37·5	44·2	61·0	55·2	53·5	9
59·3	62 7	56·7	59 1	59·4	49·7	63·7	60·7	58·4	61·9	48·2	37·5	38 8	60·0	62·1	59·3	10
67·3	66·2	69·0	65·4	67·6	55·5	53·3	67·0	67·5	62·5	58·1	38·5	39·0	70·5	67·7	60·5	11
51·6	58·3	59·3	57·8	57·9	52·5	35·0	57·8	54 6	58·6	58·3	37·5	29·5	60·3	60·5	51·0	12
40·2	40·5	39·0	49·1	41·2	37·8	34·7	49·3	39·1	39·0	53·6	32·5	24·5	46·7	53·4	....	13
38·5	38·0	35·2	44·3	39·0	36·2	37·0	39·3	37 9	38·4	45·8	35·0	24·7	49·3	48·1	42·7	14
39·7	41·5	37·1	43·0	40·0	35·5	37·7	42·1	37·4	37·8	42·6	38·5	31·0	47·9	49·0	49·0	15
39·9	40·3	37·3	42·8	38·9	36·3	41·0	41·3	38 9	37·3	41·6	36·0	35·3	39·5	41·1	46·5	16
43·1	40·8	45·0	45·4	44·6	....	46·0	50·2	42·7	41·2	38·6	34·5	36·7	46·7	46·7	50·0	17
46·4	47·9	47·0	48·5	45·0	43·0	42·7	47·2	47·8	42·4	42·5	37·0	37·5	46·5	51·0	50·5	18
44·2	43·0	42·7	48·5	43·4	41·5	40·3	42·9	41·7	45·9	39·5	40 0	41·0	45·0	47·6	44·5	19
47·4	45·1	43·0	46·7	47·0	47·1	53·0	48·2	44·3	49·3	42·2	41·5	40·3	47·5	48·4	....	20
55·0	53·6	55·5	49·9	53·3	46·2	59·0	54·8	55·6	47·3	45·1	44·0	44·5	53·0	54·5	51·5	21
61·8	60·1	59·0	61·6	59·7	53·0	63·3	61·7	62·8	57·4	42·5	47·0	52·3	62·5	62·3	52·0	22
63·8	60·8	61 8	63·4	63·0	60·0	60·3	61·6	64·7	60·3	57·5	51·5	49·5	64·0	65·0	54·3	23
63·7	64·6	63·0	66·4	64·9	59·0	63·3	63·2	64·3	62·1	61·2	49·5	45·5	64·5	67·9	53·7	24
66·4	62·2	64·5	66·1	63 5	61·3	63·7	64·2	64·0	58·2	62·4	54·0	51·5	65·7	67·9	55·8	25
57·1	66·7	60 6	59·2	62·2	61·4	60 3	64·2	65·0	60·9	63·5	54·0	49·5	62·5	63·3	62·5	26
61·5	62·2	60·7	60·8	63·9	55·0	60·3	63·9	59·7	62·8	59·4	51·5	48·0	67·5	65·7	....	27
62·2	67·1	61·3	62·2	65·9	56·5	66·7	60·9	62·2	65·2	61·2	54·0	48·5	66·0	67·0	62·3	28
58·1	61·7	57·5	56·5	61·1	52·7	57·7	61·4	56·7	60·9	64·4	56·0	42·3	62·5	67·6	65·5	29
51·9	59·7	48 0	57 6	51·2	45·5	52·7	56·7	49·8	51·2	59·3	55·0	44·7	54·8	63·1	59·0	30
57 6	52·5	51·2	55·9	53·5	45·8	50·7	51·6	51·0	53·4	64·5	53·0	48·0	49·2	57·6	54·5	31
50·95	52·83	49·81	52·83	51·41	46·70	50·50	52·91	51·04	49·45	49·31	42·34	40·50	53·57	55·25	52·65	

TABLE XII.—*May, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Sprucedale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	29·7	34·2	32·8	37·7	37·0	34·0	36·5	36 5	37·5	33·5	38·7	34·2	35·6	33·7	30·0	37·2
2	32·2	36·5	34·5	40·8	35·5	40·7	41 7	38·5	41·2	42·0	42·5	35·7	41·0	36·8	26·0	39·4
3	35·3	42·7	46·0	47·9	42·9	50·8	43 2	46·5	42·7	43·7	44·3	41·7	42·1	36·0	37·0	49·4
4	36·2	50·8	46·7	51·9	48·5	54·0	45·4	56·5	48·1	53·6	44·5	50·3	52·1	33·2	46·5	60·4
5	41·2	38 4	40·5	47·8	45·9	50·8	43·1	53·0	47·5	49·1	55·5	40·2	43·2	38·3	49 0	52 4
6	43·0	42·4	43·0	48 5	47·0	54·0	46 8	54·0	50·3	52·1	56·5	42 2	45·8	43·3	39·0	53 2
7	41·2	41·3	39·5	46·8	44·4	47·5	46 7	47·5	47·8	45·8	45·0	42·5	43·1	49·5	43·0	50 7
8	40·7	46·4	49·5	52·4	45·4	51·7	52 3	49·0	49·5	45·5	40·5	47·1	45·4	50·0	45·5	48 4
9	39·8	56 1	49·9	54·8	50·6	61·8	54·3	58·8	57·9	57·4	47·8	49·8	57·7	45·5	53·0	56·2
10	37 8	57·7	55·6	55·8	52·1	61·5	58 8	59·0	60·1	62·1	63·5	58·2	61·2	40·4	54·5	58 7
11	39·2	68·6	56·6	62·1	57·1	68·4	66·8	62·5	68·5	66·0	56·0	67·6	67·3	45·3	59·5	64·0
12	33·5	52·7	50·3	53·4	52 5	54·1	57 3	54 5	64·3	55·5	52·0	52·5	56·5	27·5	68·0	65·0
13	31·3	38·4	38·0	42·3	42·4	38·5	48·4	39·5	54·0	42·3	42·5	38·3	41·4	26·7	55·0	40·8
14	28·2	36·7	34·0	40·2	35·5	39·3	41·6	37·5	45·3	39·5	43·3	34·8	39·3	25·0	37·0	39·8
15	31·5	38·0	37·5	43·1	39·4	39·7	41·0	41·5	42·3	41·5	42·3	36 8	47·7	29·3	37 5	40·8
16	38·0	39·7	42·5	44·7	39·9	43·6	39·2	41·5	39·8	39·7	41·3	37·8	38 8	33·5	35·0	40·1
17	35·8	40·7	44·3	48·1	44·9	51 0	42·5	42·5	43·3	49·8	51·2	42·2	45·0	37·2	40·5	45·5
18	38·5	47·0	46·5	48·2	46·0	49 3	47·0	48·0	45·0	48·5	43·2	46·2	44·4	40·1	37·5	47·4
19	39·2	42·1	43 3	43·2	43·4	42·9	47·7	46·0	49·9	41 8	45·2	39·4	42·5	42 3	46·0	48·1
20	39·5	45·3	40 9	46·2	43·9	52·6	47·4	45·0	47·1	51·5	49·7	41·0	46·9	42·5	49·0	46·6
21	41·5	55·7	48 5	55·1	46·5	58·0	52·9	50·0	48·1	51·9	45·7	51·9	55·6	50·7	43·0	54·8
22	43·5	60·3	53·5	59·0	52·0	64·8	61·2	59·5	60·3	59·3	44·5	57·6	60·1	54·3	55·0	60·0
23	45·7	62·7	54·3	58·5	54·6	63·5	62·1	58·0	66·0	62·0	53·7	58·7	64·1	55·0	61·0	59 8
24	50 5	65·3	50·7	62·5	58 6	63·2	64·1	60·0	65·5	60·5	52·5	60·6	65·9	45·0	59·0	60·6
25	43·7	67 7	66·0	62·7	59·6	63·4	66·0	64·0	66·0	60·4	50·3	65·9	64·3	51·2	62·0	69 1
26	53·0	58·7	50·3	59·1	60·1	64·7	59·0	65·0	62·1	65 9	51·5	56·3	61·2	50·3	57·5	64·7
27	48 7	57·3	58·3	60·9	58 6	65·3	61·6	60·0	61·5	62·8	59·0	59·5	63·4	54·0	54·5	60·5
28	46 0	58·0	54·4	58·8	60·1	59·2	65·5	63·5	69·3	67·8	68·0	54·3	64·3	49·0	63·0	66·7
29	44·7	52·7	54·5	59·1	57·6	63·4	61·5	60·5	66 3	61·7	62·7	54·4	62·2	36·4	61·0	53·3
30	47·2	47·5	45·5	59·6	53·6	48·8	53·2	57·5	69·8	58·7	56 7	43·7	49·8	42·6	53·0	50·4
31	46·3	51·3	47·3	54·6	51·6	50·4	53·8	53·0	66 6	53·0	50·5	45·4	50·4	45·0	51·7	53·4
	40 08	49·44	48 73	51·80	48·62	53·25	51·90	51 80	53 70	52 89	50·31	47·96	51·57	41·51	48·75	52 85

TABLE XII.—*May, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S. W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
37·8	38·4	27·0	34·0	35·5	33·4	34·0	34·7	37·0	32·3	33·7	21·0	32·0	41·5	35·0	1
40·9	42·5	33·7	39·7	36·0	34·5	32·7	32·8	33·0	32·5	33·8	22·0	31·7	34·6	32·2	2
43·8	44·0	37·0	49·9	36·0	33·1	33·3	30·5	39·0	28·6	34·7	23·0	35·0	41·7	35·0	3
48·8	55·9	38·8	55·5	50·5	34·2	35·5	29·2	41·5	31·7	37·8	23·0	41·3	44·2	36·5	4
48·6	50·5	36·2	51·1	48·0	36·6	40·0	35·7	44·5	34·8	28·8	23·3	38·2	40·0	38·8	5
50·2	52·7	42·5	51·7	48·0	34·8	34·5	35·0	52·0	33·0	40·2	27·3	39·0	29·1	40·2	6
44·8	45·2	39·3	46·3	46·5	33·9	36·3	31·0	42·0	33·0	39·8	30·0	38·8	42·3	40·0	7
46·0	46·8	43·7	50·5	48·5	33·4	35·3	35·0	53·0	35·0	42·5	22·0	42·0	45·8	38·8	8
52·8	59·7	50·0	61·8	59·5	38·9	38·5	36·5	55·0	37·5	44·7	24·7	47·0	58·0	45·7	9
56·0	62·2	49·2	61·1	59·5	35·7	37·0	37·8	64·5	36·2	38·0	23·0	47·2	50·7	42·8	10
62·9	66·5	52·5	69·0	70·5	38·0	38·7	37·7	67·1	41·0	37·3	22·0	51·3	46·8	39·5	11
57·6	57·5	....	53·8	54·5	40·7	37·5	38·7	57·5	44·1	38·7	23·0	46·7	48·5	41·7	12
45·3	40·7	37·3	38·8	38·0	43·1	43·0	36·0	51·0	42·4	36·5	35·3	45·3	47·5	41·8	13
41·9	39·6	28·0	38·6	37·5	42·8	45·0	35·7	52·0	42·7	36·3	33·0	39·7	38·7	40·5	14
40·6	40·4	30·8	41·1	39·0	44·9	43·5	35·8	46·0	41·5	36·5	40·0	37·0	40·6	40·2	15
40·6	40·6	37·8	41·7	40·0	38·1	41·0	37·0	43·0	35·2	40·5	34·3	40·8	43·1	42·3	16
47·2	48·0	39·5	51·7	43·5	36·8	37·8	33·7	45·5	36·1	40·2	32·3	41·5	43·3	40·7	17
44·9	45·1	40·0	50·4	48·5	39·7	39·2	34·8	49·0	38·2	41·5	34·7	41·0	....	41·8	18
45·5	43·8	42·8	42·3	44·0	43·8	43·2	38·3	48·5	49·7	38·0	34·3	43·7	45·6	40·5	19
48·1	47·9	39·5	47·9	44·0	40·9	42·0	36·7	49·5	37·8	43·5	39·0	43·3	44·0	41·0	20
50·0	53·8	43·3	54·8	54·5	39·9	41·0	37·7	45·0	37·4	44·7	36·3	43·0	48·6	43·3	21
55·2	59·9	47·5	62·7	62·0	42·5	45·0	38·8	57·5	38·4	47·8	31·0	51·5	52·1	47·2	22
57·0	59·9	61·3	61·4	63·5	43·9	44·8	40·2	60·0	43·5	46·2	30·0	58·5	62·2	48·8	23
60·3	63·1	64·7	63·5	64·0	45·6	49·3	46·7	67·0	41·5	45·5	31·0	63·5	60·6	53·5	24
57·3	61·7	66·2	62·1	64·5	44·3	43·7	45·0	65·5	43·9	42·3	33·7	62·0	63·4	48·3	25
57·9	65·1	53·0	60·8	63·5	45·1	51·0	47·8	64·0	44·2	42·2	39·3	65·0	60·3	48·2	26
58·6	65·1	60·3	65·8	61·0	46·2	54·0	45·5	61·5	43·5	39·5	34·3	56·0	48·7	45·5	27
61·1	64·2	59·3	60·1	62·5	47·5	51·3	44·3	55·5	41·7	51·0	24·3	46·0	50·0	50·0	28
60·8	60·7	53·0	62·8	58·0	44·0	45·0	43·3	62·5	40·6	48·8	35·3	54·5	55·5	50·8	29
54·9	59·1	57·8	48·3	54·0	45·6	47·0	42·5	60·5	42·2	52·0	35·3	57·7	59·7	52·5	30
50·5	51·0	47·0	53·5	52·0	44·1	48·0	46·5	58·0	44·2	50·5	40·3	55·0	54·2	48·2	31
50·57	52·62	44·34	52·66	51·52	40·17	41·55	38·09	52·44	38·56	41·90	30·59	46·30	48·01	42·94	

TABLE XII.—*May, 1888. Daily Mean Temperature.*

Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
35·5	25·0	33·9	35·0	35·4	33·9	31·3	36·0	34·5	33·0	29·7	30·5	31·7	34·9	34·8	1
30·0	24·5	32·5	37·6	41·2	33·5	36·2	34·5	34·2	38·0	34·8	29·0	34·9	35·7	36·0	2
34·7	24·5	32 1	44·9	44·2	35·8	40·3	39·3	37·7	40·0	34·8	38 5	39·0	38·9	39·8	3
38·5	29·8	37·6	43·1	44·5	39·6	35·0	44·0	38·2	44·3	42·3	37·7	45·6	47·0	45·3	4
41·0	32·8	39·8	46·1	46·6	39·8	41·0	45·0	35·1	49·0	45·2	37·5	46·0	42·1	41·1	5
39·3	33·5	39·9	49·7	....	42·3	38·7	45·9	39·8	....	42·8	33·0	....	41·6	43·4	6
38·0	34·5	40·6	42·7	49·7	45·2	46·0	44·3	38·4	52·0	47·2	40·8	48 3	50·8	46·0	7
38·3	35·5	41·8	50·8	53·2	48·1	42·3	46 4	50·4	55·0	50·2	47·3	48 7	46·1	47·5	8
44·0	34·5	47·2	58·3	58·8	54·5	50·7	52·0	51·9	56·0	56·6	46·5	57·6	49·3	48·7	9
38·5	34·8	39·9	57·5	53·9	42·3	39·3	57·8	42·7	47·7	46·4	42 5	53·4	45·0	46·5	10
43·3	35·3	38·7	62·6	60.1	44·0	41·2	65·0	44·9	43·7	43·7	39·3	52·5	41·0	44·5	11
42·0	36·0	39·9	61·1	59·3	44·5	43·8	54·5	46·1	....	48·4	42·2	50·8	42·5	45·2	12
43·0	35·5	38·7	51·0	.. .	42·0	43·0	50 6	43·7	....	43·2	42·3	....	40·8	44·5	13
38·5	35·7	37·3	46·8	51·6	41·7	41 0	49·4	35·4	41·3	40·2	39 8	42·3	49·6	40·5	14
38·5	35·3	37·1	45·5	46·4	40·7	40·7	43·5	37·5	42·0	40·8	39 3	43·0	41·1	42·8	15
35·5	35·8	40·6	40·2	44·3	46·5	44·3	44·7	38·5	39·7	44·5	40·5	47·9	47·1	48·9	16
40·5	34 2	41·6	46·3	27·7	45·2	48·0	44·0	41·0	48·0	47·2	44·0	46·7	48·7	47·2	17
38·0	34·3	40·1	48·3	50·3	48·5	48·0	46·0	42·5	50·0	48·4	44·5	49·9	52·8	51·5	18
44·3	36·2	39·4	46 0	48·4	45·7	41·7	47 9	41·4	46·0	45·4	39·8	51·0	52·3	47·5	19
38·7	36·3	42·4	43·6	....	46·4	47·0	44·7	45·2	....	49·1	42·8	....	50·6	50·7	20
40·5	35·5	45·1	46·3	52·4	50·7	50·7	46·6	46·1	46·7	45·6	41·7	49·4	49·7	52·0	21
44·5	36·5	50·2	56·3	56·9	54·3	56·0	55·2	46·8	56·0	55·4	49 8	56·5	54·8	53 8	22
46·0	37·5	47·9	60·8	64·6	58·6	61·0	60·7	52·4	51·7	49·3	46·0	60·9	54·3	53·2	23
49·0	37 3	47·3	63·8	65·0	55·0	58·0	64·6	52 9	....	54·5	48·5	60·3	51·0	49·3	24
44·7	47 0	44·3	64·8	66·0	52·0	58·3	64·0	55·0	48·3	54·2	49·5	62·5	56·3	54·5	25
52·0	38 5	44·2	60·6	62·9	54·0	58·2	64·0	54·1	57·3	58·0	50·2	59·3	55·3	52·9	26
48·5	36·5	45·0	62·0	....	50·0	58·3	60·7	47·5	....	51·6	45·0	....	47·4	50 3	27
54·5	36·5	52·6	61·3	58·5	59 7	44 7	54·5	48·4	60·3	51·7	44·3	52·2	48·3	49·8	28
50·0	38·7	52·9	63·3	65·8	59·8	45·0	61·5	54·3	49·0	48·4	45 5	50·2	45·6	45·5	29
52·0	43 8	54·5	61·8	63·9	62·7	44·0	60·2	54·7	55·0	60·7	51·7	56·7	48·0	49·2	30
46 7	40·5	49 4	51·7	54·2	54·9	....	55·1	50·3	58·3	59 9	54·2	60·8	53·8	54·8	31
42·21	35·24	42·40	51·93	53·55	47·18	45·76	51·00	44·56	48·33	47·42	43·06	50·30	46·86	47·03	

TABLE XII.—*May, 1888. Daily Mean Temperature.*

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Glace Bay.	Kilmahumaig.	St. Johns.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
33·9	32·9	32·8	35·9	32·6	32·1	41·1	33·6	41·3	33·7	38·7	31·0	32·0	28·3	30·0	1
34·0	33·1	34·0	36·5	40·0	32·9	41·5	36·0	37·0	35·0	38·3	31·0	30·3	30·7	31·5	2
40·0	36·9	37·0	32·9	38·9	30·7	34·5	31·5	28·2	32·5	38·0	30·0	30·4	33·7	26·5	3
47·2	39·1	42·7	39·4	38·8	31·2	34·4	36·5	41·5	31·9	44·0	26·5	29·2	34·5	31·5	4
43·8	36·4	40·8	46·0	39·4	35·6	38·9	41·0	41·7	36·0	45·3	31·5	36·6	34·0	31·8	5
41·3	....	....	38·8	41·0	37·5	39·0	43·2	40·8	36·0	....	37·0	36·6	33·7	30·7	6
46·3	46·4	43·2	43·5	43·3	40·3	38·5	42·9	44·0	36·0	45·7	33·0	44·1	33·7	36·3	7
45·2	47·3	45·2	46·3	37·1	38·9	38·9	46·3	42·6	37·5	45·0	....	43·6	38·0	32·8	8
47·0	54·3	39·0	48·8	51·5	47·0	44·5	46·3	42·2	36·7	48·7	....	50·8	43·7	34·3	9
52·9	50·4	40·3	45·6	40·1	39·9	40·7	46·9	47·4	41·5	49·0	48·5	50·4	35·2	33·5	10
46·9	58·0	40·5	42·1	40·2	39·1	40·6	50·8	43·2	37·0	46·0	36·5	38·4	35·2	33·0	11
49·1	51·7	41·7	43·2	43·1	41·6	38·7	50·8	49·2	39·0	43·7	36·5	39·0	38·3	35·0	12
46·3	....	....	42·8	50·0	43·5	40·9	49·4	46·6	40·0	....	42·0	44·4	34·3	41·0	13
41·3	41·4	39·0	37·7	43·9	39·3	38·3	44·1	40·1	35·8	41·7	40·0	38·9	37·7	36·7	14
43·5	41·3	40·3	39·3	47·7	42·2	41·5	46·5	45·2	36·0	45·3	38·5	37·7	38·5	42·3	15
45·8	48·9	43·2	46·5	47·0	39·2	42·9	48·1	41·8	37·5	49·0	41·5	38·9	35·7	42·5	16
45·7	46·8	43·3	47·9	48·1	45·0	43·7	46·3	43·7	40·7	47·3	43·0	43·4	38·0	37·3	17
49·2	47·9	41·8	50·9	48·9	44·5	44·9	44·4	44·8	44·5	50·0	42·5	47·7	36·2	36·8	18
51·6	45·8	44·3	59·1	42·5	43·8	43·2	49·0	49·9	44·0	49·3	44·0	42·2	39·2	40·7	19
47·1	....	....	43·2	47·5	45·9	42·1	49·3	44·9	40·8	....	44·0	43·6	41·5	41·0	20
49·6	46·9	47·5	46·5	45·4	41·6	41·3	43·5	46·2	39·5	51·0	45·5	46·8	36·3	40·5	21
53·2	50·4	44·5	51·8	47·5	47·1	43·9	46·8	48·6	43·2	50·7	46·0	44·5	37·0	41·5	22
49·1	59·4	45·3	57·2	52·6	48·7	45·5	49·0	48·0	44·5	50·7	48·0	48·3	38·3	40·7	23
51·2	57·8	49·0	49·6	47·2	49·2	50·0	53·9	53·2	46·7	50·7	45·0	44·4	45·0	41·3	24
55·7	62·2	51·0	50·9	50·5	53·1	45·0	54·5	53·8	47·0	58·1	....	47·6	41·3	42·0	25
56·2	59·7	52·0	52·0	53·5	51·0	50·0	57·9	54·9	49·5	59·3	....	48·6	42·0	41·3	26
52·3	....	....	49·2	44·4	47·3	45·3	49·6	51·9	48·3	....	44·5	44·7	42·7	41·2	27
50·3	50·0	46·5	52·9	46·3	45·5	45·1	52·1	50·8	45·7	49·0	45·0	44·8	38·7	40·5	28
48·6	47·0	45·5	47·3	48·6	50·7	47·5	47·1	48·6	45·5	51·3	48·5	46·4	38·3	42·3	29
51·8	58·0	46·5	51·6	55·5	48·4	46·3	61·6	50·7	44·4	55·0	47·5	52·0	45·0	42·5	30
56·0	57·5	54·3	57·2	56·5	51·7	47·1	60·1	53·5	48·3	53·3	50·5	57·3	44·7	42·0	31
47·48	48·13	43·56	45·92	45·70	42·74	42·45	47·10	46·00	40·52	46·85	40·65	42·60	37·71	37·45	

TABLE XIII.—*June, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Fort Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	59·5	55·2	67·0	53·8	64·5	51·3	61·5	....	66·0	73·0	52·3	58·8	51·9	60·3	56·7	46·5
2	57·5	54·5	61·5	62·0	68·1	57·3	65·0	....	68·0	72·0	56·6	60·2	55·4	60·4	62·7	52·9
3	55·0	50·5	62·0	45·0	65·1	62·7	54·5	....	66·7	59·0	62·4	....	64·6	56·9	62·0	67·1
4	57·0	50·3	62·5	41·4	46·7	56·7	43·7	....	38·0	53·5	54·5	58·5	56·8	40·8	47·3	....
5	55·5	52·2	55·5	....	50·4	50·0	52·3	....	47·0	50·0	46·5	52·0	46·2	47·2	44·2	....
6	54·5	53·6	61·0	....	58·3	56·7	65·0	....	65·8	50·5	56·3	50·0	50·6	50·1	54·3	53·1
7	58·5	53·6	67·5	....	56·6	53·3	53·0	....	54·0	50·5	55·2	53·0	50·8	44·5	53·3	52·3
8	58·0	54·4	62·0	....	57·6	56·0	56·2	....	53·7	50·5	54·5	54·5	50·0	53·6	53·3	48·0
9	57·5	55·2	63·5	....	61·0	59·3	54·5	....	66·3	63·5	55·8	60·8	54·4	57·4	59·1	56·7
10	59·5	54·0	67·0	....	66·0	60·7	67·2	....	66·0	57·8	59·7	....	52·6	57·9	63·1	59·9
11	58·0	55·6	66·0	....	60·2	63·3	65·5	....	58·8	61·0	62·0	63·8	56·9	55·7	60·1	62·3
12	57·5	55·8	63·0	....	67·2	66·0	65·5	....	61·2	69·7	66·1	60·7	63·2	57·1	64·7	....
13	52·5	55·9	57·0	....	60·5	62·7	73·3	....	60·0	62·8	64·2	60·8	73·2	57·2	58·3	62·9
14	65·5	53·8	57·0	....	67·0	66·0	67·5	....	71·3	68·0	65·9	62·0	66·9	56·9	63·7	64·0
15	56·5	54·7	60·0	....	66·6	74·9	63·3	....	71·2	73·7	72·7	66·5	70·9	58·5	67·8	70·4
16	57·0	53·8	55·0	....	65·5	59·7	67·8	....	64·3	65·0	61·6	68·0	62·1	57·2	63·0	58·4
17	57·5	52·8	59·0	....	71·9	76·5	71·7	....	76·5	71·7	69·1	....	65·2	52·6	72·0	69·3
18	57·0	55·2	....	...	67·4	74·0	73·5	....	68·5	84·0	75·1	80·0	75·8	60·6	65·3	80·3
19	57·5	55·1	58·0	....	60·7	75·5	61·5	....	59·2	73·5	74·4	72·8	79·9	55·5	60·3	78·3
20	56·5	52·5	57·5	....	56·6	71·8	54·2	....	52·7	71·0	67·3	62·0	75·7	51·7	53·1	....
21	53·5	54·6	....	....	49·3	63·3	45·5	....	45·5	63·5	61·9	57·3	66·1	49·3	44·0	63·5
22	56·0	55·8	59·0	....	46·4	52·0	47·8	....	43·3	50·5	51·2	57·5	54·5	49·1	43·0	....
23	59·5	53·1	67·0	....	51·6	45·6	47·5	....	50·7	48·0	45·9	44·5	46·5	49·1	45·3	....
24	61·5	50·6	68·5	....	62·6	48·4	55·5	....	61·5	49·2	50·0	....	52·6	54·2	52·0	....
25	56·5	54·7	62·0	....	58·7	52·3	63·2	....	58·5	48·5	53·0	43·0	51·4	54·2	56·9	....
26	60·0	56·1	69·0	....	62·6	57·2	51·0	....	68·5	59·5	59·1	54·7	57·2	56·7	61·3	55·7
27	58·5	54·1	57·0	....	65·8	60·4	53·5	....	69·7	55·0	62·3	59·3	61·1	53·9	64·3	....
28	58·0	53·5	59·5	....	63·3	64·1	59·5	....	65·8	67·5	63·4	63·7	65·8	51·4	60·3	59·3
29	59·5	52·3	62·0	....	58·7	64·7	66·3	....	66·0	60·7	64·8	65·8	61·0	50·8	61·7	....
30	5 55	54·1	60·5	....	64·7	69·0	65·2	....	69·2	70·0	65·5	65 5	66·9	59·7	63·0	....
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	57 42	53 92	61·66	....	60·71	61·05	60·23	....	61·14	61·88	60·30	60·03	60·69	54·01	57·88	62·13

TABLE XIII.—*June, 1888. Daily Mean Temperature.*

Portage la Prairie.	Minnetosa.	Russell.	Stoney Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
44·0	44·2	44·0	42·7	46·0	40·6	46·0	43·5	52·0	35·5	39·5	45·5	52·5	42·8	48·5	50·2	1
54·5	54·7	54·0	53·8	53·3	53·0	51·0	58·0	55·8	48·1	47·5	41·5	48·3	57·7	54·6	63·3	2
66·5	63·0	63·0	63·5	61·2	....	56 3	63·5	70·0	6.·4	67·0	47·3	48·8	67·2	47·3	54·7	3
62·5	52·7	51·9	63·0	52·0	64·1	52·3	63·0	62·5	65·9	45·8	...	58·9	75·3	53·9	66·3	4
43·0	41·8	42 8	43·7	41·0	43·6	42·3	44·8	48·5	46·0	34·0	...	65·3	56·0	61·6	66·5	5
49·5	47·9	50·0	51·8	54·8	50·8	49·5	47·3	59·0	47·9	42·9	....	60 5	43·0	58·9	63·7	6
52·0	53·5	50·9	54·2	53·5	54·5	49·7	54·0	57·3	53·5	46·0	....	50·2	56·7	53·8	68·8	7
56·5	52·8	52·9	55·3	53·0	55·6	52·0	54·8	58 3	56·9	46 2	60·2	56·9	46·8	56·1	57·5	8
60·0	59·8	60·9	60·7	59·0	61·4	58·0	60·5	60·0	61·9	49·5	....	70·8	47·0	67·5	56·0	9
55·0	55·2	57·0	53·8	54·0	....	54·5	56·0	66·2	47·9	52·5	62·0	58·8	54·0	65·5	54·2	10
57·0	55·5	54·9	57·5	61·2	57·0	60·0	57·0	62 8	54·2	54·8	....	54·2	65·7	57·6	67·0	11
67·5	63·8	63·6	66·5	62·8	66·6	65·0	64·5	68·3	67·4	58·0	58·3	62·7	53·3	55·6	65·0	12
74·5	66·4	64·4	72·2	60·5	72·5	63·7	69·7	76·0	75 1	58·0	60·5	59·2	77·5	61·8	65·3	13
70·0	64·6	61·6	68·3	66·2	67·7	65·0	67·3	72·0	65·1	33·7	65·7	69·2	79·8	66·2	69·5	14
67·0	65·6	65·2	71·0	73·5	69 4	71·3	70·5	76·5	71·4	58·6	....	70·0	79·5	70·5	76·2	15
68·5	61·6	60 8	69·2	69·0	67·5	63·0	69·7	78·5	73·1	61·0	67·0	69·2	82·3	66·4	76·3	16
69·5	65·9	74·7	60·3	77·3	....	71·5	70·5	82 8	73·0	64·0	68·5	73·1	80·7	69·6	78·0	17
82·5	79·8	79 3	83·0	81·7	83·6	84·7	82·0	89·7	82·9	67·3	65·8	72·7	85·8	70·7	78·8	18
82·5	78·9	77·1	79·0	80·8	79·7	79·0	82·7	79·8	80·9	64·5	....	70·2	86·7	69·8	76·2	19
75·5	71·4	70·8	71·5	70·5	74 8	70·8	77·0	74·0	74·0	70·0	....	77·0	79·3	71·7	81·5	20
61·0	61·4	64·1	63·5	61·2	65·1	61·5	65·0	65·2	64·6	62·5	74·0	76 5	81·5	77·1	82·0	21
58·5	52·4	52·9	56·7	58·0	58·3	55·6	59·5	57·3	57·5	55·2	76·2	81·2	75·0	75·1	78·5	22
56·0	49·1	46·0	57·0	48·3	57·3	53·7	53·5	56·5	57·6	48·8	72·8	73·2	61·5	76·0	76·3	23
53·0	48·6	47·8	51·5	50·0	....	50·3	52·0	54·0	49·9	51·2	66·2	67·7	50·8	70·3	69·2	24
52·0	52·6	52·3	54·3	53·3	53·9	50·5	54·0	59·0	47·9	54·3	62·3	66·1	50·0	63·3	59·0	25
56·0	54·7	55·7	59·7	49·3	59·5	55·7	55·0	66·5	54·9	60·5	....	58·7	64·7	54·3	54·5	26
66·0	60·1	62·4	63·8	58·7	65·3	65 0	60·8	70·0	66·0	57·8	....	58·9	59·8	61·2	70·3	27
69·0	61·3	63·0	62 2	59 8	64 7	64·5	65·7	71·5	65·5	65·7	....	53 4	63·7	63·7	69·2	28
73·5	64·8	63·9	65·3	68·5	68·6	65·0	67·3	69·0	69 0	56·3	....	60·5	71·5	62·8	78·5	29
77·5	63·3	64 8	69·2	69·2	69·1	69·3	73·5	71·3	67·7	57·7	62·5	60 9	67·8	64·1	78·0	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
63·35	58·97	58·89	61·78	60 17	62·48	60·21	62·42	66·66	61·39	54·77	60·66	63·52	65·77	62·48	68·27	

TABLE XIII.—*June, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Birnam.	Coldwater.	Conestogo.	Chatham.	Cartier.	Charlinch.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	48·8	59·0	51·6	54·9	51·1	55·0	42·5	...	51·3	54·9	49·3	50·0	51·0	75·5	....
2	48·3	54·0	48·0	54·0	47·4	51·5	44·3	46·0	48·7	51·0	46·3	48·5	50·0	50·5	....
3	48·8	56·5	49·2	50·2	51·9	48·5	54 2	48·0	54·7	55·2	48·6	51·7	....	47·2	...
4	55·3	64·0	58·1	54·4	58·0	57·0	59·5	54·9	60·3	59·6	54·6	58·5	58·9	57·1	....
5	65·3	69·0	59·4	66·5	63·9	66·7	64·3	64·2	70·0	68·2	64·0	65·0	63·4	69·6	....
6	58·2	72·7	72·2	57·1	59·6	65·5	45·0	56·0	64·0	68·1	64 3	61·5	64·6	64 5	....
7	54·3	62·3	51·5	55·7	54·8	53·0	54·5	53·6	57·7	64·9	51·0	58·5	54·3	56·1	....
8	60·6	67·0	56 8	70·4	57·8	64·8	57·5	58·9	....	65·5	62·0	63·0	60·3	58·5	68·4
9	72·5	71·7	68·3	77·1	71·9	72·5	70·8	70·1	75·0	73·5	69·0	70·3	70·2	66·3	72·0
10	64·8	74·5	72·6	69·9	65·4	68·3	57·7	64·8	65·7	70·5	69·0	65·3	....	68·4	47·4
11	52·0	54·8	52·4	59·5	54·7	55·5	49·8	52·1	54·0	61·4	46·3	55·0	55·2	58·1	55·4
12	59·6	65·5	57·3	55·0	59·6	58·5	61·0	57·9	....	65·6	56·6	60·8	59·4	59·6	63·0
13	61·8	63·3	63·8	64·2	63·6	69·3	53·5	60·8	64·7	64·1	62·0	65·5	64·5	60·9	60·5
14	66·0	71·8	72·7	72·6	67·7	70·5	60·2	66·5	70·0	68·1	69·0	69·0	68·8	67·3	48·3
15	66·8	74·0	76·5	72·2	71·3	75·0	70·5	67·8	71·7	75·0	67·3	71·0	72·3	73·4	70·5
16	67·3	75·7	68·9	66·8	70·4	75·5	68·0	65 2	70·0	74·0	66·6	71·0	71·1	75·1	70·4
17	69·8	81·5	73·3	72·3	73 8	74·2	76·3	70·0	74·7	76·9	72·3	75·5	....	72·5	70·8
18	70·5	80·0	73·1	68·8	74·1	75·3	70·8	67·1	73·7	81·3	73·6	75·5	76·3	72·6	75·2
19	70·3	77·5	73·3	76·0	73·6	72·9	75·5	68·3	76·7	74·9	74·0	76·0	72·6	71·4	69·0
20	73·0	82·3	72·1	75·7	77·2	72·5	71·2	69·8	79·3	76·2	78·5	81·5	77·3	76·0	69·5
21	74·6	82·2	73·8	80·4	75·1	80·0	75·0	74·4	76·3	81·6	74·6	80·5	76·3	74·5	76·2
22	76·6	82·8	79·3	79·7	81·9	81·9	77·3	75·4	81·0	86·3	77·6	81·0	78·5	79·1	77·0
23	72·7	79·0	74·8	75·6	74·1	76·3	74·0	73·0	72·7	85·3	72·0	77·2	76·3	76·6	71·9
24	69·3	77·3	73·2	73·7	70·0	75·5	70·3	65·4	73·3	74·9	70·3	73·5	....	71·5	72·5
25	64·3	71·0	65·2	65·5	66·2	63·2	61·0	63·6	67·7	72 3	63·6	67·0	67·1	66 5	65·7
26	56·5	67·0	59·6	63·1	58·9	65·8	48·0	52 5	56 0	67·9	57·3	58·8	59·3	62·5	65·6
27	62·5	62·3	58·3	62·4	60·3	59·0	63·2	59·3	64·7	68·7	59·3	61·2	60·8	56·8	62·5
28	59 8	54·0	60·6	55·7	55·0	59·5	66·3	58·6	....	66·2	....	54·5	53·7	60·5	57·6
29	62·5	56 7	60 7	63·7	58·7	54·2	65·5	59·5	....	68·3	59·6	59·2	55·9	60·0	63·0
30	63·6	67·0	62·8	66·8	65·3	65·5	65·0	62·7	....	70·8	64·3	66·8	65·7	64·5	59.2
	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....
	63·25	69·26	64·61	66·43	64·45	66·01	62·33	61·76	66·95	69·71	63·46	65·77	64·76	64 89	67·03

TABLE XIII.—*June, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bruce.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
48·0	53·3	49·3	54·8	50·5	50·5	46·7	52·8	47·5	48·9	58·9	52 6	47·8	53·0	57·1	55·3	1
49·7	49·6	45·7	51·0	49·5	48·5	44·3	45·6	45·2	48·2	51·1	42·3	51·2	49·5	51·0	58·2	2
47·5	49·1	47·8	53·5	52·0	54·7	47·3	51·9	47·4	46·6	45·9	50·0	53·5	54·0	56·3	....	3
57·3	57·2	55·5	54·7	57·8	55·5	49·0	58·3	56·8	50·9	48·0	55·6	55·0	55·8	59·4	62 0	4
68·8	49·5	68·4	59·4	71·7	66·3	61·0	67·0	65·0	56·5	57·8	66·8	47·0	68·0	69·0	63·3	5
61·4	72·9	58·0	65·8	64·3	51·7	61·7	66·4	58·1	63·2	66·3	60·3	45·8	61·5	64·4	58·3	6
53·1	55·6	50·8	56·1	55·3	52·8	49·0	51·4	54·8	60·9	63·2	42·3	48·0	52·5	60·4	52·0	7
53·1	60·1	65·0	57·7	60·8	58·7	63·0	60·4	57·8	53 4	55·1	55·6	46·7	62 8	65·9	60·5	8
75·7	66·4	77·7	67·5	73·9	68·0	73·3	68·7	72·4	65·6	58·2	73·6	....	74·5	73·0	66·7	9
67·3	71·7	67·0	64·1	67·5	....	68·7	66·1	68·4	68·9	67·2	66·0	....	68·8	69·1	....	10
55·4	....	51·0	61·7	56·6	....	50·7	52·7	54·5	56·4	67·1	46·3	....	55·7	59 8	58·7	11
62·8	....	61·2	58·7	62·0	...	65·0	60·0	58·3	52·2	54·1	63·3	...	62·0	66·0	65·2	12
62·7	....	62·5	65·6	65·0	....	62·7	63·9	63·2	60·4	59 1	65·6	....	69·5	70·6	62·3	13
67·4	. ..	67·0	61·1	68·8	....	69·7	67·6	70·6	65·9	64·0	70·0	50·8	67 8	67 6	68·0	14
65·1	....	66·5	66·7	69·4	....	71·3	75·8	73·4	69·9	69·2	69·3	60·3	70·8	67·5	76·7	15
68·4	74·5	69·3	68·1	69·4	....	69·0	71·1	64·7	67·3	68·1	64·3	59·7	71·7	69·9	74·5	16
77·2	72·9	71·0	67·3	76·1	73·5	74·7	74·4	71·4	68·2	69·1	72·3	67·3	73·0	75·2	....	17
70·3	77·3	70·3	73·9	73·3	77·0	75·0	77·8	75·1	70·7	73·8	68·0	66·0	75·0	73·6	77·0	18
70·3	74·3	74·0	69·4	71·0	72·3	74·7	72·5	70·2	61·6	66·2	70·3	68·0	72·5	71·9	75·3	19
62·1	74·5	76·7	68 7	75·4	76·0	76·7	74·4	78·2	70·4	68·6	75·3	63·0	77·8	74·7	78·8	20
80·8	75·4	77·0	74·6	78·8	74·0	78·0	77·2	74·5	77·2	75·9	77·3	63·5	77·2	76·9	79·0	21
81·9	81·0	75·9	74·0	79·1	75·2	80·7	80·0	77·8	75·0	78·4	80·6	60·8	80·5	83·5	77·3	22
72·3	74·9	72·3	76·9	75·2	74·3	75·0	73·5	72·9	73·8	77·2	70·0	60·0	77·5	81·3	78·0	23
71·2	71·0	69·5	73·6	69·4	74·2	70·7	69·0	71·6	69·4	74·8	69·3	49·0	72·5	72·7	....	24
69·6	67·2	64·5	71·7	66·1	65·5	63·0	65·3	63·0	65·1	69·0	67·0	46·2	74·7	72·0	71·5	25
62·0	63·3	57·5	64·6	60·2	59·3	57·0	59·3	56·2	60·6	66·9	46·6	50·3	64·3	66·2	66·3	26
62·6	59·3	68·1	64·8	62·0	64·0	63·7	61·1	58·1	58·6	59·3	59·3	54·8	64·2	67·0	67·3	27
58·3	58·0	59·2	61·8	56·4	69·5	56·0	56·4	59·0	54·8	61·9	61·3	60·0	57·8	60·7	64·2	28
66·5	58·1	57·7	65·2	60 3	68·0	56·0	57·8	65·0	66·1	56·8	67·0	60·5	58·0	68·9	61·2	29
67·3	65·0	65·3	64·0	66·4	70·9	66·0	64·7	61·8	64·4	57·8	61·0	56·5	64·7	69·6	66·3	30
....	....	....	....	....	....	....	...	....	....	....	....	....	....	....	....	....
64·69	65·70	64·13	64·57	65·47	65·23	62·67	64·77	63·76	62·27	63·76	62·97	55·65	66·41	68·03	66·89	

TABLE XIII.—*June, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Spruecdale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	45·3	48·3	46·5	53·4	50·5	54·2	48·7	51·0	66·0	56·8	52·5	46 8	53·4	40·3	51·0	44·2
2	42·3	48·7	39·5	50·7	48·1	44·7	51·6	49·0	53·6	49·8	52·5	44·5	47·6	51·2	47·0	49·2
3	51·0	46·7	50·1	51·8	47·5	56·0	51·7	47·5	55·9	53·5	56·3	47·1	51·2	58 5	45·0	46·1
4	58·2	53·0	55·1	57·2	55·1	59·0	61·5	56·0	55·0	58·7	62·0	58·8	62·5	67·8	45·5	54·0
5	49·8	67·3	60·8	62·3	60·1	69·5	66·0	65·5	63·8	65·6	70 3	66·9	67·9	43 3	54·5	61·1
6	44·2	58·1	53·0	61·1	56·6	62·6	61·9	70·5	72·1	63·8	69·5	55·7	64·5	45·0	66·5	73·6
7	45·3	52·3	44·3	51·9	48·6	48·7	55·8	52·0	69·6	59·9	56·3	45·9	54·2	54·0	49·0	53·4
8	44·7	59·7	57·7	57·4	55·6	63·3	62·7	53 5	63·1	69·3	58·2	55·0	60·7	45·2	50 2	56·9
9	50·0	72·1	66·5	65·6	65·6	70·6	72·8	68·5	80·3	67·1	72·7	72 8	74·4	44·0	64·0	66·3
10	50·3	62·7	59·3	61·7	63·6	67·7	67·4	70 0	72·1	61·2	71·3	59·5	62·8	56·1	73·3	64·3
11	52·3	51·0	49·3	54·7	52·6	48·8	55·6	55·0	61·1	60 3	55·8	47·1	54 9	58·0	60·0	54·0
12	46·3	59·7	58·0	56·2	55·1	62·7	59·4	56·0	58·6	61·4	63·0	63 0	63·6	57·2	50·0	55·2
13	48 0	63·7	60·2	61·4	61·1	65·2	63·5	64·0	65·3	64·7	58·2	65·2	61·7	65·8	52·7	61·8
14	48·2	65 3	62·0	62·8	62·6	66·4	67·7	71·0	71·3	69·7	73·2	68·1	68·9	67·2	64·0	70·4
15	61·3	62·7	62·8	66 3	68·1	74·8	68 8	75·5	72·8	72·4	74 7	62·5	71·3	69·9	69·5	76·5
16	54·0	65·3	61·2	71·4	67·1	70·4	65·7	71·5	69·3	74·8	74·8	61·6	70·1	68 2	65·3	68·9
17	67·0	65 6	65·1	69·8	68·6	79·9	71·9	74·0	73·0	77·8	82·0	64·4	75·7	69·3	67·0	74·7
18	62·8	71·6	64·5	74·1	70·1	69·4	71·6	76·0	71·5	77·7	78·2	66·6	71·1	76·3	65·5	75·8
19	59·5	71·3	68·4	71 0	66·6	76·1	70·4	72·0	69·5	73·6	69·0	68·9	70·6	75·2	64·0	71·3
20	59·3	73·0	79·3	69·0	71·1	75·8	78·0	69·0	76·5	77·1	89·7	73·5	75·1	70·5	71·5	71·9
21	56·7	73·0	73·3	73·0	83·6	77·4	75·4	74·5	81·1	77·4	80·3	77·1	76·5	71·8	73·5	74·1
22	61·7	74·9	73·2	75·6	74·6	79·5	77·6	80·5	81·5	81·1	83·2	74·9	80·1	67·0	75·8	76·3
23	57·8	71·3	66·7	73·3	71·1	....	75·9	75·0	78·2	76·3	79 8	65·2	73·6	61·6	75·7	74·0
24	51·7	69·6	70·5	71·3	70·1	70 8	69·6	73·5	70·1	69·6	76·0	65·0	69·8	44·7	73·0	74·2
25	48·3	65 0	64·3	66·9	63·6	67·1	68·9	66·5	72·2	68·9	70·7	63·5	66·7	46·5	67·0	64·8
26	50·0	58 7	50·7	62·1	62·1	53·8	56·4	60·0	65·0	67·2	62·5	52·8	57·0	54·3	66·5	57·7
27	52 3	65·7	64·1	64·2	61 1	....	62·2	58·0	63·4	63·1	62·7	62·6	60·9	54·7	48·8	59·0
28	56 5	64·0	61·8	57·4	56·6	59·5	60·8	59·5	56·5	55·0	53·3	60·8	56·4	66·8	65·0	60·9
29	59·7	62·0	51·2	58·4	54 1	58·1	65·9	57·5	64·8	56 6	53·5	57·5	59·6	67·5	52 5	58·2
30	61·2	65·0	57·1	66 4	62·6	64·9	65·5	63·5	69·9	67·2	64·0	58 6	66·6	60·0	65·0	65·1
..	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....
	53·19	62·90	59·92	63·95	61·79	64·90	65·03	64·37	67·40	66·58	67·26	61·06	65·06	59·64	61 28	63 82

TABLE XIII.—*June, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S. W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Bromc.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
54·8	53·1	50·0	53·5	51·0	43·5	43·5	43·3	52·5	45·6	41·7	38·7	47·5	45·0	44·0	1
50·9	49·2	52·7	44·1	45·0	43·7	40·7	44·0	56·0	42·4	46·0	36·0	51·0	49·7	48·0	2
53·6	53·1	49·8	54·1	48·5	46·3	51·8	44·3	49·5	44·0	47·3	39·0	49·7	51·5	50·7	3
57·6	59·4	47·0	58·4	59·0	45·5	44·7	54·5	58·0	39·9	46·0	39·3	51·8	50·8	53·8	4
60·6	65·1	49·7	70·1	64·5	48·9	50·5	53·7	66·5	45·7	56·5	37·7	62·5	62·6	57·5	5
65·1	66·7	38·8	64·3	63·0	59·0	49·8	51·0	70·5	50·2	50·5	40·0	64·7	56·0	55·5	6
52·5	53·0	50·0	47·5	50·0	48·1	51·5	50·5	49·5	44·1	49·5	38·7	52·0	58·6	49·7	7
58·9	61·4	48·0	61·9	57·0	49·7	54·3	52·0	61·5	49·5	51·7	43·0	58·8	56·7	53·8	8
61·6	70·1	49·2	70·5	70·0	50·2	45·2	44·0	68·0	47·1	46·8	40·7	62·2	53·6	49·2	9
66·4	69·2	48·3	69·4	71·0	55·7	50·5	48·5	78·0	50·7	45·7	42·3	69·3	57·6	52·8	10
57·0	56·6	52·0	48·1	54·0	52·5	53·3	53·5	59·0	49·1	48·0	36·7	52·0	56·5	49·0	11
59·4	60·4	60·5	59·7	58·0	51·1	52·5	53·7	51·0	47·8	47·8	38·3	53·5	63·9	54·2	12
59·1	64·0	60·3	65·4	61·5	53·8	57·5	56·7	61·5	49·6	53·2	41·7	60·5	61·7	60·5	13
68·3	70·0	66·7	67·9	71·5	55·4	57·8	56·5	62·0	51·7	53·0	41·3	61·5	61·8	61·5	14
72·1	77·2	67·8	76·3	76·0	54·3	60·7	54·0	66·0	49·7	54·0	36·0	63·7	61·6	62·3	15
72·1	71·2	70·5	69·6	68·0	52·6	54·0	57·8	63·5	48·1	46·5	39·0	63·5	64·8	60·0	16
72·9	75·6	70·3	76·0	73·5	54·8	53·0	50·3	69·5	46·6	57·5	44·7	67·8	63·2	55·2	17
73·3	76·6	70·7	69·4	74·5	50·6	52·5	55·3	64·0	48·7	55·3	37·0	65·2	63·6	57·8	18
68·9	73·3	74·3	73·5	73·5	54·9	52·7	51·7	65·0	45·7	50·2	41·0	60·3	57·4	57·7	19
74·7	74·4	70·8	72·3	76·5	47·4	51·5	52·5	66·5	45·2	50·0	35·3	60·2	57·3	54·8	20
73·7	76·3	74·3	77·4	75·0	51·1	51·5	53·5	67·5	48·7	56·0	40·0	62·3	66·2	60·2	21
78·6	81·0	76·2	79·4	80·0	50·8	54·0	56·5	76·0	49·8	54·5	39·7	73·0	73·8	56·8	22
76·4	76·0	68·5	68·3	76·5	52·2	54·3	52·0	77·0	48·9	53·5	36·0	70·7	68·7	60·2	23
70·9	70·7	54·3	71·2	73·0	54·8	62·0	52·5	68·5	52·4	47·3	38·3	66·8	67·3	60·0	24
67·3	67·2	42·8	64·4	69·0	55·0	53·7	52·3	68·0	50·7	53·5	43·0	60·0	63·1	61·3	25
62·5	63·3	51·2	54·1	59·0	49·9	51·2	50·2	65·5	49·1	47·5	43·3	63·2	56·7	54·0	26
62·3	60·5	67·0	64·0	58·5	47·8	48·3	50·8	57·5	45·8	46·2	44·3	51·8	62·2	45·0	27
54·2	56·1	63·5	64·0	60·5	50·1	53·7	....	60·5	48·5	50·0	44·0	54·0	61·5	51·0	28
57·3	56·7	66·3	57·0	63·0	53·2	54·8	47·5	65·5	50·7	54·3	39·3	60·5	61·1	57·5	29
67·6	66·0	60·3	63·5	62·0	54·4	55·7	50·7	54·0	52·4	49·0	38·7	57·0	61·9	54·5	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
64·42	65·79	59·03	64·51	64·75	50·96	52·34	51·51	63·10	47·95	50·89	39·77	59·90	58·57	55·04	

TABLE XIII.—*June, 1888. Daily Mean Temperature.*

Day.	Cape Magdalene.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	41·3	42·0	42·3	53·5	54·9	47·3	56·0	54·3	45·3	49·0	48·4	44·0	53·8	47·0	48·7
2	45·0	38·0	47·5	51·0	54·1	53·0	55·3	55·0	51·9	56·7	55·3	53·5	55·4	56·3	56·7
3	51·0	41·5	47 2	52·3	....	53·6	62·5	54·2	49·4	....	57·2	59·8	....	56·8	55·0
4	55·7	36·5	49·9	55·8	58·2	54·4	63·7	56 0	57·5	57·3	59·1	51·0	58·2	58·2	57·3
5	58·0	41·0	59·4	62·8	66·1	64·1	66·0	63·6	70·5	64·3	68·6	57·5	64·2	63·9	61 7
6	51·5	41·3	50·4	65·3	66·9	63·4	61·5	71·3	50·2	52·0	67·2	53·0	72·1	65·0	61·3
7	48·5	41·2	47·4	54·2	57·9	56·0	55·7	55·6	55·5	51·0	48·3	51·3	55·9	53·0	55·1
8	56·3	46·3	55·3	59·3	64·0	60·9	55 8	57·6	60·2	60·7	61·4	42·7	58·0	53·5	54·6
9	50·0	43·5	50·2	67·8	71·2	56·9	57·3	68·4	54·8	57·0	60·7	51·5	60·0	51·7	53·6
10	56·7	43·3	51·6	71·3	....	55·7	54·0	73·8	58·3	....	62·5	53·0	....	55·8	55·6
11	57·0	46.5	49·1	57·1	61·8	57·6	55·0	56·1	52·5	62·7	58·1	58·3	60 9	53·6	56·7
12	55·5	47·2	50·4	59·8	63·2	58·8	61·7	57·6	54·5	64·3	61·4	51·2	60·7	61·9	61·3
13	63·2	48·7	62·6	65·4	67·2	65·9	64·5	64 5	64.7	66·3	67·0	58·0	63·4	61·5	59·6
14	66·5	48·0	60·5	64·5	60·5	63·8	64·5	63·4	62·3	70·3	64 7	62·5	61·5	55·7	55·9
15	66·5	41·0	61·1	65·1	65·5	64·2	62·5	67·8	61·3	....	64·0	61·0	61·2	51 9	53·6
16	55·7	48·7	53·1	64·2	68·5	68·0	61·0	67·3	63·2	66·0	63·1	63·2	62·4	59·6	57 1
17	57·3	40·5	55·1	70·3	....	69·2	60·7	70·8	69·3	....	61·9	61·5	....	66·3	65·9
18	58·0	38·3	58·5	70·5	73·2	69·3	63·5	69 1	61·2	71·3	71·3	60·7	70·3	65·2	65·3
19	61·7	39·3	52·6	66·0	69 7	62·2	66·0	69·0	60·3	60·7	62·6	58·0	64 6	63·0	65·6
20	49·5	39·5	52·0	68·0	69·4	59·8	64·3	66·6	61·0	58·0	51·8	55·5	59·3	59·3	61·3
21	60·0	42·7	61·0	71·3	68·4	66·9	69·2	67·6	63·5	57 7	59·3	55·0	53·8	49·2	50·5
22	56·0	43·5	57·9	77·2	77·5	76·8	62·0	77·8	79·2	56·7	62·9	51·5	63·1	59·5	57·6
23	59·0	39·8	55·2	73·3	75·7	70·0	63 0	77·8	62·9	66 3	69·3	65·8	75 0	69·1	70·8
24	58·3	38·7	53·2	67·7	....	63·7	63·5	71·8	65·5	....	61·7	57·8	....	56·0	58·3
25	59·3	41·5	61·6	69·3	71·0	62·8	61·5	68·3	63·1	61·0	55·5	57·0	57·3	49·5	51·7
26	48·3	38·5	49·4	63·0	68·0	65·7	54·0	67·5	59·4	56·0	55·6	53·5	60·1	52·7	53·6
27	45·5	41·5	46·1	61·7	65·3	58·0	54·8	58·4	60·2	55·7	52·0	51·2	57·9	58·7	58·9
28	52·3	39 3	50·9	56·3	61·1	60·3	59·3	61·9	64·0	64·3	62·0	56·8	58·4	55·6	56·6
29	53 7	40·7	57·0	64·2	66·7	65·1	59·5	64·3	68·0	68 0	65·3	61·5	67·4	61·0	63·0
30	54·0	40 7	50·8	62·3	65·1	58·9	60·7	59·1	55·2	60·0	57·2	....	59·2	53·8	57·0
	....	....	....	....	....	....	. ..	....	....	....	....	....	...	....	....
	55 19	40·62	53·31	63·68	65·81	61·75	60·64	64·55	60·32	60·53	60·51	56·68	61·31	57·48	58·00

TABLE XIII.—*June, 1888. Daily Mean Temperature.*

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Glace Bay.	Kilmahumaig.	St. Johns.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
49·8	56·6	45·0	46·6	47·2	45·1	42·6	50·7	52·4	43·1	55·0	45·5	52·3	47·3	45·0	1
53·3	50·4	49·5	58·0	59·5	52·0	45·7	55·3	50·9	47·4	57·3	49·5	48·8	49·3	42·5	2
52·8	....	....	49·7	55·9	52·8	47·5	56·3	50 7	45·2	....	50·0	49·6	49·3	44·5	3
56·9	54·9	49·5	53·3	51·3	51·0	54·5	53·3	53·8	48·0	58·7	42·0	52·2	55·3	40·7	4
57·7	62·0	49·5	58·6	57·5	54·9	48·9	54·1	55 3	45·5	63·7	....	57·0	49·2	43·0	5
54·8	71·3	50·7	60·8	68·5	60·6	54·4	61·2	54·5	47·1	68·7	53·0	64·5	60·3	46·0	6
55·1	57·6	51·0	58·0	51·8	56·3	55·0	58·9	52·5	49·0	58·7	64·0	65·1	57·7	46·3	7
57 6	56·3	51·0	51·9	51·5	51·4	57·6	60·8	53·2	48·0	58·3	54·0	45·2	42 7	47·0	8
49·0	62·2	48·7	53·7	61·0	58·0	48·5	58·7	54·4	46·5	62·3	....	56·4	48·7	46·7	9
51·8	....	....	58·7	65·7	57·6	53·5	67·5	52·8	46·0	....	59·0	60·8	43·7	49·0	10
51·0	60·8	46·5	56·9	62·0	60·2	55·3	61·0	52·2	48·8	59·7	61·0	63·3	58·0	52·0	11
61·7	56·4	50·7	61 7	59·9	56·1	50·7	60·7	53·3	52·0	63·3	57·0	59·8	55·3	45·7	12
58·0	69·3	55·0	63·6	58·2	58·7	54·4	56·1	56·7	49·5	64·0	59·0	54·0	55·5	48·0	13
53·8	64·8	49·0	59·7	64·0	59·9	51·8	56·6	56·2	51·2	65·3	60·0	63·6	59·3	50·0	14
56·1	68·7	50·3	54·4	61·0	59·8	53·7	60·5	56·8	52·0	62·7	58·0	64·4	60·2	50·2	15
57·3	62·8	52·8	58·1	62·6	55·8	55·3	60·1	52·2	51·8	59·7	49 5	61·9	55 3	53·7	16
55·9	....	....	65·4	62·0	54·4	52·9	66·4	59·6	55·7	....	....	57·8	49·3	48·5	17
56·7	72·7	52·0	62·9	63·0	57·2	54·2	63·4	55·3	51·0	64·7	....	60·9	45·3	42·3	18
63·2	63·8	55·0	60·6	53·8	47·0	50·7	53·5	59·8	50·5	64·3	51·0	59·0	48·0	41·5	19
61·4	60·5	55·7	55·9	53·2	42·9	48·5	52·8	59·4	43 9	62·7	49·0	53·6	42·7	40·5	20
50·9	53·7	49·5	49·8	52·0	50·1	46·2	51·0	51·1	48·4	60·3	52·2	48·2	45·7	44·3	21
59·7	61·6	49·5	56·1	63·3	52·1	47·8	54·4	53·5	49·5	62·3	56·0	58·4	51·7	47·8	22
63·6	77·2	53·5	68·7	67·0	58·4	54·3	69·4	60·8	56·0	74·7	....	62·9	48·2	43·5	23
63·8	....	....	54·1	55·1	54·0	49·1	63·3	60·7	46·3	....	46·5	61·0	47·7	47·0	24
53·3	57·3	48·0	48·8	52·1	53·0	49·1	51·7	54 7	45·7	58·3	46·0	54·6	50·7	46·3	25
54·3	63·8	51·3	53·1	52·6	48·6	49·8	56·8	54·1	47·3	58·0	45·0	53·2	48·0	50·2	26
54·6	61·3	55·0	54·3	53·4	46·6	49·0	56·1	53·3	45·0	64·3	43·0	53·5	41·7	49 0	27
56·5	57·5	57·0	54·3	51·5	47·8	46·8	55·0	54·3	46·5	60·7	....	50·3	39·0	48·3	28
60·4	63·9	51·7	63·4	61 1	56·8	51·4	54·7	55·1	57·0	62·3	52·5	60·0	43·3	48·0	29
58·5	59 3	49·5	58·3	56 0	53·2	50·7	55·3	52·5	54·2	63·0	....	59·4	46·2	47·0	30
....	....	....	....	.. .	....	....	....	....	....	....	....	....	...	....	....
55·86	61·19	50·98	56·99	58·06	53 66	50 99	57·85	54·74	48·87	61·32	51·41	57·06	49 82	46·48	

TABLE XIV.—*July, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Edgonie.	Kilmap.	Calgary.	Swift Current.	Grenfell
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	58·0	51·4	59·5	....	59·4	67·3	66 2	....	60·2	74·0	67·0	....	67·8	57·2	61·5	....
2	54 0	51·2	60·5	....	58·8	61·5	63·0	....	58·8	69·3	62·3	67·8	66·2	57·3	62·0	58·3
3	58·0	54·2	55·5	....	57·7	58·8	63·0	....	66·0	64·0	59·5	68·5	62·0	52·0	56·0	60·1
4	58·5	52 2	56·5	....	56·7	62·8	66·5	....	65·0	64·2	61·9	70·0	61·8	49·5	56·5	....
5	54·0	53·2	55·5	....	60·5	60·5	62·3	....	64·0	63·7	58·3	68·8	56·2	52·7	57·0	....
6	58·0	54·3	60·0	....	70·1	60·1	56·7	....	67·7	65·7	62·1	68·0	55·5	62·2	59·5	....
7	56·0	52·0	63·0	....	62·8	65·4	62·3	...	66·5	67·5	65·5	69·5	62·1	58·2	62·5	61·0
8	58·0	57 9	63·0	....	69·9	59·3	64·7	....	73·0	62·3	60·1	....	56·8	62·4	57·5	60·0
9	62·5	58·4	67·5	....	77·2	68·7	78·8	....	85·3	70·8	70·0	71·5	64·3	67·8	68·5	67·3
10	52·0	54·5	57·0	....	80·5	72·9	79·7	....	90·2	68·0	75·5	79·8	68·1	72·3	77·5	....
11	58·0	55·0	61·0	...	77·0	72·8	79·8	....	79·5	64·0	73·3	79·0	68 2	65·5	74·0	67·5
12	53·0	55·0	62·0	....	68·6	63·4	68·3	....	66·3	68·0	66·5	67·8	63·1	60·8	63·5	....
13	58·0	56·2	55·0	....	65·6	67·0	61·2	....	68·5	59·7	67·2	66·2	....	63·3	66·5	61·5
14	59·5	56·0	58·5	....	60·0	63·2	62·0	....	71·0	50·5	66·3	68·8	....	49·1	63·7	....
15	56·5	55·2	58·0	....	55·3	58·9	59·8	....	65·5	52·7	57·3	....	56·9	52·7	56·0	....
16	57·0	57·7	62·0	....	60·9	52·3	63·0	....	65·2	48·0	55·5	61·0	52·6	59·7	58·5	....
17	67·5	51·9	70·5	....	66·4	62·0	67·5	....	71·3	51·3	60·2	66·0	60·1	65·7	64·5	58·5
18	62·5	52·8	72·0	....	72·1	65·2	67·2	....	76·7	68·0	66·2	69·0	58·7	70·1	67·6	....
19	58·5	53·3	69·0	65·7	72·7	72·5	74·8	....	87·5	73·2	72·9	68·8	73·2	64·5	76·0	70·0
20	59·5	56·2	67·5	57·8	73·0	76·0	68·2	....	75·7	74·5	68·9	70·7	67 3	68·8	70·2	67·3
21	62·0	56·5	66·5	57·8	70·1	62·7	68·5	....	75·5	63·3	64·3	70·0	61·4	66 3	65·0	60·3
22	62·5	57·7	67·5	62·5	66·5	60·3	68·3	....	66·7	63·5	62·3	....	60·5	61·5	65·0	....
23	61·5	56·1	68·0	64·9	75·3	63·3	74·0	....	71·5	61·0	65·7	75·0	56·9	60 3	68·0	63·0
24	60·0	55·0	66·0	65·5	69·6	67·8	72·5	....	71·5	56·7	69·3	76·3	59·3	60·4	69·8	....
25	60 0	55·3	64·5	68·6	69·1	61·8	71·0	....	71·5	59·0	65·3	76·2	61·3	68·4	67·0	60·1
26	57·5	55·0	61·0	60·9	70·5	70·2	71·0	...	72·8	59·0	71·6	77·8	62·9	65·5	61·3	69·7
27	56·5	57·6	60·5	56·3	67·4	70·4	74·5	....	68·5	56·7	68·5	72·7	70·3	59·5	68·5	....
28	59·0	57·0	60·5	53·0	65·0	64·1	75·5	....	65·2	64·0	62·6	70·5	60·9	55·2	62·0	....
29	57·5	58·1	62·0	57·0	65·0	60·8	67·8	....	67·3	63·0	64·0	..;.	58·6	55·0	71·3	64·5
30	58·0	54·1	61·5	65·4	61·4	57·4	60·8	....	61·0	53·3	57·0	72·0	57·7	53·6	58·5	....
31	58·5	56·4	65·5	60·0	68·2	60·3	69 7	....	71·0	60·5	61·9	69·3	57·8	62·2	65·5	....
	58·67	55·08	62·52	....	66·88	64·19	68·01	....	70·62	62·57	64 81	70·66	61·65	59·17	64·55	63·47

TABLE XIV.—*July, 1888. Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris-ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
....	69·3	63·4	70 7	64·0	....	69·7	73·5	73·5	71·6	60·5	59·0	58·7	65·2	62·5	70·5	1
66·5	61·5	59·7	65·3	55·0	66·7	62·5	67·8	77·8	67·6	67·9	....	56·9	63·3	64·9	68·3	2
66·0	63·1	59·8	63·2	59·3	65·2	62·3	64·7	69·5	60·0	59·5	70·0	66·6	84·0	68·4	72·7	3
67·5	65·5	62·7	66·8	....	66·7	64·0	65·5	66·2	58·0	68·1	....	73·2	74·5	72·8	75·8	4
67·0	59·3	59·0	62 0	....	63·5	60·8	65·3	66·5	62·1	62·0	...	69·5	74·0	66·2	73·0	5
60·5	58·6	57·9	62·5	....	61·7	59·5	60·8	64·5	57 7	57·1	....	69·1	74·2	65·5	76·5	6
62·0	61·9	60·8	61·8	....	62·1	66·0	63·0	66·5	62·9	62·7	62·0	65·1	72·5	64·7	61·7	7
63·0	62·6	57.5	63·7	....	....	62·3	62·2	70·3	53·0	62·8	56·8	68·0	73·0	61·7	63·5	8
68·5	65·6	51·3	68·3	....	67·6	70·5	68·0	72·3	66·4	64·0	...	65·3	79·5	64·7	69·5	9
74·5	73·2	67·0	72·2	....	71·5	68·0	74·8	75·0	65·8	73·0	69·7	66·3	77·5	61·1	69·5	10
69·0	66·8	65·6	63·8	....	64·2	65·5	72·5	69·7	61·9	60·2	59·3	64·3	63·5	60·8	69·0	11
62·5	66·4	65·7	64·7	....	64·7	62·5	67·0	63·5	63·7	61·6	....	53·4	75·2	50·0	60·3	12
64·0	60·7	63·4	63·3	60·3	64·0	63·7	65·5	67·8	62·4	63·8	58·7	53·7	70·8	57·3	64·5	13
72·5	68·6	65·3	69·0	66·0	63·4	68·3	70·5	67·2	71·5	65·5	55·8	60·1	73·7	56·5	64·0	14
64·0	62·5	57·9	62·5	57·2	....	59·0	64·7	61·8	63·0	62·9	64·0	63·0	77·3	58·5	71·5	15
62·5	54·0	53·4	59·7	60·3	61·6	59·3	59·8	61·5	59·0	62·8	....	59·7	72·5	64 4	66·3	16
62·0	59·3	59·3	58·5	61·5	59·9	59·5	63·8	66·5	60·0	59·0	....	68 8	61·0	66·9	73·5	17
63·0	63·6	60·5	61·3	62·5	61·7	63·5	63·5	67·0	57·5	62·5	....	64·3	60·8	70·7	75·0	18
70·0	65·3	69·3	67·5	71·2	67·4	70·5	67·5	74·5	67·0	67·7	....	64·6	73·7	62·5	67·5	19
76·5	69·0	68·4	72·7	70·0	72·8	71·5	76·0	80·5	74·9	67·8	....	63·5	78·8	65·9	76·7	20
66·5	63·5	60·1	63·5	60·8	65·4	65·3	67·5	70·5	62·5	61·7	....	65·3	74·5	68·1	72·8	21
64·5	60·3	61·1	63·0	61·3	....	65·0	60·8	72·0	56·2	67·8	61·5	64·0	65·0	69·1	71·2	22
63·0	60·9	60·3	62·3	62·0	63·1	59·7	62·2	68·5	56·6	63·7	....	66·6	66·0	68·3	66·3	23
63·5	56·3	58·9	65·7	....	66·1	62·0	61·5	68·5	68·0	....	61·0	61·5	66·2	61·3	71·7	24
66·0	64·2	61·4	65·3	67·5	66·1	65·3	70·0	69·3	64 1	67·2	....	64·0	59·0	59·9	73·3	25
66·5	65·9	64·7	67·5	70·2	66·3	68·0	70·0	71·7	63·7	66·5	....	62·0	59·8	54·9	63·2	26
65·5	58·5	66·6	64·5	71·0	65·9	71·5	69·2	69.5	66·3	67·8	....	62·0	62·7	62·4	62·8	27
75·0	66·1	65·5	70·7	69·3	74·2	68·0	74·5	77·5	71·7	72·5	65·0	66·1	69·0	64·4	66·7	28
67 0	63·6	61·6	66·3	73·0	....	66·7	69·5	76·5	66·5	68·5	65·0	65·5	78·0	64·5	67·5	29
61·5	61·6	54·7	61·0	55·0	63·7	56·3	65·7	76·3	55·5	65·5	67·3	71·8	79·0	72·2	60·0	30
61·5	59·9	58·6	60·2	61·0	62·9	58·8	59·0	72·2	59·2	67·0	....	65·0	67·3	70 6	72 8	31
65·90	63·37	62·07	64·82	63·64	65·55	64·56	66·66	70·15	63·09	64·74	61·87	63·92	70·72	63·89	68·44	

TABLE XIV.—*July, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brump'on.	Birnam.	Coldwater.	Conestogo.	Chatham.	Cartier.	Charlineh.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	62·1	65·0	59·3	64·2	62·8	62·5	57·3	59·2	65·0	69·8	56·6	62·5	....	61·4	62·5
2	66·5	66·7	61·9	69·3	61·7	71·3	66·2	....	69·7	70·5	59·0	64·7	63·3	63·5	62·5
3	72·3	69·3	71·1	74·4	67·7	72·0	71·3	68·8	76·7	71·6	67·3	70·5	71·0	66·2	65·0
4	68·2	75·7	74·6	73·3	71·5	71·6	68·0	67·2	75·3	72·0	68·0	74·8	73·7	73·0	72·8
5	67·0	74·3	72·2	74·2	70·5	72·7	64·2	66·4	69·3	72·1	68·6	69·5	73·5	72·0	67·2
6	69·8	68·0	65·6	66·3	71·8	69·5	68·5	68·0	....	75·1	71·0	75·0	72·3	66·7	67·0
7	64·3	68·5	70·8	69·6	65·9	72·5	64·0	64·0	63·3	73·2	63·3	65·0	70·3	68·1	68·2
8	57·5	65·7	57·7	57·9	61·5	63·2	60·0	58·6	62·7	71·6	64·0	63·0	....	57·2	62·6
9	64·7	66·8	64·1	61·0	64·1	64·0	63·0	64·3	65·0	70·5	59·6	65·5	66·7	65·3	65·2
10	61·4	70·0	63·1	61·7	66·2	71·8	63·8	60·2	71·0	69·3	64·0	68·8	69·2	66·0	63·2
11	62·5	71·5	74·0	57·5	70·4	69·0	54·5	59·3	66·7	65·4	62·6	65·0	70·0	69·3	66·5
12	54·1	59·0	56·3	55·3	53·5	54·2	51·3	....	....	65·1	49·6	54·7	52·3	56·0	56·9
13	61·4	60·2	56·7	54·8	58·7	61·5	59·5	60·7	....	69·0	58·3	60·2	63·4	60·6	60·4
14	59·9	65·0	57·8	58·8	62·4	61·0	57·3	56·2	63·3	70·4	59·6	62·7	64·9	59·7	66·3
15	59·8	67·3	60·4	60·9	....	64·7	63·2	....	....	69·2	64·6	65·5	....	64·7	60·4
16	65·7	63·7	62·2	59·1	....	62·9	65·5	57·7	69·0	70·6	63·0	64·3	63·1	62·4	60·7
17	68·9	66·5	68·2	61·4	....	71·5	59·5	66·4	74·0	70·6	71·0	70·7	70·0	68·6	68·6
18	65·1	69·7	73·6	69·8	....	72·5	61·0	64·4	71·7	68·5	71·0	69·0	69·4	....	68·5
19	62·0	70·0	68·4	70·5	....	69·6	57·8	61·6	64·7	71·4	63·3	66·0	69·0	69·0	65·2
20	61·0	66·5	63·9	69·5	63·4	66·9	63·5	61·2	62·3	69·0	61·0	63·8	63·8	66·1	62·5
21	66·3	67·8	66·6	69·5	66·0	67·8	65·7	64·6	73·3	69·7	66·6	68·5	66·0	65·2	62·9
22	62·6	67·7	71·1	65·5	67·0	72·0	62·5	62·8	67·7	70·5	65·6	65·7	....	62·4	63·6
23	64·7	77·8	67·4	67·9	67·5	69·5	67·5	63·4	69·7	70·5	63·3	67·3	68·7	64·7	70·6
24	60·8	66·5	65·8	64·7	64·1	68·3	60·3	60·7	....	70·5	63·0	65·0	68·3	63·5	64·0
25	60·3	66·3	65·1	59·9	63·8	69·5	62·5	....	62·0	70·7	56·0	65·0	66·9	64·6	64·0
26	57·3	70·5	66·6	61·9	64·0	65·7	57·5	56·6	64·7	70·1	63·0	66·5	67·3	65·1	58·9
27	64·0	65·7	68·2	65·6	64·3	67·5	60·2	59·9	66·0	69·5	64·3	67·7	68·3	65·1	64·9
28	65·4	71·5	65·5	61·6	66·5	68·3	60·5	....	71·0	71·5	66·6	67·3	69·3	66·4	63·2
29	65·5	72·3	66·7	66·0	69·6	70·9	67·3	....	72·3	72·8	68·3	70·5	....	66·0	65·0
30	68·0	74·7	72·2	69·8	72·2	74·0	67·3	67·8	76·3	73·3	71·3	73·2	74·6	70·3	69·5
31	69·4	74·3	74·4	67·7	70·1	74·7	67·2	66·5	....	72·9	66·0	68·8	73·2	72·4	72·9
	64·13	68·24	66·17	64·87	65·70	68·17	62·76	62·26	68·51	70·55	63·88	66·68	68·02	65·90	64·90

TABLE XIV.—*July, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bruce.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
62·7	62·8	61·7	62·0	62·7	65·5	61·0	66·0	62·2	64·9	65·3	64·0	58·0	63·0	62·9	69·0	1
70·5	65·0	69·8	66·7	63·6	69·3	67·0	68·7	64·2	60·6	63·5	66·7	56·0	66·0	69·7	75·7	2
74·1	67·9	75·5	69·2	68·8	75·7	73·3	73·4	71·9	64·3	61·4	75·7	58·8	73·7	73·8	78·5	3
75·4	73·8	62·0	71·8	70·3	70·3	75·3	78 4	74·2	66·7	70·0	72·0	69·0	77·3	77·2	78·8	4
73·0	72·4	63·0	71·3	68·6	69·7	70·0	74·4	68·2	64·4	67·2	66·0	66·0	72·7	76·0	77·3	5
74·7	67·7	70·5	67·5	72·4	72·1	74·3	71·8	66·2	63·7	65·8	71·0	64·2	68·8	74·8	80·0	6
66·9	70·3	65·0	72·5	65·1	71·3	67·0	70·0	64·5	65·9	67·7	58·0	62·2	67·2	72·6	78·5	7
61·0	59·3	60·3	62·6	63·0	62·7	62 3	64·4	57·3	53·5	68·5	62·3	59·0	65·5	66·7	66·0	8
72·3	65·2	61·7	65·4	67·1	67·5	63·7	67·3	67·4	68·9	68·4	61·7	57·8	63·5	71·2	67·0	9
52·8	66·8	59·3	66·0	68·1	68·3	67·7	71·5	62·5	62·8	65·7	64·3	58 0	68·0	73·1	72·7	10
65·2	35·4	62·5	61·8	63·3	71·0	70·7	72·7	69·5	62·4	68·7	66·0	54·0	69·3	67·7	73·0	11
58·0	55·6	56·7	59·0	57·4	58·5	70·3	53·5	53·0	55·8	64·2	50·0	56·2	54·5	60·3	68·3	12
66·0	59·7	63·8	66·0	64·0	66·2	....	61·3	53·5	60·4	69·2	54·7	58·8	58·3	66·6	66·3	13
65·1	60·3	61·7	62·0	61·5	65·8	....	63·7	58·7	52·8	62·6	54·3	60·0	65·0	65·4	68·5	14
63·2	63·0	62·0	65·4	64 6	67·5	....	64·7	66 2	57·4	65·8	62·7	61·7	66·3	69·4	....	15
63·5	58·2	62·0	67·0	61·5	67·4	....	68·7	66·2	58·4	61·4	62·7	55·0	67·8	69·9	64·0	16
73·1	69·6	72·0	69·8	68·3	67·0	68·7	72·9	71·7	61·3	60·6	71·7	53·5	75·0	72 6	70·0	17
....	72·4	69·0	65·0	65·1	66 0	67·3	71·8	74·9	65·6	62·6	74 0	59·0	68·5	64·9	71·5	18
65·1	68·7	63·3	66·0	64 9	65·0	67·0	69·6	66·0	66·6	69·2	65·7	62·3	65·0	71·7	70·7	19
62·7	65·0	61·0	65·4	62·5	68·1	62·3	66·7	63·0	64·6	64·2	58·0	59·7	63·2	69·7	69·3	20
68·4	66·9	67·3	65·4	68·1	71·7	65·0	70·8	67·4	62·9	61·7	69·3	63·3	65·0	71·7	68·5	21
65·7	68·7	65·8	68·9	66·7	70·0	64·0	68·6	71·4	59·8	64·2	68·3	64·7	62·0	70·8	68·7	22
67·3	71·0	66·0	67·9	68·5	67·8	66·3	64·8	69·9	69·9	63·1	66·0	53·0	71·3	72·5	71·8	23
66·1	63·5	58·5	69·2	62·7	67·1	62·0	68·7	62·5	59·2	64 2	62·7	59·0	67·5	68·8	70·0	24
61·9	68·3	62·3	66·1	64·0	66·2	65·0	69·0	61·7	58·4	60·0	60·7	54·5	67·2	69·4	69·5	25
62·1	66·7	59·5	65·2	61·4	63·5	69·3	67·2	66·9	60·3	59·3	60·0	63·5	69 5	66·8	68·8	26
62·6	69·7	63 2	67·3	62·9	68·5	66·7	70·0	71·2	64·3	65·1	62·6	64·5	64·0	69·5	70·7	27
...	65·7	64·3	68·7	65·7	68·8	72·3	69·9	70·2	64·9	60·4	66 3	56·5	69·0	70·5	71·5	28
....	68·2	67·0	69·3	70·3	70·9	71·7	72·1	69·6	66·4	66·0	72·0	62·5	70·5	73·0	70·3	29
....	71·2	69·3	70·6	73·2	72·5	74·3	73·9	74·6	66·7	72 7	72 7	69·7	74·0	75·8	....	30
....	72·8	66·3	73·2	69·8	72·2	70·7	76·0	67·9	69·3	....	63·7	64·3	74·0	74 2	74·0	31
66·14	66·95	64·42	66·91	65·67	68·19	67·93	69·10	66 27	62·60	62·87	64·71	60·20	67·64	70·30	71·42	

TABLE XIV.—*July, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Spreedale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	55·0	61·0	52·3	61·7	60·1	....	60·4	61·0	64·8	62·9	60·0	57·6	63·5	61·2	65·5	61·6
2	57·5	70·5	64·3	64·2	60·1	....	68·0	60 5	64·9	64 3	60·0	66·2	62·9	71·3	67·5	60·9
3	70·0	75·4	68·2	67·6	67·1	....	73·6	71 5	72·8	71·3	72·5	74·6	70·6	65·2	68·0	70·2
4	69·5	71·0	68·3	71·9	71·1	....	75·0	76·5	77·0	75·0	81·0	70·8	71·7	58·0	70·0	74·8
5	61·5	68·5	62·5	70·6	74·0	....	72·6	73·5	71·0	69·7	72·5	58·9	70·1	69·3	66·0	74·8
6	71·0	70·5	65·8	67·6	69·6	....	70·3	67·0	67·8	71·5	78·0	68·8	72·9	64·0	63·0	65·9
7	59·0	68·0	62·4	69·0	71·1	....	70·3	70·0	72·0	68·0	69·5	59 1	65·0	49·7	63·5	72·6
8	54·5	60·0	61·8	62·6	62·1	....	61·1	61·0	60·2	62·5	61·5	61·6	63·1	45·0	60·5	60·5
9	59·5	64·5	54·2	65·6	64·1	....	65·4	65·0	65·4	65·0	65·0	60·6	65·3	73·8	60·5	64·1
10	69·0	63·0	61·3	67 1	67·1	....	58·0	63·5	64·4	69·4	70·5	61·1	66·8	73·0	61·5	64·5
11	62·5	64·2	60·0	66·5	69·1	....	55·9	73·0	67·5	70·3	71·7	62·1	68·5	55·7	62·5	75·1
12	57·2	55·5	49·7	53·9	57·1	....	56·7	55·0	55·9	54·8	60·5	52·3	55·3	64·0	57·5	56·5
13	59·5	64·0	52·8	57·6	61·1	....	61·7	54·5	64·4	63·4	62·5	54·1	61·6	63·4	52·5	57·5
14	58·3	62 0	56·2	61·8	63·1	....	60·8	59 5	59·9	65·5	62·7	57·1	60·6	68·0	53·5	55·6
15	57·0	60·5	55·5	59·1	66·1	....	64·9	60·5	59·8	65·3	61·7	60·1	61·0	67·5	52·5	57·4
16	61·2	62·6	58·8	64·1	60·1	....	62·1	60·5	63·9	64·4	58·2	61·2	60·4	64·8	71·5	63·1
17	59·8	69 5	70·7	67·6	69·1	....	64·0	70·0	67·5	70·4	64 3	68·5	68·4	62·3	61·0	67·6
18	59·5	68·5	65·4	67·2	68·6	....	65·9	72·0	66·6	68·1	71·3	64·2	66·1	60·7	69·0	73·3
19	60·0	61·5	61·5	67·7	69·1	....	65·4	68·5	70·0	68·0	72·0	59·6	65·4	71·3	59·0	68·9
20	61·0	63·0	58·5	64·4	65·1	....	62·5	68·0	59·0	64 7	70·5	58·9	61·5	71 5	58·0	66·3
21	67·5	69·1	67·3	66·7	66 1	....	66·4	66·5	68·5	67·2	70·5	68 2	66·8	71·0	60·5	66·1
22	67·7	65·5	63·9	67·6	67·6	....	63 6	73·0	71 9	66·9	68 5	63·0	63 8	66·5	70·5	71·1
23	63·5	61·2	60·9	66 5	67·1	....	65·1	67 5	72·8	68 3	72·5	61·6	66·8	64·5	64·5	68·5
24	61·8	64·0	63·6	65·3	67·1	....	61·5	65 0	65·8	68·8	68·5	62·8	64·5	62·7	60·7	64·9
25	56·7	64·0	57·7	67·1	67·1	....	63·0	66·5	62·4	67·2	68·8	59·3	58·0	63·3	55·0	66·7
26	60·8	59·5	58·5	67·5	67·1	....	59·4	68·0	65·2	66·7	68·0	60·7	61·8	61·0	62·5	69·5
27	60·0	63·6	63·3	67·6	65·6	....	61·8	67·5	68·8	65·0	62·7	64·7	65·3	69·2	55·0	65·6
28	57·0	68 3	64·5	67·6	67·1	....	62·4	64·0	65·1	68 7	69·5	63·0	66·6	69·5	58·0	67·5
29	60·0	68·5	67·0	68·1	67·1	....	66·9	65·0	70·1	70·0	69·3	66·2	67·9	69·5	66·0	72·0
30	74·0	69·5	74 3	69·6	68·1	....	69·3	70·5	72·8	74·8	73·0	69·4	70·5	66·3	64·5	71·5
31	63·0	69·0	66·0	75 4	76·1	....	67·6	76·5	76·8	73·4	78·0	66·3	70·7	69 2	68·5	74·8
	61·76	65·35	62·14	66 03	66·48	....	64 50	66·30	66·98	67 63	68·27	62·66	65·29	63 86	61·92	66·93

TABLE XIV.—*July, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S. W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
62·7	63·5	67 5	59·1	61·5	56·6	60·0	50·3	59·0	53·3	50·5	41·7	53·7	....	55·7	1
63·1	66·9	64·6	65·1	63·0	56·0	63·0	55·5	60·0	52·7	56·7	43·0	61·0	67·1	62·5	2
65·3	69·3	66·7	73·1	72·5	58·0	62·7	53·2	59·0	55·9	56·0	46·7	63·8	65·6	65·0	3
71·3	76·7	65·0	75·8	75·0	61·4	65·3	54·7	77·5	56·0	61·3	47·3	71·5	71·4	70·0	4
72·4	73·1	64·0	67·6	70·0	62·2	64·8	58·5	71·5	55·7	56·7	48·0	63·5	67·3	67·5	5
71·5	70·3	62·5	72·3	67·0	60·6	66·0	55·7	65·0	55·6	53·5	44·7	56·7	63·6	59·5	6
70·2	69·2	62·5	66·6	64·5	60·6	61·5	58·8	66·5	55·2	56·0	43·7	56·5	60·1	59·0	7
63·5	61·5	60·8	63·3	58·0	55·4	57·5	54·5	61·0	56·2	52·5	42·7	57·0	61·3	63·0	8
63·9	65·0	59·5	61·1	67·0	55·6	60·0	54·5	67·0	55·0	54·5	41·0	58·3	63·8	60·0	9
67·7	68·8	60·0	69·2	63·0	56·1	54·8	59·3	69·0	58·1	56·3	45·0	60·7	65·9	62·8	10
67·4	70·7	48·0	69·1	71·5	59·4	59·3	61·3	68·5	59·8	59·0	49·0	62·5	65·6	64·5	11
56·7	53·5	54·3	54·1	56·5	54·7	56·0	58·0	50·5	53·1	50·0	45·3	48·5	59·5	53·5	12
63·1	60·4	61·5	56·6	55·0	52·3	55·7	52·7	59 5	52·9	50·7	45·7	55·5	63·0	55·2	13
65·4	63·4	61·3	60·0	55·0	55·0	56·5	56·7	60·5	55·7	53·3	48·0	57·8	60·4	55·5	14
63·8	64·7	64·2	58·8	58·5	55·6	58·8	61·3	61·5	61·7	54·0	42·3	54·0	59·4	58 5	15
62·2	63·1	62·3	63·1	64·5	58·2	59·3	58·8	62·5	60·3	56·7	48·0	58·0	66·5	60·5	16
67·0	69·6	59·2	71·8	71·5	60·7	64·2	58·7	67·5	58·2	56·8	48·7	64·0	68·0	64·5	17
65·7	70·2	60·0	73·2	75·0	62·5	67·3	62·3	71·0	59·2	64·2	50·7	64·2	70 4	69·5	18
69·5	68·5	58·3	65·1	67·0	58·3	61·0	59·2	67·0	55·3	59·0	46·7	62·3	64·9	65·0	19
64·8	65·7	63·2	63·4	65·0	59·0	63·5	60·0	67·5	58·1	56·5	45·3	63·7	66·3	66·8	20
64·7	69·3	62·0	70·6	67·5	61·3	62 7	60·5	68·5	59·6	54·5	45·3	61·0	65·1	64·0	21
65·1	67·3	63·0	68 2	72·0	64·1	67·8	62·7	72·0	62·4	61·0	47·0	68·0	69·9	68·5	22
66·4	67·5	59·7	69·0	69·0	62·5	66·7	62·0	67 0	58·5	58·7	51·7	64·0	64·2	66·5	23
66·0	67·6	58·5	68·3	64·5	60·0	62·5	62·0	61·5	58·5	49·0	43·3	57 0	58·5	63·5	24
66·5	68·4	54·5	68·0	65·0	57·3	59·8	58·8	60·5	60·0	49·3	46·3	55·8	60·6	55·5	25
62·5	65·2	55·5	67 1	66·5	55·5	60·3	59·0	63·0	57·9	48·5	45·0	59·5	62 4	56·2	26
65·1	66·5	63·0	64·6	70·5	56·0	61·2	60·3	59·0	58·0	51·2	47·7	60·7	...	56·7	27
68·3	66·7	55·0	66·5	69·5	57·9	59·3	59·0	63·5	59·8	48·0	50·3	58·0	63·9	56·8	28
67·5	69·0	64·5	70·5	66·5	59·0	59·5	60·7	65·0	68·1	50·8	47·7	61·8	65·6	58·7	29
71·3	71·7	66·0	74·5	74·0	56·6	60·0	56·5	64·0	56·0	54·0	47·0	60·0	69·7	60·0	30
71·4	73·8	59·0	73·1	73·5	60 8	62·5	57·8	71·5	58·6	55·2	50·0	59·2	62·1	61·5	31
66·20	67·32	60·92	66·77	66·34	58·36	61·27	58·27	63·13	57·27	54·39	46·32	59·94	64·65	61·51	

TABLE XIV.—*July, 1888. Daily Mean Temperature.*

Day.	Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	55·5	45·0	51·9	59·6	....	56·5	60·3	57·8	65·7	....	53·9	59 0	....	49·8	54·3
2	60·0	43·7	57·0	61 0	65·4	60·8	64·5	63·8	64·7	....	65·6	64·5	62·1	56·2	57·3
3	62 7	46·5	64·1	70·3	68·2	66 2	67·0	68·5	63·8	72·0	69·1	65·0	69·2	62 6	68·8
4	67·0	46·7	67·1	76·3	75·9	70·0	66·3	79·2	71·0	78·0	72·3	68·5	71·6	59·0	58·8
5	63·2	51·3	59·3	71·8	73·2	66·3	63·3	66·9	70·7	70·7	68·5	67·5	72·8	61·9	63·8
6	58·0	44·8	57·0	67·8	69·1	61·5	55·5	67·0	64·8	66·3	66·0	57·8	64·2	65·1	65·6
7	58·5	45·8	57·4	67·0	67·9	60·8	60·5	66·1	61·2	66·3	64·8	65·0	64·1	58·9	60·8
8	55·5	42·5	60·0	61·8	....	59 5	64·3	59·8	61·9	....	60·8	67·0	....	63·1	64·0
9	60·5	47·3	59·5	64 5	68·2	61·0	64·0	64·8	62·7	67·3	64·7	60·8	66·7	63·6	64·3
10	56·7	52·3	59·0	66·8	70·8	59·1	64·0	64·8	70·3	69·7	64·6	56 5	65·7	60·7	61·9
11	63·0	49·5	62·7	62·3	66·6	65·7	53·5	66·6	62·5	61·7	62·5	55·8	64·7	53·7	56·2
12	52·7	50·0	49·3	55 6	53·8	50 3	54·0	52·5	58·2	60·7	55·0	54·5	55·7	54·2	52·2
13	51·7	51·5	50·2	61·2	65·5	63·3	57·0	63·4	63·0	62·7	60·8	60·0	61·7	60·5	60·3
14	53·2	51·3	53·6	61·0	63·3	60·0	57·0	61·3	62·1	....	61·5	61·5	65·0	63·2	69 8
15	54·7	47·8	51·9	61·6	....	60·2	58 0	62·6	62·0	....	62·0	58·8	....	60·0	60·3
16	56·3	49·2	56·1	61·4	65·3	61·6	60·5	61·5	64·9	64·3	56·4	59·5	63·7	59·8	59·2
17	66·7	54·0	60·5	67·5	69·0	65·5	59·8	64·7	67·9	68·3	63·3	61·5	64·1	61·8	60·8
18	71·0	48·3	65·7	66·8	68·3	66·0	66·5	67·8	63·5	73·3	68 8	61·5	64·5	54·9	53·7
19	66·8	49.2	60·3	68·1	66·9	63·9	56·5	63·7	65·5	63·3	62·8	61·0	61·1	56·2	54·7
20	67·0	51·8	64·7	66·5	68·4	64·1	64·3	67·9	64·4	68·0	66·0	63·0	64·3	54·5	56·4
21	64·5	56·5	59·2	65·1.	71·0	64·8	63·2	64·5	66·8	68·0	68·1	61·5	68·5	57·9	58·3
22	67·0	55·5	67·4	71·2	....	70·8	60·2	70·2	67·5	....	70·7	65·2	....	57·7	56·4
23	63·7	54·0	65·2	67·2	72·0	68·7	61·3	69·3	65·1	72·7	66·9	65 3	71·0	63·6	68·8
24	62·0	50·0	53·7	63·3	67·4	62·3	63·7	62·1	58·2	72·3	68·3	67·5	70·7	62·7	64·7
25	59·0	50·0	51·8	62·5	66·1	60·3	62·3	59·8	59·8	68 7	64·5	63·5	65·7	64·3	62·8
26	56·3	48·5	53·2	62·0	66·7	62·1	60·7	59·4	65·4	68·3	62·4	60·0	64·0	64·0	65 3
27	55·7	47 0	53 2	62·3	67 5	63·8	63·5	60·7	62 0	....	65·0	54·7	63·4	60·1	59·3
28	55·3	50 0	50·5	62·6	66·7	59·7	63·3	59·5	63·2	64·3	57·0	57·5	60·9	53·7	58·8
29	55·3	56·5	49·3	62·8	....	81·5	63 2	62 0	62·1	....	58·0	56·0	....	54·5	58·9
30	58·0	51·3	53 2	69·3	70·2	65·7	61·7	62 2	67·1	73·7	58·9	64·0	64·8	63·1	63·7
31	61·3	49·7	61·6	70·6	70·8	64·6	59·5	67·5	59·5	70·7	67·0	61·8	68·6	65·2	63·6
	59·93	49 60	57·60	65·09	67·93	62·79	61·27	65·16	64·13	68·30	63·78	62·48	65·34	59·56	60·15

TABLE XIV.—*July, 1888. Daily Mean Temperature.*

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Charlottetown.	Kilmahumaig.	St. Johns.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
52·8	....	....	52·0	50·3	51·4	51·1	53·7	52·7	54·5	....	52·5	57·6	43·0	49·0	1
57·9	60·3	56·7	56·5	57·6	56·8	51·3	58·9	54·9	54·2	....	58·8	52·2	47·0	52·5	2
58·7	68·4	53·5	59·1	61·4	60·8	53·0	58·3	57·6	53·7	66·7	63·9	61·8	42·5	52 0	3
57·0	69·5	52·5	62·9	68·4	60·9	51·5	62·5	56·2	52·0	67·3	66·7	66·5	47·0	54·0	4
53·5	76·2	54·0	60·0	68 9	62·5	57·8	67·0	54·5	54 1	67·3	65·9	69·9	58 0	56·3	5
63·8	64·8	56·5	63·4	63·7	58·6	55·5	62·5	56·7	54·3	66·3	63·6	65·7	59·0	59·5	6
59·4	61·5	52·3	59·3	63·6	59·2	55·9	61·3	55·9	53·0	60·0	62·0	62·4	60·0	50·5	7
64·3	....	....	61·5	62·4	55·8	54·5	62·8	54·5	53 7	....	61·3	61·8	55·5	50·5	8
61·7	67·8	54·5	65·6	63·7	60·9	56·7	59 3	57·4	53·5	67·0	62·7	57·4	56·5	50·5	9
63·1	62·5	55·7	64·2	63·0	62·3	57·0	60·4	59·9	59·5	66·7	64·0	64·6	59·0	55·5	10
58·8	65·8	54·0	61·1	67·5	63·1	55·8	60·6	58·6	57·3	65·0	68·8	61·7	64·3	55·3	11
53·2	54·5	49·5	58·4	63·1	55·2	66·7	60·7	55·2	55·4	58·3	57·7	65·7	56·5	63·3	12
58·0	57·0	53·0	60·8	60 5	60·0	56·4	58·2	56·0	53 7	62·3	57·1	53·4	62·5	59·0	13
61 8	62·0	55·2	63·9	64·5	60·0	57·3	64·9	58·5	55·3	66·7	62·6	61·5	63·0	54 0	14
63·8	....	....	63·0	61·5	58·7	56·3	61·5	59 4	54·5	....	63·0	56·7	59·5	52·3	15
63·6	59·7	59·5	59·2	60·0	57·5	52·2	58·9	57·6	55·5	66·7	60·4	60·5	53·5	55·0	16
61·8	62·4	59·8	61·4	58·6	59·6	53·3	58·9	59 4	57·0	65·0	61·8	55·3	53·0	56·3	17
56·2	64·0	52·0	56·7	64·5	60·8	56·8	58·7	56·5	55·0	64·3	64·7	62·4	64·0	56·8	18
58·3	58·8	52·7	60·1	63·3	57·6	57·5	63·7	59·2	56·5	61·3	62·1	65·7	62·5	56·0	19
56 6	65·5	53·2	62·3	68·1	63·9	60 2	68·2	61·6	57·5	66 0	70·2	64·1	54·0	57·8	20
54·9	67·7	53·7	64·0	69 2	64·8	61·3	68·5	58·6	58·2	68·0	66·9	68·3	63·5	58·2	21
57·5	....	....	66·8	71·4	69·8	64·0	69·3	62 7	57·3	....	67·5	66·2	64·0	57·2	22
66·6	66·4	58·8	66·1	69·5	64·3	63·0	67·9	57·5	56·7	67·3	65·6	70·7	62·5	59·5	23
61·7	74·8	54·2	68·7	68·5	68·1	62·0	68·7	57·5	57·3	67·7	68·6	65·1	53·5	57·3	24
63·1	63·5	55·8	67·1	67·2	65·1	60 5	....	56·8	60·7	69·7	65·0	66·0	52·3	53·5	25
63·3	61·5	55·5	64 7	62·6	60·4	61·4	....	57·3	58·0	67·0	60·6	62 5	56·5	52·3	26
58·0	62·0	55·0	61·5	61·1	60·4	60·0	61·3	58·1	60·5	66·7	62·0	55·6	51·5	53·3	27
60·5	63·3	57·0	57·4	60·6	57·4	57·3	....	56·9	57·7	59·3	61·8	60·6	46·0	54·2	28
60·3	....	....	52·2	55·5	52·4	55·5	54·3	55·1	53 8	....	57·7	59·7	52·0	56·3	29
66·1	61·4	58·5	59·3	54·9	55·3	56·4	55·9	56 1	55·9	62·0	56·5	59·7	54·5	54·5	30
60·1	63·0	56·0	65·6	66·6	62·6	57·8	66·2	58·0	56·9	65·3	65·1	62·9	56·5	56·0	31
59·80	63·97	54·97	61·44	63·28	60·20	56·96	61·89	57·35	55 91	64·41	62·81	62·08	55·91	55·11	

TABLE XV.—*August, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	60·5	58·1	66·0	55·6	68·6	65·2	62·7	72·5	75·2	63·5	67·0	71·0	63·2	61·1	70·5	....
2	61·5	56·7	65·5	49·3	64·7	62·5	68·0	52·0	63·3	62·3	65·4	69·2	65·6	54·7	63·0	67·5
3	61·0	58·4	62·5	52·7	53·1	52·1	53·8	48·8	54·5	53·0	53·0	69·3	57·4	46·9	51·5	50·7
4	62·0	60·9	57·5	54·6	55·7	52·1	49·5	53·2	53·0	51·5	54·0	68·5	52·5	50·4	51·0	50·3
5	61·0	60·5	61·0	52·9	52·5	55·9	55·0	61·5	60·5	56·5	57·9	....	57·6	45·6	53·5	53·9
	61·5	59·2	64·5	49·1	56·1	51·9	51·0	60·0	56·2	58·8	51·1	53·2	52·4	54·2	53·0	47·5
	63·0	58·2	64·5	52·9	53·7	45·7	51·0	48·2	51·3	43·7	47·1	57·0	43·8	48·7	49·5	49·0
8	60·0	56·1	64·0	53·7	53·2	48·9	72·5	50·2	60·0	50·2	50·0	39·5	48·5	49·5	51·0	....
9	59·0	57·9	68·5	59·4	55·0	52·3	64·0	55·5	58·2	49·5	54·5	41·8	49·3	51·1	51·5	....
10	64·0	59·5	64·0	64·8	57·2	55·5	69·5	50·5	62·8	52·3	55·7	44·0	55·5	53·7	59·0	....
	62·0	56·8	65·5	53·5	67·3	56·8	79·2	70·0	72·2	50·7	61·8	49·5	60·8	59·7	65·0	56·9
12	59·0	57·1	63·0	51·8	67·1	65·2	69·8	60·8	74·8	51·0	67·6	....	63·8	60·0	66·0	64·0
13	63·0	56·1	62·0	59·3	61·2	58·2	57·5	52·2	62·5	49·5	60·1	59·5	60·4	51·8	60·5	....
14	59·5	53·4	64·5	58·5	59·1	54·8	56·5	60·0	55·0	52·3	56·7	61·8	60·0	55·7	55·5	53·0
15	62·0	54·4	65·5	54·3	61·9	56·7	58·0	65·0	64·7	51·2	58·7	48·5	57·7	60·2	59·5	60·5
16	63·0	54·0	63·5	49·2	60·5	46·0	49·3	67·8	56·5	43·3	47·0	50·2	46·7	61·8	52·0	44·5
17	60·5	57·2	72·0	56·9	63·7	53·8	56·7	72·0	70·5	49·5	55·2	50·8	48·6	65·8	62·0	51·3
18	63·0	58·4	70·0	60·6	68·7	63·1	49·2	80·5	73·7	68·0	64·7	55·0	59·1	67·6	66·5	62·5
19	57·5	58·1	64·5	63·2	71·0	69·8	63·8	75·8	73·3	65·5	71·5	....	68·7	67·7	68·5	68·1
20	60·5	59·7	65·0	61·6	68·8	66·1	75·0	76·2	78·2	64·5	67·8	62·0	64·3	65·9	67·0	63·6
21	59·5	55·2	67·5	65·3	78·2	66·3	78·0	68·8	82·3	69·3	70·1	63·8	67·5	69·8	74·0	68·9
22	61·0	54·6	67·5	60·2	78·2	74·2	79·0	77·5	80·7	70·5	75·4	66·0	69·6	68·0	76·5	68·9
23	60·5	54·1	67·0	55·4	75·1	72·2	77·2	73·0	82·0	69·7	72·0	65·8	68·7	69·5	72·0	....
24	60·5	52·5	73·0	54·2	69·8	72·4	72·5	63·7	72·3	74·3	72·7	66·2	75·3	57·7	70·1	71·3
25	60·0	57·6	65·0	57·1	64·6	61·2	67·3	67·5	67·2	70·0	62·8	66·0	65·4	61·0	59·0	....
26	62·5	57·2	71·0	56·9	70·1	59·6	65·0	68·8	77·0	61·5	60·2	....	55·0	62·0	67·5	62·5
27	59·0	60·9	62·0	55·8	64·9	66·2	70·0	67·8	62·8	63·0	59·6	67·0	59·3	59·4	63·5	60·5
28	59·5	56·8	65·0	59·3	69·0	59·8	69·5	68·8	71·2	67·8	60·1	65·0	56·7	64·5	67·5	59·8
29	61·0	53·5	65·5	53·1	65·1	65·8	68·8	61·8	66·0	58·8	63·3	64·8	64·4	59·2	63·5	62·8
30	64·5	55·9	65·0	57·7	66·4	53·3	67·5	64·0	66·0	53·2	55·3	64·8	49·2	59·7	54·5	51·6
31	62·5	59·5	69·0	57·3	62·4	56·0	70·0	71·2	70·8	49·7	57·2	64·5	51·6	60·0	65·0	54·0
	60·93	57·05	65·52	56·34	63·96	59·35	65·05	64·11	66·77	57·25	60·52	59·43	58·52	58·80	61·58	58·48

TABLE XV.—*August, 1888. Daily Mean Temperature*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
71·0	62 8	63·5	67·5	61·0	69·4	67·0	69·5	73·2	68·0	72·0	....	64·3	73·8	60·8	68·2	1
62·5	62·2	64·2	60·7	59·5	62·1	62·0	36·5	70·3	61·2	70·3	....	66·3	69·7	67·0	66·8	2
56·0	51·6	51·4	56·5	52·0	56·2	53·0	55·3	59·5	53·8	63·0	65·8	72·5	66·5	67·3	65·7	3
56·0	51·8	52·6	59·8	55·0	59·9	52·5	55·5	61·2	57·0	62·2	61·7	70·0	64·8	64·7	57·5	4
61·5	53·4	52·9	58·7	52·0	....	54·0	58·0	62 8	58·5	60·3	64·8	66·8	67·2	68·3	61·5	5
59·0	49·7	49·1	57·0	52·5	57·8	53·7	56·3	57·5	56·0	63·7	69·7	70·3	67·0	70 6	74·0	6
53·0	45·5	48·5	50·3	47·8	52·6	49·0	50·3	58·3	48·5	53·7	67·0	68·6	76·0	72·8	69·3	7
50·0	47·9	48·3	48·7	49·2	49·9	45·3	53·8	52·5	46·7	53·5	65·8	66·0	52·3	68·6	74·0	8
54·5	51·6	50·8	53·5	53·3	54·2	49·5	52·5	60 8	45·6	61·8	....	58·4	50·0	59·1	70·5	9
58·0	48·2	53·8	60·0	53·7	58·0	61·2	56·1	62·3	50·8	61·0	54·5	58·7	63·5	55·7	72·0	10
....	54·4	52·6	58·5	54·8	58·9	62·3	59 3	67·0	51·7	64·5	....	56·7	62·0	56·2	75·2	11
....	57·9	61·7	60·5	66·2	....	66·5	63·3	69·2	61·3	67·5	....	58·7	68·5	55·6	69·8	12
....	57·6	53·8	61·2	62·0	61 1	62·7	67·8	65·5	59·5	60 3	58 5	59·3	63·2	59·7	73·0	13
60·5	53·2	53·7	55·8	57·8	57·2	59·0	56·3	67·0	56·2	64·2	....	63·3	60·8	58·5	78·5	14
63·5	57 9	60·0	64·5	60·0	62·2	60·5	62·3	57·5	61·0	61·0	61·0	67·6	59·5	64·3	80 2	15
53·0	47·3	42·8	48·8	46·0	51 4	46·3	54 3	51·5	46·5	60·5	64·8	75·2	63·0	68·1	79·8	16
53·0	51·2	47·9	51·2	49 5	52·4	48·0	49·8	51·3	43·7	51·0	56 7	62·7	58·5	57·5	63·5	17
61·0	57·6	62·1	60·3	63·5	60·2	62·5	58·5	60·8	53 4	64·3	54·6	56·9	65·7	53·3	67·2	18
72·0	69·7	68·8	70·7	67·5	....	70·0	72·7	77·8	67 0	64·5	60·0	64 6	63·2	60·4	61 8	19
68·0	66·3	....	66·8	62·0	68·6	66·2	70·8	76·0	65·0	70·5	....	62·5	68·8	55·6	54·2	20
68·0	62·0	67·8	68·5	65·5	66·5	67·3	68·2	73·0	59·1	66 5	....	63·3	56·2	55·9	60·8	21
74·0	65·5	70·6	71·2	70·3	72·6	71·5	74·5	74·7	73·5	67·8	...	50·0	71·3	51·9	76·0	22
80·0	65·2	69·9	73 8	71·3	75·6	68·8	81·5	81·2	74·5	71·0	....	58·3	75·0	48·7	65 2	23
73·0	66·1	70·5	72·7	70·7	71·3	71·2	73·8	54·0	65·6	65·8	....	63·5	85·7	58·5	66·5	24
67·0	64·8	58·6	67·3	66·0	65·6	62·8	67·5	64·0	60·0	65·0	67·0	66 8	81·5	68·0	57·0	25
60·5	50·6	56·5	58·2	61·8	....	63·5	61·0	64·5	54·0	62·0	....	67·6	58·3	64·0	54·3	26
68·5	62·1	62·6	69·5	68·5	66·6	68·0	70·5	68·5	67·5	65·0	....	53·9	61·5	53·8	55·7	27
63·0	50·8	56·1	58·8	63·5	59·8	57·3	62·3	63·5	54·5	57·0	....	57 7	69·5	58 0	57·8	28
64·5	55·4	60·6	69·5	66·0	63·9	63·5	67·8	67·0	64·7	63·5	....	64·8	68·2	57·9	62·2	29
50·5	47·7	50·9	55·2	55·5	55·0	52·0	58·7	60·3	55·4	48·8	....	64·3	55·0	58·4	58·5	30
50·0	44·8	53·5	50·5	49·3	51·1	52·8	51·0	58·0	51·0	57·5	....	63·3	52·0	52·9	59·8	31
61·84	55·89	55·44	60 85	59·31	60·74	59·48	61·78	64·21	57·81	62 65	62·28	63·39	65·28	60·22	65·77	

TABLE XV.—*August, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Birnam.	Coldwater.	Conestogo.	Chatham.	Cartier.	Charlinch.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	62·8	68·7	63·0	61·9	....	65·0	65·0	60·6	65·3	70·6	60·6	64·5	66·7	64·2	63·5
2	61·3	71·3	62·0	64·8	....	67·7	66·0	60·9	68·3	70·1	65·3	71·0	69·3	66·3	64·0
3	67·2	74·0	75·7	64·3	....	78·0	65·8	67·1	75·7	72·6	73·0	76·0	76·3	74·0	63·4
4	66·7	75·5	77·7	66·3	....	72·0	59·2	63·2	70·7	76·1	69·0	73·7	....	80·0	76·0
5	68·0	70·0	70·4	69·3	....	71·4	64·0	63·8	70·7	73·1	68·3	70·8	....	72·2	69·2
6	71·4	73·3	71·1	71·5	....	70·8	69·0	68·5	75·0	80·7	70·6	68·7	72·6	70·9	71·0
7	67·9	74·5	72·2	68·0	....	69·7	63·5	66·9	71·7	71·6	70·0	73·3	72·1	73·0	72·0
8	68·0	74·3	72·6	72·2	....	69·5	58·8	67·3	73·3	69·1	69·0	70·2	75·6	73·2	74·1
9	56·5	71·5	60·3	64·4	....	64·5	52·7	54·7	57·3	68·7	54·3	61·0	60·5	61·0	57·9
10	54·8	61·3	58·7	57·3	....	62·0	55·8	53·3	58·7	66·8	55·0	61·8	60·3	57·9	57·4
11	56·3	59·8	64·3	61·5	....	65·8	55·0	52·6	56·0	64·9	59·3	61·7	61·3	63·7	58·3
12	57·5	61·5	60·4	57·2	....	56·5	59·3	56·4	61·0	66·6	59·3	57·8	....	59·3	60·6
13	60·0	63·5	59·8	60·9	...	66·0	62·5	57·6	60·3	54·6	56·6	59·5	61·3	61·7	59·5
14	62·6	64·8	61·7	59·9	....	68·8	60·5	60·2	68·0	65·2	63·3	62·7	64·9	62·0	58·9
15	63·5	67·5	70·0	67·7	....	70·0	64·0	63·1	66·7	68·8	66·6	70·3	70·8	71·7	68·4
16	68·3	76·7	76·1	72·4	....	79·2	62·5	66·7	72·7	76·7	76·0	76·5	76·3	76·4	76·5
17	60·7	72·5	68·9	64·7	....	70·5	55·0	58·6	64·3	71·0	64·5	67·0	70·0	64·3	64·8
18	55·0	64·5	54·9	56·4	....	66·5	56·0	54·1	60·7	68·7	....	62·2	63·7	64·5	60·5
19	60·2	67·7	62·8	60·2	....	66·4	60·3	56·7	66·7	66·3	....	64·0	....	66·2	61·0
20	59·5	61·5	66·7	58·2	....	63·7	56·5	55·9	65·7	66·0	61·6	64·0	62·9	63·2	61·7
21	58·5	63·7	65·6	62·4	61·4	61·8	50·2	56·8	66·7	65·7	63·6	68·0	65·2	65·6	63·7
22	50·5	58·0	56·5	55·4	54·8	56·4	49·0	47·7	54·7	63·3	51·6	54·7	56·3	....	57·9
23	56·9	56·7	56·0	55·7	59·9	56·2	59·8	56·8	61·3	66·6	57·6	60·5	66·0	56·0	58·9
24	65·2	66·3	70·5	69·2	69·6	66·5	63·2	64·5	71·3	67·3	67·6	67·8	71·4	69·6	69·2
25	71·3	70·2	68·9	72·0	72·3	69·7	69·0	68·2	72·3	70·6	70·3	70·5	72·0	70·7	70·0
26	67·5	75·7	74·6	73·8	71·1	78·3	56·5	64·7	....	70·5	71·0	70·5	....	74·5	71·0
27	52·5	60·8	59·8	57·5	55·8	58·8	48·8	47·8	56·0	64·3	52·0	56·0	57·7	62·5	56·9
28	55·8	64·2	53·8	52·3	60·3	63·5	56·5	53·2	59·7	66·4	51·3	59·0	60·0	57·5	60·8
29	58·7	69·5	66·8	60·7	67·0	66·0	57·0	57·5	64·3	66·1	61·0	65·2	65·3	66·7	62·5
30	59·9	69·5	67·2	60·3	65·5	70·4	59·7	56·9	65·0	70·7	58·0	66·8	68·0	68·0	65·0
31	58·0	67·0	66·6	63·3	61·4	63·3	46·8	53·5	59·7	69·7	60·0	60·5	63·3	64·1	61·8
	61·37	67·61	65·98	63·27	....	66·94	58·96	59·23	65·32	68·68	62·20	65·68	66·54	66·52	64·37

TABLE XV.—*August, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bruce.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
64·9	64·7	59·7	66·3	66·4	68·7	62·7	66·1	60·7	60·9	....	59·7	67·3	67·0	71·3	75·0	1
63·0	64·2	61·8	65·9	67·4	69·3	71·0	67·1	66·3	60·8	....	69·7	65·0	66·3	75·6	65·7	2
70·4	70·0	66·7	71·4	65·8	71·0	77·3	76·0	75·9	60·1	....	71·7	63·2	77·5	73·6	74·8	3
69·1	79 1	68·0	74·4	72·2	70·0	67·3	75·8	69·6	72·8	....	66·0	59·3	76·2	74·6	84·5	4
68·9	73·0	65·3	72·3	68·9	68·2	69·3	73·0	70·2	69·3		69·0	58·2	71·5	72·8	....	5
75·5	72·9	74·0	72·2	74·3	70·0	73·0	74·1	73·7	67·9	....	74·3	58·0	70·3	74·0	76·7	6
69·1	73·7	67·5	73·9	73·0	68·8	73·0	73·7	71·4	72·9	....	67·0	52·5	73·3	74·0	75·8	7
72.3	72·2	65·5	75 0	72·9	65·7	68·7	73·7	73·4	71 7	....	67·7	48·5	75·5	75·3	77·3	8
62·9	60·6	55·7	65·5	58·6	59·8	59·3	64·4	62·3	55·9	....	59·3	49·3	65·5	67·8	69·0	9
58·8	63·4	52·5	62·2	61·3	61·2	62·3	63·6	57·6	52·9	....	57·7	54·2	63·0	63·6	68·5	10
57·3	66·0	53·3	61·6	59·5	63·3	54·7	66·4	61·4	51·4	....	58·7	57·0	64·3	62·1	69·5	11
62·1	61·4	57·0	62·9	64·0	63·5	58·0	59·7	61·8	56·7	....	62·0	55·8	61·5	66·0	....	12
65·0	58·6	57·2	55·8	61·5	71 2	57·0	63·0	58·6	62·9	....	61·7	58·2	63·5	57·1	62·0	13
67·3	61·1	64·5	60·9	63·7	66·0	64·3	67·2	63·0	55·7	....	67 7	55·8	66·5	65·6	68·5	14
66 2	71·0	64·9	66·9	67·4	66·8	69·0	71·1	67·6	62·9	....	66·7	54·0	71·0	66·6	75·0	15
70·6	76·2	71·0	69·6	72·9	66 5	72·7	79·4	75·8	73·2	....	71 3	50·5	76·3	68·4	80·0	16
64·4	68·5	61·0	66·8	64·4	62·2	64·7	67·2	61·7	65·4	....	60·7	55·2	72·0	66·9	71·5	17
59·4	72·9	55·0	62·1	57·9	63·3	58·0	66·5	59·8	55·5	....	58·7	52·5	64·8	64·7	69·4	18
65·5	64·1	63·3	66·3	63·0	67·2	61·7	71·0	65·5	56·7	62·5	65·0	55·5	68·0	65·9	....	19
64·9	63·2	62·5	59·8	59 7	62·5	61·3	67·7	53·7	54·5	57·9	61·3	52·7	64·0	60·2	73·3	20
61·3	66·3	61·6	66·6	63·6	59·9	62·0	66·2	65·5	62·9	58·1	60·3	49·0	68·8	61·6	71·7	21
55·3	55·2	52·5	56·2	54·9	56·3	54·0	55·5	54·3	51·1	57·5	51·0	60·5	57·2	55·6	59·3	22
61·5	54·8	61·0	58.4	58·8	62·9	60·3	62·5	55·0	47·9	55·3	60·3	64·2	60·7	56·7	69·0	23
65·1	67·0	66·0	67·6	66·9	74·5	69·3	71·8	69·1	65·6	53·5	68·0	62·3	67·7	67·2	71·0	24
72·6	62·0	73·0	65·7	69·7	74·5	68·0	72·4	71·9	68·7	65·2	71·3	53·5	68·5	71·0	72·5	25
69·3	71·3	67·5	68·0	71·0	63·0	68·7	79·0	73·3	66·4	65·5	65·0	52·3	73·5	75·1	....	26
55·2	60·8	53·8	58·0	56·2	57·5	54·3	60·4	58·2	52·7	59·2	52·7	52·3	56·5	58·8	64·0	27
60·6	56·3	55·0	59·2	59·1	57·0	54·7	60·0	56·1	52·8	56·0	54·0	53·3	58·3	60·9	61·3	28
60·3	63·0	59·6	62·7	62·9	63·0	64·7	68·4	67·1	63·0	60·2	60·7	54·7	63·5	63·4	66·2	29
61·2	67·4	57·3	62·9	63·6	64·5	64·3	71·1	62 4	60·4	65·5	57·3	54·0	70·0	65·1	72·5	30
63·2	67·3	60·3	67·2	62·4	58·1	59·7	65·7	63·0	64·3	59·2	58·3	42·3	62·8	60·7	66·0	31
64·70	68·30	61·83	65·37	64 64	65·04	62·77	68·38	64·89	61·15	....	63·14	53·63	67 51	66·52	70·76	

TABLE XV.—*August, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stony Creek.	Saugeen.	Sharon.	Savanne.	Spruceedale.	Sombra.
	°	°	°	°		°	°	°	°	°	°	°	°	°	°	°
1	68·5	65·0	61·0	63·5	63·6	....	62·8	66·0	62·5	67·9	66·3	61·5	65·7	69·0	62·0	71 8
2	61·0	66·5	65·5	64·6	66·6	....	66·6	62·0	71·9	68·9	72·0	64·7	67·5	63·5	62·0	62·2
3	64 5	69·5	71·3	73·5	71·1	....	65·0	78·0	69·8	74·8	81·3	69·3	69·7	68·0	62·5	77·9
4	69·5	67·5	65·6	73·9	75·6	....	68·7	78·0	78·1	69·9	80·7	63·7	71·7	63·0	68·5	78·5
5	58·0	63·0	64·0	70·0	71·1	....	67·1	74·5	73·0	77·5	68·0	65·7	67·1	64·5	60·5	71·2
6	63·0	73·4	69·5	70·6	71·1	....	71·0	69·0	72·8	74·3	71·3	70·7	71·2	63·7	64·5	70·6
7	61·0	68·0	71·0	70·7	71·1	....	72·5	72·0	79·0	75·1	72·3	66·0	72·1	62 5	73·5	73·1
8	56·2	69·0	66·3	72·8	72·6	....	64·0	72·0	75·8	73 3	78·5	67·3	73·2	61·3	69·0	73·4
9	53·5	64·0	61·0	61·8	63·1	....	59·5	59·5	66·5	61·5	63 2	58·7	58·4	56·7	64·5	59·3
10	53·8	59·0	58·9	61·8	62·1	....	57·0	58·5	62·1	64·1	63·0	58·7	60·1	56·0	54·5	60·4
11	53·0	58·8	61·5	66·5	64·6	....	54·8	64·5	58·0	63·1	68·0	58·8	59·5	53·5	53·0	65·7
12	55·5	59·2	61·3	58·8	61·1	....	61·5	61·5	59·9	60·3	63·5	60·4	61·5	53·5	57·5	60·3
13	56·0	62·5	58·2	59·2	59·6	....	59·0	59·5	58·3	61·9	65·5	60·4	59·0	60·5	54·5	62·6
14	60·5	66·0	67·5	66·1	67·6	...	61·5	61 5	60·6	63·1	68·2	65·6	66·9	61·8	53·5	59·0
15	54·0	65·0	68·0	69·4	72·4	....	65·6	69·5	65·0	71·2	74·2	64·8	68·4	60·5	65·5	68·7
16	56·0	66·5	69·0	73·4	76·6	....	62·5	77·0	70·9	78·1	83·0	66·7	75 9	57·7	66·5	77·8
17	51·5	61·5	57·3	67·5	69·1	....	59·7	71·0	69·2	69·8	75·0	59·9	63·7	50·3	70·0	75·2
18	58·0	59·0	63·7	65·6	66·1	....	63·0	63·5	59·4	64·3	68·3	55·6	60·6	51·5	55·0	64·7
19	56·0	64·0	64·5	64·4	66·1	....	57·0	62·5	63·1	66·4	72·3	63·4	66·0	55·5	55·5	62·7
20	55·2	60·0	64·8	63·1	61·6	....	54·8	63·5	57·8	64·3	64·5	58·1	61·4	54·5	54·0	69·2
21	54·5	61·0	60·5	64·1	66·1	....	56·5	67·0	65·1	67·4	63·3	61·7	68·9	54·7	54·0	68·3
22	52·8	53·9	55·0	51·8	58·1	....	53·5	54·0	62·1	55·3	59·7	51·6	53·7	62·0	50·5	58·0
23	74 5	61·0	61·7	56·6	56·1	...	51·0	54·5	58·7	61·6	61·0	59·7	61·3	65·3	51·3	55·8
24	65·5	65·0	65·3	65·0	68·1	....	65·1	66·5	65·7	68·4	72·5	66·7	71·9	61·5	58 5	66·6
25	58·2	70·0	67·1	65·9	70·0	....	63·8	68·0	70·2	69·6	77·0	70·2	73·6	57·7	64·5	68·3
26	60·5	67·5	65·7	68·0	72·9	....	64·0	74·0	....	73·6	77 8	65·6	73·8	62·3	70·0	74·5
27	48 0	53·5	59·5	57·6	59·6	....	51·0	63·0	.	59·9	67·8	56·2	56·9	53·2	60·5	63·3
28	59·5	54·0	61·3	56·1	58 1	....	55·7	53·3	66·0	61·4	64 7	54·1	56·6	54·3	46·0	57·9
29	54·8	61·6	61·7	63·5	64·6	....	59·0	61·5	63·1	67·1	70·5	59·9	63·5	55·7	60·0	64·0
30	58·5	58·5	64·5	63·4	65·1	....	59·0	68 5	63·9	65·0	71·5	57·6	64·1	....	62·5	68·0
31	45·5	57·5	61·3	66·6	67·6	....	55·5	66·5	63·1	68·4	68·0	58·2	62·5	47·5	66·0	66·5
	57·67	62·93	63·98	65 03	66·42	....	60·93	65·77	65·40	67·33	70·15	61·98	65·37	58·72	60·33	66·93

TABLE XV.—*August, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S. W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
67·2	65·2	60·5	62·1	60·0	57·6	56·7	57·8	63·0	58·6	53·0	48·0	60·3	59·7	58·2	1
68·5	66·9	62·8	65·9	63·0	49·5	53·8	54·5	67·5	56·3	54·2	51·7	56·0	58·6	54·8	2
70·5	73·2	59·5	79·5	76·5	54·0	54·7	55·0	71·0	56·8	56·5	45·3	66·0	62·3	56·2	3
74·7	76·3	57·8	69·5	72·5	50·7	60·0	54·0	....	58·4	52·0	47·3	64·5	53·7	59·0	4
67·8	71·8	57·7	67·8	68·5	56·1	56·3	56·0	65·0	56·4	50·8	44·3	61·0	61·8	56·5	5
71·7	73·3	56·8	68·8	72·5	57·2	59·7	56·0	74·0	61·2	48·7	46·3	64·5	63·3	55·5	6
74·3	73·5	62·0	70·7	72·0	57·3	60·7	56·5	71·5	60·6	51·0	47·0	60·7	58·9	55·5	7
73·6	73·1	60·0	71·4	72·0	56·6	62·0	58·0	75·0	60·4	47·8	50·0	64·8	58·9	56·5	8
62·8	60·5	48·3	58·5	62·0	57·6	60·5	59·0	62·5	59·5	56·2	46·3	63·5	67·8	71·5	9
62·6	61·3	55·2	60·3	58·5	59·2	58·5	62·0	....	60·9	56·3	47·0	56·7	60·0	59·8	10
63·2	63·8	53·8	64·9	63·5	57·1	56·7	57·8	61·5	59·1	56·0	48·3	57·0	60·2	58·2	11
61·7	59·6	54·2	59·4	59·5	53·5	56·3	60·5	59·5	58·3	53·0	47·7	56·3	59·3	55·3	12
63·4	62·7	57·3	58·2	59·0	54·9	58·2	60·7	57·5	61·7	55·5	49·0	52·2	56·7	57·3	13
64·6	65·6	50·8	68·0	61·5	53·2	51·7	51·5	61·0	57·1	49·2	50·7	49·0	60·3	51·2	14
70·0	71·5	55·0	70·9	73·5	51·6	50·0	62·5	65·5	57·7	48·3	42·7	58·8	61·2	54·3	15
74·2	79·2	51·3	75·0	77·0	54·1	54·7	60·7	67·5	60·8	58·2	42·3	64·0	61·4	56·5	16
68·7	70·0	48·3	65·5	69·0	58·4	56·8	60·0	66·0	59·7	57·5	46·0	63·5	60·2	55·0	17
67·2	68·3	42·5	64·5	63·0	56·4	56·7	58·3	58·0	59·9	52·8	46·7	55·7	58·5	54·7	18
62·7	66·4	54·8	68·1	70·5	56·6	55·7	59·8	62·0	61·3	50·2	48·0	56·3	56·6	58·5	19
61·1	65·3	51·0	64·2	63·0	52·5	51·5	56·3	54·5	57·1	47·5	48·7	48·7	51·8	53·3	20
63·5	65·5	51·5	64·8	64·0	47·6	51·5	54·3	57·5	57·0	50·5	44·7	49·5	53·8	52·0	21
56·7	55·1	51·0	52·7	53·5	52·4	50·5	56·5	....	53·7	44·5	43·3	47·8	48·1	50·7	22
60·5	59·7	58·8	61·1	55·0	48·1	46·5	57·0	55·0	54·6	45·5	45·0	49·2	52·2	51·3	23
69·1	69·3	62·8	67·0	70·5	51·1	51·0	59·0	59·5	54·6	47·0	45·7	56·8	53·7	54·2	24
68·5	70·8	57·5	71·6	71·5	53·5	50·3	55·2	66·5	57·9	48·5	54·7	59·0	57·2	54·5	25
68·7	74·0	55·0	75·0	74·5	51·9	51·2	59·3	....	57·8	46·5	46·7	60·0	55·2	55·3	26
59·7	60·2	50·7	55·5	62·5	53·2	50·0	58·7	....	57·3	42·5	46·3	51·5	52·9	49·5	27
58·9	58·5	50·0	60·5	54·0	53·0	49·8	58·8	52·3	61·7	44·7	45·7	49·0	53·8	45·2	28
64·4	66·9	55·5	65·1	67·0	53·0	50·3	54·5	56·5	55·8	47·0	45·0	54·3	55·9	48·3	29
62·7	69·5	50·0	70·4	66·0	53·1	52·2	54·0	59·0	58·6	54·3	44·0	56·2	58·8	53·5	30
63·4	66·4	39·3	62·3	62·5	56·1	60·8	57·3	....	61·4	52·7	46·0	60·8	61·4	63·0	31
Mean. 66·02	62·93	54·25	65·85	65·64	54·11	54·69	57·47	62·88	57·38	50·62	46·78	57·22	57·88	55·32	

TABLE XV.—*August, 1888. Daily Mean Temperature.*

Day.	Cape Magdalene.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	60·5	51·0	53·9	63·0	68·1	62·4	61·5	66·1	61·8	66·7	61·2	62·5	65·6	61·4	62·6
2	56·3	54·0	54·1	67·8	72·1	64·8	62·0	65·2	60·2	67·7	60·8	64·7	63·0	66·6	64·8
3	55·0	48·5	54·0	68·7	72·5	62·3	62·3	70·0	63·7	65·3	58·4	64·2	63·4	59·4	59·1
4	57·7	50·3	53·7	71·8	70·6	59·3	55·0	66·8	60·7	62·0	56·6	54·3	59·0	57·3	57·8
5	53·0	48·3	50·7	68·5	....	59·9	53·7	64·1	63·3	....	60·4	56·8	....	59·6	62·0
6	58·7	49·0	50·0	71·0	69·7	59·1	49·3	70·3	64·1	60·7	58·9	59·5	61·1	58·9	60·6
7	62·0	51·5	55·0	70·7	69·5	60·0	49·2	69·4	61·3	61·3	58·2	58·0	60·3	55·2	58·1
8	63·5	54·2	50·8	76·5	74·8	61·4	49·3	72·8	64·3	64·0	61·5	55·5	63·3	58·1	59·5
9	76·5	54·0	65·0	66·7	70·6	66·9	48·5	64·4	65·8	67·3	62·2	63·5	67·0	54·3	56·1
10	61·5	57·3	55·5	59·0	64·5	59·7	54·7	58·0	59·7	68·7	66.2	60·5	67·0	65·0	64·4
11	59·0	56·7	54·9	59·3	63·1	58·1	56·8	59·5	60·3	67·0	62·0	62·8	63·9	66·7	62·8
12	53·0	50·8	54·0	60·3	....	60·1	54·3	62·1	56·1	....	60·3	63·5	....	60·3	59·3
13	59·8	52·7	52·5	54·0	55·5	56·6	49·0	57·2	55·7	60·3	61·2	54·7	56·2	55·7	57·7
14	51·7	52·3	48·9	61·2	63·1	55·7	50·7	58·2	61·7	57·3	57·4	58·8	57·5	57·7	57·3
15	54·0	48·5	55·0	67·3	66·0	61·2	51·8	64·1	61·7	61·0	61·4	58·8	62·0	63·6	60·3
16	56·5	49·5	58·9	69·7	67·9	64·0	53·7	65·5	64·3	73·3	66·9	64·7	67·0	68·3	61·9
17	59·5	48·5	49·8	67·1	66·9	67·2	52·3	66·1	61·4	60·0	64·4	60·8	68·4	60·9	59·3
18	58·0	48·3	51·7	60·5	63·4	61·0	51·2	58·1	55·9	70·3	65·6	60·3	70·2	65·7	66·1
19	55·0	49·2	56·7	66·5	....	56·2	48·5	63·2	58·7	....	62·3	59·8	....	62·7	59·5
20	51·3	51·7	48·4	56·8	59·0	53·9	51·3	54·0	53·5	61.0	57·5	54·0	58·2	59·6	59·3
21	49·0	49·8	51·3	60·5	57·2	52·5	53·8	53·8	49·6	60·3	56·7	54·0	52·1	56·0	53·8
22	51·0	50·3	47·5	53·3	53·5	51·2	51·7	50·5	50·1	55·3	52·5	49·0	53·4	52·8	53·3
23	52·5	50·7	47·3	55·4	57·3	54·4	51·8	55·4	53·6	58·7	52·8	52·8	53·9	55·5	53·8
24	52·5	51·0	52·2	67·3	62·3	56·4	51·7	60·0	60·1	57·3	55·9	55·5	64·0	61·1	60·0
25	55·5	52·7	51·5	71·6	64·2	58·7	49·5	64·2	57·8	64·7	63·3	56·8	....	61·7	60·3
26	54·5	51·3	48·6	72·2	....	56·9	49·8	66·9	54·3	....	60·2	60·0	63·6	62·3	58·3
27	46·5	57·2	44·2	57·3	58·3	54·3	48·7	55·0	49·8	60·0	62·2	55·5	54·2	62·3	57·8
28	49·3	48·7	44·7	56·0	58·1	53·3	48·0	55·5	54·4	58·7	55·7	54·5	58·5	56·3	54·2
29	51·5	54·8	49·5	59·0	60·1	55·1	50·0	58·6	58·5	60·3	58·5	56·0	61·3	57·8	57·6
30	53·3	52·0	52·8	60·2	62·7	55·4	47·8	56·3	58·3	67·0	59·5	60·0	64·0	60·0	59·3
31	58·3	55·7	56·9	61·5	61·9	58·6	45·3	62·2	59·3	70·3	64·9	59·8	....	57·7	57·8
	56·24	51·80	52·25	63·89	64·18	58·60	52·03	61·74	58·24	63·21	60·18	58·43	61·19	60·02	59·18

TABLE XV.—*August, 1888. Daily Mean Temperature.*

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Charlottetown.	Kilmahumaig.	St. Johns.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
64·1	60·4	56·7	64·1	64·5	60·6	57·4	63·2	56·0	57·0	63 3	60·3	68·1	57·5	55·0	1
66·2	60·0	61·5	63·4	61·5	59·3	57·3	59 8	59·3	57·7	62·3	59·7	64·9	54 5	56·2	2
63·8	57·8	60·0	61·3	56·5	56·4	57·6	55·3	58·7	56·4	62·7	57·4	58·9	54·5	54·0	3
58·5	55·0	54·5	56·0	57·2	59·2	58·0	52·5	59·4	56·3	63·0	59·1	54·2	53·5	54·0	4
63·3	....	....	63 0	61·8	58·2	56 9	63·3	59·9	59·0	....	61·3	60·4	55·5	53·5	5
61·4	62·8	57·8	61 5	62·0	55·7	55·7	62·1	64·2	57·5	57·0	59 9	59·9	50·0	53 5	6
59·4	60·3	54·5	57·0	59 0	55·3	56·1	58·7	57·5	56·0	57·7	58·4	59·2	50·0	55·5	7
59·3	64·3	59 0	58·8	59·8	56·2	55·3	60·8	58·3	57·2	62·7	59·8	60·4	53·0	59 0	8
55·0	62·8	53·0	60·8	61·0	62·9	58·3	63·9	57·4	59·0	60·7	63·1	62·8	56·0	60·7	9
63·7	62·4	57·5	65·4	66·0	66·0	57·4	65·8	59·4	59·5	63·7	64·8	64·0	60·0	57 3	10
62·6	58·9	55·5	63·8	63·0	63·5	60·5	59·4	61·1	63·3	64·0	64·1	62·0	61·5	57·5	11
62·4	....	....	64·5	63·7	64·7	61·4	65·0	59·3	61·2	....	63·4	62·4	60·5	56·0	12
59·0	56·0	54·3	61·2	63 0	61·6	58·3	64·6	60·8	60·3	63·7	62 3	55·6	56·5	57·5	13
56·8	54·5	54·0	61·0	64·2	59·2	59 9	63·4	55·6	62·0	57·3	60·9	60·8	58·5	53·7	14
57 0	56·0	55·2	63·5	62·5	61·6	59·5	61·6	59·1	59·8	57·3	61·3	60·1	58 5	55·0	15
60·4	65·2	55·7	67·3	65·0	64·7	58·0	65·4	59·4	61·5	62·3	66·1	64·7	53·5	56·5	16
59·0	67·2	55 5	66·2	70·4	61·7	60·0	68·9	61·2	61·5	62·7	68 0	64·8	50·5	57·5	17
61·6	70·3	57·3	69·1	70·4	67·0	61·0	67·2	58·1	62·5	60·7	66·0	67·0	52·0	59·3	18
61·6	....	..	65·9	66·2	63·9	62·3	62·7	57·5	62·1	....	65 1	60·3	63·5	55·8	19
62·8	55·5	58·2	60·7	60 0	57·9	60·7	56·0	55·3	58·5	60·7	56·0	62·6	54·5	54·7	20
56·9	58·5	53·2	57·7	57·4	56·9	58·7	52·8	59·5	57·7	53·3	56·2	55·4	52·5	57·3	21
53·2	54·0	53·7	55·3	55·3	54·7	58·3	55·0	55·0	54·3	59 0	55·4	60·2	51·5	56·2	22
55·8	54·5	53·5	57·4	57·6	58·8	57·1	55·4	53 6	54·4	54·3	55 9	52·1	53·0	55·8	23
56·0	60·0	54·2	58·9	57·2	56 4	56·5	50·4	56·4	56·1	57·3	58·0	53·9	54·0	53·5	24
60·3	61·4	55·5	63·6	64·5	62 7	58·7	62·5	57·2	58·8	62·3	62·1	58·3	55·5	54·8	25
59·1	....	....	64·5	62·2	58·9	62·8	61·4	58·3	58·7	....	58·7	64·2	59·0	57·3	26
57·2	67·0	54·7	60·6	63·8	59·5	61·2	63·2	56·3	59·3	61·7	63·7	61·2	55·2	54·5	27
55·4	53·0	52·8	60·2	65·0	61·7	62·5	60·8	54·9	59·0	55·7	60·3	60·8	62·0	53·0	28
58·7	59·5	53·8	56·4	57·0	57·6	57·0	55·6	54·9	57·7	55·3	57·9	56·7	57·2	58·7	29
57·6	59·2	54·7	60·8	61·2	60 7	59·3	57·2	57·9	56·3	63·7	61·4	58·2	58 0	54 5	30
56·0	67·3	56·3	61·5	64·0	60·8	59·4	60·7	60·8	58·2	65·0	64·9	61·1	59·0	57·8	1
59·49	59·75	55·66	61·66	62·44	60 14	58 80	60·63	58·14	57·72	59 90	61·01	60·54	55·83	55·99	

TABLE XVI.—*September, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	64·5	56·4	69·0	57·6	66·5	60·5	65·0	80·5	73·0	53·2	62·6	62·3	54·4	65·7	65·5	55·5
2	62·5	56·4	7·0	50·7	61·2	61·3	68·7	68·8	68·5	57·3	60·6	.. .	57·3	64·3	62·0	....
3	59 0	57·0	70·5	49 3	62·5	51·8	60·5	62·0	65·0	55·0	52·5	60·0	50·3	57·3	54·5	....
4	59·5	57·5	65·0	58·7	64·3	51·8	60·3	61·8	69·7	49·7	56·6	55·0	50·1	56·0	61·5	....
5	58·6	59·8	60·0	56·3	57 7	55·5	63·5	57 0	67·0	55·5	61·1	55·8	52·9	57.0	57·5	.....
6	60·5	59·7	58·5	57·2	64·6	58·1	72·0	58·8	59·8	55·0	58·7	52·0	57·3	58·9	60·0	54·5
7	57·0	57·4	61·5	54·7	57·9	56·8	70 0	60·8	64 7	54·5	59·6	49 8	58·3	52·3	56·5	55·3
8	57·0	53·8	61·8	53 3	58·5	53·8	64·0	63·5	65·7	53·3	54·0	52·5	56·8	53·8	53·0	51·3
9	60·0	54·3	64·0	49·7	55·3	56·2	62·5	44·2	61·3	52 5	60·2	...	53·3	49·3	54·5	....
10	55·5	53·9	57·5	49·0	51·2	49·3	47·8	50·0	52·5	51·7	50·8	43·5	51·7	45·4	47·0	48·7
11	56·0	55·9	58·0	52·7	48·8	46·4	56 0	58·7	63 5	48·5	45·2	46·0	44·6	50·8	51·0	....
12	57·5	50·9	62·5	54·0	69·2	52·9	50·3	68·3	75·0	49·0	55·0	47·2	49·0	61·4	62·0	58·3
13	58·5	58·8	56·5	51·7	63·1	58·5	57·8	58·5	71·5	46·7	63·0	45·8	59·9	54·0	62·5	57·5
14	57·0	58·7	57·0	50·3	55·2	52·9	49·5	60·8	69·8	47·8	57·2	48·3	52·8	52·4	52·0	48·0
15	56·0	55·3	61·0	61·3	68·7	53·8	55·0	65·0	67·7	49·2	54·6	48·5	49·9	59·8	58·6	52·3
16	57·5	55·4	62·0	64·5	65·0	56·4	63·5	71·2	76·5	52·0	57·2	....	54 6	66 0	61·5	53·0
17	58·5	53·1	59 0	...	70·4	54·6	71 0	74·5	70·3	54·5	56·9	49·7	54·1	60 8	64·0	53 7
18	51·5	53·9	56·0	....	57·0	56 8	56·5	46·7	60·7	54·7	57·5	50·3	55·6	53·3	55·5	59·0
19	51·5	55·4	57·0	....	49·3	50·9	51·3	53 3	66·0	54·8	50·2	48·0	54·6	48·0	52·0	59·7
20	52·0	53·1	54·5	....	64·7	48·9	63·0	54·5	67·3	56·2	51·7	47·5	55·5	51·0	60·0	52·0
21	51·0	51·6	57·0	....	66·5	58·2	65·7	57·5	63·5	59·3	59 6	47·8	62·8	53·5	61·0	58·6
22	62·5	50·9	54·0	52·4	47·3	59·3	57·8	47·0	50·0	57·7	63·0	46·2	58·5	44·5	57·5	59·0
23	54·5	48·3	55·0	48·8	48·2	55·5	63·0	52 5	59·3	49·5	54·8	....	53·5	43·0	49·0	50·5
24	54·5	54·8	56·0	48·5	52·4	48·4	52·3	41·3	52·5	42·0	48·0	45·0	45·6	48·0	47·5	46·0
25	58·5	52·8	54·5	43·9	54·2	48·3	54·5	42·0	55·5	39·5	51·1	39·8	46·1	51·0	54·5	46·4
26	60·0	53·6	59·5	46 8	49·3	39·7	52·0	41·2	49·8	38·8	43·6	36 5	43·9	46·6	43·5	40·3
27	60 5	57·2	60·5	43·2	54·5	36·2	49·8	49·0	54·5	48·0	38·5	41·2	37·6	50·0	46·7	39·7
28	59·0	58·6	61·0	44·2	50·6	44·0	53·3	52·0	50·3	44·5	48·2	41·0	41·1	52·2	46·1	....
29	57·5	54·1	60·5	49·3	52·8	48·1	48·5	53·3	59·5	48·0	50·0	37·3	48·8	51·9	50·0	....
30	54·0	55·0	64·0	42·4	58·9	60·5	62·7	51·7	57·5	50·0	61·5	....	61·2	56·3	58·0	61·9
..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	57·10	55·11	60 22	51 62	58·19	53·51	58·92	56·70	62 93	49·97	54·78	47·87	52·39	53·82	55·49	52·37

TABLE XVI.—*September, 1888. Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
52·5	50·7	50·7	53·0	52·7	54·7	62·3	60·0	61·0	....	50·3	46·7	59·0	55·8	50·7	66·5	1
59·0	51·3	55·5	59·0	68·8	....	62·7	64·0	60·5	....	59·5	49·5	59·2	57·0	53·2	56·3	2
53·5	49·7	47·8	53·2	47·7	54·2	47·0	56·3	63·5	....	49·6	....	61·3	61·5	56·0	64·5	3
53·0	41·8	50·9	49·5	58·3	51·3	51·0	51·3	56·5	....	46·9	....	61·2	50·5	58·6	53·5	4
56·5	51·0	55·6	54·3	60·8	55·0	54·0	55·7	65·0	....	57·5	....	55·2	53·0	44·0	54·5	5
66·5	53·2	56·1	67·0	59·0	66·4	58·7	62·7	64·5	....	60·9	....	49·4	60·0	45·9	54·7	6
63·5	54·2	53·7	64·0	56·5	60·6	59·3	60·3	64·0	....	55·0	....	53·7	63·0	53·5	59·5	7
60·0	52·2	52·1	56·0	49·8	58·4	53·0	60·3	63·5	....	54·5	54·5	60·9	58·2	60·6	58·5	8
58·0	47·2	57·5	54·7	60·8	....	60·8	57·0	64·0	...	57·3	54·5	62·3	56·5	59·5	61·3	9
59·5	52·6	50·3	56·5	50·0	58·5	51·7	56·3	60·5	....	51·5	....	59·9	56·2	57·5	55·7	10
43·0	40·5	39·6	40·5	42·8	44·9	37·0	47·5	52·5	....	44·7	60·0	62·0	52·0	56·6	55·3	11
47·5	37·5	46·4	44·3	52·5	45·4	46·3	44·5	48·0	....	51·5	51·5	57·5	49·0	54·0	56·0	12
....	52·5	57·6	64·0	60·5	61·7	64·5	64·8	64·0	....	57·8	....	48·5	59·5	41·9	54·3	13
....	51·4	51·5	54·0	52·5	55·1	53·7	55·7	53·3	....	55·5	....	55·5	63·3	48·2	48·5	14
57·5	46·7	49·5	53·7	50·5	51·0	45·2	54·3	54·0	....	55·0	....	59·5	56·2	58·2	52·5	15
51·0	41·4	51·8	51·8	52·8	....	50·5	52·0	48·5	....	55·5	55·0	55·2	50·0	56·5	51·3	16
52·0	41·8	47·9	52·5	47·8	50·9	45·8	50·5	49·5	....	56·7	....	55·4	52·5	62·8	54·7	17
55·5	43·0	54·9	52·3	50·5	53·8	51·7	50·3	53·0	....	54·8	....	53·4	49·0	61·2	53·8	18
57·5	45·8	53·0	53·5	54·0	52·6	59·0	57·3	54·7	....	53·7	....	58·7	60·5	56·7	53·7	19
55·5	54·7	49·5	52·7	53·0	53·0	55·5	65·8	56·3	....	54·0	....	53·7	67·2	54·3	53·0	20
61·5	51·7	55·5	58·7	59·2	58·9	58·0	60·0	59·5	....	52·5	....	53·7	65·8	53·5	55·5	21
70·0	53·5	59·7	61·5	63·0	63·6	59·5	66·0	64·7	....	59·5	....	56·4	54·5	52·5	52·0	22
63·9	52·4	50·5	62·0	59·3	....	56·7	64·0	63·8	....	56·8	57·8	59·2	53·5	60·0	56·0	23
54·0	46·4	42·6	53·5	44·5	53·3	47·0	52·3	51·3	....	56·3	....	59·2	60·0	60·6	57·3	24
42·5	41·5	43·5	45·3	50·0	46·9	43·7	47·8	45·5	...	54·4	....	55·7	41·0	59·2	55·0	25
38·0	41·5	38·3	46·7	38·8	46·0	43·8	45·0	46·7	....	45·5	....	50·7	43·5	51·5	48·3	26
41·0	35·7	38·0	38·5	40·3	38·7	41·3	41·5	37·5	....	48·4	...	48·9	38·5	41·7	46·0	27
40·0	33·6	40·4	44·3	39·7	43·9	42·7	41·5	41·5	....	51·3	....	41·7	38·2	35·8	42·0	28
48·5	38·5	49·0	45·7	50·0	47·5	49·3	46·3	46·3	....	47·2	31·2	35·9	41·2	33·4	36·7	29
54·5	58·2	56·9	57·5	64·0	....	63·0	62·3	53·5	....	50·3	....	35·9	42·3	35·7	37·3	30
....	....	....	....	....	....	....	....	....	....	...	....	...	....	....	....	..
54·16	47·08	50·36	53·34	53·28	53·05	52·49	55·57	55·57	....	53·46	....	54·60	53·67	52·68	53·47	

TABLE XVI.—*September, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Birnam.	Coldwater.	Cowstogo.	Chatham.	Cartier.	Charlinch.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	49·0	60·2	55·1	57·2	56·5	64·3	50·0	47 5	54·3	65·1	46·7	55·0	56·4	57·5	58·6
2	52·4	64·2	54·4	50·2	56·1	60·4	41·7	47·7	57·6	64·4	52·0	55·2	....	63 7	56·4
3	58·0	63·3	61·2	54 2	58·4	66·4	58·0	54·7	64·3	70·9	55·7	57·0	58·2	72 2	53·4
4	55·8	68·3	66·2	63·8	57·7	66·4	48·0	53·1	56·7	68·1	60·3	56·0	59 3	65 5	62·5
5	44·3	57·0	52·7	54·0	51·0	59·3	43·3	40·8	51·0	59·8	44·0	50·8	51·2	67·5	53·4
6	48·7	51·3	53·5	45·6	48·7	55·8	51·5	43·5	54·3	57·6	47·0	50·7	52·3	45·5	47·8
7	55·6	53·5	61·2	50·2	55·7	67·3	56·3	54·0	64·0	59·3	54·3	57·5	57·7	56·0	50·8
8	55·7	59·8	67·5	63·3	65·8	68·0	53·5	54·7	65·0	64·2	62·0	63·5	67·4	62·0	64 5
9	56·4	62·3	61·5	62 3	61·1	61·0	54·7	52·8	63·3	67·4	57·0	59·3	....	61·6	57·6
10	54·3	58·5	58·3	56·3	58·4	58·2	52·5	50·0	59·0	63 8	50·0	59·2	58 7	59·7	55·4
11	60·4	62·2	65·7	57·8	60·8	72·3	51·5	62·0	69·3	66 9	60·7	62·3	63·2	67·5	56 9
12	55·3	63·0	64·9	62·0	57·7	63·7	45·5	53·7	58 0	64·7	56·3	56·2	62·4	59·5	57·9
13	42·4	52·0	53·0	55·4	45·9	53·3	40·5	43·0	46.0	53·0	45·3	48·3	48·0	53·7	50·1
14	47·5	49·0	52·1	48·4	49·8	52·0	46·7	43·7	54·7	60·3	44·7	51·0	50·3	51·5	48 3
15	61·0	55·5	62·3	53·3	59·1	63·0	55·0	59·8	65·3	59·7	58·3	60·2	....	54·8	54·8
16	58·1	55·0	65·2	62·0	60·9	66·3	51·7	56·7	61·3	65·8	60·7	59·8	....	60·9	63 8
17	62·0	54·8	58·8	61·6	58·2	65·7	51·8	58·0	63·3	64·6	59 7	59 7	58·8	59·5	58·4
18	61·1	58·0	58·7	64·2	58·3	65·0	55·3	60·5	61·7	65·9	60·3	60·8	59·6	59·9	63·9
19	55·5	61·0	59·3	60·3	58·8	56·5	51·8	53·6	60·0	63·4	57·3	60·0	60·7	58·7	58·9
20	55·5	57·8	57·1	57·2	53·7	60·7	50·5	54·0	55·0	65·9	52 7	54 8	55·7	57·0	56·9
21	53·0	58·5	54·2	56·4	57 3	55 8	52·0	50·5	60·0	67·1	54·7	56·2	57·4	58·4	57·9
22	54·3	60·5	54·7	54·7	58·1	61·3	51·7	52·1	58·3	58·9	55·7	57·3	57·9	57·4	53·4
23	57·7	62·5	57·2	57·7	60·5	61·2	54·0	56·4	63·7	56·2	57·3	58·2	....	57·7	58·6
24	57·8	63 5	55·1	56·5	57·5	56·1	55·3	54·0	65·7	55·9	50·0	58 8	61·2	58·2	59·2
25	57·5	58·5	53·6	54·3	52·5	56·5	46·0	55·4	59·7	60·2	57·7	53·0	53·6	53·5	54·6
26	51·8	52·7	55·6	55 6	50·6	64·0	44·0	51·3	53·3	61·8	52·3	53·0	54·6	52·3	54·2
27	44·1	51.3	49·1	52·6	45·9	48·7	34·5	40·8	44·7	58·7	45·0	46·5	47 3	43·7	50·2
28	34·4	46·5	44·6	38·3	39·5	40·8	34·5	33·1	41·0	47·4	37·0	41·0	42·8	41·2	41·0
29	34·9	43·5	40·3	37·0	38·0	43·0	30·5	31·9	40·0	46·6	36·7	39 7	37·9	39·0	40·3
30	38·9	42 5	45·0	38·7	39·9	47 0	33·0	38·3	40·0	48·7	37·7	41·0	....	38 5	38·4
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	52·44	56·89	56·58	54·74	54 41	59·32	48·19	50·25	57·02	61·08	52 30	54·74	55·53	56 64	54·56

TABLE XVI.—*September, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bruce.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
52·1	64·8	50·5	55·9	52·6	55·7	51·3	57·7	53·5	53·8	56·4	50·6	52·8	62·3	56·2	59·5	1
56·3	57·2	51·3	58·9	54·2	56·3	50·3	58·5	55·7	50·8	57·5	53·3	45·3	63·0	58·5	65·7	2
62·0	68·5	64·3	58·0	58·1	62·7	58·0	63·2	56·0	52·9	56·3	61·7	53·7	64·2	59·1	65·8	3
60·7	67·3	58·3	64·9	60·0	61·3	59·0	64·2	62·2	56·4	54·0	55·3	43·5	66·0	62·6	75·0	4
47·9	62·0	45·1	51·8	50·2	52·0	51·7	56·4	52·5	45·4	53·2	47·7	45·0	53·5	48·5	60·0	5
50·8	62·5	52·1	49·5	46·3	56·5	50·3	56·3	57·7	43·4	51·8	50·0	50·3	56·3	47·8	65·0	6
58·5	65·8	59·8	57·2	56·3	59·2	55·0	58·1	61·0	49·4	49·2	59·7	53·7	57·5	53·3	62·0	7
60·4	67·4	58·0	60·7	62·2	63·5	61·7	68·2	65·8	62·7	48·7	63·7	58·8	66·3	59·3	68·7	8
57·0	62·4	57·0	63·2	59·9	62·8	59·0	64·8	61·0	57·4	52·0	59·0	53·5	66·0	65·4	68·3	9
55·4	57·6	53·0	59·6	54·7	59·7	52·3	61·0	57·1	53·7	57·2	51·7	54·0	62·0	60·9	67·0	10
61·7	61·1	63·5	60·0	58·7	63·0	64·0	64·7	67·5	54·9	57·5	69·0	59·5	64·8	60·9	69·3	11
58·7	62·2	53·5	61·9	57·8	57·5	57·0	62·6	60·9	60·7	56·0	54·0	41·5	64·5	62·8	66·5	12
49·5	50·5	44·3	49·2	43·7	52·8	50·0	53·8	48·5	42·2	50·9	46·0	40·5	51·3	47·2	53·7	13
52·3	49·8	49·5	51·7	49·0	54·6	48·7	54·1	51·7	47·6	51·0	47·3	52·8	55·0	53·7	58·8	14
62·9	58·1	62·8	59·2	61·9	61·7	65·3	65·4	63·4	52·7	48·4	61·3	52·7	66·0	57·3	67·5	15
58·5	61·9	58·9	58·6	58·9	61·3	63·0	63·0	64·2	58·9	49·4	61·3	48·7	65·0	55·2	61·7	16
61·5	59·2	63·7	61·9	60·0	61·5	60·7	60·8	60·8	63·7	59·5	58·3	46·7	62·0	59·4	62·5	17
61·9	59·5	60·5	61·2	62·1	62·7	60·3	59·5	61·2	64·4	....	60·3	52·8	65·3	61·7	60·7	18
58·1	59·6	58·3	62·4	56·7	58·5	59·0	60·2	55·0	56·6	....	56·0	54·5	60·0	63·4	62·7	19
57·2	55·9	55·7	59·6	54·6	55·4	54·7	56·7	55·7	56·9	....	56·7	53·5	57·0	60·2	64·3	20
54·0	55·5	52·8	57·4	55·0	57·0	54·7	58·1	....	56·9	....	56·7	51·0	57·3	58·1	67·3	21
56·6	56·6	57·8	58·8	55·0	60·5	62·3	60·0	60·9	50·6	....	53·7	52·7	58·8	58·9	64·5	22
57·3	58·4	58·3	55·4	56·3	62·0	60·0	60·2	64·0	55·4	....	56·0	50·8	57.0	58·3	61·7	23
58·0	57·5	58·7	57·0	54·8	64·1	60·7	59·3	60·6	57·1	...	52·7	52·0	58·2	57·2	64·0	24
59·7	53·2	60·5	59·0	54·7	57·8	58·3	56·0	57·3	47·9	....	54·0	45·7	57·5	56·6	66·7	25
53·6	53·4	51·5	57·5	51·9	51·7	51·3	54·5	55·5	46·9	. .	54·3	44·8	54·3	55·6	60·8	26
47·5	48·4	43·6	53·2	46·6	42·8	45·0	48·9	48·0	38·9	....	50·8	37·5	47·3	54·2	52·8	27
38·8	41·0	36·7	41·4	39·0	44·0	39·3	41·4	43·0	34·3	....	42·0	39·5	42·5	41·0	47·8	28
41·7	38·0	37·8	37·5	37·1	41·7	32·3	39·3	41·7	33·7	....	37·0	37·5	40·2	40·1	49·5	29
39·1	40·7	41·5	39·9	38·9	45·0	38·3	44·6	39·9	36·8	....	42·7	35·7	39·7	38·1	50·7	30
....	....	....	....	....	....	....	...	....	....	....	....	....	....	....	....	....
54·82	57·30	53·99	56·08	53·58	56·84	54·44	57·72	56·16	51·43	....	54·28	48·40	58·13	55·72	62·52	

TABLE XVI.—*September, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Spruedale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	49·5	51·0	49·6	54·6	58·1	....	49·5	57·0	54·4	57 2	60·2	49·1	53·4	....	48·3	57·3
2	43 2	56·5	56·0	55 2	61·6	....	53·6	56·5	53 3	58·3	60 3	56·1	55·4	....	45·7	58·0
3	52·0	59·0	62·5	56·3	58·6	....	59·6	60·5	54·1	59·9	54·7	54 6	57·7	....	47·0	62·3
4	48·0	59·0	58·5	63·7	65·6	....	55·5	67 5	63·1	60·4	67·0	58·9	59·3	....	60·0	64·2
5	48·0	46·0	52 0	53·2	54 6	....	43·0	52·0	53·9	53·0	57·3	48·8	49·9	....	52·0	54·5
6	50·5	48·0	52·7	52·6	55·6	....	45·6	53·5	45·4	53 1	52·7	49·1	48·8	....	40·5	55·1
7	53·0	58·0	61·3	59·2	56·6	....	53·6	62·0	51·1	56·3	53 8	56·7	56·7	....	47·0	58·1
8	56·2	57·0	65·5	65·1	64·1	....	56·1	67·5	64·8	65·6	69·0	61·1	65·1	....	59·0	69·1
9	54·0	54·5	64 3	58·2	67·6	....	55·1	62·5	64·4	61·3	65·5	57·2	61·8	....	54·0	63·9
10	48·0	56·5	54 5	58·6	65·6	....	56 5	58·5	56·1	60·6	65·3	54 1	57·4	....	53·5	60·5
11	52·8	62·0	68·3	59·1	59·1	....	57·0	62·5	59·5	61·8	66·2	63·1	62·7	....	50·8	63·0
12	44·0	57·5	61·2	61 6	65·6	....	57·0	64·0	66 6	61·9	66·0	54·6	56 8	....	61·0	67·3
13	41 5	48·0	49·5	48·4	53·1	....	43·5	51·5	47·9	53·1	51·7	48·1	48·2	....	49·0	55·6
14	51·0	46·1	53·0	45·1	49·1	....	49·8	50·5	54 3	52·1	47·8	45·1	51·4	....	43·0	50·4
15	52·0	58·0	63·5	60·1	61·1	....	50·5	64·5	56·2	60·3	60·0	58·4	63·3	....	47·6	62·0
16	49·5	60·0	60·5	62 5	64 6	....	56·1	62·5	59·6	60·5	60·7	62 7	61·6	....	65·5	65·7
17	45·5	60·0	58·0	60·1	62 6	...	58·0	58·5	57·6	58·0	65·3	57·3	60·2	....	57·0	56·4
18	50·0	60 0	60·5	57·6	60·1	....	57·5	58·0	64·3	59·6	65·0	58·6	62 3	....	61·0	58·0
19	54·5	57·0	60·3	59·7	63 6	....	55·0	60·0	63·9	58·9	62·5	56·9	58·7	....	57·5	58·4
20	53·0	54·5	56·7	52·1	58·6	....	53·5	54·0	58 0	55·1	57·8	54·8	55·0	....	56·0	56·2
21	50·0	54·5	57·0	54 1	57·1	....	52·1	54·0	56·1	57·9	57·5	55·1	57·2	....	55·5	54·1
22	47·5	53·6	57·0	54·7	57·1	....	56 7	56·0	59·0	60·4	58·5	54·2	57 4	....	53·5	57·5
23	47·0	50·0	58·1	53·7	61·1	....	56·5	59·0	59·1	56·9	58·5	53 1	58·1	....	51·0	61·4
24	52·5	54·5	55·4	52·6	55·1	....	53·2	55·5	58 8	59·3	57·3	52 9	55·9	....	53·5	59·4
25	43·2	56·0	59·8	55·1	54 6	....	53·1	56·5	55·3	52·5	54·5	55·7	56·3	....	58·5	62·1
26	45·5	53·4	55·9	54·1	53·1	....	56·5	55·0	58·3	52·5	55·0	52·6	52 8	....	54·0	58·2
27	38·5	49·5	49·7	49 9	51·6	....	46·0	48·5	51·7	46·3	47·8	48·6	46·7	....	47·5	....
28	36 3	28·5	45·6	38·1	42·4	....	38·5	41·0	35·6	40·3	43·5	43·5	41·8	....	39·0	....
29	38 7	37·0	42·7	38·3	39·4	....	34·0	39·0	35·5	39·2	44·5	28·2	38·5	....	34·5	....
30	40 5	39·0	45·3	42·3	40·9	....	33·4	43·5	35 2	41 9	48·7	40·6	38·6	....	34·5	....
	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	47·87	53·35	56·50	54 53	57·27	....	50·87	56·37	55·24	55·81	57·88	53·36	54 96	....	51·28	59·56

TABLE XVI.—*September, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S. W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
56·8	56·7	48·8	54·7	53·5	52·1	53·3	50·5	53·0	58·5	47·7	43·0	51·0	50·2	51·0	1
58·3	57·3	47·3	53·1	54·5	54·1	53·2	54·0	56·0	57·1	49·5	42·0	53·5	50·7	52·0	2
58·0	59·7	49·8	62·0	61·0	48·4	52·5	54·5	....	58·2	50·7	47·3	50·0	49·1	50·2	3
61·1	63·1	42·3	63·1	65·5	53·5	54·8	55 3	66·5	58·2	56·0	50·0	59·5	60·1	62·3	4
53·4	53·1	50·2	51·1	53·0	50·0	53·7	54·5	43 0	56·2	46·3	46·3	42·7	41·8	49·5	5
54·0	52·7	51·0	56·1	53·5	46·0	45·5	53 3	41·5	49·5	41·7	39·0	35·3	40·3	46·7	6
56·1	58·1	52·5	59·3	60·0	45·3	45·3	54·5	50·0	51·6	46·3	40·0	47·5	49·7	46·0	7
62·2	65·8	52 0	65·7	67·5	53·4	51·0	55·7	57·5	55 2	45·5	41·7	53·5	47·3	56·0	8
64·6	63·4	51·5	59·3	64·0	52·8	54·5	55·3	60·0	57·5	49·3	44·7	55·5	58·5	56·0	9
60·0	59·6	50·5	58·7	62·5	51·9	54·3	57·0	57·0	56·1	49·2	41·3	55·0	56 6	56·0	10
61·0	63·9	55·7	70·7	65·0	49·9	51·8	56·0	59·5	56·2	52·5	40·3	55·2	56·7	56·0	11
62·3	62·9	37·8	60·1	61·0	55·9	54·7	54·7	62·0	57·5	51·7	44 0	56 0	62·3	62·8	12
52·1	49·8	41·0	48·1	51·0	51·3	55·0	53·5	58·5	56·9	45·7	43 3	47·8	48·2	53·7	13
52 3	50·8	41·5	53·3	51·5	53·1	50 3	51·0	. ..	53·4	46·5	42·3	47·0	49·7	49·8	14
60·4	60·4	52·0	63·7	62·5	47·9	50·7	52·0	54·0	49·2	45·3	41·3	49 7	50·3	48·0	15
60·1	61·9	43·7	62·6	64·0	51·4	51·3	54·5	60·5	55·0	47·5	42·3	54·5	52 9	52·0	16
60·4	60·5	46·2	57·8	60·5	49·6	50·2	53·7	62 5	52·3	44·5	41·7	54·5	53·5	48·8	17
62·3	60·1	49·8	59·3	60·1	50·4	49·5	55·0	.. .	57·0	46 5	40·7	51·3	54·7	49·5	18
60·1	59·1	54·3	58·8	59·5	49·5	57·0	56·3	....	56·1	48·5	41·0	57·2	54·2	52·0	19
57·7	54·9	49·3	50·9	56·0	53·2	48·7	54·5	59·0	55·3	43·5	43 7	56 8	55·5	50 2	20
59·2	58·2	49·8	54·3	57·5	48·5	50·5	53·7	56·5	58·3	42·3	41·7	51·2	54·0	48·8	21
59·4	58·9	52·7	58·1	55·5	46·5	48·0	54·8	52·5	54·0	42·7	38 0	52·8	52·9	46·5	22
57·0	58·1	50 8	57·3	58·5	48·5	48·5	53·3	52·0	49·0	42·8	38·7	51·0	53·5	45·5	23
58·2	57·1	53·8	56·7	57·5	51 0	47·8	46·2	54·0	54·7	46·5	39·0	50·7	54·9	48 5	24
55·4	52·3	47·5	54·3	55·0	53·0	54·5	52·7	58·0	58·4	49·8	36·7	58 0	57·0	53·5	25
54·8	52·7	39·3	55·2	54·0	54·6	54·0	55·5	49·0	56·9	46·7	40·7	45·8	53·1	52 2	26
50·6	47·6	36·3	48·6	48·0	53·1	55·5	42·8	50·5	55·3	47·5	40·7	48·5	50 3	54·0	27
44·9	40·3	35·7	39·8	41·5	53·2	50·3	41·0	44·0	54·9	45·0	40·0	40·2	43 4	50·8	28
41·4	39·7	32·8	42·4	39·5	44·9	....	52·0	38·0	53·3	41 7	41·0	33·3	27·1	43·2	29
42·0	41·4	33·0	46·4	42·0	42·0	....	50 0	36·0	48·6	40·3	41·3	32 8	35·4	40·0	30
....	....	....	....	....	....	....	....	....	....	....	....	. .	....	....	
56·54	56·00	46·67	56·06	56·37	50·50	49·87	52·93	51·16	54·15	46·66	41·79	49·93	51·13	51·05	

TABLE XVI.—*September, 1888. Daily Mean Temperature.*

Day.	Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	48·5	53·0	46·6	54·5	54·9	52·1	48·7	53·4	47·7	60·3	57·3	54·7	61·2	59·0	59·9
2	51·5	49·5	48·3	55·6	....	53·7	51·3	56·8	51·3	....	56·1	60·3	....	58·3	57·5
3	47·5	54·3	46·6	59·2	58·2	51·8	49·3	53·3	46·4	56·3	53·8	54·3	57·2	56·3	54·5
4	63·5	51·5	60·6	64·8	65·1	60·2	46·7	63·5	59·1	56·0	56·8	53·5	56·5	55·3	54·4
5	51·7	57·0	47·6	48·1	48·1	46·2	47·3	48·6	41·8	61·0	51·8	52·0	56·0	58·8	56·3
6	46·0	46·0	45·5	44·2	46·5	44·4	46·5	40·0	40·6	. ..	46·0	47·5	46·9	46·3	45·2
7	51·5	45·3	49·5	51·8	53·5	47·8	43·3	48·1	53·2	55·0	50·0	55·0	47·5	50·8	46·7
8	56·7	52·3	52·9	58·8	56·8	52·9	43·2	56·4	52·9	53·3	51·8	50·0	52·1	53·9	54·7
9	56·5	54·0	48·8	63·5	....	60·7	46·7	59·2	61·4	....	63·9	63·3	....	62·1	58·4
10	57·8	46·7	49·9	57·8	62·5	57·8	43·7	56·9	57·2	63·7	61·1	59·3	62·6	57·9	58·6
11	54·5	47·0	51·0	59·7	61·5	57·6	44·0	54·8	59·5	61·3	59·4	60·5	60·4	68·7	57·4
12	61·0	49·3	55·5	62·5	62·1	64·6	43·0	59·7	59·8	61·0	56·6	52·5	54·3	56·8	54·3
13	53·5	50·7	48·9	45·7	50·5	51·5	44·7	49·3	47·2	62·0	57·5	59·5	60·4	56·8	56·3
14	49·0	46·5	45·5	48·7	52·9	52·2	41·0	49·6	50·1	54·7	54·0	50·5	54·0	54·8	53·0
15	47·5	46·8	46·4	54·8	57·2	51·7	43·5	50·7	54·4	58·0	50·5	53·0	54·0	50·8	51·2
16	55·7	49·7	50·1	57·2	....	54·7	44·5	59·4	57·1	....	53·5	55·2	....	54·1	52·8
17	46·0	46·3	41·5	57·7	58·6	55·1	46·7	60·0	53·3	57·0	50·8	55·0	58·3	58·9	58·8
18	47·5	46·0	47·4	61·3	57·9	53·2	45·5	59·8	52·3	55·3	49·3	51·0	52·8	52·5	51·3
19	50·8	43·7	46·5	61·8	61·5	56·2	46·5	57·5	58·7	55·3	54·3	56·5	56·8	56·6	55·7
20	49·0	47·3	47·7	58·0	59·4	53·6	45·7	57·3	56·7	55·3	51·1	50·0	53·3	53·3	53·3
21	45·2	48·7	43·1	55·6	57·3	52·9	44·5	56·8	55·8	57·0	51·3	53·5	55·1	54·3	55·8
22	44·8	42·0	45·1	56·5	57·2	52·3	41·3	53·4	54·0	53·3	52·1	53·3	55·6	52·8	53·3
23	43·7	39·3	40·6	53·0	....	51·0	43·5	52·7	52·6	....	47·3	51·0	....	51·9	52·6
24	51·0	41·7	41·2	54·0	56·1	52·7	42·7	51·1	55·6	58·0	48·5	53·5	50·3	48·8	47·6
25	55·0	48·3	52·6	55·3	57·7	56·1	43·5	54·4	60·9	60·0	55·8	60·5	54·8	54·5	51·5
26	50·3	45·7	46·2	50·7	53·3	52·6	45·7	49·7	54·9	55·7	54·0	33·0	53·2	52·6	52·8
27	49·5	47·3	49·1	53·0	53·2	52·0	43·0	54·0	51·0	62·7	57·8	60·0	58·1	54·8	53·7
28	50·0	47·2	45·5	42·0	42·8	43·6	41·0	42·6	39·7	57·7	55·1	53·0	53·5	52·5	51·3
29	41·3	49·0	39·5	45·1	40·9	38·2	41·3	36·3	37·0	48·3	45·7	45·3	42·9	43·6	42·4
30	45·0	46·5	37·6	35·5	....	37·0	41·3	35·4	36·0	....	40·9	43·5	....	41·3	40·1
..	....	....	....	....	....	....	...	....	....	.. .	....	....	....	....	....
	51·04	47·95	47·40	54·21	55·43	52·05	44·66	52·67	51·94	57·43	53·14	54·00	54·72	53·97	53·04

TABLE XVI.—*September, 1888. Daily Mean Temperature.*

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Charlottetown.	Kilmahumaig.	St. Johns.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
60·0	60·8	56 2	64·0	66·7	64·8	63·1	67·9	61·6	61·0	68·0	65·8	68·3	64·5	56·7	1
57·8	61·8	....	64·5	64·6	64·9	61·7	61·5	55·9	59·3	....	60·8	60·3	63·0	57·2	2
57·1	53·8	57·3	60·2	57·5	58·7	58·3	57·0	56·3	58·7	56·0	56·6	55·6	59·0	54·5	3
56·7	58·5	55·5	58·7	57·8	54·8	58·7	54·8	56·9	59 5	59·7	60·7	55·5	53·0	55·7	4
56·9	58·8	56·0	63·2	64·4	60 0	60·1	59·8	55·6	57·5	60·7	59·8	59·6	56·0	56·5	5
48·3	42·9	47·0	52·0	50·3	51·7	56·5	49·2	47·5	59·3	50·0	48·9	55·1	53·5	47·0	6
49·6	46·8	49·3	49·6	47·2	47·6	53·6	45·0	46·6	54·7	49·7	47·3	43·6	45·5	45·5	7
54·3	53·0	55·5	54·9	49·5	53·0	57·3	47·1	56·4	58·3	51·7	55·6	49·3	48·5	53·5	8
55·6	57·8	....	64·1	57·8	62·3	58·3	62·1	57·6	60·2	....	63·9	61·6	58·5	53·8	9
56·8	58·5	54·2	63·5	67·1	62·7	59·6	65·2	58·7	57·8	63·0	62·2	64·9	56·0	54·0	10
60·3	59·5	55·5	61·5	60·7	60·2	59·7	61·9	54·4	58·0	56·0	59·1	61·6	49·0	51·5	11
55·8	55·0	52·7	58·7	58·6	57·8	58·9	55·5	57·0	56·0	59·0	60·3	58·6	51·0	51·7	12
53·7	61·0	53·8	60·7	65·7	64·4	61·5	63·6	55·7	57·2	58·3	61·0	61·4	57·5	55·8	13
54·6	54·6	52·7	54·1	56·5	57·3	58·5	55·8	52·5	56·6	58·7	55 5	58·0	57·0	54·0	14
53·5	53·4	51·5	54·2	54·5	53·7	56·5	53·9	51·1	59·4	51·7	52·1	52·8	45·5	46·5	15
53·7	53·4	....	53·2	56·5	54·8	58 9	53·3	55·1	58·5	....	56·8	52·4	49·0	57·5	16
59·2	58·0	54·5	59·0	56·7	56·8	60·4	58·8	59·5	59·5	54·0	55·9	58·3	49·8	54·3	17
52·5	55·0	52·0	53·4	53·5	54 0	57·8	52·2	54·1	56·0	57·3	53·4	50·1	46·5	56·8	18
55·3	58·0	53 8	57·4	56·9	55·1	58·0	57·6	53·5	53·7	52·7	55·0	42·2	47·0	48·5	19
53·9	54·0	53·3	54·9	55·6	52·8	54·3	52·5	55·0	55·0	55·0	57·0	57·0	37·5	48·3	20
55·0	55·1	55·0	55·2	56·8	50·3	55·5	57·3	55·9	51·3	53·7	55·2	54·1	39·3	50·2	21
53·2	54·5	51·5	53·4	57·6	50·0	54·5	52·0	55·2	54·7	54·7	54·5	53·6	42·5	44·7	22
51·7	52·5	....	50·9	50·5	47·6	51·7	51·0	52·3	50·5	....	51·4	55·0	42·5	43·5	23
50·4	50·4	51·3	51·7	51 8	51·2	54·0	48·8	48 4	53·3	52·0	50 9	47·0	43·5	50·5	24
51·9	55·6	53·5	55·1	55·0	56·3	56·5	51·4	55·1	55·4	53·3	55·9	54·0	46·0	49·5	25
54·4	51·0	53·5	55·5	57·5	54·3	56·7	53·1	53·9	54·7	55·0	58·2	58·3	44·5	54·0	26
54·4	58·5	53·5	57 6	60·3	57·6	57·3	60·7	55·5	57·8	61 3	58·8	55·9	48·0	53·0	27
52·3	55·1	51·0	57·9	60·5	57·2	56·6	60·9	52·3	57·3	58·0	57·6	58·5	46·5	55·3	28
44·6	41·9	46·5	48·4	54·0	56·6	56·9	48·1	46·5	53·7	48·0	49 6	56·4	48 0	53·5	29
41·7	....	....	44·7	43·5	46·5	53·6	41 3	41·1	51 1	....	45·3	42·4	51·0	....	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
53·84	54·82	53·06	56·41	56·68	55·84	57·43	55·31	53·71	56·47	55·05	55·17	55·66	49·97	51·98	

TABLE XVII.—*October, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	57·0	56·0	61·0	53·3	50·0	41·2	55·7	51·3	57·8	50·3	44·0	....	46·5	51·9	48·5	39·0
2	58·5	53 6	59·5	55·0	51·5	44·5	44·8	47·0	63·0	44·0	47·3	....	44·1	52·7	52·5	....
3	55·0	58·8	58·0	48·6	52·0	50·2	46·5	54·3	57·5	45·0	49·6	....	50·6	45·7	49·5	....
4	56·0	55·9	58·0	47·9	49·1	42·7	47·0	49·5	50·0	41·8	43·3	....	40·1	47·5	50·5	42·6
5	54·5	51·7	57·0	56·6	47·5	43·9	54·0	51·3	54·5	43·0	44·0	....	47·5	50·8	46·5	45·0
6	51·0	51·8	64·0	55·0	51·9	48·9	55·3	52·5	58·7	52·0	46·1	....	54·7	55·9	53·0	46·6
7	52·5	54·3	58·5	55·4	50·3	52·2	59·3	50·0	58·0	56·0	53·3	....	57·5	53·6	54·5	50·5
8	55·5	48·1	56·5	45 9	54·9	56·3	49·8	45·0	62 0	49·5	52·0	....	55·9	47·4	54·0	58·1
9	49·5	50·2	55·5	42·1	52·1	44·8	44·7	44·5	51·3	42·3	44 8	....	53·4	48·6	48·0	46·0
10	52·5	51·7	56·0	38·6	43·1	38·5	45·5	44·5	44·7	43·5	39·0	....	41·4	36·3	42·0	....
11	58·0	52·4	49·0	37·7	43·7	40·9	48·8	39 5	41·3	38·0	38 2	....	38·3	38·6	39·3	....
12	55·5	53·5	54·5	39·1	40 0	33·2	45·2	44·0	51·5	35·0	34·5	....	33·9	36·9	38·0	31·4
13	52·5	44·4	51·0	39·8	49·6	39·5	47·8	40·0	52·3	36 0	38·0	....	34·2	48·5	47·0	37·5
14	52·5	44·4	51·5	36 2	45·3	41·4	46·5	39 8	44·3	34 5	40·8	....	39·5	38·6	39·5	35·5
15	50·0	38·3	50·0	30·7	39·3	33·0	40·3	34·0	36·7	34·0	32·1	.. .	33·1	33·4	39·0	....
16	52·5	39·9	50·0	32·1	34·5	31·9	41·5	26·7	43·0	31·8	33·2	...	32·7	34·9	31·5	....
17	49·0	39·6	52·5	31·8	33·7	37·8	45·7	20·3	40·5	30·5	37·5	....	36·0	30·8	37·0	36·7
18	46·5	47·1	52·0	29·6	24·7	32·1	27·5	20·5	23·3	32·5	30·7	....	32·6	20·0	24·0	30·7
19	52·5	49·6	47·5	31·4	31·2	27·4	27·8	29·3	37·0	32·5	28·1	....	28·9	30·9	26·0	28·5
20	52·5	51·5	49·0	34·5	38·3	31·6	34·3	41·2	38·0	35·0	31·4	....	31·8	39 3	36·0	32·1
21	53·5	49·4	51·5	35·7	38·5	34·7	27·3	41·5	44·5	31·3	35·0	....	42·2	39·4	39 0	33·8
22	54·5	46·2	50·0	33·0	41·2	37·1	34·7	38·0	47·3	34·0	38·6	....	41·5	35·3	41·0	....
23	50·0	38·6	51 5	32·7	38·7	34·1	37·8	50·3	37·5	30·0	36·3	...	57·1	33·0	31·5	....
24	44·5	43·3	51·0	33·1	35·7	32·2	38·7	30·0	35·0	35·0	31·7	....	31·1	21·4	31·3	31·5
25	49 0	41·4	45·0	31·7	36·0	31·1	43·7	35·3	37·5	34·5	30·5	....	27·8	20·3	29·0	29·0
26	42 0	44·2	41·7	29·8	31·7	32·4	38·0	30·7	33·0	30·5	33·6	....	32·3	23·9	32·0	31·9
27	48·0	47·3	49·5	29 3	33·4	29·9	34·3	31·3	38·0	35·3	29·2	....	31·0	17·9	25·0	29·3
28	48·5	41·5	47·5	32 6	41·1	33·4	39·0	40·3	43·5	31·0	30·5	....	33·3	32·7	34·5	32·0
29	48·5	41·6	50·0	31·9	46·2	32·2	42·7	30·2	56·3	26·3	33·3	....	29·3	32·0	45·5	30·2
30	40·0	43·1	47·0	30·9	36·3	38·4	35·5	38·7	38·5	29·8	36·0	....	39·7	30·0	34·0	34·0
31	46·5	43·8	45·0	31·2	31 7	27·1	30·7	39·5	37·5	29·5	28·6	...	29·1	24·0	31·5	27·1
	51·12	47·52	52·29	38·49	41·72	37 89	42·26	39·86	45·60	37·23	37·78	....	38·95	37·17	39·70	36·48

TABLE XVII.—*October, 1888. Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Silkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
31·0	37·1	33·7	40·5	39·7	40·7	59·7	42·8	58·3	....	43·6	....	42·2	33·5	35·4	34·0	1
....	35·2	37·8	38·7	39·8	38·9	40·5	39·2	37·5	....	44·1	....	33·9	37·2	32·3	36·5	2
50·0	38·7	48·4	47·0	46·2	46·7	39·3	52·8	47·0	....	52·3	....	32·4	35·5	29·5	34·0	3
39·0	35·1	35·7	44·3	34·0	39·6	28·8	44·3	44·2	....	41·7	....	40·7	34·8	30·7	41·0	4
39·5	28·8	41·5	36·7	36·0	38·5	35·0	32·0	44·0	....	46·4	34·2	42·2	44·2	38·1	37·3	5
57·5	47·9	52·8	53·2	....	51·9	51·0	53·5	48·0	....	55·0	....	40·9	46·0	38·0	40·3	6
58·0	45·2	57·5	52·8	....	....	53·8	59·0	48·5	....	49·7	39·5	38·9	44·0	37·7	40·2	7
55·0	46·9	56·4	54·0	...	52·5	57·7	57·0	49·7	....	47·5	30·0	34·9	48·8	33·5	29·0	8
59·5	49·6	51·3	56·0	....	55·2	51·0	60·0	36·0	....	55·8	33·0	31·4	48·8	32·9	33·7	9
48·5	40·7	39·0	43·7	42·8	45·9	43·2	44·0	45·5	....	44·5	40·5	26·6	50·8	34·4	33·8	10
42·5	36·3	36·0	44·8	41·7	44·5	39·3	41·0	43·0	....	48·5	45·0	41·1	53·0	40·7	43·7	11
42·0	31·6	35·6	39·0	33·0	39·4	36·7	37·0	44·0	...	48·0	39·8	40·7	51·0	46·4	47·2	12
40·0	28·3	36·6	40·7	35·8	38·8	36·8	39·0	38·8	....	43·5	34·7	39·9	47·0	42·8	43·3	13
43·5	38·9	38·9	42·0	43·0	....	41·5	38·0	40·8	....	50·9	....	35·9	45·0	40·5	44·3	14
41·5	36·8	35·1	41·0	36·0	40·8	36·7	43·0	37·5	....	46·3	....	38·7	43·0	37·0	40·0	15
37·5	32·6	31·9	34·2	33·0	35·5	37·5	37·0	38·5	....	40·0	....	41·9	35·8	41·4	40·3	16
36·5	33·3	33·7	35·8	38·3	35·3	38·0	39·8	35·7	....	36·9	....	38·9	32·0	38·9	38·0	17
36·0	31·4	32·4	33·7	....	34·5	32·0	35·5	33·0	....	33·0	....	38·4	28·5	32·1	36·0	18
32·0	27·1	28·9	29·0	....	29·2	31·3	32·8	28·8	....	32·5	....	39·4	23·5	32·5	34·2	19
30·0	26·9	29·6	29·0	....	29·2	30·0	31·0	28·0	....	32·5	....	33·4	20·7	30·3	28·3	20
37·0	37·9	37·7	32·3	....	....	41·5	39·5	32·2	....	32·2	21·5	30·4	24·5	24·3	19·0	21
47·0	37·0	36·4	40·2	....	39·6	37·0	46·3	40·8	....	35·0	....	33·6	24·8	30·0	28·0	22
40·5	34·3	34·9	37·5	....	39·0	38·8	40·3	37·8	...	40·3	....	37·9	28·0	34·0	36·3	23
41·0	33·0	32·5	40·8	....	40·2	35·7	40·0	37·7	....	43·7	....	37·7	24·0	34·0	36·0	24
36·5	30·3	31·3	36·0	....	36·5	33·3	34·8	37·3	....	43·0	....	44·8	28·0	32·0	34·5	25
36·0	28·7	29·2	34·2	....	34·2	33·0	35·5	35·5	....	40·0	....	43·5	33·5	49·2	37·8	26
33·5	32·1	30·9	35·5	....	34·7	36·0	33·8	35·2	....	39·5	45·2	45·7	25·0	46·5	42·5	27
33·5	29·0	26·1	31·8	....	....	33·3	37·5	32·3	....	36·5	35·0	38·7	21·3	40·2	40·5	28
38·5	31·8	31·3	35·2	....	35·3	39·3	35·7	39·5	....	34·8	....	34·9	26·5	32·4	33·7	29
46·0	37·8	35·6	44·3	....	43·5	39·0	38·8	39·2	....	34·8	....	35·9	27·0	34·5	31·7	30
32·0	27·1	28·4	30·2	....	30·9	30·0	32·0	32·0	....	42·5	....	54·5	32·2	44·5	41·5	31
41·37	35·08	36·99	39·81	....	39·67	38·59	41·05	38·89	....	42·30	....	38·67	35·93	36·97	36·66	

TABLE XVII.—*October, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Birnam.	Coldwater.	Conestogo.	Chatham.	Cartier.	Charlinch.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	37·0	48·0	52·3	39·3	49·4	50·3	32·7	34·9	46·3	43·9	45·0	48·5	....	47·1	43·5
2	33·3	41·7	42·4	41·0	37·4	45·7	30·0	32·6	37·0	42·6	33·0	34·2	35·5	39·9	38·8
3	29·1	39·5	35·9	37·8	35·3	38·4	26·7	27·5	35·7	39·9	31·7	35·0	33·7	32·7	36·3
4	36·0	43·5	42·7	36·4	44·5	48·7	33·8	36·7	47·3	40·3	40·3	45·4	44·7	43·5	39·9
5	37·9	47·0	49·1	41·7	45·4	46·3	34·0	35·7	44·3	38·1	41·0	44·7	46·3	49·2	38·9
6	39·4	45·7	48·4	37·0	44·1	47·3	32·3	37·0	48·0	40·4	36·7	41·3	47·4	46·4	38·4
7	43·4	44·5	40·3	42·0	44·3	59·7	39·5	40·1	44·3	41·9	41·7	43·0	....	....	43·3
8	34·7	43·0	45·4	37·9	37·8	45·3	28·5	32·9	37·0	40·8	35·7	36·5	38·7	44·4	40·8
9	32·9	39·5	39·3	36·7	35·1	41·8	30·3	32·8	35·7	39·4	32·7	34·2	34·7	36·9	41·8
10	34·5	37·7	38·3	34·3	40·6	40·7	33·2	32·3	42·3	38·5	33·7	40·3	38·3	39·5	36·2
11	40·7	39·8	40·6	39·5	40·7	47·3	43·0	38·6	46·7	40·4	40·7	41·0	40·7	39·6	37·9
12	49·5	40·2	42·2	47·3	41·4	45·9	47·8	46·4	50·7	48·1	41·7	43·0	40·9	52·0	40·8
13	43·4	44·5	43·8	39·4	42·9	41·0	42·5	42·0	45·3	46·0	41·7	43·0	40·9	43·3	44·3
14	32·2	42·5	43·9	40·5	42·2	41·5	32·5	34·9	41·7	40·2	38·3	38·8	....	44·4	37·4
15	39·0	39·3	41·0	37·5	41·7	48·5	39·3	36·7	44·7	42·8	40·7	42·2	41·2	39·0	37·4
16	42·6	45·7	47·2	48·8	44·9	47·8	41·0	42·0	45·7	51·0	44·0	42·3	43·7	47·5	47·8
17	39·9	45·8	43·3	46·6	42·6	47·6	34·0	39·1	43·3	47·1	40·3	42·5	41·3	44·0	43·6
18	31·5	41·7	42·9	37·6	38·9	45·3	29·5	28·9	40·3	39·9	38·0	39·2	38·0	39·5	36·2
19	36·0	41·8	47·4	35·7	43·1	47·7	30·8	34·9	42·7	45·0	40·0	42·3	42·7	42·4	39·8
20	31·2	41·7	38·2	36·9	33·6	38·8	23·7	29·7	35·3	39·4	32·7	34·5	36·0	35·5	35·4
21	24·3	41·2	35·3	32·4	32·7	37·2	20·0	22·7	....	31·4	29·0	31·7	....	33·7	36·6
22	31·5	43·5	38·7	33·0	34·5	41·7	30·5	31·2	37·0	31·9	34·7	36·2	34·3	34·7	29·4
23	36·1	40·0	41·8	36·3	42·4	43·8	32·8	35·1	42·0	40·7	39·7	41·5	40·6	42·3	32·9
24	38·5	44·5	45·2	40·7	39·4	44·5	31·5	33·5	40·7	35·0	37·0	40·0	40·0	43·9	38·3
25	43·5	43·7	40·1	48·6	43·4	46·1	42·0	41·4	52·3	39·4	46·7	45·0	46·1	49·8	37·9
26	49·5	46·0	48·9	43·7	46·9	52·0	47·0	48·9	52·0	45·1	49·0	46·7	47·1	44·2	45·3
27	49·0	45·5	53·8	50·4	49·7	47·8	45·0	47·6	52·7	52·3	49·0	51·0	50·6	52·5	46·3
28	40·3	44·7	42·4	41·2	41·7	43·5	33·5	38·6	39·0	36·1	40·7	40·0	....	46·0	47·3
29	33·8	40·5	42·5	38·1	38·3	44·6	29·3	32·8	37·0	37·5	37·7	36·8	37·4	38·8	40·3
30	35·5	41·8	40·9	35·9	36·8	41·3	30·5	35·1	38·7	42·8	35·0	37·5	36·9	38·0	36·4
31	51·3	51·0	54·2	49·5	55·8	55·4	48·3	50·5	55·7	48·6	52·0	51·7	54·4	49·1	38·4
	37·86	43·09	43·80	39·72	41·54	45·53	34·68	36·56	43·38	41·49	39·30	40·97	41·23	42·69	39·66

TABLE XVII.—*October 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bruce.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
42·1	48·4	39·2	44·6	40·6	41·7	47·0	52·7	49·1	36·4	....	45·7	35·5	51·0	38·4	55·0	1
36·4	40·2	35·3	39·2	35·7	37·0	34·7	39·3	40·7	36·9	....	36·7	35·3	39·8	39·2	44·0	2
31·0	38·6	29·0	34·3	31·7	36·8	34·3	37·1	36·3	31·4	....	34·3	36·0	38·7	36·6	48·7	3
42·4	....	40·7	43·4	42·7	44·5	41·7	50·1	44·5	31·1	....	46·0	36·3	49·0	37·0	51·0	4
39·0	....	38·6	46·7	42·7	45·0	47·0	50·0	45·0	35·2	....	40·0	40·7	50·0	40·3	50·0	5
41·3	46·1	39·0	41·6	40·0	46·2	43·7	48·1	44·7	38·9	....	38·3	41·5	40·5	42·6	51·3	6
44·5	39·2	44·7	44·0	45·2	49·5	43·7	45·1	42·0	37·3	....	42·7	42·5	45·5	45·8	54·2	7
37·0	39·9	35·7	40·5	36·1	36·3	35·0	41·1	40·2	39·4	....	36·0	31·7	40·7	38·1	43·8	8
37·3	36·3	35·7	35·2	33·3	39·5	30·0	39·7	34.6	36·6	....	33·7	31·8	37·3	37·4	42·0	9
36·9	37·6	34·0	35·0	36·8	43·0	34·7	41·0	40·0	39·9	....	36·0	40·5	39·8	37·0	50·0	10
40·9	39·7	42·9	40·5	40·8	49·5	40·0	42·0	41·9	37·6	....	36·7	42·3	43·3	40·7	51·3	11
46·4	40·7	46·9	43·3	43·8	53·2	40·7	41·5	43·7	42·9	....	41·0	51·5	46·3	46·2	48·0	12
....	42·9	44·5	43·1	42·6	51·0	41·7	42·7	44·5	43·1	....	43·6	37·5	43·7	39·7	49·3	13
37·4	44·1	38·4	37·8	38·8	45·0	43·0	44·7	43·0	35·4	....	41·0	32·5	39·0	37·6	48·7	14
40·7	39·8	42·1	39·9	38·4	47·3	41·7	44·8	40·7	35·7	....	41·0	42·5	44·7	39·0	47·3	15
45·0	46·1	45·3	45·6	45·4	48·0	43·7	46·5	46·0	44·4	...	44·7	39·5	46·5	41·4	49·2	16
42·0	41·7	41·1	46·7	39·9	42·2	42·3	44·3	46·1	41·9	....	44·0	35·5	47·5	44·7	49·7	17
32·1	42·8	31·2	37·9	33·3	37·8	40·7	43·7	44·7	34·9	....	37·7	31·7	42·5	36·8	51·5	18
39·6	45·1	38·4	42·5	36·6	43·5	42·0	47·9	45·5	29·3	....	42·0	25·0	45·0	33·6	51·3	19
38·8	38·1	32·0	38·9	33·9	32·2	34·0	35·7	37·7	34·9	....	34·0	20·0	41·0	39·8	42·2	20
30·5	37·5	26·1	31·1	26·3	32·3	31·3	35·6	38·6	27·8	....	31·0	28·8	34·7	31·8	33·8	21
32·3	36·2	35·3	32·0	28·9	39·7	34·7	38·9	....	35·9	....	34·0	37·7	38·3	33·6	44·2	22
37·8	40·0	38·0	38·4	36·8	40·8	41·3	43·7	37·0	35·1	....	40·3	35·8	49·3	36·1	46·3	23
41·3	42·7	37·5	41·9	40·9	41·5	38·7	45·0	41·9	34·8	....	40·0	33·5	43·7	38·2	43·7	24
45·0	47·8	45·7	40·6	41·5	50·7	47·3	47·1	52·5	40·9	....	49·3	40·7	53·8	37·7	48·8	25
51·4	45·3	49·3	45·3	48·0	50·8	46·0	48·6	50·5	45·0	....	52·0	43·8	52·0	39·8	47·0	26
49·3	57·2	48·5	49·3	49·3	50·0	52·0	52·2	54·0	48·6	....	51·7	39·7	54·2	43·4	51·3	27
41·3	45·0	40·0	45·9	39·8	41·0	37·3	41·9	45·5	43·3	....	40·0	31·5	44·5	46·5	43·7	28
36·1	40·3	35·5	38·2	36·0	39·0	37·3	41·2	39·4	35·9	....	38·6	35·0	41·5	35·4	46·2	29
38·1	37·1	37·0	37·1	35·6	42·2	37·7	40·5	40·0	35·4	....	36·3	35·0	38·8	34·8	45·0	30
51·5	48·0	52·3	49·7	53·4	52·0	54·0	56·0	51·2	47·8	....	55·3	38·8	58·5	46·5	53·7	31
40·20	42·02	39·35	40·97	39·22	43·52	40·61	44·15	43·20	39·30	.....	40·71	36·48	44·55	39·22	47·89	

TABLE XVII.—*October, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Sprucedale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	35·5	37·5	49·7	55·6	54·6	....	35·3	55·5	36·0	48·8	55·0	43·6	43·2	....	42·0	....
2	33·5	35·0	41·5	36·8	38·0	....	35·0	42·0	38·1	37·7	41·5	38·5	37·1	....	35·5	....
3	35·2	31·0	39·6	35·1	36·0	....	31·0	36·0	34·8	36·3	38·7	34·5	33·2	....	30·5	....
4	37·5	41·5	51·3	53·7	49·0	....	31·5	46·0	31·8	46·0	50·8	45·3	44·8	....	29·0	....
5	34·5	39·5	43·8	51·6	43·9	....	36·0	49·5	38·8	49·3	52·2	39·0	41·1	....	35·0	....
6	42·0	41·0	41·7	46·1	44·0	....	33·0	45·5	35·5	44·8	43·5	40·6	39·7	....	37·0	....
7	47·5	43·6	49·0	42·4	44·9	...	39·0	39·5	42·1	43·8	45·5	43·6	43·0	....	41·0	....
8	36·5	34·2	41·3	41·1	40·9	....	33·5	43·5	37·8	39·6	43·0	39·5	39·0	....	38·5	....
9	35·0	33·6	39·7	34·6	36·5	....	33·2	38·0	37·9	36·4	38·8	37·6	34·8	...	33·7	....
10	30·3	36·1	37·0	35·2	44·0	....	31·7	39·0	37·5	39·8	38·7	33·0	37·7	....	31·5	....
11	41·5	39·0	42·5	41·9	40·9	....	34·2	40·0	36·5	43·3	43·5	36·5	38·2	....	39·5	....
12	46·0	47·0	43·8	42·1	40·9	....	46·2	42·5	42·3	42·4	44·3	43·1	43·3	....	45·0	....
13	39·2	45·0	44·0	42·7	42·9	....	41·4	41·5	40·6	43·9	46·8	44·8	43·0	....	49·5	....
14	32·8	38·0	40·5	40·2	41·9	....	34·5	43·5	38·5	44·1	44·7	39·8	38·6	....	41·5	....
15	41·5	38·0	45·5	44·2	42·6	....	32·1	42·0	38·3	44·8	47·3	41·3	40·3	....	35·0	....
16	40·0	44·5	48·3	47·6	52·1	....	40·8	50·0	43·3	45·4	51·3	47·1	46·3	....	37·5	....
17	34·0	43·5	46·9	44·1	44·4	....	40·9	43·5	45·6	43·8	47·3	46·1	42·5	....	48·0	...
18	32·7	33·5	42·1	37·7	40·9	...	34·2	40·5	40·0	40·9	43·3	37·5	35·3	....	36·5	....
19	29·0	39·5	46·5	48·7	55·1	....	33·1	47·0	28·6	43·8	45·0	43·1	41·2	....	31·0	....
20	23·5	34·0	38·6	37·4	37·9	....	32·5	38·5	40·2	38·0	39·3	36·5	33·1	....	34·5	....
21	29·0	27·5	34·3	34·3	35·0	....	28·7	34·0	33·1	34·1	39·5	28·3	29·8	....	28·5	....
22	35·8	31·5	36·9	36·4	36·0	....	29·3	38·5	30·1	37·1	41·8	34·0	34·5	..	28·0	....
23	36·5	37·2	50·5	43·6	43·4	....	34·2	44·5	34·1	42·0	43·7	40·3	40·5	....	28·5	....
24	39·0	37·8	49·3	42·3	43·9	....	35·0	45·0	40·7	42·2	43·0	39·1	39·5	....	36·0	....
25	41·5	45·0	51·0	50·1	48·0	....	35·0	50·5	38·8	42·5	43·2	43·5	47·8	....	37·5	....
26	45·5	47·5	51·8	51·2	48·5	....	41·9	55·5	33·6	48·7	51·0	49·6	48·8	....	48·0	....
27	37·0	50·0	52·8	52·6	53·1	....	45·2	55·0	45·1	55·0	52·7	51·6	50·8	....	54·0	....
28	32·5	41·5	43·0	43·1	44·4	....	41·2	45·5	44·6	41·6	46·0	42·5	40·1	....	40·7	.. .
29	33·7	33·0	42·9	41·7	42·9	....	32·8	45·0	35·3	38·9	41·5	41·5	36·5	....	42·5	....
30	35·5	33·5	43·3	38·7	38·9	....	33·0	37·5	36·0	39·9	41·8	36·6	37·3	....	40·2	....
31	37·0	47·0	52·0	50·9	53·1	....	44·3	55·0	46·1	54·5	61·0	53·1	56·3	....	34·5	....
	36·76	38·98	44·83	43·37	43·50	....	35·80	43·11	38·49	42·89	45·34	41·71	40·54	....	37·73	....

TABLE XVII.—*October, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
48·9	51·4	31·0	53·0	50·6	44 0	43·0	47·5	41·0	45·5	41·3	42·7	37·7	38·0	40·5	1
39·4	37·6	31·8	42·0	45·5	45·0	45·7	47·0	40·5	51·2	41·5	44 0	33·0	35·7	42·7	2
37·3	34 6	33·0	39 1	35·0	48·6	44·3	52·0	35·5	56·5	40·3	42 3	33·8	37·5	38·0	3
48·0	47·1	33·7	50·7	42·5	41·9	41·7	45·7	39·5	43·0	40·2	51·7	31·5	36·4	38·7	4
48·0	49·2	35·7	48·2	49·0	43·0	41·5	45·0	43·0	48·2	39·7	42·0	35·2	39·1	39·3	5
44·9	45·8	39·3	43·2	46·5	44·8	44·5	51·3	45·0	48·6	41·0	41·7	40·8	40·1	42·5	6
44·4	42·0	37·5	43 5	41·5	46·8	48·0	48·0	46·0	53·7	39·0	42·0	43·5	42·1	46·5	7
41·1	40·5	30·0	43·4	41·0	51·0	51·0	43·3	39·0	52·5	38·7	41·3	37·2	41·4	44·7	8
36·5	36·0	29 3	35·5	36·5	46·0	47·0	43·8	31·0	52·4	37·0	42·7	29·0	30·4	40·3	9
41·8	40·4	34·0	39·4	37·5	46·0	45·3	49·5	34·5	48·0	39·3	39·7	32·8	34·9	41·3	10
43·4	40·5	39·7	44·9	42·0	44·6	46·7	50·3	35 0	47·0	39·8	38·0	35·5	38·9	42 5	11
45·6	41·4	44·0	42·5	42·5	43·7	46·5	55·5	40·5	43·9	38·7	36·0	39·7	36·0	40·7	12
45·6	42·5	41·5	41·7	44·0	36·3	34·0	42·0	38·5	39·6	35·5	35·0	30·5	35·9	37·5	13
41·3	42·5	31·5	41·7	45·5	37·9	35·3	39·3	33·5	39·2	37·0	33·3	29·0	30·5	36·3	14
43·3	42·4	42·3	45·7	40·5	37·4	35·2	36·5	....	41·3	38·3	35·3	32·8	32·4	36·5	15
48·2	46·2	39·5	45·2	47·0	43·0	39·0	36·7	....	45·9	40·0	34·3	42·5	40 2	38·5	16
44·5	42·5	28·7	44·3	46·5	44·7	44·5	42·3	46·5	48·2	46·5	42·0	43·0	45·8	44·8	17
40·6	41·5	25·0	42·9	44·0	43·4	44·5	39·2	37·5	49·0	46 5	42·0	37·0	41·4	43·7	18
43·1	43·8	24·8	47·5	47·0	39·5	45 0	57·0	....	43·5	38·5	43·7	34·7	35·3	44·3	19
38·2	37·2	20·0	37·8	39·0	36·4	31·0	42·0	42·0	41·8	37·3	44·3	36·8	36·3	39·0	20
32·8	34·0	20·0	33·5	37·5	40·5	36 0	41·5	31·0	46·4	35·7	42·0	31·7	36·4	38·5	21
36·4	35·8	33·5	39·8	37·5	37·0	35·7	40·3	31·0	40·4	35·0	42·7	29·5	31·4	34·7	22
43·1	42·5	32·5	44·0	40·5	37·9	36 7	39·8	....	39·9	37·0	39·0	31·5	30·3	38 0	23
43·3	43·0	33·8	42·4	44·5	40·0	44·8	41·5	....	42·7	36·7	41·0	32·5	32·3	38·7	24
46·0	46·5	33·8	49·7	52·0	42 0	42·5	42·3	....	44·8	39·0	41·0	32·8	38·2	39·8	25
49·0	46·1	43·0	50·6	49·0	40·4	41·5	37·8	42·0	43·3	38·7	42·0	35·0	38·2	39·5	26
51·3	53·7	42·0	54 8	54·0	40 1	40·5	37·7	48·5	43·2	49·0	41·3	40·2	40·9	41·5	27
43·4	43·1	31·0	41·4	46·5	44·4	44·7	40·0	48·5	47·9	43·0	44·3	44·8	48·0	47·0	28
40·7	39·3	27·5	43·0	41·5	44·7	42·5	38·5	36·0	44·4	37·8	45·7	31·7	34·6	35·0	29
40 3	39·7	33·5	40·3	41·0	35·1	37·5	35·3	29·5	36·9	34·7	36·7	26·8	29·9	33·5	30
52·8	56·1	33·0	60·1	54·0	36·7	36·3	34·0	....	39·9	38·8	31·0	35·2	32·9	37·5	31
43·36	42·74	33·41	44·24	43·90	42·03	41·69	43·31	39·16	45·54	38·95	40·34	35·09	36·82	40·02	

TABLE XVII.—*October, 1888. Daily Mean Temperature.*

Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
42·3	45·5	36·9	37·8	39·2	39·9	41·5	39·4	40·2	44·3	38·3	41·7	38·2	43·3	42·1	1
44·0	46·7	40·4	38·2	38·0	36·7	41·3	38·5	38·9	40·7	37·3	39·5	35·9	50·0	43·9	2
43·0	60·0	41·2	35·8	37·9	36·9	40·0	37·4	37·7	45·3	45·1	43·0	40·3	42·6	39·9	3
38·8	47·5	40·4	35·7	38·6	36·9	38·8	38·5	34·1	47·3	39·9	40·0	42·3	41·5	41·8	4
43·0	43·5	39·4	42·3	44·3	38·3	40·0	42·9	41·7	38·0	39·1	34·3	41·5	50·6	47·5	5
40·0	45·3	39·5	39·3	43·1	39·7	39·8	42·5	38·4	....	42·1	41·3	44·7	48·8	46·6	6
52·0	49·5	39·7	46·6	....	42·9	44·0	46·0	36·8	....	57·3	42·7	....	52·7	53·8	7
46·3	48·5	39·6	39·0	42·9	40·4	42·0	40·2	37·4	54·7	56·6	52·5	53·7	50·5	50·2	8
44·2	53·3	37·5	30·7	32·4	33·7	44·2	29·8	29·8	44·7	42·4	45·5	42·2	42·0	40·1	9
43·0	48·3	38·5	33·8	38·1	38·4	39·5	35·6	34·3	40·3	41·8	41·0	40·1	39·8	40·2	10
44·3	47·2	39·8	39·2	43·3	41·7	40·0	36·9	39·8	48·0	42·6	46·0	44·5	44·4	42·7	11
39·7	39·3	39·2	41·5	44·9	41·1	41·0	42·2	35·2	....	44·3	45·2	45·5	47·7	47·2	12
37·0	38·0	36·1	38·8	38·5	35·5	40·7	39·0	38·3	39·0	34·5	37·5	38·5	41·5	39·9	13
36·0	37·0	35·2	35·7	....	33·3	37·5	33·5	34·3	....	34·3	38·3	....	39·1	35·4	14
36·3	39·0	33·6	37·0	39·6	35·1	35·5	30·5	34·0	41·7	33·6	37·3	36·6	39·8	37·2	15
36·7	39·7	38·5	40·8	42·6	38·2	37·5	42·9	38·8	43·3	37·4	37·0	39·8	46·8	42·6	16
45·7	37·5	45·1	44·2	48·9	44·9	37·0	43·8	43·8	43·3	45·0	42·7	46·6	49·3	50·5	17
41·3	41·5	41·2	37·0	39·9	42·5	34·5	38·7	38·1	....	45·7	47·0	48·0	46·9	46·7	18
40·5	38·5	35·0	35·1	35·7	37·3	35·5	35·5	35·2	49·0	40·9	43·8	42·0	41·6	42·6	19
37·0	35·7	36·0	40·3	41·8	37·5	35·7	41·1	36·0	42·0	42·3	35·5	41·0	45·7	45·2	20
38·0	37·0	35·5	31·2	....	36·2	37·8	34·0	34·6	....	36·9	29·5	....	42·2	40·4	21
34·5	39·0	34·4	30·3	33·2	33·0	36·0	32·2	34·5	40·7	35·6	37·5	37·3	39·3	38·0	22
37·0	38·3	34·6	34·7	35·0	34·3	35·8	34·1	29·9	35·0	35·4	34·8	38·9	39·6	38·1	23
39·0	38·2	35·6	37·3	36·8	35·9	35·7	35·8	31·7	39·0	38·0	36·8	38·6	40·2	38·0	24
40·5	39·5	38·5	36·0	38·6	34·9	41·0	32·8	35·7	45·0	38·8	43·7	40·9	41·1	37·7	25
37·5	36·5	36·2	37·5	37·1	38·4	41·0	38·1	33·9	42·7	42·3	40·5	44·2	45·9	44·9	26
37·0	38·0	42·8	47·0	45·1	41·7	40·5	44·0	41·1	42·7	43·0	42·7	43·6	47·0	45·4	27
50·0	41·0	46·2	44·3	....	44·9	40·5	47·9	39·3	....	51·7	46·5	....	53·8	55·3	28
35·8	44·8	37·8	34·5	36·7	36·6	35·3	35·3	33·4	43·3	40·7	36·5	41·1	40·1	38·6	29
33·7	37·3	33·8	30·8	34·0	32·8	35·0	31·4	33·1	34·0	33·0	50·3	35·0	36·4	35·2	30
41·7	34·7	37·3	45·5	42·5	35·0	34·7	38·7	38·9	34·7	36·6	32·8	37·9	42·3	49·7	31
40·51	42·10	38·40	38·03	39·51	39·18	38·67	38·04	36·49	42·44	41·05	41·03	41·44	44·27	42·78	

TABLE XVII.—*October, 1888. Daily Mean Temperature.*

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Charlottetown.	Kilmahumaig.	St. Johns.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
41·2	37·9	41·7	42·8	45·0	47·3	52·0	41·2	43·4	45·0	43·2	45·6	41·4	51·5	53·0	1
46·0	32·8	49·8	54·0	48·7	50·5	58·4	47·8	56·1	55·7	45·7	52·6	40·0	49·5	51·7	2
45·9	38·4	42·2	55·2	63·0	62·7	61·0	62·1	49·0	59·8	45·5	59·3	47·3	55·0	59·0	3
42·5	41·4	45·5	44·0	46·5	51·5	52·6	50·1	45·0	58·1	41·2	46·8	48·6	49·2	52·0	4
46·6	39·4	49·5	47·6	46·5	47·5	49·8	44·3	51·8	50·6	45·0	47·9	39·3	43·0	44·8	5
48·6	38·3	48·5	54·7	54·0	53·7	55·0	53·9	53·6	53·5	48·0	51·0	45·6	43·5	47·3	6
57·9	....	....	56·2	58·0	57·2	58·4	61·5	59·6	55·5	....	58·7	49·6	50·5	51·8	7
53·6	45·5	49·8	54·8	58·2	55·5	58·5	58·0	53·6	55·5	52·7	56·4	56·7	54·0	53·7	8
43·8	39·8	43·0	50·4	53·5	56·0	56·0	49·2	45·8	54·5	44·2	51·7	50·4	54·5	53·8	9
41·0	38·8	41·3	43·7	46·3	50·8	52·3	44·0	41·4	49·8	38·2	44·3	46·8	54·5	56·0	10
43·2	43·3	43·5	44·9	43·3	46·1	50·7	42·6	42·6	46·0	46·6	45·5	42·6	51·0	49·3	11
45·9	40·4	46·7	46·6	45·5	47·0	53·0	42·7	43·7	47·7	43·8	45·6	44·3	45·5	41·0	12
40·0	39·4	39·0	40·6	40·4	41·6	48·7	37·0	41·6	42·5	44·0	41·0	43·4	40·5	40·5	13
37·0	....	....	41·4	39·2	41·4	46·6	39·7	40·0	42·5	....	38·2	37·4	40·0	37·8	14
37·9	35·4	40·2	41·3	45·5	41·1	47·5	37·1	38·9	44·0	41·2	40·3	37·3	39·5	42·3	15
42·4	37·4	46·7	40·8	46·0	45·4	47·8	39·4	40·5	46·3	36·0	44·6	38·6	39·5	42·7	16
48·9	47·5	50·5	49·8	46·5	49·3	55·3	45·3	51·7	54·7	40·0	50·2	44·7	49·5	40·8	17
48·3	47·5	53·5	49·5	45·2	52·7	54·4	50·9	48·8	54·5	44·0	48·5	48·2	47·0	45·3	18
43·2	38·9	43·7	44·6	44·8	45·8	49·3	45·5	43·9	47·0	42·2	43·8	46·6	44·0	41·0	19
45·3	38·8	44·8	46·8	48·1	42·9	52·5	41·6	47·6	48·0	41·2	46·8	43·3	40·0	36·3	20
43·3	40·4	....	46·3	48·3	49·7	50·7	46·7	45·4	49·0	....	45·3	44·6	43·5	43·7	21
38·3	36·9	38·5	39·3	38·0	41·7	45·1	37·6	42·7	41·5	37·2	38·7	40·8	46·0	45·3	22
39·0	38·4	41·7	38·6	37·0	38·1	43·3	36·2	42·3	38·3	40·0	35·1	42·8	42·5	44·7	23
39·4	30·4	39·0	41·6	40·3	41·6	46·5	40·6	36·9	44·1	39·7	42·8	39·6	42·0	40·5	24
41·6	38·3	41·0	43·6	43·0	44·6	45·3	42·9	43·7	45·2	43·8	44·0	39·5	44·0	39·7	25
45·7	42·9	44·8	47·4	49·5	45·3	48·9	48·1	47·1	46·9	44·2	45·6	43·2	40·5	41·0	26
45·5	44·4	47·0	45·8	46·2	41·8	46·5	46·8	46·9	45·5	43·8	45·8	43·8	38·5	43·5	27
52·7	....	....	53·9	51·1	47·3	49·3	52·4	56·4	51·8	....	51·4	41·4	43·5	43·5	28
41·8	38·9	40·7	47·8	55·7	51·0	48·7	50·1	43·4	50·0	41·0	48·4	52·5	46·0	50·0	29
35·0	34·9	37·0	38·8	38·3	40·2	43·5	37·9	38·7	39·2	39·3	36·8	43·5	38·0	44·0	30
40·1	33·4	40·3	39·6	36·9	37·8	41·8	35·9	43·2	44·3	42·0	39·3	34·7	34·0	40·7	31
43·91	40·89	44·17	46·20	47·05	47·26	50·63	45·45	45·98	48·45	41·34	46·19	43·55	44·88	45·70	

TABLE XVIII.—*November, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilmap.	Calgary.	Swift Current.	Grenfell
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	49·0	43·5	45·5	31·1	37·4	31·7	34·2	32·5	38·2	28·2	32·7	....	31·4	27·5	34·5	31·2
2	44·0	43·6	43·5	22·4	30·7	32·2	36·5	39·5	29·3	31·5	32·3	....	23·9	25·7	30·5	30·8
3	44·5	40·9	41·5	22·5	29·7	27·9	33·8	32·7	32·0	29·2	29·1	....	33·7	25·6	28·5	28·0
4	39·5	37·3	41·0	24·6	27·0	28·4	34·7	30·3	31·5	30·3	29·3	....	27·9	22·0	28·5	28·6
5	38·0	40·9	38·0	12·5	22·3	27·1	34·3	29·8	26·7	16·8	22·3	....	29·2	22·1	21·0	24·7
6	47·0	41·9	41·5	17·7	26·5	19·1	29·2	31·3	27·5	25·5	25·0	....	27·2	25·5	24·5	25·3
7	45·0	48·7	46·0	6·1	22·2	25·8	28·8	26·2	26·0	27·8	26·3	....	27·4	23·8	18·3	25·6
8	47·5	44·5	43·5	16·7	31·6	22·9	36·0	31·8	38·2	20·3	21·4	....	17·2	34·4	27·0	25·5
9	46·0	45·3	46·5	11·8	28·6	27·6	33·5	27·8	30·3	22·0	27·8	....	35·4	29·8	29·0	28·0
10	46·5	39·3	47·5	18·2	30·9	28·2	34·3	32·0	33·7	18·8	25·4	....	29·5	32·3	28·5	26·3
11	39·5	35·6	49·5	19·2	38·5	26·4	32·5	31·0	42·5	21·0	26·3	....	30·1	36·4	32·5	27·0
12	38·0	30·7	46·0	9·0	41·7	35·2	30·5	8·3	35·3	28·7	35·9	....	36·1	26·0	36·3	35·5
13	35·5	29·4	38·2	2·2	13·4	20·2	18·3	0·7	12·5	15·8	17·4	....	22·3	4·0	10·5	25·2
14	34·0	28·5	34·5	1·7	6·9	0·3	6·2	0·0	9·7	0·3	3·2	....	2·9	2·6	5·3	1·3
15	35·0	29·2	32·5	4·3	7·0	14·0	13·5	5·0	15·0	7·2	12·1	....	1·4	9·9	15·0	12·7
16	38·0	26·7	31·5	8·7	5·8	1·5	11·0	15·5	18·8	4·5	6·5	....	8·3	4·9	14·0	0·5
17	38·5	26·3	28·5	4·8	12·8	15·8	15·0	4·0	18·0	9·2	11·4	....	7·6	13·0	14·8	13·9
18	35·5	34·8	29·0	9·1	12·7	12·8	8·5	8·0	17·5	5·0	11·4	...	13·6	12·4	10·3	12·0
19	49·0	47·1	40·5	10·7	7·0	9·3	20·0	9·3	19·2	4·0	13·6	....	0·7	2·3	8·0	11·0
20	47·0	46·7	46·0	8·4	16·1	10·9	19·0	8·0	22·3	10·0	10·2	....	5·8	14·3	21·0	12·0
21	47·5	50·7	46·0	12·3	17·6	15·5	24·0	12·3	24·0	9·2	13·7	....	12·8	15·4	21·5	20·0
22	38·5	38·4	47·0	17·6	21·5	13·6	22·3	13·0	31·7	7·8	13·7	....	18·3	20·5	24·3	15·0
23	41·5	39·8	44·0	21·2	31·2	29·5	20·7	15·5	40·8	16·5	23·6	....	15·6	27·2	28·5	29·5
24	45·0	46·4	38·5	21·7	32·9	23·3	21·8	10·5	35·5	10·0	21·3	....	24·0	31·9	28·0	28·0
25	37·5	36·1	43·5	28·2	36·6	32·1	21·0	20·0	42·7	19·0	27·3	....	27·0	33·5	33·0	30·8
26	41·0	44·2	....	28·9	32·7	29·8	15·8	25·0	28·7	15·5	27·5	....	31·1	26·9	31·5	30·5
27	45·5	45·8	43·5	21·4	22·2	27·6	25·0	14·0	26·8	26·0	22·0	....	28·5	18·0	22·0	28·7
28	43·5	46·9	44·0	15·5	17·1	16·3	25·0	20·0	21·7	15·2	12·7	....	18·6	18·1	19·2	18·6
29	45·5	44·0	42·5	24·1	21·1	18·8	18·2	18·5	30·8	11·8	13·8	....	15·3	22·4	23·0	20·0
30	45·0	41·0	43·5	21·6	23·6	21·8	18·3	19·3	28·3	13·0	14·7	....	17·2	23·0	20·5	21·3
..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	42·67	39·81	41·49	13·89	23·51	21·55	24·09	19·02	27·68	16·65	20·33	....	20·13	20·87	22·98	22·25

TABLE XVIII.—*November, 1888. Daily Mean Temperature*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
28·5	26·7	30·2	28·2	32·8	29·6	30·8	31·5	27·8	....	28·0	....	57·9	....	48·5	41·7	1
35·5	32·3	30·3	28·5	36·0	30·6	37·0	36·0	30·7	....	31·1	....	53·4	....	50·5	34·8	2
38·0	26·6	32·4	33·8	32·2	33·1	30 5	31·5	33·3	....	38·3	32·0	37·4	....	34·0	36·7	3
32·0	27·4	23·1	32·2	30·0	....	27·5	32·3	27·2	....	33 5	40·2	44·9	....	36·5	40·0	4
30·5	27·4	28·5	25·8	30·5	27·1	30·0	29 8	28·0	....	32 8	....	54·1	....	46·2	39·3	5
30·0	26·3	22·7	29·5	27·5	29·9	33·7	30·0	32·0	....	32·9	....	46·9	....	45·0	38·5	6
28·0	25·3	24·6	31·2	29·3	29·8	27·8	26·0	28·3	....	32·6	....	37·7	....	32·5	32·0	7
25·0	19·3	17·8	24·5	23 0	25·9	18·2	28·3	29·8	.. .	34·5	....	33·4	....	29·8	32·7	8
37·0	28·5	26·1	29·5	26·0	27·3	30·5	29·0	27·5	....	31·5	...	38·7	....	41·7	30·5	9
35·0	24·1	23 0	30·5	30·7	31·0	26·5	31·5	31·2	....	34·3	....	37·2	....	37·0	28·3	10
33·5	22·7	23·7	30·0	28·5	....	27·5	32·0	30·3	....	37·0	31·2	34·4	....	28·6	25·3	11
36·5	25·4	32·0	39·0	30·8	36·8	33·7	37·3	36·0	..	29·0	....	31·1	....	20·0	23·0	12
39·5	24·0	17·3	29·2	22·7	32·4	22·0	30·0	26·0	....	34·7	....	4)·2	....	26·3	29·3	13
12·0	0·6	2·0	11·8	8·0	11·4	4·0	7·5	10·5	....	30·0	....	42·7	....	43·1	38·2	14
11·0	3·0	0·9	5·7	14·0	10·3	7·3	9·5	11·2	....	27·0	....	41·5	....	36·6	27 8	15
3·0	7·4	11·0	0·5	2·5	2·2	7·2	0·5	0·5	....	13·1	....	27·8	...	31·3	18·2	16
15·0	13·5	9 6	18·0	17·3	16·3	13·8	20·7	18·5	....	7·8	7·8	19·2	....	16·0	9·3	17
17·5	13·6	11·0	23·5	14·5	....	14·2	6·0	18·7	....	15·2	22·7	21·8	....	16·5	22·0	18
5·0	2·1	0·4	1·5	11·5	2·1	2·0	8·8	9 0	....	24·8	....	32·9	....	10·7	16·5	19
10·0	4·6	4·2	16·5	10·0	15·1	7·2	14·0	18·3	....	4·3	....	16 9	....	5·5	9·0	20
16·0	13·2	15·4	22·5	23·3	21·8	16·0	20·5	26·0	....	6·5	....	16·6	....	7·2	14·2	21
26·5	19·0	9·9	24·0	17·2	25·8	15·5	16·8	27·2	....	11·0	....	18·9	....	5·4	5·0	22
21·5	18·8	19·6	23·0	25·0	23·6	21·3	29·5	29 3	....	27·0	....	17·4	....	7·4	13·3	23
26·5	20·0	19·9	26 8	35·0	26·5	19·5	36·3	29·7	....	21·2	21·5	25·6	....	25 0	27·0	24
28·5	22·0	22·9	29·5	36·0	....	23 0	40·3	32·8	....	19·0	....	18·9	....	23·4	21·3	25
34·5	25·3	23·5	35·0	29·0	33·5	23·0	40·2	37·0	....	30·4	....	24·5	....	22·2	19·5	26
26·0	26·7	26·6	28·0	26·3	27·4	26·5	21·7	32·0	....	32·5	....	31·1	....	25·5	27·2	27
28·0	21·8	13·3	28·2	2)·5	28·7	18·0	23·5	28·5	....	31·3	....	32·9	....	31·4	27·5	28
19·5	9 7	9·1	20 3	23·3	20·5	15·7	19 0	20·5	....	28·9	....	32·6	....	30·0	18·8	29
23·0	10·8	12·1	18·0	21·0	17·9	15·8	20·7	14·5	....	27·0	....	30·9	....	24·2	23·2	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
24·78	18·30	17·50	24·18	23·63	23·72	20·22	28·72	25·19	....	25 79	....	33·32	....	27·97	25·76	

TABLE XVIII.—*November, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Birnam.	Coldwater.	Conestogo.	Chatham.	Cartier.	Charlmch.	Durham.	Leseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	54·1	58·0	59·5	62·7	58·2	60·3	39·0	51·7	59·3	47·0	54·0	57·2	57·5	59·0	53·9
2	52·1	54·3	61·0	61·5	59·4	64·3	39·5	51·8	55·7	56·0	....	57·3	58·9	59·4	53·9
3	37·7	42·3	46·7	47·8	41·6	45·7	33·3	36·9	47·0	40·7	38·3	41·0	42·2	....	53·9
4	43·5	45·0	44·7	53·1	47·2	40·2	33·7	42·6	50·0	45·6	44·0	46·0	....	44·2	39·8
5	50·3	52·0	50·7	47·7	54·7	58·0	35·5	48·1	56·0	42·7	53·0	53·5	54·0	54·3	48·9
6	44·3	56·5	54·4	51·3	50·1	49·6	33·0	42·7	44·7	52·6	46·0	46·8	53·9	50·9	56·4
7	34·1	38·5	39·6	41·2	37·9	45·7	30·3	31·3	39·7	39·0	36·0	39·5	38·0	38·8	47·3
8	33·4	38·5	41·3	42·1	41·3	49·3	30·5	32·4	37·3	37·8	34·7	39·7	39·6	39·5	37·8
9	36·6	39·0	45·6	50·9	41·0	50·2	31·7	34·4	42·0	38·9	38·0	41·7	41·1	47·5	35·8
10	37·8	42·0	45·9	37·4	41·6	42·0	28·3	36·6	41·0	39·2	38·7	39·8	40·0	43·5	39·3
11	31·6	37·0	37·9	43·2	35·5	41·8	23·7	29·5	33·7	37·4	33·3	34·0	...	37·8	36·9
12	24·0	35·5	39·8	38·4	36·7	41·5	19·5	17·0	36·7	30·4	34·7	37·0	36·9	39·8	33·4
13	35·0	29·5	33·0	39·5	39·4	41·9	33·5	32·2	42·7	36·9	....	38·8	39·5	47·7	32·9
14	39·0	45·5	48·2	46·5	47·6	51·4	37·2	38·2	50·3	43·3	46·0	45·7	47·7	47·5	38·9
15	41·0	46·3	49·5	45·4	49·1	54·3	29·3	37·2	46·7	41·8	49·0	47·0	46·2	50·4	46·3
16	27·4	33·3	32·2	42·4	31·4	35·9	15·7	26·3	28·7	38·9	29·7	30·3	30·6	40·3	44·8
17	14·1	26·7	24·6	40·8	21·1	27·5	1·3	6·9	21·3	27·1	22·0	23·0	24·4	21·3	26·9
18	25·1	25·5	22·5	22·8	26·4	36·7	13·7	25·2	28·3	27·4	26·0	28·7	....	21·4	17·9
19	29·5	31·3	37·6	20·4	35·0	38·0	5·8	26·2	....	37·1	....	34·5	35·5	34·7	32·9
20	8·6	22·5	27·4	19·5	18·7	28·3	17·7	4·5	19·0	19·0	15·0	19·0	18·2	26·0	27·7
21	14·8	21·0	16·5	19·5	20·3	26·2	4·8	13·8	22·3	18·4	18·0	21·0	19·9	20·9	16·9
22	11·5	22·8	24·0	16·7	20·0	28·1	13·5	4·6	....	16·4	22·7	26·7	22·1	25·5	18·4
23	13·8	21·5	28·2	17·6	21·1	31·5	3·7	13·3	25·0	15·9	21·7	25·0	22·7	24·7	13·9
24	22·3	24·7	29·0	23·1	28·5	39·5	13·0	24·0	....	28·5	27·0	28·5	29·1	27·5	18·9
25	21·5	20·5	28·9	23·1	24·8	33·6	6·0	18·7	28·4	25·2	21·3	24·5	....	25·3	25·9
26	26·4	25·2	28·5	21·4	28·8	35·4	6·8	24·3	.. .	30·2	26·0	28·0	21·1	23·4	27·9
27	30·4	30·7	31·5	29·5	31·7	33·3	9·7	29·4	32·3	34·7	30·7	32·0	31·7	30·5	30·9
28	32·6	33·8	34·3	33·8	32·7	37·4	12·3	32·8	34·0	35·5	32·3	24·2	32·9	34·1	32·2
29	31·3	35·2	35·5	32·7	31·7	35·5	12·8	30·2	34·0	35·1	31·3	33·8	34·3	34·5	34·5
30	26·6	25·8	35·4	39·8	31·2	36·1	5·5	25·1	31·7	32·7	30·6	33·5	32·4	33·0	33·2
31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	31·33	36·08	38·19	36·70	36·18	41·25	18·45	28·93	37·99	35·04	33·82	36·26	36·82	37·29	35·20

TABLE XVIII.—*November, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bruce.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
54·4	56·4	54·9	51·8	51·8	49·2	58·3	60·5	56·4	54·4	51·5	55·3	30·7	54·3	51·1	63·8	1
54·6	59·4	53·7	56·5	56·2	48·5	57·7	61·6	55·0	57·4	50·8	52·7	29·3	63·7	59·6	56·7	2
41·0	47·1	39·5	46·7	40 3	42·3	42·7	46·4	44·6	45·1	51·8	41·3	31·7	44·0	....	49·8	3
46·7	42·8	47·4	44·0	45·9	47·2	49·7	49·5	46·2	39·0	42·1	50·0	30·8	49·5	40·2	59·0	4
53·2	53·2	51·8	53·8	52·8	44 8	53·3	58·8	56·0	45·8	49·2	57·0	35·0	59·7	49·1	60·0	5
45·9	51 6	44·3	52·8	49·4	42·5	48·7	51·2	53·5	47·9	51·2	45·0	31·7	50·0	55·9	51·3	6
36·3	37·6	35·9	37·3	36·5	37·2	39·0	40·4	40·5	44·5	39·7	39·3	32·3	40·0	35·7	46·0	7
35·1	39·7	35 0	38·3	34·5	36·8	40·3	42·4	39 5	33·2	38·6	34·3	33·7	45 7	33·0	53·7	8
39·2	48·5	38·7	39·6	37·6	39·0	41·3	47·5	42·0	37·9	37·8	38·3	36·2	44·5	37·7	52·3	9
39·7	44·9	58·8	40·8	39·8	36·0	39·3	43·9	41·5	38·8	39·7	34·3	30·3	44·8	38·5	47·3	10
34·7	36·3	32·5	37·3	34·5	34·2	35·0	37·1	36·4	32·3	35·7	36·6	23·0	39·0	33·6	46·0	11
26·4	37·8	26·5	27·0	28·7	30·0	37·0	41·4	34·3	25·2	30·3	36·3	26·7	37·3	23·4	42·3	12
38·1	40·7	....	37·4	35·6	45·3	40 3	40·8	42·0	30·7	34·0	38·3	41·8	38·5	26·0	56·8	13
41·9	45·6	41·0	46·9	42·7	46·7	46 7	45·4	48·7	37·2	38·3	47·7	29·7	50·2	37·0	61·8	14
43·6	50·7	38·8	47·9	48·1	38·8	40·3	52 3	47·5	39·0	47·0	42·7	14·0	47·0	42·1	56·0	15
32 4	38·0	28·0	35·8	30·0	27·2	31·3	32·9	33 9	31·9	38·5	31·3	7·0	32·0	32·7	40·5	16
19·1	22·4	20·4	26·1	18·3	23·3	21·7	23·3	26·4	18·4	22·7	22·0	12·3	25·3	22·7	30 5	17
27·0	24·0	27·5	29 3	26·9	27·5	25·0	30·2	22·4	19·1	21·3	23·3	28·7	32·0	24·4	41·3	18
33·2	36·0	29·0	38·6	32·4	29·7	33·0	36·1	33·9	32·4	34·4	32·7	3 3	39·8	32·8	32·5	19
13·8	26 4	11·0	16·1	14·1	10·3	19·7	25·3	26·4	16·3	21·7	17·3	7·0	24·0	10·8	30·7	20
16·4	21·6	18·8	18·2	13·4	30·0	21·0	25·4	21·4	10·2	14·5	20·3	10·2	23·7	10·1	34·3	21
12·2	23·3	14 3	15·6	14·0	12·0	25·3	26·8	26·1	10·4	13·2	20·7	22·3	24·0	9·2	30·5	22
15·4	24 8	18·2	16·9	15·3	33·7	24·3	27·8	26·4	9·2	13·2	22·3	27·8	25·7	6·9	32·8	23
23·2	29 1	27·0	23·4	24·5	36·5	27·7	32·2	28·9	19·8	21 3	28·7	31·0	35·3	19·0	37·3	24
23·1	27·4	25·8	22·9	22·7	27·5	24·0	27·4	27·6	19·5	24·7	26·7	34·7	31·0	24·2	39·0	25
27·9	27·4	27·8	29 3	28·0	24·3	26·5	29·4	27·9	23·2	26·1	27·7	33 8	28 8	31·9	32·5	26
32·4	30·2	31·0	34·4	32·2	29·7	30·0	32·4	26·0	31·5	33·1	30·3	31·5	32·5	36·0	35·0	27
34·6	33·0	33·7	35·6	33·6	34·3	33·3	34·5	34·4	33·8	34·5	33·7	30·7	34·2	35·6	36·0	28
33·4	33·2	32·0	35·4	33·1	34·0	32·3	35·5	34 6	33·4	34·2	33·0	28·3	34·8	34·8	35·5	29
29·9	33·1	28·7	33·5	31·6	28·2	32·7	33·8	32·1	30·4	32·6	30·7	21·8	35·5	33·3	36·3	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
33 50	37·44	32·82	35·64	33·43	34·23	35·92	39 08	37·24	31·32	34·12	34 83	26 21	39 11	31·98	44 29	

TABLE XVIII.—*November, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stony Creek.	Saugeen.	Sharon.	Savanne.	Spruecdale.	Sombra.
	°	°	°	°		°	°	°	°	°	°	°	°	°	°	°
1	34·0	50·5	54·7	54 3	54·6	....	43·2	58·5	51·7	57·3	63·3	53·2	54·0	....	47·5	....
2	32·2	52 5	48·6	55·8	57·0	....	57·0	59 5	58·8	59·5	63·7	47·6	58·7	....	50·9	....
3	33·8	39·5	46·2	44·6	45·4	....	37·1	49·5	51·1	43·4	45·5	42 1	42·3	....	46·0	....
4	36·0	44·5	49·0	43·2	49 0	....	36·0	43·0	39·2	46·7	54·3	48·6	47·1	...	35·5	....
5	33·2	47·5	54·8	53·2	55·1	...	40 1	58·5	49·8	53·6	62·7	51 7	54·9	....	43 5	....
6	32 0	45·0	47·0	50·3	53·0	....	48·1	45·5	54·6	50·3	54·5	45·6	45·4	....	52·0	....
7	32·0	32 0	40 9	36·4	40·0	....	33·6	36 0	37 5	40·7	41·5	37·0	37·3	....	38·0	....
8	35·0	34·5	39·3	45·2	44·0	....	31·1	46·5	30·7	42 6	46·8	37·7	38·6	....	31·5	....
9	29·0	36·5	41·8	49·5	50·0	....	34·1	51·5	35·1	46·2	45·3	40·3	39·5	...	32·0	....
10	29·3	37·6	41·0	46·7	42·9	....	34·0	43·0	37·6	42·0	44·8	38·0	40·6	....	34·0	....
11	28 2	35·5	41·8	38·3	37·0	....	29·1	38·0	35·3	36·9	38·5	40·0	36·1	....	33·5	....
12	28·5	22·5	38·2	41·6	36·5	....	23·2	40·5	22·3	37 2	39·8	33·0	31·5	....	19·5	....
13	34·5	36·0	43·2	40·5	39·9	....	25·0	42 0	24·0	41·5	42 0	36 4	39·2	....	20·0	....
14	31·5	44·6	46·5	48·9	49·1	....	34·6	49·0	....	48·0	53·8	46 1	47·2	....	35·0	....
15	19·0	39·1	42·8	49·1	49 6	....	36·6	51·0	39·2	53·5	54·7	39·7	50·0	....	31·0	....
16	7·5	28·5	34·7	34·1	32 5	....	29·0	39·5	37·1	31·9	35·0	32·8	31 6	....	32·5	....
17	7·0	17·0	25·8	22·9	25·1	....	18·2	24·0	20·3	22·0	25·5	20·3	18·2	....	15 0	....
18	22·0	27·6	28 4	32·6	30·0	....	20·8	24·5	18·5	28·7	32·5	22·0	28·1	....	8·9	....
19	8·5	30 6	38·4	37·7	37·9	....	24·4	38·5	31·2	36·7	38·5	35·1	34·4	....	26·0	....
20	10·8	9·3	23·5	25 5	25·0	....	2·9	27·5	18 0	24·1	26·0	15·3	18 7	....	19·0	....
21	20·7	17·6	23·0	24·7	25·0	....	4·8	25·7	10·8	23·8	27·3	19·2	18·4	....	3·0	....
22	25·0	10·2	26·0	25·0	23 6	....	3·0	26·0	6·0	24·6	25·7	21·0	15·6	....	12·0	....
23	30·5	16·5	26·9	30·6	24·5	....	4·6	30·0	3·3	24·6	25·0	24·0	19·1	....	5·5	....
24	31·5	27·5	33·7	29·2	35·5	....	17·1	32·5	13·5	32·3	34·0	29·3	27·6	....	18·5	....
25	33·5	22·1	27 5	24·7	26·5	....	20·1	30·0	20·5	25·3	31·0	28·4	23·5	....	19·0	....
26	36·5	24·0	34·4	29·3	26·5	....	25·1	26 5	27·0	30·2	32·3	30·5	28 9	....	21·0	....
27	35·5	29·5	32·5	31·2	31·5	....	33·5	30·5	33·6	33·4	34·5	31·6	32·1	....	19·5	....
28	33·0	33·6	34·0	33·9	33·5	....	35·0	31·0	35·6	35 3	36·0	34·7	33·8	....	31·5	....
29	30·0	32·0	37·0	35·2	34·5	....	34·1	34·5	34 3	35·5	37·3	35·0	33·4	....	32·0	....
30	21 0	28 0	34·7	34·6	35·0	....	27 6	34·3	32·3	34·0	36·7	32·0	31·4	....	29 5	....
31	...	....	...	....	....	....	....	....	....	....	....	....	....	....	....	....
	27·37	31·73	37 86	38·30	38·32	....	27·90	39·23	31·30	38·04	40·94	34·94	35·34	....	28·40	....

TABLE XVIII.—*November, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S. W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
55·1	59·5	28·0	62·7	61·0	38·0	36·7	32·7	....	41·4	40·5	36·3	39·8	35·9	40·0	1
56·2	60·0	26·5	61·6	57·5	40·6	40·3	32·8	....	45·0	44·0	30·7	56·2	42 3	38·3	2
44·7	43 8	31·2	45·6	46·0	37·6	46·8	37·5	48·0	49·0	37·3	29·7	43·0	34·1	39·7	3
45·8	47·2	31·3	50·8	47·5	32·0	30·7	33 8	35·0	34·4	30·7	29·7	27·0	26·7	30·5	4
53·3	58·0	30·5	59 9	56·5	30·0	34·5	33·0	49·5	37·5	34·0	26·7	43 3	31·7	32·0	5
49·9	51·0	31·2	52·4	53·0	33·0	31·5	35·5	50·0	40·8	35·3	26·0	53·2	33·6	34·5	6
40·8	39·1	27·5	42 3	41·5	33·0	34·5	37·3	....	39·0	34·7	31·3	29·8	30·1	34·5	7
43·1	42·0	36·5	44·4	42·0	29·7	29·5	35 5	35·0	32·2	29·3	27 3	29·5	28·0	28·8	8
42·4	48·3	30·7	45·2	45·0	30·8	31·0	35·0	40·5	33·4	33·3	27·0	32·0	33 2	31·5	9
43·1	42 1	27·0	41·0	41·5	30 0	31·0	34·0	45·5	34·6	32·7	26·3	34·0	31·4	32·3	10
38·2	35·7	19 0	38·3	38·5	33·7	33 0	34·5	33·0	43·8	34 2	30·0	27·5	30·4	34·7	11
35·6	37·5	18·0	39·2	41·0	27·0	26·8	33·0	24·0	29·9	26·3	25·0	18 0	20·1	25·0	12
36·2	40 3	33 8	42 3	42·5	28·5	30·3	22·8	27·0	28·9	28·0	14·0	22·5	23·0	27·3	13
44·4	50·1	31·5	50 5	51·0	32·4	32 7	23·3	44·0	34·4	38·5	21·0	35·0	29·1	39·5	14
47·3	50·4	19·5	48·4	49·5	37·5	37·8	35·2	45·5	29 8	37·5	32·3	40·5	33 7	39·3	15
34·9	32·0	19·5	32 0	36 5	38·0	38·0	36·0	32·5	42·6	32·3	35·0	31·2	28·2	34·3	16
25 2	23·8	13·7	21·5	27 5	21·9	21·7	21·0	24·0	27·8	23·0	24·0	17 8	17·7	24·5	17
31·1	26 7	16·3	32 2	25·5	23·6	24·0	23·0	....	28 7	21·5	12·0	11·5	10·1	22·5	18
39·6	37·1	1·2	38·5	35·0	32·6	27·3	33·0	....	35·0	32·5	21·3	31·2	26·7	31·8	19
22·6	24 6	4·0	28 9	27·5	14·0	11·7	15·3	8·0	25·9	7 8	22 0	3 5	2·4	10·5	20
22·0	23·5	1·8	25 6	24·5	10·7	11 8	7·3	...	16·3	8·0	1·7	0 3	4·8	8·2	21
21·6	24·1	5·5	26·5	25·5	5·2	5·3	2·5	0·5	15·3	7·5	0·7	0 5	1·8	7·0	22
24·3	26·7	18·5	29·1	27·0	10·2	13·5	5·0	5·0	16·3	12·0	2 7	3·5	4 3	8·5	23
31·3	29·9	16·7	33·0	30·5	15 8	17·8	6·8	....	25·9	18·3	0 0	15 0	5·3	19·8	24
25·8	26·9	23·8	29·8	27 0	11·1	9·0	10·3	19·0	22·6	20 5	10·0	14 7	7·6	20·7	25
29·4	28·3	20·0	33·7	27·0	25·0	24·0	27·0	31·5	32·7	29·0	21·0	28 8	25·6	29 8	26
33 3	32·1	12·3	31·8	30·5	31 7	31·0	30·5	38·5	34·6	32 7	20·7	33 2	31·5	32·3	27
35·1	34·4	21·5	35·0	35·0	33·4	32·5	27·7	34·5	36·7	35·3	25·0	31·5	33·0	33 5	28
35 7	34·8	24·3	35·5	37·0	33·2	32·7	32·8	34·0	35·7	32·3	28·3	31·3	32·5	32 8	29
34·7	33·9	8·3	23·5	33·0	30·7	29·5	32 7	32·5	34·4	31 5	30·3	32 0	35 3	33·2	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	31
37·42	38·13	18·90	39·70	38·76	27·70	27·76	26 89	33·39	33·15	27·76	21·93	27 19	32·11	28·57	

TABLE XVIII.—*November, 1888. Daily Mean Temperature.*

Day.	Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	39·8	37·0	39·5	52·8	53·7	42·5	40·5	48·7	37·1	42·3	41·3	40·0	49·1	49·0	49·1
2	41·7	32·3	41·7	61·8	59·2	48·9	49·0	62·1	55·8	46·7	45·1	35·5	49·0	51·6	51·0
3	38·5	35·5	37·9	43·2	48·0	45·0	40·0	45·4	31·5	52·3	53·1	45·0	53·9	54·3	52·8
4	30·5	33·0	29·9	39·3	....	32·1	37·3	34·0	27·5	....	31·9	33·5	....	38·8	36·6
5	33·0	29·3	31·4	50·1	47·7	38·0	30·0	47·2	33·2	....	33·9	33·3	41·6	46·7	45·2
6	35·5	28·8	34·5	55·8	53·9	38·6	30·7	57·6	34·4	40·3	40·1	31·8	47·6	53·5	51·0
7	34·5	33 7	32·6	36 5	39·2	32·9	30·0	36·5	30·6	41·3	40·9	....	44·4	46·6	45·3
8	28·0	29·8	28·5	33·5	33·3	30 2	30·0	31·9	28·2	37·0	30·3	....	33·8	37·3	35·4
9	31·0	24·0	31·7	34·5	36·0	33·5	30·8	35·9	30·3	33·3	32·8	31·0	34·8	40·8	39·1
10	32·8	22·0	28·7	41·3	37·8	34·9	32·0	42 5	32·0	34·0	34·1	30·5	36·1	44·8	42·5
11	35·0	29·5	34·0	31·7	....	34·4	33·0	32·1	31·7	....	46·4	35·2	....	42·3	41·4
12	25·7	30·5	25·8	24·2	26·4	24·5	31·2	23·7	20·8	27·3	26·0	26·0	29·1	32·8	31·8
13	27·8	19 8	25·4	26 5	28·7	22·8	25·5	24·0	25·1	29·7	23·3	....	25·6	30·5	28·0
14	35 0	28·7	35·6	43·5	41·3	32·5	37·0	40·1	41·1	41·0	34·4	35·7	39·1	45·8	42·2
15	36·2	35·3	36·3	44·0	45·3	38·4	37·0	38·8	32·3	....	37·4	37·5	42·0	48 6	45·3
16	34·8	37·0	32·9	31·3	36·6	34·6	37·3	35·5	22·6	43·3	39 8	37 0	44·5	43·9	47·4
17	24·0	23·2	22·3	25·2	26·4	20·9	23·5	22·5	11·9	35·7	26·1	28·0	29·2	32·8	29·5
18	17·7	20·5	14·0	23·3	....	10·4	22·5	19·2	16·3	....	15·6	16·7	....	24·0	21·4
19	31·3	28·5	28·8	32 7	34·2	30·1	31·0	34·2	25 3	....	29·7	22·8	30·5	43·3	41·2
20	12·5	19·0	8·6	11·0	10·4	4·4	5·5	4·6	14·3	16·7	18·8	19·0	22·9	26·2	22·6
21	7·2	5·0	7·7	13·3	10·6	1·0	3·2	7·5	0·9	15·0	8·4	4·7	10·1	14·9	10·5
22	7·7	6 3	7·0	8·5	9·0	1·6	6 5	5·4	0·7	6·7	6·3	5·0	10·1	14·1	10·2
23	12 5	4·7	7·1	9·0	7·2	2 5	2·7	3·1	3·5	15·7	7 2	7·5	9·4	14·4	11·2
24	19 0	8·3	6 9	19·8	17·3	14·7	12·0	18·8	12·1	17·0	10·6	9·5	17·5	30·6	25 5
25	17·0	15 0	18·4	19 5	....	20·0	10·8	20·9	13·1	....	21·9	14·0	....	34 3	28·0
26	26·8	22·7	27·5	27·4	28·3	28·7	27 5	33·1	24·1	32·3	33·4	26·0	32·9	41·8	37·9
27	32·3	27·5	31 5	31·8	33·1	32·2	30·0	37·3	29·5	38·7	35·6	36·0	36·1	44 3	39·1
28	32·5	32·5	32·3	33·0	34·0	32·4	30·5	33·5	32·0	39·3	35·9	34 5	36·4	43·5	40·6
29	33·0	31·7	32·6	32·5	33·5	31·7	31·0	33·2	32·7	38·0	34 0	24·5	36·1	38·0	36·1
30	30·5	30·3	32·4	31·8	33·5	32·5	31·0	33·4	32·3	35·7	24·0	33·0	36·1	37 8	35·6
..	....	...	....	....	....	....	....	....	....	....	....	....	....	....	...
	28·13	25 38	26·78	32·29	33·25	27·49	26·57	31·42	25·43	33·01	29·94	27·51	33·76	38·24	35·78

TABLE XVIII.—*November, 1888. Daily Mean Temperature.*

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Charlottetown.	Kilmahumaig.	St. Johns.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
47·8	46·8	48·2	51·2	49·0	47·1	53·5	46·3	48·4	47·8	51·7	47·6	40·8	41·5	42·5	1
48·5	50·4	50·7	49·3	50·3	44·5	50·1	47·9	50·1	47·0	52·7	49·9	41·5	43·0	35·2	2
51·3	55·3	51·5	54·7	48·9	56·2	55·7	59·2	52·2	50·7	57·3	56·4	53·2	56·0	42·5	3
37·5	....	....	41·0	40·7	45·3	44·8	44·4	41·6	41·0	....	37·0	43·3	48·5	36·3	4
43·8	40·4	48·0	46·1	39·5	39·8	44·4	36·3	46·6	41·5	44·0	41·6	32·9	37·5	33·5	5
49·4	44·8	50·7	52·1	52·0	48·2	54·2	51·9	52·2	50·0	53·7	51·0	42·8	41·5	33·0	6
44·5	44·9	42·5	49·8	59·0	51·1	51·3	47·2	45·1	44·3	45·0	45·9	48·6	48·0	40·7	7
34·4	30·4	36·3	36·1	36·2	35·5	40·5	35·2	36·6	38·0	36·3	34·2	37·8	35·0	34·3	8
36·9	33·4	40·3	42·5	36·0	33·3	43·5	36·1	44·8	38·7	41·0	35·4	31·9	32·5	30·5	9
41·5	34·6	44·7	43·1	45·5	36·7	44·5	39·9	47·1	42·5	38·7	37·4	34·4	30·0	24·0	10
44·6	....	....	50·1	47·5	46·3	52·1	51·0	43·9	48·0	....	44·5	37·1	45·0	34·7	11
30·4	28·4	31·5	34·2	35·0	35·4	41·5	34·8	37·5	37·9	32·7	30·0	37·9	39·5	34·0	12
27·7	23·5	31·5	28·1	29·8	29·6	33·9	26·9	32·9	30·3	28·0	27·6	27·6	29·5	23·0	13
39·8	35·9	45·2	38·5	36·3	34·4	43·0	33·4	45·5	39·7	39·7	36·9	32·5	26·5	28·8	14
45·9	40·9	48·5	46·0	57·7	44·9	48·6	40·8	49·5	44·8	40·1	43·9	40·4	39·0	38·7	15
45·6	46·9	41·2	49·8	47·8	50·3	50·6	51·7	46·7	45·5	43·3	48·8	46·2	50·0	41·0	16
31·5	28·9	32·3	37·6	33·5	39·2	46·3	39·6	38·4	35·5	33·3	31·0	39·1	48·5	28·8	17
21·1	18·5	....	26·1	22·9	30·0	38·0	24·9	25·4	27·9	....	23·5	24·3	29·0	26·2	18
39·1	26·4	43·5	37·0	34·3	31·6	42·8	29·5	39·8	40·3	39·7	37·9	22·1	34·0	34·5	19
25·5	21·0	19·8	34·3	46·5	37·1	41·1	35·1	30·9	33·5	27·3	26·3	30·5	42·0	27·0	20
13·1	7·9	11·2	16·2	20·7	20·7	28·7	15·1	17·2	22·0	15·3	14·9	18·9	18·0	8·3	21
12·2	10·0	9·5	16·5	16·2	21·9	30·0	15·2	20·1	20·5	16·7	14·6	9·8	19·5	9·2	22
10·4	8·0	11·3	13·6	14·5	19·5	25·9	12·3	14·9	20·2	14·3	15·0	11·3	14·0	8·3	23
22·9	17·0	29·3	20·1	18·0	24·9	31·6	16·1	23·9	24·0	26·3	19·6	14·5	18·5	13·7	24
28·1	....	....	29·8	24·0	24·1	39·1	23·9	31·0	32·5	....	26·0	16·6	20·0	11·5	25
37·5	32·7	40·0	39·0	36·2	36·0	45·6	35·8	45·4	40·3	45·0	35·4	28·9	23·2	24·0	26
37·2	36·4	39·8	43·3	42·3	39·1	48·9	46·1	46·7	41·5	47·0	40·6	34·9	34·3	28·3	27
40·2	35·4	43·0	49·7	40·8	41·0	48·0	47·1	44·4	42·8	43·0	42·8	37·5	37·0	32·7	28
36·6	35·3	36·5	42·1	43·4	43·3	45·1	41·6	39·5	41·3	41·0	38·0	39·2	38·5	32·3	29
35·0	34·9	35·8	37·9	35·8	37·8	41·9	35·4	38·7	39·8	36·7	36·4	34·7	37·0	30·7	30
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
35·34	32·15	37·02	38·53	38·08	37·48	43·52	36·69	39·24	38·32	37·81	35·67	33·17	35·22	28·95	

TABLE XIX.—*December, 1888. Daily Mean Temperature.*

Day.	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	46·0	34·7	43·0	31·7	28·1	16·0	20·0	15·0	28·8	12·5	16·4	....	19·7	27·6	18·0	18·1
2	46·5	45·7	45·5	17·8	26·0	21·6	25·5	20·5	31·2	14·7	20·4	....	20·2	18·5	23·5	....
3	50·5	37·0	50·0	15·1	45·6	33·4	21·5	11·5	51·8	24·8	31·2	....	21·4	38·3	44·0	....
4	52·0	41·9	52·5	14·0	29·4	30·9	24·7	13·0	36·5	7·5	26·8	....	27·9	30·4	32·0	28·0
5	47·0	44·0	48·5	21·1	29·1	20·1	25·0	28·8	37·0	11·0	19·2	....	14·0	24·4	28·5	....
6	41·0	39·6	41·5	10·5	26·3	21·6	26·5	25·0	24·0	9·2	19·7	....	14·4	21·9	24·0	....
7	44·5	32·5	45·5	6·9	23·9	24·6	25·8	25·0	27·0	14·5	21·2	....	19·8	21·7	24·5	21·0
8	46·5	29·0	46·0	8·8	38·1	25·5	17·8	21·7	46·2	14·5	21·5	....	19·4	26·8	30·0	26·7
9	44·0	27·7	45·5	5·0	25·2	27·3	20·0	20·0	24·5	13·2	27·8	....	24·3	21·7	24·8	25·5
10	44·0	37·6	43·0	2·8	2·7	11·4	19·3	15·0	7·8	2·0	10·4	....	9·5	8·9	9·3	5·4
11	43·0	38·0	42·5	8·7	12·0	6·8	24·0	15·0	26·2	0·5	2·9	....	2·5	23·4	21·0	11·0
12	44·5	36·3	46·0	5·3	15·5	13·5	22·0	16·8	29·5	6·5	15·5	....	6·1	20·3	13·8	12·3
13	45·5	34·1	44·0	6·8	30·5	15·4	23·0	14·2	34·8	12·5	17·5	....	9·2	17·4	26·5	16·7
14	45·0	37·2	45·5	7·5	19·5	17·4	21·3	20·5	19·7	15·2	16·1	...	19·1	16·6	17·3	19·4
15	46·0	40·3	41·5	9·7	19·2	17·5	18·5	16·8	19·0	11·0	16·4	....	15·1	14·6	18·3	16·7
16	45·5	46·4	42·0	13·5	13·7	18·0	16·0	18·7	15·5	11·0	20·2	....	13·3	19·1	18·5	16·3
17	45·5	49·0	43·0	5·6	11·6	19·0	16·0	18·3	17·8	9·5	15·2	...	12·3	19·5	15·5	13·9
18	46·0	42·4	43·5	18·2	19·6	10·5	19·7	23·7	24·0	12·5	6·8	....	12·0	28·5	15·7	12·0
19	46·0	41·2	45·5	14·0	29·6	27·8	28·0	32·0	37·0	22·8	24·1	....	22·7	36·2	29·3	21·4
20	45·5	39·1	44·5	7·0	20·9	17·0	21·7	27·5	29·0	10·7	16·2	....	12·6	21·6	22·0	11·5
21	45·5	34·1	45·5	10·8	35·8	17·8	17·3	26·3	40·5	13·3	19·7	....	11·2	35·1	32·5	19·6
22	40·5	29·2	44·0	2·8	30·6	30·9	22·0	17·0	36·0	18·8	27·6	....	20·3	25·1	27·0	25·6
23	34·5	28·9	35·0	1·0	19·0	10·7	23·3	20·5	18·8	16·7	12·3	....	8·5	10·1	12·9	6·7
24	33·0	29·2	28·3	5·7	3·1	5·5	18·0	15·5	8·0	11·8	2·7	....	0·7	13·1	2·5	4·5
25	35·0	30·0	27·5	7·9	3·1	5·1	18·5	15·0	7·5	13·2	7·9	....	2·7	11·9	8·8	7·0
26	37·5	32·6	25·5	4·6	7·3	10·1	12·2	8·7	11·0	11·5	13·4	....	10·7	15·0	7·8	12·7
27	40·0	37·2	26·0	2·7	0·7	5·8	11·5	2·5	11·0	7·0	4·8	....	4·9	13·4	5·8	3·0
28	39·5	38·5	28·0	5·7	7·0	6·6	14·7	2·5	10·8	5·0	6·5	....	4·2	18·7	8·7	1·8
29	38·0	33·8	27·0	10·9	9·0	5·5	22·5	4·5	15·0	0·2	1·7	....	1·3	17·2	11·5	4·7
30	34·5	40·4	27·0	14·8	10·9	10·8	21·7	8·8	14·5	8·7	11·0	..	4·9	16·1	17·0	10·3
31	37·0	50·4	25·5	28·4	15·3	21·7	18·5	3·2	20·5	10·5	18·0	....	15·7	27·5	18·8	17·8
	42·92	37·35	40·04	7·88	19·62	16·97	20·69	15·23	24·56	11·22	15·84	....	12·75	21·31	19·67	14·30

TABLE XIX.—*December, 1888. Daily Mean Temperature.*

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris-ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	DAY.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
24·0	11·0	10·7	17·3	20·8	18·7	14·0	25·8	12·2	....	11·3	....	25·6	29·7	19·2	25·0	1
23·5	15·4	13·5	19·2	21·7	....	18·0	20·0	16·3	....	19·4	28·5	28·6	26·0	27·0	26·0	2
29·0	22·4	31·7	25·0	34·8	23·2	28·3	26·3	25·0	....	22·8	26·7	29·1	34·0	27·8	26·5	3
33·0	30·2	30·5	31·0	34·5	29·5	27·8	26·8	27·0	....	23·3	26·0	28·9	28·2	23·4	29·3	4
22·0	13·5	11·3	14·5	25·1	17·2	15·7	41·3	23·2	....	13·5	....	28·6	31·0	24·0	24·0	5
20·5	18·5	15·1	16·0	19·2	17·9	17·3	21·5	18·3	....	18·5	12·8	24·3	24·8	12·5	25·3	6
21·0	10·6	11·4	15·8	20·8	15·2	13·0	26·0	23·8	....	15·5	....	21·8	26·2	23·2	24·7	7
26·0	17·5	18·8	24·2	18·2	21·4	21·5	23·5	30·5	....	17·6	18·0	29·1	26·5	21·5	19·3	8
32·0	26·7	23·9	28·8	30·0	....	29·0	30·3	26·0	....	23·0	24·7	30·0	20·3	20·7	20·8	9
15·0	16·1	6·6	10·3	....	11·8	10·0	23·5	8·8	....	9·7	....	31·4	19·7	31·2	30·8	10
5·0	1·0	2·3	3·0	....	3·2	5·0	2·7	5·0	....	1·8	24·5	31·9	5·5	27·0	10·7	11
1·5	4·1	0·0	3·0	10·5	0·8	4·8	4·8	2·0	....	5·6	1·3	21·5	2·8	8·8	5·8	12
5·0	7·6	10·1	7·2	18·2	4·2	1·0	6·3	8·5	....	14·4	6·0	9·7	5·7	6·9	4·2	13
20·5	20·2	20·0	24·5	20·8	22·6	22·3	13·3	23·7	....	13·5	....	10·6	7·5	1·3	2·5	14
18·0	17·7	14·7	19·8	20·5	20·8	19·0	19·2	15·0	....	5·4	....	29·6	26·5	15·8	19·0	15
6·0	7·2	10·8	5·7	20·2	....	10·7	9·3	4·8	....	2·8	32·2	36·4	9·0	33·0	5·3	16
8·0	8·5	10·6	6·3	....	2·3	16·0	8·5	10·2	....	3·0	....	28·6	12·0	21·6	6·5	17
....	17·6	14·3	13·7	...	13·2	15·8	11·0	16·5	....	12·8	...	13·1	8·0	5·8	4·5	18
23·5	20·9	24·6	21·8	29·7	20·7	25·2	18·5	17·8	....	25·0	....	11·8	12·7	1·6	16·7	19
14·5	11·9	6·6	8·5	15·0	11·5	8·5	17·5	15·0	....	0·7	....	21·0	13·0	6·6	5·8	20
8·0	4·4	9·3	11·5	....	8·3	10·5	8·3	12·0	....	6·5	....	11·8	0·5	7·7	6·3	21
22·5	21·0	18·2	23·0	....	23·4	24·0	18·0	25·0	....	17·7	4·3	3·6	22·8	1·9	0·5	22
13·0	11·5	5·0	11·7	....	....	10·8	14·3	9·5	....	4·5	30·5	32·0	34·7	25·4	26·7	23
0·5	0·2	1·8	1·0	....	1·7	4·5	3·2	4·5	....	7·0	35·2	37·5	12·0	36·8	37·8	24
6·0	4·9	3·5	2·5	....	4·0	5·7	1·5	2·0	....	9·0	30·3	38·1	14·3	32·5	11·7	25
15·5	12·0	12·7	17·8	10·5	12·6	14·7	8·0	15·2	....	16·7	....	33·7	10·7	36·2	14·5	26
13·5	6·6	7·1	7·5	4·2	10·7	10·3	11·0	4·0	....	11·8	25·7	26·9	10·3	32·9	15·0	27
6·0	4·8	0·5	7·5	3·5	4·8	0·2	7·8	3·3	....	2·5	19·5	24·0	8·2	14·4	8·8	28
8·5	2·7	1·4	5·2	5·7	2·8	0·5	0·8	5·0	....	3·6	....	26·4	20·3	12·6	5·2	29
5·5	0·9	1·5	3·3	7·8	....	3·3	5·8	5·5	....	2·0	29·8	30·4	13·2	28·3	26·5	30
15·5	15·6	19·7	22·0	18·3	15·5	19·0	10·7	18·0	....	13·0	....	29·4	18·3	26·2	18·0	31
15·42	12·28	16·72	13·76	18·63	12·88	13·72	14·14	13·66	....	9·35	20·13	25·67	14·56	19·04	12·94	

TABLE XIX.—*December, 1888. Daily Mean Temperature.*

Day.	Beatrice.	Brampton.	Birnam.	Coldwater.	Conestogo.	Chatham.	Cartier.	Charlinch.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	21·7	28·5	31·6	26·3	28·6	30 7	10·2	18·7	....	26·4	24·0	28 2	27 2	29·1	29·9
2	33·1	29·8	26·2	29·8	30 5	32·8	8·0	31·0	32·0	29·1	28·3	28·5	....	29·0	26·4
3	30 5	31·0	30·4	26·7	30·6	33·7	11·0	29·1	....	31·1	27·0	30·0	29·4	30·7	31·9
4	28·3	31·0	31·6	31·4	34·0	37·3	13·8	28·0	....	31·9	29 0	30·8	30·9	30·5	30·4
5	30·0	31·5	30·7	29·8	30·4	33·0	6·0	24·0	30·3	33·4	28·3	30·0	31·9	31·7	29·4
6	14·0	26·0	29·7	21·2	27·9	31·4	4·5	9·9	26·0	29·4	24·3	28·5	26·6	27·2	26·9
7	31·1	29 5	30·5	30·4	33·5	30·4	11·5	30·1	32·3	31·1	31·3	32 3	32·6	31·3	23·9
8	19·0	34·0	32·6	29·5	31·4	35·6	5 5	19·1	....	27·0	28 7	32·3	21·2	33·5	27·4
9	27·5	31·3	34·8	24·0	31·6	34·7	11·0	27·4	33 3	28·3	30·0	32 7	....	30·7	27·9
10	32·0	33·0	34·6	29·8	33 8	36 3	19·3	32·3	35·0	33·7	32·0	35 3	32·7	34·4	25·8
11	27·5	34·8	32·3	32·6	30·1	34·2	2·3	26·8	....	29 3	28·0	30·0	33 9	30·7	33·4
12	4·9	20·5	24·6	15 1	19·2	26·0	15·2	2 2	16·7	16·6	16·3	18·8	19·0	21·9	25·4
13	0 5	16 3	16·7	13·5	14·9	20·5	14·0	3·5	10·0	10·7	9·3	12·7	12·2	14 8	12·9
14	2·3	16·7	20·5	11·3	12·5	22·1	16·0	2 0	14·7	9·0	11·3	13 3	11·1	13·7	11·1
15	28·1	22·5	21·7	26·8	31·9	33·4	17·0	27·9	33·7	24·5	29·3	23·2	29 4	24·5	14·4
16	35·4	32·8	33·3	26·9	39·1	42·7	8·3	34·3	....	37·5	36 7	38·5	....	38·0	31·4
17	22·0	36·0	33·5	41·9	34·1	33·4	12·3	16·9	28·0	41·2	29 7	22·0	35·0	37 2	39·1
18	6·0	18 5	24·3	9·3	16·9	23·3	14 7	4·1	13·7	27 0	13·0	16·5	16·5	19·8	22·7
19	1 8	15·0	17 5	7·9	11·9	19·3	21·3	1·0	10·3	11·2	9·0	12·3	11·9	13·6	7·5
20	17·0	19·3	14·8	13·3	22·9	25·1	9·2	16·0	....	17·0	20·0	21·5	19·0	16·9	8·4
21	1·3	17·5	16·6	5 0	11·2	20·7	16·3	5·9	8·7	25 0	10·3	12 0	14·1	16·6	18·4
22	8·5	18 0	12 5	2·0	15 4	22·5	0·5	5·4	12·3	14·1	12·3	14·7	11·4	8·6	6·2
23	32·0	33·0	29·9	26·2	34·6	36·5	19·2	....	....	36 6	31·0	32 5	....	28·3	14·4
24	37 4	38·0	38·6	41·5	37·5	42·7	25·0	37·6	36·7	34·1	37 0	39·0	38·7	37 8	35·4
25	34·7	43·0	41·9	38·1	38·9	43·5	5·5	33·5	..	40 6	38·3	40·3	39·5	40·4	38·8
26	34·8	41·5	35 1	37·5	35·8	49·3	12·8	34·2	37·0	40·3	37 3	40 2	37·5	37·2	37·9
27	29·0	33·0	30·0	36·5	28·8	31·0	2·5	28·9	26·0	30·9	26·7	28 5	31·5	35·4	36·3
28	23·1	28·5	27 6	20·3	24·5	29·5	1·5	22·6	....	26 2	22·7	25·5	26·1	26·0	19 9
29	22 8	30·3	26 9	24 8	26·5	34·3	0·5	20·6	13 7	25 2	24·3	27·5	25·4	26 7	26·1
30	33·3	32 2	27·6	....	32·6	35·5	16·0	21·5	....	29 7	31·0	32·0	....	29·5	31·9
31	28·3	32·3	33·6	....	31·9	34·5	8·0	27·8	....	28·6	29·3	29·0	29 6	32·0	33·9
	23·02	28·68	28·29	24·64	27·86	27·29	3·43	20·65	24·23	27·64	25·34	27·35	26·16	28·61	25·58

TABLE XIX.—*December, 1888. Daily Mean Temperature.*

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bruce.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
26·5	....	28·0	25·1	24·6	29·5	29·7	30·6	27·4	20·9	28·6	32·0	19·2	32·3	23·5	31·0	1
34·1	....	34·0	32 5	30·3	34 5	29·3	29·2	29·9	29·3	29·7	32·7	14·8	31·7	29·2	32·3	2
32·0	....	30·3	32·2	29·9	32·7	29·7	31·8	31·4	30·6	28·5	30·7	24·0	32·0	30·9	35·0	3
29·9	....	29·5	32·8	30·7	35·8	31·0	33·7	33·1	28·7	30·7	31·5	29·7	34·2	29 2	36·3	4
27·1	....	26·0	35·2	29·9	27·0	31·0	32·6	32·4	28·8	32·3	29·8	26·5	34·8	33·1	34·8	5
21·6	....	20 8	21 6	20·8	26·5	28·7	28·9	28 9	15·3	22·2	29·5	29·5	29 5	19·8	31·8	6
32·1	....	31·5	36·2	32·5	33·0	30·3	34·4	31·6	20·1	28·7	34·0	15·5	36·8	28·7	35·5	7
24·1	....	24·3	27·2	25·9	23·7	29 7	34·2	31·1	20·4	29·9	30·5	22·8	35·0	21·5	35·2	8
28·6	....	33 0	26·3	24·0	30·8	32·0	34·1	32 9	15·3	22·4	31·0	25·7	33·0	19 5	35·0	9
32 8	....	31·8	34 7	32 0	38 0	33·3	35 9	34·8	29·4	29·1	32·2	25·2	33·2	29·8	37·3	10
29·6	....	27·8	34·5	29·6	24·2	28·0	32·1	30·1	30·9	32·2	25·7	7·5	32·8	31·5	34·8	11
9·1	...	7·5	14·4	8·0	5·8	20 7	31·4	24·3	12 3	18·1	19·0	0·5	33·2	7·5	27·2	12
5 0	....	2·5	5·3	3 9	5·7	11·7	17·1	15·4	5·2	5·7	15·5	4·2	18·0	1·2	22·0	13
7·2	....	2·5	8·2	6·0	11·3	9·7	17·6	17·7	3·0	6·4	19·0	17·3	17·3	6·5	24 8	14
30·0	.. .	30·7	24·1	29·5	37·2	29·3	34·9	27 7	13·8	19·8	33·5	28·0	39·2	20·8	34·5	15
36·4	....	33·3	38·7	38·4	30·8	36·7	41·0	37·9	35·4	36·5	37·5	3·0	45·0	25·6	40·7	16
26·3	....	21·6	35·8	30·0	10·2	30·7	34·4	31 9	22·9	32·5	21·5	3·7	39·0	32·1	30 8	17
10·0	....	7·5	18·3	13·2	7 3	15·0	18·3	19·3	14·3	20 5	16·0	3·3	18·5	16 6	22·8	18
6·0	....	3·0	5·5	5 2	7·2	14·3	17·3	13·9	5·8	9·5	15·5	11·5	14·5	3·6	22·0	19
19·9	....	20·8	15·5	19·4	25·8	20·7	23·1	19·7	10·0	12·4	24·0	16·8	22·5	7·8	23·0	20
4·4	....	3·0	17·4	7·1	3·2	13·0	15·1	21·0	10·4	14·5	13·3	3·7	17·0	10·8	21·5	21
10·2	....	8 8	5·9	11·4	25·5	11·3	18 0	11·4	3·2	6·6	15·5	20·0	17·3	2 6	31·3	22
33·4	....	37 0	32·7	31·9	40·3	30·7	35·1	30·3	29·7	13·7	37·0	36 0	37·2	28·2	32·8	23
38·4	....	40·0	37·7	38·6	42·7	39·3	40·6	39·2	34·4	38·2	39·0	9·7	42 3	39·6	35·3	24
37·2	....	35·5	39·2	37·8	32·3	38·7	42·6	38·9	36·9	36·7	34·5	13·0	44·7	40·6	35·5	25
37·7	....	34·7	38·3	35·8	34·2	37·3	44·5	38·4	32 9	36·1	39·0	11 8	45·8	33·5	45·7	26
30·7	....	30·6	36·9	30·7	26·5	28·0	30·3	37·5	35·9	40·5	27 5	12·3	32·7	39 0	30·5	27
25·5	....	24·8	26·1	26·1	28·3	25·3	26·8	26·6	27·8	26·3	27·5	10·2	29·8	21·7	28·8	28
24·3	....	24·0	23·8	27·9	23·0	26·0	26·5	27·9	18·6	26·8	28 0	16·5	29·2	15·5	34·2	29
34·9	....	34·7	24·7	32·1	36·5	31·3	32·2	31·4	31·1	30·0	32·5	13·7	35·3	30·6	33·8	30
32·3	....	30·3	33·5	29·8	26·7	33·0	33·0	31·1	30·9	33·5	29·8	14 0	34 2	34·0	35·5	31
25·07	....	24·19	26·78	24·93	25·68	26·83	30·23	28·61	22·10	25 46	27 89	15·77	30·83	23·20	32·12	

TABLE XIX.—*December, 1888. Daily Mean Temperature.*

Day.	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe	Ridgetown.	Renfrew.	St. George.	Stone, Creek.	Sangeen.	Sharon.	Savanne.	Spruedale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	22·5	25 5	34·5	29·8	29 5	....	19 2	30·0	24·0	30·0	34·0	31·9	25·2	....	22·5	....
2	21·5	35·5	34·5	31·2	29·0	....	30·5	28·0	27·9	29·8	34·0	35·0	30·6	....	21·7	....
3	28·0	32·6	34·5	33·4	32·0	....	29·4	30 9	31·2	32·1	36·0	33·0	30·8	20·5	30·5	....
4	32·5	30·5	37·1	36·1	32·0	....	26·7	33·5	29·7	34·5	37·7	35·0	31·0	23 5	28·5	....
5	27·5	27·5	34·5	31 8	31·0	....	27·4	33·9	30·8	33 6	35·3	32·5	30·1	17·7	28·0	....
6	25·5	15·1	33·1	39·3	28·0	....	15·6	28·4	19·5	29·3	34·5	28·0	24·4	16·5	12·0	....
7	25·0	35·0	38·3	35·1	35·0	....	26·7	33·4	24·8	35·5	41·5	37·0	34 0	19·5	18·5	....
8	19·0	24·0	33·5	33·8	32·0	....	12·7	32·9	21·4	33·5	38·0	29·9	29 3	15·0	23·5	....
9	29·0	30·0	35·5	34·1	32·5	....	11·9	33·9	13·1	33·1	34·0	30·0	28 8	17·5	20·5	....
10	29·2	34·5	36·5	38·2	34·0	....	30·6	36 0	24·0	33·3	35·7	34 1	33 6	16 2	22·0	....
11	10·3	31·0	32 3	33·2	33·0	....	30·0	26·0	29·9	31·7	34·3	32 0	30·1	7·0	30·5	....
12	0 7	6 3	26 3	25·4	25·0	....	5·2	24·4	15·6	24·4	25·3	21·5	16·8	2·5	20·0	....
13	3·0	0 9	23·7	16·3	17·6	....	1·9	17·4	2 0	17·6	19·5	17·1	8·0	6·5	0·5	....
14	12·3	2·4	22 3	12·9	12·7	....	4·0	19·9	6·3	13·8	15·7	19·5	12·5	8·2	2·5	....
15	29·2	28·6	34·3	35·0	32·0	....	18·9	28·4	18·5	31·2	38·3	34·1	31·7	3·0	8·0	....
16	14·8	37·1	37·6	40 7	38 9	....	32·6	40·0	37·5	42 5	47·2	37·6	31·7	4·3	31·0	....
17	1·2	17 7	25 5	35·6	36·0	....	19·0	36·0	29·8	36·5	40·3	23·9	31·0	9·5	27·0	....
18	5 3	7·3	22·4	21·2	18 6	....	9·7	23·4	14 2	19·7	41·5	18·6	12·1	5·5	11·0	....
19	10·8	1 4	17·5	16·7	13 1	....	5·2	17·4	2·5	14·0	13·8	15·0	7·4	13·5	1 8	....
20	20·5	18·1	29·3	23·8	18 1	....	7·7	18 4	7 7	24·5	26·5	25·0	22·1	....	4·0	....
21	2·0	3·9	18·0	17·7	17·1	....	1·6	20·4	12·0	14·7	17·5	14·1	9·4	9·0	15·0	....
22	26·2	3·9	23·2	17·2	15·6	....	5 5	11·9	0·5	16·5	19·8	15 2	12·8	18·5	9·5	....
23	36·0	35·5	35·3	35·2	33·0	....	26·4	31·4	28·5	35·1	39·7	36·5	35·7	15·5	7·0	....
24	16·3	39 5	35·7	37·2	37·0	....	38·0	38·0	40·6	41 6	44 8	41·1	41·0	5·5	34·7	....
25	10·7	37·3	35 8	39 3	39·9	....	33 1	42 5	41·1	41·5	47·0	39·0	40·2	6 2	38·5	....
26	16·0	34·5	43·9	41·6	40·0	....	30 1	43 0	32 9	40·3	41·0	38·1	39·0	8 5	39·5	....
27	14 8	32·5	30·1	32·7	32·5	....	33·5	35·5	39·1	31·4	35·3	30·1	36·1	7·3	35·0	....
28	13·5	23 5	29 8	28 2	26·5	....	15·5	27·4	23·5	30·1	30·7	29 7	27·6	5·0	20·0	....
29	18·2	20·6	29·7	26·3	26 5	....	8·5	24·4	23·9	28·4	31·3	27·5	28·6	13·5	13·0	....
30	14·3	34 5	32·5	33 5	30 5	....	30·6	27·9	26·1	32·8	36·3	34·3	33·7	7·0	20 0	....
31	15 5	31·2	32·0	33·7	34·0	...	28·4	33·0	33·5	27 6	35·3	31·2	32·1	9·2	20·0	....
	17·58	23 80	31·30	30 20	28 79	...	19·39	29·27	22·86	29·57	32·92	29·28	27·14	8·21	18·85	.....

TABLE XIX.—*December, 1888. Daily Mean Temperature.*

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S. W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
29·7	29·3	28 3	29·8	30·0	30 0	30·5	32 5	26·0	32 3	30·0	31·7	21·5	....	32·2	1
32·3	28·1	26·2	30·1	29·5	26·4	27·3	25·5	28·5	30·7	26·0	33·3	21·5	19·8	26·5	2
33·2	30·8	21·3	30 0	30·5	26·2	26·2	28·3	30·0	29·6	21·7	23·7	24·3	13 5	20·5	3
33·8	32·4	18·5	32 2	33·0	27·0	29·0	30·5	29·0	31·4	21·3	15 7	21·2	16 4	24·8	4
33·6	32·4	21·3	30·8	33 0	29·8	30·0	31·2	31·5	32·9	25·5	19·0	25·8	21·1	27·2	5
28·4	28·2	27·7	29·6	28·0	29·5	29·8	33·0	28·0	33·4	31·8	18·7	17·5	19·3	30·0	6
36·3	33·8	24 5	33·3	32·0	25·2	25·0	25·8	25·5	31·4	20·5	15·7	17·2	....	21·5	7
32·8	33·6	26 0	33 9	35·0	19·5	19·3	13·0	20·5	25 8	20 7	9·3	10·3	14·5	18·8	8
32·0	32·7	30·0	34·5	33·5	13·7	17·0	5 2	17·5	23·1	19·0	7·0	17·0	5 9	17·5	9
36·5	34·5	30·8	35·1	34 5	16·3	17·2	17·3	24·0	25·0	....	11·3	20 7	19 2	22·2	10
33·9	32·5	7·7	30·4	30·5	27·5	24·7	16·3	31·5	28·5	....	17·3	28·0	25·7	24·8	11
21·7	24·6	8·8	25·1	26·5	30 9	28·5	21·7	11·5	33·9	....	29·3	3 5	5·1	26·5	12
13·9	15·1	6·7	22·0	14·0	11·7	11·7	16·0	3·0	15·3	....	22·0	5·8	3·3	5·7	13
15·7	14·1	6·8	16·3	19·0	16·5	19·3	15·5	4·0	18·7	....	17·0	0·5	5·6	14·8	14
34·2	30·1	28·2	37·1	27 5	10 1	9·0	11·3	19·0	18·4	....	9·0	6·2	0·4	8·5	15
41·0	41·2	3·0	43·3	37·5	22 7	21·0	20·2	39·0	29·0	....	0·3	31·3	17 8	26·7	16
35·4	37·5	1·3	31·3	33·0	8·5	6·5	12 3	....	20·0	....	5·3	21·5	14 9	17·8	17
15·9	19·3	10 5	24·5	20·5	15·0	12·3	16·0	16·5	28·1	...	8·3	12·2	12·8	19·5	18
11·7	14·1	11·2	20·4	15·0	17 5	17 8	14 8	2·0	28·5	....	23·0	3·5	1·6	18·5	19
22·1	22·1	8·8	22·0	19·0	17·4	18·0	14·3	1·5	23·5	....	13·3	3·5	15·0	11·5	20
14·5	16·4	1·2	17·5	20·0	24 4	22·3	29 5	15·0	27·7	....	23·0	9·8	8 7	20·0	21
15·7	14·6	27·3	19·9	13·0	7·1	7 8	14·8	7·5	17·6	....	13·3	8 5	14·7	2·2	22
35·1	34·4	28·8	37·0	31·5	17·4	18 8	8·7	27·0	22·2	....	12·0	15·7	4·7	10·5	23
39 7	39·9	8·5	42 8	38·5	22·1	15·3	16·3	40·0	27·7	....	9·3	34·8	26·6	23·5	24
41·6	40·5	17·5	41·4	40·0	27·3	22·0	15·0	40·5	32·9	....	7·7	38·0	33·6	28·5	25
38·5	39·8	16·7	47·0	41·0	27·1	24·0	18·7	41·5	32·2	....	10·7	35·2	13·6	23·3	26
33·4	31·5	7·3	30·6	37·5	34·5	34·3	27·8	41·5	35·5	....	24·3	41·3	36·2	44·0	27
29·5	26·6	6·3	25·7	28·5	23·7	25·5	21·3	21·5	30·5	....	27·3	13·7	6·1	19·2	28
30·8	26·5	9·0	24 3	27·5	6 2	2·7	22·7	6 0	15·7	....	7·7	3·3	10·3	0 0	29
33·9	30·8	26·3	33·1	30·5	23·8	24·5	22·5	30 5	27·8	....	6·0	19·5	10·7	25·7	30
34·5	32·7	19·8	30·9	31·0	22·0	24·0	32·5	32·5	29·6	....	10·7	28·0	21·7	24·5	31
29·72	29·04	13 60	30·40	29·11	21·19	20·62	20·34	21·84	27·06	....	14·72	16·73	13·19	20·90	

TABLE XIX.—*December, 1888. Daily Mean Temperature.*

Day.	Cape Magdalene.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	31·7	31·8	30·0	21·1	23·9	26·7	31·7	23·2	21·6	36·0	33·9	32·5	34·4	35·8	34·5
2	27·5	32·0	24·5	29·6	....	24·8	20 8	28·2	23·8	....	27·2	27·0	....	29·9	28·0
3	22·7	28·5	15·0	30·0	31·1	27·1	16·7	29·7	14·7	28·7	21·2	20·0	27·3	32·9	30·8
4	23·5	19·5	11·9	27·5	28·8	22·7	24·5	27·4	11·6	28·7	23·9	20·5	18·4	32·0	24·6
5	27·0	19·0	20·7	31·7	32·8	24·5	22·5	32·4	20·9	22·3	23·5	21 0	24·2	35·3	32·0
6	28·0	22·3	26 3	21·3	24·5	22·1	29·0	21·4	14·9	31·3	31·1	30·5	32·2	35 0	31·5
7	23·7	23·7	20·8	31·7	26·6	15·1	18·0	25·6	16·8	28·7	23·0	24·0	23·4	26·7	24·0
8	23·5	20·3	19·4	22·5	22·9	16·7	12·8	16 5	3·2	22 7	16 3	17·7	21·0	27·5	25·1
9	14·5	11·5	13·8	21·3	....	10·1	11·0	19·4	3·7	....	8·4	15·0	....	31·5	26·8
10	20·2	12·3	18·8	30·0	29 7	22·0	14·0	23·3	23·4	25·7	15 6	16·5	24·8	34·7	30·0
11	25·3	17·8	26·6	32·7	33·2	28·9	18·5	31·9	29·0	26·0	24·7	26·8	26 9	38·1	36·2
12	24·5	30·0	19·4	8·8	12·6	13·2	17·7	11·0	0·4	26·3	25·7	20·5	24·3	22·7	23·9
13	4·7	22·0	2·8	3·2	2.4	1·3	3·8	1·8	3·0	4·3	2·2	3·5	3·7	11·9	10·6
14	20·3	20·5	11·8	5·8	4·5	5·7	8·0	3·7	2·3	6·3	0·3	6·7	2·4	6·5	5·1
15	8·0	8·3	7·3	24·2	15·3	3·9	5·7	15·7	8·8	10·3	8·9	10·3	10·7	15·4	13 2
16	19·8	10·7	24·8	24·3	....	26·2	17·5	33·2	22·6	....	27·2	12·7	....	41·9	35·6
17	14 0	7·8	15·5	24·7	26·7	19·6	7·5	28·3	11·7	25·0	22·1	19·8	29·2	40·4	36·8
18	18·3	11·3	17·2	16·3	17·3	17·7	16·0	15·3	6·2	22·3	22·2	19·7	24·1	30·9	26·8
19	19·8	24·5	15·3	0·7	6·2	8 4	13·8	3·8	2·8	20·0	19·4	19·5	18·4	20·4	17·7
20	14·0	16·3	4·5	9·0	6·2	1·0	2·5	1·4	3·2	14·0	12·1	10·3	10·2	21·6	16·1
21	19·3	27·0	15·7	13·8	14·1	15·0	17·2	11·1	2·2	16·0	13 2	9 7	15 1	28 9	21·5
22	5·0	9·5	1·0	6·2	2·9	5·0	3·5	4·0	2·2	7·3	0·0	6·5	5·2	8·3	2·3
23	19·5	9·3	11·3	24·3	....	11·1	17·5	21·4	19·2	....	7·8	8·7	....	31·9	23·0
24	24·0	9·8	26·5	41·1	41·1	33·7	23·0	41·5	37·1	23 7	26·2	21·0	29·0	40·4	35 2
25	27·0	16·5	31·2	42·0	41·2	38·0	24·7	42·4	25·8	....	36·4	31·3	40·3	42·8	38·6
26	22·8	15·3	23·5	32·5	35·5	31·7	21·8	35·6	20·7	39·3	34·1	30·5	41·9	40·0	39·0
27	45·5	31 3	35·6	36·2	39·4	36·1	27·5	40·1	40·1	39·3	40·9	33·2	43·5	46·5	43·7
28	18·3	21·5	17·9	21·6	22·7	18·3	10·5	22·7	4·2	29·7	28·2	22·5	32·5	27·1	30·2
29	7·5	0·5	3·8	9·6	12·9	3 9	8·3	2·2	0·0	5·7	6·1	1·8	14·7	25·0	23·4
30	22·3	17·2	19 6	32·8	....	14·9	19·5	27·3	24·1	....	16·4	11·5	....	34·5	28·0
31	19·0	21·0	22·9	31·7	33·2	27·6	20·2	32·9	15·3	37·7	30·7	21·3	34·1	39·7	35·4
	20·84	18·65	17·61	22·72	22·30	17·99	16·31	21·75	14·00	23·09	20·29	18·46	23·54	30·20	26·76

TABLE XIX.—*December, 1888. Daily Mean Temperature.*

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Charlottetown.	Kilmahumaig.	St. Johns.	Point Rich.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
35·7	33·8	36·3	37·8	40·3	34·6	39·4	35·0	38·8	36·5	40·3	34·0	33·6	35·5	33·7	1
28·4	30·4	....	32·3	33·3	34 4	38·5	32·2	33·3	35·7	....	29·9	32·6	34·0	34·5	2
29·4	25·5	31·3	30·7	25·5	31·1	33·2	27·3	33·9	29·5	33·7	27·1	26·7	33·2	31·3	3
25·3	15·5	27·0	27·6	28·5	33·4	32·9	26·1	31·3	32·3	29·0	29·7	28·2	28 5	20·7	4
31·2	15·0	35·3	30·7	36·3	32 3	35·0	30·1	28·5	34·8	32·3	31·1	26·4	28·3	16·2	5
34·8	28·9	33·5	39·0	32 8	33·4	44·5	34·2	37·9	38·4	32·7	34·6	26·8	30·5	30·0	6
25·7	22·0	27·5	30·8	33·2	37·8	36·0	28·9	30·7	34·5	31·0	30·5	30·8	33·0	32·5	7
25·0	22·0	23·5	28·5	32·6	28·6	32 3	23·5	30·9	27·3	31·6	22·8	24·3	28·5	23·6	8
22·1	10·4	....	23 8	20 6	25·2	32·7	16·7	27·5	25·3	....	20·3	20·9	22·5	13·2	9
30·4	21·5	31·0	30·1	24·0	24·5	35·3	23·9	36·6	29·2	30·0	26·8	15·7	23·5	15·5	10
34·0	24 0	36·8	33·8	30·5	29·4	39·0	24·5	38 3	33·8	35·3	30·2	20·3	19·5	18·7	11
25·5	27·4	22·3	38·0	45 2	40 3	42·9	36·5	29 2	40·2	30·0	34·1	33 6	36·5	30·8	12
8·6	2·6	10·3	18·4	16·5	23·0	33·3	19·3	21·3	23·5	15·3	13·1	20·2	33·0	27·0	13
4·4	1·3	8·0	11·2	10 0	19·6	24·7	5·0	13·0	16·0	7·7	9·0	6·8	33·0	22·7	14
15·6	8·9	20·0	17·4	12·0	19·6	24·8	11·4	22 3	19·5	17·0	15·6	14·2	23·5	12·8	15
38·5	....	....	37 5	27·3	29·1	29·0	27·1	41·7	38·0	....	32·8	22·0	27·2	14·0	16
35·4	31·4	35·5	43·1	38 8	33·0	45 0	38·8	46·8	37·3	39 3	36·0	27·9	26·5	6 0	17
28·2	23·5	27·0	41·8	39·5	34·5	47·5	41·3	42·2	38·0	33·0	32·1	25 9	29·8	14·5	18
19·4	26·5	19·3	27·9	33·2	31·1	35·5	31·4	27·1	28·3	20·7	24·6	24·6	34 5	27·0	19
15·5	3·1	20·0	24·3	22·4	28·6	32·3	22·7	25·5	29·2	26·7	24·8	22 2	20·5	27·5	20
24·7	8·1	25·3	32·1	36·0	31·0	42·8	33·6	31·7	34·3	20·7	29·2	18·8	31 0	28·5	21
6·8	0·9	3·5	17·2	19·4	26·0	30·0	18 8	15·6	24·0	28·7	15·9	16·8	29·5	12·5	22
21·9	....	....	25·4	18·1	22·4	30·3	19·3	34·1	28·3	....	20·5	7·1	20·2	20·0	23
36·3	25·5	40 3	37·4	29 5	28·5	38·3	31·4	39·5	34·5	34·0	30·4	19·3	21·8	13 8	24
38·8	36 8	41·5	39·4	40 0	38 3	42 5	38·8	41 9	37·0	29·0	36·8	34·4	35·5	23·0	25
41·2	38·4	42·7	40·8	40·1	38 5	40·0	37·7	40·7	35·0	37·0	36·2	38·6	34·0	18·3	26
44·0	40·3	45 8	41·6	41·5	37·7	44·5	41·0	47 9	39·7	43·3	39·1	34·1	33·2	38 5	27
34·0	33·9	22·5	38·4	42·0	40·7	40·8	41·8	35·5	37·5	42·0	33·0	39·6	41·0	36 0	28
19·1	10·9	22·5	24·6	22·2	21 0	32·2	21·2	28·6	21·1	35·3	16·4	22·9	24·0	1·0	29
27·5	5·2	....	28·3	24·0	23·5	32·3	20·7	33·7	30·8	....	26·4	16·3	26·5	22·3	30
35·6	27 5	37·8	37·9	33·9	35·6	41·5	35 8	40·2	37·8	31·7	33·5	29 2	34·0	27·8	31
27·20	20·24	27·87	31·22	29·97	30·54	36·73	28·26	33·10	31·84	29·15	27·11	24·54	29·72	22·26	

TABLE XX.—*Means of Daily Temperature at Stations in Tables VIII to XIX*

	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
January 1 to 5 inclusive	31·1	22 2	27·2	28·9	8·9	11·2	15·8	5·9	5·5	7·3	6·8	8·0	15·6	2·6	12·3	10 8
" 6 to 10 "	26·5	28·9	18·5	....	12·7	21·8	18·5	4·9	11·9	27·1	29·1	21·9	24·1	4 4	21·7	28·3
" 11 to 15 "	24·5	21·9	18·6	....	14·4	23·3	22·0	13·8	15·0	23·5	25·9	28·3	34·1	11·7	19·4	29·0
" 16 to 20 "	29·4	19·0	21·6	....	13·5	17·9	20·8	17·0	16·4	20·9	21·4	20·7	17·3	13·9	18·5	23·7
" 21 to 25 "	41·9	21·0	25·4	....	8·3	11·4	12·8	13·7	11·3	14·7	18·7	14·4	13·8	12·5	9·8	12·5
" 26 to 30 "	45·8	38·0	39·4	...	35·9	18·2	23·4	34·4	40·6	9·8	11·0	11 8	12·5	25·9	28·9	19·1
January 31 to February 4 inclusive	43·2	3 ·9	43·6	....	24·8	16·8	18·5	24·1	23·5	10·0	14·2	16·5	8·5	24·6	20·9	13·8
February 5 to 9 "	37·6	37·4	35·2	....	8·9	16·8	6·4	13·4	4·5	26·1	19·3	23·4	19·8	16·3	2·6	19·7
" 10 to 14 "	42·1	37·6	41·7	....	2·2	13·9	10·3	6·2	3·1	18·8	14·5	18·7	16·0	4·3	6·2	13·6
" 15 to 19 "	42·0	41·3	44·3	....	35·8	20·9	20 5	32·5	38·5	15·9	14·6	10·9	12·7	37·6	32·7	14·1
" 20 to 24 "	43·3	41 6	45·0	....	34·7	20·3	26·4	31·5	34·0	14·9	16·1	20·5	15·0	34·9	28·7	16·3
" 25 to March 1	40·8	37·5	41·3	....	19·9	5·1	2·5	8·0	14·8	0·8	7·4	4·2	7·8	13·8	6·9	6·3
March 2 to 6 inclusive	39·2	36·5	36·5	2·4	4·3	7·3	11·6	10·1	4·4	9·3	9·9	7·4	3·4	6·8	7·2	8·9
" 7 to 11 "	36·9	34·9	35·9	16·6	2·4	4·2	1·4	2·7	7·5	9·9	9·8	6·4	3·9	2·5	1·3	6 2
" 12 to 16 "	46·1	42·7	43·2	5·3	38·7	16·2	15·1	31·3	39·2	15·5	12·0	15·4	10·0	28·7	29·1	16·9
" 17 to 21 "	43·8	39 9	43·0	5·8	29·3	12·3	18·3	32·9	28·9	7·0	9·4	11·5	8·0	27 1	21·9	9·9
" 22 to 26 "	41 9	40·6	42·2	4·6	40 0	6·2	14·7	17·7	22·7	3·6	8·0	9·1	5·6	24·1	18·3	8·8
" 27 to 31 "	42·8	39·1	42·1	0·2	20·6	5·8	12·4	20·0	19·4	2·6	3·3	2·8	13·7	18·1	14·0	1·8
April 1 to 5 inclusive	45·1	37 1	45 3	3·2	22·6	15·6	14·2	.	26·3	11·0	11·5	13·8	19·4	16·6	18·9	15·1
" 6 to 10 "	44·8	38·2	44·7	18·9	41·3	26·2	31·2	....	42·5	26·3	26·5	26·4	23·2	34·7	36·4	25·6
" 11 to 15 "	49·4	39·7	51·1	24 0	49·1	37·1	38·6	....	51·0	32·2	36·4	28·8	34·5	40·9	43·9	37·0
" 16 to 20 "	48·1	44·2	49·7	16·4	43·2	32·8	36·3	..	46·6	32·8	30·4	32·2	24·3	34·5	36·9	31·0
" 21 to 25 "	53·1	46·0	53·3	24 6	52·7	42·0	43·7	....	55·0	37·7	40·4	39·1	38·6	46·4	46·9	40·5
" 26 to 30 "	48·6	45·2	49·4	24·6	44·7	30·9	36·3	....	40·0	30·4	31·0	30·3	25·5	37·3	31·1	31·0

collected in five-day periods from 1st January to 31st December, 1888, inclusive.

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Sourisford.	Winnipeg.	Dillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
14·5	13·0	16·4	16·5	15·8	14·4	9·5	13 0	12·1	19·5	16·5	...	16·3	6·0	11·9	3·0	January 1 to 5 inclusive.
15·6	20·5	27·2	20·3	27·2	22·0	27 3	22·2	23·3	30·1	16·4	8 9	18·4	3·8	7·0	6·9	" 6 to 10 "
22·7	25·7	27·4	25·0	25·1	24 7	25·0	25·8	23·9	27·4	21·1	3·5	11·3	12·5	11·2	7·8	" 11 to 15 · "
13·9	18·7	20·6	20·8	17·5	21·0	18·8	19·5	18·5	24·0	19·6	0·1	6·3	10·5	2·6	6·4	" 16 to 20 "
13·4	12·7	16·3	16·0	13·9	16·6	15·4	15·3	15·4	18·3	15·4	5·5	0·9	10·0	2·0	2·9	" 21 to 25 "
12·5	12·5	10·5	9·9	10·7	6·7	10·3	11·1	15·1	6·6	3·9	0·2	4·3	5·6	0·9	9·1	" 26 to 30 "
12·4	12·4	10·2	14·2	13·2	13·6	13·5	13·0	14·4	12·6	....	17·3	22·7	16·9	15·9	9·4	January 31 to February 4 inclusive.
17·7	21·7	23·6	22·3	21·5	26·9	22 0	20·0	23·1	29·0	....	4·8	8·3	13·8	7·1	10·9	Februar. 5 to 9 inc usive.
10·1	17·0	18·6	16·1	5·3	20·6	13·8	6·0	14·7	17·2	....	8·3	13·6	5·5	8·3	6·7	" 10 to 14 "
15·2	15·3	15·8	12·6	11·8	14·9	13·9	16·2	16·1	10·7	....	7·1	15·8	12 6	4·4	2·3	" 15 to 19 "
13·1	14·6	13·5	12·1	14·6	12·8	15·0	14·7	13·0	11·3	....	24·7	27·8	22·6	24·7	24·6	" 20 to 24 "
6·3	6·6	8·5	5·7	0·5	6·3	6·3	3·7	6·8	10·3	....	11·2	11·2	3·4	12·2	4·0	" 25 to March 1 inclusive.
0·4	5·9	6·7	10·1	8·8	2·8	2·6	0·2	1·2	6 8	....	3·0	5·7	4·0	2 2	0·4	March 2 to 6 inclusive.
2·5	1·3	6·9	2 9	7·1	3·0	4·8	0·2	4·2	1·6	....	20·4	21·5	19·2	21·0	14·4	" 7 to 11 "
11·5	11·1	6·8	13 3	16·2	12·3	12·7	12·6	14·4	13·5	....	12·4	13·9	16·7	8·1	2·6	" 12 to 16 "
12·4	10·4	7·1	9·1	10·9	5·0	9·7	14·5	14·8	7·1	....	22·2	24·2	19·4	22·7	15·1	" 17 to 21 "
6·0	5·4	7·1	9·3	12·0	6·2	6·7	7·2	12·0	9·1	1·6	9·0	13·0	6·5	8·7	1·0	" 22 to 26 "
14·6	6·4	6·1	13·1	3·0	13·1	4·4	4·5	14·5	14 6	7·3	26·5	29·1	23·6	28·0	21·3	' 27 to 31 "
21·7	14·8	13·2	18·7	16·8	20·9	14 9	16·3	22·1	21·3	7·2	28·6	30·3	29·2	27·1	21·0	April 1 to 5 inclusive.
29·8	24·9	24·1	27·8	25·8	27·0	24·6	27·6	30·3	28·3	26·2	26·5	29·2	34 0	26·9	22·1	" 6 to 10 "
39·8	33·4	35·1	36·4	35·2	36·4	36·9	37·6	38·8	34·4	31·4	29·1	32·3	35·4	29·5	25·4	" 11 to 15 "
32·0	28 5	28·0	30·2	31·5	31·0	30·7	33·8	30·6	27·7	24·9	30·3	31·9	34·3	30·2	25·5	" 16 to 20 "
43·5	39·9	39·3	44·4	48·4	45·9	44·7	44 3	45·7	45·4	32·1	31·1	32·0	41·9	33·4	28 2	" 21 to 25 "
55·4	32·5	28·4	33·9	33·1	36·1	34·5	37·8	35·7	32·5	28·1	47·0	54·8	41·6	48·5	41·1	" 26 to 30 "

TABLE XX (Continued).—*Means of Daily Temperature at Stations in Tables*

	Beatrice.	Brampton.	Birnam.	Coldwater.	Conestogo.	Chatham.	Cartier.	Charlinch.	Durham.	Peserouto.	Egremont.	Elora.	Guelph.	Galt.	Georgina
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
January 1 to 5 inclusive	15·1	20·2	19·6	14·3	18·2	22·8	3·0	12·6	23·7	18·8	18·6	19·6	11·7	19·3	14·7
" 6 to 10 "	11·0	19·0	24·6	6·3	20·8	27·6	3·5	8·7	25·2	14·5	19·4	20·1	19·9	20·1	12·1
" 11 to 15 "	6·1	15·9	13·6	6·6	13·5	18·4	3·6	5·1	11·6	12·6	5·6	13·3	12·9	12·2	11·4
" 16 to 20 "	0·4	8·6	6·8	2·2	9·3	12·6	14·9	1.8	10·3	8·4	8·0	8·4	8·7	9·2	2·5
" 21 to 25 "	4·9	0·4	6·9	7·5	3·8	10·9	15·0	4·7	4·2	0·2	3·7	4·6	4·0	3·9	4·8
" 26 to 30 "	1·4	8·4	14·7	1·7	7·6	14·9	9·4	0·5	1·9	4·5	4·9	9·0	6·2	9·5	2·9
January 31 to February 4 inclusive	19·7	26·1	28·9	21·0	25·6	28·7	5·5	17·8	31·1	18·8	24·8	26·7	25·0	25·6	19·8
February 5 to 9 "	6·0	13·4	11·9	9·9	11·9	15·7	17·8	3·8	6·0	8·9	3·9	11·7	10·1	13·2	9·9
" 10 to 14 "	9·4	10·1	11·0	9·8	13·7	20·3	7·2	8·6	15·4	10·5	11·4	14·6	13·3	13·3	7·4
" 15 to 19 "	9·7	19·4	13·5	8·4	16·9	26·6	0·8	8·3	9·7	10·9	14·2	18·0	13·1	9·7	11·0
" 20 to 24 "	25·8	31·7	30·3	27·1	28·8	34·4	13·6	24·5	28·9	29·7	26·4	27·6	28·8	28·6	28·2
" 25 to March 1 "	13·1	20·9	19·7	16·8	16·9	27·7	2·1	11·5	16·6	18·1	15·4	15·9	16·7	18·4	17·1
March 2 to 6 inclusive	4·3	12·5	14·8	9·2	11·0	20·0	6·1	3·4	10·1	7·3	8·5	10·2	11·0	12·1	6·5
" 7 to 11 "	20·2	23·9	25·4	7·0	23·5	28·6	7·7	19·9	22·9	23·8	21·7	21·9	22·7	22·6	19·3
" 12 to 16 "	12·6	16·9	8·6	9·9	16·9	23·5	1·6	11·6	14·1	19·7	10·7	15·3	15·0	17·1	12·8
" 17 to 21 "	24·4	29·6	32·0	14·7	27·8	37·8	12·8	19·3	28·2	23·1	25·7	28·0	30·9	26·7	23·0
" 22 to 26 "	8·2	17·4	9·7	13·4	11·8	19·2	1·7	7·2	12·9	16·7	8·5	11·6	11·0	13·6	9·8
" 27 to 31 "	27·7	33·3	33·8	8·9	33·0	38·1	16·1	26·2	30·3	33·4	29·9	31·6	32·2	32·8	32·7
April 1 to 5 inclusive	28·3	35·4	37·9	32·8	34·6	3·8	26·1	27·6	33·5	34·6	30·0	32·1	34·8	34·6	30·5
" 6 to 10 "	26·7	36·3	36·5	31·9	33·2	39·4	25·5	26·0	33·9	33·1	30·1	32·7	35·1	34·5	30·3
" 11 to 15 "	31·2	36·7	35·2	35·6	35·2	38·8	28·6	30·4	34·9	36·1	32·6	34·7	35·1	36·5	30·9
" 16 to 20 "	31·2	37·4	35·1	31·9	34·4	38·2	30·4	30·8	34·5	37·9	31·7	33·4	34·5	33·4	30·9
" 21 to 25 "	34·1	38·2	34·9	36·3	35·6	38·2	32·7	32·2	35·6	38·1	31·8	34·2	....	35·1	31·4
" 26 to 30 "	47·9	56·7	55·9	54·1	56·1	54·5	41·0	40·7	58·3	54·9	50·2	56·0	52·8	58·4	55·1

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1888, inclusive.

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bay.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
15·4	19·8	15·7	18·9	15·7	16·1	18·3	20·0	20·8	16·4	16·8	9·8	−10·5	23·7	10·0	23·9	January 1 to 5 inclusive.
13·1	25·5	12·3	12·5	12·7	13·2	20·6	24·6	22·7	10·8	9·1	4·0	−4·3	24·2	6·6	21·9	" 6 to 10 "
9·1	15·5	6·8	14·1	8·7	5·6	11·8	15·6	17·7	−3·3	13·4	−6·0	−18·7	18·9	9·4	16·8	" 11 to 15 "
−1·6	10·5	−1·0	−6·1	−3·3	−0·7	−7·4	9·8	11·4	−5·3	−2·0	−3·7	−15·2	−14·3	−0·8	12·1	" 16 to 20 "
−0·8	−0·4	−1·0	−1·2	−2·1	−1·8	−1·2	7·8	5·6	−7·3	−6·7	−15·4	−10·4	−9·6	−8·5	16·1	" 21 to 25 "
2·9	10·7	3·3	3·9	3·9	−1·5	7·5	13·4	11·0	0·3	0·7	−6·6	−12·7	−12·3	2·2	18·1	" 26 to 30 "
21·1	25·4	20·4	17·7	21·3	−20·9	25·0	28·8	27·7	11·9	13·1	10·9	−16·2	−28·1	11·3	23·1	January 31 to February 4 inclusive.
8·7	15·1	15·8	13·2	9·7	−1·9	8·3	13·7	15·7	6·8	−14·6	−10·4	−13·7	−20·6	8·6	17·1	February 5 to 9 "
11·8	8·7	10·7	10·3	12·7	4·0	13·2	16·8	14·4	7·5	−4·9	1·7	−12·0	−21·0	5·6	20·6	" 10 to 14 "
11·5	14·5	11·6	11·4	11·6	11·3	14·8	20·3	4·7	8·4	−2·5	1·3	.....	−21·8	5·1	21·8	" 15 to 19 "
27·9	28·4	26·6	30·6	28·1	25·3	26·9	30·8	24·0	25·0	23·3	22·6	−27·1	−33·2	27·1	31·6	" 20 to 24 "
16·0	19·5	10·1	18·6	16·1	11·3	14·5	20·7	18·6	14·9	15·1	37·3	−1·4	−22·0	14·5	26·0	" 25 to March 1 "
6·1	14·0	5·6	9·0	5·5	4·1	9·5	15·3	14·8	5·2	6·0	4·0	−2·3	−14·4	8·8	23·3	March 2 to 6 inclusive.
21·5	20·2	22·8	24·0	21·8	18·3	19·3	26·1	22·9	19·2	17·2	12·6	−12·7	−27·0	24·4	24·7	" 7 to 11 "
13·9	17·3	14·0	19·4	14·9	12·7	12·5	18·6	18·9	15·9	12·2	13·5	−7·9	−19·6	19·8	27·2	" 12 to 16 "
23·8	29·5	25·2	27·1	25·2	22·5	28·8	33·0	28·8	21·9	20·8	20·2	−17·8	−33·9	23·1	35·8	" 17 to 21 "
10·5	13·1	10·5	17·7	13·3	10·2	6·0	14·2	10·1	11·2	16·9	7·6	−12·2	−19·7	15·9	25·9	" 22 to 26 "
29·9	34·9	28·5	33·2	31·4	26·8	31·3	34·2	31·9	30·4	28·9	28·7	−18·8	−36·6	34·8	36·3	" 27 to 31 "
30·1	31·9	27·3	32·9	30·9	29·8	30·4	36·7	34·1	26·2	25·6	20·2	−22·5	−35·4	32·1	37·3	April 1 to 5 inclusive.
27·9	34·6	27·4	33·8	31·4	27·1	33·5	37·3	35·2	28·2	23·8	22·6	−21·9	−36·9	29·0	41·5	" 6 to 10 "
33·1	37·0	33·2	34·7	33·5	32·4	32·8	36·4	35·7	33·1	28·7	25·5	−34·2	−37·1	33·3	39·2	" 11 to 15 "
33·8	35·5	31·5	37·0	33·7	31·8	32·1	35·7	33·9	31·2	29·3	24·5	−31·1	−37·6	37·7	40·4	" 16 to 20 "
35·7	37·0	33·7	37·1	36·1	34·6	31·9	36·3	34·5	35·4	33·2	28·3	−31·7	−35·5	38·2	40·2	" 21 to 25 "
49·6	57·2	47·9	48·7	54·3	42·8	55·0	56·9	57·5	51·1	52·3	26·7	−33·1	−51·4	53·2	52·0	" 26 to 30 "

TABLE XX (Continued).—*Mean of Daily Temperature at Stations in Tables*

	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Sprucedale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
January 1 to 5 inclusive	4·4	16·0	21·7	22·2	21·3	24·3	6·4	21·1	11·7	20·6	24·0	22·1	18·5	13·4	12·6	22·0
" 6 to 10 "	0·6	11·8	24·7	26·0	24·2	29·1	3·2	24 9	3·6	23·4	23·7	21·3	16·8	7·4	7·1	22·2
" 11 to 15 "	7·7	7·7	18·4	16·1	17·1	14·1	2·1	15 0	6·1	15·8	16·8	17·3	13·0	18·3	6·0	15·2
" 16 to 20 "	9·0	0·2	13·1	11·9	11·6	9·5	6·8	9·8	3·8	12·8	9·9	10·1	5·7	17·6	7·8	8·9
" 21 to 25 "	6·8	2·4	8·7	10·6	8·6	9·0	12 0	10·2	....	6·7	8·9	7·1	1·1	15·1	7·1	7·2
" 26 to 30 "	4·6	2·5	15·1	14·4	12·5	13·7	0·9	13·9	....	10·1	10·5	10·1	7·6	11·6	2·2	9·8
January 31 to February 4 inclusive	19·1	20·5	27·0	29·3	26·4	29·6	8·6	26·6	....	28·2	28·4	26·8	24·6	16·3	15·3	23·5
February 5 to 9 inclusive	13·4	6 8	11·7	15·6	14·1	11·9	2·0	15·1	...	17·6	16·2	12·1	11·2	23·6	7·5	14·5
" 10 to 14 "	7·9	10·8	12·9	18·1	14·2	18·5	1·4	15·1	4·2	18·0	19·1	13 2	14·1	11·8	0·4	18·3
" 15 to 19 "	11·6	10·3	17·3	21·9	19·8	22·5	2 5	21·8	8·2	22·2	22·9	17·4	20·0	13·4	0·9	24·2
" 20 to 24 "	20·7	28·2	29·3	31 4	30·3	31·4	24·0	31·3	26·1	31·6	32·8	28 8	30·0	20·4	17·0	31·3
" 25 to March 1	4·3	13·9	17·9	22·1	20·1	21·7	10 8	22·3	16·9	20·4	22·1	15·9	17·6	3·0	13 8	16·2
March 2 to 6 inclusive	4·0	4·6	12·5	16·8	13·3	17·5	5·0	18·5	7 7	13·4	15·0	11·1	8·2	7·3	4·5	20·2
" 7 to 11 "	14·3	20·3	21·9	27·7	21·0	28·3	21·2	30·2	20·0	25·9	26·8	23·7	23·1	9·9	18·9	28·7
" 12 to 16 "	7·5	13·4	16·2	19 9	18·8	21·0	12·2	20·7	16·5	19·7	21·6	15·0	14·6	8·6	14·8	21·0
17 to 21 "	14·9	24·8	28·3	31·7	28·0	33·5	20·9	34·3	23·7	32·6	32·4	27·2	27·0	12·4	19·6	34·9
22 to 26 "	1·5	8·1	12·6	17·4	14·8	18 9	10·1	19·0	5·0	16·1	18·7	11·9	14·0	5·3	7·8	13·7
" 27 to 31 "	21 3	27·8	29·1	34·3	33·0	35·1	31·8	36·6	34 6	34·8	37·3	29·5	31·6	15·1	24·6	36·9
April 1 to 5 inclusive	25·2	28·6	32·3	36·1	32·2	39·7	29·0	37·4	29·9	36·2	36·6	31·4	32·7	22·6	21·8	38·5
" 6 to 10 "	25·5	28·1	32·2	36·7	32·9	39·9	26·4	37 9	29·8	35·4	36·9	31 8	33·3	25·5	24·3	38·0
" 11 to 15 "	33·3	32·1	33·4	36·5	34·8	35·5	31·0	39·4	32 4	37·7	39·0	34·0	34·6	31·5	28·8	37·4
" 16 to 20 "	32·1	32·6	32·2	37·6	34·5	35·7	34·4	36·8	37·2	37·0	37·5	32·5	34 1	28·8	28·9	35·8
" 21 to 25 "	33·0	35·0	32·6	36·3	32·4	35·9	35·8	36·5	36·7	36·4	38·1	33·3	35·8	37·0	30·5	36·3
" 26 to 30 "	34·9	48·1	47·2	50·1	46·1	53·6	46·7	56·1	54·4	56·9	59·1	51·9	55·0	....	49·7	54·8

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1888, inclusive.

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S. W. P.	Anticosti, W. P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
21·2	20·9	22·6	21 3	20·5	16·3	14·2	12·8	14·8	20·7	....	13·4	6·8	0·1	....	January 1 to 5 inclusive.
21·2	23·1	2·2	24·7	23·8	18·0	16·8	20·3	8·0	23·4	....	24·3	3·5	2·9	.. .	" 6 to 10 "
18·3	15·2	14·2	19·1	16·5	13·4	12·7	17·0	12·0	17·5	....	12·3	5·2	1·0	....	" 11 to 15 "
11·8	10·0	12·7	8·5	11·7	8·8	8·0	7·5	0·8	13·6	....	7·9	2 1	5·5	....	" 16 to 20 "
6·3	4·8	7·9	8·1	6·9	3·3	0·1	0·2	1·3	3·1	....	3·4	10·0	10·8	....	" 21 to 25 "
8·9	11·6	1·8	12.9	13·0	9·0	8·3	14·3	1·2	13·8	....	19·5	4·5	7·9	....	" 26 to 30 "
27·6	27·3	15·2	29·0	28·3	9·3	11·3	8·2	1·6	10·9	....	6·0	2·7	....	....	January 31 to February 4 inclusive.
16·5	14·4	20·4	12·2	14·5	16·1	15·9	20·5	10·9	23·3	....	12·1	9·0	....	....	February 5 to 9 inclusive.
17·4	16·5	18·5	16·9	13·6	6·6	5·7	7·8	10·4	15·1	....	8·7	8·0	....	....	" 10 to 14 "
18·4	18·3	2·4	22·8	18·9	4·3	4·2	6·3	4·6	7·3	....	6·3	0·9	....	....	" 15 to 19 "
31·8	30·0	17·3	31·3	28·7	13·3	14·3	14·3	27·8	18·4	....	11·6	23·7	....	....	" 20 to 24 "
20·8	20·0	3·2	21·6	19·8	13·8	15·0	13·3	9·6	17·5	....	18·5	7 5	....	....	" 25 to March 1 inclusive.
12·0	13·5	11·3	17·2	15·9	26·4	26·3	25·5	6·2	30·9	....	31·7	8·4	9·8	....	March 2 to 6 inclusive.
25·2	23·9	7·7	27·8	23·4	31·2	31 7	28·7	25·1	29·6	...	27 2	23·2	30·0	....	" 7 to 11 "
17·3	17 6	3·9	21·1	16·9	29·0	28·9	26·3	25·4	29·7	....	24·5	26·8	21·6	..	" 12 to 16 "
28·9	31·9	6·5	33·9	29·9	25·6	23·9	22·7	21·4	25·8	....	11·9	22·6	19·9	....	" 17 to 21 "
16·8	13·6	3·8	13·3	10·8	25·2	32 6	26·6	18·5	27·7	....	27·4	12·3	10·0	....	" 22 to 26 "
34·3	34·4	18·4	34·5	26·8	25·0	24·8	21·4	35·9	27·8	....	24·6	30·0	27·8	....	" 27 to 31 "
34·4	36·4	10·7	38·4	36·1	25·8	26·3	25·0	33·4	26·1	....	20·9	25·9	20·2	26·3	April 1 to 5 inclusive.
34·8	35·8	25·2	37·2	36·7	23·3	23·4	27·6	27·7	23·9	24·6	22·5	21 4	18 6	22·5	" 6 to 10 "
37·3	36·8	27 6	36·9	35·7	30 0	29·8	28·5	32·1	30·2	31·0	24·4	28·0	30·0	31·2	" 11 to 15 "
36·7	35·6	29·9	34·9	33·7	32·6	33·6	34 1	36·4	31·7	33·4	29·1	31·4	35·3	33·9	" 16 to 20 "
37·0	36·4	30·6	35·8	33·9	31·5	31·1	31·9	34·2	32·6	33·0	30·7	30·3	33·9	29·4	" 21 to 25 "
52·8	58·4	34·5	53·8	57·6	34·4	34·2	32·9	50·0	34·5	38·1	25·7	40·9	42·2	38·4	" 26 to 30 "

TABLE XX (Continued.)—*Means of Daily Temperature at Stations in Tables*

	Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
January 1 to 5 inclusive	12·1	23·5	6·1	15·2	12·3	7·6	8·1	12·3	....	13·0	19·8	11·7	15·2	21·9	19·2
" 6 to 10 "	13·4	26·0	3·5	6·8	5·0	4·2	6·0	5·5	....	11·5	10·9	8·8	10·5	21·4	16·6
" 11 to 15 "	8·3	11·4	5·6	10·2	6·8	7·8	4·2	8·9	....	8·0	9·0	5·9	9·4	21·6	17·9
" 16 to 20 "	5·6	13·6	5·1	1·5	1·8	1·9	4·6	1·0	..	5·0	5·1	3·3	6·3	13·1	9·4
" 21 to 25 "	4·0	3·4	6·7	7·2	6·2	8·7	8·5	8·3	....	1·1	2·0	5·7	1·0	6·7	1·2
" 26 to 30 "	1·7	18·4	1·1	0·7	1·3	0·0	10·0	2·2	....	4·7	1·4	0·1	2·8	11·5	7·1
January 31 to February 4 inclusive	8·9	8·8	4·7	6·6	9·3	6·5	7·1	2·8	....	9·9	6·0	6·4	8·9	19·0	14·1
February 5 to 9 "	15·5	12·8	10·4	9·9	10·7	12·1	8·5	9·9	....	14·1	17·7	11·4	11·0	31·0	29·2
" 10 to 14 "	6·5	6·0	3·8	5·1	7·3	7·3	2·3	6·3	....	11·3	11·5	2·6	12·6	22·6	17·1
" 15 to 19 "	1·4	7·3	3·2	5·1	2·3	2·0	1·4	0·9	....	3·4	2·6	2·4	5·8	15·4	11·7
" 20 to 24 "	17·3	13·2	16·0	28·2	28·6	25·0	17·1	27·1	....	20·7	20·1	15·8	27·0	33·0	30·8
" 25 to March 1 "	14·4	19·5	11·0	14·7	11·4	12·0	13·3	9·7	....	13·9	15·9	11·4	14·5	23·3	21·0
March 2 to 6 inclusive	40·3	33·5	18·7	6·9	6·9	12·0	23·8	8·5	...	21·5	27·8	26·2	19·8	26·1	24·9
" 7 to 11 "	30·4	28·3	25·9	24·6	24·9	28·0	31·5	26·4	....	33·1	28·4	33·5	29·1	29·8	28·1
" 12 to 16 "	28·8	26·4	28·5	20·3	25·2	30·3	30·0	26·7	...	31·0	30·5	30·3	33·0	34·2	33·4
" 17 to 21 "	27·7	20·2	22·8	22·2	27·4	25·4	25·5	22·3	....	33·9	30·1	26·4	26·1	31·3	29·8
" 22 to 26 "	21·3	31·3	19·8	15·8	17·3	15·8	21·6	15·6	...	32·4	27·3	24·8	29·8	28·0	26·7
" 27 to 31 "	25·6	28·2	27·3	33·1	34·8	31·9	28·1	34·4	....	32·1	29·5	26·6	32·5	34·9	33·6
April 1 to 5 inclusive	25·3	22·6	26·1	30·8	32·5	28·1	24·3	31·2	22·1	31·7	28·7	24·2	31·7	35·3	33·9
" 6 to 10 "	24·1	22·3	21·7	28·2	30·4	24·3	24·9	26·2	17·9	31·4	26·9	23·4	31·7	33·5	31·1
" 11 to 15 "	30·0	28·6	29·3	32·6	33·0	31·1	30·5	31·1	27·3	30·3	31·2	28·9	32·7	34·1	33·6
" 16 to 20 "	32·9	33·8	33·0	35·3	36·4	34·2	34·6	34·1	35·6	38·4	36·2	34·3	40·6	39·7	40·1
" 21 to 25 "	30·9	31·1	31·4	35·5	36·7	33·9	33·4	34·2	31·7	34·8	34·6	34·4	37·9	38·5	37·8
" 26 to 30 "	37·4	30·3	36·5	50·2	52·3	42·1	37·8	46·6	39·4	45·9	42·5	39·8	48·2	46·3	45·2

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec. 1888, inclusive.

St John.	Woodstock.	Point Le Preaux.	Halifax.	Pic'ou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Glace Bay.	Kilmahumaig.	St. Johns.	Point Rich.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
17·2	14·1	20·2	22·2	19·5	22·3	29 2	17·5	26·3	22 2	15·8	22·9	12·3	25·9	23·4	January 1 to 5 inclusive.
16·1	8·2	19·6	22 0	21·8	25·9	29·5	17·3	24·5	24·3	20·7	24·8	13·8	29·7	28·7	" 6 to 10 "
18·0	4·8	16·0	20·0	14·4	18·6	26·9	15·5	23·6	21·3	16·2	23·5	8·7	19·2	13·3	" 11 to 15 "
8·5	1·3	11·6	15·0	16·4	15·9	24·5	13·3	18·2	17·0	13·1	14·2	10·4	21·0	8·0	" 16 to 20 "
0·7	3·1	2·2	6 1	0·2	2·6	18·3	0·1	11·6	9·1	6 9	0 7	1·3	14·4	4·8	" 21 to 25 "
6·6	0·4	13·1	15·1	12·8	17·3	27 8	12·5	16·7	20·7	17·1	14 7	4·5	29·0	19·7	" 26 to 30 "
11·1	1·2	15·5	14·9	9·5	12·4	24·2	9·8	20·6	15·5	15·5	11·9	5 1	20·3	6·9	January 31 to February 4 inclusive.
28·0	22·9	26·8	31·0	29·8	27·8	34·3	28·7	31·7	29·7	24·1	25·2	22·8	24·0	17·2	February 5 to 9 inclusive.
16·9	6·0	20 0	21·5	14·7	22 5	29·7	19·0	24·1	22·9	18·5	23·6	14·6	23·9	9·4	" 10 to 14 "
9 5	3·9	11·6	14·4	12·1	12·7	25 7	9 1	20·6	16·6	16·0	11·9	6·2	23 9	9·2	" 15 to 19 "
28·4	21·5	30 8	30·5	21·7	23·0	29·0	24·4	31·0	25·0	28·8	23·5	20·0	21 5	11·8	" 20 to 24 "
19·9	9·3	18·0	23·2	19·7	21·4	27·2	22·4	24·7	22 4	19·2	20·9	16·6	26 0	16·8	" 25 to March 1.
26·8	20·6	26·1	28·4	27·6	29·5	29·5	27·2	27·6	27·1	25·1	28·1	22·4	31·9	32·7	March 2 to 6 inclusive.
27·8	24·8	26·9	30·4	33 5	29·4	30·8	27·8	28·7	29 8	26 7	28·7	26·7	30·5	31·3	" 7 to 11 "
32·7	31·2	32·4	33·6	33·0	32·3	33·7	33·1	34·4	32·1	33·6	31 2	27 0	32·5	30·7	" 12 to 16 "
29 4	31·0	30·9	31·6	31·0	28 0	33·7	29·3	31·7	29·5	34·4	27·8	27·9	29·3	24·7	" 17 to 21 "
27·5	26·8	27·9	29·4	29·3	30·0	32·3	31 9	28·7	28·1	33·8	...	27·6	33·5	32·7	" 22 to 26 "
33·0	31·3	32·5	31·2	32·3	31·8	35·5	33·2	35 0	30 1	34·5	31·0	27 7	31·3	34·5	" 27 to 31 "
33·2	29·5	31·7	31·9	28·7	27 8	33·9	26·7	35 1	29 2	34·4	27 8	25·3	28 4	23·8	April 1 to 5 inclusive.
31·2	29·5	31·5	32·5	29·9	28·9	33 9	30·2	32·1	31·1	34·4	22·6	26·4	30·9	24·5	" 6 to 10 "
32·9	32·6	30·8	32·8	34·3	31·7	35·6	33·8	34·4	31·3	33·5	28·7	29 4	31 1	30·3	" 11 to 15 "
38·9	38·9	37 1	37·9	36·9	34·6	35·7	37 7	39·1	33·8	39·7	34·3	33 1	33·5	33·5	" 16 to 20 "
37·3	33·7	36·2	37·9	38·0	36·7	40 5	39·9	38·0	36·2	40·2	35·5	34·5	37·1	32·9	" 21 to 25 "
43·9	44·7	40·5	43·3	41·0	38·2	40·0	43·4	44 5	37·8	46·6	33·9	39·6	36·0	31·6	" 26 to 30 "

TABLE XX (Continued).—*Means of Daily Temperature at Stations in Tables*

	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilmap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
May 1 to 5 inclusive	51·1	45·2	50·6	40·3	50·7	43·6	48·1	....	50·4	42·2	48·3	43·7	42·7	44·8	45·4	40·8
" 6 to 10 "	52·6	44·2	56·2	39·2	57·5	48·5	53·9	...	56·4	46·6	52·8	46·7	47·6	48·3	50·8	48·2
" 11 to 15 "	53·8	48·0	55·2	37·0	53·3	38·0	45·1	....	53·6	38·9	40·5	39·9	33 6	48·0	47·2	36·9
" 16 to 20 "	55·9	48·2	57·4	....	44·6	44·0	43·3	....	43·4	42·3	43·3	44·9	42·0	37·1	41·2	35·0
" 21 to 25 "	53·5	49·1	56·9	39·3	54·7	52·7	54·1	....	58·6	49·5	52·3	53·2	52·1	49·2	50·8	....
" 26 to 30 "	57·9	53·2	65·4	42·5	58·2	49·5	59·0	....	59·2	45·8	50·4	54·9	47·7	56·0	50·9	....
May 31 to June 4 inclusive	57·6	53·6	65·4	49 9	61·3	56·3	57·7	....	60·9	58 8	55·3	58·6	54·7	55·0	57·3	43·4
June 5 to 9 inclusive	56·8	53·8	61·7	....	56·8	55·1	56·2	....	57·4	53·0	53·7	54·1	52·4	50·6	52·8	52·5
" 10 to 14 "	58·6	55·0	62·0	....	64·2	63·7	67·8	...	63·5	63 9	63·6	61·8	62·6	56·9	62·0	62·3
" 15 to 19 "	57·1	54·3	58·0	....	66·4	72·1	67·6	....	67·9	73·6	70·6	71 8	70·8	56·9	65·7	71·3
" 20 to 24 "	57·4	53·3	63·0	....	53 3	56·2	50·1	....	50·7	56·4	55·3	55·3	59·1	50·7	47·5	....
" 25 to 29 "	58·5	54·1	61·9	....	61·8	59·7	58·7	....	65·7	58·2	60·5	57·3	59·3	53·4	60·9	....
June 30 to July 4 inclusive	56·8	52·6	58·5	....	59·5	63·9	64·8	....	63·8	68·1	63·2	67·9	64·9	55·1	59·8	....
July 5 to 9 inclusive	57·7	55·2	61·8	....	68·1	62·8	64·9	...	71·1	66·0	63·2	69·4	59·0	60·7	61·0	62·8
" 10 to 14 "	56·1	55·3	58·7	....	70·3	67·8	70·2	....	75·1	62·0	69·8	72·3	66·5	62·2	71·0	....
" 15 to 19 "	60·4	54·2	66·3	....	65·5	62·2	66·5	....	63·2	58·6	62·4	66 2	60·3	62·5	64·5	....
" 20 to 24 "	61·1	56·3	67·1	61·7	70·9	66·0	70·3	....	72·2	63·8	66·1	73·0	61·1	63·5	67·6	63·5
" 25 to 29 "	58·1	56·6	61·7	59·2	67·4	65·5	72·0	....	69·1	60·3	66·4	74·8	62·8	60·7	66·0	64·8
July 30 to August 3 inclusive	59·9	58·7	64·2	56·6	63·2	59·5	63·0	57·8	65·0	58·5	60·9	70·2	6	53·7	61·8	....
August 4 to 8 inclusive	63·7	59·0	62·3	32·6	54·2	50·9	55·8	54·6	56 2	52·1	52·0	54·5	51·0	49·7	59·6	50·2
" 9 to 13 "	61·4	57·5	64 6	57·8	61·6	57·6	67·6	57·8	66·1	5	59·9	48·7	56·0	51·2	60·4	....
" 14 to 18 "	62·0	55·5	67·1	55·9	62·8	54·9	53·9	69·1	64·1	52·9	56·5	53·3	54·4	62·2	59·3	54·4
" 19 to 23 "	59·8	56·3	66·3	61·1	74·3	69·7	74·6	74·3	78·3	67·9	71·4	64·4	67·7	68·2	71·6	67·4
" 24 to 28 "	60·3	57 0	67·2	56·7	67·7	63·8	68·9	67·3	70·1	67·3	63·1	66·0	62·3	6	65·5	63·5

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1888, inclusive.

Portage la Prairie.	Minnedosa.	Russell	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Silkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
42·5	39·7	41·4	42·2	41·5	42·7	41·3	42·2	44·3	41·0	38·3	38·6	39·6	37·4	39·8	28·9	May 1 to 5 inclusive.
54·0	48 0	47·9	52·2	48·9	54·4	46·9	52·1	56·8	51·8	48·4	50·0	48·1	52·9	49·7	36 5	" 6 to 10 "
31·9	33·7	34·5	33·2	36·4	32·4	35·8	35·5	33 3	31·0	28·8	43·5	45·0	31·6	47·5	34·1	" 11 to 15 "
45·3	44·0	44·2	47·2	44·4	44·5	44·3	53·8	50·3	40·9	44·9	40·7	40·3	46·7	42·1	40·7	" 16 to 20 "
42·0	52·2	52·2	53·2	52·2	52·6	51·3	52·5	55·7	50·8	43·4	59·8	57·5	53·9	60·6	54·8	" 21 to 25 "
48·0	47·7	49·8	48·4	47·7	37·6	49·5	51·6	50·4	42·9	39·5	54·8	59·0	50·4	57·2	57·1	" 26 to 30 "
54·7	52·2	51·4	53·3	52·7	50·6	50·8	55·1	57·4	49·3	47·0	46·4	52·5	57·9	51·4	58·6	May 31 to June 4 inclusive.
52·2	51·2	51·5	53·1	52·3	53·2	50·3	52·3	56·6	53·2	43·7	....	60·7	49·9	59·4	62·5	June 5 to 9 "
68·8	61·1	60·3	63·7	60·9	65·9	61·6	62·9	69·1	61·9	51·4	61·6	60·8	66·1	61·1	64·2	" 10 to 14 "
74·0	70·4	70·4	74·3	76·5	75·0	73·9	75·1	81·6	76·3	63·1	67·1	71·0	83·0	69·4	77·1	" 15 to 19 "
60·8	56·6	56·3	60·0	55·6	63·9	58·3	61·4	61·4	60·7	57·5	71·8	75·1	69·6	74·0	77·5	" 20 to 24 "
63·3	58·7	59·5	61·1	53·9	62 4	60·1	60·6	67·2	60·7	58·9	....	59·5	61·9	61·1	66·3	" 25 to 29 "
69·4	64·5	62 1	67·0	61·9	66·9	65·6	69·0	71·7	61·0	62 7	63·8	63·3	70·9	66·5	73·1	June 30 to July 4 inclusive.
64·2	61·6	57·3	63·7	...	63·7	63·8	63·9	68·0	60·4	61·7	....	61·4	74·6	64·6	70·4	July 5 to 9 "
68·5	67·1	66·0	66·6	....	66·8	65·6	70·1	68·6	65·1	64·8	58 6	59·6	52 1	57·1	65·5	" 10 to 14 "
64·3	60·9	60·1	61·9	62·5	62·6	62 4	63·9	66·1	61·3	62·0	...	64·1	69·1	64·6	70·8	" 15 to 19 "
66 8	62·0	61·8	65·4	63·5	66·8	64·7	65·6	72·0	63·6	65·2	....	64·2	70·5	66·5	71·7	" 20 to 24 "
68·0	63·6	64·0	66·9	70·2	68·1	67·9	70·6	72·9	66·5	68·5	....	63·9	65·7	61·2	66·7	" 25 to 29 "
62 5	63·6	58·5	61·2	57·7	62·9	59·4	61 4	70·3	59·5	67·6	....	68·0	69·3	67·6	66·7	July 30 to August 3 inclusive.
55·9	49·6	50·3	54·9	51·3	55·0	50·9	54·8	58·5	53·3	58·7	65·8	68·3	65·5	69·0	67·3	August 4 to 8 inclusive.
....	53·9	54·5	58·7	58·0	58·0	60·4	59·8	65·0	53·8	63·0	....	56·4	61·6	57·3	72·1	" 9 to 13 "
58·2	53·4	53·3	56·1	55·4	56·7	55·3	56·2	57·6	52·2	60·2	59·3	65·1	61·5	60·3	69·8	" 14 to 18 "
72·4	65·7	69·3	70·2	67·3	70·8	68·8	73·5	76·5	67·8	68·1	....	59·7	66·9	54·5	59·6	" 19 to 23 "
66·4	58·9	60·9	65·3	66·1	65·8	64·6	67·0	62·9	60·3	63·0	....	61·9	71·3	60·5	58·3	" 24 to 28 "

TABLE XX (Continued).—*Means of Daily Temperature at the Stations in Tables*

	Beatrice.	Brampton.	Birnam.	Coldwater	Conestogo.	Chatham.	Cartier.	Charlinch.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Galt.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
May 1 to 5 inclusive	40·3	43·3	46·8	40·7	42·9	43·6	38·5	39·6	42·8	48·6	40·0	43·7	46·2	46·1	38·5
" 6 to 10 "	48·9	52·9	54·2	45·4	52·3	54·5	50·1	49·1	52·9	54·2	49·5	51·3	51·7	52·3	46·7
" 11 to 15 "	45·3	51·3	48·6	47·5	46·7	48·7	42·0	51·7	....	51·9	45 8	47·9	49·1	48·3	48·3
" 16 to 20 "	42·6	46·9	45·8	42·2	45·1	47·5	43·5	41·1	43·5	46·7	40·4	42·4	42·3	46 0	39·3
" 21 to 25 "	61·3	62·2	60·7	58·5	61·4	59·6	64·0	61·3	50·1	60·9	59·6	60·1	59·9	58·9	56·0
" 26 to 30 "	57·3	63·7	61·4	58·9	61·3	58 6	52·8	56·6	61·6	61·4	58·0	60·2	59·9	60·9	60·1
May 31 to June 4 inclusive	50·7	57·4	52·3	53·4	52·2	53·5	53·1	50·1	53 5	54 9	49·9	51·8	52·4	57·6	....
June 5 to 9 "	62·2	68·5	61·6	65·4	59·6	64·5	58·4	60·6	66·7	68·0	62·1	63·7	62·6	61·2	....
" 10 to 14 "	60·8	63·0	63·8	64·2	62·2	64·4	56·2	60·4	63·6	69·9	60·6	63·1	52·0	62·9	54·9
" 15 to 19 "	68·9	77·7	73·0	71·2	72·6	74·6	72·2	67·7	73·4	76·4	70·6	73·8	73·1	73·0	71·2
" 20 to 24 "	73·2	80·7	74·6	77·0	75·7	77·2	73·6	71·6	76·5	80·9	74·6	78·7	77·1	75·6	73·4
" 25 to 29 "	61·1	62·2	60·9	62 1	59·8	60·3	60·8	58·7	62·8	68·7	59·9	60·1	59·4	61·3	62·9
June 30 to July 4 inclusive	66 5	68·7	65·9	71·7	65·8	68·6	65·8	64·5	71·7	70·9	63 0	67·8	68·4	65·7	64·4
July 5 to 9 "	63·9	68·7	66·1	65·8	66·7	68·4	63·9	64·3	52 1	72·5	65·3	67·6	70·7	65·9	66·0
" 10 to 14 "	59·9	65·1	61·6	57·7	62·2	63·5	57·3	59·1	67·0	67·8	58·8	62·3	64·0	62·3	62·7
" 15 to 19 "	64·3	67·4	66·6	64·3	....	68·2	61·4	62·5	69·8	70·1	66·6	67·1	67·9	66·2	64·7
" 20 to 24 "	63·1	69·3	67·0	67·4	65·6	68·9	63·9	62·5	68·2	70·0	63·9	66·1	66·7	64·4	64·7
" 25 to 29 "	62·5	69·3	66·4	63·0	65·6	68·4	61·6	....	67·2	70·9	63·8	67·4	67·9	65·4	63·2
July 30 to August 3 inclusive	65·7	72·6	69 5	65·7	...	72·3	66·3	64·6	71·4	71·9	67·3	70·7	70·0	69·4	66·7
August 4 to 8 "	68·4	73·5	72·8	69·5	....	70·7	62·9	65·9	72·3	74·1	69·4	71·3	66·8	73·9	62·5
" 9 to 13 "	57·1	63·5	60·7	60·3	....	62·9	57·1	54 9	58·7	64·3	56·9	60·4	60·8	60·7	58·7
" 14 to 18 "	62·0	69·2	66·3	64·2	....	71·0	59·6	60·5	66 5	70·1	67·6	67 7	69·1	67·8	65·8
" 19 to 23 "	57·1	61·5	61 5	58·4	58 7	60·9	55·2	54·8	63·0	65·6	8 6	62·2	62 6	62·7	60·6
" 24 to 28 "	62·5	67·4	65·5	64·9	65·8	67·4	58·9	59·7	64·8	67·8	62·4	64·8	65·3	66·9	65·6

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1888, inclusive.

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bay.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
41·9	48·6	40·2	45·5	43·3	38·7	41·2	46·1	43·6	41·6	42·0	35·8	34·7	45·7	44·6	44·9	May 1 to 5 inclusive.
49·9	52·1	47·9	51·8	50·1	45·1	58·7	53·8	51·0	48·8	43·8	36·6	42·7	53·5	50·9	41·3	" 6 to 10 "
47·5	48·9	46·1	51·9	49·1	43·5	35 5	49·3	47 3	47·3	51·7	36·4	29·7	54·9	55·7	50·6	" 11 to 15 "
44·2	43·4	43·0	46·4	43·8	42·0	44·6	46 0	43 1	43·2	40·9	37·8	38·2	45·0	47·0	47 9	" 16 to 20 "
62·1	60·3	60·8	61·5	60·9	55·9	61·9	61·1	62·3	57 1	53·7	49·2	48·7	61·9	63·5	53·5	" 21 to 25 "
58·2	63·5	57·6	59 3	60·9	54·2	59·5	61·4	58·7	60 2	61·6	54·1	46 6	62·7	65·3	62·3	" 26 to 30 "
52·0	52·3	49·9	54·0	52·7	51·0	47·6	52·0	49·6	49·6	53·7	50·7	51·1	51·7	56·3	57·5	May 31 to June 4 inclusive.
62·4	60·9	64·0	62·1	65·2	59·5	61·6	62·8	61·6	59·9	60·1	59·7	46·4	63·9	66·5	60·2	June 5 to 9 "
63·1	....	61·7	62·2	64·0	...	63·4	62·1	63·0	61·2	62·3	62·2	....	64·8	66 6	63·1	" 10 to 14 "
70·3	74·7	70·2	67 1	72·2	74·3	72·9	74·3	71·0	67·5	69·3	68·8	64·3	72·6	71·6	75·9	" 15 to 19 "
73·7	75·4	74·3	73·6	75·6	74·7	76·2	74·8	75·0	73·2	75·0	74·5	59·3	77·1	77·8	78·3	" 20 to 24 "
63 8	61·2	61·4	65·6	61·0	65·3	59 1	59·9	60·3	61·0	62·8	60·2	54·4	63·8	67·0	66·1	" 25 to 29 "
70·0	66·9	66·9	66 7	66·0	70·3	68·5	70·2	66·9	64 2	63 6	67·9	59·7	68·9	70·6	73·7	June 30 to July 4 inclusive.
69·6	67 0	64·1	67·9	67 2	68 6	67·5	69 6	64 7	63·3	67·5	63·8	61·8	67·5	72·3	73·8	July 5 to 9 "
61·4	63 2	60 8	63·0	63·9	65·9	69·6	64·5	59·4	58·8	66·1	57·9	57·4	63·0	66·6	69·8	" 10 to 14 "
66·2	66·4	65·7	66·6	64·9	64·6	67·7	69·5	69·0	61·9	63·9	67·4	58·3	69·4	69 7	69·0	" 15 to 19 "
66·0	67 0	63·7	67·4	65·7	68·9	63·9	67·9	66·8	63·3	63·5	64·9	59·9	65·8	70·7	69·7	" 20 to 24 "
62·2	67·7	63·3	67·3	68·9	67·6	69 0	69·6	67·9	62·3	62·2	64·3	60·3	68·0	69·8	70 2	" 25 to 29 "
66·1	62·6	64·8	69·5	68·5	70·7	71·2	71·8	69·1	63·6	....	67·5	66·3	71·8	74·1	69·9	July 30 to August 3 inclusive.
71·0	74·2	68·1	73·6	72 3	68·5	70·3	74·1	71·7	70·9	....	68·8	55·3	73·4	74·1	78·6	August 4 to 8 inclusive.
61·2	62·0	55·1	61·6	61·0	63 8	58 3	63·4	60·3	56·0	....	59·9	54·9	63·6	63·3	67·2	" 9 to 13 "
65·6	69·9	63·3	65·3	65·3	64·9	65·8	70·3	65·6	62·5	...	65·1	53·6	70·1	66·4	73·9	" 14 to 18 "
61·7	60·7	60·2	61·5	60 0	61·8	59·9	64 6	58·8	54·6	58·3	59·6	56·4	63·7	60·0	68·3	" 19 to 23 "
62·6	63·5	63·1	63·7	64·6	65·3	63·0	68·7	65 7	61·2	59·9	62·2	54·7	64·9	66·6	53·8	" 24 to 28 "

TABLE XX (Continued.)—*Means of Daily Temperature at Stations in Tables*

	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Sprucedale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
May 1 to 5 inclusive	34·9	40·5	40·1	45·2	42·0	46·1	42·0	46·2	43·4	44·4	45·1	40·4	42·8	35·6	37·7	47·8
" 6 to 10 "	40·5	48·8	47·5	51·7	47·9	55·3	51·4	53·6	53·1	52·6	50·7	47·9	50·6	45·7	47·0	53·4
" 11 to 15 "	32·7	46·9	43·3	48·2	45·4	48·0	51·0	47·1	54·9	49·0	47·4	46·0	50·4	30·8	51·4	50·1
" 16 to 20 "	38·2	43·0	43·5	46·1	43·6	47·9	44·8	44·6	45·0	46·1	46·1	41·3	43·5	39·1	41·6	45·5
" 21 to 25 "	45·0	62·3	54·6	59·6	54·3	62·6	61·3	58·3	61·2	58·8	49·3	58·9	62·0	51·2	56·0	60·9
" 26 to 30 "	47·9	54·8	52·6	59·5	58·0	60·3	60·2	61·3	65·8	63·4	59·6	53·6	60·2	56·5	57·8	60·3
May 31 to June 4 inclusive	48·6	49·6	47·7	53·5	50·6	52·9	53·4	51·3	59·4	54·4	54·8	48·5	53·0	52·6	48·0	49·4
June 5 to 9 "	46·8	61·9	56·5	59·7	57·3	62·9	63·8	62·0	68·0	65·1	65·4	59·3	64·3	46·3	56·9	62·3
" 10 to 14 "	49·0	60·5	57·8	59·4	59·0	62·2	62·7	63·2	65·7	63·5	64·3	60·6	62·4	60·9	60·0	61·1
" 15 to 19 "	60·9	67·3	64·4	70·5	68·1	74·1	69·7	73·8	75·0	73·3	75·7	64·8	71·8	71·8	66·3	73·4
" 20 to 24 "	57·4	72·4	72·6	72·4	74·1	75·9	75·3	74·5	77·5	76·3	80·0	71·1	74·4	63·1	73·9	74·1
" 25 to 29 "	53·4	63·1	58·4	61·8	59·5	59·7	62·8	60·3	64·4	62·2	60·5	55·4	60·1	57·6	64·0	60·1
June 30 to July 4 inclusive	62·6	68·6	62·0	66·4	64·2	...	68·1	66·6	69·9	68·1	67·5	65·6	67·1	63·1	67·2	66·5
July 5 to 9 "	61·1	66·3	61·3	67·1	68·2	....	67·9	67·3	67·3	67·3	69·3	61·8	67·3	60·4	60·7	67·6
" 10 to 14 "	61·3	61·7	56·0	61·4	63·5	....	58·6	61·1	62·4	64·7	65·6	57·3	62·6	64·8	57·5	61·8
" 15 to 19 "	59·5	64·5	62·4	65·3	66·6	....	64·5	66·3	65·6	67·2	64·7	62·7	64·3	65·3	62·6	66·1
" 20 to 24 "	64·3	64·6	62·8	66·1	66·6	....	63·8	68·0	67·6	67·2	70·1	62·9	64·7	67·2	62·8	67·4
" 25 to 29 "	58·9	64·8	62·2	67·6	66·8	....	62·7	66·2	66·3	67·5	67·7	62·8	63·9	66·5	59·3	68·3
July 30 to August 3 inclusive	66·2	67·9	67·6	69·3	69·1	....	66·3	70·6	70·8	72·0	74·1	66·2	68·8	67·2	63·9	71·6
August 4 to 8 "	59·7	68·2	67·3	71·6	72·3	....	68·7	73·1	75·7	74·0	74·2	66·7	71·1	63·0	67·2	73·4
" 9 to 13 "	54·4	60·7	60·2	61·6	62·1	....	58·4	60·7	61·0	62·2	64·6	59·4	59·7	56·0	53·8	61·7
" 14 to 18 "	56·0	63·6	65·1	67·4	70·4	....	62·5	68·5	65·0	67·3	73·8	62·5	67·1	56·4	62·1	69·1
" 19 to 23 "	58·6	56·0	61·3	60·0	61·6	....	54·6	60·3	61·4	63·0	64·2	58·9	62·3	58·4	53·1	62·8
" 24 to 28 "	58·3	62·0	63·8	62·5	65·7	....	59·9	64·9	67·3	66·6	71·8	62·6	66·6	59·1	59·9	66·7

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1888, inclusive.

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
44·0	46.1	34·5	46·0	41·2	34·4	35·1	32 6	39·0	32·0	35 6	22 5	35·6	40·4	35·5	May 1 to 5 inclusive.
49·9	53·3	44·9	54·3	52 4	35·3	36·3	35·1	53·3	34·5	41·0	25·4	42·8	45·2	41·5	" 6 to 10 "
49·7	48·9	37·1	48·3	47·9	41·9	41·9	36·8	54·7	42·3	37·1	30·7	44·0	44·4	40·7	" 11 to 15 "
45·3	45·1	39·9	46·8	44·0	39·9	40·6	36·1	47·1	37·6	40·7	34·9	42·1	35 2	41·3	" 16 to 20 "
56·0	59·7	56·6	60·9	61·7	43·2	44·8	41·7	59·0	40·9	45·3	32·4	55·7	57·4	52·3	" 21 to 25 "
58·7	62·8	56·7	59·6	59·8	43·7	49·7	44·7	62·0	42·4	46·7	35·7	55·8	54·8	49·4	" 26 to 30 "
53·5	53·2	49·3	52·7	51·1	46·6	45·7	46·5	54·8	43·2	46·3	38·7	51·0	50·2	48·9	May 31 to June 4 inclusive.
59·7	63·3	47·1	62·9	60·9	49·5	50·3	50·2	63·2	47·3	51·0	40·0	60 1	57·5	53·1	June 5 to 9 "
62·0	64·0	57·6	62·1	63·2	53·7	54·3	54·0	61·3	49·8	49·5	50·1	59·4	60·3	55·6	" 10 to 14 "
71·9	74·8	70·7	71·0	73·1	53·4	54·6	53·8	65·6	47·8	52·7	39·5	64·1	62 1	58·6	" 15 to 19 "
74·9	75·7	68·8	73·7	76·2	51·3	55·3	53·4	71 1	49·0	52·3	39 9	66 6	66·7	58·4	" 20 to 24 "
60·7	60·8	58·2	60·7	62·0	51·2	52 3	50·2	63·4	48·9	50·3	42 8	57·9	60·9	53·8	" 25 to 29 "
66·0	68·5	64·8	67·3	66·8	57·3	61·3	52·9	61 9	54·1	54·7	43 5	61·4	53·2	53·5	June 30 to July 4 inclusive.
68·3	67·8	62·1	66·2	65·3	58·9	62·0	56·4	66·2	55·5	54·6	44·0	58·4	63·2	61·8	July 5 to 9 "
64·1	63·4	57·0	61·8	60·2	55·5	56·5	57·6	61·6	55·9	53·9	46·6	57·0	62 9	58·3	" 10 to 14 "
65·6	67·2	60·8	66·4	66 5	59·1	62·1	60·1	65·9	58·9	58·1	47·3	60·5	65·8	63·6	" 15 to 19 "
65·4	67·5	61·3	67·9	67·6	61·4	64·6	61·4	67·3	59·4	55·9	46·5	62 7	64·8	65·9	" 20 to 24 "
66·0	67·2	58·5	67·3	67·6	57·1	60·0	59·6	62·2	60·8	49 4	47·4	59·2	63·1	56·8	" 25 to 29 "
69·8	70·2	61·6	71·0	69·4	55·7	57·5	56·3	67·4	57·3	55·0	48·4	60·3	62·5	58·1	July 30 to August 3 inclusive.
72·4	73·6	58·9	69·6	71·5	55·6	59·9	56·1	71·4	59·4	50·1	46·9	63·1	59·3	56·6	August 4 to 8 "
62·7	61·6	53·8	60·3	60·5	56·5	58·0	60·0	60·2	59·9	55 4	47 7	57·1	60·8	60·4	" 9 to 13 "
68·0	70·9	49·6	68·8	68·8	54·7	54·0	58·6	63·6	59·0	53 2	45·7	58·2	60·3	54·3	" 14 to 18 "
61·8	62·4	53 4	62·2	61·2	51·4	51·1	56·8	57·2	56·7	47·6	45·9	50 3	52·5	53·1	" 19 to 23 "
65·9	66·6	55·2	63·9	66·6	52·5	50·5	58 2	59·5	57·9	45·8	47·6	53·3	54·6	51 7	" 24 to 28 "

TABLE XX (Continued).—*Means of Daily Temperature at the Stations in Tables*

	Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
May 1 to 5 inclusive	35·9	27·3	35·8	40·7	42·4	36·5	36·8	39·8	35·9	40·9	37·4	34·6	39·4	39·7	39·4
" 6 to 10 "	39·6	34·6	41·9	51·8	43·1	46·5	43·4	49·3	44·6	52·7	48·6	42·0	52·0	46·6	46·4
" 11 to 15 "	41·1	35·6	38·3	53·4	54·3	42·6	41·9	52·6	51·5	42·3	43·3	40·6	47·1	41·0	43·5
" 16 to 20 "	39·4	35·4	40·8	44·9	42·7	46·5	45·8	45·5	41·7	45·9	46·9	42·3	48·9	50·3	49·2
" 21 to 25 "	44·9	38·8	46·9	58·4	61·0	54·1	56·8	57·8	50·6	50·7	51·8	47·1	57·9	53·2	52·6
" 26 to 30 "	51·4	38·0	49·8	61·8	62·8	55·4	50·0	60·2	51·8	55·4	54·1	47·3	43·6	48·9	49·5
May 31 to June 4 inclusive	47·9	39·7	47·3	52·9	55·4	52·6	59·4	52·9	50·9	55·3	55·9	50·5	57·0	54·4	54·5
June 5 to 9 "	52·9	42·7	52·5	61·9	65·2	60·3	59·3	63·3	58·2	57·0	61·2	51·2	62·0	57·4	57·3
" 10 to 14 "	59·8	46·7	54·8	63·6	63·2	60·4	59·9	63·5	58·5	65·9	62·7	56·6	61·6	57·7	57·8
" 15 to 19 "	59·8	41·6	56·1	67·2	69·2	66·6	62·7	68·8	63·1	66·0	62·6	60·9	64·6	61·2	61·5
" 20 to 24 "	56·6	40·8	55·9	71·5	72·7	67·4	64·4	72·3	66·4	59·7	61·0	57·1	63·0	58·6	59·7
" 25 to 29 "	51·8	40·3	53·0	62·9	66·4	61·4	57·8	64·1	62·9	61·0	58·1	56·0	60·2	55·5	56·8
June 30 to July 4 inclusive	59·8	44·5	58·2	63·9	68·6	62·5	63·8	65·7	64·1	70·0	63·6	64·2	65·5	56·3	59·2
July 5 to 9 inclusive	59·1	46·3	56·6	66·6	69·6	61·8	61·5	64·9	64·3	67·6	64·9	63·6	66·9	62·5	63·7
" 10 to 14 "	55·5	50·9	54·9	61·4	64·4	59·7	57·1	61·7	63·2	63·7	60·9	57·7	62·6	58·4	58·3
" 15 to 19 "	63·9	49·7	48·9	65·1	67·4	63·4	60·3	64·1	64·8	67·3	62·7	60·5	63·4	58·5	57·7
" 20 to 24 "	64·8	53·6	62·0	66·7	69·7	66·1	62·5	66·8	64·4	70·2	68·0	64·5	68·6	59·3	60·9
" 25 to 29 "	56·3	50·4	51·6	62·4	66·7	65·5	62·6	60·4	62·1	67·1	61·4	58·3	63·5	59·3	61·0
July 30 to August 3 inclusive	58·2	50·9	55·4	67·9	70·7	64·0	61·4	66·2	62·5	68·8	61·3	63·4	65·1	63·1	62·8
August 4 to 8 "	59·0	50·7	52·0	71·7	71·2	59·9	51·3	68·7	62·7	72·7	59·1	56·8	61·9	57·8	57·6
" 9 to 13 "	62·0	54·3	56·4	59·9	63·4	60·3	52·7	60·2	59·5	65·8	62·4	61·0	62·1	60·4	60·1
" 14 to 18 "	55·9	49·2	52·9	65·2	65·5	61·8	51·9	62·4	61·0	64·4	63·1	60·7	65·0	63·2	61·0
" 19 to 23 "	51·8	50·3	50·2	58·5	56·7	53·6	61·4	55·4	53·1	58·8	56·4	53·9	54·4	57·3	55·9
" 24 to 28 "	51·7	52·2	48·2	64·9	60·7	55·9	49·5	60·3	55·3	60·2	59·5	56·5	60·1	60·7	58·1

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec. 1888, inclusive.

St. John.	Woodstock.	Point Le Preaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Glace Bay.	Kilmahumaig.	St. Johns.	Point Rich.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
39·8	35·7	37·5	38·1	37·9	32·5	38·1	35·7	39·7	33·8	40·9	30·0	31·7	32·2	30·3	May 1 to 5 inclusive.
46·5	49·6	41·9	44·6	42·6	40·7	40·3	45·1	43·4	37·5	47·1	39·5	45·1	36·8	33·5	" 6 to 10 "
45·4	48·1	40·6	41·0	44·9	41·1	40·0	48·3	44·9	37·6	44·2	38·7	39·7	36·8	37·6	" 11 to 15 "
47·9	47·3	43·2	47·7	46·8	43·7	43·3	47·4	45·0	53·3	48·9	43·0	43·2	38·1	39·7	" 16 to 20 "
51·8	55·3	47·5	51·2	48·6	47·9	45·1	49·5	49·9	44·2	52·2	46·1	46·3	39·6	41·2	" 21 to 25 "
51·8	53·7	47·6	50·6	49·7	48·6	46·8	45·7	51·4	46·7	53·6	46·4	47·3	41·8	41·6	" 26 to 30 "
53·4	54·8	49·6	53·0	54·1	50·5	47·5	55·1	52·3	46·4	56·1	47·5	52·1	53·2	42·9	May 31 to June 4 inclusive.
54·8	61·9	50·2	56·6	58·1	56·2	52·9	58·7	54·0	47·2	62·3	57·0	57·6	51·7	49·8	June 5 to 9 "
53·3	62·8	50·3	60·1	62·0	58·5	53·1	60·4	54·2	49·5	63·1	59·2	60·3	54·4	48·9	" 10 to 14 "
57·8	65·7	52·5	60·3	60·5	54·8	53·4	60·8	56·7	52·2	62·8	52·8	60·8	51·6	47·2	" 15 to 19 "
58·1	63·2	52·0	56·9	58·1	51·5	49·2	58·2	57·1	48·9	65·0	50·9	56·8	47·2	44·6	" 20 to 24 "
55·8	60·8	52·6	54·8	54·1	49·4	49·2	54·9	54·3	48·3	60·7	46·6	54·3	44·5	48·4	" 25 to 29 "
56·0	51·5	53·1	57·8	58·7	56·6	51·5	57·7	54·8	53·7	65·6	60·5	59·5	45·1	50·9	June 30 to July 4 inclusive.
60·5	67·5	54·3	62·0	64·5	59·4	56·1	62·6	55·8	53·7	65·1	63·1	63·4	57·8	53·5	July 5 to 9 "
59·0	60·4	53·5	61·7	63·7	60·1	56·6	61·0	57·6	56·2	63·8	62·0	61·4	61·1	57·4	" 10 to 14 "
60·7	61·3	56·0	60·1	61·6	59·8	53·2	60·3	58·4	55·7	64·3	62·4	60·1	58·5	53·3	" 15 to 19 "
59·5	68·6	54·9	65·6	69·3	66·2	62·1	68·5	59·6	57·4	67·2	67·8	66·9	59·5	58·0	" 20 to 24 "
61·0	62·6	55·8	60·6	61·4	59·1	58·9	....	56·8	58·1	65·7	61·4	60·9	51·6	53·9	" 25 to 29 "
64·1	60·5	58·5	62·7	60·8	58·8	57·3	60·1	57·6	56·8	63·1	59·8	62·9	55·5	55·1	July 30 to August 3 inclusive.
60·4	60·6	56·4	59·3	56·0	56·9	56·4	59·5	59·9	59·2	60·1	59·7	58·8	52·4	55·1	August 4 to 8 "
60·5	60·0	55·1	63·1	63·3	63·7	59·2	63·7	59·6	60·7	63·0	63·5	61·4	58·9	57·8	" 9 to 13 "
59·0	62·6	55·5	65·4	66·5	62·8	59·7	65·3	58·7	61·1	60·1	64·5	63·5	54·6	56·4	" 14 to 18 "
58·1	55·6	54·6	59·4	59·3	58·4	59·4	56·4	56·2	57·4	56·8	57·7	58·1	55·0	56·0	" 19 to 23 "
57·6	60·3	54·3	61·8	62·5	59·8	60·3	59·7	56·6	58·4	59·2	60·6	59·7	57·1	56·6	" 24 to 28 "

TABLE XX (Continued).—*Means of Daily Temperature at Stations in Tables*

	Victoria.	Fort Simpson.	Port Moody.	Fort Chipewyan.	Medicine Hat.	Qu'Appelle.	Chaplin.	Gleichen.	Maple Creek.	Pheasant Forks.	Regina.	Balgonie.	Kilnap.	Calgary.	Swift Current.	Grenfell.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
August 29 to September 2 inclusive	63·0	56·3	67·7	55·3	64·3	59·4	68·0	69·3	68·9	54·4	59·8	64·1	55·4	61·8	62·1	56·9
September 3 to 7 "	58·8	58·3	63·1	55·2	61·4	54·8	65·3	60·1	65·2	53·9	57·7	54·5	53·8	56·3	58·0	....
" 8 to 12 "	57·2	53·8	56·8	51·7	56·6	51·7	56·1	50·9	63·6	51·0	53·(	47·3	51·1	52·1	53·5	52·8
" 13 to 17 "	57·5	56·3	59·1	56·9	64·5	55·2	59·4	66·0	71·2	50·0	57·0	48·1	54·3	58·6	59·7	52·9
" 18 to 22 "	53·7	53·0	55·7	....	56·9	54·8	58·9	51·8	61·5	56·5	56·4	48·0	57·4	50·1	57·2	55·9
" 23 to 27 "	57·6	53·3	55·1	46·2	51·7	45·6	54·3	45·2	54·3	43·6	47·2	40·6	45·3	47·7	48·2	44·6
September 28 to October 2 inclusive	57·2	55·5	61·2	48·8	52·8	47·7	53·0	51·1	57·6	47·4	50·2	....	48·3	53·0	51·0	....
October 3 to 7 "	55·8	54·5	59·1	52·7	59·2	47·6	52·4	51·5	55·7	47·6	47·3	....	50·1	50·7	50·8	36·9
" 8 to 12 "	54·2	51·2	54·3	40·7	46·8	42·7	46·8	43·5	50·2	41·7	41·7	....	44·6	41·6	44·3	45·2
" 13 to 17 "	51·3	41·3	51·0	34·1	40·5	36·7	44·4	32·2	43·4	33·4	36·3	....	35·1	37·2	39·0	36·6
" 18 to 22 "	51·9	48·8	50·0	32·8	34·8	32·6	30·3	34·1	38·0	33·1	32·8	....	35·4	33·0	33·2	31·3
" 23 to 27 "	46·7	43·0	47·7	31·3	35·1	31·9	38·5	35·5	36·2	33·1	32·3	....	31·9	23·3	29·8	30·4
" 28 to November 1 "	46·5	42·7	47·0	31·5	38·5	32·6	36·4	36·2	42·8	29·0	32·2	....	32·6	29·2	36·0	30·9
November 2 to 6 inclusive.....	42·6	40·9	41·1	19·9	25·2	26·9	33·7	32·7	29·4	26·7	27·6	....	28·4	24·2	26·6	27·5
" 7 to 11 "	44·9	42·7	46·6	14·4	30·4	26·2	33·0	29·8	34·1	22·0	25·4	....	7·9	31·3	27·1	26·5
" 12 to 16 "	36·1	28·9	36·5	2·6	13·0	14·2	15·9	5·6	18·3	11·1	15·0	....	9·2	8·4	16·2	15·0
" 17 to 21 "	43·5	41·1	38·0	0·1	13·2	12·9	17·3	8·3	20·2	7·5	12·1	....	7·8	11·5	15·1	13·8
" 22 to 26 "	40·7	41·0	43·2	23·5	31·0	25·6	20·3	16·8	35·9	13·8	22·7	....	23·2	28·0	29·1	26·8
" 27 to Dec. 1 "	45·1	42·5	43·3	22·9	22·4	20·1	21·3	17·4	27·3	15·5	15·9	....	19·9	21·8	20·5	21·3
December 2 to 6 inclusive....	47·4	41·6	47·6	15·7	31·3	25·5	24·6	19·8	36·1	13·4	23·5	....	19·6	26·7	30·4	....
" 7 to 11 "	44·4	33·0	44·5	3·0	20·4	19·1	21·4	19·3	26·3	7·9	16·8	....	14·1	20·5	21·9	22·4
" 12 to 16 "	45·3	38·9	44·4	6·4	17·7	16·4	20·2	17·4	23·7	11·2	17·1	....	12·6	17·6	18·9	16·3
" 17 to 21 "	45·7	41·2	44·4	8·3	23·5	18·4	20·5	25·6	29·7	13·8	16·4	....	14·2	28·2	23·0	15·7
" 22 to 26 "	36·1	29·9	32·1	3·3	12·6	12·5	18·8	15·3	16·3	11·4	12·8	....	8·6	15·0	11·8	11·3
" 27 to 31 "	37·8	40·1	26·7	5·9	8·6	10·1	17·8	4·3	15·0	6·2	8·4	....	6·2	18·6	12·4	6·8

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1888, inclusive.

Portage la Prairie.	Minnedosa.	Russell.	Stony Mountain.	Souris ford.	Winnipeg.	Hillview.	St. Albans.	Fort Osborne.	East Selkirk.	Swampy Island.	Axe Lake.	Alton.	Buda.	Joly.	Biscotasing.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
55·3	49·9	55·0	57·4	58·7	56·2	58·7	60·3	61·4	57·0	55·9	....	62·1	57·6	54·6	60·7	August 29 to September 2 inclusive.
58·6	49·9	52·8	57·6	56·5	57·5	54·0	57·3	52·7	....	54·0	....	56·2	57·6	51·6	57·3	September 3 to 7 "
53·6	42·0	49·2	50·4	51·2	51·8	49·8	53·1	57·7	....	59·9	55·1	60·5	54·4	57·6	61·4	" 8 to 12 "
53·5	46·8	51·7	55·2	52·8	57·2	51·9	55·5	53·9	....	56·1	....	54·8	56·3	53·5	52·3	" 13 to 17 "
60·0	49·7	54·5	55·7	55·9	56·4	56·7	59·9	57·6	....	54·9	....	55·2	59·4	55·6	53·6	" 18 to 22 "
47·7	43·5	42·6	49·2	46·6	46·4	46·5	50·1	49·0	....	52·3	...	54·7	47·3	54·6	52·5	" 23 to 27 "
43·5	40·5	43·6	45·3	46·6	42·5	47·0	46·4	47·4	....	47·3	....	29·9	38·5	34·5	37·3	September 28 to October 2 inclusive.
48·8	39·1	47·2	46·8	38·7	51·7	41·6	48·3	46·3	....	49·1	....	39·0	40·9	34·8	38·6	October 3 to 7 "
49·5	41·0	43·7	47·5	39·2	47·5	45·6	47·8	43·6	....	48·9	37·7	36·9	50·5	37·6	37·5	" 8 to 12 "
39·8	34·0	35·2	38·7	37·2	37·6	38·1	39·4	38·3	...	43·3	....	39·1	40·6	40·1	41·2	" 13 to 17 "
36·4	32·1	33·0	32·8	....	33·2	34·4	37·0	32·6	....	33·0	....	35·0	24·4	29·8	29·1	" 18 to 22 "
37·5	31·7	31·8	36·8	....	36·9	35·4	36·9	36·7	....	41·3	...	41·9	27·7	39·1	37·4	" 23 to 27 "
35·7	30·5	30·3	33·9	....	34·8	34·5	35·1	34·2	....	35·3	....	44·4	26·7	40·0	37·8	" 28 to November 1 "
33·2	28·0	27·4	29·9	31·2	30·2	31·7	31·9	30·2	....	33·7	....	47·3	....	42·4	37·9	November 2 to 6 inclusive.
31·7	24·0	23·0	29·1	27·5	28·5	22·1	29·4	29·4	....	34·0	....	36·3	....	33·9	29·8	" 7 to 11 "
20·4	9·1	8·2	17·2	15·6	18·6	12·0	17·0	16·6	....	26·8	....	36·7	....	31·5	27·1	" 12 to 16 "
12·7	8·6	8·0	16·4	15·3	13·8	10·6	14·0	18·1	....	11·7	....	21·5	....	11·2	14·2	" 17 to 21 "
27·5	21·0	13·2	27·7	28·4	27·3	20·5	32·6	31·2	....	21·7	....	21·1	....	16·7	15·2	" 22 to 26 "
24·1	12·2	14·4	22·4	22·4	22·6	18·0	22·1	21·5	....	26·2	....	30·6	....	26·1	24·3	" 27 to December 1 inclusive.
25·6	20·0	20·4	21·1	27·1	21·9	21·4	27·2	22·0	....	19·5	23·5	27·9	28·8	22·9	26·2	December 2 to 6 inclusive.
19·8	14·0	12·6	16·4	23·0	12·9	15·7	21·2	16·8	....	12·8	22·4	30·8	9·6	24·7	19·5	" 7 to 11 "
10·2	11·4	11·1	12·0	18·0	12·1	16·7	13·2	13·5	....	—·8	8·3	21·6	3·9	9·9	2·4	" 12 to 16 "
13·5	12·7	13·1	12·4	....	11·2	15·2	12·8	14·3	....	9·3	....	17·3	9·0	2·3	5·6	" 17 to 21 "
11·5	9·8	7·5	10·8	....	7·7	10·1	7·7	11·2	....	8·2	20·1	29·0	18·9	25·8	18·0	" 22 to 26 "
9·8	6·1	6·1	9·1	7·9	8·4	6·7	6·9	7·2	....	5·8	25·0	27·4	14·1	22·9	14·7	" 27 to 31 "

TABLE XX (Continued).—*Means of Daily Temperature at the Stations in Tables*

	Beatrice.	Brampton.	Birnam.	Coldwater	Conestogo.	Chatham.	Cartier.	Charlinch.	Durham.	Deseronto.	Egremont.	Elora.	Guelph.	Gult.	Georgina.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Aug. 29 to Sept. 2 inclusive	55·6	66·1	32·0	58·3	61·3	64·9	51·0	52·5	60·2	67·2	55·5	60·5	63·2	64·0	60·9
Sept. 3 to 7 "	52·5	58·7	59·0	53·6	54·3	63·0	51·4	49·2	58·1	63·1	52·3	54·4	55·7	61·3	53·6
" 8 to 12 "	56·4	61·2	63·6	60·3	60·8	64·6	51·5	54·6	62·9	65·4	57·6	60·1	62·9	62·7	58·5
" 13 to 17 "	54·2	53·3	58·3	56·1	54·8	60·1	49·1	52·2	58·1	60·7	53·7	55·8	52·4	56·1	55·1
" 18 to 22 "	55·9	59·2	56·8	58·6	57·2	59·9	52·3	54·1	59·1	64·2	56·1	57·8	58·3	58·3	58·2
" 23 to 27 "	53·8	57·7	54·1	55·3	53·4	57·3	46·8	51·6	57·4	58·6	52·5	53·9	54·2	53·1	55·4
Sept. 28 to Oct. 2 inclusive	35·7	44·4	45·1	38·9	41·2	45·4	32·1	33·3	40·9	45·8	37·9	40·9	38·7	41·1	40·4
Oct. 3 to 7 "	37·2	44·0	43·3	39·0	42·7	48·1	33·3	35·4	43·9	40·1	38·3	41·9	43·0	42·9	39·4
" 8 to 12 "	38·5	40·0	41·2	39·1	39·1	44·2	36·6	36·6	42·5	41·4	36·9	39·0	38·7	42·5	39·5
" 13 to 17 "	39·4	43·6	43·8	42·5	42·9	45·3	39·9	38·9	44·1	45·4	41·0	41·8	41·8	43·6	42·1
" 18 to 22 "	30·9	42·0	40·5	35·1	36·6	42·1	26·9	29·5	38·8	37·5	34·9	36·8	37·7	37·2	35·5
" 23 to 27 "	43·3	43·9	48·0	43·9	44·4	46·8	39·7	41·3	47·9	42·5	41·3	44·8	44·9	46·5	40·1
" 28 to Nov. 1 "	43·0	47·2	47·9	45·5	46·2	49·0	36·1	41·7	45·9	42·4	43·9	44·6	46·6	46·2	43·3
November 2 to 6 inclusive	45·6	50·0	51·5	52·3	50·6	51·6	35·0	44·4	50·7	47·5	36·3	44·9	41·8	41·8	50·6
" 7 to 11 "	34·7	39·0	42·1	43·0	39·5	45·8	28·9	32·8	38·7	38·5	36·1	38·9	39·7	41·4	39·4
" 12 to 16 "	33·3	38·0	49·5	42·4	40·8	45·0	27·0	30·2	40·9	38·3	39·9	47·2	40·2	45·1	39·3
" 17 to 21 "	18·4	25·4	25·7	24·6	24·3	31·3	1·6	15·3	22·7	25·8	20·2	25·2	24·5	24·9	24·5
" 21 to 26 "	19·1	22·9	27·7	20·4	24·6	33·5	3·2	21·0	....	23·2	23·5	26·5	25·5	25·3	21·0
" 27 to Dec. 1 "	28·5	32·8	33·7	32·4	31·4	34·6	10·1	27·2	32·7	32·9	29·8	32·3	31·7	32·2	32·1
December 2 to 6 inclusive	27·2	29·9	29·7	27·8	30·7	33·6	8·7	24·4	29·4	31·0	27·4	29·6	29·7	29·8	29·0
" 7 to 11 "	27·4	32·5	33·0	29·3	32·1	34·2	7·7	27·1	33·9	29·9	30·0	32·5	32·6	32·1	27·7
" 12 to 16 "	14·0	21·8	23·4	18·7	23·5	28·9	6·0	12·6	18·8	19·7	20·6	21·3	14·3	22·6	19·0
" 17 to 21 "	9·6	21·3	21·3	15·5	19·4	24·4	11·1	8·4	15·2	24·3	16·4	18·9	19·3	20·8	19·2
" 22 to 26 "	29·5	34·9	31·6	29·1	32·4	38·9	12·6	22·1	28·7	33·1	31·2	33·3	30·8	30·5	26·5
" 27 to 31 "	27·3	31·3	29·1	27·2	28·9	33·0	5·5	26·3	....	28·1	26·8	28·5	22·5	29·9	29·6

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1888, inclusive.

Gravenhurst.	Ingersoll.	Bala.	Kingston.	Lindsay.	Little Current.	Listowel.	London.	Lucknow.	Minden.	Norwood.	North Bay.	Nepigon.	Niagara Falls, S.	Ottawa.	Pelee Island.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
58·6	63·9	55·8	61·5	59·1	59·5	58·2	64·3	60·3	58·5	59·8	56·0	49·8	64·3	60·8	66·0	August 29 to September 2 inclusive.
56·0	65·2	55·9	56·3	54·2	58·3	54·8	59·6	57·9	49·4	52·9	54·9	49·2	59·5	54·3	65·6	September 3 to 7 "
58·6	62·1	57·0	61·1	58·7	61·3	59·2	64·3	62·5	57·9	54·3	59·5	51·7	64·7	61·9	68·0	" 8 to 12 "
56·9	55·9	55·8	56·1	54·7	58·4	57·5	59·4	57·7	53·1	51·8	54·8	48·3	59·9	58·6	60·8	" 13 to 17 "
57·6	57·4	57·1	59·9	56·7	60·8	58·2	58·9	58·2	57·1	....	56·7	52·9	59·3	60·5	63·9	" 18 to 22 "
55·2	54·2	54·5	56·4	56·9	55·7	55·1	55·8	57·1	49·2	....	53·6	46·2	54·9	56·4	61·2	" 23 to 27 "
39·6	41·7	38·1	40·5	38·3	41·9	38·3	43·5	42·9	35·6	....	40·8	36·7	42·6	39·4	49·4	September 28 to October 2 inclusive.
39·6	41·3	38·4	42·0	40·5	44·4	42·1	46·1	42·5	34·8	....	40·3	39·4	44·7	40·5	51·0	October 3 to 7 "
39·7	38·8	39·1	38·9	46·2	44·3	35·1	41·1	40·1	39·3	....	36·7	39·6	41·5	39·9	47·0	" 8 to 12 "
41·3	42·9	42·3	42·6	41·4	46·7	42·5	44·6	44·1	40·1	....	42·9	37·5	44·3	40·5	48·8	" 13 to 17 "
34·7	39·9	32·6	36·5	32·2	37·1	36·5	40·4	41·6	32·6	....	35·7	28·6	40·3	35·1	44·6	" 18 to 22 "
45·0	46·6	43·8	43·1	43·3	46·8	45·1	47·3	47·2	40·9	....	46·7	38·7	50·6	39·0	47·3	" 23 to 27 "
44·3	45·4	43·9	44·5	43·3	44·7	44·9	48·0	46·5	43·4	....	45·0	34·2	47·5	42·9	50·5	" 28 to November 1 "
48·3	50·8	47·3	50·8	48·9	45·1	50·4	53·5	51·1	45·0	49·0	49·2	31·7	53·4	51·2	55·4	November 2 to 6 inclusive.
37·1	41·4	36·2	38·7	36·6	36·6	39·0	42·3	40·0	37·3	38·3	36·6	31·1	42·8	35·7	49·1	" 7 to 11 "
36·5	42·6	33·6	39·0	37·0	37·6	39·1	42·6	41·3	32·8	37·6	39·3	23·8	41·0	32·2	51·5	" 12 to 16 "
21·9	26·1	21·3	25·7	21·0	24·2	24·1	28·1	26·1	19·3	22·9	23·1	12·7	29·0	20·2	33·9	" 17 to 21 "
20·4	26·4	22·6	21·6	20·9	26·8	25·6	28·7	27·4	16·4	19·7	25·2	29·9	29·0	18·2	34·4	" 22 to 26 "
31·4	32·4	30·7	32·8	31·0	31·1	31·4	33·4	30·9	30·0	32·6	31·9	26·3	33·9	32·6	34·8	" 27 to Dec. 1 "
28·9	....	28·1	30·9	28·3	31·3	29·9	31·2	31·1	26·5	28·7	30·8	24·9	32·4	28·4	34·0	December 2 to 6 inclusive.
29·4	..	29·7	31·6	28·8	29·9	30·7	34·1	32·1	23·2	28·5	30·7	19·3	34·2	26·2	35·6	" 7 to 11 "
17·5	....	15·3	18·1	17·2	18·2	21·6	28·4	24·6	13·9	17·3	24·9	10·6	30·5	14·3	29·4	" 12 to 16 "
13·3	....	11·2	18·5	15·0	10·7	18·7	21·6	21·2	12·7	17·9	18·1	6·3	22·3	14·2	24·0	" 17 to 21 "
31·4	....	31·2	30·8	31·1	35·0	31·5	36·2	31·6	33·4	26·3	33·0	19·9	37·5	27·9	36·1	" 22 to 26 "
29·5	....	28·9	29·0	29·3	28·2	28·7	29·8	30·9	28·9	31·4	29·1	13·3	32·2	28·2	32·6	" 27 to 31 "

TABLE XX (Continued.)—*Means of Daily Temperature at Stations in Tables*

	Port Arthur.	Parry Sound.	Point Clark.	Port Stanley.	Port Dover.	Petrolea.	Rockliffe.	Ridgetown.	Renfrew.	St. George.	Stoney Creek.	Saugeen.	Sharon.	Savanne.	Sprucedale.	Sombra.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
August 29 to September 2 inclusive	50·3	57·0	58·6	60·7	63·4	....	55·3	62·0	59·6	63·2	66·5	56·2	59·8	....	56·5	62·8
September 3 to 7 "	50·3	54·0	57·4	57·0	58·2	....	51·5	59·1	53·5	56·5	57·1	53·6	54·5	....	49·3	58·8
" 8 to 12 "	51·0	57·5	62·8	60·5	64·4	....	56·3	63·0	62·3	62·2	66·4	58·0	60·8	....	55·7	64·8
" 13 to 17 "	47·9	54·4	56·9	55·2	58·1	....	51·6	57·5	55·1	56·8	57·1	54·3	56·9	....	52·4	58·0
" 18 to 22 "	51·0	55·9	58·3	55·6	59·3	....	55·0	56·4	60·3	58·4	60·3	55·9	58·1	....	56·7	56·8
" 23 to 27 "	45·3	53·9	55·8	53·1	55·1	....	53·9	54·9	56·6	53·5	54·6	52·6	53·9	....	52·9	60·3
September 28 to October 2 inclusive	36·9	35·4	45·0	42·2	43·1	...	34·4	44·2	36·1	41·6	46·6	36·9	39·8	....	37·1	....
October 3 to 7 "	39·3	39·3	45·1	45·8	43·6	...	34·1	43·3	36·6	44·0	46·1	40·6	40·4	....	34·5	....
" 8 to 12 "	47·7	36·0	40·9	39·0	40·6	....	35·8	42·6	38·4	40·3	41·7	37·9	38·6	....	37·6	....
" 13 to 17 "	37·5	41·8	45·0	43·8	44·8	....	37·9	44·1	41·5	44·8	47·3	43·8	42·1	....	42·3	....
" 18 to 22 "	30·0	33·2	39·7	38·9	41·0	....	31·6	39·7	34·4	42·8	41·8	35·9	34·8	...	31·7	....
" 23 to 27 "	39·9	43·5	53·9	48·0	47·4	....	38·3	50·1	38·5	50·1	46·7	44·8	45·4	....	40·8	....
" 28 to November 1 "	34·5	41·1	47·2	45·7	46·8	....	38·9	48·3	42·7	46·4	50·7	45·4	44·8	....	41·1	....
November 2 to 6 inclusive	33·4	45·8	49·1	49·4	51·9	....	43·7	51·2	50·7	50·7	56·1	47·1	49·7	....	45·4	....
" 7 to 11 "	30·7	35·2	41·0	42·8	42·8	....	32·4	43·0	35·2	41·7	43·4	38·6	38·4	....	34·6	....
" 12 to 16 "	24·2	34·1	41·1	42·8	41·5	....	29·7	44·4	30·6	42·4	45·1	37·6	39·9	....	27·6	....
" 17 to 21 "	13·8	20·4	27·8	28·7	28·6	....	14·2	30·0	19·8	27·1	29·9	22·4	23·6	....	10·4	....
" 22 to 26 "	31·4	20·1	29·7	27·8	27·3	....	12·8	29·0	14·1	27·4	29·6	26·6	22·9	...	13·2	....
" 27 to December 1 inclusive	28·4	29·7	34·5	32·9	32·8	....	29·9	32·1	32·0	33·6	35·7	33·0	31·2	....	29·0	....
December 2 to 6 inclusive	27·0	28·2	34·7	32·4	30·4	....	25·9	30·9	27·6	31·9	35·5	32·7	29·4	19·6	24·1	....
" 7 to 11 "	22·5	30·9	35·2	34·9	33·3	....	22·4	32·4	22·6	33·4	36·7	32·6	31·2	15·0	23·0	....
" 12 to 16 "	10·8	15·1	28·8	26·1	25·2	....	11·8	26·0	16·0	25·7	29·2	26·0	20·1	0·4	11·4	....
" 17 to 21 "	8·0	9·5	22·5	23·0	20·6	...	8·6	23·1	13·2	21·9	27·9	19·3	16·4	−3·9	10·2	....
" 22 to 26 "	21·0	30·1	34·8	34·1	33·1	....	24·4	33·4	32·7	35·0	38·5	34·0	33·7	10·8	22·0	....
" 27 to 31 "	15·3	28·5	30·8	30·9	30·0	....	23·3	29·6	29·2	30·1	33·8	30·6	31·6	8·4	21·6	....

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1888, inclusive.

Toronto.	Woodstock.	White River.	Wanstead.	Zurich.	Anticosti, S.W.P.	Anticosti, W.P.	Anticosti, Heath Pt.	Brome.	Bird Rock.	Bicquet.	Belle Isle.	Cranbourne.	Chicoutimi.	Cape Chatte.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
61·1	65·4	48 2	61·1	60 7	53·7	54·0	54·1	56·1	58·3	50·2	44·0	55·2	55·4	53·6	August 29 to September 2 inclusive.
56·5	57 3	49·2	58 3	58·6	48·6	50·4	54·4	50·2	54·7	48·2	44·5	47·0	48·2	50·9	September 3 to 7 "
62 0	63 1	49·5	62·9	64·0	52 8	53·3	55·7	59·2	56·5	49 6	42·4	55·0	56·3	57·4	" 8 to 12 "
57·1	56·7	44·9	57·1	57·9	50 7	51·5	52·9	47·1	53·4	45·9	42·2	50·7	50 9	50·5	" 13 to 17
59·7	58·2	51·2	56·3	57·7	49·0	50·7	54·9	56·0	56·3	44·7	41·0	53·9	54·3	49·4	" 18 to 22
55·2	53·6	45·5	54·4	54·4	52·0	52·1	50·1	52·7	54·9	46·7	39·2	50·8	53·8	50·7	" 23 to 27
43·3	42·1	32·9	44·7	45·7	45·8	46 0	47·5	39·9	50·7	42·0	41·8	35·4	37·9	43·4	September 28 to October 2 inclusive.
44·5	43·7	34·0	44·9	42·9	45·0	44·0	48·4	41·8	50·6	40 0	41·9	37·0	39·0	41·0	October 3 to 7 "
41·7	39 8	35·4	41·1	39 9	46 3	47 3	48·5	36·0	48·8	38 7	39·5	34 8	36·3	41·9	" 8 to 12
44·6	43 2	36 7	43·7	44 7	39 9	37·6	39·4	39·5	43·8	43 5	36·0	35·6	37·0	38 7	" 13 to 17 "
38·2	38 5	24·7	40·3	41·0	39·3	38·4	44·0	35·4	44·2	38 6	42 9	33·9	36·2	40·0	" 18 to 22
46·5	46·4	37·0	48·3	48·0	40 1	41·2	39·8	...	42·8	38·3	40·9	34 4	36·0	39·5	" 23 to 27 "
46·5	47·5	30·6	49·5	48 8	39·8	39·5	36 1	38·0	42·1	39·0	38·8	35·7	36·3	38·4	" 28 to November 1 "
50·0	52·0	30·1	54 1	52·1	34·6	36·7	34·5	47·9	41·3	36·3	28·6	44·5	33·7	35·0	November 2 to 6 inclusive.
41·5	41·4	28·1	42·2	41·7	31·4	31·8	35·3	38·5	36 6	32 8	28·4	30 6	30·6	32·4	" 7 to 11 "
39·7	42·1	16·7	42·5	44·1	32·7	33·1	30·1	34·6	33·1	32·5	25 5	29·4	26·8	33·1	" 12 to 16 "
28 1	27·1	5·3	29 3	28·0	20·6	18·5	19·9	....	26·7	18·6	13·3	12·7	12·3	19·5	" 17 to 21 "
26·5	27·2	16 9	30·4	27·4	13·5	13 9	10·3	14·0	22 6	17 5	5 5	12·3	8·9	17·2	" 22 to 26 "
33·7	32·9	18·9	33·1	33·1	31·8	31·2	31·2	33·1	34·7	32·4	27·2	29·9	33 1	32·8	" 27 to Dec 1 "
32·3	30 4	23·0	30·5	30·8	27 8	28 5	29 7	29·4	31 6	25·3	22·1	22·1	18·0	25·8	December 2 to 6 inclusive.
34·3	33·4	23·8	33·4	33·1	29·4	29 6	15·5	23 8	26 8	20·1	12·1	18·6	16 3	26·2	" 7 to 11 "
25·3	25·0	4·5	28 8	24·9	18 4	17 9	16 9	13·3	23 1	....	12·5	7 1	4·9	16·4	" 12 to 16 "
19·9	21·9	2 6	23·1	21·5	16 6	15·4	17·4	8 8	25 6	....	12·5	8 7	4·6	15·5	" 17 to 21 "
34·1	33·8	19·8	37·6	32 8	20·2	17·6	14·7	28 3	26·5	....	10·6	23·0	12 8	17·6	" 22 to 26 "
32·4	29 6	13·7	28·9	31·0	22·0	21·8	25·4	26 4	27·8	....	10 9	19·8	12 9	22 7	" 27 to 31 "

TABLE XX (Continued).—*Means of Daily Temperature at the Stations in Tables*

	Cape Magdalen.	Cape Norman.	Father Point.	Huntingdon.	Montreal.	Quebec.	Point des Monts.	Richmond.	Roberval.	Bathurst.	Chatham.	Dalhousie.	Fredericton.	Grand Manan.	St. Andrews.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
August 29 to September 2 inclusive	52·6	53·0	50·8	58·2	59·9	55·0	48·6	57·5	55·0	64·5	59·3	58·2	62·2	58·6	58·4
September 3 to 7 "	52·0	50·8	45·0	53·6	54·3	50·1	46·6	50·7	48·2	57·3	51·7	52·5	52·8	53·5	51·4
" 8 to 12 "	57·3	49·9	51·6	60·5	60·7	58·7	44·1	57·4	58·2	59·9	58·6	57·1	57·3	57·9	56·7
" 13 to 17 "	50·9	48·0	46·5	52·8	54·8	53·0	44·1	53·8	52·4	57·9	53·3	54·6	56·7	55·1	54·4
" 18 to 22 "	47·5	45·5	46·0	58·6	58·7	53·6	44·7	57·0	55·5	55·2	51·6	52·9	54·7	53·9	53·9
" 23 to 27 "	49·9	44·5	45·9	53·2	55·1	52·9	43·7	52·4	55·0	59·1	52·7	55·6	54·1	52·5	51·6
September 28 to October 2 inclusive	44·5	47·0	39·9	39·7	40·2	39·1	41·3	38·4	38·4	42·7	43·5	44·6	42·6	46·1	44·0
October 3 to 7 "	43·4	49·2	40·0	40·1	41·0	38·9	40·5	41·5	37·7	43·5	44·7	40·3	42·2	47·2	45·9
" 8 to 12 "	43·5	47·3	38·9	38·8	40·3	39·1	41·3	36·9	35·3	46·9	45·5	46·0	45·2	44·9	44·1
" 13 to 17 "	38·3	38·2	37·7	47·3	42·4	37·4	37·6	37·8	39·8	41·8	37·0	38·6	40·4	43·3	41·1
" 18 to 22 "	38·3	38·3	36·4	34·8	37·6	37·3	35·9	36·3	41·7	43·9	40·3	40·6	42·1	43·1	42·6
" 23 to 27 "	38·2	38·1	37·5	38·5	38·5	37·0	38·8	37·0	34·5	40·9	41·5	39·7	41·2	42·8	40·8
" 28 to November 1 "	40·2	39·0	38·9	41·6	41·7	38·4	37·2	40·4	36·4	38·6	40·7	41·2	40·8	44·3	43·8
November 2 to 6 inclusive	35·8	31·8	35·1	50·0	52·2	40·5	35·6	49·3	36·5	46·4	40·8	35·8	48·0	49·0	47·3
" 7 to 11 "	32·3	27·8	31·1	35·5	36·6	33·2	31·2	35·8	30·6	36·4	34·9	32·2	27·3	42·4	40·7
" 12 to 16 "	31·9	36·3	31·2	33·9	35·6	30·6	33·6	32·4	28·4	35·3	32·2	34·1	36·0	40·3	38·9
" 17 to 21 "	18·5	19·2	16·3	21·1	20·4	13·0	17·1	17·6	13·7	22·4	19·7	18·2	23·2	28·2	21·0
" 22 to 26 "	16·6	11·4	13·4	16·8	15·4	13·5	9·3	16·3	10·7	17·9	15·9	12·4	17·5	27·0	22·6
" 27 to Dec. 1 "	32·0	30·8	31·8	30·0	31·6	31·1	30·8	22·1	29·6	37·5	34·7	34·1	35·8	39·9	37·2
December 2 to 6 inclusive	26·7	24·3	19·7	28·0	29·3	24·2	22·7	27·8	17·2	27·8	25·4	23·8	25·5	33·0	29·4
" 7 to 11 "	21·4	17·1	19·9	7·6	28·1	18·6	14·9	23·3	15·2	25·8	17·6	20·0	24·0	31·7	28·4
" 12 to 16 "	15·5	18·3	13·2	15·3	8·7	9·5	10·5	13·1	7·4	11·8	12·9	10·7	10·3	19·7	17·7
" 17 to 21 "	17·1	17·4	13·6	12·6	14·1	11·8	11·4	12·0	5·2	19·5	17·8	15·8	19·4	28·4	23·8
" 22 to 26 "	19·7	12·1	13·8	26·7	23·0	21·9	18·1	27·4	21·0	23·4	20·9	19·6	29·1	32·7	27·6
" 27 to 31 "	22·5	20·1	18·4	26·4	27·1	20·2	17·2	25·0	12·7	28·1	24·5	18·1	25·0	34·6	32·1

VIII to XIX, collected in five-day periods, from 1st Jan. to 31st Dec., 1888, inclusive.

St. John.	Woodstock.	Point Lepreaux.	Halifax.	Pictou.	Sydney.	Sable Island.	Truro.	Yarmouth.	Whitehead.	Digby.	Glace Bay.	Kilmahumaig.	St. Johns.	Point Rich.	
°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
58·1	61·7	55·2	61·4	62·7	61·8	60·1	60·6	58·2	58·5	63·0	62·2	60·9	60·3	56·9	August 29 to September 2 inclusive.
53·7	52·2	53·0	56·7	55·4	54·6	57·4	53·2	52·6	57·9	55·4	54·7	53·9	53·4	51·8	September 3 to 7 "
56·5	56·8	54·5	60·5	58·7	59·2	58·8	58·4	56·8	58·1	57·4	60·2	59·2	52·6	52·9	" 8 to 12 "
54·9	56·0	53·1	56·2	58·0	57·4	59·[illegible]	59·1	54·8	58·2	56·4	56·3	56·6	51·8	53·6	" 13 to 17 "
54·0	55·3	53·1	54·9	56·1	52·4	55·6	54·3	54·7	54·7	54·7	55·0	51·4	42·6	48·5	" 18 to 22 "
52·6	53·6	53·0	54·2	55·0	53·4	55·2	53·0	53·0	54·3	55·4	55·0	54·0	44·9	50·1	" 23 to 27 "
45·2	44·4	47·2	49·6	50·3	51·6	55·5	47·9	47·9	52·6	48·6	50·1	47·7	49·3	53·4	September 28 to October 2 inclusive.
48·3	39·4	46·4	51·5	53·6	54·5	55·4	54·4	51·8	55·5	44·9	52·7	46·1	48·2	51·0	October 3 to 7 "
45·5	41·6	44·9	48·1	49·4	51·1	54·1	47·3	45·4	50·7	45·1	48·7	48·2	51·9	50·8	" 8 to 12 "
41·2	39·9	44·1	42·8	43·5	43·8	49·2	30·7	50·5	46·0	40·3	42·9	40·3	49·0	40·8	" 13 to 17 "
43·7	40·5	45·1	45·3	44·9	46·6	50·4	44·5	45·7	48·0	41·1	44·6	44·7	44·1	42·3	" 18 to 22 "
42·2	38·9	42·7	43·4	43·2	42·3	46·1	42·9	43·4	44·0	42·3	42·7	41·8	41·5	41·9	" 23 to 27 "
43·5	38·5	41·6	46·3	46·2	44·7	47·4	44·5	46·0	46·6	43·5	44·7	42·6	40·6	44·1	" 28 to November 1 "
46·1	47·7	50·2	48·6	46·3	46·8	49·8	47·9	48·5	46·0	51·9	47·2	42·7	45·3	36·1	November 2 to 6 inclusive.
40·4	35·8	40·9	44·3	44·8	40·6	46·4	41·9	43·5	42·3	40·2	39·5	38·0	38·1	32·8	" 7 to 11 "
37·9	35·1	39·6	39·3	41·3	38·9	43·5	37·5	42·4	39·6	36·8	37·4	36·9	36·9	33·1	" 12 to 16 "
26·1	20·5	26·7	30·2	31·6	31·7	39·4	28·8	30·3	31·8	28·9	26·7	27·0	34·3	24·9	" 17 to 21 "
22·2	13·5	16·0	23·8	21·8	25·3	34·4	20·7	27·1	27·5	25·6	22·1	16·2	19·0	13·3	" 22 to 26 "
36·9	35·2	28·3	42·2	40·5	39·[illegible]	44·7	41·0	41·4	40·4	41·6	46·4	36·0	36·5	31·5	" 27 to December 1 inclusive.
29·8	23·1	31·8	32·1	31·3	32·9	36·8	30·0	33·0	34·1	31·9	30·5	28·1	30·9	26·5	December 2 to 6 inclusive.
27·4	20·0	29·7	29·4	28·2	29·1	35·1	23·5	32·8	30·0	32·0	26·1	22·4	25·4	20·6	" 7 to 11 "
18·5	9·4	15·1	24·5	22·2	26·3	30·9	19·9	25·5	27·4	17·5	20·9	19·4	30·6	21·5	" 12 to 16 "
24·6	18·5	25·4	33·8	34·0	31·6	40·6	33·6	34·7	33·4	28·1	28·1	23·9	20·3	20·7	" 17 to 21 "
29·0	24·9	32·0	32·0	29·4	30·7	36·2	27·2	34·4	31·8	32·2	27·9	23·2	28·2	17·5	" 22 to 26 "
32·0	23·6	32·1	34·2	32·7	31·7	38·3	32·1	37·2	33·4	30·5	29·7	28·4	31·7	25·1	" 27 to 31 "

TABLE XXI.—*Percentage of Cloud in each Month and in the Year 1888 at Stations in the Dominion of Canada.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO.													
W. and S. W. District.													
Port Stanley	67	63	59	43	55	40	45	48	36	66	65	81	56
Port Dover	62	66	51	31	57	45	36	46	38	57	69	70	52
London	79	67	65	48	56	46	48	53	43	68	70	81	60
Woodstock	69	69	58	45	61	45	44	48	39	67	69	77	58
Galt	75	66	57	36	62	33	31	36	33	69	68	78	54
Petrolea	69	59	65	46	60	42	..	..	..	..	..	..	..
Wanstead	..	..	.	..	..	49	42	44	40	66	68	81	..
Mean of District	70	65	59	41	59	43	41	46	38	66	68	78	55
N. and N. W. District.													
Port Arthur	42	58	45	50	70	54	45	41	49	78	72	46	54
Saugeen	91	79	66	47	59	39	47	47	52	71	82	91	64
Parry Sound	59	70	63	46	58	44	39	47	45	62	72	74	57
Point Clark	82	57	55	34	45	29	29	39	35	54	63	43	47
Egremont	71	66	61	40	59	43	33	48	40	74	75	83	58
Guelph	63	66	65	45	57	45	43	54	48	70	74	72	59
Beatrice	55	70	64	47	66	43	40	50	47	70	77	75	59
Gravenhurst	59	65	57	45	60	35	34	47	44	65	65	72	54
Durham	70	71	66	48	56	47	39	48	45	72	78	84	60
Conestogo	70	70	57	47	62	52	46	43	48	81	76	81	61
Elora	48	56	48	31	46	22	24	34	27	48	54	57	41
Little Current	56	65	50	43	57	39	42	41	45	52	60	61	51
Charlinch	65	78	70	55	68	53	52	55	39	67	75	79	63
Mean of District	64	67	59	45	59	42	39	46	43	66	71	71	56
Central District.													
Brampton	48	45	50	26	41	38	19	29	26	59	57	52	41
Alton	54	52	49	31	42	31	29	32	30	53	57	60	43
Toronto	73	66	61	58	65	68	45	52	51	66	75	74	63
Mean of District	58	54	53	38	49	46	31	38	36	59	63	62	49

TABLE XXI (Continued).—*Percentage of Cloud in each Month, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Concluded.*													
N. E. and E. District.													
Lindsay	61	70	64	50	70	54	49	59	51	73	76	82	63
Kingston	63	64	64	55	64	55	48	51	50	67	76	76	61
Rockliffe	44	57	56	45	53	43	36	58	52	59	73	73	54
Ottawa	51	55	67	50	63	51	42	62	48	65	72	68	58
Deseronto	35	47	43	27	48	23	10	35	37	48	76	59	41
Norwood	52	63	66	43	52	38	27	35	47	56	61	68	51
Alexandria	..	..	..	..	..	..	39	59	57	67	75	73	..
Mean of District	51	59	60	45	58	44	36	51	49	62	73	71	55
Mean for Ontario	61	61	58	42	56	44	37	45	42	63	69	71	54
QUEBEC.													
Montreal	50	51	80	61	68	60	52	65	61	70	74	74	64
Quebec	53	56	67	61	56	57	47	70	57	66	69	74	61
Huntingdon	48	51	57	42	59	51	39	55	57	64	70	64	55
Cranbourne	59	58	73	64	58	58	46	69	62	76	71	83	65
Chicoutimi	71	59	69	55	55	53	55	68	51	62	70	67	61
Bird Rock	84	61	79	61	51	56	54	61	58	74	80	85	67
Belle Isle	69	50	67	59	71	50	79	80	72	74	54	65	66
Father Point	67	72	76	69	68	72	62	77	56	78	83	79	72
Roberval	..	..	..	41	41	51	47	54	44	56	60	55	..
Richmond	54	57	78	63	65	57	39	60	58	77	75	82	64
Anticosti, S. W. P	72	49	69	47	42	51	37	46	42	69	71	79	56
Mean for Quebec	63	56	72	56	58	56	51	64	56	70	71	73	63
NOVA SCOTIA.													
Halifax	57	52	73	62	66	63	54	69	64	79	65	67	64
Sydney	64	58	72	62	55	59	50	67	60	79	71	75	64
Truro	66	66	80	71	70	71	61	75	72	84	81	78	73
Yarmouth	89	66	69	52	69	63	55	60	59	74	67	79	67
Digby	83	64	70	52	65	69	53	61	53	81	60	90	67
Pictou	31	45	53	41	41	41	35	56	27	67	52	54	45
Mean for Nova Scotia	65	59	69	57	61	61	51	65	56	77	66	74	63

TABLE XXI (Continued).—*Percentage of Cloud in each Month, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NEW BRUNSWICK.													
St. John	45	51	65	52	66	66	55	64	57	70	62	70	60
Bathurst	51	48	85	68	53	63	55	70	59	75	69	63	63
Fredericton	42	48	69	66	61	60	62	68	64	69	60	67	61
Chatham	47	46	78	53	55	59	50	60	49	63	64	59	57
St. Andrews	32	38	57	39	53	40	38	50	52	62	54	56	48
Point Lepreaux	35	43	67	46	50	54	42	60	54	62	65	60	53
Grand Manan	58	60	67	54	66	58	57	66	62	68	66	72	63
Woodstock	49	50	76	58	68	68	59	78	87	89	68	74	69
Mean for New Brunswick	45	48	71	54	59	58	52	65	61	70	63	65	59
PRINCE EDWARD ISLAND.													
Charlottetown	..		..	..	..	..	55	68	61	83	75	77	67
Kilmahumaig	61	57	79	66	61	66	..	..	..	..	..	..	..
MANITOBA.													
Winnipeg	40	55	50	56	52	53	41	35	47	68	61	48	51
Minnedosa	36	49	42	55	47	61	49	47	47	69	45	37	48
Russell	39	52	47	47	41	53	42	34	38	58	36	44	44
Stony Mountain	46	53	49	57	53	58	47	37	39	63	57	46	50
Sourisford	40	36	24	49	47	56	45	33	31	72	30	28	41
East Selkirk	28	43	36	41	36	39	24	27	..	..	..	..	..
Gladstone	35	..	47	57	..	61	33	36	42	..	..	..	..
Mean for Manitoba	38	48	42	52	46	55	40	36	41	66	46	41	46
N. W. TERRITORIES.													
Edmonton	52	66	63	64	61	75	48	42	48	52	45	41	55
Medicine Hat	50	64	44	49	52	56	25	27	30	37	26	47	42
Qu'Appelle	38	41	38	46	47	53	41	36	33	47	34	34	41
Calgary	53	65	47	54	61	39	39	47	27	42	34	36	45
Fort Chippewyan	..	..	50	66	63	61	61	69	62	77	71	56	..
Prince Albert	37	44	46	55	51	58	34	17	..	..	..	..	..
Swift Current	50	65	41	56	53	57	30	39	32	36	22	40	43
Mean for N. W. Territories	47	57	44	56	55	58	45	38	33	41	33	37	45

TABLE XXI (Concluded).—*Percentage of Cloud in each Month, &c.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NEWFOUNDLAND.													
St Johns	73	71	88	70	80	63	53	64	65	67	66	76	70
Belle Isle	69	50	67	59	71	50	79	80	72	74	54	65	66
Mean for Newfoundland	71	61	78	64	76	57	66	72	69	70	60	70	68
BRITISH COLUMBIA.													
Fort Simpson	49	77	54	80	57	89	57	68	75	89	70	63	69
Port Moody	63	78	46	73	21	72	40	40	36	70	75	69	57
Spence's Bridge	..	..	..	..	..	..	..	23	37	55	49	60	..
Mean for British Columbia	56	78	50	76	39	80	48	44	49	71	65	64	60

TABLE XXII.—*Percentage of Sky Clouded in the several Provinces of the Dominion of Canada in each Month and in the Year 1888.*

Ontario.	W. & S. W. District	70	65	59	41	59	43	41	46	38	66	68	78	55
	N. & N. W. District	64	67	59	45	59	42	39	46	43	66	71	71	56
	Central District	58	54	53	38	49	46	31	38	36	59	63	62	49
	N. E. & E. District	51	59	60	45	58	44	36	51	49	62	73	71	55
Ontario		61	61	58	42	56	44	37	45	42	63	69	71	54
Quebec		63	56	72	56	58	56	51	64	56	70	71	73	63
New Brunswick		45	48	71	54	59	58	52	65	61	70	63	65	59
Nova Scotia		65	59	69	57	61	61	51	65	56	77	66	74	63
P. E. Island		61	57	79	66	61	66	55	68	61	83	75	77	67
Manitoba		38	48	42	52	46	55	40	36	41	66	46	41	46
N. W. Territory		47	57	44	56	55	58	45	38	33	41	33	37	45
Newfoundland		71	61	78	64	76	57	66	72	69	70	60	70	68
British Columbia		56	78	50	76	39	80	48	44	49	71	65	64	60

Proportion of Bright Sunshine Registered in each Hour of the day during which the Sun was above the Horizon.

WINNIPEG.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January	....	....	....	0·02	0·38	0·55	0 60	0·66	0·71	0·67	0·68	0·57	0·04	....	....	....
February	....	....	....	·23	·29	·50	·46	·56	·58	·55	·53	·47	·26	S.	....	....
March	....	....	0·10	·43	·47	·61	·63	·69	·63	·68	·71	·66	·45	0·03	....	....
April	....	0 10	·37	·56	·56	·59	·67	·66	·65	·61	·57	·53	·47	·39	0·16	....
May	0·13	·43	·59	·63	·62	·62	·63	·59	·62	·59	·55	·51	·58	·53	·45	0·12
June	·19	·48	·55	·68	·66	·60	·52	·61	·56	·55	·60	·54	·57	·47	·41	·27
July	·20	·59	·69	·72	·71	·72	·71	·68	·71	·68	·69	·72	·65	·64	·32	·35
August	....	·35	·68	·77	·80	·81	·83	·77	·74	·74	·70	·70	·68	·63	·50	....
September	....	....	·22	·47	·58	·62	·68	·67	·71	·71	·64	·67	·40	·23	·13	....
October	....	....	....	·08	·24	·33	·35	·38	·40	·44	·39	·27	·14	....	....	....
November	....	....	....	·02	·26	·39	·43	·47	·49	·43	·44	·38	·13	....	....	....
December	....	....	....	....	·23	·45	·55	·61	·59	·57	·49	·33	S.	....	....	...

NIAGARA FALLS, S.

January	....	....	....	0·01	0·10	0·19	0·29	0·28	0·41	0·47	0·32	0·24	0·06	....	....	....
February	....		....	·07	·23	·31	·38	·33	·30	·34	·33	·29	·14	....	....	....
March	....	....	....	·10	·22	·28	·34	·40	·41	·42	·36	·25	·19	0·03	....	....
April	....	0·20	0·45	·59	·64	·62	·53	·64	·64	·62	·54	·57	·43	·21	0·06	....
May	0·04	·24	·46	·57	·61	·59	·57	·55	·55	·49	·49	·48	·44	·40	·24	0·02
June	·08	·41	·55	·65	·73	·65	·72	·73	·77	·78	·67	·64	·62	·66	·36	·06
July	·04	·37	·64	·71	·71	·75	·74	·76	·76	·76	·77	·75	·73	·63	·27	·04
August	...	·16	·41	·55	·63	·68	·71	·70	·76	·78	·72	·74	·72	·52	·22	....
September	....	....	·10	·29	·54	·68	·74	·70	·67	·70	·72	·69	·61	·24	....	....
October	....	....	·01	·00	·17	·25	·26	·33	·32	·22	·24	·20	·05	....	....	....
November	....	....	....	....	·08	·19	·20	·24	·28	·28	·22	·13	·06	...	...	....
December	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XXIV.—*Proportion of Bright Sunshine, &c.*

WOODSTOCK.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January	....	....	....	0·08	0·17	0·33	0·34	0·34	0·32	0·35	0·33	0·29	0·14	S	....	....
February	....	....	S	·11	·28	·41	·43	·50	·38	·38	·32	·32	·14	S	....	....
March	....	....	0·07	·22	·34	·35	·38	·43	·44	·43	·40	·30	·30	0·14	....	....
April	....	0·12	·42	·55	·58	·63	·64	·70	·60	·57	·54	·49	·45	·22	0·02	....
May	....	·17	·38	·45	·45	·43	·47	·45	·45	·46	·46	·46	·46	·46	·35	0·01
June	....	·26	·51	·61	·65	·71	·69	·65	·68	·65	·73	·76	·73	·70	·50	·03
July	....	·25	·58	·67	·67	·70	·72	·72	·73	·75	·71	·67	·65	·58	·30	....
August	....	·07	·39	·57	·67	·79	·77	·77	·77	·68	·71	·64	·63	·40	·09	....
September	....	....	·82	·59	·68	·74	·72	·74	·72	·78	·78	·58	·56	·20	....	....
October	....	....	·04	·17	·36	·39	·36	·37	·37	·30	·35	·32	·18	·07	....	....
November	....	....	....	·04	·13	·25	·40	·42	·44	·47	·37	·30	·14	....	....	....
December	....	....	....	·02	·24	·29	·33	·28	·29	·21	·15	·10	....	....	....	....

TORONTO.

January	....	....	....	0·18	0·28	0·34	0·41	0·49	0·48	0·42	0·46	0·42	0·10	....	....	....
February	....	....	0·01	·10	·30	·29	·42	·44	·52	·37	·34	·31	·11	....	....	....
March	....	....	·21	·36	·37	·44	·48	·45	·42	·46	·40	·38	·31	0·09	....	....
April	....	0·04	·61	·68	·69	·65	·64	·63	·63	·64	·65	·59	·55	·53	·02	....
May	0·04	·24	·43	·47	·51	·47	·57	·55	·48	·46	·39	·42	·44	·39	·27	....
June	·17	·44	·59	·61	·67	·73	·76	·80	·75	·70	·74	·68	·72	·65	·60	0·11
July	·20	·56	·70	·76	·68	·74	·72	·68	·71	·74	·70	·68	·58	·45	·30	·02
August	....	·24	·44	·62	·67	·74	·78	·75	·75	·78	·75	·65	·60	·49	·13	....
September	....	·06	·40	·66	·73	·74	·72	·73	·69	·65	·64	·60	·64	·39	·03	....
October	....	....	·06	·23	·31	·35	·37	·41	·33	·30	·27	·33	·29	·19	....	....
November	....	....	....	·09	·24	·28	·25	·29	·25	·36	·28	·25	·12	....	....	....
December	....	....	....	·10	·26	·28	·31	·31	·25	·22	·15	·15	·05	....	....	....

TABLE XXV.—*Proportion of Bright Sunshine, &c.*

LINDSAY.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January	....	....	....	0·08	0·24	0·31	0·42	0·46	0·45	0·45	0·46	0·41	0·31	0·20	....	...
February	....	....	....	·14	·23	·29	·40	·47	·47	·41	·36	·36	·25	·32	....	....
March	....	....	0 15	·29	·36	·48	·50	·46	·48	·49	·50	·41	·37	·21	S	....
April	....	0·30	·44	·47	·52	·60	·64	·64	·58	·58	·61	·56	·45	·44	·01	....
May	0·05	·22	·31	·33	·45	·52	·50	·50	·52	·53	56	·46	·45	·37	·12	....
June	·11	·47	·52	·62	·66	·84	·85	·81	·78	·80	·84	·75	·70	·67	·63	0 38
July	·08	·50	·57	·57	·64	·76	·75	·71	·70	·66	·71	·71	·55	·45	·36	·32
August	....	·16	·37	·36	·43	·69	·73	·69	·65	·67	·64	·64	·55	·51	·28	S
September	....	·05	·33	·47	·56	·74	·73	·71	·63	·57	·57	·60	·45	·33	S	....
October	....	....	·03	·15	·19	·31	·41	·40	·41	·25	·37	·35	·22	·20	....	....
November	....	....	....	S	·13	·19	·21	·33	·37	·23	·30	·26	·13	....	....	....
December	....	....	....	·05	·16	·15	·21	·33	·35	·16	·15	·14	·09			

BARRIE.

January	....	....	....	0·04	0·14	0·19	0·26	0·35	0·35	0·35	0·30	0·22	....	....	....	....
February	....	....	....	·03	·20	·20	·29	·23	·31	·32	·26	·24	0·15	....	....	....
March	....	....	....	·11	·32	·43	·41	·39	·42	·45	·36	·33	·23	0·01	....	....
April	....	0 02	0·26	·52	·64	·68	·68	·67	·69	·72	·69	·68	·59	·33	0·05	...
May	....	·15	·38	·49	·46	·44	·42	·42	·41	·38	·40	·37	·33	·28	·15	....
June	....	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...
July	0·04	·40	·58	·65	·68	71	·62	·64	·63	·60	·71	·65	·53	·44	·27	....
August	....	·14	·40	·50	·59	·68	·69	·69	·72	·77	·74	·71	·65	·51	·07	....
September	....	....	·08	·55	·71	·68	·70	·73	·69	·67	·63	·55	·38	....	....	....
October	....	....	....	·09	·25	·35	·37	·35	·30	29	·27	·28	·11	....	....	....
November	....	...	....	·01	·02	·14	·14	·24	·30	·29	·24	·21	·02	....	....	....
December	....	....	....	...	·04	·13	·18	·19	·11	·11	·04	·11	....	....	...	....

TABLE XXVI.—*Proportion of Bright Sunshine, &c.*

KINGSTON.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January	....	....	....	0·12	0·28	0·37	0·40	0·45	0·42	0·37	0·37	0·32	0·01	....	....	....
February	....	....	S.	·26	·37	·48	·56	·54	·48	·46	·47	·43	·20	....	....	....
March	....	....	0·19	·33	·39	·42	·42	·46	·50	·44	·44	·43	·42	0·16	....	....
April	....	0·12	·43	·62	·60	·65	·62	·67	·61	·58	·56	·59	·51	·45	0·04	....
May	0·03	0·34	·46	·44	·43	·50	·56	·55	·56	·58	·60	·63	·57	·43	.18	0·04
June	·11	·51	·61	·65	·70	·69	·68	·73	·73	·73	·68	·75	·71	·63	·59	·1
July	·09	·52	·72	·82	·78	·88	·90	·87	·80	·77	·73	·73	·71	·59	·28	·02
August	S,	·32	·55	·57	·59	·64	·67	·72	·71	·74	·67	·61	·59	·47	·10	....
September	....	·07	·29	·47	·65	·68	·68	·66	·71	·69	·68	·68	·62	·30	·02	.. .
October	....	....	·04	·26	·35	·36	·42	·42	·40	·39	·37	·40	·27	·09	. ..	....
November	....	....	...	·12	·22	·25	·31	·33	·29	·30	·33	·24	·02	....	....	....
December	....	....	....	·02	·17	·27	·32	·39	·35	·29	·20	·13	....	....	....	....

MONTREAL.

January	....	....	....	....	0·22	0·40	0·42	0·46	0·45	0·46	0·43	0·31	....	....	....	....
February	....	....	...	0·14	·34	·35	·44	·54	·55	·54	·52	·47	0·16	....	....	....
March	....	....	0·12	·24	·31	·37	·35	·34	·36	·36	·34	·32	·19	0·03	....	....
April	....	0·11	·43	·61	·64	·60	·62	·57	·58	·57	·56	·54	·41	·16	....	....
May	0·13	·25	·35	·44	·46	·48	·50	·53	·55	·52	·51	·49	·40	·31	0·04	....
June	·06	·38	·45	·55	·58	·67	·77	·66	.66	·61	·64	·60	·58	·59	·23	....
July	·04	·42	·67	·68	·73	·83	·81	·82	·80	·73	·69	·65	·63	·56	·11	....
August	....	·17	·37	·44	·49	·46	·51	·47	·53	·48	·45	·42	·30	·30	....	....
September	....	·01	·19	·31	·47	·52	·53	·54	·56	·58	·56	·52	·48	·05	....	....
October	....	....	·02	·25	·37	·37	·33	·38	·41	·43	·42	·33	·14	....	....	....
November	....	....	....	·03	·29	·37	·36	·40	·40	·36	·30	·17	....	....	....	....
December	....	....	....	....	·15	·27	·35	·31	·27	·27	·22	·05	....	....	....	....

TABLE XXVII.—*Proportion of Bright Sunshine, &c.*

FREDERICTON.

	5 a. m.	6 a. m.	7 a. m.	8 a. m.	9 a. m.	10 a. m.	11 a. m.	Noon.	1 p. m.	2 p. m.	3 p. m.	4 p. m.	5 p. m.	6 p. m.	7 p. m.	8 p. m.
January	....	....	....	0·15	0·40	0·57	0·61	0·58	0·59	0·55	0·52	0·47	0·13	....	....	....
February	....	....	....	·17	·31	·42	·59	·65	·60	·63	·60	·60	·45	·07	....	....
March	....	....	0·13	·24	·32	·34	·32	·38	·44	·46	·44	·42	·33	·18	....	....
April	....	0·13	·38	·48	·58	·55	·55	·57	·59	·59	·60	·57	·62	·42	0·02	....
May	....	·31	·48	·44	·48	·47	·47	·50	·52	·56	·53	·50	·48	·47	·31	0·07
June	0·07	·34	·47	·56	·56	·51	·58	·60	·55	·54	·57	·53	·49	·45	·35	·10
July	·06	·39	·44	·50	·58	·71	·68	·77	·74	·67	·65	·57	·59	·58	·47	·20
August	....	·12	·26	·35	·38	·48	·45	·47	·49	·50	·50	·49	·44	·38	·32	S
September	..	....	·19	·25	·31	·40	·47	·48	·53	·55	·50	·44	·43	·35	·37	....
October	...	....	·01	·16	31	·39	·45	·46	·40	·38	·34	·35	·24	·07	....	...
November	....	....	....	·05	·32	·43	·48	·50	·54	·48	·43	·33	·17	...	....	....
December	....	....	....	....	·18	·29	·40	·44	·47	·39	·32	·25	....	....	...	....

SYDNEY.

January	....	....	....	0·06	0·16	0·24	0·39	0·40	0·44	0·42	0·39	0·28	0·11	....	....	....
February	....	....	0·02	·24	34	·47	·48	·53	·54	·43	·44	·41	·30	0·01	....	....
March	....	....	·15	·25	·23	·27	·32	·23	·30	·27	·29	·23	·24	·14	....	....
April	....	0·02	·18	·34	·35	·46	·48	·46	·46	·45	·44	·41	·36	·32	·14	....
May	0·09	·35	·43	·49	·52	·53	·54	·59	·55	·56	·53	·54	·51	·48	·46	0·17
June	·07	·27	·38	·51	·56	·61	·62	·61	·58	·61	·62	·57	·54	·56	·51	·26
July	·11	·42	·49	·57	·57	·64	·59	·63	·64	·57	·62	·63	·59	·55	·44	·15
August	....	·14	·37	·46	·45	·45	·48	·56	·54	·46	·42	·42	·42	·38	·15	·01
September	....	·02	·24	·38	·46	·52	·48	·46	·47	·37	·40	·40	·40	·32	·18	·02
October	....	....	·01	·25	·34	·31	·28	·36	·28	·33	·31	·27	·16	·02	....	....
November	....	....	....	·07	·24	·26	·23	·19	·16	·18	·20	·25	·08	....	....	....
December	....	....	....	·01	·14	·18	·15	·14	·14	·19	·18	·13	·01	....	....	....

TABLE XXVIII.—*Mean Proportion of Bright Sunshine, constant sunshine being represented by 1.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Winnipeg	0·57	0·45	0·51	0·49	0·52	0·50	0·63	0·67	0·51	0·27	0·38	0·47
Niagara Falls, S.	·26	·27	·25	·49	·45	·58	·62	·59	·53	·19	·17	....
Woodstock	·29	·32	·32	·48	·40	·57	·57	·51	·59	·29	·30	·21
Toronto	·38	·32	·36	·51	·41	·62	·60	·60	·61	·30	·25	·22
Lindsay	·38	·34	·39	·53	·43	·66	·59	·52	·54	·29	·23	·20
Barrie	·24	·22	·29	·41	·34	....	·54	·53	·52	·24	·17	·16
Kingston	·33	·41	·38	·51	·46	·61	·67	·56	·59	·34	·25	·24
Montreal	·41	·45	·31	·54	·45	·59	·69	·43	·48	·36	·33	·25
Fredericton	·49	·48	·33	·49	·44	·47	·56	·40	·39	·31	·31	·31
Sydney	·31	·40	·25	·36	·49	·51	·54	·41	·37	·26	·19	·14

TABLE XXIX.—*Number of days completely Clouded, 1888.*

Winnipeg	4	5	6	3	3	4	0	2	2	10	9	6
Niagara Falls, S.	12	13	11	5	4	2	2	0	2	12	14	..
Woodstock	12	11	8	2	7	0	1	1	0	5	9	13
Toronto	8	10	7	2	1	1	0	1	1	3	8	12
Lindsay	10	9	7	6	3	1	0	0	1	7	7	15
Barrie	10	11	9	5	4	..	1	1	1	7	8	16
Kingston	11	5	10	3	2	0	1	2	2	5	11	15
Montreal	11	9	9	5	4	1	0	3	6	9	12	14
Fredericton	10	8	14	7	8	4	0	7	9	13	11	8
Sydney	7	8	10	7	8	4	4	6	7	4	11	17

TABLE XXX.—*Rainfall in inches in each Month and in the year 1888 at the several Stations in the Dominion of Canada.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO.													
Essex—													
Cottam	0·91	1·22	2·73	1·92	2·67	3·60	3·83	2·68	3·35	2·15	3·31	1·87	30·24
Maidstone	0·88	1·14	2·12	2·02	1·98	3·56	3·56	1·90	2·19	1·51	3·01	1·62	25·49
Wheatley	0·70	1·37	2·77	1·35	2·15	3·19	5·14	3·70	1·50	3·05	3·06	1·55	29·53
Wanstead	0·20	1·31	1·15	1·14	2·03	3·01	3·12	2·15	2·52	2·76	2·61	1·01	23·01
Kent—													
Blenheim	1·39	1·53	1·98	2·46	2·21	4·74	4·01	2·89	1·21	3·76	3·19	1·75	31·12
Chatham	1·86	1·16	3·22	1·48	2·68	4·74	2·69	1·16	0·89	2·92	2·56	0·67	26·03
Dealtown	1·27	1·34	2·64	2·03	1·89	3·20	3·73	3·12	1·10	3·39	3·62	1·46	28·79
Ridgetown	1·13	1·67	2·57	1·96	1·26	3·36	2·93	1·90	1·19	3·85	2·73	1·04	25·59
Elgin—													
Aylmer	1·10	1·29	1·43	1·69	1·57	....	....	....	....	....	....	....	....
Cowal	0·78	1·73	1·11	1·39	1·11	3·68	3·29	2·70	1·73	3·13	1·74	1·28	23·67
Lyons	1·39	1·81	2·41	1·88	0·78	2·20	1·95	3·53	1·84	3·12	3·21	1·78	25·90
Port Stanley	1·21	1·50	1·83	1·70	1·33	3·62	3·07	2·18	2·79	3·93	2·39	1·63	27·18
Norfolk—													
Port Dover	1·14	1·82	1·70	1·81	1·11	6·39	2·21	2·64	3·41	4·53	2·85	1·42	31·03
Welland—													
Niagara Falls, S	0·65	1·41	1·35	1·15	1·31	4·46	1·60	3·95	2.84	4·09	3·90	1·51	28·22
Lambton—													
Birnam	0·95	1·34	2·04	1·44	1·71	2·72	3·35	1·20	2·35	2·66	2·82	1·05	23·63
Oil Springs	1·30	1·85	2·65	1·38	1·42	3·41	1·90	2·40	2·20	2·90	2·35	1·19	24·95
Petrolea	R.	1·70	2·50	1·05	2·07	2·72	....	....	....	....	....	....	....
Sarnia	1·46	1·32	1·71	1·16	2·16	2·17	2·28	1·50	1·84	3·31	1·97	1·06	21·94
Thedford	2·23	1·14	1·87	1·41	1·51	2·21	1·49	2·67	3·44	3·39	3·52	1·70	26·58
Watford	0·30	2·00	2·55	2·20	1·58	2·82	2 66	1·47	2·81	2·83	2·16	0·85	24·23
Sombra	0·32	1·57	2·31	1·74	1·73	2·86	1·99	2·39	2·96	....	....	....	.. .
Wyoming	....	....	....	....	1·86	2·06	2·33	2·24	2·53	2·84	2·57	0·78	....

TABLE XXX (Continued.)—*Rainfall in Inches, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Huron—													
Goderich Lighthouse	0·50	0·90	1·52	1·55	3·07	1·58	0·79	4·55	3·49	2·30	3·88	0·75	24·88
Sunshine	0·04	0·97	1·33	1·66	2·15	2·32	0·46	4·28	1·51	3·34	4·98	1·37	24·41
Zurich	0·45	0·87	1·06	1·66	1·83	2·03	1·26	4·10	4·09	3·21	4·26	1·05	25·87
Kincardine	0·25	0·70	2·94	1·60	3·37	0·43	0·30	5·44	3·13	3·70	2·28	1·75	25·89
Bruce—													
Lion's Head	1·20	0·92	1·64	0·11	0·71	2·70	0·90	2·79	1·42	4·13	1·45	1·50	19·47
Point Clark	0·00	0·75	1·58	2·56	2·48	0·74	0·83	3·76	3·69	2·42	3·15	1·02	22·98
Saugeen	0·17	0·79	1·00	1·42	2·35	0·62	0·94	4·28	2·86	3·09	2·71	1·09	21·32
Wiarton	0·05	1·55	1·02	2·15	2·29	0·60	0·86	3·50	1·70	3·65	2·85	2·31	22·53
Lucknow	0·27	0·85	1·33	1·57	3·40	1·98	0·44	4·15	2·53	4·61	3·84	1·62	26·59
North Bruce	....	....	....	....	....	0·46	1·45	4·68	2·35	3·06	3·82	0·00	....
Grey—													
Bognor	3·04	0·67	1·20	0·81	2·67	0·34	0·90	2·73	1·59	3·80	3·60	0·47	21·82
Durham	R	0·68	2·54	1·75	2·74	1·86	1·00	4·68	1·34	3·34	4·22	1·20	25·35
Egremont	0·30	0·40	1·42	1·38	1·36	1·94	0·91	3·94	1·32	3·21	3·86	3·45	23·49
Owen Sound	0·12	0·27	0·89	2·26	4·26	0·92	0·72	3·22	2·29	3·70	3·22	1·66	23·53
Presqu'Isle	0·82	1·50	2·50	2·35	3·36	0·90	0·82	3·08	1·60	2·30	2·50	1·10	23·83
Simcoe—													
Coldwater	0·06	0·55	1·72	1·50	2·19	1·49	0·61	1·98	1·95	3·74	4·44	0·85	21·08
Orillia	R	R	R	0·74	2·48	0·89	0·50	2·00	1·73	2·38	3·49	0·49	14·70
Midland	....	....	....	....	....	....	....	....	....	....	3·10	0·73	....
Bond Head	....	....	....	...	1·60	1·75	2·29	2·98	2·69	1·68	1·20	0·18	....
Mulmur	....	....	....	....	0·52	1·72	2·78	4·43	0·81	3·31	....	....	....
Middlesex—													
Ailsa Craig	0·10	1·10	1·35	0·55	....	....	....	....	....	....	....	....	....
London	0·53	0·98	1·76	2·49	1·32	3·23	5·58	2·03	1·63	3·41	1·67	1·27	25·90
Wilton Grove	0·60	0·50	3·10	2·37	1·40	4·09	4·80	2·27	1·91	3·46	2·75	1·55	28·80
Coldstream	....	....	....	....	....	....	4·77	1·70	3·15	3·53	2·92	1·04	....

TABLE XXX (Continued).—*Rainfall in Inches, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO.—*Continued.*													
Oxford—													
Norwich	0·00	2·17	2·21	2·51	1·34	2·49	1·87	1·79	3·18	3·40	.. ..	.....	.....
Princeton	1·19	1·44	2·79	1·28	1·48	3·50	1·36	2·40	2·03	2·76	2·16	1·12	23·51
Woodstock	0·58	1·29	1·57	1·56	1·09	2·85	1·32	1·35	1·70	2·61	2·63	2·08	20·63
Ingersoll	0·64	1·97	2·65	2·45	1·63	3·83	2·24	2·46	3·17	3·72	2·27	.....	.....
Brant—													
Brantford	R	1·29	2·15	1·43	1·24	2·95	1·44	1·77	2·55	3·29	2·36	1·03	21·50
Paris	0·69	1·44	2·38	1·26	1·40	3·93	2·33	2·76	2·57	3·20	2·37	1·27	25·60
St. George	0·22	1·37	2·34	1·35	1 34	0·84	1·47	2·82	3·20	2·58	2·14	1·03	20·70
Perth—													
Listowel	0·49	0·92	1·70	1·38	1·69	3·38	0·66	2·77	1·51	3·19	4·50	1·17	23·36
St. Mary's	.....	.....	.....	.....	.....	. ....	1·85	2·52	2·10	3·21	2·41	1·15	.....
Wellington—													
Drayton	0·10	0·10	0·50	0·62	1·80	0·30	.....	.....	1·30	2·59	2·20	0·80	.....
Fergus	0·36	0·41	1·33	1·47	2·04	2·87	1·58	1·99	1·32	2·84	3·27	1·01	20·49
Guelph	0·25	0·27	1·57	1·20	1·00	2·78	2·16	2·04	1·44	2·63	2·87	1·10	19·31
Elora	R	0·23	2·68	1·48	1·59	3·33	1·25	2·43	0·85	3·18	3·25	1·01	21·28
Waterloo—													
Conestogo	0·94	1·06	2·13	1·44	1·45	3·71	1·01	2·31	1·18	2·38	3·10	0 86	21·57
Galt	1·61	0·26	3·14	1·19	1·17	5·22	1·67	3·18	1·53	2·69	2·30	1·76	25·72
Wentworth—													
Copetown	0·35	1·03	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Stoney Creek	3·63	2·67	3·78	1·61	0·82	4·21	1·52	2·49	2·96	2·62	2·12	1·82	30·25
Mountsberg	.....	.....	.....	.....	0·92	3·91	0·90	1·66	3·34	2·67	2·82	1·30	.....
N. Glanford	0·00	R	R	1·76	1·30	6·00	1·41	3·08	3·29	2·56	1·91	.....	.....
Halton—													
Georgetown	0·90	0·54	2·11	1·32	1·11	3·14	0·73	0·71	2·05	3·69	2.56	0·64	20·50
Nelson	.....	.....	.....	.....	.....	.....	0·91	2·59	2·80	2·80	2·80	0·91	.....

TABLE XXX (Continued).—*Rainfall in Inches, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December	YEAR.
ONTARIO—*Continued.*													
York—													
Aurora	0·24	0·15	1·45	1·06	1·10	2·07	1·89	3·05	2·62	1·76	2·92	0·60	18·91
Georgina	0·15	0·30	0·80	0·85	2·02	1·71	1·36	4·43	3·08	1·81	2·91	0·60	20·02
Scarboro	1·22	1·03	2·19	1·35	1·15	3·61	0·93	2·37	3·41	3·19	2·86	0·64	23·95
Toronto	0·69	1·02	1·91	1·36	0·84	3·99	0·86	2·91	3·29	2·64	2·71	0·60	22·82
Sharon	0·05	0·27	2·27	1·14	1·64	1·72	1·54	3·95	2·54	2·00	2·90	0·53	20·55
Bond Head	....	....	....	0·34	1·60	1·74	2·29	2·98	2·69	1·68	1·20	0·18	....
Maple	0·15	1·03	1·67	1·37	0·89	2·43	1·16	....	....	....	....	....	....
Northumberland—													
Warkworth	1·00	0·56	0·99	1·22	1·85	1·75	0·86	3·30	3·27	2·31	3·57	1·03	21·71
Ontario—													
Oshawa	0·62	1·91	2·66	....	....	....	....	3·83	4·22	2·42	3·20	0·35	....
Port Perry	0·86	1·20	1·22	1·22	1·04	2·46	1·56	3·41	2·19	2·23	3·31	0·96	21·66
Durham—													
Port Hope	0·25	1·60	1·75	1·31	1·61	0·93	1·76	3·26	4·43	4·02	3·68	1·30	25·90
Lennox and Addington—													
Denbigh	1·45	0·00	0·00	1·70	3·79	3·26	4·08	3·58	1·58	2·29	2·32	1·91	25·96
Harrowsmith	0·30	0·70	1·10	1·01	0·68	1·56	1·53	3·07	2·79	3·41	4·68	1·45	22·28
Glengarry—													
Alexandria	....	....	....	....	....	....	1·50	6·04	5·70	3·58	4·44	2·42	....
Frontenac—													
Kingston	0·00	0·29	1·17	1·34	1·24	1·03	1·35	5·56	3·20	3·92	4·94	1·86	25·90
Carleton—													
Ottawa	0·00	0·00	0·35	2·36	1·26	2·45	0·92	5·78	3·28	2·30	3·88	1·76	24·34
Nipissing—													
Mattawa	....	R	R	—	1·51	1·03	0·59	3·52	2·65	1·70	R	R	....

TABLE XXX (Continued.)—*Rainfall in Inches, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Renfrew—													
Clontarf	0·04	1·20	0·82	1·20	1·07	1·95	1·05	3·79	2·83	2·39	3·42	0·57	20·33
Rockliffe	0·00	0·05	0·95	0·56	1·89	1·35	1·67	3·99	2·87	2·24	1·09	0·06	16·72
Renfrew	R	0·00	0·00	1·02	1·34	2·08	0·42	4·07	0·99	2·45	R	0·82	13·19
Lanark—													
Oliver's Ferry	0·00	0·00	0·25	4·08	0·58	1·53	1·15	3·95	2·37	2·24	3·52	0·60	20·27
Victoria—													
Bobcaygeon	0·18	0·17	1·01	0·89	2·28	2·46	0·68	2·04	3·12	2·27	3·71	1·23	20·04
Lindsay	0·35	0·33	1·51	1·10	1·74	1·78	1·16	3·33	3·47	1·31	3·13	0·69	19·90
Minden	0·81	0·75	2·55	1·52	1·87	2·46	0·93	2·94	3·30	2·94	4·58	1·21	25·86
Peterborough—													
Ennismore	0·31	0·34	1·47	1·24	1·46	1·87	0·91	2 74	4·36	2·14	4·40	1·18	22·42
Lakefield	0·00	0·22	0·81	0·75	2·73	2·17	0·60	1·81	3·40	1·93	2·72	0·53	17·67
Norwood	0·05	0·80	1·49	1·67	1·52	1·79	0·71	1·45	3·03	2·68	3·24	0·88	19·31
Haliburton—													
Haliburton	0·34	0·75	2·40	0·88	2·48	3·40	1·16	3·33	2·71	2·68	2·70	0·97	23·80
Hastings—													
Belleville	....	....	....	1·07	1·17	0·97	1·22	4·53	2·80	2·67	....	....	....
Deseronto	0·00	0·70	4·52	1·17	1·13	0·51	1·57	4·56	2·25	2·02	1·50	R	19·93
Shannonville	0·66	R	1·46	1·50	0·90	0·10	1·30	4·96	2·50	3·05	3·62	1·57	21·62
Peel—													
Credit	....	....	....	1·29	0·87	2·98	0·99	1·66	2·61	2·38	2·90	....	....
Alton	1·05	0·87	1·32	1·46	1·58	1·98	2·43	3·28	1·46	3·46	3·99	0·82	23·70
Humber	....	....	....	....	1·11	3·02	1·77	2·48	2·33	2·36	2·28	0·29	....
Parry Sound—													
Joly	0·00	0·50	0·85	1·10	2·63	1·03	1·06	3·41	4·69	2·13	2·39	0·53	20·32
Sprucedale	0·20	0·51	1·26	2·33	3·09	1·25	0·77	3·70	2·79	2·56	2·32	2·06	22·84
Parry Sound	0·20	0·87	1·62	2·14	2·89	0·95	0·42	2·91	2·60	4·44	2·68	2·44	24·16
Uplands	R	0·95	1·23	1·91	3·45	1·56	0·72	2·56	5·91	1·98	2·90	1·26	24·43

TABLE XXX (Continued).—*Rainfall in Inches, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Concluded.*													
Muskoka—													
Axe Lake	0·00	0·00	0·00	0·00	3·01	1·17	0·47	3·01	2·53	3·61	1·83	0·00	15·63
Bala	0·20	0·51	1·26	2·33	3·09	1·25	0·77	2·94	2·79	4·80	3·68	1·54	25·16
Beatrice	1·52	0·00	0·00	1·06	2·14	2·49	3·86	4·10	4·10	3·82	3·49	1·28	27·86
Gravenhurst	0·38	0·42	1·07	1·58	1·40	1·21	0·50	2·12	1·86	3·32	3·66	1·12	18·64
Charlineh	0·16	0·66	1·50	1·91	3·78	1·76	1·31	3·22	3·61	4·32	3·29	1·59	27·11
Mid Lothian	.....	.....	1·19	1·48	4·33	1·11	0·44	3·37	3·66	3·57	2·69	1·07	.....
Algoma—													
Port Arthur	0·00	0·00	0·00	1·96	2·39	4·94	1·64	3·63	2·43	2·07	1·04	0·02	20·12
Savanne	0·00	0·00	0·00	R	1·18	4·50	2·06	3·51	1·36	1·77	1·51	0·00	15·89
Little Current	0·62	1·45	1·22	2·37	3·15	1·00	0·61	1·78	5·08	4·97	3·98	5·54	31·77
Barclay	.....	.....	.....	.....	2·50	2·41	8·46	.....	.....	.....	.....	.....	.....
White River	0·00	R	0·00	0·13	1·40	3·40	0·55	6·99	1·36	0·77	0·51	0·55	15·66
Cartier	0·00	R	0·50	0·70	2·67	1·13	0·84	2·00	3·61	2·67	2·24	2·08	18·44
Nepigon	0·00	0·00	0·00	0·40	1·30	2·44	0·40	6·20	2·01	1·61	R	R	14·36
Biscotasing	0·00	0·00	R	R	0·52	1·67	1·46	2·01	3·23	0·64	1·28	0·00	10·81
Heron Bay	0·00	0·05	0·00	0·00	.....	.....	.....	.....	.....	.....	.....	.....	.....
Mean for Ontario	0·54	0·84	1·55	1·43	1·83	2·38	1·69	3·09	2·58	2·91	2·84	1·14	22·82

TABLE XXX (Continued).—*Rainfall in Inches, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
QUEBEC.													
Huntingdon	0·00	R	0·37	2·27	3·35	4·95	1·94	9·00	3·55	4·34	4·81	2·45	37·03
Montreal	0·08	0·55	1·17	0·80	1·97	3·12	1·32	7·89	3·69	3·82	5·10	1·57	31·08
Brome	R	R	R	0·06	2·85	4·74	2·86	8·72	3·66	3·87	3·31	R	30·07
Bird Rock	0·65	1·08	0·87	0·35	0·90	1·91	2 17	2·23	3·49	5·54	4·57	0·78	24·54
Quebec	0·04	0·03	0·87	0·89	3·55	5·32	3·69	6·17	4·63	2·46	2·68	2·38	31·91
Father Point	0·00	0·00	1·58	0·07	3·80	3·28	3·60	6·17	1·87	8·09	2·07	0·65	31·18
Cranbourne	0·20	0·40	1·17	0·02	3·80	4·51	4·34	8·07	5·83	3·58	3·72	1·60	37·24
Chicoutimi	0·00	0·00	1·50	0·15	1·26	4·02	5·51	4·89	2·47	1·23	2·00	R	23·03
Richmond	0·19	0·19	0·91	0·34	3·13	5·56	2·41	8·94	3·69	4·42	4·26	1·68	35·72
Lennoxville	...	....	....	....	....	....	....	....	....	....	..	2·32	....
St. Francis	0·00	0·22	0·80	....	....	....	....	....	....	....	....	....	....
Pointe Platon	....	....	....	....	....	....	1·86	5·18	4·63	3·76	....	....	....
Anticosti, S. W. P	00·0	0·00	1·80	0·00	2·40	2·86	2·70	2 82	2·69	5·48	1·54	0·20	22·49
Anticosti, Heath Pt.	R	R	R	R	1·43	3·23	0·43	4 86	1·10	3·91	3·91	0·32	19·19
Anticosti, W. P.	0·00	0·00	0·00	0·00	2·04	5·59	2·59	3·38	1·28	7·02	1·51	0·35	23·76
Point des Monts	0·00	0·00	0·00	0·00	2·26	5·70	3·35	8·30	0·55	12·75	1·90	0·00	34·81
Cape Chatte	...	....	....	0·00	3·38	2·94	0·86	4·72	1·09	6·94	0·85	R	....
Cape Magdalen	0·00	0·00	0·87	0·00	1·33	5·09	1·18	4·12	1·91	5·08	0·86	R	20·44
Bicquet	...	....	....	....	0·34	2·30	3·30	7·60	1·90	5·90	2·20	....	....
Cape Norman	0·00	0·00	2·09	0·00	0·29	2·34	2·55	3·34	1·45	3·57	0·95	0·04	16·62
Roberval	....	....	....	0·24	2 99	4·47	5·97	5·40	2·67	0·99	0·38	0·25	....
Mean for Quebec	0·07	0·15	0·88	0·26	2·28	3·99	2·77	5 93	2 74	4·88	2·59	0·81	27·35
NEW BRUNSWICK.													
St. John	3·56	2·37	2·25	0·47	3·50	1·72	2·75	3·57	4·66	6 72	7·30	5·51	44·38
Fredericton	0·70	1·82	2·81	0·20	4·36	1·47	2·12	4·20	4·44	9·99	5·17	1·04	38·32
Chatham	0·34	1·14	1·17	0·13	1·45	1·87	2·12	4·79	3·50	8·84	5·14	1·01	31·50
Dorchester	1·64	3·10	0·89	0 15	2·01	2·85	2·28	4·27	4·62	6·82	6·58	3·94	39·15
Dalhousie	0·00	0·00	0·76	0·09	1·52	4·29	2·38	3·52	3·02	9·34	2·41	1·19	28·52
St. Andrews	0·84	2·51	1·53	0·26	3·09	1·88	1·88	5·38	4·48	9·49	5·22	4·25	40·81
Point Lepreaux	2·56	3·75	2·70	0·65	3·71	2·09	3·69	6·57	4·58	10·11	8·65	5·15	54·21
Bathurst	R	0·00	1·35	0·15	3·74	3·56	3·35	4·13	3·06	3·17	2·05	0·87	25·43
Parker's Ridge	....	....	....	....	....	....	....	....	3·04	10·32	2·75	1·80	....
Grand Manan	2·62	3·31	2·49	0·42	3·13	2·75	3·48	5·81	6·67	8·22	7·68	2·90	49·48
Woodstock	0·33	1·00	1·78	0·03	3·85	2·54	3·05	3·68	3·61	7·18	4·52	2·02	33·62
Mean for New Brunswick	1·26	1·90	1·77	0·26	3·04	2·50	2·71	4·59	4·57	9·02	5·85	2·97	40·44

TABLE XXX (Continued).—*Rainfall in Inches, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NOVA SCOTIA.													
Halifax	2·86	4·80	3·70	2·46	2·86	4·94	5·00	7·00	5·33	6·86	6·72	7·76	60·29
Truro	1·58	1·82	2·11	1·91	2·20	3·39	1·69	3·21	2·96	4·58	4·78	5·24	35·47
Beaver Bank	.....	.....	.....	0·95	2·17	4·36	4·45	5·60	4·73	6·92	6 67	....	.....
Sydney	1·99	1·28	1·50	2·23	1·92	3·28	4·10	3·14	2·09	5·12	4·10	5·56	36·31
Cow Bay	1·43	3·46	2·04	1·60	2·65	2·55	3·95	4·37	3·18	5·32	3·54	2·70	36·79
Yarmouth	3·40	3·37	4·23	2·05	3·17	2·89	8·42	4·94	5·48	9·97	8·40	5·48	61·80
Pictou	1·25	3·90	1·79	2·00	2·21	2·27	1·52	4·22	2·48	5·41	3·82	4·69	35·56
Sable Island	1·04	2·39	1·85	4·68	0·92	4·39	3·82	4·04	6·38	4·23	4·91	2·80	41·45
White Head	0·60	R	1·47	1·62	1·98	2·99	4·68	3·19	3·33	4·58	5·26	4·56	34·26
Digby	0·00	0·00	0·00	....	1·50	3·00	3·30	2 90	0·50	7·10	3·20	3·50	.....
Mean for Nova Scotia	1·57	2·34	2·08	2·17	2·16	3·41	4·09	4·26	3·65	6·01	5·14	4·23	41·11
P. E. ISLAND.													
Charlottetown	.....	.....	.....	.....	.....	.....	2·95	4·69	5·15	4·65	3·78	2·92	.....
Kilmahumaig	0·76	1·18	1·69	1·36	0·91	1·74	1·30	4·72	2·97	5·44	6·95	2·55	31·57
Mean for P. E. Island	0 76	1·18	1·69	1·36	0·91	1·74	2·12	4·70	4·06	5·04	5·36	2·74	31·66
BRITISH COLUMBIA.													
Victoria	2·86	1·77	3·15	2·26	0·19	2·23	0·34	0·42	1·01	3·35	3·69	1·96	23·23
Port Moody	5·48	4·28	7·51	5·72	0·88	6·64	4·00	0·50	2·75	10·28	8·48	11·87	68·39
Quamichan	.....	.....	.....	.....	.....	.....	1·55	0·72	1·27	3·61	2·84	6·30	.....
Fort Simpson	4·32	16·65	7·35	8·60	4·59	5·71	3·00	7·65	10·77	18·04	13·54	6·31	105·93
Clinton	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Westminster	7·11	5·56	6·75	3·78	1·40	5·46	1·47	0·45	1·78	8·94	7·18	10·79	60·67
Barkerville	1·00	0·34	0·23	2·00	0·44	4·02	3·46	3·28	2·30	1·02	0·08	0·07	18·24
Spence's Bridge	.....	.....	.....	.....	.....	.....	.....	0·84	0·00	0·91	0·45	1·22	.....
Langley	2·69	2·22	5·80	2·72	0·63	4·38	1·62	0 91	2 04	8·43	6·17	7·83	45·44
Nicola Lake	0·36	0·26	0·68	0·65	2·40	2·38	0·55	0·44	0 15	1 81	0·36	0·59	10·63
Vancouver	.....	.....	.....	4·04	1·52	.....	.....	.....	.....	.....	.....	.....	.....
Maple Grove	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7·87	.....
Mean for British Columbia	3·40	4·44	4·49	3·65	1·51	4·40	2·00	1·69	1·45	6·27	4·75	5·48	43·53

TABLE XXX (Continued.)—*Rainfall in Inches, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November.	December.	Year.
MANITOBA.													
Winnipeg	0·00	0·00	0·00	0·53	0 17	3·10	3·78	1·13	1·53	1·49	0·12	0·00	11·85
Stony Mountain	0·00	0·00	0·00	0·07	0·32	2·71	3·48	1·84	1·26	0·68	0·00	0·00	10·36
Minnedosa	0·00	0·00	0·00	0·01	0 64	3·68	4·59	1·27	0·27	0·59	0·00	0·00	11·05
Hillview	0·00	0·00	0·00	0·62	0·71	3·46	0·67	1·66	0·09	1·02	0·48	0·00	8·71
St. Albans	0·00	0·00	0·00	1·50	0·84	3·80	4·43	1·66	0·54	1·16	0·07	0·05	14·05
Shell River	0·00	0·00	0·00	0·06	0·50	6·25	4·25	1·98	0·52	0·21	0·00	0·00	13·77
Sourisford	0·00	0·00	0·00	0·39	0·36	2·56	1·26	1·37	0·20	R	0·02	0·00	6·16
Portage la Prairie	0·00	0·00	0·00	0·15	0·48	4·95	5·41	1·54	1·35	1·62	0·05	0·11	15·66
Selkirk, E	0·00	R	0·20	0·88	0·29	3·38	3·11	2·26	....	....	....	....	....
Gladstone	0·00	0·00	0·00	1·01	....	6·23	6·59	1·68	0·86	....	....	....	....
Swampy Island	0·00	0·00	0·00	0·00	R	1·67	2·70	1·50	1·10	0·42	0·00	0 00	....
Gretna	0·00	0·00	0·00	0·90	0·35	5·35	4·10	0·20	....	....	...	....	....
Shoal Lake	0·00	0·00	0·00	R	0·65	3·92	....	1·76	0·10	R	0·00	0·00	....
Cartwright	0·00	0 00	0·00	0·88	0·74	3·98	3·84	2·65	....	0·81	0·11	0·00	....
Morden	0·00	0·00	0·00	0·61	0 25	3·81	1·94	0·25	1·03	0·83	0·26	0·06	8·04
Pilot Mound	0·00	0·00	0·00	1·06	0·43	2·14	4·00	0·34	....	....	....	....	....
Pigeon Lake	0·00	0·00	0·00	0·00	0 01	0·78	2·23	....	....	....	....	....	....
Heaslip	0·00	0·00	....	....	....	....	....	....	....	....	....	....	....
De Claire	0·00	0·00	0·00	0·43	R	....	....	....	....	....	....	....	....
Griswold	0·00	0·00	0·00	0·97	0·30	3·63	0·26	R	R	1·22	0·30	0·00	6·68
Fort Ellice	0·00	0·00	0·00	0·34	0·54	3·29	4·05	3·19	0·16	1·23	0·00	0·00	12·80
Hartney	0·00	0·00	0 00	0·77	0·78	....	7·03	0·50	0·11	0·83	0·21	0·00	....
Souris	0·00	0·00	0·00	....	0·35	5·48	2·27	0·66	....	....	....	....	....
Norquay	0·00	0·00	0·00	0·12	0 67	5·08	3·12	0·94	0·78	1·63	0·00	0·00	12·34
Oak Bank	0·00	0·00	R	1·40	3·85	3·44	3·72	1·52	1·74	1·55	0·00	R	17·22
Foxton	0·00	0·00	R	0·40	0·38	3·11	....	....	1·22	0·24	0·00	0·00	....
Craigilea	0·00	0·00	0·00	1·46	0·66	4·17	3·02	0·79	0·50	0·80	0·28	0·00	11·68
Rapid City	0 00	0·00	0·00	0·13	0·53	5·17	3·16	....	R	1·45	R	0·00	....
Rapid City (2)	0·00	0·00	0·00	0·04	0·55	3·71	4·87	1·16	0·06	0·65	0·00	0·00	....
Lintrathen	....	....	....	....	0·32	3·26	3·14	....	....	....	....	....	....
Arnand	....	....	....	....	2·45	3·73	3·74	0·54	....	....	....	....	....

TABLE XXX (Continued).—*Rainfall in Inches, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA.													
Clandeboye	0·00	0·00	R	0·59	0·31	3·96	1·98	1·99	1·33	1·55	0·20	0·00	11·91
Beaver Creek	0·00	0·00	0·00	0·91	0·74	5·97	4·27	1·35	0 66	1·59	.....	.....	.....
Bradwardine	0·00	0·00	0·00	0·81	0·54	2·42	.....	.....	.....	.....	.....	.....	.....
Selkirk	0·00	0·00	0·00	0·58	0·18	4·54	2·20	2·21	1·23	1·59	.....	.....	.....
Kola	0·00	0·00	0·00	0·68	0·56	2·79	1·53	0·55	.....	.....	.....	.....	.....
Killarney	0·00	0·00	0·00	0·70	.....	.....	3·02	0·22	.....	.....	.....	.....	.....
Treherne	0·00	0·00	0·00	0·90	0·93	3·74	.....	.....	.....	.....	.....	.....	.....
Holmfield	0·00	0·00	0·00	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Turtle Mountain	0·00	0·00	0·00	0·48	.....	.....	.....	.....	.....	.....	.....	.....	.....
Stuartburn	0·00	0·00	0·00	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Adelphi	0·00	0·00	0·00	0·30	R	4·11	2·22	0·49	0·15	0·44	0·67	0·00	8·38
Cartwright	0·00	0·00	0·00	0·21	.....	.....	.....	.....	.....	.....	.....	.....	.....
Portage la Prairie	0·00	0·00	0·00	1·85	0·48	5·02	5·16	1·38	2·31	2·28	.....	.....	.....
Fairburn	0·00	0·00	0·00	0·58	0·26	3·07	2·58	.....	.....	.....	.....	.....	.....
Clarkleigh	0·00	0·00	R	0·82	0·62	6·41	2·30	1·59	1·19	1·51	0·00	R	14·44
Eden	0·00	0·00	0·00	0·20	0·78	5·88	3·91	2·11	1·40	1·24	R	0·00	15·52
Clearwater	0·00	0·00	0·00	0·55	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rosser, C. P. R	.....	.....	.....	.....	0·31	1·38	2·44	1·49	1·17	1·74	0·00	0·00	.....
Beauséjour, C. P. R	0·00	0·00	0·00	0·45	0·00	4·65	3·45	3·30	1·07	0·70	0·00	0·00	13·62
Chater, C. P. R	0·00	0·00	0·00	R	0·70	1·54	4·00	4·30	0·20	0·18	0·30	0·00	11·22
Austen, C. P. R	.....	.....	.....	.....	0·40	3·15	0·85	R	R	R	0·00	0·00	.....
Burnside, C. P. R	0·00	0·00	0·00	1·00	0·42	3·99	3·05	0·85	0·95	0·46	0·33	0·00	11·05
Florenta	0·00	0·00	0·00	1·33	1·75	.....	.....	.....	.....	.....	.....	.....	.....
Mean for Manitoba	0·00	R	0·01	0·60	0·55	3·83	3·27	1·41	0·76	0 90	0·11	0·01	11·45

TABLE XXX (Concluded.)— *Rainfall in Inches, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NORTH WEST TERRITORIES.													
Qu'Appelle	0·00	R	0·00	0·04	1·48	6·25	2·22	1·48	1·13	0·72	0·20	0·00	13·52
Medicine Hat	0·00	0·00	0·00	0·14	2·08	3·22	4·78	1·00	0·06	0·62	0·00	0·08	11·98
Edmonton	0·00	0·00	0·10	1·46	0·62	5·83	5·36	1·70	R	0·81	0·00	0·00	15·78
Regina	0·00	0·00	0·00	0·53	0·09	3·68	1·29	1·35	0·00	0·08	R	R	7·02
Grenfell	0·00	0·00	0·00	0·43	0·60	3·37	3·18	2·74	0 33	0·30	0·00	0·00	11·15
Chaplin	0·00	0 00	0·00	0·00	1·03	0·45	0·10	0·18	0·00	0·07	0·00	0·00	1·83
Calgary	0·00	0·10	0·00	1·27	1·67	3·70	3·23	2·08	0·23	0·12	0·00	0·00	12·40
Kilnap	0·00	0·00	0·00	0 06	2·63	3·22	1·56	1·89	0·97	0·45	R	R	10·78
Maple Creek	0·00	0·00	0·00	0·15	1·20	5·05	1·28	1·64	0·63	0·48	0·00	0·00	10·43
Gleichen	0·00	0·00	0·00	....	....	....	....	....	....	....	....	....	....
Balgonie	0·00	0·00	0·00	0·50	0·39	1·69	2 95	0·30	0·50	....	....	...	....
Fort Chipewyan	0·00	0·00	0·00	0·00	0·42	2·79	2·70	1·75	1·56	0·36	R	0·00	9·58
Pheasant Forks	0·00	0·00	0·00	....	....	....	....	....	....	....	....	....	....
Prince Albert	0·00	0·00	0·00	0·17	0·01	3·65	2·82	0·56	....	....	....	....	....
Fleming	....	....	....	....	0·15	4·00	4·50	1·59	0·27	0·25	0·00	0·00	....
Banff	0·00	R	0·17	0·18	....	....	....	....	....	....	0·20	0·12	....
Mean for N. W. Territories	0·00	R	0·02	0·38	0·95	3·85	2·77	1 40	0·47	0·39	0·03	0·02	10·28
NEWFOUNDLAND.													
St. John	2·14	2·48	3·02	1·81	3·27	3·96	2·13	3·87	1·17	9·99	4·19	7·34	43·37
Point Rich	0·20	0·40	1·10	0·50	R	2·09	2·81	2·47	2·74	2·58	2·57	0·90	18·36
Belle Isle	0·03	R	7·42	1·07	2·42	8·40	5·32	3 23	R	1·15	0·81	0·20	30·05
St. Pierre	2·94	4·29	2·98	5·40	1·58	3·27	2 92	5·84	4·26	7·24	7·21	6·10	54·03
Mean for Newfoundland	1·33	1·79	3 63	2·19	1·82	4·43	3·29	3·85	2·04	5·24	3·69	3·64	36·94

TABLE XXXI. — *Quarterly Rainfall at the several Stations, with the Fall of Snow in each Month, and the Total Precipitation of Rain and Melted Snow, expressed in inches, during the year 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	TOTAL PRECIPITATION.
ONTARIO.															
Essex—															
Cottam	4·86	8·19	9·86	7·33	30·24	9·3	1·9	11·3	S	0 0	0·0	1·4	1·6	25·5	32·79
Maidstone	4·14	7·56	7·65	6·14	25·49	5·0	0·0	7·0	0·0	0·0	0·0	0·0	0·0	12·0	26·69
Wheatley	4·84	6·69	10·34	7·66	29·53	13·0	4·0	11·0	0·0	0·0	0·0	4·0	3·0	35·0	33·03
Wanstead	2·66	6·18	7·79	6 38	23·01	9·0	14 0	5·5	S	0·0	0·0	7·0	0·0	35·5	26·56
Kent—															
Blenheim	4·90	9·41	8 11	8 70	31·12	13·0	5·0	5·5	0·0	0·0	S	0·5	S	24·0	33·52
Chatham	6·24	8·90	4·74	6·15	26·03	15·9	3·4	10·5	0·0	0·0	S	0·8	0·8	31·4	29·17
Dealtown	5·25	7·12	7·95	8·47	28 79	6·5	1·5	8·3	1·5	0·0	0·0	S	0·5	18·3	30·62
Ridgetown	5·37	6·58	6·02	7·62	25·59	12·5	2·5	9·5	2·5	0·0	S	3·5	5·5	36·0	29·19
Elgin—															
Aylmer	3·82	....	....	....	....	12·5	3·0	7·2	2·5	....	....	....	....	....	....
Cowal	3 62	6·18	7·72	6·15	23·67	11·5	2·0	0·2	3·0	0·0	S	0·3	3·0	20·0	25·67
Lyons	5·61	4·86	7·32	8·11	25·90	7·5	0·0	5·0	1·2	0·0	0·0	S	3·0	16·7	27 57
Port Stanley	4·54	6·65	8·04	7·95	27·18	14·5	1·1	9·1	3·6	0·0	0·2	1·4	6·3	36 2	30·80
Norfolk—															
Port Dover	4·66	9·31	8 26	8·80	31·03	7·9	0·6	1·0	0·0	0·0	S	1·0	5·5	16·0	32·63
Welland—															
Niagara Falls, South	3·41	6·92	8·39	9·50	28·22	7·0	3·6	4·5	0·1	0·0	0·0	3·5	6·6	25 3	30·75
Lambton—															
Birnrm	4·33	5 87	6·90	6·53	23·63	21·5	5·9	22 2	2 2	0·0	3·0	6·5	20·5	81·8	31·81
Oil Springs	5.80	6·21	6·50	6·44	24·95	10·5	2·5	10·5	3 0	0·0	0·0	5·0	5·0	36·5	28·60
Petrolea	4·20	5·84	....	....	....	4·2	6·0	3·1	2 0	0·0	....	....	....	....	....
Sarnia	4·49	5·49	5·62	6·34	21·94	10·0	4·0	14·5	0·3	0·0	0·0	4·7	2·5	36·0	25·54
Thedford	5·24	5·13	7·60	8·61	26·58	8·0	4·0	18·0	0·0	0·0	10·0	1·0	13·0	54·0	31·98
Watford	4·85	6·60	6·94	5·84	24·23	....	...	....	....	....	....	....	....	....	....
Sombra	4·20	6 33	7·34	....	....	15·8	10·4	11·6	1·2	S	0·0	....	....	....	....
Wyoming	....	....	7·10	6·19	....	....	....	...	....	....	....	3 5	4·5	....	....

TABLE XXXI (Continued).—*Quarterly Rainfall at the several Stations, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.									Total Precipitation.
						January.	February.	March.	April.	May.	October.	November.	December.	Year.	
ONTARIO—*Continued.*															
Huron—															
Goderich Lighthouse	2·92	6·20	8·83	6·93	24 88	39·5	11·5	18·5	4·5	1·0	0·0	1·0	9·0	85·0	33·38
Sunshine	2·34	6·13	6·25	9·69	24·41	28·7	10·0	21·7	0·7	1·1	0·3	1·7	12·0	76·2	32·03
Zurich	2·38	5·52	9·45	8·52	25·87	17·5	3·1	14·9	3·5	0·4	9·2	1·5	20·3	70·4	32·91
Kincardine	3·89	5·40	8·87	7·73	25·89	35·0	4·0	15·0	0·7	S	S	8·3	9·4	72·4	33·13
Bruce—															
Lion's Head	3·76	3·52	5·11	7·08	19·47	..	..	..	..	..	..	..	..	....	....
Point Clark	2·33	5·78	8·28	6·59	22·98	35·0	7·0	20·0	4·0	0·0	S	0·0	3·0	69·0	29·88
Saugeen	1·96	4·39	8·08	6·89	21·32	37·2	17·7	27·2	0·7	0·3	0·0	12·0	7·1	102·2	31·54
Wiarton	2·62	5·04	6·06	8·81	22·53	54·0	16·0	13·5	S	1·5	S	4·0	8·0	97·0	32·23
Lucknow	2·45	6·95	7·12	10·07	26·59	44·7	4·4	22·9	1·5	1·3	0·5	3·6	21·8	100·7	36·66
North Bruce	....	....	8·48	6·88	....	..	.	..	..	..	S	S	3·5	....	....
Grey—															
Bognor	4·91	3·82	5·22	7·87	21·82	21·2	12·5	26·0	1·0	2·5	2·0	2·3	6·0	73·5	29·17
Durham	3·22	6·35	7·02	8·76	25·35	27·0	17·0	32·0	1·0	2·0	2·0	3·2	10·0	94·2	34·77
Egremont	2·12	4·68	6·17	10·52	23·49	8·5	4·5	17·0	2·2	1·2	2·5	5·5	9·0	50·4	28·53
Owen Sound	1·28	7·44	6·23	8·58	23·53	23·0	16·0	24·0	0·5	S	S	1·5	6·0	71·0	30 63
Presque Isle	4·82	6·61	5·50	6·90	23 83	33·0	19·0	26·5	2·0	1·3	0·5	2·4	3·5	88 2	32·65
Simcoe—															
Coldwater	2·33	5·18	4·54	9·03	21·08	36·6	13·5	20·6	5·6	0·4	S	2·9	6·7	86·3	29·71
Orillia	R	4·11	4·23	6·36	14·70	23·5	14·0	17·2	6·7	0·2	S	7·5	6·2	75·3	22·23
Midland	.....	.....	.....	.....	.....	..	..	..	..	..	..	4·0	2·0	....	....
Bondhead	.....	.....	7·96	3·06	.....	..	.	..	S	S	0·2	1·9	4·3	....	....
Mulmur	.....	....	8·02	.....	.....	..	..	..	..	..	6·0	..	..	....	....
Middlesex—															
Ailsa Craig	2·55	.....	.....	.....	.....	30·0	4·0	14·0	..	..	..	.	..	....	....
London	3·27	7·04	9·24	6·35	25·90	32 0	6·3	0·3	S	0·0	S	2·0	10·5	51·7	31·07
Wilton Grove	3·20	7·86	8·98	7·76	28 80	15·0	S	4·5	.	..	..	0·5	1·0	21·0	30·90
Coldstream	.....	.....	9 62	7·49	.....	..	..	..	..	..	..	4·0	S	11·0	....

TABLE XXXI (Continued.)—*Quarterly Rainfall at the several Stations, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	Total Precipitation.
ONTARIO—*Continued.*															
Oxford—															
Norwich	4·38	4·34	6·84	....	....	12·1	3·0	0·0	S	..	.	..	..	....	....
Princeton	5·42	6·26	5·79	6·04	23·51	15·0	2·5	6·0	1·0	0·0	S	2·3	3·5	30·3	26 54
Woodstock	3·44	5·50	4·37	7·32	20·63	23·0	4·5	14·9	1·0	0·0	0·5	2·5	12·0	58·4	26 47
Ingersoll	5·26	7·91	7·87	....	....	3·9	1·0	9·3	1·4	S	0·0	3·5	..	....	....
Brant—															
Brantford	3·44	5·62	5·76	6·68	21·50	10·0	2·0	1·7	S	0·0	0·0	0·5	0·5	14·7	22·97
Paris	4·51	6·59	7·66	6·84	25·60	13·1	1·0	3·0	S	S	S	1·0	S	18·1	27 41
St. George	3·93	3·53	7·49	5·75	20·70	17·0	3·0	6·1	0·0	0·0	0·0	2·3	2·6	31·0	23·8)
Perth—															
Listowel	3·11	6·45	4·94	8·86	23·36	26·0	11·0	21·0	0·5	S	S	0·5	8·5	67·5	30·11
St. Mary's	..	..	6·47	6·77	..	..	..	..	..	..	S	1·0	11·0	..	.. .
Wellington—															
Drayton	0·70	2·72	....	5·50	....	0·5	1·5	6·2	S	S	0·0	0·0	2·0	....	....
Fergus	2·10	6·38	4·89	7·12	20·49	32·5	10·0	21·4	6·0	4·0	0·0	3·3	4·7	81·9	28·68
Guelph	2·09	4·98	5·64	6·60	19·31	10·8	12·7	9·8	0·9	0·5	0·0	1·6	1·2	37·5	23·06
Elora	2·91	6·40	4·53	7·44	21·28	13·1	5·3	13·5	0·7	0·0	0·0	2·6	4·9	40·1	25·29
Waterloo—															
Conestogo	4 13	6 60	4·50	6·34	21·57	11·5	4·1	12·6	2·0	S	0·1	5·6	4·8	40·7	25·64
Galt	5·01	7·58	6·38	6·75	25·72	14·0	2·6	2·5	0·8	S	S	3·5	2·8	26·2	28 34
Wentworth—															
Copetown	....	....	.. .	....	....	11·9	3·9	..	..	..	..	..	..	....	....
Stoney Creek	10·08	6·64	6 97	6·56	30·25	17·0	7·0	3·0	0·0	0·0	0·0	2·0	2·0	31·0	33·35
Mountsberg	..	..	5·90	6·79	...	..	.	.	.	..	S	4·0	4·0	..	....
North Glanford	R	9·06	7 78	....	....	16·0	4·0	11·0	1·0	0·0	0·0	4·0	..	....	....
Halton—															
Georgetown	3·55	5·57	4·49	6·89	20·50	15·7	6·5	11·4	0·6	0·0	0·0	0·8	2·5	37·5	24 25
Nelson	....	....	6·30	6·51	....	..	..	..	..	..	S	S	6·0	....	....

TABLE XXXI (Continued).—*Quarterly Rainfall at the several Stations, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.									Total Precipitation.
						January.	February.	March.	April.	May.	October.	November.	December.	Year.	
ONTARIO—*Continued.*															
York—															
Aurora	1·84	4·23	7·56	5·28	18·91	11·1	9·1	12·7	0·2	0·0	S	3·4	2·6	39·1	22·82
Georgina	1·25	4·58	8·87	5·22	20·02	10·5	6·5	4·0	1·0	0·0	0·0	1·0	2·5	25·5	22·57
Scarboro'	4·44	6·11	6·71	6·69	23·95	10·9	3·1	5·2	S	S	0·0	2·0	2·9	24·1	26·36
Toronto	3·62	6·19	7·06	5·95	22·82	12·4	6·6	8·9	0·1	0·1	0·3	3·9	2·3	34·6	26·28
Sharon	2·59	4·59	8·03	5·43	20·55	19·0	10·9	14·4	0·3	S	S	2·5	7·2	54·2	25·98
Maple	2·85	4·69	....	....	....	12·5	6·5	14·0	.	..	..	..	..	....	....
Northumberland—															
Warkworth	2·55	4·82	7·43	6·91	21·71	7·5	*	4·0	*	0·0	*	1·7	*	13·2	23·03
Ontario—															
Oshawa	5·19	....	....	5·97	....	6·7	18·2	7·5	0·0	0·0	0·0	1·4	10·4	44·2	....
Port Perry	3·28	4·72	7·16	6·50	21·66	..	..	..	..	..	..	..	..	....	....
Durham—															
Port Hope	3·60	3·85	9·45	9·00	25·90	15·5	3·0	9·0	0·0	0·0	0·0	1·0	1·0	29·5	28·85
Lennox and Addington—															
Denbigh	1·45	8·75	9·24	6·52	25·96	21·5	14·0	16·0	11·0	1·0	1·0	6·0	4·5	75·0	33·46
Harrowsmith	2·10	3·25	7·39	9·54	22·28	9·0	11·5	14·0	1·0	0·0	0·0	0·5	5·0	41·0	26·38
Glengarry—															
Alexandria	....	....	13·24	10·44	....	..	..	.	..	..	5·4	9·6	16·4	....	....
Frontenac—															
Kingston	1·46	3·61	10·11	10·72	25·90	29·4	10·2	14·6	3·3	S	S	2·3	8·3	68·1	32·71
Carleton—															
Ottawa	0·35	6·07	9·98	7·94	24·34	17·0	22·0	16·5	4·3	0·0	0·0	4·5	9·0	73·3	31·67
Nipissing—															
Mattawa	....	....	6·76	1·70	....	10·0	3·0	18·0	15·0	6·0	1·0	S	8·0	55·0	....

TABLE XXXI (Continued).—*Quarterly Rainfall at the several Stations, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	Total Precipitation.
ONTARIO—*Continued.*															
Renfrew—															
Clontarf	2·06	4·22	7·67	6·38	20·33	20·3	16·8	25·0	13·5	1·5	0·8	8·0	9·5	95·4	29·87
Rockliffe	1·00	3·80	8·53	3·39	16·72	25·5	8·6	16·5	10·0	0·0	*	8·1	11·2	79·9	24·71
Renfrew	0·00	4·44	5·48	3·27	13·19	10·0	8·0	8·0	9·0	1·0	*	5·0	2·5	43·5	17·54
Lanark—															
Oliver's Ferry	0·25	6·19	7·47	6·36	20·27	11·0	16·0	8·0	1·5	0·0	0·0	0·8	3·0	40·3	24·30
Victoria—															
Bobcaygeon	1·36	5·63	5·84	7·21	20·04	14·4	13·8	14·3	5·2	0·0	*	0·3	6·3	54·3	25·47
Lindsay	2·19	4·62	7·96	5·13	19·90	18·4	12·3	24·2	3·0	0·7	0·3	6·1	7·0	72·0	27·10
Minden	4·11	5·85	7·17	8·73	25·86	25·9	15·5	19·2	7·6	*	0·5	7·0	7·7	83·4	34·20
Peterborough—															
Ennismore	2·12	4·57	8·01	7·72	22·42	12·5	11·5	12·0	3·0	*	1·0	2·0	5·0	47·0	27·12
Lakefield	1·03	5·65	5·81	5·18	17·67	13·5	16·3	12·5	4·0	0·0	0·5	5·3	5·0	57·1	23·38
Norwood	2·34	4·98	5·19	6·80	19·31	27·0	8·5	16·0	3·0	0·0	0·5	2·8	4·2	62·0	25·51
Haliburton—															
Haliburton	3·49	6·76	7·20	6·35	23·80	14·0	16·0	20·0	6·5	0·1	0·7	3·0	7·4	67·7	30·57
Hastings—															
Belleville	....	3·21	8·55	....	....	..	.	..	1·0	..	..	..	..	....	....
Deseronto	5·21	2·81	8·38	3·52	19·92	13·0	7·0	13·9	1·7	0·0	0·0	0·0	3·0	38·6	23·78
Shannonville	2·12	2·50	8·76	8·24	21·62	24·0	10·0	14·0	0·0	0·0	0·0	0·5	4·0	52·5	26·87
Peel—															
Credit	....	5·14	5·26	....	....	..	..	..	..	..	.	..	..	....	....
Alton	3·24	5·02	7·17	8·27	23·70	13·0	4·6	8·0	1·0	1·5	1·5	2·8	3·8	36·2	27·32
Humber	....	....	6·58	4·13	....	..	..	..	..	..	..	1·0	0·1	....	....
Parry Sound—															
Joly	1·35	4·76	9·16	5·05	20·32	17·5	24·2	29·0	12·0	1·7	11·3	11·5	12·4	119·6	32·28
Sprucedale	1·97	6·67	7·26	6·94	22·84	29·2	5·5	18·5	5·5	0·0	*	9·7	11·2	79·6	31·80
Parry Sound	2·69	5·98	5·93	9·56	24·16	29·9	22·3	11·9	4·4	0·8	0·5	4·0	10·8	84·6	32·62
Uplands	2·18	6·92	9·19	6·14	24·43	16·0	14·5	22·5	13·5	4·5	19·4	13·5	19·5	123·4	36·77

TABLE XXXI (Continued.)—*Quarterly Rainfall at the several stations, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES.									Total Precipitation.
						January.	February.	March.	April.	May.	October.	November.	December.	Year.	
ONTARIO—*Continued.*															
Muskoka—															
Axe Lake	0·00	4·18	6·01	5·44	15 63	25·6	16·3	16·0	2·0	*	0·5	6·5	14·8	81·7	23·80
Bala	1·97	6·67	6·50	10·02	25·16	29·2	5·5	18·5	5·5	0·0	*	4 3	5·5	68·5	32·01
Beatrice	1·52	5·69	12·06	8·59	27·86	22·5	21·0	31·0	21·5	11·4	*	10·2	44·8	162·4	44·10
Gravenhurst	1 87	4·19	4·48	8·10	18·64	33·5	14·5	27·5	6·3	0·0	0·3	5·7	8·0	95·8	28·22
Charlinch	2·32	7·45	8·14	9·20	27·11	38·7	18·8	23·6	6·6	1·1	1·4	15·8	15·9	121·9	49·30
Midlothian	.....	6·92	7·47	7·33	.....	.....	.....	14·0	4·0	1·5	1·0	11·0	18·0	.....	.....
Algoma—															
Port Arthur	0·00	9·29	7 70	3·13	20·12	14 6	5·8	27·6	9·4	2·7	1·5	0·8	*	62·4	26·36
Savanne	0 00	5·68	6·93	3·28	15·89	18·0	19·0	11·0	9·0	10·0	12·5	14·0	2·6	96·1	25·50
Little Current	3·29	6·52	7·47	14·49	31·77	26·5	29·3	21·5	8·5	0·0	1·0	6·8	14·5	108·1	42·58
Barclay	.....	.....	.....	.....	.....	.....	.....	.....	.....	*	.....	.....	.....	.....	.....
White River	R	4·93	8·90	1·83	15·66	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cartier	0·50	4 50	6·45	6·99	18·44	26·0	19·0	22·0	5·0	0·0	12·5	14·0	20·0	118·5	30·29
Nepigon	0·00	4·14	8·61	1·61	14·36	35·0	15·5	37·0	9·0	11·5	11·0	5·5	3·7	128·2	27·18
Biscotasing	R	2·19	6·70	1·92	10·81	21·0	23·0	10·0	*	0·0	1·5	7 0	17·0	79·5	18·76
Heron Bay	0·05	.....	....	.....	.....	21·0	10·0	10·5	2·0	.....	.....	.....	.....	.....	.....
Mean for Ontario	2·93	5·64	7·36	6·89	22·82	19·4	9·0	14·0	3·2	1·1	1·7	3·8	6·8	59·0	28·72

TABLE XXXI (Continued).—*Quarterly Rainfall at the several Stations, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	Total Precipitation.
QUEBEC.															
Huntingdon	0·37	10·57	14·49	11·60	37·03	16·0	16·3	18·0	3·0	S	7·0	7·0	10·0	77·3	44·76
Montreal	1·80	5·89	12·90	10·49	31·08	38·6	30·0	25·2	7·1	S	7·8	11·0	17·6	132·3	44·31
Brome	R	7·65	15·24	7·18	30·07	27·0	21·0	33·0	1·0	S	S	3·5	11·0	96·5	39·72
Bird Rock	2·60	3·16	7·89	10·89	24·54	5·3	4·6	6·8	9·1	2·5	0·0	5·4	17·2	50·9	29·63
Quebec	0·94	8·96	14·49	7·52	31·91	37·7	25·7	15·7	23·4	2·0	6·0	17·1	35·5	163·1	48·22
Father Point	1·58	7·15	11·64	10·81	31·18	30·9	31·0	17·6	19·8	0·0	S	26·8	35·2	161·3	47·31
Cranbourne	1·77	8·33	18·24	8·90	37·24	53·0	24·7	29·9	20·5	10·0	26·0	15·2	40·5	219·8	59·22
Chicoutimi	1·50	5·43	12·87	5·23	23·03	22·9	13·2	7·8	12·0	0·0	3·0	13·0	24·9	96·8	32·71
Richmond	1·29	9·03	15·04	10·36	35·72	40·0	24·0	29·0	10·5	0·0	4·7	6·0	19·0	133·2	49·04
Lennoxville	....	....	....	....	....	..	..	..	..	..	..	..	9·1	....	....
St. Francis	1·02	....	....	....	....	41·0	14·0	24·0	..	..	..	..	..	....	....
Pointe Platon	....	....	....	11·67	....	..	..	..	..	..	..	..	..	....	....
Anticosti, S. W. P.	1·80	5·26	8·21	7·22	22·49	32·0	27·0	4·8	16·0	1·0	0·0	7·0	27·0	114·8	33·97
" Heath P.	R	4·66	6·39	8·14	19·19	..	..	..	..	..	..	..	..	....	....
" West P.	0·00	7·63	7·25	8·88	23·76	..	..	..	..	..	..	20·0	54·0	....	....
Point des Monts	0·00	7·96	12·20	14·65	34·81	64·0	75·0	26·0	61·0	0·0	10·0	33·0	51·0	320·0	66·81
Cape Chatte	....	6·32	6·67	7·79	....	..	..	..	..	..	..	..	..	....	....
Cape Magdalen	0·87	6·42	7·21	5·94	20·44	14·0	14·0	48·5	20·0	0·0	19·0	19·5	54·0	189·0	39·34
Bicquet	....	....	12·80	....	....	..	..	..	..	..	..	..	..	....	....
Cape Norman	2·09	2·63	7·34	4·56	16·62	60·5	57·0	4·3	49·8	9·5	0·0	25·8	29·8	227·7	39·39
Roberval	....	7·70	14·04	1·62	....	..	..	..	15·5	..	7·5	19·5	8·0	....	....
Mean for Quebec	1·10	6·53	11·44	8·28	27·35	34·5	28·4	20·8	18·6	3·1	6·8	15·3	27·7	155·2	42·87
NEW BRUNSWICK.															
St. John	8·18	5·69	10·98	19·53	44·38	23·8	20·6	6·3	7·5	S	0·0	10·9	1·5	70·6	51·44
Fredericton	5·33	6·03	10·76	16·20	38·33	27·0	22·5	7·9	5·5	1·0	S	13·0	25·5	102·4	48·57
Chatham	2·65	3·45	10·41	14·99	31·50	16·0	22·6	5·6	16·1	7·3	0·0	9·2	59·8	136·6	45·16
Dorchester	5·63	5·01	11·17	17·34	39·15	26·0	25·9	9·4	27·3	0·4	0·0	2·0	3·0	92·0	48·35
Dalhousie	0·76	5·91	8·92	12·94	28·52	45·0	30·5	9·0	20·0	S	S	11·0	31·5	147·0	43·22
St. Andrews	4·88	5·23	11·74	18·96	40·81	31·6	16·4	18·9	16·7	0·0	0·0	9·0	8·0	100·6	50·87

TABLE XXXI (Continued.)—*Quarterly Rainfall at the several Stations, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	Total Precipitation.
N. BRUNSWICK.—*Con.*															
Point Lepreaux	9·01	6·45	14·84	23·91	54·21	28·0	16·0	17·0	1·5	0·0	0·0	8·0	S	70·5	61·26
Bathurst	1·35	7·45	10·54	6·09	25·43	35·0	24·0	5·3	9·5	S	3·4	2·8	31·2	111·2	36·55
Grand Manan	8·42	6·30	15·96	18·80	49·48	6·4	12·7	19·6	15·8	0·0	0·0	3·2	10·1	67·8	56·26
Parker's Ridge	....	....	....	15·87	....	..	..	.	..	..	5·0	12·0	31·0	....	....
Woodstock	3·11	6·42	10·37	13·72	33·62	32·5	19·3	21·5	9·3	1·7	1·5	7·9	29·1	122·8	45·90
Mean for N. Brunswick	4·93	5·80	11·87	17·84	40·44	27·1	20·9	12·1	12·9	1·5	2·0	8·1	20·9	105·5	50·99
N. W. TERRITORIES.															
Qu'Appelle	R*	7·77	4·83	0·92	13·52	4·0	3·5	14·0	4·0	0·5	7·4	1·4	0·5	35·3	17·05
Medicine Hat	0·00	5·44	5·84	0·70	11·98	4·5	6·2	9·0	0·6	1·2	0·4	1·8	3·2	25·9	14·57
Edmonton	0·00	7·91	7·06	0·81	15·78	7·5	23·3	6·5	S	0·0	1·0	1·0	S	39·3	19·71
Regina	0·00	4·30	2·64	0·08	7·02	8·5	5·0	12·5	3·0	0·3	4·5	2·5	1·0	37·3	10·75
Grenfell	0·00	4·60	6·25	0·20	11·15	..	.	..	..	..	11·5	4·3	0·5	. .	....
Chaplin	0·00	1·48	0·28	0·07	1·83	6·3	5·5	5·5	6·0	1·0	5·0	1·0	0·5	31·8	4·91
Calgary	0·10	6·64	5·54	0·12	12·40	2·4	16·6	9·0	4·0	3·8	8·9	4·1	2·3	51·1	17·51
Kilnap	0·00	5·91	4·42	0·45	10·78	4·2	8·5	4·4	1·3	0·0	0·8	2·6	1·4	23·2	13·10
Maple Creek	0·00	6·40	3·55	0·48	10·43	10·5	1·8	5·0	0·0	0·0	0·0	1·0	S	6·0	11·03
Gleichen	0·00	....	....	....	....	4·0	19·0	S	0·0	0·0	1·3	12·5	3·5	42·3	....
Balgonie	0·00	2·58	3·75	....	....	2·0	2·0	S	S	S	..	..	..	....	....
Fort Chipewyan	0·00	3·21	6·01	0·36	9·58	..		6·5	9·3	0·1	7·1	12·0	7·8	....	....
Pheasant Forks	0·00	....	....	....	....	..	..	..	..	..	..	..	..	....	....
Prince Albert	0·00	3·83	....	....	....	2·0	2·0	5·0	13·8	.	..	.	..	....	....
Fleming	....	....	6·36	0·25	....	..	..	..	..	S	S	S	..	....	....
Banff	0·17	....	....	....	....	..	..	..	..	..	..	..	..	....	....
Mean for N.W. Territories	0·02	5·18	4·64	0·44	10·28	5·1	8·5	6·5	4·2	0·9	4·4	3·7	1·9	35·2	13·80

TABLE XXXI (Continued).— *Quarterly Rainfall at the several Stations, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December	Year.	Total Precipitation.
MANITOBA.															
Winnipeg	0·00	2·80	6·44	1·61	11·85	7·9	3·1	12·9	7·7	S	12·2	3·8	4·3	51·9	17·04
Stony Mountain	0·00	3·10	6·58	0·68	10·36	1·0	2·0	7·7	6·5	0·4	3·7	0·4	2·5	24·2	12·78
Minnedosa	0·00	4·33	6·13	0·59	11·05	4·8	2·5	10·0	10·1	0·7	8·4	4·0	4·5	45·0	15·55
Hillview	0·00	4·79	2·42	1·50	8·71	9·0	10·5	23·0	3·0	0·0	0·5	3·5	4·0	53·5	14·16
St. Albans	0·00	6·14	6·63	1·28	14·05	6·9	4·8	14·9	2·3	0·1	0·1	5·5	3·9	38 5	17 90
Shell River	0·00	6·81	6·75	0·21	13·77	5·5	8·5	17·5	8·5	0·5	9·5	5·5	4·0	59 5	19·72
Sourisford	0·00	3·31	2·83	0·02	6·16	5·5	1·0	32·0	0·0	S	0·0	3·0	1·0	42·5	10·41
Portage la Prairie	0·00	5·58	8·30	1·78	15·66	*	7·0	14·0	2·1	1·0	0·5	1·4	4·5	30·5	18·71
Selkirk, E	0·20	4·55	....	....	....	14·3	5·1	11·8	2·8	0·7	..	..	..	....	....
Gladstone	....	....	....	....	....	6·8	..	14·0	4·5	.	..	..	.	....	....
Swampy Island	....	1·67	5·30	0·42	....	0·7	..	..	0·4	0·1	0·2	0·8	0 7	....	....
Gretna	0·00	6·60	....	....	.. .	13·0	5·5	11 0	..	..	..	..	..	....	....
Shoal Lake	0·00	4·57	....	R	....	9·7	3·5	8·7	5·3	0·0	6·0	3·0	1·5	37·7	....
Cartwright	0·00	5·60	....	0·92	....	7·8	2·5	24·6	2·0	S	S	0·3	.	....	....
Morden	0·00	4·67	3·22	1·15	8·04	12·0	2·5	10·5	3·0	0·0	1·3	0·1	1·5	30·9	11·13
Pilot Mound	0·00	3·63	....	....	....	6·5	5·5	15·5	4·0	.	..	..	.	....	....
Pigeon Lake	0·00	0·79	...	....	....	1·0	2·0	8·0	2·3	..	..	..	..	....	....
Heaslip	....	....	....	....	....	17·0	12·0	..	..	..	..	..	..	....	.. .
De Clare	....	....	....	....	....	7·0	2.5	..	4·0	S	..	..	..	....	....
Griswold	0·00	4·90	0·26	1·52	6·68	..	..	8·0	2·5	0·0	1·5	3·5	4 8	.....	....
Fort Ellice	0·00	4·17	7·40	1·23	12·80	5·3	2·3	12·2	2·7	0·0	1·5	5·5	3·0	32·5	16 05
Hartney	0·00	....	7·04	1·04	....	8·0	4·0	30·5	11·0	1·0	4·0	6·0	3·5	68·0	....
Souris	0·00	....	....	....	....	8·0	2·0	13·0	..	..	..	..	..	....	....
Norquay	0·00	5·87	4·84	1·63	12·34	4·1	2·8	13·0	S	S	S	0·0	S	19·9	14·33
Oak Bank	R	8·69	6·98	1 55	17·22	6·5	5·5	9·3	4·5	0·3	S	1·9	3·5	31·5	20 37
Foxton	R	3·89	....	0·24	....	5·6	3·6	8·7	3·6	S	3·5	S	2·1	27 1	..
Craigelea	0·00	6·29	4·31	1·08	11·68	5·7	3·0	14·3	4·0	0·0	0·5	1·5	4·7	33·7	15 05
Rapid City	0·00	5·82	....	1·45	....	12·3	5·7	23·6	12·3	S	1·5	4·8	3·5	63·7	....
do (2)	....	4·30	6·09	0·65	....	..	..	..	S	S	S	0·3	0·3	....	....
Lintrathen	....	....	....	....	.. .	..	..	.	..	..	..	..	..	....	....

TABLE XXXI (Continued).—*Quarterly Rainfall at the several stations, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	DEPTH OF SNOW IN INCHES. January.	February.	March.	April.	May.	October.	November.	December.	Year.	Total Precipitation.
MANITOBA—*Con.*															
Clandeboye	R	4·86	5·30	1·75	11·91	7·1	2·5	11·1	2·4	0·7	0·5	2·2	4·2	30·7	14·98
Beaver Creek	....	7·62	6·28	....	.....	...	...	...	..	0·2	2·0	...	...	....	....
Bradwardine	....	3·77	....	....	....	...	.	...	...	...	...	...	..	....	....
Selkirk	....	5·30	5·64	...	....	...	...	...	S	2·0	13·4	...	...	....	....
Kola	....	4·03	....	....	...	...	...	...	...	..	...	...	...	....	...
Killarney	....	....	....	....	....	...	...	...	...	...	...	...	...	....	....
Treherne	....	5·57	....	....	....	...	4·0	15·3	3·4	S	...	...	...	....	....
Holmfield	0·00	....	....	....	....	10·0	S	20·0	...	..	...	...	...	....	....
Turtle Mountain	0·00	....	....	....	....	7·8	0 8	11·5	1·5	..	...	...	...	....	....
Stuartburn	0·00	....	....	....	....	9·4	2·3	11·7	...	...	...	...	...	....	....
Adelphi	0·00	4·41	2·86	1·11	8·38	5 5	2·8	17·8	7·0	S	3·7	S	2·0	38·7	12·25
Cartwright	0·00	....	....	....	....	7·8	2·5	24·6	2·0	S	S	0·3	...	....	....
Portage la Prairie	0·00	7·35	8·85	....	....	S	7·0	14·0	2·1	1·0	0·5	1·4	4·5	30·5	....
Fairburn	0·00	3·91	....	....	....	2·8	4 4	3·6	5·4	S	..	...	..	....	....
Clarkleigh	R	7·85	5·08	1·51	14·44	11·0	7·3	15·5	3·5	0·5	2·1	1·2	5·6	46·7	19·11
Eden	0·00	6·86	7·43	1·24	15·52	7·5	3·9	5·3	15·5	S	4·5	1·7	..	....	....
Clearwater	....	....	...	....	....	...	...	...	...	...	...	...	...	....	....
Rosser, C. P. R.	....	....	5·10	1·74	....	...	...	...	S	S	2·0	1·5	4·0	....	....
Beausejour, C. P. R.	0·00	5·10	7·82	0·70	13·62	8·0	7·0	11·0	2·0	0·0	4·0	1·0	0·0	33·0	16·92
Chater, "	0·00	2·24	8·50	0·48	11·22	..	...	...	...	. .	...	...	...	....	....
Austen, "	....	...	0·85	R	....	...	...	...	...	...	...	...	...	....	....
Florenta, "	....	....	....	....	....	...	...	...	6·3	2·0	. .	...	...	....	....
Burnside, "	0·00	5·41	4·85	0·79	11·05	7·0	3·5	12·0	1·0	0·5	1·5	2·3	4·0	31·8	14·23
Mean for Manitoba	0·01	4·98	5·44	1·02	11·43	7·1	4·1	14·3	4·0	0·4	2·8	2·2	3·0	37·9	15·22
NEWFOUNDLAND.															
St. John	7·64	9·04	7·17	21·52	45 37	42·7	18·5	6·8	14·6	7·0	0·0	1·2	17·4	108·2	56·19
Point Rich	1·70	2·59	8·02	6·05	18·36	24·0	40·0	16·0	26·0	12·0	0·0	11·0	22·0	151·0	33·46
Belle Isle	7·45	11·89	8·55	2·16	30·05	...	...	...	. .	. .	...	...	...	....	....
St. Pierre	10·21	10·25	13·02	20·55	54·03	incl	uded	in ra	in.	...	...	...	...	....	54·03
Mean for Newfoundland	6·75	8·44	9·18	12·57	36·94	33·4	29·2	11·4	20·3	9·5	0·0	6·1	19·7	129·6	49·90

TABLE XXXI (Continued).—*Quarterly Rainfall at the several stations, &c., 1888.*

	DEPTH OF SNOW IN INCHES.														TOTAL PRECIPITATION.
	Winter.	Spring.	Summer.	Autumn.	Year.	January.	February.	March.	April.	May.	October.	November.	December.	Year.	
NOVA SCOTIA.															
Halifax	11·36	10·26	17·33	21·34	60·29	27·8	14·8	6 2	12·2	0·2	0·0	0·3	0·1	61·4	66·43
Truro	5·51	7·50	7·86	14·60	35·47	28·5	9·5	7·6	8·4	3·2	0·0	2·0	1·1	60 3	41·50
Beaver Bank	....	7·48	14·78	....	....	..	..	.	.	..	..	.	..	....	....
Sydney	4·77	7·43	9 33	14·78	36·31	27·7	8·0	5·2	25·9	4·6	0·0	4·3	5·6	81·3	44·44
Cow Bay	6·93	6·80	11·50	11·56	36·79	20·0	4·0	3·0	13·0	0·0	0·0	4·0	6·0	50·0	41·79
Yarmouth	11·00	8·11	18·84	25·85	61 80	47·1	13·8	12·3	15·0	0·2	1·0	1·6	5·4	96·4	71·44
Pictou	6·94	6·48	8·22	13·92	35·56	21·5	11·0	5·0	17·0	2·5	S	1·0	2·0	60·0	41·56
Sable Island	5·28	9·99	14·24	11·94	41·45	20·0	24·0	16·0	13·0	S	0·0	S	S	73·0	48·75
White Head	2·07	6·59	11·20	14·40	34·26	11·0	S	S	17·0	2·0	0·0	2·0	S	32·0	37·46
Digby	....	....	6·70	13·80	....	10·0	5·0	1·0	8·0	0·0	0·0	0·0	0·0	24 0	....
Mean for Nova Scotia	5·99	7·74	12·00	15·38	41·11	23·7	10·0	6·3	14·4	1·8	0·5	1·7	2·2	60·6	47·17
P. E. ISLAND.															
Charlottetown	....	....	12·79	11·35	....	..	..	..	.	..	S	8·8	10·6	....	...
Kilmahumaig	3·63	4·01	8·99	14·94	31·57	20·5	12·5	6·0	8·5	7·5	0·0	6·0	13·5	74·5	39·02
Mean for P. E. Island	3·63	4·01	10·88	13·14	31·66	20·5	12·5	6·0	8·5	7·5	S	7·4	12·1	74·5	39·11
BRITISH COLUMBIA.															
Victoria	7 78	4·68	1 77	9·00	23·23	2·7	0·0	4·0	0·0	0·0	0·0	0·0	0·0	6·7	23·90
Port Moody	17·27	13·24	7·25	30·63	68·39	28·0	6·0	6·0	0·0	0·0	0·0	0·0	0·0	40·0	72·29
Quamichan	....	....	3·54	12·75	....	..	..	..	..	..	..	0·0	0·0	....	....
Fort Simpson	28·32	18·30	21·42	37·89	105·93	14·0	12·0	0·2	0·7	0·0	0·0	0·2	0·0	27·1	108·64
Clinton	....	....	....	....	...	15·3	2·8	9·3	0·0	S	3·3	2·8	7·0	40·5	....
New Westminster	19·43	10·64	3·70	26·91	60·67	19·0	7 5	1·3	S	0·0	0·0	0·0	0·0	27·8	63·45
Barkerville	1·57	6·46	9·04	1·17	18·24	24·0	43·7	25·5	34·5	9·5	31·0	25·5	34·0	227·7	41·01
Spence's Bridge	....	....	....	2·58	....	.	..	..	..	..	0·0	0·0	2·2	....	....
Langley	10·71	7·73	4·57	22·43	45·44	14·0	2·0	2·0	0·0	0·0	0·0	0·0	0·0	18·0	47·24
Nicola Lake	1·30	5·43	1·14	2·76	10·63	18·8	0·8	5 5	0·0	0·0	0·0	3·5	8·0	35·8	14·21
Vancouver	....	..	....	....	....	..	..	..	..	.	..	..	..	....	....
Maple Grove	....	....	....	....	....	..	..	..	..	..	..	0·0	0·0	....	....
Mean for B. Columbia	12·33	9·56	5·14	16·50	43·53	17·0	9·3	6·7	7·0	4·7	3·8	3·2	4·7	56·4	49·17

TABLE XXXII.—*Number of days on which Rain fell in each Month, and in the Year 1888, at the Stations in Table XXX.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO.													
Essex—													
Cottam	3	6	8	9	9	11	8	9	4	14	10	9	100
Maidstone	5	4	11	7	11	12	12	8	7	11	7	8	103
Wheatley	4	5	9	4	6	11	5	6	5	9	7	7	78
Wanstead	1	5	2	2	6	9	6	6	5	8	5	2	57
Kent—													
Blenheim	6	3	6	6	9	11	9	8	4	7	9	6	84
Chatham	2	2	5	3	7	7	4	4	4	13	5	2	58
Dealtown	5	6	9	8	11	14	11	7	8	15	12	7	113
Ridgetown	2	5	8	6	16	14	9	12	9	17	13	13	124
Elgin—													
Aylmer	2	5	5	5	9	..	..	..	..	..	..	..	..
Cowall	4	5	4	5	7	10	9	7	7	11	10	6	85
Lyons	2	4	9	4	5	7	8	12	8	14	7	5	85
Port Stanley	4	6	8	9	15	16	12	13	11	23	17	9	143
Norfolk—													
Port Dover	3	8	6	7	15	12	10	13	11	20	15	12	132
Welland—													
Niagara Falls, South	4	5	7	6	9	13	5	9	7	19	11	7	102
Lambton—													
Birnam	3	5	7	5	10	12	10	9	9	9	11	7	97
Oil Springs	3	6	8	4	4	11	5	5	8	13	6	2	75
Petrolea	1	3	3	3	8	4	..	..	..	..	..	..	..
Sarnia	3	2	8	3	7	9	5	6	4	8	4	3	62
Thedford	5	4	9	9	11	11	9	9	11	19	12	3	112
Watford	1	2	7	5	7	9	6	9	6	10	8	1	71
Sombra	2	5	8	8	16	13	8	9	5	..	..	..	.
Wyoming	.	..	..	..	9	12	7	9	7	14	10	3	.

TABLE XXXII (Continued).—*Number of days on which Rain fell, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
ONTARIO—*Continued.*													
Huron—													
Goderich Lighthouse	1	3	7	4	10	8	6	8	9	10	9	4	79
Sunshine	1	4	7	5	9	10	5	9	8	15	7	2	82
Zurich	1	4	3	5	12	10	6	9	10	14	11	4	89
Kincardine	1	2	7	5	11	6	7	5	9	13	10	6	82
Bruce—													
Lion's Head	2	2	3	1	3	3	5	7	3	9	2	3	43
Point Clark	0	3	4	3	4	2	3	4	5	6	6	1	41
Saugeen	3	4	6	6	17	6	6	10	11	22	16	6	113
Wiarton	1	3	5	4	6	3	4	7	4	16	10	6	69
Lucknow	4	3	6	5	10	11	5	10	13	18	12	6	103
North Bruce	..	..	..	..	..	7	4	8	11	20	11	0	..
Grey—													
Bognor	3	2	5	5	5	3	4	9	10	20	17	3	86
Durham	3	5	6	5	11	10	7	8	11	17	8	5	96
Egremont	1	5	6	3	12	7	7	8	6	12	7	9	83
Owen Sound	2	1	6	5	7	1	3	6	7	13	6	5	62
Presqu'Isle	3	3	5	3	9	5	4	15	6	15	8	4	80
Simcoe—													
Coldwater	1	2	5	3	11	6	5	8	10	17	5	4	77
Orillia	2	2	3	2	13	9	7	12	13	18	12	5	98
Midland	..	..	..	..	..	..	..	..	..	..	10	4	..
Bond Head	..	..	..	.	10	8	6	7	8	10	3	3	..
Mulmur	..	..	..	.	7	9	6	6	2	4	..		.
Middlesex—													
Ailsa Craig	1	3	4	1	..	..	..	..	..	..	..	..	..
London	1	4	6	5	6	11	6	9	6	15	8	4	81
Wilton Grove	1	2	8	3	8	10	8	9	9	15	6	3	82
Coldstream	..	..	..	..	..	..	10	9	10	13	9	4	..

TABLE XXXII (Continued).—*Number of days on which Rain fell, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Oxford—													
Norwich	0	4	4	6	8	8	6	8	7	6	..	..	.
Princeton	2	6	9	4	7	7	7	5	10	16	8	6	87
Woodstock	1	5	6	5	10	11	10	6	3	16	11	11	95
Ingersoll	2	5	6	7	13	9	12	11	13	19	7	..	..
Brant—													
Brantford	2	3	3	3	6	11	3	4	8	13	9	5	70
Paris	3	3	9	5	7	12	5	9	7	18	10	7	95
St. George	3	6	9	7	10	13	7	8	8	19	12	7	109
Perth—													
Listowel	4	7	3	10	8	8	8	8	8	8	6	2	80
St. Mary's		..	..	.	..	..	8	11	7	17	9	5	..
Wellington—													
Drayton	2	1	3	4	9	4	..	..	9	13	3	5	..
Fergus	3	4	5	5	11	13	8	14	9	18	12	5	107
Guelph	1	1	7	5	8	9	11	10	9	14	13	5	93
Elora	1	1	8	3	9	8	4	6	4	9	6	4	63
Waterloo—													
Conestogo	2	3	5	5	14	13	11	7	8	16	10	5	99
Galt	2	1	8	3	6	12	7	10	8	17	6	4	84
Wentworth—													
Copetown	3	5	..	.	.	..	..	.	..	.	..	..	..
Stoney Creek	5	7	9	6	7	14	2	6	7	12	9	8	92
Mountsberg	..	..	..	..	6	12	5	7	5	6	5	3	.
N. Glanford	0	3	4	5	8	11	4	8	6	8	3	..	..
Halton—													
Georgetown	3	4	10	8	17	11	10	10	12	23	13	6	127
Nelson	..	..	.	..	..	.	6	7	7	12	10	6	.

TABLE XXXII (Continued.)—*Number of days on which Rain fell, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
Renfrew—													
Clontarf	1	2	4	4	13	7	7	14	12	14	15	4	97
Rockliffe	0	3	4	5	11	9	8	12	8	10	6	1	77
Renfrew	1	0	0	3	8	9	4	10	9	13	2	3	62
Lanark—													
Oliver's Ferry	0	0	2	5	7	5	5	7	7	10	8	2	58
Victoria—													
Bobcaygeon	1	2	7	3	10	7	4	9	8	13	11	5	80
Lindsay	2	2	5	5	13	9	8	12	13	11	12	6	98
Minden	2	4	5	5	17	8	7	13	11	13	11	5	101
Peterborough—													
Ennismore	2	4	8	5	9	8	4	9	9	14	9	6	87
Lakefield	0	2	7	3	12	10	5	10	9	16	8	4	86
Norwood	1	1	6	4	8	5	3	6	7	9	10	4	64
Haliburton—													
Haliburton	2	4	6	5	15	8	8	12	11	12	10	4	97
Hastings—													
Belleville	..	..	..	5	7	6	5	9	9	10	..	..	..
Deseronto	0	3	4	4	8	3	4	8	4	7	7	1	53
Shannonville	1	1	3	2	4	1	3	8	4	6	9	3	45
Peel—													
Credit	..	..	..	3	4	6	3	5	6	6	5	..	..
Alton	2	3	3	3	7	10	7	9	5	14	10	5	78
Humber	..	..	..	..	8	10	8	7	7	10	7	3	..
Parry Sound—													
Joly	0	3	5	3	15	9	8	13	14	15	10	4	99
Sprucedale	1	2	2	4	9	8	5	9	5	7	6	4	62
Parry Sound	2	5	5	5	13	7	6	10	13	18	14	10	108
Uplands	1	3	3	5	8	4	7	14	14	10	8	5	82

TABLE XXXII (Continued).—*Number of days on which Rain fell, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*													
York—													
Aurora	2	1	4	3	8	9	6	9	9	14	7	2	74
Georgina	2	2	4	3	9	7	4	10	10	13	7	2	73
Scarboro	4	5	7	5	12	10	8	14	10	18	11	4	108
Toronto	5	9	8	7	16	11	9	13	14	20	14	7	133
Sharon	3	4	8	5	13	9	7	14	17	15	10	3	108
Maple	1	2	4	2	7	7	5	..	.	..	.	..	..
Northumberland—													
Warkworth	1	3	6	5	9	5	4	7	4	5	11	5	65
Ontario—													
Oshawa	1	6	6	.	..	..	.	7	8	8	11	5	..
Port Perry	6	4	3	3	8	7	6	10	7	10	10	4	78
Durham—													
Port Hope	1	2	4	4	7	4	5	6	7	7	7	3	57
Lennox and Addington—													
Denbigh	4	0	0	5	8	7	7	9	4	6	6	5	61
Harrowsmith	1	4	4	4	8	9	5	11	7	12	11	3	79
Glengary—													
Alexandria	..	..	..	..	..	..	6	15	13	18	13	5	..
Frontenac—													
Kingston	0	2	6	6	16	14	10	11	12	15	13	9	114
Carleton—													
Ottawa	0	0	2	8	12	13	4	11	12	13	11	5	91
Nipissing—													
Mattawa	0	1	2	4	7	6	6	9	7	7	6	1	56

TABLE XXXII (Continued).—*Number of days on which Rain fell, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Concluded.*													
Muskoka—													
Axe Lake	0	0	0	0	10	3	2	5	6	7	3	0	36
Bala	1	2	3	4	8	5	5	11	15	20	10	6	90
Beatrice	3	0	0	4	9	10	8	9	9	14	9	4	79
Gravenhurst	4	4	4	4	15	5	5	8	10	16	8	7	90
Charlinch	1	4	5	5	12	13	8	11	12	15	9	7	102
Mid-Lothian	..	.	4	4	11	5	4	11	10	12	7	6	..
Algoma—													
Port Arthur	0	0	0	8	12	12	12	13	12	11	5	2	87
Savanne	0	0	0	2	7	11	8	11	10	5	3	0	57
Little Current	1	3	4	2	5	4	2	3	7	9	6	4	50
Barclay	.	..	..	..	7	9	11	..	..	..	.	..	..
White River	0	1	0	2	7	6	5	12	10	5	3	2	53
Cartier	0	1	1	1	16	10	9	13	13	7	4	3	98
Nepigon	0	0	0	4	9	7	7	15	18	7	1	1	69
Biscotasing	0	0	1	1	8	5	6	5	5	3	2	0	36
Heron Bay	0	1	0	1	..	..	..	..	..	..	..	..	..
Mean for Ontario	1·9	3·1	5·1	4·5	9·5	8·5	6·5	8·9	8·5	12·7	8·6	4·6	82·4

TABLE XXXII (Continued).—*Number of days on which Rain fell, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
QUEBEC.													
Huntingdon	0	2	3	6	11	15	8	11	12	15	10	4	97
Montreal	2	2	6	11	16	19	13	19	16	22	16	8	150
Brome	3	3	4	12	19	21	14	23	17	17	15	8	156
Bird Rock	1	5	4	2	8	13	12	13	12	19	14	5	108
Quebec	3	1	4	4	15	17	14	25	17	18	14	5	137
Father Point	0	0	6	4	16	16	14	20	9	16	11	3	115
Cranbourne	1	1	3	2	15	18	14	20	12	11	8	4	109
Chicoutimi	0	0	5	5	13	17	16	20	13	11	5	2	107
Richmond	3	2	7	5	16	13	11	20	17	17	15	4	130
Lennoxville	..	..	..	..	..	..	..	..	..	..	..	6	...
St. Francis	0	2	3	..	..	..	..	..	..	..	..	..	...
Pointe Platon	..	..	..	..	..	..	11	22	11	15	..	..	...
Anticosti, S. W. P.	0	0	3	0	5	10	4	8	9	12	5	2	58
Anticosti, Heath Pt.	1	4	6	6	9	2	2	6	3	7	7	1	54
Anticosti, W. P.	0	0	0	0	6	10	3	6	3	13	5	1	47
Point des Monts	0	0	3	0	5	11	16	14	4	17	2	0	72
Cape Chatte	..	..	..	0	9	9	5	6	6	10	6	1	...
Cape Magdalen	0	0	5	0	11	11	7	11	4	12	3	1	65
Bicquet	..	..	..	..	7	7	7	10	3	7	5	..	...
Cape Norman	0	0	8	0	8	12	13	16	8	16	4	1	86
Roberval	..	..	..	2	10	14	12	14	10	4	3	2	...
Mean for Quebec	0·9	1·4	4·2	3·5	11·1	13·1	10·3	14·9	9·8	13·6	8·2	3·2	94·2
NEW BRUNSWICK.													
St. John	6	5	6	5	10	6	11	14	7	15	14	9	108
Fredericton	4	8	7	6	16	11	16	21	15	20	13	6	143
Chatham	2	5	6	4	11	15	15	17	13	17	15	7	127
Dorchester	3	6	7	4	8	12	11	18	12	20	15	9	125
Dalhousie	0	0	5	1	7	13	7	18	11	15	10	3	90
St. Andrews	8	6	5	3	14	8	9	17	13	16	12	9	120
Point Lepreaux	6	7	4	1	7	7	9	10	10	18	12	9	100
Bathurst	1	0	5	2	8	15	11	13	9	10	10	4	88
Grand Manan	7	6	6	6	16	14	14	20	17	20	19	12	157
Parker's Ridge	..	..	..	..	..	..	..	..	5	8	7	1	..
Woodstock	2	3	5	2	10	10	14	16	13	16	13	5	109
Mean for New Brunswick	3·9	4·6	5·6	3·4	10·7	11·1	11·7	16·4	11·4	15·9	12·7	6·7	114·1

TABLE XXXII (Continued).—*Number of days on which Rain fell, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NOVA SCOTIA.													
Halifax	4	8	8	9	12	13	13	18	14	17	18	10	144
Truro	4	8	9	6	14	18	12	21	16	22	18	12	160
Beaver Bank	2	4	3	3	5	11	10	15	10	11	11	..	..
Sydney	5	6	7	6	12	14	14	20	14	24	13	9	144
Cow Bay	4	6	5	3	5	7	10	8	11	14	10	5	88
Yarmouth	8	8	8	12	18	21	11	14	16	18	20	15	169
Pictou	3	5	5	4	6	8	4	10	8	14	9	8	84
Sable Island	5	9	5	8	5	12	9	9	13	11	9	9	104
White Head	1	5	4	4	5	8	6	9	6	11	7	6	72
Digby	0	0	0	..	3	7	4	5	1	8	4	4	..
Mean for Nova Scotia	3·6	5·9	5·4	6·1	8·5	11·9	9·3	12·9	10·9	15·0	11·9	8·7	110·1
P. E. ISLAND.													
Charlottetown	..	..	..	..	.	..	18	21	16	28	17	12	..
Kilmahumaig	4	5	14	15	10	16	14	16	18	27	11	6	156
Mean for P. E. Island	4·0	5·0	14·0	15·0	10·0	16·0	16·0	18·5	17·0	27·5	14·0	9·0	166·0
BRITISH COLUMBIA.													
Victoria	12	11	11	17	4	10	5	2	7	14	16	13	122
Port Moody	8	12	14	22	8	17	8	6	7	16	22	15	155
Quamichan	..	..	..	..	..	..	9	2	8	12	8	20	.
Fort Simpson	7	22	16	23	15	23	10	9	20	29	23	19	216
Clinton	1*	0*	2	4	4	11	7	8	0	5	0	3	45
New Westminster	15	16	14	18	9	14	6	3	7	17	23	19	161
Barkerville	1	4	2	9	6	18	15	10	9	5	2	2	83
Spence's Bridge	..	..	..	..	..	..	..	5	0	7	4	6	..
Langley	3	7	10	12	4	13	6	3	6	13	15	14	106
Nicola Lake	5	8	7	11	7	19	8	6	5	15	6	5	102
Vancouver	..	..	..	12	2	..	..	..	..	..	.	..	..
Maple Grove	..	.	..	..	..	..	..	..	..	..	.	19	..
Mean for British Columbia	6·5	10·0	9 5	14 2	6·6	1·6	8·2	5·4	6·9	13·3	11·9	12·3	106·4

TABLE XXXII (Continued).—*Number of days on which Rain fell, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
MANITOBA.													
Winnipeg	0	0	0	6	9	17	13	13	14	11	3	0	86
Stony Mountain	0	0	0	4	8	13	12	10	7	8	0	0	62
Minnedosa	0	0	0	3	8	12	15	10	10	9	0	0	67
Hillview	0	0	0	5	5	10	3	7	1	6	1	0	38
St. Albans	0	0	0	5	8	13	14	7	8	9	1	1	66
Shell River	0	0	0	2	7	11	9	6	11	3	0	0	49
Sourisford	0	0	0	4	8	7	6	5	2	5	1	0	38
Portage la Prairie	0	0	0	2	4	12	9	9	6	7	1	1	51
Selkirk, E	0	2	1	4	8	16	12	15	..	..	..	..	..
Gladstone	0	0	0	4	..	13	13	8	9	.	..	..	..
Swampy Island	0	0	0	0	2	10	10	6	9	3	0	0	40
Gretna	0	0	0	3	2	10	9	1	..	..	..	..	..
Shoal Lake	0	0	0	3	5	9	.	8	3	4	0	0	.
Cartwright	0	0	0	4	7	12	11	10	..	8	2	0	.
Morden	0	0	0	3	3	12	7	2	3	4	1	1	36
Pilot Mound	0	0	0	3	2	8	7	1	..		..		.
Pigeon Lake	0	0	0	0	3	6	5	.	..	.	..	.	..
Heaslip	0	0	..	..	..	..	..			.	..	..	.
DeClare	0	0	..	1	1	.	..	..	..	..	..	..	
Griswold	0	0	0	5	6	13	3	..	..	4	1	0	.
Fort Ellice	0	0	0	2	3	10	10	7	2	3	0	0	37
Hartney	0	0	0	4	9	..	13	7	2	5	2	0	.
Souris	0	0	0	0	..	5	9	11	6	..	..	..	..
Norquay	0	0	0	2	5	12	10	14	10	11	0	0	64
Oak Bank	0	0	1	5	7	11	11	13	14	10	0	1	73
Foxton	0	0	1	3	5	10	..	..	3	2	0	0	..
Craigilea	0	0	0	3	4	12	10	7	3	7	1	0	47
Rapid City	0	0	0	5	8	14	10	.	5	7	1	0	.
" (2)	..	.		2	7	7	11	8	2	4	0	0	..
Lintrathen		.	.	..	4	11	8	..	..	.	.	.	.
Arnaud	..	..		.	6	13	11	6	.	..	.	..	..

TABLE XXXII (Continued.)—*Number of days on which Rain fell, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November.	December.	Year.
MANITOBA—*Concluded.*													
Clandeboye	0	0	1	5	5	16	13	18	15	14	2	0	89
Beaver Creek	0	0	0	2	5	11	9	8	4	6	..	..	..
Bradwardine	0	0	0	2	2	6	..	..	..	..	..	..	..
Selkirk	0	0	0	3	4	11	7	13	7	6	..	..	..
Kola	0	0	0	3	2	8	8	1	..	..	..	..	..
Killarney	0	0	0	3	..	..	13	7	..	..	..	..	..
Treherne	0	0	0	4	6	12	..	..	..		.	.	.
Holmfield	0	0	0	..	..	..	..	..	..	..		..	..
Turtle Mountain	0	0	0	4	..	..	..	..	..	..	..	..	..
Stuartburn	0	0	0	..	..	..	..	..	..	..	.	..	..
Adelphi	0	0	0	2	1	13	8	3	2	4	1	0	34
Cartwright	0	0	0	2	.	.	..	..	..	..	..	..	..
Portage la Prairie	0	0	0	5	4	12	10	5	6	10	.	..	..
Fairburn	0	0	0	4	6	9	10	..	..	.		..	..
Clarkleigh	0	0	1	7	8	13	7	10	11	7	0	2	66
Eden	0	0	0	2	8	13	13	11	5	6	1	0	59
Clearwater	0	0	0	3	.	..	..	..			..	..	..
Rosser, C.P.R.	0	0	0	0	2	8	8	6	4	5	0	0	33
Beausejour, C.P.R.	0	0	0	3	0	11	6	8	4	3	0	0	35
Chater, "	0	0	0	2	2	7	5	3	1	3	1	0	24
Austin, "	0	0	0	0	3	4	6	1	1	1	0	0	..
Burnside, "	0	0	0	3	3	7	7	5	6	3	1	0	35
Florenta	..	..	..	3	6	..	..	..	..	..	..	..	..
Mean for Manitoba	0·0	R	0·1	3·2	4·9	10·7	9·3	7·6	5·9	6·0	0·7	0·2	48·6

TABLE XXXII (Continued).—*Number of days on which Rain fell, &c., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N.-W. TERRITORIES.													
Qu'Appelle	0	1	0	5	10	14	12	12	5	9	1	1	69
Medicine Hat	0	0	0	4	7	9	7	6	1	6	0	2	42
Edmonton	0	0	1	4	4	13	8	8	1	4	0	0	43
Regina	0	0	0	7	8	16	10	18	0	8	1	1	69
Grenfell	0	0	0	3	7	14	8	6	2	3	0	0	43
Chaplin	0	0	0	0	2	9	4	4	0	2	0	0	21
Calgary	0	1	0	7	11	17	17	18	9	9	0	0	89
Kilnap	0	0	0	1	7	13	12	13	9	8	1	2	66
Maple Creek	0	0	0	1	7	10	4	5	2	2	0	0	31
Gleichen	0	0	0	6	..	..	..	..	3	0	0	0	..
Balgonie	0	0	0	1	4	11	5	1	1	..	..	.	..
Fort Chipewyan	0	0	0	0	5	11	9	9	11	2	1	0	48
Pheasant Forks	0	0	0	1	2	9	5	..	..	..	..	..	..
Prince Albert	0	0	0	2	1	10	9	2	..	..	..	..	..
Fleming	..	..	..	..	2	8	7	4	1	1	0	0	..
Banff	0	3	2	7	..	..	..	..	..	..	2	4	..
Mean for N.-W. Territories	0·0	0·3	0·2	3·3	5·5	11·7	8·4	8·2	3·5	4·5	0·5	0·7	46·8
NEWFOUNDLAND.													
St. John	5	9	13	10	15	14	13	13	13	24	14	14	157
Point Rich	1	3	3	1	3	6	9	7	7	11	9	3	63
Belle Isle	1	1	11	3	9	9	10	10	13	7	2	2	78
St. Pierre	8	10	14	14	10	14	15	24	11	27	22	16	185
Mean for Newfoundland	3·8	5·7	10·3	7·0	9·3	10·8	11·8	13·5	11·0	17·3	11·8	8·8	121·1

TABLE XXXIII.—*Quarterly number of days of Rain with the number of days of Snow, during the year 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
ONTARIO.														
Essex—														
Cottam	17	29	21	33	100	9	3	8	2	0	0	4	5	30
Maidstone	20	30	27	26	103	2	0	1	0	0	0	0	0	3
Wheatley	18	21	16	23	78	8	3	1	0	0	0	3	2	17
Wanstead	8	17	17	15	57	3	5	2	1	0	0	1	0	12
Kent—														
Blenheim	15	26	21	22	84	5	2	3	0	0	1	2	1	14
Chatham	9	17	12	20	58	8	4	6	0	0	1	3	7	29
Dealtown	20	33	26	34	113	7	2	6	1	0	0	2	2	20
Ridgetown	15	36	30	43	124	13	6	5	3	0	1	3	5	36
Elgin—														
Aylmer	12	..	..	..	..	7	3	4	1	..	..	..	..	..
Cowall	13	22	23	27	85	5	4	3	2	0	1	1	1	17
Lyons	15	16	28	26	85	5	0	1	1	0	0	5	2	14
Port Stanley	18	40	36	49	143	19	8	13	5	0	2	6	15	68
Norfolk—														
Port Dover	17	34	34	47	132	14	8	1	0	0	2	4	16	45
Welland—														
Niagara Falls, S.	16	28	21	37	102	8	6	5	1	0	0	3	8	31
Lambton—														
Birnam	15	27	28	27	97	12	7	9	2	0	2	9	10	46
Oil Springs	17	19	18	21	75	12	2	5	1	0	0	5	4	29
Petrolea	7	15	..	..	..	2	2	2	2	..	..	..	..	..
Sarnia	13	19	15	15	62	5	1	4	1	0	0	2	1	14
Thedford	18	31	29	34	112	10	4	8	0	0	2	2	8	34
Watford	10	21	21	19	71	..	..	..	..	..	..	..	..	..
Sombra	15	27	22	..	..	16	8	2	1	1	..	..	..	..
Wyoming	..	..	23	37	..	..	..	..	..	..	..	3	7	..

TABLE XXXIII (Continued).—*Quarterly Number of Days of Rain, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
ONTARIO—*Continued.*														
Huron—														
Goderich Lighthouse	11	22	23	23	79	14	9	10	2	1	..	1	10	47
Sunshine	12	24	22	24	82	16	13	9	2	3	2	4	7	56
Zurich	8	27	25	29	89	12	6	10	2	2	4	2	11	49
Kincardine	10	22	21	29	82	25	11	15	5	2	3	7	12	80
Bruce—														
Lion's Head	7	7	15	14	43	..	.	..	..	..	..	..	..	..
Point Clark	7	9	12	13	41	7	2	4	1	0	1	0	3	16
Saugeen	13	29	27	44	113	24	13	16	4	3	..	11	13	84
Wiarton	9	13	15	32	69	14	7	7	2	1	1	3	7	42
Lucknow	13	26	28	36	103	22	3	17	3	3	1	5	15	69
North Bruce	.	..	23	31	..	..	..	..	..	..	4	3	5	..
Grey—														
Bognor	10	13	23	40	86	5	6	7	3	2	1	4	3	31
Durham	14	26	26	30	96	14	12	10	4	4	2	6	11	63
Egremont	12	22	21	28	83	8	5	9	5	3	2	6	8	46
Owen Sound	9	13	16	24	62	10	6	8	1	1	1	2	6	35
Presqu'Isle	11	17	25	27	80	11	9	8	3	3	3	6	5	48
Simcoe—														
Coldwater	8	20	23	26	77	10	11	10	4	2	1	4	8	50
Orillia	7	24	32	35	98	14	15	10	6	2	1	7	10	66
Midland	..	..	..	..	..	.	..	.	..	..	..	1	5	..
Bond Head	..	.	21	16	..	..	..	..	5	1	2	9	6	..
Mulmur		..	14	..	..	..	..	..	..	..	1	..	..	..
Middlesex—														
Ailsa Craig	8	..	..	..	..	8	2	4	..	..	.	..	..	..
London	11	22	21	27	81	11	5	4	3	0	2	3	8	36
Wilton Grove	11	21	26	24	82	8	3	3	0	0	0	1	2	17
Coldstream	..	..	29	26	..	..	..	..	..	..	3	5	6	..

TABLE XXXIII (Continued).—*Quarterly number of days of Rain, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
ONTARIO—*Continued.*														
Oxford—														
Norwich	8	22	21	..	..	10	3	..	S	..	..	..	..	..
Princeton	17	18	22	30	87	11	3	6	1	..	1	2	4	28
Woodstock	12	26	19	38	95	16	5	7	1	..	2	5	8	44
Ingersoll	13	29	36	..	..	8	5	11	5	1	..	..	8	..
Brant—														
Brantford	8	20	15	27	70	6	4	2	1	0	0	2	2	17
Paris	15	24	21	35	95	9	2	3	1	1	1	7	5	29
St. George	18	30	23	38	109	15	6	8	0	0	0	3	11	43
Perth—														
Listowel	14	26	24	16	80	15	7	12	5	3	2	3	9	56
St. Mary's	..	..	26	31	..	..	..	..	..	..	1	2	11	..
Wellington—														
Drayton	6	17	..	21	..	6	6	4	1	1	0	0	3	21
Fergus	12	29	31	35	107	18	11	15	2	1	0	6	10	63
Guelph	9	22	30	32	93	12	7	6	2	2	0	7	6	42
Elora	10	20	14	19	63	8	4	7	1	0	0	5	5	30
Waterloo—														
Conestogo	10	32	26	31	99	15	10	14	2	2	2	6	9	60
Galt	11	21	25	27	84	13	14	11	3	1	1	5	12	60
Wentworth—														
Copetown	..	..	..	..	..	12	5	..	..	..	..	..	..	..
Stoney Creek	21	27	15	29	92	10	3	8	0	0	0	3	3	27
Mountsberg	..	..	17	14	..	..	..	..	..	..	1	2	4	..
N. Glanford	7	24	18	..	..	7	1	9	1	..	..	3	..	..
Halton—														
Georgetown	17	36	32	42	127	17	14	15	3	0	0	9	13	71
Nelson	..	..	20	28	..	..	..	..	..	..	1	5	6	..

TABLE XXXIII (Continued).—*Quarterly Number of Days of Rain, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
ONTARIO—*Continued.*														
York—														
Aurora	7	20	24	23	74	11	7	8	2	..	2	6	8	42
Georgina	8	19	24	42	73	8	5	10	1	..	..	5	4	33
Scarboro	16	27	32	33	108	14	11	7	4	1	..	5	13	55
Toronto	22	34	36	41	133	17	15	14	5	3	3	7	19	83
Sharon	15	27	38	28	108	21	10	8	1	1	1	7	11	60
Maple	7	14	..	.	..	7	4	5	..	..	..	..	..	..
Northumberland—														
Warkworth	10	19	15	21	65	4	2	4	1	..	1	2	2	16
Ontario—														
Oshawa	13	..	..	24	..	12	7	3	..	..	..	3	6	31
Port Perry	13	18	23	24	78	..	..	..	..	..	.	..	..	..
Durham—														
Port Hope	7	15	18	17	57	7	2	4	..	..	..	1	3	17
Lennox and Addington—														
Denbigh	4	20	20	17	61	8	6	5	4	2	3	2	4	34
Harrowsmith	9	21	23	26	79	3	6	6	2	..	..	3	4	24
Glengarry—														
Alexandria	..	..	34	36	..	..	..	..	..	..	3	9	12	..
Frontenac—														
Kingston	8	36	33	37	114	15	10	9	6	1	2	12	10	65
Carleton—														
Ottawa	2	33	27	29	91	5	7	5	5	..	..	3	6	31
Nipissing—														
Mattawa	3	17	22	14	56	4	6	5	4	..	4	1	5	29

TABLE XXXIII (Continued).—*Quarterly number of Days of Rain, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	YEAR.
ONTARIO—*Continued.*														
Renfrew—														
Clontarf	7	24	33	33	97	12	11	12	10	1	7	6	9	68
Rockliffe	7	35	28	17	87	12	13	11	6	0	3	4	5	54
Renfrew	1	20	23	18	62	4	1	2	3	1	2	3	3	19
Lanark—														
Oliver's Ferry	2	17	19	20	58	4	6	3	2	0	0	1	2	18
Victoria—														
Bobcaygeon	10	20	21	29	80	13	11	10	3	0	1	4	6	48
Lindsay	9	27	33	29	95	13	10	10	9	4	2	9	9	66
Minden	11	30	31	29	101	9	11	7	5	1	2	4	6	45
Peterborough—														
Ennismore	14	22	22	29	87	14	12	5	8	2	3	5	6	55
Lakefield	9	25	24	28	86	9	11	4	2	0	1	8	3	38
Norwood	8	17	16	23	64	8	5	3	2	0	1	6	3	28
Haliburton—														
Haliburton	12	28	31	26	97	11	11	8	8	5	2	7	11	63
Hastings—														
Belleville	..	18	23	..	..	..	.	..	1	..	..	.	..	..
Deseronto	7	15	16	15	53	6	5	7	2	0	0	0	2	22
Shannonville	5	7	15	18	45	6	3	4	0	0	0	1	2	16
Peel—														
Credit	..	13	14	..	..	..	..	..	..	..		.	..	..
Alton	8	20	21	29	78	7	7	6	2	3	1	1	4	31
Humber	..	..	22	20	..	..	..	..	.	..	..	4	1	..
Parry Sound—														
Joly	8	27	35	29	99	18	18	11	9	4	7	16	13	96
Sprucedale	5	21	19	17	62	9	3	3	2	0	4	4	4	29
Parry Sound	12	25	29	42	108	18	16	15	7	2	3	6	13	80
Uplands	7	17	35	23	82	13	9	8	7	3	7	10	13	70

TABLE XXXIII (Continued).—*Quarterly Number of Days of Rain, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	Mareh.	April.	May.	October.	November.	December.	Year.
ONTARIO—*Concluded.*														
Muskoka—														
Axe Lake	0	13	13	10	36	8	7	4	4	3	1	4	8	39
Bala	6	17	31	36	90	9	3	3	2	0	5	5	9	36
Beatrice	3	23	26	27	79	15	8	12	7	4	1	8	19	74
Gravenhurst	12	24	23	31	90	11	10	10	5	0	2	5	9	52
Charlinch	10	30	31	31	102	14	15	12	8	2	8	8	14	81
Midlothian	..	20	25	25	..	..	..	7	4	3	4	7	11	..
Algoma—														
Port Arthur	0	32	37	18	87	14	8	9	4	3	2	1	1	42
Savanne	0	20	29	8	57	5	7	8	5	4	6	5	3	43
Little Current	8	11	12	19	50	7	7	5	5	0	1	4	6	35
Barclay	..	..	..	..	..	..	..	..	..	1	.	..	..	..
White River	1	15	27	10	53	12	7	9	5	2	6	5	3	49
Cartier	2	27	35	14	78	10	11	8	5	0	6	11	10	61
Nepigon	0	20	40	9	69	8	11	11	5	5	4	10	11	65
Biscotasing	1	14	16	5	36	10	12	6	4	0	3	6	6	47
Heron Bay	1	..	.	..	..	7	4	8	2	0	..	..	..	..
Mean for Ontario	10·1	22·5	23·9	25·9	82·4	10·5	6·9	7·2	3·3	1·7	2·3	4·5	6·9	43·3

TABLE XXXIII (Continued).—*Quarterly number of Days of Rain, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	YEAR.
QUEBEC.														
Huntingdon	5	32	31	29	97	6	9	7	6	1	4	8	6	47
Montreal	10	46	48	46	150	17	16	14	12	1	5	10	17	92
Brome	10	52	54	40	156	20	12	15	2	1	6	9	11	76
Bird Rock	10	23	37	38	108	12	9	7	12	4	0	3	15	62
Quebec	8	36	56	37	137	15	18	15	14	1	5	16	22	106
Father Point	6	36	43	30	115	13	13	5	14	0	2	11	16	74
Cranbourne	5	35	46	23	109	16	14	15	18	2	15	10	17	107
Chicoutimi	5	35	49	18	107	8	8	11	13	0	7	12	17	76
Richmond	12	34	48	36	130	14	17	16	14	0	3	5	13	82
Lennoxville	..	..	..	..	..	..	..	..	..	..	..	..	11	..
St. Francis	5	.	..	..	..	8	6	8	.	..	..		..	..
Pointe Platon	..	..	44	..	..	.	..	..	..	.	..	..	.	..
Anticosti, S.W.P.	3	15	21	19	58	13	7	5	5	1	0	3	8	42
" Heath P.	11	17	11	15	54	9	13	5	7	1	2	6	6	49
" West P.	0	16	12	19	47	5	6	7	5	0	0	9	13	45
Point des Monts	3	16	34	19	72	9	9	9	8	0	3	10	12	60
Cape Chatte	.	18	17	17	..	..	..	..	8	0	3	11	6	..
Cape Magdalen	5	22	22	16	65	5	6	11	6	0	2	6	11	47
Bicquet	..	..	20	..	..	..	..		3	1	0	7	..	..
Cape Norman	8	20	37	21	86	15	16	3	15	3	0	10	13	75
Roberval	..	26	36	9	..	.	..	..	6	0	4	7	3	..
Mean for Quebec	6·5	27·7	35·0	25·0	94·2	11·6	11·2	9·6	9·4	1·3	3·6	8·5	12·1	67·3
NEW BRUNSWICK.														
St. John	17	21	32	38	108	8	9	11	9	1	0	5	10	53
Fredericton	19	33	52	39	143	11	10	11	7	1	1	5	12	58
Chatham	13	30	45	39	127	15	12	11	14	2	0	5	10	69
Dorchester	16	24	41	44	125	8	7	8	8	1	0	4	4	40
Dalhousie	5	21	36	28	90	7	11	5	9	1	1	5	10	49
St. Andrews	19	25	39	37	120	11	10	9	6	0	0	3	5	44

TABLE XXXIII (Continued).—*Quarterly Number of Days of Rain, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW. January.	February.	March.	April.	May.	October.	November.	December	Year.
N. BRUNSWICK—*Con.*														
Point Lepreaux	17	15	29	39	100	8	5	7	4	0	0	2	4	30
Bathurst	6	25	33	24	88	8	7	10	9	2	5	7	10	58
Grand Manan	19	36	51	51	157	12	10	10	9	0	0	3	7	51
Parker's Ridge	..	..	..	16	..	..	..	..	..	..	2	2	5	*
Woodstock	10	22	43	34	109	10	8	9	7	2	3	7	13	59
Mean for N. Brunswick	14·1	25·2	39·5	35·3	114·1	10·4	8·9	9·1	8·2	1·4	2·4	4·4	8·2	53·0
N. W. TERRITORIES.														
Qu'Appelle	1	29	29	10	69	7	6	11	4	2	4	7	6	47
Medicine Hat	0	20	14	8	42	4	6	9	1	2	1	2	3	28
Edmonton	1	21	17	4	43	6	12	5	1	0	1	2	1	28
Regina	0	31	28	10	69	3	7	6	4	1	5	5	4	35
Grenfell	0	24	16	3	43	3	10	10	4	1	5	4	6	43
Chaplin	0	11	8	2	21	6	6	6	2	1	2	2	2	27
Calgary	1	35	44	9	89	13	17	14	7	2	3	3	3	62
Kilnap	0	21	44	11	76	14	12	11	7	0	4	3	8	59
Maple Creek	0	18	11	2	31	9	8	2	0	0	1	1	3	24
Glicchan	0	..	..	0	..	2	6	3	0	0	6	9	2	28
Balgonie	0	16	7	..	..	3	0	3	2	1	..	..	..	..
Fort Chipewyan	0	16	29	3	48	.	..	11	8	1	5	11	8	..
Pheasant Forks	0	12	..	..	..	..	..	6	2	..	6	3	2	..
Prince Albert	0	13	..	..	..	3	5	6	4	0	..	..	..	..
Fleming	..	..	12	1	..	..	..	..	..	1	3	4	..	..
Banff	5	..	..	..	..	..	..	..	..	..	..	..	..	
Mean for N. W. T	0·5	20·5	20·1	5·7	46·8	6·1	7·9	7·4	3·8	1·2	3·6	4·3	4·0	38·3

TABLE XXXIII (Continued).—*Quarterly number of Days of Rain, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	YEAR.
NOVA SCOTIA.														
Halifax	20	34	45	45	144	10	9	9	9	2	0	4	7	50
Truro	21	38	49	52	160	15	13	14	12	3	0	5	11	73
Beaver Bank	9	19	35	..	..	4	1	..	..	..	..	.	..	..
Sydney	18	32	48	46	144	14	7	9	16	3	0	6	13	68
Cow Bay	15	15	29	29	88	10	1	1	3	0	0	1	1	17
Yarmouth	24	51	41	53	169	21	14	13	10	2	2	4	10	76
Pictou	13	18	22	31	84	10	9	7	10	2	1	5	5	49
Sable Island	19	25	31	29	104	6	5	8	4	2	0	2	2	29
Whitehead	10	17	21	24	72	5	2	4	4	1	0	2	3	21
Digby	0	..	10	16	..	3	2	1	3	0	0	0	0	9
Mean for Nova Scotia.	14·9	26·5	33·1	35·6	110·1	9·8	6·3	7·3	7·9	2·1	1·5	3·2	5·8	43·9
P. E. ISLAND.														
Charlottetown	..	..	55	57	..	..	..	..	..	..	2	7	9	.
Kilmahumaig	23	41	48	44	156	11	9	5	7	1	0	5	7	45
Mean for P. E. Island.	23·0	41·0	51·5	50·5	166·0	11·0	9·0	5·0	7·0	1·0	1·0	6·0	8·0	48·0
BRITISH COLUMBIA.														
Victoria	34	31	14	43	122	7	0	1	0	0	0	0	0	8
Port Moody	34	47	21	53	155	7	1	3	0	0	0	0	0	11
Quamichan	..	..	19	40	..	..	..	..	..	..	..	0	0	..
Fort Simpson	45	61	39	71	216	6	1	3	4	0	0	1	0	15
Clinton	3	19	15	8	45	9	4	9	0	1	7	3	4	37
New Westminster	35	41	16	59	151	—	2	2	1	..	0	0	0	..
Barkerville	7	33	34	9	83	—	17	13	16	3	10	10	11	..
Spence's Bridge	..	..	..	17	..	..	..	..	..	..	..	.	2	..
Langley	20	29	15	42	106	1	1	1	0	0	0	0	0	3
Nicola Lake	20	37	19	26	102	13	2	6	0	0	0	5	6	32
Vancouver	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Maple Grove	..	..	..	..	..	..	..	.	..	..	..	0	0	..
Mean for B. Columbia.	26·0	22·4	20·5	37·5	106·4	7·2	3·5	4·8	5·3	2·0	5·7	1·9	2·1	32·5

TABLE XXXIII (Continued).—*Quarterly Number of Days of Rain, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
MANITOBA.														
Winnipeg	0	32	40	14	86	8	6	15	7	2	3	9	10	60
Stony Mountain	0	25	29	8	62	2	3	4	6	2	3	6	4	30
Minnedosa	0	23	35	9	67	10	9	12	7	2	6	9	6	61
Hillview	0	20	11	7	38	5	5	10	2	0	1	5	4	32
St. Albans	0	26	29	11	66	10	11	14	3	1	3	7	6	55
Shell River	0	20	26	3	49	8	8	12	5	2	3	5	7	50
Sourisford	0	19	13	6	38	8	7	5	0	1	0	2	5	28
Portage la Prairie	0	18	24	9	51	6	4	6	2	2	1	3	4	28
Selkirk, E.	3	28	..	..	..	8	6	5	4	1	..	..	..	..
Gladstone	0	.	30	..	..	11	..	12	4	.	..	..	.	..
Swampy Island	0	12	25	3	40	3	..	..	2	1	3	5	3	..
Gretna	0	15	..	..	.	..	3	7	..	.	..	..	..	..
Shoal Lake	0	17	..	4	..	5	4	9	4	0	4	2	3	31
Cartwright	0	23	..	4	.	3	6	9	1	1	2	3	..	..
Morden	0	18	12	6	36	2	3	6	3	0	2	1	2	19
Pilot Mound	0	13	.	..	..	3	3	6	1	..	..	..	..	..
Pigeon Lake	0	9	.	..	..	2	2	3	2	..	..	..	..	..
Heaslip	..	..	..	..	..	5	4	..	.	..	..	..	..	..
DeClare	..	..	.	..	..	4	3	..	1	1		..	..	..
Griswold	0	24	..	5	.	6	8	11	10	0	4	3	3	45
Fort Ellice	0	15	19	3	37	6	4	7	1	0	1	4	3	26
Hartney	0	..	22	7	..	7	3	14	3	1	2	4	6	40
Souris	0	.	26	..	..	6	3	8	..	..	..	..	..	..
Norquay	0	19	34	11	64	4	7	7	3	2	4	0	2	29
Oak Bank	1	23	38	11	73	6	7	9	8	2	7	7	11	57
Foxton	1	18	..	2	..	4	3	6	2	2	3	2	4	26
Craigilea	0	19	20	8	47	2	4	8	3	0	2	2	3	24
Rapid City	0	27	.	8	..	7	6	11	6	2	4	6	5	47
Rapid City (2)	0	16	21	4	41	..		.	2	2	2	3	3	*
Lintrathen	.	.	.		..	..		..	..	..	.	.	.	..
Arnaud	..	.	..			..	..	..	.	..	..	..	..	..

TABLE XXXIII (Concluded).—*Quarterly number of Days of Rain, &c., 1888.*

	Winter.	Spring.	Summer.	Autumn.	Year.	NUMBER OF DAYS OF SNOW.								
						January.	February.	March.	April.	May.	October.	November.	December.	Year.
MANITOBA.														
Clandeboye	1	26	46	16	..	9	7	11	8	3	4	12	10	64
Beaver Creek	0	18	21	..	..	..	..	..	..	1	1	..	..	..
Bradwardine	0	10	..	..	..	..	..	..	..	..	..	..	..	.
Selkirk	0	18	27	..	..	..	..	..	2	2	4	..	..	.
Kola	0	13	..	..	..	..	..	..	.	..	..	..	..	.
Killarney	0	..	..	.	.	..	..	..	.	.	..	..	..	.
Treherne	0	22	..	..	..	..	9	13	7	1	..	..	..	.
Holmfield	0	..	..	..	.	3	2	8	.	.	.	..	..	.
Turtle Mountain	0	.	..	.	.	2	3	5	1	..	..	..	..	.
Stuartburn	0	..	..	.	.	7	6	10	..	..	..	..	..	.
Adelphi	0	16	13	5	34	1	3	6	3	2	7	1	4	27
Cartwright	0	..	..	..	..	3	6	9	1	1	2	3	..	.
Portage la Prairie	0	21	21	..	..	6	4	6	2	2	1	3	4	28
Fairburn	0	19	..	..	..	3	10	11	4	1	..	..	.	..
Clarkleigh	1	28	28	9	..	8	5	12	4	2	3	4	8	46
Eden	0	23	29	7	.	6	8	6	7	2	..	.	..	.
Clearwater	0	..	..	..	..	..	..	..	..	..	..	..	.	..
Rosser, C.P.R	0	10	18	5	33	..	..	..	..	1	1	2	4	..
Beausejour, C.P.R	0	14	18	3	35	2	2	4	1	..	1	1	0	11
Chater, "	0	11	9	4	24	..	..	..	..	..	..	..	..	..
Anstin, "	0	7	8	1	16	..	..	..	..	.	1	2	.	..
Burnside, "	0	13	18	4	35	7	3	5	3	1	3	5	5	32
Florentia	..	..	.	..	..	..	..	..	5	1	..	..	..	.
Mean for Manitoba	0·1	18·8	22·8	6·9	48·6	5·3	5·1	8 5	3·6	1·6	2·8	4·0	4·8	35·7
NEWFOUNDLAND.														
St. John	27	39	39	52	157	16	10	3	11	4	0	2	9	55
Point Rich	7	10	23	23	63	8	10	6	6	4	0	4	9	47
Belle Isle	13	21	33	11	78	.	..	.	..		.	9	12	.
St. Pierre	32	38	50	65	185	19	14	14	12	1	1	7	13	81
Mean for Newfoundland	19·8	27·1	36·3	37·9	121·1	14·4	11 3	7·7	9·7	3·0	0·3	5·5	10·8	62·7

TABLE XXXIV.—*Average Depth of Rain in inches, in the several Provinces of the Dominion of Canada, in each Month and in the Year 1888.*

	MONTHS.												YEAR.
	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
Ontario	0·54	0·84	1·55	1·43	1·83	2·38	1·69	3·09	2·58	2·91	2·84	1·14	22·82
Quebec	0·07	0·15	0·88	0·26	2·28	3·99	2·77	5·93	2·74	4·88	2·59	0·81	27·35
New Brunswick	1·26	1·90	1·77	0·26	3·04	2·50	2·71	4·59	4·57	9·02	5·85	2·97	40·44
Nova Scotia	1·57	2·34	2·08	2·17	2·16	3·41	4·09	4·26	3·65	6·01	5·14	4·23	41 11
Prince Edward Island	0·76	1·18	1·69	1·36	0·91	1·74	2·12	4·70	4·06	5·04	5·36	2·74	31·66
Manitoba	0·00	R	0·01	0·60	0·55	3·83	3·27	1·41	0 76	0·90	0·11	0·01	11·45
North-West Territory	0·00	R	0·02	0·38	0·95	3·85	2·77	1·40	0·47	0·39	0·03	0·02	10·28
British Columbia	3·40	4·44	4 49	3·65	1·51	4·40	2·00	1·69	1·45	6·27	4·75	5·48	43·53
Newfoundland	1·33	1·79	3 63	2 19	1·82	4 43	3·29	3·85	2·04	5·24	3·69	3·64	36 94

TABLE XXXV.—*Difference between the Rainfall in inches during the year 1888, in the several Provinces of the Dominion of Canada, and the average Rainfall of 18 or more years.*

	MONTHS.												YEAR.
	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
Ontario	−0·47	−0·19	0·17	−0·26	−0·57	−0·35	−1·19	0·73	−0·35	0·12	0·93	0·09	−1·34
Quebec	−0·46	−0·18	0·14	−1·05	−0·41	0·93	−1·45	2·75	−0·51	1·48	0·89	0·08	2·21
New Brunswick	−0·48	0·51	−0·08	−1·67	−0·25	−0·96	−1·20	1·00	1·68	5·12	2·60	1·39	7·66
Nova Scotia	−0·87	0·64	−0·27	−0·24	−1·21	0·26	0·53	0·35	0·31	1·78	0·80	1·66	3·77
Prince Edward Island	−0·46	0·38	−0·10	−0·42	−2·10	−1·08	−1·82	1·21	1·20	0·83	2·37	0·99	1·00
Manitoba	−0·02	−0·02	−0·20	−0·25	−1·90	0·27	−0·35	−1·20	−0·97	−0·12	0·00	−0·07	−4·13
British Columbia	0·89	2·22	2·24	2·36	0·05	3·12	0·69	0·58	−0·38	3·51	1·26	1·93	18·47
Newfoundland	−0·11	0·76	1·74	0·13	−1·23	0·90	−1·71	−0·39	−2·16	1·24	0·11	1·40	0·71

TABLE XXXVI.—*Quarterly average depth of Rain in inches, in the several Provinces of the Dominion of Canada, and the average depth of Snow in each Month and in the Year 1888.*

	DEPTH OF RAIN IN INCHES.					DEPTH OF SNOW IN INCHES.									Total Precipitation.
	Winter.	Spring.	Summer.	Autumn.	Year.	January.	February	March.	April.	May.	October	Nov.	Dec.	Year.	
Ontario	2·93	5 64	7·36	6 89	22 82	19·4	9·0	14·0	3·2	1·1	1·7	3·8	6·8	59·0	28·72
Quebec	1·10	6·53	11·44	8·28	27·35	34·5	28·4	20·8	18·6	3·1	6·8	15·3	27·7	155·2	42·87
New Brunswiek	4·93	5·80	11 87	17·84	40·44	27·1	20·9	12·1	12·9	1·5	2·0	8·1	20·9	105·5	50·99
Nova Scotia	5·99	7·74	12·00	15·38	41·11	23·7	10·0	6·3	14 4	1·8	0·5	1·7	2·2	60·6	47·17
Prince Edward Island	3·63	4·01	10 88	13·14	31·66	20·5	12·5	6·0	8·5	7·5	S	7·4	12·1	74·5	39·11
Manitoba	0·01	4·98	5·44	1·02	11·43	7·1	4·1	14·3	4·0	0·4	2·8	2·2	3·0	37·9	15·22
North West Territories	0·02	5·18	4·64	0·44	10·28	5·1	8·5	6·5	4·2	0·9	4·4	3·7	1·9	35·2	13·80
British Columbia	12·33	9·56	5·14	16·50	43·53	17·0	9·3	6·7	7·0	4·7	3·8	3·2	4·7	56·4	49·17
Newfoundland	6·75	8·44	9·18	12·57	36·94	33·4	29·2	11·4	20·3	9·5	0·0	6·1	19·7	129·6	49·90

TABLE XXXVII.—*Average Number of Days of Rain in the several Provinces of the Dominion of Canada in each Month and in the Year 1888.*

	MONTHS.												YEAR.
	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
Ontario	1·9	3·1	5·1	4·5	9·5	8·5	6·5	8·9	8·5	12·7	8·6	4·6	82·4
Quebec	0·9	1·4	4·2	3·5	11·1	13·1	10·3	14·9	9·8	13·6	8·2	3·2	94·2
New Brunswick	3·9	4·6	5·6	3·4	10·7	11·1	11·7	16·4	11·4	15·9	12·7	6·7	114·1
Nova Scotia	3·6	5·9	5·4	6·1	8·5	11·9	9·3	12·9	10·9	15·0	11·9	8·7	110·1
Prince Edward Island	4·0	5·0	14·0	15·0	10·0	16·0	16·0	18·5	17·0	27·5	14·0	9·0	166·0
Manitoba	0·0	R	0·1	3·2	4·9	10·7	9·3	7·6	5·9	6·0	0·7	0·2	48·6
North-West Territories	0·0	0·3	0·2	3·3	5·5	11·7	8·4	8·2	3·5	4·5	0·5	0·7	46·8
British Columbia	6·5	10·0	9·5	14·2	6·6	1·6	8·2	5·4	6·9	13·3	11·9	12·3	106·4
Newfoundland	3·8	5·7	10·3	7·0	9·3	10·8	11·8	13·5	11·0	17·3	11·8	8·8	121·1

TABLE XXXVIII.—*Quarterly average number of days of Rain in the several Provinces of the Dominion of Canada, and the number of days of Snow in each Month and in the Year 1888.*

	NUMBER OF DAYS OF RAIN.					NUMBER OF DAYS OF SNOW.								
	Winter.	Spring.	Summer.	Autumn.	Year.	January.	February	March.	April.	May.	Oct.	Nov.	Dec.	Year.
Ontario	10·1	22·5	23·9	25·9	82·4	10·5	6·9	7·2	3·3	1·7	2·3	4·5	6·9	43·3
Quebec	6·5	27·7	35·0	25·0	94·2	11·6	11·2	9·6	9·4	1·3	3·6	8·5	12·1	67·3
New Brunswick	14·1	25·2	39·5	35·3	114·1	10·4	8·9	9·1	8·2	1·4	2·4	4·4	8·2	53·0
Nova Scotia	14·9	26·5	33·1	35·6	110·1	9·8	6·3	7·3	7·9	2·1	1·5	3·2	5·8	43·9
Prince Edward Island	23·0	41·0	51·5	50·5	166·0	11·0	9·0	5·0	7·0	1·0	1·0	6·0	8·6	48·0
Manitoba	0·1	18·8	22·8	6·9	48·6	5·3	5·1	8·5	3·6	1·6	2·8	4·0	4·8	35·7
North West Territories	0·5	20·5	20·1	5·7	46·8	6·1	7·9	7·4	3·8	1·2	3·6	4·3	4·0	38·3
British Columbia	26·0	22·4	20·5	37·5	106·4	7·2	3·5	4·8	5·3	2·0	5·7	1·9	2·1	32·5
Newfoundland	19·8	27·1	36·3	37·9	121·1	14·4	11·3	7·7	9·7	3·0	0·3	5·5	10·8	62·7

TABLE XXXIX—*Daily Mean Temperature at Fort Churchill, H. Bay, 1888.*

Day.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
1	26·3	6·3	28·7	3·0	20·0	33·7	54·7	53·0	36·7	32·7	18·3	16·1
2	25·0	9·3	22·0	2·0	29·0	34·3	48·3	51·0	37·0	32·7	21·3	14·7
3	16·0	15·0	13·3	4·7	30·7	33·7	38·0	53·0	*	32·5	23·3	16·7
4	6·0	14·7	4·0	4·7	27·3	31·7	37·3	51·0	*	31·7	21·5	7·3
5	5·7	16·3	9·0	5·3	27·7	29·7	44·3	56·3	*	36·3	21·2	2·5
6	2·7	22·3	0·0	3·0	25·7	32·0	48·0	57·1	48·0	38·2	21·8	7·1
7	6·3	38·3	2·7	4·0	33·0	29·7	55·7	47·0	46·0	31·7	3·2	2·3
8	12·0	39·0	11·7	15·0	21·0	35·0	51·3	46·3	40·0	38·8	8·2	11·1
9	5·3	36·7	7·7	23·7	30·0	38·0	53·7	49·5	36·3	37·5	22·3	4·7
10	18·7	32·0	27·0	10·7	22·0	36·3	42·7	54·7	*	36·3	23·5	9·9
11	26·7	22·3	28·0	8·7	13·3	39·3	47·7	59·1	*	35·2	24·3	22·2
12	17·3	21·3	25·0	11·0	7·3	36·7	54·3	52·0	*	39·0	23·0	15·5
13	25·7	26·7	14·7	19·7	7·7	33·7	55·3	54·7	50·0	37·7	14·8	13·3
14	31·0	12·3	18·3	25·3	12·3	34·7	55·7	45·0	48·0	35·2	2·8	6·1
15	15·3	10·7	22·7	0·7	17·0	33·0	52·3	48·7	44·5	26·7	4·5	16·5
16	27·3	15·7	0·7	2·3	13·7	34·0	40·7	45·7	52·7	17·8	8·8	12·5
17	32·0	21·7	8·3	8·3	16·3	39·7	41·7	43·7	61·4	22·2	9·9	3·4
18	29·0	25·7	6·3	9·0	21·3	35·0	56·7	41·0	58·0	24·5	17·3	5·7
19	35·7	14·7	10·3	8·7	29·0	39·0	66·3	43·7	53·7	28·3	14·0	10·8
20	37·7	14·3	15·3	13·0	33·3	35·3	65·7	48·7	49·3	28·7	10·3	17·0
21	38·0	11·0	19·3	11·3	33·0	34·7	54·7	56·3	58·5	30·2	8·8	6·5
22	35·7	3·3	21·3	8·7	33·3	36·7	51·3	59·7	60·6	31·3	6·0	6·5
23	30·3	16·3	11·3	7·0	22·0	33·7	51·0	54·3	47·3	34·5	10·2	23·2
24	23·3	15·3	3·0	15·7	27·0	37·7	53·7	50·0	38·5	36·3	10·6	4·7
25	23·7	19·7	8·7	5·3	29·3	48·0	62·7	45·0	38·7	33·7	20·2	2·1
26	27·7	24·7	7·7	6·7	30·3	42·0	59·3	55·7	39·0	33·3	31·7	8·9
27	19·7	20·0	0·3	3·3	28·3	35·3	60·3	51·3	34·7	29·2	18·0	10·0
28	0·7	15·7	3·0	6·0	24·7	38·3	53·0	44·3	34·7	22·5	10·8	15·0
29	10·0	27·3	6·0	11·0	22·7	45·3	54·0	47·3	31·7	21·8	5·7	7·6
30	11·0	.....	8·7	8·3	27·0	53·3	52·7	38·0	33·2	19·5	5·1	6·7
31	2·7	.....	2·7	.....	.....	.....	54·0	43·3	....	13·2	.....	4·3
	18·57	19·17	10·90	7·64	23·84	36·65	52·16	49·88	44·94	30·62	9·62	4·21

TABLE XL.—*General Meteorological Register, Sydney, N. S., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean height of Barometer at sea level	29·809	29·982	29·882	29·988	30·000	29·874	29·905	29·880	30·052	29·831	30·069	29 791	29·922
Highest Barometer	30·683	30·644	30·589	30·532	30 355	30·152	30·382	30·255	30·543	30·496	30·843	30·539	30·843
Lowest Barometer	28·802	29·377	29·036	29·382	29·669	29 305	29·287	29·381	29·621	29·143	29·282	28·684	28·684
Monthly Annual Range	1·881	1·267	1·553	1 150	0·686	0·847	1·095	0·874	0·922	1·353	1·561	1·855	2·159
Mean Temperature of the Air	16·93	20·79	29·66	32·99	42·74	53·66	60·20	60 14	55·84	47·26	37·48	30·54	40·69
Difference from Average	−3·99	+1·33	+3·57	−1·45	−1·89	−1·49	−1·90	−2·84	−0·13	+0·53	+0·58	+2·80	−0·41
Highest Temperature	45·0	45·0	50 8	62·7	70·0	77·3	80·9	80·0	75·2	69·7	63·1	49·7	80·9
Lowest Temperature	6·0	1·0	5·0	12·9	23·6	34·8	41·0	46 3	36·0	31·2	13·9	12·4	6·0
Monthly and Annual Range	51·0	44·0	45·8	49·8	46·4	42·5	39·9	33·7	39·2	38·5	49·2	37·3	86·9
Mean Daily Range	16·21	17·89	13·35	15·20	19·80	22·22	21·29	14·99	17·43	12·24	13·83	13·12	16·46
Greatest Daily Range	46·0	38·0	25·6	36·0	37·0	35·4	33·8	27·1	31·0	23·0	25·7	20·2	46·0
Mean Humidity of the Air	87	85	85	81	76	78	80	85	85	82	83	86	83
Mean Pressure of Vapour	0·090	0·105	0·145	0·154	0·208	0·318	0·412	0·431	0·386	0·278	0·204	0·152	0·240
Mean Amount of Cloud	64	58	72	62	55	59	51	67	60	79	71	75	64
Amount of Rain in inches	1·99	1·28	1·50	2·23	1·92	3·28	4·10	3·14	2 09	5·12	4·10	5·56	36·31
Number of Days	5	6	7	6	12	14	14	20	14	24	13	9	144
Amount of Snow in inches	27·7	8·0	5·2	25·9	4·6	..	..	..	..	..	4·3	5.6	81·3
Number of Days	14	7	9	16	3	..	..	..	..	..	6	13	68
Mean Velocity of Wind	13·36	9·26	9·54	9·60	6·67	8·28	7·64	7·58	6·20	10·01	11·53	12·02	9·31
Maximum Velocity	34·7	30·5	27·0	46·5	27·5	36·0	34·0	22·0	29 0	37·0	41·0	30·0	46·5
Number of Auroras	2	1	2	1	3	2	1	2	1	1	0	0	16
Number of Fogs	0	1	3	2	0	0	3	2	2	1	3	1	18
Number of Thunder Storms	0	0	0	0	0	0	4	1	1	0	0	0	6
Mean Proportion of Sunshine	0·31	0·40	0·25	0·36	0·49	0·51	0·54	0·41	0·37	0·27	0·19	0·14	35

TABLE XLI.—*General Meteorological Register, Fredericton, N.B., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December	Year.
Mean Height of Barometer at sea level	29·957	30·065	29·926	30·056	30·020	29·870	29·904	29·898	30·067	29·875	30·110	29·848	29·966
Highest Barometer	30·821	30·600	30·667	30·518	30·268	30·246	30·345	30·291	30·628	30·571	30·826	30·545	30·826
Lowest Barometer	28·454	29·371	29·410	29·524	29·742	29·436	29·126	29·659	29·250	28·935	29·456	28·916	28·454
Monthly and Annual Range	2·367	1·229	1·250	0·994	0·526	0·810	1·219	0·632	1·378	1·636	1·370	1·629	2·372
Mean Temperature of the Air	6·34	12·42	29·79	37·10	50·30	61·31	65·34	61·19	54·72	41·44	33·76	23·54	39·94
Difference from Average	−4·61	−3·15	+5·34	−0·28	−0·41	+0·74	−0·58	−2·81	−1·05	−2·97	+2·45	+5·44	−0·16
Highest Temperature	42·9	38·6	48·8	71·8	71·2	87·7	85·7	78·7	75·8	63·7	60·7	50·3	87·7
Lowest Temperature	−22·0	−24·4	−2·0	9·7	27·0	37·5	42·0	43·5	30·0	26·0	−0·5	7·6	−24·4
Monthly and Annual Range	64·9	63·0	50·8	62·1	44·2	50·2	43·7	35·2	45·8	37·7	61·2	57·9	112·1
Mean Daily Range	20·37	15·74	20·14	20·76	23·91	25·32	16·88	16·88	18·58	15·14	16·17	17·50	18·95
Greatest Daily Range	43·3	27·3	36·9	37·3	37·4	32·8	27·6	27·6	35·8	28·9	33·3	32·1	43·3
Mean Humidity of the Air	76	70	71	59	60	68	68	77	80	79	80	78	72
Mean Pressure of Vapour	0·052	0·075	0·126	0·133	0·227	0·379	0·428	0·420	0·348	0·209	0·172	0·109	0·223
Mean Amount of Cloud	41	48	69	66	61	60	62	68	64	69	60	67	61
Amount of Rain in inches	0·700	1·820	2·810	0·200	4·360	1·470	2·120	4·200	4·440	9·990	5·170	1·040	38·320
Number of Days	4	8	7	6	16	11	16	21	15	20	13	6	143
Amount of Snow in inches	27·0	22·5	7·9	5·5	1·0	..	..	..	..	S	13·0	25·5	104·4
Number of Days	11	10	11	7	1	..	..	..	..	1	5	12	58
Mean Velocity of Wind	11·56	7·36	9·11	7·36	6·95	6·83	6·89	6·47	5·56	8·12	8·20	7·96	7·70
Maximum Velocity	33·0	22·0	24·0	20·0	20·0	20·0	22·0	24·0	30·0	37·0	30·0	30·0	37·0
Number of Auroras	0	0	0	1	1	1	0	1	1	0	0	0	5
Number of Fogs	0	0	4	1	3	3	2	2	10	4	4	2	35
Number of Thunder Storms	0	0	0	0	0	1	4	1	0	0	0	0	6
Mean Proportion of Sunshine	0·49	0·48	0·38	0·49	0·44	0·47	0·56	0·40	0·39	0·31	0·31	0·14	0·41

TABLE XLII.—*General Meterological Register, St. John, *N. B., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean Height of Barometer at sea level	29·950	30·016	29·920	30·011	30·003	29·871	29·919	29·893	30·050	29·840	30·101	29·865	29·953
Highest Barometer	30·750	30·487	30·637	30·487	30·252	30·200	30·354	30·268	30·648	30·493	30·812	30·539	30·812
Lowest Barometer	28·740	29·467	29·408	29·487	29·761	29·489	29·171	29·426	29·324	28·970	29·408	28·832	28·740
Monthly and Annual Range	2·010	1·020	1·229	1·000	0·491	0 711	1·183	0·842	1·324	1·523	1·404	1·707	2·072
Mean Temperature of the Air	11·85	20·18	29·15	35·27	46·20	54·69	58·77	58·44	53·25	43·88	35·48	27·41	39·55
Difference from Average	− 6 15	+ 0·60	+ 1·65	+ 1·58	− 0·35	− 0·08	− 0·95	− 1·16	− 1·16	− 1·76	+ 0·38	+ 4·46	− 0·25
Highest Temperature	44·0	42·0	46·0	59·0	67·0	73·0	77·0	74·0	69·0	62·0	52·0	47·0	77·0
Lowest Temperature	− 9·0	− 6·0	2·0	14·0	30·0	44·0	52 7	49·0	35·0	30·0	3·0	− 3·0	− 9·0
Monthly and Annual Range	53·0	48·0	44·0	45·0	37·0	29·0	24·3	25·0	34·0	32·0	49·0	50·0	86·0
Mean Daily Range	19·45	17·89	12·47	15·39	16·94	16·03	16·98	13·52	13·37	13·09	13·45	13·71	15·19
Greatest Daily Range	47·5	32·0	26·0	27·0	29·0	28·0	27·5	24·7	21·8	24·2	39·0	28·3	47·5
Mean Humidity of the Air	96	92	90	81	78	84	82	87	89	87	91	94	88
Mean Pressure of Vapour	0·066	0·095	0·133	0·157	0·239	0·350	0·401	0·408	0·351	0·243	0·192	0·133	0·231
Mean Amount of Cloud	48	52	67	55	70	65	58	67	62	74	65	64	62
Amount of Rain in inches	2·67	3·74	2·98	0·95	4·46	2·91	3·23	3·94	6·27	9·31	8·47	6·75	55·68
Number of Days	5	5	9	7	12	12	10	12	11	15	17	8	123
Amount of Snow in inches	27·1	18·4	7·0	8·3	..	..	.	..	..	0·3	6·9	3·6	71·6
Number of days	8	7	6	7	.	..	..	..	.	1	2	6	37
Mean Velocity of Wind	12·9	9·0	9·4	7 3	6·3	7·4	6·6	6·1	6·4	8·7	10·2	9·4	8·31
Maximum Velocity	37·0	34·0	31·0	27·0	20·0	22·0	27·0	27·0	40·0	34·0	33·0	30·0	40·0
Number of Auroras	0	0	0	0	2	0	1	0	0	1	0	0	4
Number of Fogs	0	3	5	0	5	7	6	6	6	2	4	1	45
Number of Thunder Storms	0	1	0	0	0	1	2	0	0	1	0	0	5

*The greater part of this table is derived from observations by G. Murdoch, Esq., C. E.

TABLE XLIII.—*General Meteorological Register, Montreal, Que., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
Mean height of Barometer at sea level	30·141	30·097	29·987	30 072	29·958	29 860	29·905	29·885	30·034	29·918	30·088	29·922	29·989
Highest Barometer	30·865	30·617	30·563	30·507	30·306	30·238	30·232	30·285	30·621	30·478	30·804	30·558	30·865
Lowest Barometer	29·538	29·514	29·173	29·544	29·555	29·479	29·186	29·624	29·485	29·386	29·354	29·283	29·173
Monthly and Annual Range	1·327	1·103	1·390	0·963	0·751	0·759	1·046	0·661	1·136	1·092	1·450	1·275	1·692
Mean Temperature of the Air	3·66	12·42	23·22	36·85	53·55	65·81	67·93	64·18	55·43	39·51	33·25	22·39	39·83
Difference from Average	−7·24	−3·15	−0·11	−2·46	−1·07	+1·24	−1·17	−3·07	−3·03	−5·84	+1·33	+3·70	−1·74
Highest Temperature	40·0	38·6	44·2	76 0	79 8	88·1	87·1	85·8	74·0	58·0	68·0	45·8	88·1
Lowest Temperature	−20·5	−24·4	−2·9	11 4	31·1	46·5	47·4	47·6	33·2	28·5	1·0	−10·5	−24·4
Monthly and Annual Range	60·5	63·0	47·1	64·6	48·7	41·6	39·7	38·2	40·8	29 5	67·0	56·3	112·5
Mean Daily Range	15·09	20·28	13·21	13·66	16·05	18·16	20·04	14·28	13·56	11·31	12·09	13·18	15·12
Greatest Daily Range	50·1	30·7	25·0	35·3	32·9	26·6	30·1	21·9	22·4	20·1	25·8	28·5	50·1
Mean Humidity of the Air	79	80	77	67	63	67	62	76	79	78	80	81	74
Mean Pressure of Vapour	0·045	0·074	0·108	0·149	0 263	0·432	0·419	0·456	0·356	0·191	0·176	0·113	0·232
Mean Amount of Cloud	50	54	80	61	68	60	52	65	61	70	74	74	64
Amount of Rain in inches	0·08	0·55	1·17	0·80	1·97	3·12	1·32	7·89	3·69	3·82	5·10	1·57	31·08
Number of Days	2	2	6	11	16	19	13	19	16	12	16	8	150
Amount of Snow in inches	33·6	30·0	25·2	7·1	8	.	..	.	.	7·8	11·0	17·6	132·3
Number of Days	17	16	14	12	1	.	.	..	..	5	10	17	92
Resultant Direction of Wind	S77W	S44W	S64W	S81W	S46W	S59W	S73W	S70W	S66W	W	N66W	N81W	S74W
Mean Velocity of Wind	18·68	17·19	22·26	16·28	13·24	13·47	13·31	12·54	11·46	15·85	17·65	18·33	15·85
Maximum Velocity	46·0	44·0	60·0	40·0	33·0	32·0	47·0	31·0	27·0	32·0	62·0	55·0	62·0
Number of Auroras	3	3	2	2	4	1	0	1	3	2	0	0	21
Number of Fogs	5	4	5	2	0	0	0	4	3	2	3	3	31
Number of Thunder Storms	0	0	0	0	2	5	5	9	5	1	1	0	28
Mean Proportion of Sunshine	0·41	0·45	0·31	0·54	0·45	0·59	0·69	0·43	0·48	0·36	0·33	0·25	0·44

TABLE XLIV.—*General Meterological Register, Ottawa, Ont., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean Height of Barometer at Sea Level	30·132	30·052	30·029	30·076	29·947	29·854	29 939	29·899	30·025	29·912	30·113	29·958	29·995
Highest Barometer	30·823	30·652	30·535	30 543	30 280	30·171	30·196	30·260	30 578	30·348	30·781	30·823	30·823
Lowest Barometer	29·121	29·475	29·630	29·600	29·619	29·501	29·416	29·648	29·477	29·448	29·373	29·395	29·030
Monthly and Annual Range	1·702	1·177	1·505	0 943	0·661	0·670	0·780	0·612	1·101	0·900	1·408	1·428	1·793
Mean Temperature of the Air	3·15	12·09	21·00	37·24	55·25	68·03	70·30	66·52	55·72	39·22	31·98	23·20	40·31
Difference from Average	−6·61	+0·36	−0·57	−0·84	−0·69	+2·08	+0·53	−0·51	−1·98	−5·85	+2·29	+8·43	−0·28
Highest Temperature	37·2	37·4	45·4	82 9	82·5	94·9	87·9	88·4	76·1	56·5	65·1	44 0	94·9
Lowest Temperature	−23·6	−32·9	−3·7	12 1	30·0	39·4	48·8	45·4	29·5	25·3	−0·7	11 4	−32·9
Monthly and Annual Range	60·8	70·3	49·1	70·8	52·5	55 5	39·1	43·4	46 6	31·2	65·8	55·4	127·8
Mean Daily Range	16 94	21·36	16·14	18·51	20·49	23·61	25·17	20 91	18·45	14·40	13·26	14·94	18·68
Greatest Daily Range	42·6	40·7	29·1	41·4	36·4	32·2	36·0	32·2	28·3	28·8	23·0	30·1	42·6
Mean Humidity of the Air	88	86	82	72	68	72	63	74	82	83	88	88	79
Mean Pressure of Vapour	0·048	0·076	0·105	0·164	0·305	0·499	0·460	0·482	0·378	0·206	0·176	0·123	0·252
Mean Amount of Cloud	51	55	67	50	63	51	42	62	48	65	72	68	58
Amount of Rain in inches	0·000	0·000	0·350	2·360	1·260	2·450	0·920	5·780	3·280	2·300	3·880	1·760	24·340
Number of days	0	0	2	8	12	13	4	11	12	13	11	5	91
Amount of Snow in inches	17·0	22·0	16·5	4·3	..	..	.	..	..	..	4·5	9·0	73·3
Number of days	5	7	5	5	..	..	.	..	..	..	3	6	31
Mean Velocity of Wind	3·25	3·36	5·70	5·65	4·21	3·99	4·63	3·75	2·86	4·50	4·30	5·40	4·30
Maximum Velocity	16·0	15·0	16·0	15·0	16·0	14·0	19·0	13·0	13·0	14·0	24·0	20·0	24·0
Number of Auroras	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of Fogs	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of Thunder Storms	0	0	0	0	0	1	0	0	0	0	0	0	1

TABLE XLV.—*General Meteorological Register Woodstock, Ont., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
Mean Height of Barometer at sea level	30·233	30·098	30·145	30·145	29·952	29·917	30·013	29·976	30·077	29·952	30·124	30·035	30·055
Highest Barometer	30·970	30·911	30·612	30·584	30·404	30·207	30·172	30·316	30·483	30·391	30·683	30 551	30·970
Lowest Barometer	29·461	29·300	29 326	29·582	29·503	29·551	29·595	29·620	29·539	29·323	29·505	29·533	29·300
Monthly and Annual Range	1·509	1·611	1·286	1·002	0·901	0 656	0·577	0·696	0·944	1·068	1·178	1·018	1·670
Mean Temperature of the Air	14 61	20·82	22·54	39·91	52·62	65·79	67·32	62·93	56 00	42·74	38·13	29 04	42·70
Difference from average	−4·79	+0·06	−4·12	−0.55	−2·12	+2·08	−1·15	−3·02	−3·07	−4·39	+4·02	−4·44	−1·05
Highest Temperature	41 5	42·9	56 6	84·2	79·3	92·0	88·2	89·1	88·1	63·8	65·9	48·9	92·0
Lowest Temperature	−22 8	−24·0	−8 4	11·9	30·0	35·4	44·0	36 0	30·0	26·0	11·5	−2·5	−24·0
Monthly and Annual Range	64·3	66·9	65·0	72·3	49·3	56·6	44·2	53·1	58·1	37·8	54·4	51·4	116·0
Mean Daily Range	17·84	18·89	18·27	21·18	22·45	24·87	27·49	26·70	26·66	16·25	15·43	14·19	20·85
Greatest Daily Range	31 2	41·3	33·5	41 7	39·7	38·1	37·1	41·0	41·4	33·9	26·3	29·4	41·7
Mean Humidity of the Air	87	86	84	73	74	79	86	87	80	81	83	86	82
Mean Pressure of Vapour	0·089	0·130	0·118	0·189	0·307	0·520	0·594	0·604	0·357	0·227	0·205	0·146	0·291
Mean Amount of Cloud	69	69	58	45	61	45	44	48	39	67	69	77	58
Amount of Rain in inches	0·58	1·29	1·57	1 56	1·09	2·85	1·32	1 35	1·70	2·61	2·63	2·08	20·63
Number of Days	1	5	6	5	10	11	10	6	3	16	11	11	95
Amount of Snow in inches	23·0	4·5	14·9	1·0	..	..	.	..	0·5	0·0	2·5	12·0	58·4
Number of Days	16	5	7	1	..	..	..	..	2	0	5	8	44
Mean Velocity of Wind	9·70	10·63	10·52	8·90	8·24	8·34	5·72	7·46	6·83	10·05	11·44	13·31	9·26
Maximum Velocity	40·0	34·0	32·0	33·0	27·0	30·0	36·0	27 0	27·0	28·0	37·5	32·0	40 0
Number of Auroras	0	0	0	1	1	0	0	0	1	0	0	0	3
Number of Fogs	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of Thunder Storms	0	0	0	0	0	0	1	1	0	0	0	0	2
Mean proportion of Sunshine	0·29	0·32	0·32	0·48	0·40	0·50	0·57	0·56	0·59	0·29	0·30	0·21	40

TABLE XLVI.—*General Meteorological Magnetical observatory*

Latitude 43° 39′·4. Longitude 5th. 17m. 34·6 W. Elevation

	January.	February.	March.	April.	May.	June.	July.	August.
	°	°	°	°	°	°	°	°
Mean Temperature	14·98	21·90	22·44	38·86	50·57	64·42	66·21	66·02
Difference from average (48 years)	— 7·38	— 0·64	— 6·33	— 1·94	— 1·56	+ 2·46	— 1·49	—0·37
Thermic anomaly (Lat. 43° 40′)	—17·82	—12·80	—17·66	—11·34	— 7·53	— 0·18	— 2·50	—2·48
Highest Temperature	41·1	43·2	48·3	76·3	74·1	92·0	87·7	84·9
Lowest Temperature	— 11·9	— 16 1	— 1·2	21·2	32·9	40·5	47·3	47·3
Monthly and Annaal Ranges	53·0	59·3	49 5	55·1	41·2	51·5	40·4	37 6
Mean Maximum Temperature	22·58	28·96	29 46	47·55	59·53	75·45	76·59	76·07
Mean Minimum Temperatures	6·88	13·74	15 09	30·86	42 35	53·37	55 73	56·48
Mean Daily Range	15·70	15·22	14·37	16 69	17·18	22 08	20·86	19·59
Greatest Daily Range	28·8	37·7	23·2	32·2	30 8	32·0	32 3	32·0
Mean height of Bar. at 32° Fah	29·7772	29·6608	29·6988	29·7266	29·5789	29·5390	29·6255	29·5893
Difference from average (47 years)	+ ·1266	— ·0223	+ ·0977	+ ·1378	+ ·0048	— ·0300	+ ·0399	— ·0300
Highest Barometer	30·432	30 3·2	30·127	30·194	30 016	29·835	29·827	29·920
Lowest Barometer	29 077	28 929	28·793	29·192	29·110	29·187	29·114	29 240
Monthly and Annual Ranges	1·355	1·463	1·334	1·002	0·906	0 648	0·713	0 680
Mean Humidity of the Air	82	81	79	64	68	70	65	69
Mean Elasticity of Aqueous Vapour	0·078	0·106	0·106	0·156	0·261	0·430	0·416	0·448
Mean of Cloudiness	0·67	0·74	0·66	0·51	0·65	0 52	0·50	0·55
Difference from average (34 years)	— ·07	+ ·05	+ ·02	+ ·08	+ ·09	— ·01	·00	+ ·05
Resultant Direction of the Wind	N 63° W	S 77° W	N 42° W	N 44° W	N 44° E	S 68° W	N 50° W	N 78° W
" Velocity of the Wind	4·02	3·06	5 46	5·11	2·26	1·38	1·99	2 85
Average Velocity (miles per hour)	10·81	10·74	11·61	11 07	8·95	8 35	7·75	8·56
Difference from average (13 years)	— 0·75	— 0·22	— 0·01	+ 0 25	— 0·01	+ 0·69	+ 0·16	+ 0·87
Total Amount of Rain	0·690	1·020	1·910	1·360	0·839	3·990	0·860	2·910
Difference from average (48 years)	—0·412	+0·166	+0·416	—0·886	—2·178	+1·150	—2·200	+0·068
Number of Days of Rain	5	9	8	7	16	11	9	13
Total Amount of Snow	12 4	6·6	8·9	0·1	0·1	....	....	....
Difference from average (45 years)	—4 83	—10·49	—4 22	—0·41	—0·04	....	....	....
Number of Days of Snow	17	15	14	5	3	....	....	.. .
Number of Fair Days	14	9	13	19	14	19	22	18
Number of Auroras observed	2	1	4	4	3	4	0	0
Possible to see Aurora (No. of nights)	13	10	15	18	15	18	18	21
Number of Thunder Storms	0	0	2	2	0	5	4	5
Number of hours Bright Sunshine	107·2	96·5	133·8	229 1	189·7	289·1	282·4	258·5
No. of hours of possible Sunshine	285·7	302·5	369·9	406·4	461·1	465·7	470·9	434·5

Register for the Year 1888.

Toronto, Ontario.

above Lake Ontario, 108 feet. Elevation above the Sea, 350 feet.

September.	October.	November.	December	1887.	1886.	1885.	1884.	1883.	1882.
°	°	°	°	°	°	°	°	°	°
56·54	43·36	37·42	29·72	42·70	44·14	43·71	41·57	43·79	41·95	45·42
— 1·94	— 2·98	+ 1·43	+ 3·83	— 1·41	+ 0·03	— 0·40	— 2·54	— 0·32	— 2·16	— 1·31
— 4·96	— 10·44	— 5·77	— 6·28	— 8·32	— 6·88	— 7·31	— 9·45	— 7·23	— 9·07	— 5·00
77·6	62·2	62·0	46·7	92·0	97·2	89·5	88·6	89·6	83·4	89·9
32·1	28·3	14·1	0·0	— 16·1	— 16·6	— 22·8	— 16·1	— 13·3	— 10·5	— 17·4
45·5	33·9	47·9	46·7	108·1	113·8	112·3	104·7	102·9	93·9	107·3
65·65	50·01	43·92	35·72	....	....	....	....	....	....	....
47·55	36·42	31·33	23·11	....	....	....	....	....	....	....
18·10	13·59	12·59	12·61	16·55	17·12	16·53	16·85	17·05	17·07	15·70
28·8	23·4	26·0	28·6	37·7	34·0	32·6	39·2	34·8	38·4	36·0
29·6600	29·5535	29·7173	29·6109	29·6448	29·6329	29·6255	29·5933	29·6273	29·6496	29·6515
— ·0058	— ·0965	+ ·0981	— ·0387	+ ·0270	+ ·0151	+ ·0077	— ·0245	+ ·0095	+ ·0318	+ ·0337
30·139	29·931	30·244	30·157	30·432	30·607	30·283	30·300	30·412	30·365	30·447
29·121	28·937	29·100	29·111	28·793	28·704	28·752	28·714	28·807	28·803	28·781
1·018	1·034	1·144	1·046	1·639	1·903	1·531	1·586	1·605	1·562	1·666
78	78	80	78	74	75	77	77	76	77	74
0·359	0·225	0·193	0·137	0·243	0·261	0·260	0·249	0·261	0·249	0·265
0·44	0·73	0·76	0·81	0·63	0·63	0·61	0·61	0·63	0·64	0·63
+ ·07	+ ·11	+ ·01	+ 0·04	+ 0·01	+ ·01	— ·01	— ·01	+ ·01	·00	+ ·01
N 19° W	N 38° W	N 35° W	S 87° W	N 59° W	N 46° W	N 56° W	N 62° W	N 55° W	N 77° W	N 47° W
0·78	2·66	2·28	6·55	2·67	1·92	2·13	2·60	3·30	2·39	2·11
7·89	9·28	9·48	12·08	9·71	9·88	9·73	9·95	10·29	10·08	10·42
— 0·67	+ 0·22	— 1·19	+ 1·06	+ 0·03	+ 0·20	+ 0·05	+ 0·27	+ 0·61	+ 0·40	+ 0·74
3·285	2·645	2·710	0·600	22·819	17·969	27·726	26·351	20·532	25·734	20·587
— 0·095	+ 0·297	+ 0·026	— 0·912	— 4·560	— 9·410	+ 0·347	— 1·028	— 6·847	— 1·645	— 6·792
14	20	14	7	133	106	112	103	123	124	110
....	0·3	3·9	2·3	34·6	77·9	73·5	65·6	80·2	84·0	42·5
....	— 0·45	— 0·66	— 12·60	— 35·7	+ 7·6	+ 3·2	— 4·7	+ 9·9	+ 13·7	— 27·8
....	3	7	19	83	78	66	73	69	74	62
16	11	11	9	175	203	196	203	184	181	209
0	2	1	0	21	25	29	31	20	46	60
20	15	13	7	183	180	189	195	202	207	204
2	1	2	0	23	22	26	19	30	32	28
227·7	101·6	70·8	61·9	2048·3	2063·5	2034·4	2018·3	1931·8	2038·8	2169·5
376·3	340·2	286·9	274·3	4474·4	4463·3	4463·3	4463·3	4474·4	4463·3	4463·3

TABLE XLVII.—*General Meteorological Register, Winnipeg, Man., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Mean height of Barometer at sea level	30·349	30·154	30·236	30·116	29·947	29·755	29·911	29·927	29·986	29·919	30·138	30·053	30·041
Highest Barometer	30·764	30·987	30·893	30·765	30 382	30·221	30·198	30·299	30·406	30·356	30·832	30·445	20·987
Lowest Barometer	29·671	29·607	29·497	29·380	29·210	29·210	29·470	29·569	29·533	29·332	29·479	29·582	29·210
Monthly and Annual Range	1·093	1·380	1·396	1·385	1·172	1·011	0·778	0·730	0·873	1·024	1·353	0·863	1·777
Mean Temperature of the Air	14·23	1·76	6·28	32·81	45·68	62·48	65·55	60·74	53·05	39·67	23·72	12·88	32·24
Difference from Average	6·73	0·97	5·71	2·07	6·72	0·43	0 51	2·69	1·39	1·28	6·01	11·99	0·36
Highest Temperature	28·0	37·0	40·0	73·0	78·0	96·0	91·0	97·0	87·0	71·2	46·7	35·2	97·0
Lowest Temperature	45·6	46·4	25·9	0·7	15·3	21·0	43·3	30·3	23·3	20·3	4·3	14·0	46·4
Monthly and Annual Range	73·6	83·4	65·9	73·7	62·7	75·0	47·7	66·7	63·7	50·9	51·0	49·2	143·4
Mean Daily Range	18·61	22·57	24·35	21·78	29·69	25·79	24·77	28 43	25·43	18·34	15·93	19·89	22·96
Greatest Daily Range	43·9	42·5	34·3	32·9	44·7	41·9	34·7	44·6	52·8	34·0	36·3	33·5	52·8
Mean Humidity of the Air	95	94	88	72	59	72	73	73	77	82	85	90	80
Mean Pressure of Vapour	0·032	0·058	0·056	0·140	0·176	0·418	0·452	0·382	0·308	0·202	0·114	0·076	0·201
Mean Amount of Cloud	40	55	50	56	52	53	41	35	47	68	61	48	51
Amount of Rain in inches	0·000	0·00	0·00	0·53	0·17	3·10	3·78	1·03	1·53	1·49	0·02	0·00	11·65
Number of Days	0	0	0	6	9	17	13	11	14	11	3	0	84
Amount of Snow in inches	7·9	3·1	10·9	7·7	*	..	..	..	.	12·2	0·6	4·8	47·2
Number of Days	8	6	15	7	2	..	..	..	..	3	7	10	58
Mean Velocity of Wind	11·47	12·79	11·02	13·66	10·90	13·12	10·87	9·66	11·63	10·24	9·56	10·25	11·26
Maximum Velocity	34·0	35·0	43·0	35·0	32·0	36·5	30·5	38·0	35·0	27·0	31·0	42·5	43·0
Number of Auroras	6	7	6	9	7	3	3	6	7	6	5	5	70
Number of Fogs	0	1	0	0	0	0	0	0	0	1	0	0	2
Number of Thunder Storms	0	0	0	0	0	7	7	2	0	0	0	0	16
Mean Proportion of Sunshine	0·57	0·45	0·51	0·49	0·52	0·50	0·63	0·67	0·51	0·27	0·38	0·47	50

TABLE XLVIII.—*General Meteorological Register, Fort Simpson, B. C., 1888.*

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	YEAR.
Mean Height of Barometer at Sea Level	29·939	29·877	29·936	29·852	29·930	29·738	30·006	29·940	29·862	29·753	29·786	29·773	29·866
Highest Barometer	30·820	30·349	30·332	30·307	30·352	30·076	30·251	30·218	30·278	30·139	30·473	30·189	30·820
Lowest Barometer	29·058	28·889	29·396	29·312	29·530	29·237	29·698	29·486	29·409	29·381	29·177	29·309	28·889
Monthly and Annual Range	1·762	1·460	0·936	0·995	0·822	0·839	0·553	0·732	0·869	0·758	1·296	0·880	1·931
Mean Temperature of the Air	25·13	38·04	38·68	41·75	48·28	53·92	55·08	57·05	55·11	47·52	39·80	37·35	44·81
Difference from Average	− 5·57	+ 5·16	− 0·42	− 0·68	− 0·04	+ 1·46	− 0·38	+ 1·03	+ 2·18	− 0·01	− 0·43	+ 2·06	+ 0·36
Highest Temperature	50·0	51·0	51·0	56·0	71·0	65·0	71·0	68·0	72·0	64·0	57·0	54·0	72·0
Lowest Temperature	2·0	20·0	20·0	28·2	30·0	40·0	41·0	43·0	38·0	29·0	17·0	19·0	2·0
Monthly and Annual Range	48·0	31·0	31·0	27·8	41·0	25·0	30·0	25·0	34·0	35·0	40·0	35·0	70·0
Mean Daily Range	14·84	12·00	13·46	....	17·54	11·67	15·48	12·74	10·57	11·29	12·98	6·31	15·10
Greatest Daily Range	31·0	20·0	30·0	....	31·0	23·0	27·0	23·0	26·0	28·0	21·0	19·0	31·0
Mean Humidity of the Air	77	87	79	83	85	90	90	91	89	89	84	84	86
Mean Pressure of Vapour	0·119	0·209	0·193	0·230	0·296	0·379	0·404	0·432	0·393	0·303	0·219	0·194	0·281
Mean Amount of Cloud	49	77	54	80	57	89	57	68	75	89	70	63	69
Amount of Rain in inches	4·32	16·65	7·35	8·00	4·59	5·71	3·00	7·65	10·77	18·04	13·54	6·31	105·93
Number of Days	7	22	16	23	15	23	10	9	20	29	23	19	206
Amount of Snow in Inches	14·0	12·0	0·2	..	..	..	..	..	..	..	0·2	0·0	26·4
Number of days	6	1	3	..	..	..	..	..	..	..	1	0	11
Mean Velocity of Wind	....	4·6	4·8	3·8	3·4	2·8	2·6	3·3	3·4	5·5	5·2	4·7	....
Maximum Velocity	....	21·0	36·0	25·0	25·0	25·0	10·0	20·0	18·0	30·0	45·0	38·0	45·0
Number of Auroras	0	0	0	0	0	0	0	1	1	0	0	1	3
Number of Fogs	0	0	2	0	1	1	5	5	3	1	0	0	18
Number of Thunder Storms	0	0	0	0	1	0	0	0	0	1	0	0	2

TABLE XLIX.— *Observed Bi-Hourly Temperature at Regina, North-West Territories. January, 1888.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	6·0	6·0	8·0	8·5	10·0	14·0	12·0	11·0	6·0	1·0	5·0	8·5	5·58
2	10·0	10·0	10·5	10·0	0·0	0·0	8·0	10·0	13·0	17·0	18·0	18·5	10·42
3	19·0	19·0	16·0	12·0	11·0	10·0	10·0	9·5	8·0	8·0	8·0	10·0	11·71
4	10·0	12·0	16·0	15·0	13·5	12·0	12·0	11·5	10·5	10·0	9·0	8·0	11·62
5	8·0	8·0	6·0	5·0	4·0	0·0	2·0	5·0	5·0	8·0	9·0	11·0	5·92
6	15·0	22·0	22·5	24·0	24·0	21·0	20·0	20·0	22·0	24·0	27·0	32·0	22·79
7	35·0	38·0	39·0	32·0	30·0	27·0	20·0	18·0	20·0	25·0	30·0	33·0	28·92
8	35·0	35·0	37·0	39·0	39·5	35·0	30·0	33·0	40·0	41·0	46·0	48·0	38·21
9	50·0	49·0	48·0	40·0	31·0	25·0	18·0	18·0	10·0	17·0	20·0	20·0	28·83
10	20·5	24·0	26·0	30·0	30·0	31·0	31·0	28·0	26·0	22·0	24·0	30·0	26·87
11	27·0	22·0	18·0	15·0	10·0	10·0	7·0	7·0	4·0	0·0	3·0	1·0	9·83
12	8·0	12·0	17·0	25·0	27·0	29·0	28·0	28·0	29·0	30·0	30·0	31·0	24·50
13	32·0	33·0	35·0	34·0	34·0	34·0	34·5	35·0	35·5	35·5	36·0	37·0	34·62
14	42·0	43·0	46·0	45·0	45·0	44·0	38·0	30·0	25·0	32·0	32·0	33·0	37·92
15	35·0	38·0	40·0	33·0	30·0	18·0	16·0	16·0	15·0	12·0	12·0	10·0	22·91
16	10·0	5·0	2·0	2·0	1·0	5·0	8·0	10·0	11·0	10·0	6·0	0·0	2·50
17	10·0	14·0	18·0	16·0	14·0	14·0	13·0	12·0	12·0	10·0	14·5	17·0	13·71
18	20·0	25·0	26·0	28·0	26·5	26·0	25·0	20·0	20·0	26·0	28·0	35·0	25·46
19	36·0	38·0	38·5	41·0	40·0	37·0	30·0	28·0	30·0	34·0	36·0	38·0	35·54
20	40·0	41·0	43·0	41·0	40·0	35·0	34·5	30·0	25·0	27·0	28·0	35·0	34·96
21	36·0	39·0	38·0	38·0	40·0	35·0	28·0	25·0	24·0	25·0	22·0	22·0	31·00
22	20·0	20·0	21·0	20·0	17·0	15·0	12·0	13·0	15·0	18·0	20·0	23·0	17·83
23	26·0	28·5	35·0	39·0	38·0	37·0	18·0	12·0	8·0	6·0	6·0	7·0	21·71
24	7·0	5·0	2·0	2·0	8·0	8·0	5·1	5·0	6·0	11·0	15·0	19·0	7·75
25	21·0	24·0	26·0	28·0	28·0	20·0	15·0	10·0	8·0	4·0	2·0	1·0	15·42
26	0·0	2·0	4·0	1·0	0·0	0·0	1·0	5·0	10·0	7·0	5·0	4·0	2·08
27	4·0	5·0	7·0	8·0	8·0	8·0	9·0	10·0	10·0	10·0	5·0	3·0	7·25
28	0·0	2·0	0·0	5·0	15·0	25·0	21·0	20·5	18·0	14·0	12·0	12·1	11·71
29	16·0	15·5	15·0	15·0	18·0	32·0	34·5	37·5	40·0	32·0	21·5	13·1	24·17
30	1·0	4·0	0·5	5·0	10·0	10·5	15·0	22·0	18·0	15·0	12·0	10·0	9·58
31	10·0	10·0	12·0	16·0	20·0	30·0	36·0	38·0	36·0	30·0	28·0	20·0	23·83
	17·29	18·55	18·97	17·98	16·15	12·55	10·29	8·71	8·45	10·50	12·42	14·97	13·93

TABLE L.— *Observed Bi-Hourly Temperature at Regina, North-West Territories, February, 1888.*

12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
10·0	10·0	10·0	10·0	10·5	17·0	21·0	23·0	25·0	27·0	27·0	25·0	17·96	1
25·0	23·0	21·0	20·0	19·0	20·0	25·0	15·5	15·0	14·5	14·0	12·0	18·66	2
11·5	11·0	11·0	10·0	10·0	10·0	14·0	15·0	12·0	12·0	12·0	10·0	11·54	3
7·0	0·0	6·0	5·0	5·0	2·0	4·0	4·0	4·0	3·0	4·0	4·0	0·83	4
6·0	6·0	7·0	6·0	5·5	5·0	0·0	1·0	2·0	1·0	0·0	0·0	2·62	5
3·0	6·0	6·0	10·0	15·0	10·0	11·0	10·0	12·0	15·0	20·5	21·0	11·62	6
22·0	28·0	29·0	30·0	31·0	23·0	19·0	15·0	18·0	20·0	25·0	30·0	24·16	7
33·0	35·0	33·5	33·0	32·0	30·0	25·0	25·0	28·0	30·0	34·5	40·0	31·58	8
41·0	42·0	40·0	36·0	29·0	22·0	10·0	9·0	11·5	17·0	27·0	31·5	26·33	9
33·0	36·0	37·5	30·0	27·0	23·0	18·0	13·0	16·0	16·0	18·0	19·0	23·87	10
17·0	12·0	11·0	10·0	11·0	8·0	6·0	3·0	3·0	4·5	5·0	5·0	7·96	11
5·0	4·0	2·0	2·0	1·5	1·0	0·5	0·0	0·0	5·0	5·0	2·0	0·33	12
4·0	13·0	15·0	18·0	19·0	19·0	20·0	21·0	22·5	23·5	25·0	26·0	18·83	13
28·5	30·0	30·0	24·5	20·0	20·0	20·0	16·0	14·0	17·0	20·0	18·0	21·50	14
15·0	15·0	15·0	12·0	12·0	0·0	4·0	15·0	16·0	18·0	20·0	20·0	2·00	15
20·0	20·0	18·0	17·0	15·0	20·0	25·0	25·0	25·5	27·0	25·0	22·0	21·62	16
20·0	15·0	15·0	22·0	23·0	27·0	31·0	40·0	41·0	33·0	19·0	10·0	24·66	17
10·0	8·0	3·0	2·0	5·0	20·0	31·0	33·0	30·0	30·0	29·5	25·0	18·87	18
15·0	11·0	5·0	0·0	2·0	4·5	5·0	5·0	6·0	8·0	8·0	0·0	5·79	19
2·0	5·0	5·0	0·0	3·0	7·0	10·0	20·0	18·0	14·5	10·0	10·0	6·71	20
9·0	13·0	15·0	20·5	22·0	29·0	31·0	28·0	25·0	24·0	23·0	23·0	21·87	21
20·0	18·0	11·0	14·0	15·0	20·0	25·0	30·0	32·0	30·0	25·0	25·0	22·08	22
15·0	12·5	12·0	12·0	17·0	30·0	35·0	35·0	34·0	32·0	30·0	20·5	23·75	23
9·0	4·0	4·0	1·5	5·0	5·0	7·0	8·0	8·0	7·0	7·0	6·5	6·00	24
6·0	4·0	0·0	4·0	4·0	4·0	2·0	0·0	2·0	2·0	3·0	3·0	1·17	25
5·0	8·0	13·0	19·5	23·0	18·0	14·0	8·0	6·0	7·0	7·0	4·0	11·04	26
4·0	1·0	2·0	2·0	5·0	11·0	14·0	8·0	2·0	4·0	5·0	7·0	0·91	27
10·0	20·0	21·5	19·0	15·0	14·0	12·0	10·0	10·0	10·0	6·0	7·0	12·87	28
10·0	12·0	9·0	6·0	10·0	8·0	5·0	5·0	10·0	10·0	11·0	12·0	9·00	29
....	....	....	....	....	....	....	....	....	....	....	....	....	..
....	....	....	....	....	....	....	....	....	....	....	....	....	..
2·10	4·26	5·43	4·76	3·75	0·47	4·12	5·88	4·78	3·59	1·50	0·57	0·04	

TABLE LI.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, March, 1888.*

Day.	12·30 A.	2·30 A.	4·30 A.	6·30 A.	8·30 A.	10·30 A.	12·30 P.	2·30 P.	4·30 P.	6·30 P.	8·30 P.	10·30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	13·0	16·0	11·0	11·0	10·0	10·0	10·0	8·0	10·0	10·5	11·0	12·0	11·04
2	12·0	14·0	14·5	16·0	19·0	13·0	10·0	10·0	10·0	2·0	20·0	24·0	10·04
3	26·5	30·0	29·0	16·5	16·0	10·0	6·0	5·0	5·0	6·0	8·0	8·0	13·83
4	10·0	12·5	10·0	10·0	8·0	5·0	3·0	1·0	6·0	7·5	10·0	12·5	7·96
5	14·0	14·0	12·0	8·0	5·0	4·0	3·0	3·0	0 0	6·0	12·0	14·0	6·92
6	18·0	18·0	20·5	18·0	12·0	0·0	2·0	3·0	6·0	9·5	11·0	14·0	10·67
7	16·0	17·0	23·0	25·0	24 0	20·0	16·0	8·0	5·5	8·0	10·0	10·0	15·21
8	10·5	11 0	8·0	6·0	3·0	0·0	4·0	5·0	5·5	6·0	0·0	10·0	2·33
9	14·0	16·5	17·0	15·0	13·5	10·0	2·0	2·0	5·0	10·0	12·0	12·0	10·75
10	17·5	25·0	25·0	20·0	16·0	12·0	10·5	5·0	0·0	5·0	5·0	8·0	12·41
11	10·5	12·0	14·0	18·0	19·0	11·0	7·0	4·0	1·0	0·0	2·0	4·0	8·54
12	7·0	8·0	5·0	1·0	1·0	6·0	10·5	15·5	13·0	10·0	5·0	0·0	3·33
13	0·5	3·0	4·0	8·0	18·0	20·0	23·0	30·0	30·0	27·0	25·5	25·0	17·75
14	22·0	21·0	20·0	18·0	16·0	18·0	20·0	20·0	16·0	13·0	13·0	10·9	17·25
15	10·0	7·0	4·0	10·0	0·0	5·0	5·0	6·0	5·0	0·0	0·0	3·0	1·75
16	3·0	10·0	10·0	10·5	13·0	22·0	31·0	33·0	35·0	29·0	27·0	16·5	19·96
17	11·0	8·0	6·0	10·0	13·0	25·0	29·0	35·0	30·0	29·0	36·0	38·0	22·50
18	40·0	36·0	31·0	30·0	28·0	25·5	23·0	16·0	13·0	12·0	10·0	8·0	22·71
19	4·0	0·0	8·0	6·0	4·5	6·0	8·0	12·0	12·0	15·0	14·0	14·0	5·54
20	12·0	11·0	10·0	10·0	5·0	5·0	4·0	2·0	0·0	4·0	8·0	12·0	2·91
21	15·0	18·0	20·0	22·0	17·0	10 0	4·0	0·0	0·0	7·0	10·0	10·0	6·58
22	10·0	6·0	2·0	2·0	5·0	13·0	14·0	14·0	15·0	12·0	10·5	10·0	8·29
23	10·0	10·0	8·0	8·0	7·0	10·5	12·0	10·0	10·0	9·0	9·0	8·0	9·29
24	9·0	9·0	8·5	9·5	10·0	11·0	12·0	16·5	15·0	13 5	10·0	8·0	11·00
25	6·0	6·0	6·0	8·0	8·0	10·5	14·0	14·0	15·0	12·0	10·0	9·0	9·87
26	9·0	9·0	7·0	5·0	3·0	0·0	3·5	7·0	8·0	10·0	12·0	13·0	1·71
27	15·0	15·0	18·0	17·5	10·0	5·5	7·0	8·0	8·0	6·0	5·0	0·0	9·58
28	5·0	5·0	3·0	0·0	5·0	7·0	6·0	3·0	1·0	5·0	7·0	8·0	0·92
29	7·0	5·0	4·0	3·0	9·0	11·5	12·0	13·0	11·5	3·0	4·0	7·5	2·96
30	10·0	10·0	10·0	9·0	8·0	8·0	8·0	12·0	12·0	10·0	5·0	2·0	0·83
31	2·0	4·0	9·0	9 5	4·0	10·0	16·0	18·0	15·0	14·0	13·0	11·0	5·71
	2 11	3·32	4·21	3·08	1·42	3·18	6·40	8·61	7·79	5·42	3·06	0·61	1·74

TABLE LII.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, April, 1888.*

12.30 A.	3.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	MEANS.	DAY.
°	°	°	°	°	°	°	°	°	°	°	°	°	
10·0	8·0	5·5	5·0	8·0	10·0	17·5	20·0	19·0	17·0	16·0	10·0	12·17	1
7·0	5·0	3 5	0·0	5·0	8 0	15·0	16·0	18·0	18·0	16·0	16·0	10·62	2
16·0	15·0	15·0	14·0	12·0	12·0	13·5	14·0	13·0	12·5	12·0	12·0	13·42	3
10·0	10·0	9·0	11·0	14·0	16·0	20·0	20·0	19·0	18·5	17·0	10·0	14·54	4
0·0	3·0	1·0	3·0	6·0	10·0	15·0	16·5	16·5	10·0	7·0	2·0	6 83	5
0·0	4·0	2·0	3·0	8·0	16·0	30·0	35·0	30·0	27·0	20·5	15·0	14·88	6
10·0	8·0	8·0	10·0	20·0	27·0	35·0	35·0	35·0	32·0	30·0	28·0	23·17	7
25·0	25·0	25·0	27·0	30·0	34·0	40·0	40·0	40·0	39·0	36·0	32·0	32·75	8
30·0	30·0	27·0	24·5	31·0	31·0	36·0	36·0	36·5	37·0	37·0	38·0	32·83	9
39·0	39·0	25·0	22·0	25·5	29·0	32·0	32·0	32·0	29·0	22·0	20·0	28 88	10
17·0	14·0	10·0	8·0	10·0	22·0	40·0	40·0	37·0	37·0	36·0	32·0	25·25	11
32·0	31·5	25·0	28·0	38·0	42·0	53·0	55 0	45·0	40·0	40·0	40·0	38·96	12
38·0	35·0	33·5	35·0	40·0	45·0	49·0	50·0	47·0	40·0	39·0	38·0	40·79	13
38·0	37·0	37·0	38·5	40·0	46·0	50·0	45·0	46·0	40·0	37·0	35·0	40·79	14
34·0	30·0	29·0	30·0	37·0	40·0	42·0	40·0	41·0	40·0	37·0	36·0	36·33	15
36·0	35·0	35·0	35·0	36·0	37·5	40·0	40·0	39·0	33·0	33·0	33·0	36·04	16
33·0	26·0	25·0	25·0	24·0	25·0	25·0	26·5	20·0	15·5	13·0	10·0	22·33	17
14·0	16·5	20·0	24·0	25·0	25·0	30·0	29·0	27·5	24·0	20·0	15·0	22·50	18
12·0	10·5	18·0	24·0	30·0	38·0	38·0	46·0	55·0	41·0	37·0	36·0	32·13	19
32·0	30·0	32·0	36·5	38·5	44·0	53·0	50·0	45·0	45·0	36·0	30·0	39·33	20
29·5	28·0	30·0	35·0	37·0	40·0	43·0	45·0	44·0	43·0	38·0	36·0	37·37	21
33·0	31·0	33·0	35·0	37·0	40·0	50·0	53·0	53·0	50·0	46·0	38·0	41·58	22
35·5	32·0	30·0	32·0	35·0	36·0	39·0	43·0	40·0	37·0	35·0	30·0	35·37	23
30·0	29·5	26·0	30·0	39·0	50·0	55·0	60·0	60·0	57·0	53·0	50·0	44·96	24
47·0	46·0	46·0	44·5	44·0	50·0	48·0	46·0	40·0	38·0	30·0	30·0	42·46	25
28·0	24·0	20·0	16·0	20·0	24·5	26·0	28·0	32·0	32·0	31·0	30·0	25·95	26
30·0	30·0	28 0	25·0	20·5	20·0	22·0	25·0	26·0	27·0	26·0	20·0	24·96	27
15·0	12·0	10·0	13 0	23·0	27·0	33·0	37·0	35·0	35·0	29·0	25·0	24·50	28
25·0	22·0	22·0	30·0	33 3	40·0	43·0	45·0	50·0	42·0	40·0	39·0	35·92	29
36·0	33·0	34·0	35·0	42·0	48·0	50·0	50·0	52·0	50·0	48·0	47·0	43 75	30
....	....	....	....	....	....	....	....	....	....	....	....	....	..
24·73	22·87	21·95	23·30	26 95	31·10	36·10	37·20	36·45	33·55	30·58	27 74	29·38	

TABLE LIII.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, May, 1888.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	46·0	43·5	40·0	40·0	50·0	51·5	52·0	53·0	55·0	55·0	53·0	51·5	49·21
2	50·0	46·0	43·0	44·5	45·0	47·5	49·0	50·0	45·0	42·0	39·0	35·0	44·67
3	36·5	37·0	35·5	34·0	40·0	42·0	45·0	45·5	48·0	47·0	46·0	44·0	41·71
4	36·0	36·0	34·5	34·0	35·5	44·0	49·0	53·0	54·0	57·0	56·0	56·0	45·42
5	50·0	46·5	45·5	44·0	51·0	57·0	68·0	77·0	78·0	76·0	70·0	63·0	60·50
6	61·0	60·0	60·0	52·0	58·5	75·0	75·5	76·0	73·0	70·0	59·0	52·5	64·37
7	45·0	38·0	38·0	50·0	61·0	68·0	75·0	74·0	76·0	65·0	52·0	48·0	57·50
8	43·0	37·0	40·0	43·0	48·0	68·0	71·0	71·0	71·0	67·0	53·0	45·0	54·75
9	43·0	41·0	37·0	45·0	48·0	50·5	54·0	52·5	50·0	47·0	42·0	40·0	45·83
10	37·0	37·0	38·5	39·0	46·0	48·0	50·0	50·0	47·0	45·0	37·0	25·0	41·62
11	24·0	23·0	23·0	25·0	32·0	45·0	45·0	45·0	42·0	32·0	29·0	28·0	32·75
12	25·0	16·0	14·0	25·0	38·0	48·0	50·0	54·5	55·0	50·0	42·0	30·0	37·29
13	28·0	26·5	25·0	36·0	51·5	57·0	60·5	61·0	58·0	53·0	49·0	47·0	46·04
14	45·0	44·0	42·0	48·0	48·0	47·0	45·0	40·0	38·0	35·0	33·0	35·0	41·67
15	37·0	39·0	42·0	43·0	45·0	47·0	50·0	50·5	51·0	49·0	43·5	42·0	44·92
16	38·0	36·0	36·0	38·0	38·0	44·0	48·0	50·0	50·0	48·0	44·0	37·0	42·25
17	37·0	36·0	38·0	42·0	45·0	46·0	49·0	52·0	50·0	47·0	43·3	35·0	43·33
18	33·5	33·0	32·0	35·0	41·0	47·0	53·0	55·0	54·0	42·0	41·0	40·0	42·21
19	39·0	38·0	39·0	40·5	49·0	53·0	53·5	54·0	52·0	51·0	48·0	43·0	46·67
20	41·0	40·0	31·0	33·0	42·0	47·0	49·5	50·0	49·0	48·0	38·0	34·0	41·87
21	27·0	24·5	26·0	35·0	50·0	54·0	57·0	60·0	58·0	55·0	53·0	48·0	45·63
22	43·5	43·0	41·0	47·0	54·0	57·0	59·0	60·0	62·0	58·0	52·0	49·0	52·13
23	45·0	38·0	36·0	51·0	62·0	67·0	68·0	67·0	64·0	59·0	51·0	46·0	54·50
24	38·5	38·0	37·0	38·0	49·0	64·0	69·0	65·0	65·0	61·5	53·0	50·0	52·33
25	45·0	42·0	42·0	50·0	65·0	65·5	70·0	72·0	70·0	65·0	57·0	45·0	57·21
26	40·0	38·0	45·0	56·0	65·0	70·0	70·0	70·0	68·0	60·5	53·0	45·0	56·71
27	44·0	42·0	35·0	50·0	53·0	54·0	63·0	65·0	65·0	63·0	57·0	51·0	53·50
28	50·0	48·0	46·0	52·0	56·0	56·0	57·0	60·0	59·0	55·0	48·5	37·0	52·04
29	35·0	35·0	36·0	39·0	42·0	54·0	56·0	58·0	60·0	52·0	48·0	38·0	46·08
30	33·0	30·0	25·0	38·0	45·0	49·0	56·0	58·0	60·0	55·0	49·0	40·0	44·83
31	35·0	30·0	32·0	45·0	60·0	62·0	63·0	68·0	65·0	63·0	47·0	39·0	50·75
	39·71	37·48	36·55	41·68	48·82	54·35	57·42	58·61	57·81	53·97	47·94	42·55	48·07

TABLE LIV.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, June, 1888.*

12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	MEANS.	DAY.
°	°	°	°	°	°	°	°	°	°	°	°	°	°
35·0	33·5	35·0	44·0	55·0	60·0	65·0	65·0	67·0	65·0	58·0	45·5	52·33	1
35·0	35·0	30·0	51·0	63·0	67·0	72·0	75·0	75·0	70·0	55·0	51·0	56·58	2
43·5	42·0	49·0	55·0	66·0	77·0	79·0	75·0	72·0	68·0	65·0	57·0	62·38	3
50·0	48·0	52·0	59·5	62·0	65·0	72·0	68·0	55·0	45·0	40·0	38·0	54·54	4
38·0	36·5	38·0	38·0	40·0	45·0	51·0	57·0	56·0	55·0	53·0	50·0	46·46	5
40·0	45·0	47·5	51·0	57·0	65·0	63·0	66·0	68·5	65·0	56·0	51·0	56·25	6
50·0	49·0	48·5	51·0	56·0	60·0	62·0	63·0	60·0	57·0	53·0	53·0	55·21	7
50·0	48·0	43·5	44·0	52·0	56·0	63·0	63·0	65·0	63·0	55·0	51·0	54·46	8
52·0	47·0	42·0	45·0	47·5	55·0	68·0	72·0	72·0	68·5	55·0	45·0	55·75	9
45·0	42·0	40·0	50·0	64·0	70·0	72·0	75·0	73·5	71·0	59·0	55·0	59·71	10
53·0	51·0	53·0	55·5	62·0	68·0	71·5	75·5	71·0	66·0	59·0	58·0	61·96	11
57·0	57·0	54·0	59·0	60·0	71·0	74·0	77·0	77·0	77·0	68·0	62·5	66·13	12
58·0	52·0	48·0	60·5	68·0	70·0	73·0	79·0	71·0	67·0	65·0	59·0	64·21	13
54·0	49·0	45·0	55·5	63·0	70·0	76·0	81·0	83·0	75·0	72·5	67·0	65·92	14
60·0	57·0	60·0	67·0	86·0	90·0	80·0	81·0	82·0	76·0	67·0	66·0	72·67	15
54·0	46·0	45·0	45·0	58·0	67·5	75·0	78·0	78·0	73·0	64·5	55·0	61·58	16
50·0	42·0	49·0	57·0	74·0	82·0	84·0	84·0	84·5	80·0	73·0	70·0	69·13	17
69·0	63·0	62·0	67·0	73·0	81·0	83·0	86·0	90.0	84·0	73·0	70·0	75·08	18
68·0	67·5	67·0	70·0	71·0	80·0	83·0	90·0	89·0	70·0	69·0	68·0	74·37	19
67·0	64·0	62·0	64 0	65·5	67·0	70·0	72·0	71·0	70·0	70·0	65·0	67·29	20
62·0	61·0	60·5	68·0	68·0	74·0	68·0	64·0	60·0	55.0	52·0	50·5	61·92	21
50·0	48·0	50·0	51·5	53·0	55·0	55·0	54·0	50·0	50·0	50·0	48·0	51·21	22
46·0	43·0	44·0	45·5	46·5	48·0	48·0	50·0	49·0	46·0	44·0	41·0	45·92	23
44·0	48·0	44·0	46·0	50·0	51·0	54·0	56·0	54·0	51·0	52·0	50·0	50·00	24
48·0	48·0	48·5	50·0	41·0	55·0	58·0	63·0	60·0	58·0	57·0	50·0	53·04	25
46·0	46·0	47·0	50·0	55·0	60·0	70·0	75·0	70·0	67·0	63·0	60·0	59·08	26
56·0	52·0	50·0	56·0	62·0	62·5	70·0	74·0	71·0	69·0	64 0	61·0	62·29	27
54·0	50·0	52·0	58·0	64·0	65·0	66·5	72·0	75·0	76·0	68·0	60·0	63·37	28
51·5	50·0	48·0	54·0	64·0	70·0	78·0	80·0	75·0	72·0	70·0	65·0	64·79	29
66·0	65·0	50·0	53·0	65·0	70·0	70·0	75·0	74·0	70·0	67·5	61·0	65·54	30
....	....	....	....	....	....	....	....	....	....	...	....	..	....
51·73	49·52	48·82	54·03	60·38	65·90	69·13	71·52	69·95	65·98	60·58	56·12	60·30	

TABLE LV.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, July, 1888.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	60·0	55·5	55·0	60·0	65·0	72·0	76·0	78·0	78·0	76·0	66·0	62·0	66·96
2	60·0	59·0	59·0	60·0	62·0	70·0	70·5	70·5	67·0	59·0	55·5	55·0	62·29
3	50·0	50·0	48·5	55·0	65·0	67·0	70·0	69·0	66·0	62·0	57·0	55·0	59·54
4	50·0	54·0	54·0	58·5	63·0	67·0	70·5	72·0	75·0	65·0	59·0	55·0	61·92
5	50·0	52·0	52·0	57·0	58·0	60·0	65·0	68·0	67·0	64·0	55·0	52·0	58 33
6	50·0	45·0	48 0	52·0	60·0	65·0	70·0	77·0	77·0	70·0	70·0	61·5	62·13
7	54·0	53·0	58·0	62·0	69·0	72·0	74·0	75·0	74·0	71·0	68·0	56·0	65·50
8	49·0	46·0	42·0	40·0	55·0	68·0	71·0	77·0	76·0	70·0	67·0	60·0	60·08
9	58·0	54·0	53·0	60·0	69·0	76·5	83·0	84·0	83·0	78·0	77·0	65·0	70·04
10	63·0	62·0	58·0	68·0	72·0	80·0	88·0	91·5	93·0	85·0	75·5	70·0	75·50
11	70·0	70·0	65·0	71·0	78·0	80·0	83·0	83·0	83·0	76·0	65·0	56·0	73·33
12	56·0	54·0	52·0	65·0	70·0	72·0	75·0	76·0	75·0	70·0	68·0	65·0	66·50
13	63·0	60·0	59·0	62·0	66·0	70·0	75·0	79·0	77·0	69·0	67·0	59·0	67·17
14	58·0	56·0	52·0	58·0	67·0	72·0	78·0	80·0	78·0	71·0	65·0	60·0	66·25
15	57·0	54·0	51·0	56·0	58·0	60·0	60·0	61·0	63·0	59·0	55·0	54·0	57·33
16	48·0	47·0	48·0	48·0	57·0	60·0	63 0	65·0	63·0	58·0	55·0	54·0	55·50
17	53·0	52·0	52·0	59·0	61·0	65·0	70·5	72·5	70·0	59·0	54·0	54·0	60·17
18	50·5	50·0	52·0	56·0	60·0	75·5	82·0	85·0	84·0	82·0	62·0	56 0	66·25
19	52·0	51·0	45·0	60·0	75·0	74·0	93·0	94·0	96·0	94 0	77·0	64·0	72·92
20	57·0	56·0	57·0	65·0	71·0	79·0	83·0	81·0	81·0	75·0	64·0	58·0	68·92
21	55·0	55·0	54·0	58·0	65·0	71 5	72·0	75·0	74·0	72·0	64·0	56·0	64·29
22	50·0	46·0	50·0	55·0	60·0	73·0	75·0	75·0	75·0	72·0	64·0	53·0	62·33
23	50·0	45·0	43·0	56·0	68·0	73·0	75·0	83·0	85·0	82·0	68·0	61·0	65·75
24	60·0	60·0	57·0	59·0	67·0	72·0	80·0	85·0	82·0	77·0	68·0	65·0	69·33
25	58·0	54·0	52·0	55·0	67·0	71·0	73·0	77·0	75·0	73·0	66·0	62·0	65·25
26	57·0	57·0	56·0	62·0	66·0	80·0	87·0	88·0	89·0	83·0	74·0	60·0	71·58
27	59·0	56·0	54·0	56·0	60·0	70·0	85·0	85·0	84·0	81·0	70·0	62·0	68·50
28	55·0	53·0	51·0	53·0	62·0	68·0	72·0	75·0	72·0	69·0	63·0	58·0	62·58
29	54·0	54·0	55·0	55·0	61·0	68·0	75·0	77·0	72·5	70·0	66·0	60·5	64·00
30	55·0	50·0	51·0	52·0	53·0	58·0	60·0	69·0	66·0	60·0	57·0	52·5	56·96
31	49·0	15·0	48·0	51·0	65·0	70·0	76·0	75·0	75·0	67·0	67·0	55·0	61·92
	55·17	53·45	52·63	57·56	64·35	70·30	75·17	77·50	76·63	71·58	64·80	58·59	64·81

TABLE LVI.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, August, 1888.*

12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°
55·0	47·5	47·0	55·5	67·0	76·0	82·0	85·5	84·0	76·0	67·0	62·0	67·04	1
57·0	56·0	54·0	56·0	69·0	75·0	76·0	75·0	73·0	68·0	64·0	62·0	65 42	2
54·0	53·0	52 0	52·0	53·0	54·0	55·0	55·0	54·5	52·0	52·0	50·0	53·04	3
50·0	50·0	50·0	51·5	54·0	56·0	58·0	59·0	56·0	55·0	54·0	54·0	53·96	4
51·0	50·5	50·0	54·0	56·0	59·0	64·0	68·0	65·0	63·0	59·0	55·0	57·87	5
50·0	50·0	52·0	54·5	55 0	58·0	60·0	55·0	50·0	45·0	44·0	40·0	51 12	6
39·0	35·0	35 0	43·0	51·0	55·0	55·0	55·0	54·0	50·0	47·0	46·0	47·08	7
43·0	40·0	37·0	42·0	51·0	56·0	60·0	61·0	58·0	55·5	50·0	47·0	50·04	8
43·0	44 0	44·5	47·0	56·0	62 0	66·0	69·0	63·0	55·0	55·0	50·0	54·54	9
45·0	43 0	41·0	49·0	57·0	63·0	67·0	69·0	65·0	63·0	55·0	51·0	55·67	10
46·0	42·0	49·0	52·0	63·0	70·0	78·0	76·0	75·0	70·0	63·0	58 0	61·83	11
56·5	54·0	51·0	57·0	65·0	78·0	84·0	86·0	78·0	72·0	69·0	60·5	67·58	12
60·0	60·0	58·0	55·0	59·0	60·0	61·5	65·0	65·0	62·0	58·0	58·0	60·12	13
55·0	54·0	50·0	52·0	55·0	60·0	64·0	65·0	63·0	58·0	54·0	50·0	56·67	14
50·0	50·0	48·5	50·0	58·0	63·0	67·0	70·0	69·0	61·5	61·0	56·0	58 67	15
52·0	49·0	44·0	43·0	40·0	48·0	52·0	54·0	50·0	48·0	43·0	40·5	46·96	16
37·0	38·0	40·0	45·0	56·0	64·0	66·0	68·0	70·0	66·0	58·0	54·0	55·17	17
50·0	45·0	43·5	53·0	62·0	74·0	79·0	85·0	85·0	79·0	63·0	58·0	64·71	18
55·0	54·0	50·0	54·0	75·5	78·0	85·0	87 0	88·0	90·0	75·0	66·0	71·46	19
60·0	58·0	55·0	60·5	65·0	73·0	75·0	79·0	83·0	80·0	65·5	60·0	67·84	20
57·0	50·0	49·0	55·0	70·0	80·0	89·0	89·0	90·0	74·5	70·0	68·0	70·12	21
64·0	58·0	54·0	57·0	72·0	85·5	92·0	94·0	96·0	92·0	72·0	68·0	75·37	22
65·0	54·0	52·0	60·0	72·0	84·0	87·0	88·0	92·0	80·0	67·0	63·0	72·00	23
58·0	55·0	54·0	60·0	70·0	82·0	90·0	94·0	88·0	79·0	74·0	69·0	72·75	24
64·0	60·0	55·0	55 0	63·0	68·5	72·0	73·0	70·0	63·0	57·0	53·0	62·79	25
48·0	46·0	43·5	46·0	60·0	68·0	75·0	80·0	82 0	65·0	59·0	50·0	60·21	26
46·0	45·0	55·0	56·0	58·0	64·0	73·0	76·5	73·0	64·0	55·0	50·0	59·63	27
47·0	42·0	39·0	46·0	60·0	68·0	72·5	78·0	82·0	70·0	62·0	55·0	60·13	28
54·0	53·0	52·0	53·0	67·0	69·0	77·0	80·0	72·0	70 0	60·0	52·5	63·29	29
48·0	45·0	44·0	47·0	58·0	65·0	66·0	65·0	65·0	65·0	50·5	45·0	55·29	30
45·0	43·0	45·0	48·0	55·0	62·0	71·0	75·0	77 0	60·0	55·5	50·0	57·21	31
51·76	49·16	48·19	51·90	60·40	67·03	71·58	73·52	72·11	66·18	59·31	54·89	60·52	

TABLE LVII.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, September, 1888.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	44·0	42·0	40·0	46·5	68·0	72·0	74·0	76·5	77·0	76·0	75·0	60·0	62·58
2	52·0	40·5	38·0	45·0	65·0	75·5	78·0	78·0	76·0	70·0	55·0	54·0	60·58
3	48·0	45·0	39·0	46·0	53·0	58·0	63·5	64·0	65·0	58·0	48·0	43·0	52·54
4	39·0	36·0	38·0	43·5	56·0	62·0	71·0	73·0	72·0	66·0	63·0	60·0	56·63
5	56·5	50·0	50·0	50·0	56·0	63·0	74·0	74·0	72·0	65·0	63·0	60·0	61·13
6	57·0	57·0	53·0	54·5	59·0	59·0	59·5	60·0	65·0	63·0	62·0	55·0	58·66
7	56·0	55·0	52·0	51·0	53·0	65·0	66·0	70·0	79·0	68·0	52·0	48·0	59·58
8	45·0	42·0	40·0	43·0	52·0	62·0	68·0	70·5	72·0	60·0	50·0	43·0	53·96
9	42·0	40·0	40·0	45·0	58·0	70·0	78·0	82·0	76·0	72·0	62·0	57·0	60·17
10	53·0	50·0	48·0	44·0	52·0	57·0	60·0	54·0	50·0	49·0	48·0	44·0	50·75
11	42·0	40·0	39·0	39·0	43·0	48·0	54·0	57·0	54·0	45·0	42·0	40·0	45·25
12	40·0	37·0	37·0	40·5	50·0	55·5	62·0	71·5	76·0	68·0	62·0	60·0	54·96
13	60·0	60·0	57·0	55·0	65·0	72·0	72·5	78·0	65·0	60·0	56·0	55·0	62·96
14	53·0	52·0	48·0	47·0	54·0	58·0	65·0	65·0	67·0	67·0	64·0	46·5	57·21
15	42·0	36·0	34·0	35·0	57·0	68·0	71·0	70·0	69·0	65·0	63·0	45·0	54·58
16	43·0	38·0	35·0	43·0	62·0	65·0	75·0	77·0	75·0	70·0	55·0	48·0	57·17
17	45·0	40·0	40·0	40·0	48·0	68·0	75·0	77·0	75·0	70·0	56·0	49·0	56·92
18	44·0	41·0	39·0	41·0	49·0	68·0	75·0	78·0	74·0	70·0	57·0	54·0	57·50
19	54·0	50·0	46·0	45·0	47·0	49·0	55·5	57·0	58·0	52·0	47·0	42·0	50·21
20	38·0	36·0	35·0	35·0	45·0	58·0	68·0	73·0	70·0	58·0	54·0	51·0	51·75
21	48·0	45·0	42·0	45·0	56·0	72·0	78·0	78·0	77·0	68·5	53·0	53·0	59·63
22	53·0	51·0	47·0	48·0	64·0	70·0	75·0	76·0	74·0	72·0	64·0	62·0	63·00
23	54·0	52·0	48·0	49·0	50·0	53·0	68·0	70·0	68·0	55·0	48·0	42·0	54·75
24	42·0	41·0	40·0	43·0	46·0	50·0	57·0	60·0	57·0	50·0	45·0	45·0	48·00
25	43·0	43·0	40·0	44·0	52·0	60·0	59·0	57·0	57·0	54·0	53·0	51·0	51·08
26	50·0	50·0	41·0	37·0	45·0	46·0	48·5	50·0	50·0	45·5	32·0	28·0	43·58
27	27·0	24·0	19·0	19·0	33·0	47·0	53·0	53·5	51·0	47·0	45·0	44·0	38·54
28	44·0	42·0	40·0	44·0	49·0	54·0	58·0	59·0	60·0	48·0	41·0	39·0	48·16
29	36·0	30·0	25·0	25·0	40·0	59·0	69·0	69·0	73·0	60·0	57·0	57·0	50·00
30	55·0	50·5	47·0	45·0	61·0	70·0	76·0	75·0	75·0	74·0	65·0	45·0	61·54
..	....	....	....	....	....	....	....	....	....	....	....	....	....
	46·85	43·87	41·23	42·93	52·93	61·13	66·88	68·44	67·74	61·53	54·57	49·35	54·78

TABLE LVIII.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, October, 1888.*

12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
40·0	35·0	33·0	31·0	48·0	53·0	57·0	58·0	57·0	45·0	37·0	34·0	44·00	1
30·0	29·0	29·0	29·0	42·0	59·0	68·0	70·0	63·0	58·0	50·0	41·0	47·33	2
40·0	35·0	34·0	37·0	48·0	60·0	68·0	68·0	64·0	49·0	46·0	46·0	49·58	3
44·0	41·0	39·0	40·0	43·0	44·0	46·0	45·5	45·0	44·0	44·0	44·0	43·29	4
43·0	42·5	41·0	42·0	42·0	44·0	47·0	51·0	51·0	45·0	42·0	38·0	44·04	5
35·0	30·0	28·0	30·0	38·0	57·0	65·0	70·0	60·0	55·0	44·5	41·0	46·13	6
37·0	33·5	30·0	30·0	42·0	61·0	73·0	78·0	78·0	68·5	60·0	48·0	53·25	7
38·5	35·0	34·0	35·0	45·0	67·0	74·0	75·0	70·0	55·0	50·0	45·0	51·96	8
42·0	42·0	45 0	45·0	46·5	47·0	50·0	50·0	45·0	43·0	43·0	39·0	44·79	9
38·0	35·0	35·0	38·0	40·0	45·0	45·0	45·0	39·0	37·5	35·0	35·0	38·96	10
35·0	32·5	30·0	36·5	38·0	39·0	45·0	48·0	47·0	40·0	35·0	32·0	38·17	11
30·0	25·5	25·0	22·0	30·0	40·0	46·0	47·0	45·0	38·0	34·0	32 0	34·54	12
32·0	30·0	30·0	34·0	38·0	38·0	43·0	48·0	45·0	40·0	40·0	38·0	38·00	13
35·0	34·0	38·0	40·0	42·0	45·0	47·0	45·0	45·0	40·0	40·0	39·0	40·83	14
30·0	28·5	21·0	3000	32 0	37·0	35·0	35·0	34·5	34·5	34·0	34·0	32·12	15
33·5	33·0	32·0	32 0	33·0	33·0	34·0	34·0	34·5	33·0	33·0	33·0	33·17	16
31·5	30·0	30·0	33·0	34·0	41·5	41·5	48·0	45 0	42·0	38·0	35·0	37 46	17
35·0	35·0	32·5	30·0	30·0	26·0	25·0	30·0	33·0	31·5	30·0	30·0	30·67	18
29·0	25·0	22·0	25·0	27·0	30·0	32.0	31·0	30·0	29·0	28·5	29·0	28·13	19
29·0	29·0	27·0	29·5	30 0	35·0	35·0	36·0	33·0	33·0	32·0	28·0	31·37	20
26·0	25·0	24·0	24·0	31·0	40·0	45·0	45·0	44·0	43·0	37·0	36·0	35·00	21
36·0	30·0	29·0	32·0	42·0	44·0	46·0	49·0	44·0	44·0	35·0	32·0	38·58	22
32·0	31·0	24·0	25·0	32·0	44·0	45·0	46·0	45·0	39·0	37·0	36·0	36·33	23
34·0	32·0	33·5	35·0	34·0	36·0	34·0	34·0	31·0	29·0	24·0	24·0	31·71	24
23·0	23·0	24·0	27·5	31·0	33·0	37·0	39·0	36·5	32·0	30·0	30·0	30·50	25
29·0	29·0	30·5	32·0	32·0	35·0	35·0	38·0	37·0	37·0	35·0	34·0	33·63	26
32·0	33·0	33·0	31·0	32·0	32·0	32·0	30·0	30·0	26·0	20·0	19·0	29·17	27
19·0	21 0	26·5	32·0	32·0	33·0	35·0	38·0	38 0	35·0	30·0	27·0	30·54	28
25·0	22·0	22·0	25·0	32·0	35·0	41·0	40·0	40·0	40·0	39·0	39·0	33·25	29
36·0	34·5	36·0	39·0	38·0	41·0	40·0	40·0	39 0	30·0	30·0	29·0	36·04	30
26·0	24·0	23·0	20·5	23·0	32·0	37·0	38·0	32·0	30·0	29·0	29·0	28·62	31
33·08	31·13	30·35	32·00	36·37	42·14	45·24	46·76	44·53	40·20	36·84	34·71	37·78	

TABLE LIX.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, November, 1888.*

Day.	12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	30·0	33·0	29·0	32·5	33·0	34·0	34·0	35·0	34·5	33·0	33·0	31·0	32·67
2	31·0	31·0	31·0	30·0	33·0	36·0	40·0	43·0	37·0	28·0	24·0	24·0	32·33
3	24·0	23·0	18·5	17·0	23·0	35·0	35·0	36·0	36·0	35·0	34·0	33·0	29·13
4	33·0	31·0	29·0	29·0	23·0	26·0	31·5	32·0	30·0	30·0	30·0	27·0	29·29
5	25·0	23·0	20·0	19·0	20·0	31·0	27·0	32·0	22·0	22·0	18·0	17·0	22·33
6	15·0	14·0	14·0	15·0	24·0	30·0	34·0	35·0	30·0	30·0	30·0	29·5	25·04
7	29·0	29·0	28·0	27·0	27·5	27·5	27·0	27·0	26·0	24·0	23·0	20·0	26·25
8	18·0	14·0	10·0	9·0	10·0	19·0	29·0	30·0	33·0	30·0	29·0	26·0	21·42
9	26·0	23·0	27·5	27·0	29·0	29·5	32·0	35·0	30·0	28·0	25·0	22·0	27·83
10	19·0	16·0	12·0	12·0	18·0	26·0	40·0	45·0	35·0	30·0	27·0	25·0	25·42
11	25·0	23·0	23·0	19·0	19·0	23·0	34·0	36·0	32·5	28·0	26·5	26·0	26·25
12	25·0	23·0	26·0	28·0	38·0	41·0	50·0	52·0	40·0	38·0	38·0	32·0	35·92
13	30·0	29·0	29·0	25·0	22·0	17·0	17·0	13·0	11·5	8·0	6·0	1·0	17·37
14	1·0	1·0	8·0	8·0	3·0	6·0	9·0	11·9	11·0	5·5	5·0	4·0	3·21
15	8·0	8·0	12·0	13·0	13·0	16·5	17·0	18·0	14·0	12·0	7·0	7·0	12·13
16	0·0	4·0	3·0	3·0	5·0	10·0	12·0	15·0	10·5	7·0	5·0	3·0	6·46
17	3·0	3·0	2·0	0·0	6·0	19·0	28·0	28·0	20·0	10·0	10·0	8·0	11·42
18	8·0	6·0	4·0	6·0	6·5	15·0	18·0	17·0	16·0	15·0	15·0	10·0	11·37
19	7·0	7·0	6·0	5·0	8·0	10·0	21·5	33·0	30·0	18·0	10·0	8·0	13·63
20	8·0	9·0	9·0	10·0	10·0	11·0	13·0	12·0	10·5	10·0	10·0	10·0	10·21
21	9·0	9·0	9·0	10·0	10·0	12·0	12·0	20·0	20·0	18·0	18·0	17·0	13·67
22	10·0	9·0	5·0	4·0	8·5	16·0	25·0	27·0	22·0	13·5	11·0	13·0	13·67
23	13·0	14·0	14·5	15·0	15·0	29·0	30·0	33·0	35·0	30·0	30·0	25·1	23·62
24	23·0	22·0	20·0	20·0	21·5	22·0	21·0	21·0	21·0	20·0	22·0	22·0	21·29
25	22·0	20·0	20·0	21·5	24·0	32·5	40·0	35·0	33·0	30·0	25·0	25·0	27·33
26	25·0	23·0	20·5	24·0	25·0	32·0	35·0	35·0	30·0	28·0	28·0	25·0	27·54
27	23·0	23·0	22·0	25·0	25·0	26·0	26·0	24·0	24·0	22·0	12·5	11·0	21·96
28	11·0	9·0	4·0	5·0	7·0	14·0	22·0	22·0	21·0	15·0	13·0	9·0	12·67
29	7·0	5·5	4·0	3·0	9·5	15·0	26·0	28·0	22·0	18·5	14·0	13·0	13·79
30	11·0	9·0	7·0	5·0	11·0	16·0	28·0	32·0	23·0	15·0	10·0	9·0	14·67
..	....	....	....	....	....	....	....	....	....	....	....	....	....
	17·30	16·38	15·03	15·03	17·58	22·57	27·13	28·47	25·35	21·72	19·63	17·75	20·33

TABLE LX.—*Observed Bi-Hourly Temperature at Regina, North-West Territories, December, 1888.*

12.30 A.	2.30 A.	4.30 A.	6.30 A.	8.30 A.	10.30 A.	12.30 P.	2.30 P.	4.30 P.	6.30 P.	8.30 P.	10.30 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°
7·0	6·0	6·0	6·0	9·0	21·5	29·0	29·0	27·5	22·0	17·0	17·0	16·42	1
17·0	16·5	16·0	17·5	18·0	23·0	30·0	35·0	25·0	20·0	14·5	12·0	20·37	2
13·5	15·0	15·0	15·0	25·0	35·5	50·0	50·0	47·0	40·0	35·5	33·0	31·21	3
30·0	29·0	17·5	18·0	21·0	25·0	31·0	37·0	33·0	30·0	28·0	22·0	26·79	4
22·0	18·5	10·0	10·0	13·0	17·0	22·0	27·0	26·0	23·0	23·0	19·0	19·21	5
19·0	26·0	24·0	21·0	19·5	21·0	22·0	20·0	18·0	16·0	16·0	14·0	19·71	6
11·0	16·5	18·0	18·0	19·0	24·0	31·0	33·0	28·0	20·0	18·0	18·0	21·21	7
15·0	15·0	13·0	10·0	10·0	21·0	34·0	35·5	30·0	25·0	25·0	25·0	21·54	8
35·0	38·0	35·0	30·0	25·0	25·0	25·0	26·0	25·5	25·0	22·0	22·0	27·79	9
21·5	20·0	20·0	14·0	14·0	12·5	10·0	10·0	5·0	3·0	0·0	−5·0	10·42	10
−5·0	−5·0	−3·0	−2·0	0·0	2·0	5·0	5·0	6·0	10·0	10·0	12·0	2·92	11
14·0	14·0	15·0	14·0	12·0	16·0	18·0	18·0	17·5	17·0	16·0	15·0	15·54	12
15·0	15·0	15·0	16·0	16·0	18·0	22·0	21·5	19·0	18·0	18·0	17·0	17·54	13
17·0	16·5	16·0	17·0	17·0	18·0	17·0	15·5	15·0	15·0	15·0	14·5	16·12	14
14·0	14·0	15·0	17·0	14·0	16·0	18·0	18·5	18·0	18·0	17·0	17·0	16·37	15
16·0	18·0	18·0	18·0	20·0	22·0	24·5	23·0	22·0	21·0	20·0	−20·0	20·21	16
20·0	20·0	20·0	21·5	18·0	16·0	20·0	22·0	13·0	10·0	5·0	−3·0	15·21	17
−5·0	−5·0	−2·0	0·0	2·0	10·0	15·5	18·0	14·0	12·5	11·0	10·0	6·75	18
10·0	10·0	11·0	13·0	14·0	20·0	32·0	45·0	41·0	34·0	31·5	28·0	24·12	19
23·0	21·0	18·0	18·0	18·5	20·0	19·5	15·0	12·0	10·0	10·0	9·0	16·17	20
10·0	10·0	8·0	9·0	10·0	18·5	30·0	30·0	32·0	29·0	25·0	25·0	19·71	21
27·5	30·0	33·0	33·0	33·0	33·5	35·0	28·0	23·0	19·0	18·0	18·0	27·58	22
20·0	18·0	16·0	15·0	13·0	13·0	13·0	13·0	11·0	7·0	6·0	−3·0	12·33	23
−2·0	−5·0	−7·0	−5·0	2·0	9·0	13·5	16·0	10·0	4·0	0·0	−3·0	2·71	24
−1·0	0·0	2·0	5·0	7·0	10·5	12·0	12·0	13·0	12·0	12·0	10·0	7·88	25
10·0	9·0	10·0	12·0	15·5	17·0	18·0	18·0	15·0	15·0	12·0	9·0	13·37	26
7·0	5·0	6·0	7·0	4·0	3·0	3·0	3·0	4·0	4·0	−4·0	−8·0	4·83	27
6·0	6·0	6·0	−8·5	−8·5	11·0	13·0	14·0	9·0	4·0	−2·0	6·0	6·46	28
−10·0	−10·0	−11·0	−11·0	−9·0	7·0	18·0	14·0	12·0	8·0	6·0	6·0	1·67	29
6·5	8·0	10·0	8·0	10·0	14·0	14·0	20·0	15·0	8·0	8·0	10·0	10·96	30
10·0	12·0	13·0	15·0	15·0	23·0	32·0	31·0	22·0	18·0	14·0	11·0	18·00	31
12·71	12·97	12·37	12·52	13·35	17·52	21·84	22·68	19·63	16·69	14·69	13·14	15·84	

TABLE LXI.—*Registered Bi-Hourly Temperature at Montreal, January, 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	4·0	4·1	4·0	0·4	6·7	14·2	22·3	17·3	18·8	39·0	37·1	35·9	14·97
2	32·9	30·3	27·8	26·7	25·8	25·8	24·1	23·0	22·0	21·7	20·3	19·9	25·03
3	18·0	15·7	12·7	10·9	10·6	13·2	14·0	14·8	12·7	10·9	9·7	8·0	12·60
4	8·7	7·5	7·3	6·0	7·2	8·5	11·4	10·7	9·8	9·8	9·8	10·4	8·92
5	8·2	7.0	5.0	4.4	4.2	4.1	6·2	6·8	5·7	4·2	3·7	2·8	5·19
6	1·5	1·7	0·4	0·7	0·8	3·7	4·0	5·3	3·5	2·8	4·7	4·3	2·60
7	5·9	6·8	6·7	7·0	8·7	11·0	14·2	15·8	17·2	17·3	15·8	14·3	11·72
8	13·7	13·7	13·0	12·0	12·0	14·7	15·2	14·9	12·8	12·0	10·4	7·3	12·64
9	4·6	4·0	1·5	0·2	1·8	3·8	4·0	4·4	2·0	1·5	2·5	4·0	2·82
10	2·6	2·0	1·1	0·3	0·9	4·0	5·0	5·6	2·6	3·5	3·7	7·9	3·22
11	7·5	7·5	7·0	4·5	3·6	3·7	2·7	1·7	0·3	2·3	3·2	5·0	2·28
12	6·0	7·8	9·0	9·8	9·1	6·4	3·7	3·7	7·0	6·5	8·1	8·2	7·11
13	10·5	6·0	5·0	10·0	15·5	20·9	24·4	27·6	39·0	38·7	35·1	32·0	18·42
14	28·1	24·0	21·8	19·3	19·3	22·9	23·8	23·3	17·3	15·7	16·0	16·0	20·63
15	18·7	15·5	26·7	28·0	28·5	28·0	28·9	28·0	23·5	17·5	6·7	2·5	21·04
16	1·9	5·8	6·3	8·0	4·2	1·6	1·8	5·3	5·0	5·5	5·7	6·0	0·13
17	1·0	1·0	2·0	5·3	11·1	3·5	2·7	2·1	0·5	5·1	9·7	14·1	0·39
18	14·9	14·0	14·1	12·6	12·5	11·0	10·3	10·0	9·0	10·0	10·6	8·8	11·48
19	8·9	7·0	5·2	6·2	4·9	8·3	6·6	5·9	2·1	1·0	3·2	1·0	4·16
20	3·2	3·8	6·2	9·8	10·1	6·5	4·0	2·0	4·0	6·6	9·1	9·8	6·26
21	11·0	12·0	14·0	16·5	16·0	13·6	12·8	12·0	14·3	16·0	16·6	17·7	14·37
22	18·2	18·8	19·2	20·3	18·0	14·0	10·0	7·0	8·0	6·5	6·2	4·9	12·59
23	6·0	4·8	2·9	2·6	1·2	0·9	3·9	5·3	5·8	6·2	6·6	4·8	1·33
24	1·5	1·0	4·5	2·4	1·8	1·3	1·6	1·9	5·0	6·5	7·3	9·9	2·16
25	12·0	13·0	15·0	15·0	13·0	9·4	8·2	6·2	9·0	6·8	4·3	0·5	9·37
26	4·6	6·3	6·0	5·7	6·7	9·5	11·7	13·8	11·3	13·4	10·6	5·0	8·72
27	1·5	0·2	7·4	8·3	8·1	4·9	2·6	2·5	4·0	4·5	5·2	7·1	4·44
28	8·0	10·0	9·8	9·9	9·0	5·9	6·0	5·3	6·0	6·6	7·2	7·2	7·57
29	5·9	5·9	5·0	5·1	3·2	0·5	2·3	4·4	4·2	4·3	4·7	4·3	0·12
30	4·7	4·0	4·3	5·3	7·5	11·7	14·6	14·9	13·0	13·0	10·7	6·7	9·20
31	1·5	3·3	4·2	4·2	0·2	7·5	8·4	11·3	8·1	4·7	3·3	2·2	2·56
	3·30	2·37	1·75	1·46	2·33	5·15	6·72	7·32	6·07	6·24	5·39	4·56	4·39

TABLE LXII.—*Registered Bi-Hourly Temperature at Montreal, February, 1888.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
1·2	1·5	4·3	2·8	2·8	10·5	17·2	16·3	16·7	16·7	15·6	17·5	8·82	1
15·6	15·0	13·1	7·0	8·6	13·7	16·5	18 0	16·0	15·2	17·5	19·5	14·64	2
20·6	21·0	22·1	23·0	22·8	24·4	22·0	19·8	14·0	12·3	8·8	6·0	18·07	3
2·3	0·0	3·7	5·3	3·3	1·0	1·5	3·9	6·0	9·0	11·7	14·6	3·14	4
15·8	16·5	18·0	19·7	22·3	23·0	23·8	24·0	23·5	22·8	21·4	21·7	21·04	5
20·0	18·0	14·5	6·7	4·8	9·0	9·1	10·7	7·0	3·3	4·7	4·9	9·39	6
2·5	3·0	2·8	3·0	4·2	16·5	21·6	23·4	23·0	25·1	25·1	25·0	13·63	7
28·0	30·2	30·0	30·3	31·6	28·4	24·9	20·8	17·5	16·2	14·5	10·8	23·60	8
6·8	6·3	5·0	7·5	3·6	3·8	0·5	3·1	6·7	9·6	13·3	16·5	13·1	9
19·8	20·0	23·0	23·7	20·3	14·4	12·9	11·7	13·0	13·8	12·2	11·3	16·34	10
9·8	7·6	4·6	0·0	2·8	6·7	8·1	8·7	7·0	7·0	4·9	2·0	2·10	11
1·5	1·0	2·5	4·3	1·5	1·7	3·6	5·5	4·0	3·4	5·4	6·8	2·13	12
7·6	6·8	8·3	8·6	12·6	18·8	23·0	30·0	31·4	30·2	30·3	31·0	19·88	13
31·1	32·9	33·7	37·5	35·1	28·0	20·6	17·4	13·5	11·0	8·7	7 0	23·04	14
6·5	5·3	5·0	3·0	1·4	2·6	1·3	0·7	1·5	3 7	6·2	8·2	0·52	15
10·0	12·9	12·8	13·3	11·3	6·1	4·9	2·0	1·3	1·9	0·8	2 7	6·08	16
4·4	0·9	0·6	0·5	5·7	14·0	16·6	18·3	16·9	13·0	12·3	8·1	9·02	17
7·4	4·6	1·9	0·2	3·1	7·6	11·6	12·2	11·0	10·6	11·2	14·0	7·96	18
15·4	17·0	17·0	11·8	11·6	13·2	14·3	14·6	12·0	9·5	9·6	11·5	13·12	19
11·7	14·0	14·0	19·2	32·5	34·5	35·6	37·1	37·5	37·8	38·2	38·0	29·18	20
35·9	34·2	33·4	29·5	30·0	32·0	31·7	31·1	31·0	29·0	27·8	28·0	31·13	21
27·9	26·0	25·8	24·8	23·7	25·9	27·9	28·0	28·0	25·3	23·8	22·9	25·83	22
22·9	23·0	24 7	23·8	25·1	31·1	29·8	29·5	29·0	29·5	30·1	30·3	27·40	23
30·6	30·0	29·5	28·0	30·1	32·5	34·9	35·0	32·9	29·0	27·8	26·9	30·60	24
20·5	19·8	17·7	23·0	33·1	30·5	31·4	31·9	32·1	32·1	32·6	33·5	28·18	25
33·9	34·0	33·9	34·8	35·3	30·3	30·9	30·5	29·0	27·1	25·2	22·4	30·61	26
17 0	14·7	12·5	10·3	12·5	16·0	16·0	14·7	12·0	9·0	6·7	3·4	12·07	27
0·4	2·6	5·6	7·4	5·0	2·1	0·6	2·7	2·5	0·2	0·2	1·8	12·3	28
2·2	1·5	0·7	6·0	1·3	5·0	9·0	9·6	9·8	7·3	7·5	12·6	5·04	29
....	....	....	....	....	....	....	....	....	....	....	....	....	..
....	....	....	....	....	....	....	....	....	....	....	....	....	..
12·07	11·29	10·38	9·77	12·35	15·11	16·08	16·47	15·20	13·88	13·46	13·34	13·28	

TABLE XLIII.—*Registered Bi-Hourly Temperature at Montreal, March, 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	14·0	12·7	11·0	10·0	15·3	21·6	23·3	23·9	21·0	16·0	11·6	7·7	15·68
2	6·4	2·8	— 1·0	— 1·8	2·6	5·1	7·5	10 4	11·0	11·1	11·7	12·6	65·3
3	12·7	12·0	11·3	11·3	13·4	15·4	17·3	17·1	15·2	14·5	14·3	13·1	13·97
4	10·7	8·6	6·5	3·9	4·0	8·0	10·1	10·5	8·8	7·7	6·5	6·0	7·61
5	6·1	2·9	— 0·3	— 1·7	1·8	5·1	7·0	7·8	6·6	6·1	5·7	6·2	4·42
6	5·8	5·9	6·1	6·0	7·7	11·9	14·7	15·5	14·8	12·9	12·2	12·1	10·47
7	11·4	10·7	10·0	9·0	11·7	18·0	22·1	22·0	21·2	21·9	22·1	21·5	16·80
8	21·8	21 5	21·1	21·0	22·3	27·0	28·3	29·0	27·0	25·5	26·6	29·3	25·03
9	29·2	28·4	27·6	26·8	27·2	30·0	30·9	32·5	31·0	29·2	29·1	28·9	29·23
10	24·6	22·3	20·0	21·0	27·8	31·7	33·3	35·2	33·9	33·0	32.0	32·5	28·94
11	32·2	33 0	32·8	33·0	32·1	35·2	34·9	33·5	32·0	32·0	33·1	23·8	32·30
12	20·7	20·1	17·1	15·5	14·1	12·5	13·4	11·4	9·3	8·7	6·8	6·0	12·97
13	5·8	6·2	9·0	11·7	16·1	20·4	24·8	27·8	29·0	29·0	29·1	30·0	19·91
14	31·0	32·0	32·0	31·5	34·8	36·7	37·4	38·1	37·5	35·8	35·0	34·0	34·65
15	33·0	33·0	32·0	33·0	35·1	35·7	35·1	34·2	30·4	27·5	25·5	25·3	31·65
16	25·6	25·4	26·3	27·1	29·2	32·3	34·3	34·8	32·5	29·5	26·6	23·6	28·93
17	18·6	14·4	10·6	7·6	9·8	13·1	15·7	17·5	17·9	14·0	13·2	12·5	13·74
18	10·7	8·0	7·3	8·7	12·9	15·0	16·6	18·8	18·9	16·5	16·2	15·7	13 77
19	14·7	9·8	9·1	11·5	14·6	21·0	26·8	27·0	30·0	30·0	31·1	32·0	21·47
20	32·8	32·7	33·0	35·5	36·8	37·5	38·7	39·0	39·0	38·0	38·3	39·2	36·71
21	39·9	40·5	40·0	39·4	40·1	40·5	43·7	43·8	37·3	36·0	34·5	33·9	39·13
22	30·9	29·0	27·2	28·1	31·8	32·5	29·8	28·2	25·5	21·0	18·1	15·3	36·45
23	13·9	11·7	9·5	7·6	10·6	15·1	18·8	18·9	19·0	15·9	12·4	9·4	13·57
24	6·2	2·5	0·0	— 0·4	— 0·2	7·0	11·7	13·5	13·2	11·0	10·6	9·2	7·02
25	9·0	8·0	7·0	8·3	12·5	18·0	20·0	21·2	21·4	20·0	19·4	20·9	15·48
26	15·7	15·9	13·2	15·3	19·3	26·2	28·9	28·3	28·0	28·5	30·1	32·0	23·45
27	33·7	35·0	35·7	36·0	38·1	39·0	40·8	42·0	42·0	42 0	35·2	34·0	37·79
28	35·9	34·9	36·1	35·2	35·6	39·0	39·8	39·4	38·2	39·0	37·8	36·9	37·32
29	35·8	36·1	33·5	33·8	35·1	40·2	39·8	39·5	37·4	35·2	33·9	32·1	36·03
30	31·9	30·3	26·1	28·7	31·9	34·7	35·5	36·2	35·1	33·5	33·4	31·0	32·36
31	30·4	29·0	29 0	29·2	32·1	34·7	36·4	37·0	35·5	33·0	31·1	29·7	32·26
....	21·00	19·85	18·67	18·77	21·17	24·52	26·37	26·90	25 79	24·32	23·33	22·47	22·76

TABLE LXIV—*Registered Bi-Hourly Temperature at Montreal, May, 1888.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 A.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
35·0	34·2	34·2	34·5	35·1	35·0	36·3	37·7	37·8	36·8	36·1	36·0	35·72	1
35·9	35·7	35·2	38·2	42·1	45·8	47·9	48·2	47·8	44·0	40·6	38·6	41·67	2
34·7	33·0	31·1	39·5	45·1	51·0	54·0	53·2	52·3	49·0	46·1	43·5	44·38	3
41·1	38·7	36·0	39·2	47·6	50·2	49·5	49 0	50·0	47·7	47·2	44·6	45·07	4
45·2	45·0	45·0	43·2	44·1	48·1	53·9	52·9	50·0	47·0	45·9	45·1	47·12	5
45·4	44·0	41·5	47·6	52·2	55·8	57·2	56·1	56·0	55·0	48·5	47·2	50·54	6
46·9	44·9	42·9	45·0	48·5	49·6	53·4	57·5	57·1	53·2	52·1	50·0	50·09	7
48·1	46·2	40·0	48·5	53·1	56·1	59·9	61·6	60·6	56·2	52·2	53·1	52·97	8
51·1	51·1	48 2	53·8	57·1	61·9	65·7	66·6	66·9	62·8	61·3	60·7	58·93	9
57·5	56·0	56 8	51·4	50·7	54·2	58·9	63·2	60·0	53·8	50·1	47·9	55·04	10
46·1	44·5	43·7	47·3	56·5	65·2	71·9	72·4	72·2	70·0	65·1	64·0	59·91	11
61·8	60·3	59·2	58·8	57·0	59·3	61·0	60·4	63·2	61·8	59·1	57·5	59·95	12
57·9	55·0	54·8	54·0	55·1	56·1	55·9	56·7	57·1	54·5	53·1	51·4	55·13	13
50·9	47·6	46·3	53·0	55·5	58·1	60·5	61·9	55·0	47·5	45·6	44·0	52·16	14
41·6	41·5	41·0	43·5	44·6	50·1	51·9	53·0	50·4	47·4	46·1	44·6	46·31	15
42·4	40·2	39·2	45·0	47·0	46·9	59·0	50·3	46·7	43·0	43·5	42·7	45·49	16
41·9	41·2	41·6	45·7	51·1	53·4	54·3	52·7	52·3	50·3	48·6	46·9	48·33	17
46·5	45·0	42·5	49·0	51·7	53·0	45·5	55·9	54·7	52·6	51·3	50·2	49·82	18
48·9	48·7	47·9	47·5	48·1	49·0	50·4	51·5	50·4	49·7	48·0	46·7	48·91	19
45·5	44·0	43·0	48·0	50·2	55·3	56·7	56·0	52·0	48·4	43·2	42·9	48·77	20
41·8	40·7	40·3	46·3	52·0	57·1	60·9	62·5	62·0	57·3	53·1	52·8	52·23	21
45·9	46·6	47·6	50·3	57·1	63·0	64·5	64·4	64·8	61·5	57·1	57·8	56·72	22
57·5	56·7	53·0	57·3	64·1	69·9	71·9	75·9	75·0	68·0	64·9	63·5	64·81	23
58·6	52·4	52·1	55·6	60·0	70·7	76·1	79·0	77·7	71·8	68 1	63·8	65·49	24
62·1	55·8	52·7	62·5	69·0	72·9	74·8	76·9	76·3	69·6	64·3	61·2	66·51	25
59·2	52·2	49·1	56·8	65·0	70·0	72·7	71·8	71·0	67·8	64·1	61·2	63·41	26
59·2	58·9	57·8	58·1	60·3	61·9	62·9	68·0	68·2	66·9	64·1	61·7	62·33	27
60·7	58·9	58·0	58·3	59·3	59·8	58·6	59·4	58·8	58·0	58·2	58·0	58·83	28
59·2	59·6	60·0	64·6	69·1	70·7	71·9	72·9	71·5	67·2	64·1	61·7	66·04	29
59·4	58·0	57·9	61·5	65.9	69·4	71·4	72·0	69·2	65·4	61·6	59·8	64 29	30
56·9	53·6	51·1	52·1	54·1	58·3	59·9	60·0	56·9	53·0	52·6	61·5	55·83	31
49·84	48·07	46·77	50·20	53·82	57·35	59·66	60·63	59·49	56·04	53·42	52·28	53·96	

TABLE LXV.—*Registered Bi-Hourly Temperature at Montreal, April, 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	29·9	29·7	27·0	28 2	31·1	33·3	32·9	33·7	32·8	31 8	31·6	29·0	30·92
2	28·0	27·8	27·5	28·3	30·0	31·7	32·9	34·9	34·1	33·4	32·6	31·4	31·05
3	30·2	28·9	27·8	27·0	32·1	35·5	33·8	35·2	34·8	31·8	30·5	28·6	31·35
4	29·2	28·0	26·7	29·6	31·1	34·8	37·9	40·0	39·3	37·2	36·1	34·3	33·68
5	34·1	34·0	30·9	32·3	35·1	38·8	32·9	34·5	34·5	35·0	35·8	37·0	34·58
6	37·9	38·0	36·3	36·9	40·3	42·0	42·9	41·9	41·0	38·0	36·8	35·0	38·92
7	31·6	29·0	24·9	24·0	23·3	24·2	24·2	23·3	22·0	17 3	13·7	14·0	22·63
8	13·4	12 7	11·7	17·0	18·9	21·8	24·7	27·0	28·0	25·1	24·3	23·2	20·65
9	18·7	17·0	15·3	23·0	25·8	29·5	32·1	33·7	34·4	31·7	30·1	29·8	25·09
10	28·1	28·0	25·3	27·7	36·1	44·5	47·8	45·7	38·8	34·0	33·1	32·7	35·15
11	33·2	34·7	34·8	36·6	37·1	36·3	36·6	37·8	36·9	36·0	35·1	34·0	35·77
12	35·4	33·2	31·5	33·5	35·2	36·8	35·2	35·8	33·0	30·0	28·1	27·7	32·95
13	24·9	22·9	22·0	23·0	26·8	29·8	32·8	35·0	35·2	34·2	34·8	34·0	29·62
14	32·2	31·9	32·1	33·0	35·1	37·9	38·8	37·9	36·0	34·8	34·1	33·7	34·79
15	34·9	35·0	34·0	34·0	36·1	39·5	40·5	39·7	39·2	34·0	34·9	35·0	36·40
16	32·9	29·0	29·8	34·0	37·1	40·3	39 9	38·0	38·5	36·0	36·0	33·2	35·39
17	31·9	31·0	31·0	34·3	39·8	43·8	43·9	45·0	45·0	41·2	41·1	41·1	39·09
18	37·4	36·0	35·3	38·8	43·7	43·0	38·7	40·5	43·5	40·2	39·1	36·2	39·37
19	33·6	32·0	31·2	35·0	38·1	39·7	40·9	40·9	39·2	36·7	34·9	32·8	36·25
20	32·0	32·0	31·9	30·7	35·2	38·3	39·9	37·0	35·7	35 0	34·1	33·2	34·58
21	33·2	33·0	32 8	34·7	37·6	40·2	39·0	37·7	39·2	35·2	33·6	33·9	35·84
22	33·7	31·6	31·9	34·8	40·1	43·5	44·9	44·7	41·9	40·0	38 3	37·0	38·53
23	35·9	34·0	33·0	36·5	39·1	40·5	42·8	41·7	39·7	37·2	34·9	34·3	37·47
24	32·9	31·5	30·0	32·3	36·1	39·6	39·8	39·2	37·2	36·3	34·1	32·3	35·11
25	32·4	31·5	30·8	36·5	40·2	43·2	45·6	47·2	47·0	45·0	43·5	42·1	40·42
26	40·9	40·8	40·0	41·6	43·9	54·9	58·9	60·2	61·0	56·2	51·1	53·7	50·27
27	43·0	41·0	37·5	45·0	55·1	64·9	70·2	71·7	70·0	64·2	61·8	59·5	56·99
28	61·9	57·1	58·4	63·0	69·1	74·5	73·7	75·5	75·0	67·0	60·7	55·7	65·97
29	49·1	45·6	43·8	46·5	50·0	53·5	56·9	58·2	53·2	45·2	42·0	40·5	48·71
30	39·4	38·1	37·4	36·5	35·1	35·4	36·9	37·6	37·3	36·2	35·8	35·7	36·78
31	....	....	....	....	....	....	....	....	...	....	....	....	....
	33·73	32·50	31·42	33·81	37·14	40·39	41·27	41·71	40·78	37·86	36·42	35·35	36·83

TABLE LXVII.—*Registered Bi-Hourly Temperature at Montreal, June, 1888.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
50·9	51·1	51·1	53·2	57·6	59·8	58·1	62·9	60·2	55·8	55·1	50·2	55·50	1
49·4	47·5	48·9	55·6	57·6	58·2	59·9	62·1	58·0	53·8	52·6	51·4	54·58	2
49·8	49 0	49·0	52·2	57·5	60·8	60·4	65·4	63·2	59·8	55·2	56·2	56·54	3
50·0	50·5	49·8	55·1	60·1	64·1	62·9	64·0	63·8	61·2	62·1	57·5	58·43	4
55·9	55·0	54·0	60·5	66·1	73·0	75·9	76·1	74·1	69·0	68·0	66·1	66·14	5
64·1	60·1	61·8	67·8	74·3	81·2	81·4	62·7	69·0	69·1	64·1	62·5	68·18	6
61·9	53·1	52·1	52·5	51·1	54·5	63·1	66·8	66·4	61·8	60·1	59·9	58·61	7
59·4	54·0	52·0	58·5	65·0	68·5	72·1	73·8	72·1	68·8	65·1	62·7	64·33	8
63·5	63·0	57·0	61·6	70·0	76·1	81·9	81·9	81·1	77·0	72·7	69·9	71·31	9
64·5	62·8	61·9	69·6	71·7	70·9	70·0	75·0	75·5	74·8	70·1	64·2	69·26	10
62·8	64·0	63·1	64·9	65·0	62·0	60.8	63·8	64·9	61·8	58·1	57·0	62·35	11
56·9	55·4	53·9	63·0	65·6	67·4	69·9	70·0	69·0	64·5	63·6	62·5	63·48	12
60·9	58·0	57·9	64·6	70·1	74·9	76·3	74·0	72·9	68·9	65·7	65·0	67·36	13
62·2	60·0	57·0	57·9	59·6	60·7	62 9	64·7	63·6	62·4	61·7	60·4	61·09	14
59·8	60·3	60·0	61·6	65·1	69·8	71·0	70·9	71·0	67·5	67·7	64·9	65·80	15
63·4	64·5	64·0	70·3	72·1	70·7	72·7	75·2	72·6	69 2	67·1	64·8	68·88	16
63·0	63·0	60·0	68·8	72·7	75·0	76·9	78·7	77·0	75·8	73 7	73 6	71·52	17
72·0	71·4	64·0	72·9	75·0	78·1	79·9	81·0	78·9	73·6	68·1	65·6	73·38	18
63·9	62·9	61·0	66·0	72·2	75·4	76·4	75·0	73·9	71·4	69·1	70·7	69·82	19
66·9	66·0	61·5	62·9	67·1	72·0	75·4	76·5	75·9	74·0	69·1	67·0	69·53	20
61·9	58·5	58·0	58·6	64·3	70 1	76·9	79.3	78·0	75·2	72·5	71·5	68·73	21
70·3	69·0	68·9	72·0	79·1	83·3	85·9	87·3	86·0	80·0	76·8	75·7	77·86	22
74·9	73·4	73·0	76·9	81·9	84·4	86·9	74·0	79·5	77·7	74·7	70·5	77 32	23
67·9	65·1	64·7	68·6	71·8	74·5	71·8	76·7	73.0	70·3	67·7	67·0	69·92	24
67·4	67·8	67·4	67·0	70·1	74·4	75·9	77·0	75·9	73·7	71·0	69·4	71·42	25
67·9	66·0	64·0	69·7	70 9	75·7	73·8	74·0	73·0	67.1	62·1	58·7	68 57	26
56·9	55·0	55·5	63·1	67 9	72·0	74·7	75·5	73 0	68·4	65·1	61·1	65.68	27
59·7	57 0	55·6	58·3	61 1	63·6	66·5	66·5	66·0	64·0	61·2	59 7	61·60	28
57·7	56·0	54 9	64 0	69·1	71·7	73·9	74·8	72·5	69·6	68·3	67·0	66 62	29
65·9	59·8	59·2	60·3	69·2	74 5	75 9	77·9	72·0	62·9	59 5	58·2	66·27	30
....	....	.. .	....	....	....	....	....	....	....	....	....	....	..
61·72	59·97	58·68	63·27	67·36	70·58	72·34	72·78	71·73	68·31	65·60	63·70	66·34	....

TABLE LXVIII.—*Registered Bi-Hourly Temperature at Montreal, Q., July, 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	57·5	57·0	56·9	59·6	64·0	64·6	67·9	69·3	68·0	65·5	61·1	59·1	62·54
2	56·9	55·1	55·5	64·5	68·1	71·2	75·3	73·6	73·6	69·2	65·6	62·7	65·94
3	61·9	59·7	59·2	64·8	68·2	72·9	76·1	76·8	76·0	72·2	66·6	64·7	68·26
4	65·7	62·7	62·2	70·0	76·0	81·8	86·1	86·4	83·0	81·2	77·4	76·4	75·74
5	72·0	69·4	67·0	71·5	76·0	78·7	80·0	83 7	80·8	75·7	69·1	63·8	73·97
6	60·2	58·6	58·3	65·1	70·1	74·9	78·3	77·9	76·0	73·5	72·2	69·9	69·58
7	65·5	62·0	60·9	67·5	74·1	77·0	77·0	78·0	73·6	67·9	63·9	58·6	68·83
8	57·8	57·0	55·9	58·5	62·1	68·1	71·9	73·7	70·5	65·1	64·1	61·1	63·82
9	59·9	59·0	57·4	62·0	68·4	74·2	77·8	78·2	75·8	71·8	69·8	66·2	68·38
10	63·9	61·0	58·0	65·0	71·1	78·3	80·9	80·9	78·5	74·2	69·1	69·2	70·84
11	67·9	67·0	65·6	68·0	72·1	75·6	79·8	78·3	76·6	62·5	53·1	50·6	68·09
12	48·3	49·0	48·9	51·7	58·1	56·8	56·9	60·3	56·5	54·0	53·6	53·2	53·94
13	54·7	56·3	56·5	63·3	66·1	70·4	71·5	72·1	72·7	69·7	67·1	65·7	65·51
14	62·4	56·6	56·8	61·9	66·1	69·6	71·8	73·9	72·0	68·8	67·1	62·8	65·82
15	59·9	59·0	59·0	63·5	68·9	73·0	73·1	75·5	72·6	68·2	66·1	61·8	66·72
16	58·9	56·0	56·0	61 6	69·1	73·0	74·9	75·9	73·1	67·0	63·2	61·5	65·85
17	59·9	58·7	58·6	63·2	69·1	75·7	77·9	77·8	69·0	74·6	69·0	67·2	68·39
18	64·9	64·5	64·0	66·7	70·2	74·2	75·9	74·4	69·3	66·7	67·1	66·2	68·68
19	62·6	62·0	62·5	64·4	67·1	72·7	68·9	69·8	72·5	70·0	67·2	65·7	67·12
20	66·6	65·3	65·2	65·9	69·1	74·9	75·7	73·7	72·8	69·1	66·1	63·8	69·02
21	62·8	61·5	62·1	68·7	71·2	77·0	79·4	78·5	77·9	74·0	71·7	68·5	71·11
22	67·5	64·4	61·4	68·7	76·1	81·0	82 7	83·0	81·8	76·8	74·0	73·0	74·20
23	70·9	69·0	68·0	67·8	71·1	74·5	79·6	81·7	79·0	75·0	70·1	67·1	72·82
24	64·5	62·0	63·0	67·8	71·8	75·1	77·9	76·9	68·8	65·0	62·2	60·3	66·94
25	61·4	58·0	61·9	66·1	71·1	73·0	72·4	71·8	72·8	66·8	65·6	64·4	67·11
26	61·9	62·0	61·8	64·0	69·2	73·0	72·9	73·9	70·4	68·3	64·1	63·1	67·05
27	61·9	60·1	60·0	62·7	70·1	73·4	75·9	77·0	74·0	70·0	66·1	64·1	67·94
28	62·0	57·2	57·2	63·4	68·3	74·0	76·0	77·8	75·0	69·0	65·0	62·0	67·24
29	59·9	56·0	55·8	67·9	78·6	74·0	75·9	77·9	75·9	72·0	68·1	65·2	68·93
30	66·5	62·5	62·5	61·4	69·2	76·7	78·4	82·0	78·1	73·6	69·7	68·5	70·76
31	67·1	65·7	64·2	69·7	73·1	74·0	82·0	82·1	81·9	74·0	68 2	62 0	72·00
....	62·38	60·46	60·07	64·74	69·80	73·65	75·83	76·54	74·15	70·05	66·56	64·14	68·20

TABLE LXIX.—*Registered Bi-Hourly Temperature at Montreal, August, 1888.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
57·8	59·6	59·9	65·5	71·0	74·2	74·9	76·5	76·0	71·1	69·0	65·6	68·42	1
63·4	63·4	63·5	67·3	70·1	76·6	79·9	81·6	81·3	76·6	74·2	71·1	72·42	2
68·8	66·6	63·9	69·0	73·1	76·0	78·0	80·2	77·0	73·5	73·1	71·0	72·52	3
66·4	66·0	66·0	66·8	70·9	73·5	74·9	77·3	77·0	73·9	73·9	71·7	70·98	4
64·9	63·8	63·5	68·5	71·9	74·0	74·9	76·1	75·3	73·2	69·0	66·9	70·17	5
63·3	62·6	62·0	61·9	66·1	69·8	75·5	80·0	79·0	75·2	73·9	72·0	70·11	6
69·4	69·0	69·0	66·7	71·1	70·5	73·7	73·8	71·0	70·2	68·4	67·5	70·03	7
66·8	67·1	66·9	67·8	74·1	77·3	83·0	84·7	84·0	79·8	73·8	72·2	74·79	8
73·3	74·0	72·2	72·8	72·4	73·0	72·9	74·0	71·0	68·0	65·5	64·0	71·09	9
60·1	60·2	54·8	62·0	66·1	68·8	69·9	71·0	69·0	65·2	62·8	62·0	64·33	10
62·6	60·5	54·9	63·0	65·1	70·5	71·9	70·2	61·0	58·1	58·5	58·2	62·88	11
58·1	55·8	54·5	59·0	62·3	65·2	69·9	71·2	71·7	67·1	63·2	61·3	63·27	12
59·9	59·0	56·8	55·0	55·9	55·7	55·1	55·0	55·0	55·0	55·1	53·0	55·87	13
53·0	53·2	52·6	55·4	63·9	68·8	69·9	71·8	71·1	68·0	65·0	63·8	63·04	14
63·6	64·8	64·7	64·0	63·9	64·0	69·4	70·1	69·2	68·0	66·1	66·9	66·23	15
67·7	68·0	67·0	66·4	68·1	68·0	68·5	68·0	71·0	70·2	70·1	69·1	68·51	16
67·9	67·5	66·0	67·4	69·1	69·6	69·4	66·8	67·3	65·8	66·8	65·6	67·43	17
63·6	62·3	55·6	60·8	66·1	68·0	69·9	71·2	68·1	62·0	60·1	60·1	63·98	18
58·9	57·1	56·5	58·0	66·1	68·0	72·3	69·9	66·7	59·9	65·1	61·0	63·29	19
58·2	56·8	53·2	57·0	60·1	62·6	64·1	64·9	63·2	59·2	59·4	58·1	59·73	20
57·9	57·0	56·0	57·0	58·5	58·5	59·9	60·1	59·6	57·9	56·1	55·0	57·79	21
53·9	53·2	52·8	53·5	55·1	52·5	56·9	57·3	57·7	55·3	53·3	51·1	54·38	22
50·9	50·0	48·8	47·0	60·7	63·1	64·1	65·0	62·3	56·8	57·1	57·2	56·92	23
57·0	59·5	60·1	63·7	65·3	66·0	68·2	69·0	68·8	59·5	58·7	58·5	62·86	24
56·8	57·0	56·6	57·4	59·1	63·3	69·8	71·7	72·2	70·1	67·3	68·4	64·14	25
66·8	62·9	63·0	67·4	70·1	75·2	79·4	80·1	77·7	77·9	73·1	68·9	71·88	26
65·2	64·1	58·2	59·1	60·0	60·3	59·9	61·2	59·2	56·2	54·0	51·8	59·10	27
52·6	51·0	51·0	54·3	59·2	63·0	65·3	66·0	64·9	59·1	58·1	58·4	58·57	28
59·9	58·0	56·8	57·3	60·1	60·4	66·9	65·5	65·0	61·0	61·1	61·7	61·14	29
59·4	58·5	57·8	62·1	67·2	66·9	68·8	69·8	67·9	62·1	60·9	59·8	63·43	30
59·9	57·5	58·0	61·8	64·9	63·7	63·7	65·7	64·2	62·7	63·1	61·8	62·25	31
61·55	60·84	59·44	61·77	65·41	67·32	69·71	70·51	69·17	65·76	64·31	62·88	64·89	

TABLE LXX.—*Registered Bi-Hourly Temperature at Montreal, Sept., 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	55·7	52·0	51·0	50·6	52·1	56·0	59·5	61·2	60·2	56·3	54·9	55·3	55·40
2	55·0	54·1	53·9	54·7	59·2	63·0	65·6	65·8	64·0	59·5	56·5	53·5	58·73
3	50·9	49.5	47·1	51·5	57·6	62·8	66·4	67·8	67·0	62·0	61·1	58·7	58·53
4	58·1	58·0	56·8	60·0	68·2	72·0	72·7	73·6	71·1	67·2	63·0	61·5	65·18
5	57·4	52·0	46·0	49·0	52·2	54·5	55·4	52·7	49·0	44·4	41·2	39·5	49·42
6	40·6	40·0	38·7	43·5	49·2	52·5	54·0	53·5	52·8	48·7	48·8	45·2	47·29
7	46·8	42·7	41·0	47·7	53·1	59·4	59·9	61·2	61·3	58·1	56·1	54·5	53·48
8	55·9	55·0	50·0	50·5	53·2	54·6	57·9	59·8	61·1	61·0	60·6	60·8	56·70
9	59·6	60·2	59·5	62·0	66·1	69·3	73·1	73·8	70·5	65·1	64·9	64·0	65·68
10	61·9	60·0	57·0	58·5	62·8	68·3	68·8	68·7	65·9	62·0	62·0	60·4	63·02
11	57·9	55·0	53·5	56·9	62·2	66·5	68·5	70·1	68·9	63·0	61·9	60·2	62·05
12	57·7	58·0	58·0	60·6	65·0	68·4	64·9	66·4	67·0	63·6	61·1	58·2	62·41
13	56·9	55·7	53·7	50·5	54·1	54·8	52·9	51·0	49·0	47·3	47·2	46·5	51·63
14	47·5	48·0	45·5	49·2	52·7	54·6	57·9	59·8	58·4	55·0	53·1	62·0	53·64
15	49·9	49·0	47·3	48·7	57·5	63·1	65·9	66·3	66·0	61·4	59·1	57·0	57·60
16	57·4	57·0	58·2	59·7	60·8	62·9	56·9	58·5	59·0	59·0	59·1	57·8	58·86
17	56·9	57·0	56·0	57·0	59·7	60·9	62·1	62·7	61·5	59·5	58·1	56·8	59·02
18	55·3	55·5	54·9	55·0	56·1	59·9	62.9	61·4	60·0	59·5	58·7	58·0	58·10
19	57·9	57·6	56·3	56·7	60·1	64·2	68·4	69·7	65·2	62·0	61·1	60·8	61·67
20	59·8	59·0	57·7	57·5	57·9	59·9	63·3	64·6	63·8	61·6	56·9	55·3	59·78
21	55·7	55·7	55·9	56·0	58·6	58·8	61·3	61·9	59·6	58·3	56·9	55·3	57·83
22	54·8	55·4	54·0	54·5	56·3	58·5	58·7	63·7	63·2	60·0	60·1	53·1	57·69
23	50·5	49·9	49·5	51·8	55·1	57·7	60·3	61·3	58·4	55·1	54·1	52·5	54·68
24	52·6	49·2	47·5	50·0	55·8	62·0	64·8	65·8	62·1	58·3	57·1	54·0	56·60
25	52·0	51·0	49·2	51·1	60·3	63·8	66·4	66·0	62·2	58·5	59·1	57·9	58·13
26	56·1	55·7	54·9	55·0	53·1	52·9	55·2	56·1	53·9	52·1	51 6	50·3	53·91
27	50·7	51·0	51·0	51·0	53·0	54·0	56·0	59·0	58·0	55·0	53·9	50·3	53·57
28	46·9	43·2	40·0	41·5	46·1	45·2	46·0	45·3	44·5	43·3	41·9	40·9	43·73
26	39·9	39·0	38·0	38·5	42 1	46·9	44·2	44·3	41·3	40·0	39·6	38·5	41·03
30	38·2	37·7	35·9	36·2	41·6	43·0	42·8	43·5	41·0	34·0	34·1	33·8	38·48
.	....	....	....	.. .	....	....	....	....	....	....	....	....	.....
	53·22	52·10	50·60	52·18	56·06	59·01	60·42	61·18	59·53	56·36	55·13	53·75	55·79

TABLE LXXI.—*Registered Bi-Hourly Temperature at Montreal, October, 1888.*

1.00 A. M.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
32·6	32·6	31·9	36·0	42·1	43·9	45·9	42·9	42·5	41·5	41·1	40·0	39·42	1
39·9	39·7	36·7	35·8	36·7	37·0	38·3	39·1	39·0	39·0	39·1	39·2	38·29	2
37·8	36·9	36·5	36·8	37·9	39·7	42·8	42·9	41·0	38·5	36·2	35·1	35·81	3
34·3	35·0	32·0	33·2	40·1	42·8	43·8	42·8	40.9	39·2	39·1	41·8	38·75	4
43·0	45·0	45·7	45·0	45·5	46·3	46·9	47·6	44·7	42·8	40·9	40·3	44·48	5
38·0	36·0	35·0	36·2	43·4	48·8	51·1	48·9	45·3	44·8	44·9	45·4	43·15	6
45·3	44·4	43·7	44·0	46·2	48·1	50·3	51·5	49·2	49·1	48·6	45·5	47.16	7
44·4	44·0	43·0	41·5	47·1	50·0	50·4	47·9	43·6	40·0	38·0	36·3	43·85	8
34·9	34·0	31·0	29·0	30·1	32·0	32·7	34·8	33·0	33·0	33·1	33·0	32·55	9
34·6	34·8	34·3	35·0	37·2	40·6	40·9	41·9	40·7	40·0	39·4	39·3	38·23	10
38·9	38·4	37·8	39·0	44·3	47·3	49·3	50·4	48·5	45·8	43·1	41·2	43·67	11
39·9	38·5	36·9	37·4	44·1	50·8	54·9	56·2	48·9	46·5	43·0	42·5	44·97	12
42·9	43·0	42·8	42·9	41·2	38·8	38·3	36·7	35·2	35·8	36·6	35·5	39·13	13
35·0	34·8	33·0	33·3	38·1	43·0	43·9	44·0	39·5	39·0	40·2	39·0	38·57	14
39·9	36·3	31·7	33·2	40·7	46·0	47·9	47·3	43·9	39·5	38·4	37·3	40·18	15
35·9	35·0	35·3	36·2	41·6	45·0	47·4	48·4	49·0	46·7	45·6	46·1	42·52	16
44·9	44·0	42·5	40·8	46.4	53·8	54·9	53·2	50·0	49·0	46·1	42·9	47·38	17
39·9	40·0	40·0	39·1	41·1	42·6	43·1	43·8	42·6	40·6	39·1	35·9	40·65	18
33·9	33·0	31·5	31·0	35·1	37·4	39·2	39·2	39·4	38·0	36·4	38·4	36·04	19
39·9	40·5	41·1	39·7	44·1	46·3	46·8	43·0	40·0	40·2	40·2	39·0	41·73	20
38·7	37·7	36·7	33·8	32·0	34·0	36·0	35·0	34·3	33·7	32·0	31·5	34·62	21
31·4	32·0	32·5	32·2	33·9	35·3	35·9	36·9	35·0	32·8	32·1	31·9	33·49	22
29·9	29·9	29·8	29·7	32·9	36·1	38·3	39·3	38·5	38·7	39·1	38·7	35·08	23
37·7	36·8	36·0	36·5	36·6	37·0	36·6	37·5	39·1	38·0	38·1	36·2	37·26	24
35·9	35·8	35·8	35·0	39·1	43·8	43·9	44·3	40·0	38·7	38·1	36·8	38·93	25
35·1	34·0	31·8	33·1	34·1	37·4	41·9	44·8	41·0	31·0	37·1	36·8	37·09	26
35·6	38·0	39·0	42·1	45·0	43·4	45·2	47·0	49·0	49·5	50·1	51·6	44.63	27
50·9	51·0	51·0	51·2	54·9	57·8	54·8	46·8	45·2	44·0	43·7	41·4	49·39	28
38·9	39·0	36·3	35·3	37·6	39·0	40·3	39·9	37·5	36·2	35·2	34·0	37·43	29
33·8	33·0	30·6	31·1	32·6	34·3	36·0	36·5	34·7	34·3	35·6	35·6	34·01	30
35·9	35·9	36·0	37·2	38·1	38·0	46·8	48·9	41·7	45·7	47·1	51·0	41·86	31
38·06	37·71	36·71	36·85	40·00	42·46	44·01	43·85	41·71	40·63	39·91	39·33	40·10	....

TABLE LXXII.—*Registered Bi-Hourly Temperature at Montreal, November, 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	53·2	53·9	54·0	53·0	55·1	58·1	58·9	57·0	53·7	52·2	51·1	50·6	54·23
2	50·9	52·3	53·1	54·0	58·0	62·0	64 5	68·6	66·0	62·5	59·1	58·5	59·12
3	58·3	58·9	58·0	56·5	54·9	52·0	45·9	42·5	42·2	41·0	39·1	39·2	49·04
4	39·9	39·0	38·0	35·3	38·9	39·8	42·7	43·6	43·0	42·3	41·1	40·0	40·30
5	40·9	39·1	36·3	42·0	45·1	50·0	57·9	56·8	53·7	52·9	52·9	47·5	47·93
6	48·3	48 0	49·0	51·5	54·2	56·9	57·8	60·1	59·0	58·7	53·6	50·0	53·93
7	47·9	44·1	39 3	37·8	40·1	41·7	43·0	42·0	40·0	38·0	35·1	34·0	40·25
8	33·5	33·5	32·0	31·4	32·1	34·2	33·9	34·3	33·6	33·1	34·4	35·5	33 46
9	36·2	37·3	37·9	36·0	36·0	35·5	35·9	37·5	38·0	37·0	35·0	34·0	36·36
10	33·9	34·0	33·0	33·5	35·2	37·2	40·0	40·5	39·0	38·5	41·1	44·8	37·56
11	43·1	43·3	43·0	35·9	35·1	36·0	34·9	35·0	34·2	34·0	34·1	30·3	36·57
12	29·5	27·6	25·6	24·6	25·1	26·7	28·9	29·5	28·0	26·5	25·2	24·5	26·81
13	23·0	21·9	21·7	22·8	26·5	29·3	32·4	33·5	33·5	33·2	32·9	32·8	28·62
14	33·7	33·9	33·3	33·5	37·1	45·8	48·9	48·3	45·2	43·4	44·1	44·6	40·98
15	42·9	43·0	44·0	43·8	45·8	47·0	47·9	47·6	46·7	46·7	46·6	45·5	45·62
16	44·9	46·4	47·1	41·9	39·8	39 9	36·9	35·0	32·5	31·3	29·9	27·0	37·72
17	28·0	29·2	30·2	31·7	30·1	32·2	29·7	26 5	24·6	23·0	20·1	17·9	26·93
18	16·3	15·2	14·3	13·8	17·6	22·5	24·9	27·3	26·0	26·0	27·0	32·8	21·97
19	28·9	29·7	31·9	33·1	35·4	36·6	37·6	38·3	38·0	36·5	33·9	32·2	34·34
20	29·9	16·3	11·4	6·5	8·6	11·4	12·7	13·1	14·0	10·5	8·4	6·9	12·47
21	5·6	5·0	4·0	4·5	6·9	13·1	13·0	14·0	13·7	13·0	14·4	14·8	10·17
22	15·0	16·0	16·0	14·7	14·3	8·7	8·5	8·0	7·2	5·7	4·0	3·0	10·09
23	1·7	3·0	0·5	2·0	5·7	9·2	11·0	11·9	11·7	9·0	8·8	10·3	7·07
24	8·5	9·0	8·8	12·5	15·7	19·8	21·5	21·4	21·5	22·6	21·3	21·0	16·97
25	21·8	21·8	20·9	14·2	18·6	21·0	21·5	22·0	21·0	22·5	22·2	22·0	20·79
26	22·0	24·0	23·0	24·5	26·0	27·5	28·9	31·5	31·0	31·8	32·1	32·0	27·86
27	31·9	32·8	32·2	32·6	32 6	33·5	33·9	33·7	33·6	33·6	33·2	33·5	33·09
28	33·7	34·5	33·4	33·4	33·6	34·2	34·9	35·0	34·1	34·5	34·1	34·5	34·16
29	34·4	35·0	33·7	33·5	33·9	34·0	34·0	34·0	33·5	33·6	33·0	33·0	33·80
30	32·9	34·1	33·0	33·1	34·1	34·2	35·0	35·5	34·0	33·3	33·1	32·5	33·73
	....	....	....	....	....	....	...	....	....	....	....	....	....
....	32·36	32·06	31·29	30·79	32·40	34·33	35·25	35·47	34·41	33·56	32·70	32·17	33·06

TABLE LXXIII.—*Registered Bi-Hourly Temperature at Montreal, Dec., 1888.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	°
30·8	31·0	27·5	23·3	23·7	24·6	25·6	24·2	22·1	21·5	21·3	21·1	24·73	1
20·4	22·5	20·5	22·2	24·2	31·0	31·9	33·0	31·8	32·6	32·1	31·1	27·77	2
32·0	32·0	31·2	31·5	31·2	31·8	32·0	32·1	31·3	31·3	31·0	30·2	31·47	3
29·6	30·0	28·5	28·9	29·1	30·5	30·9	29·4	28·5	28·5	28·2	27·9	29·17	4
29·1	30·4	30·0	32·0	32·1	34·2	35·9	36·3	34·0	32·9	32·0	32·6	32·62	5
31·9	31·3	28·6	27·7	26·2	27·8	25·8	24·6	21·3	19·7	17·4	19·0	25·11	6
18·7	18·5	18·4	19·0	21·3	24·8	27·6	33·0	31·1	32·1	33·0	33·6	25·93	7
31·7	30·0	25·0	19·8	20·7	24·7	24·8	24·8	22·0	20·4	21·2	19·9	23·75	8
16·9	15·6	13·7	9·0	14·5	17·5	20·3	21·4	20·0	20·8	21·4	23·9	17·92	9
24·5	25·2	25·9	27·0	28·2	29·7	32·4	33·5	33·0	32·1	32·7	32·8	29·75	10
32·9	32·6	32·7	33·7	33·3	34·0	35·5	35·4	34·0	34·7	33·1	31·2	33·59	11
28·0	25·9	22·7	15·8	14·4	13·2	10·7	9·5	7·8	6·4	6·0	5·7	13·84	12
4·6	3·2	1·5	0·2	0·9	3·9	4·6	4·8	3·5	2·5	1·2	1·3	2·68	13
1·0	0·3	0·1	1·0	1·9	3·8	7·6	8·0	10·0	9·3	7·7	5·6	4·69	14
5·2	5·0	4·4	5·2	7·6	13·0	15·2	19·9	21·8	24·3	25·2	26·2	14·42	15
28·5	30·0	29·2	31·0	32·1	35·0	35·9	36·0	34·6	35·0	35·1	35·8	33·18	16
36·9	37·0	35·0	33·0	30·1	26·5	25·0	24·0	22·7	21·2	20·2	20·3	27·66	17
19·8	18·7	18·0	18·3	18·4	20·0	17·7	17·0	16·0	15·5	15·3	15·5	17·52	18
14·7	14·6	6·3	4·4	4·2	7·2	5·6	5·0	4·5	4·4	3·7	3·6	6·52	19
2·3	0·4	0·0	−0·7	1·8	5·8	7·4	9·0	8·7	9·8	12·5	−14·8	5·99	20
16·4	17·5	17·5	19·5	21·4	23·6	24·2	24·9	−11·6	7·5	3·7	1·4	15·53	21
−2·8	−6·8	−9·6	−9·9	−8·2	−4·7	−4·0	−2·0	−1·7	0·6	14·4	6·1	−2·38	22
8·6	9·9	9·0	12·0	16·4	22·0	25·8	26·2	26·7	28·0	29·5	31·0	20·43	23
31·9	40·5	39·5	40·0	40·2	41·7	42·9	42·7	41·6	41·2	41·1	41·9	40·43	24
41·4	41·0	41·9	41·0	41·9	42·0	41·9	42·0	42·2	42·1	42·0	41·8	41·77	25
39·9	39·3	36·9	36·0	35·8	36·8	35·9	34·8	35·0	34·8	34·1	33·3	36·05	26
39·8	42·6	42·4	43·9	45·9	45·4	45·5	42·0	37·0	33·5	32·1	30·8	40·08	27
29·4	29·0	30·0	22·7	21·2	20·8	21·0	20·3	20·0	22·2	22·1	22·8	23·46	28
22·8	22·6	20·0	13·9	12·4	13·1	12·8	12·3	9·8	8·8	9·5	9·0	13·92	29
10·7	15·6	16·5	21·2	23·9	30·2	31·9	33·0	34·0	36·2	37·1	34·7	27·08	30
33·7	33·7	34·1	34·6	34·0	34·8	35·6	35·4	34·6	33·6	31·1	28·8	33·67	31
22·95	23·20	21·85	21·20	21·96	24·02	24·71	34·92	23·53	23·34	23·45	22·93	23·17	

TABLE LXXIV.—*Registered Bi-Hourly Temperature at Sydney, N.S., Jan., 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	13·0	16·4	17·6	17·7	19·0	22·6	24·4	25·0	23·0	24·0	23·4	21·1	20·60
2	22·9	23·6	26·0	29·0	31·5	33·8	34·5	36·1	39·5	41·4	43·4	40·0	33·42
3	35·5	33·0	31·0	30·7	29·7	28·4	27·0	25·3	23·4	21·0	20·3	19·0	27·03
4	17·0	15·2	16·0	15·3	16·0	15·7	14·8	13·0	12·4	13·6	13·5	14·8	14·78
5	13·6	13·0	12·7	12·0	11·2	12·8	13·0	15·1	17·7	18·4	22·5	27·8	15·82
6	31·6	32·1	33·0	32·0	32·7	35·9	35·5	35·4	35·0	33·6	33·8	33·0	33·63
7	32·7	32·3	32·0	31·3	31·0	34·1	34·7	34·0	33·0	31·6	31·4	31·5	32·47
8	31·4	32·0	32·6	32·0	28·0	28·2	29·5	28·0	27·0	25·5	24·7	25·3	28·68
9	23·4	22·0	20·0	20·0	19·0	19·1	20·8	20·0	18·0	18·0	17·6	16·5	19·53
10	15·0	16·8	17·0	16·5	17·3	19·0	21·3	17·4	16·4	16·0	15·9	16·1	17·06
11	19·0	21·0	20·8	17·0	20·0	20·0	18·4	16·1	13·4	12·5	11·6	12·0	16·82
12	11·5	10·1	9·0	6·4	6·0	8·0	7·9	7·0	8·4	9·0	9·0	11·7	8·67
13	12·6	11·0	10·0	11·0	11·6	15·8	16·3	18·0	16·4	16·6	16·0	21·0	14·69
14	25·0	26·4	30·8	32·8	35·6	35·4	32·8	29·0	27·0	25·4	23·0	21·0	28·68
15	18·0	18·0	12·0	9·6	9·6	25·3	29·1	30·0	30·0	31·5	34·6	36·7	23·70
16	37·6	36·6	37·0	31·0	24·0	15·0	11·0	10·0	7·0	6·3	5·5	6·4	18·95
17	6·2	6·0	6·7	7·0	8·9	12·2	15·3	16·3	14·4	13·8	12·4	15·0	11·18
18	15·0	14·9	15·0	16·0	17·4	19·5	20·0	19·6	20·4	21·0	21·4	24·0	18·68
19	25·0	26·0	26·6	27·0	27·3	27·3	26·0	26·0	21·0	18·4	15·7	14·5	23·40
20	12·6	12·0	10·2	9·2	9·9	11·0	12·5	11·0	9·0	7·0	6·4	5·7	9·71
21	5·0	4·0	3·7	3·5	3·5	3·4	2·4	2·3	1·0	0·8	0·2	1·4	2·37
22	3·2	3·3	4·0	4·0	2·0	3·1	3·1	3·0	2·0	1·0	0·5	2·2	0·13
23	2·0	0·4	2·0	2·8	3·0	1·0	1·0	1·2	1·0	5·0	6·3	2·6	1·49
24	1·0	1·7	2·2	3·4	5·7	17·0	21·5	23·4	17·0	12·0	10·7	8·0	10·13
25	4·4	0·6	0·5	2·8	2·6	0·7	4·6	6·0	3·4	2·8	0·5	3·1	1·17
26	3·4	4·8	5·4	3·8	0·0	6·0	16·7	19·0	17·0	21·0	26·5	30·0	9·90
27	33·0	34·9	36·4	33·0	34·0	34·1	32·0	30·0	28·0	27·0	26·0	26·3	31·23
28	25·8	25·4	26·0	26·0	26·4	29·9	30·5	30·0	27·6	26·0	23·3	22·6	26·63
29	21·0	14·3	12·0	13·0	10·8	15·0	17·2	13·9	10·0	6·0	1·5	1·3	11·13
30	0·0	4·5	4·8	7·1	8·5	10·0	12·0	12·0	11·0	8·0	4·0	6·0	7·33
31	6·0	5·0	5·4	5·0	12·0	18·0	23·5	22·4	19·0	16·7	13·3	11·4	13·14
....	16·39	16·14	15·95	15·52	16·10	18·62	19·65	19·21	17·66	16·80	16·20	16·49	17·06

TABLE LXXV.—*Registered Bi-Hourly Temperature at Sydney, N.S., Feb., 1888.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 A.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°		
10·6	15·0	15·0	15·2	16·2	17·0	17·0	16·9	15·0	13·0	13·4	14·0	14·87	1
12·7	12·4	14·0	12·0	15·3	17·5	18·0	17·3	14·0	13·3	13·7	14·3	14·54	2
14·0	12·4	13·2	16·0	17·4	20·0	20·4	20·0	18·2	12·0	9·7	10·0	15·27	3
8·3	6·0	4·4	2·5	5·0	7·0	9·0	9·9	7·0	5·0	3·5	7·0	6·22	4
8·0	10·0	17·0	22·1	26·3	36·0	39·0	40·0	41·4	40·0	37·4	36·8	29·50	5
36·0	32·6	30·7	30·0	31·9	33·0	32·4	31·0	29·6	28·0	27·1	23·0	30·37	6
22·6	20·0	19·4	18·5	19·3	21·0	22·0	24·8	23·0	21·0	15·4	13·2	20·02	7
14·4	15·6	19·0	22·0	26·6	29·0	28·5	28·0	28·6	31·0	33·0	34·6	25·86	8
35·1	36·0	37·0	38·0	40·0	38·0	40·0	35·0	30·0	28·0	26·4	23·2	33·89	9
19·0	16·4	16·8	15·0	10·6	12·5	12·9	12·0	10·9	7·3	4·5	6·0	12·00	10
6·0	5·4	7·5	10·0	14·0	20·0	23·0	25·0	28·9	31·4	31·6	32·9	19·94	11
41·3	42·4	43·0	42·0	37·0	37·1	32·2	27·7	24·0	22·0	19·6	18·2	32·21	12
15·8	15·2	15·0	14·5	16·4	22·0	27·4	32·0	29·0	25·0	21·5	20·7	21·21	13
20·2	21·0	22·6	23·0	27·0	31·4	35·8	36·1	34·9	31·8	30·3	30·6	28·72	14
29·6	30·4	31·0	31·4	30·0	30·0	30·5	30·4	29·4	29·0	27·3	25·6	29·55	15
20·0	15·4	12·5	8·0	7·4	7·4	7·0	6·0	6·0	3·0	1·6	3·6	8·16	16
3·0	2·8	2·4	1·4	4·4	9·0	13·2	18·0	20·0	18·6	19·7	23·3	11·32	17
25·4	26·4	21·0	13·7	13·7	16·0	17·0	16·8	15·0	11·8	7·5	6·1	15·87	18
3·4	4·0	5·5	3·0	6·6	19·0	21·0	13·4	11·8	9·0	7·3	6·6	9·22	19
5·0	3·0	2·0	1·5	6·0	14·1	19·0	21·8	19·0	18·0	18·6	21·0	12·42	20
22·5	25·0	27·4	30·4	34·3	38·0	39·6	41·6	41·0	37·0	35·0	34·5	33·86	21
33·5	32·0	30·0	28·7	29·8	34·1	35·3	35·6	34·3	31·0	30·0	29·5	31·98	22
28·4	26·6	25·7	24·0	21·1	21·5	24·0	24·0	22·0	19·7	18·4	17·1	22·71	23
17·0	15·0	13·6	13·2	17·3	20·0	19·0	16·4	10·7	9·0	10·0	14·4	14·63	24
14·8	14·8	15·8	15·0	19·0	23·0	23·0	23·9	24·0	19·0	16·0	15·0	18·61	25
12·5	13·1	17·6	21·0	26·0	31·0	29·3	29·0	29·8	32·0	33·5	35·0	25·82	26
35·4	36·3	36·0	35·0	35·0	37·5	38·5	38·0	37·0	34·0	32·0	30·7	35·35	27
28·0	25·0	23·0	25·0	27·5	28·0	25·2	21·6	32·0	21·0	19·4	19·0	23·72	28
16·6	13·2	12·0	10·1	12·0	17·2	18·6	16·7	13.0	9·3	8·8	11·0	13.21	29
....	....	....	....	....	....	....	....	...	....	....	....	....	.
....	....	....	....	....	....	....	....	....	....	....	....	...	.
19·28	18·74	18·97	18·70	20·42	23·71	24·75	24·44	23·09	21·04	19·73	19·89	21·06	

TABLE LXXVI.—*Registered Bi-Hourly Temperature at Sydney, N.S., March 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	11·0	11·3	12·4	13·2	16·0	18·7	21·0	19·7	17·3	12·0	9·7	8·3	14·22
2	8·0	7·0	7·0	6·0	7·2	13·6	21·0	25·7	29·6	29·0	28·5	28·6	17·60
3	30·0	31·4	32·6	31·0	31·5	33·0	33·0	35·0	33·0	30·7	31·0	33·0	32·10
4	32·3	32·6	33·6	34·0	33·0	34·0	35·7	35·0	35·0	33·0	33·0	33·0	33·68
5	33·0	32·7	32·9	33·0	34·0	35·0	35·5	35·0	33·8	33·5	33·0	32·7	33·68
6	29·0	28·8	27·9	27·6	32·0	35·8	37·5	35·2	33·6	32·0	31·6	31·4	31·87
7	29·3	29·1	29·0	29·7	33·0	36·0	38·4	37·4	36·0	33·9	32·8	32·5	33·09
8	32·0	31·4	30·5	30·0	29·0	31·0	34·0	33·9	32·0	28·0	25·4	24·0	30·10
9	23·0	20·0	19·0	17·6	23·0	29·0	33·5	34·5	33·9	33·0	31·5	30·8	27·40
10	29·6	29·0	28·0	26·0	30·4	33·5	32·5	33·6	32·5	30·0	28·5	29·9	36·29
11	29·0	28·7	29·4	30·0	31·7	32·4	32·0	31·0	29·3	28·0	27·0	27·0	29·62
12	26·2	26·4	27·0	26·6	28·0	30·0	29·5	29·4	29·0	27·0	26·4	27·6	27·76
13	29·0	29·0	30·0	31·0	32·8	35·0	36·8	36·0	34·1	33·0	32·0	31·9	32·55
14	32·6	32·0	32·6	33·0	34·0	35·0	34·6	34·7	35·0	34·7	34·3	34·4	33·91
15	33·7	33·8	33·3	33·4	34·6	34·0	34·0	35·0	33·1	32·4	31·7	32·8	23·48
16	33·0	33·4	34·0	34·0	36·3	40·0	42·4	40·0	33·7	33·6	31·0	30·6	35·17
17	29·0	28·0	27·0	27·0	31·5	35·6	36·5	34·4	33·7	31·0	27·0	25·5	30·52
18	21·6	18·6	16·4	18·4	25·5	29·0	33·0	31·4	30·0	25·8	24·7	23·6	24·83
19	18·6	14·0	14·0	20·5	26·0	29·6	30·0	29·5	27·0	24·0	22·5	21·0	23·06
20	16·0	13·1	12·0	15·0	24·8	30·3	34·6	34·0	32·9	31·4	32·5	33·5	25·84
21	34·0	34·6	35·5	35·8	36·0	38·0	41·0	39·3	39·0	38·0	37·7	39·0	37·33
22	39·0	39·0	39·0	39·8	45·7	47·3	48·8	46·0	41·0	36·4	34·0	33·9	40·82
23	34·0	34·0	35·9	37·8	40·7	43·0	40·6	41·1	41·0	38·1	36·4	34·0	38·05
24	31·0	29·0	28·4	28·0	31·0	32·8	34·0	33·2	30·0	28·4	26·0	25·0	29·73
25	24·0	22·0	22·0	21·7	29·0	30·0	31·7	27·0	24·0	19·5	17·0	16·7	23·72
26	18·0	15·2	14·5	16·7	23·0	27·0	28·0	27·0	24·0	20.4	19·0	18·0	20·90
27	16·6	14·1	15·5	17·0	23.0	25·6	28·6	27·0	26·0	25·0	25·8	27·0	22·60
28	27.4	27·1	27·8	28·3	30·6	34·0	35·0	34·8	35·0	34·0	34·4	36·0	32·03
29	36·4	38·6	40·0	41·3	44·0	47·0	47·0	46·0	44·8	45·0	40·0	41·0	42·59
30	37·4	35.2	33·4	33·0	32·0	32·0	31·4	30·6	32·0	30·0	29·6	28·0	32·05
31	27·0	24·8	23·7	25·0	28·0	31·0	33·3	33·0	32·6	30·2	26·8	26·6	28·50
	27·44	26·58	29·59	27·14	30·24	32·85	34·35	33·72	32·38	30·35	29·06	28·95	29·97

TABLE LXXVII.—*Registered Bi-Hourly Temperature at Sydney, N.S., April, 1888.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
25·7	24·9	23·3	24·0	26·2	39·0	30·0	31·0	31·0	28·0	25·5	25·0	27·05	1
26·0	25·0	24·0	26·4	31·2	36·3	39·0	36·9	32·8	27·0	27·8	27·2	29·97	2
28·3	28·5	28·8	28·4	31 0	35·8	35·7	33·3	31·5	29·9	28·0	25·2	30·43	3
24·2	25·0	24·2	25·0	27·0	29·5	29·8	28·4	27·2	24·7	21·8	20 7	25·62	4
17·9	16·9	13·9	16·0	29·8	39·0	38·0	38·4	37·0	30·0	27·0	26·0	27·50	5
23·0	22·0	22·0	24·0	33·4	34·4	34·8	36·0	40·3	41·0	37·6	39·5	33·33	6
38·0	34·4	34 7	33·4	39·6	42·0	45·0	44·4	43·0	27·6	32·7	30·4	37·93	7
25·0	21·8	20·4	20·5	23·2	30·5	30·5	29·6	29·0	26·9	24·9	22 9	25·42	8
20·3	19·0	18·0	19·2	26·0	29·0	31·3	31·0	27·7	26·0	25·0	27·0	24·96	9
26·0	24·0	22·7	23·0	25·0	28·0	29·3	29·9	27·4	26·4	25·5	26·0	26·10	10
25·7	25·5	26·0	26·8	30·0	30·7	31·6	35·0	32·9	28·9	27·9	27·7	29·06	11
26·8	27·0	28·0	28·8	30·0	31·8	32·0	31·5	31·3	30·0	29 3	30·6	29 77	12
30·8	31·0	31·4	33·0	35·0	39·0	24·0	38·0	34·2	34·5	33·0	33·6	33·96	13
33·0	31·5	29·5	32·5	34·5	36·0	36·6	38·6	37·0	34·7	30·2	29·4	33·62	14
28·0	28·6	29·0	29·0	33·0	36·0	33·0	31·5	31·4	30 4	29·4	30·0	30·78	15
30·0	30·0	31·0	33·0	34·0	34·4	34·6	34·0	33·6	33·0	32·6	33·0	32·77	16
33·0	33·0	33·0	34·0	33·5	33·3	33·3	33·4	34 0	33·8	33·8	33·6	33·48	17
33·0	33·0	33·4	34·1	35·9	38·2	38·0	39 0	37·9	34·3	31·0	30·0	34·82	18
28·3	28·7	30·4	32 0	36·0	40·2	39·0	39·7	38·8	37·0	33·0	32 6	34·64	19
31·3	31·3	31·0	33·0	40·0	48·0	49·0	45·0	41·0	36·1	34 4	34·0	37·84	20
34·0	34·0	34·0	34·0	34·4	34·4	34·3	34·0	34·0	33·0	33·0	34·0	33·92	21
35·0	35·0	35·0	35·5	37·5	43·0	43·3	43·0	41·0	36·3	35 0	36·0	37·97	22
35·0	32·3	31·7	34·8	41·4	44·1	46·6	46·0	44·0	39·4	35·8	36·7	38·98	23
34·3	33·9	36·4	46·2	40 0	37·5	37·9	38·8	36·0	34 0	34·0	32·9	36·75	24
31·3	32·0	32·9	35·0	42·0	41·6	39·7	36·7	37·0	35·6	33·7	31·7	35·77	25
30·0	29·0	27·2	30·4	35·8	39·2	41·5	42·4	37·7	35·0	32·6	30·8	34·30	26
28·6	27·6	26·7	30·8	41·6	48·0	49·1	49·8	43·0	43·1	35·2	31·8	37·94	27
30·0	29·0	28·3	32·0	38·9	51·2	57·7	62·6	57·0	50·0	47·0	44·0	43·98	28
41·0	40·0	40·0	43·0	45·6	45·0	42·4	41·0	39·0	36·7	36·5	36·3	40·54	29
36·0	35·3	33·8	33·5	33·4	35·8	39·4	37·9	37·0	33·0	31·0	31·6	34·81	30
....	....	....	....	....	....	....	....	....	....	....	...	....	....
29·65	28·97	28·69	30·38	34·16	37·40	37·88	37·89	36·16	33·54	31·50	30·97	33·10	....

TABLE LXXVII.—*Registered Bi-Hourly Temperature at Sydney, N. S., May, 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	31·4	31·0	31·0	31·5	32·4	32·6	32·0	32·0	34·0	33·7	33·3	33·2	32·34
2	32·7	32·7	33·0	33·3	33·5	34·1	33·9	33·9	34·0	33·5	32·5	32·0	33·26
3	31·4	30·9	30·6	31·0	32·8	33·0	32·6	32·0	31·0	30·5	30·4	30·0	31·35
4	29·9	29·9	30·0	30·0	31·0	31·9	32·3	32·0	32·0	33·0	32·7	34·0	31·56
5	33·6	33·4	34·0	35·0	38·0	41·0	41·0	38·3	37·6	36·0	33·0	32·1	36·08
6	30·0	29·0	27·7	32·0	43·5	44·0	45·0	45·0	42·0	38·0	36·6	36·1	37·41
7	35·9	35·2	35·0	37·0	43·5	48·0	49·6	47·0	44·3	43·0	36·0	35·0	40·79
8	34·0	36·7	38·5	41·0	41·4	42·1	42·8	43·6	42·0	38·7	34·0	33·6	39·03
9	36·0	37·0	38·0	41·0	44·5	51·6	51·7	51·8	55·0	52·3	46·2	42·4	45·62
10	40·0	29·0	36·0	40·5	43·0	45·4	45·4	46·7	40·0	35·9	33·5	33·0	39·87
11	31·3	29·0	29·0	36·3	40·0	42·4	48·0	49·0	47·4	44·0	37·0	32·6	38·83
12	30·0	29·4	30·0	37·0	47·6	52·0	49·4	51·1	48·1	44·0	38·9	36·0	41·12
13	33·6	32·1	32·6	42·9	50·0	52·0	51·0	51·0	49·3	45·7	39·6	35·8	42·97
14	37·5	37·7	36·4	38·4	41·5	43·3	43·6	44·0	42·0	39·0	36·4	34·0	39·48
15	31·6	30·8	31·0	37·2	52·0	55·0	55·0	53·0	48·6	39·0	36·0	35·0	42·02
16	34·0	33·6	34·3	37·0	40·0	42·4	42·0	43·0	41·5	40·0	39·0	36·5	38·61
17	36·0	36·0	37·0	43·0	46·6	50·4	49·3	55·0	54·0	50·0	43·0	40·0	45·03
18	36·6	35·0	36·0	43·0	52·6	54·9	54·0	52·4	46·2	44·4	40·2	39·0	44·52
19	40·0	36·0	37·0	42·6	46·5	48·0	50·0	48·0	51·6	48·0	42·6	43·0	44·44
20	43·0	43·2	43·6	44·9	49·3	51·0	50.6	51·0	49·0	46·2	43·2	42·0	46·42
21	40·0	40·0	40·0	46·0	44·4	44·6	45·0	45·0	44·5	42·0	40·0	39·2	42·56
22	39·4	39·0	39·0	41·6	46·3	52·5	53·3	56·0	56·7	46·4	48·0	44·0	46·85
23	39·0	37·0	36·0	46·0	57·0	62·0	62·0	57·0	49·9	50·0	44·5	40·4	48·40
24	38·0	35·5	36·0	46·0	57·0	61·6	61·0	60·0	58·0	52·0	45·0	40·0	49·17
25	37·6	35·0	36·3	46·0	58·2	62·9	66·0	68·0	63·0	56·4	50·5	48·0	52·32
26	47·0	46·0	43·0	48·3	55·8	60·5	63·3	60·0	53·0	49·0	43·8	40·0	50·81
27	38·4	37·0	39·0	47·4	52·0	57·6	57·0	55·0	50·4	46·0	42·1	42·0	46·99
28	43·0	43·2	44·1	44·3	45·5	46·6	53·0	52·0	51·0	46·8	43·8	41·0	46·19
29	41·5	43·0	42·0	50·0	55·3	60·7	58·0	55·0	53·0	48·7	46·5	45·3	49·92
30	45·0	45·0	45·8	46·8	49·8	51·0	51·0	51·0	51·0	48·3	47·5	46·0	48·18
31	44·6	44·0	46·0	49·5	55·0	62·8	61·0	59·0	55·0	50·3	45·4	42·0	51·23
....	36·84	36·20	36·38	40·85	46·00	48·96	49·35	48·96	46·94	43·57	40·04	38·17	42·69

TABLE LXXVIII.—*Registered Bi-Hourly Temperature at Sydney, June, N.S., 1888.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
39·9	36·8	37·0	43·5	52·0	53·0	52·2	48·0	47·0	44·0	43·6	43·8	45·07	1
43·8	43·3	44·0	48·5	55·4	60·0	61·6	61·4	61·0	57·4	49·0	44·5	52·49	2
40·0	39·5	45·0	52·0	56 0	60·7	63·4	62·9	61·0	53·0	50·5	48·0	52·67	3
47·0	46·5	47·0	48·8	57·3	64·0	60·2	53·8	50·0	49·8	45·0	43·5	51·11	4
42·0	40·0	42·0	46·0	55·0	64·0	66 3	70·0	66·0	60·5	52·5	48·7	54·42	5
48·0	47·3	48·0	55·0	64·0	72·8	73·0	72·9	66·0	60·0	57·5	56·0	60·07	6
53·7	51·9	52·3	56·3	62·8	69·8	65·0	61·0	54·0	49·0	50·4	49·9	56·34	7
48·0	48·0	47·3	49·3	51·4	54·0	59·4	60 0	59·0	54·0	48·5	46·9	52·15	8
46·1	44·1	44·0	53·1	64.0	66·9	71·5	70·6	66·9	60·0	55·4	54·0	58·05	9
53·0	52·8	55·0	55·0	57·3	61·0	66·6	66·6	64·0	58·8	51·0	51·0	67 68	10
51·0	49·6	53·2	57·0	65·4	66·2	70·8	69.4	65·0	61·0	60·7	59·6	60·74	11
58·1	53·0	55·0	54·0	59·0	61·3	62·0	62 7	60·9	60·4	52·8	47·6	57·23	12
46·0	42·7	42·0	54·5	66·0	69·2	71·7	72·0	68·2	61·4	55·5	53·0	58·52	13
51·0	49·9	50·0	56·4	64·0	71 0	72·7	70 0	68·0	64·0	56·8	53·7	60·62	14
51·0	52·5	52·6	57·8	67·8	71·4	69·8	65·1	65·0	60·8	57·0	55·6	60·53	15
54·5	54·1	54·9	53·9	55·3	57·3	58·4	57·7	57·0	57·0	58·6	58·0	56·39	16
52·1	51·0	51·4	53·0	59·0	61·0	61·7	60·1	56·0	54·0	50·3	50·0	54 96	17
50·0	50·0	52·1	60·5	63·3	66·0	61·6	59·0	57·7	58·0	55·0	53·0	57·18	18
50·3	42·9	47·0	49·0	51·0	54·0	52·0	51·0	50·0	47·0	43·6	40·0	48·15	19
39·0	39·9	41·0	43·3	41·0	42·3	43·1	46·8	42·0	46·0	44·3	43·0	42·64	20
42·4	40·0	40·0	46·6	52·0	56·0	59·0	59·0	57·0	52·0	46·5	45·7	49·68	21
46·9	46·3	48·2	50 6	53·2	56·3	59·0	54·0	53·0	53·0	55·0	55·4	52·57	22
56·0	56·2	63·0	64·0	63·5	63·5	65·0	67·0	62·7	54·0	49·6	49·1	59·47	23
49·0	49·0	48·3	51·0	58·0	60·5	61·0	62·5	62·6	57·0	50·4	47·4	54·73	24
44·3	43·0	42·9	48·4	55·6	61·0	58·2	54·2	53·0	50·0	48·6	48·0	50·60	25
47·5	47·0	47·7	48·2	49·6	49·9	50·0	51·3	51·0	50·0	48·5	48·0	49·06	26
48·0	47·6	47·6	48·0	48·5	49·0	48·0	48·0	47·0	46·0	45·0	44·0	47·23	27
43·0	43·0	42·8	42·0	45·0	48·3	52·0	55·4	54·8	54·3	49·0	47·0	48·05	28
45·4	48·7	47·0	55·0	63·1	66·4	66·1	67·4	58·0	57·0	51·0	47·9	56·92	29
45·7	43·0	45·0	52·0	58·0	61·1	68·0	63·6	59·8	53·4	49·7	47·3	53·88	30
....	....	....	....	....	....	....	....	....	....	....	....	.....	..
47·77	46·65	47 78	51·76	57·13	60·60	61·64	60 78	58·12	54·76	51 04	49·32	53·95	....

TABLE LXXIX.—*Registered Bi-Hourly Temperature at Sydney, N.S., July, 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°	°
1	43·0	44·5	46·3	51·0	53·0	54·0	58·5	57·3	59·0	55·0	49·4	47·4	51·53
2	48·0	48·0	48·0	53·3	58·2	61·3	66·8	64·0	66·0	62·5	55·0	51·8	56·91
3	49·6	48·1	46·3	51·7	64·9	71·0	74·6	76·1	71·0	65·0	58·0	54·0	60·86
4	51·0	48·4	49·0	58·2	67·3	73·6	78·5	74·8	68·3	62·3	56·0	53·6	61·75
5	51·7	50 9	51·4	60·0	69·0	75·5	75·7	75·3	73·0	63·0	59·0	57·0	63·46
6	55·0	55·4	56·0	57·4	60·0	66·0	64·5	64·0	60·0	58·0	55·0	55·3	58·88
7	53·6	54·0	55·0	56·6	63·0	63 0	62·0	62·0	63·0	63·3	58·0	54·8	59·86
8	52·8	52·0	53·0	55·7	59·5	67·4	62·3	62·8	62·5	54·7	54·6	53·0	57·53
9	53·0	52·0	54·4	60·0	63·2	66·6	70·0	72·4	72·2	60·7	55·5	55·0	61·25
10	53·3	51·7	52·5	61·0	69·0	70·7	72·0	72·0	69·0	65·0	58·6	54·7	62·46
11	52·0	49·0	50·0	59·0	71·8	76·0	78·7	79·0	72·0	65·0	58·0	53·4	63·66
12	50·6	52·0	54·3	56·0	57·0	59·0	57·6	57·9	61·0	57·0	52·6	54·0	55·75
13	55·5	56·1	55·5	57·0	61·2	65·0	67·0	67·2	66·0	61·4	58·6	55·3	60·48
14	54·0	53·4	53·0	56·5	60·0	69 0	70 0	69·7	67·8	61·7	58·0	55·0	60·67
15	51·9	51·4	58·0	56·9	61·0	62·4	67·0	70·0	66·0	63·0	56·2	52·0	59·65
16	50·3	48·2	48·7	52·0	60·0	59·6	67·0	65·5	64·6	61·0	56·5	56·0	57·45
17	53·0	49·0	47·7	56·6	64·2	67·0	68·6	68·0	67·2	64·5	58·0	55·0	59·90
18	51·8	50 0	50·0	58·0	67·4	73·6	75·0	74·0	68·4	62·0	54·3	53·0	61·46
19	53·2	54·0	55·0	57·6	63·9	63·2	62·8	62·9	59·0	56·0	55·8	55·8	58·27
20	55·6	55·3	56·0	59·0	66·0	73·4	72·2	76·5	73·0	66·6	64·3	62·0	64·99
21	60·4	62·0	63·0	64·4	65·8	68·0	70·0	68·7	68·4	67·4	64·8	64·0	65·57
22	63·0	62·0	62·1	67·0	71·8	78·0	79·5	79·0	77·4	72·0	67·0	64·4	70·27
23	63·2	64·0	63·0	63·8	64·3	66·0	66·0	69·5	68·8	65·8	63·6	63·4	65·12
24	63·5	62·4	61·5	60·8	69·2	71·7	73·7	77·0	76·7	70·1	64·2	60·3	67·59
25	57·8	56·7	57·7	63·0	73·0	75·0	75·0	73·0	70·4	68·0	60·5	60·0	65·01
26	57·4	56·6	56·0	61·9	64 0	65·0	65·6	64·4	63·2	61·0	59·0	56·3	60·87
27	57·6	55·2	54·1	59·9	63·4	65·0	68·0	64·3	63·0	59·0	58·0	57·4	60·42
28	56·0	53·6	52·3	60·0	62·8	63 0	63·5	62·0	61·9	56·0	53·0	53·1	58·02
29	52·9	53·3	54·0	54·3	55·6	55·3	55·0	52·0	51·0	50·0	50·4	51·5	52·94
30	52·8	53·3	54·8	55·0	57·0	57·5	58·8	60·0	57·0	57·0	55·6	56·0	56·23
31	56·0	56·6	57·6	58·0	60·0	64·0	69·2	73·1	72·0	67·4	61·2	59·0	63·67
	54 18	53·52	54·07	58·12	63·44	66·64	68·23	68·21	66·39	61·98	58·02	55·92	60·73

TABLE LXXX.—*Registered Bi-Hourly Temperature at Sydney, N. S., Aug.,* .

1·00 A.	3·00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1·00 P.	3.00 P.	5·00 P.	7.00 P.	9·00 P.	11·00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
60·0	62·0	61·0	60·9	61·1	62·5	62·4	62·0	63·1	61·3	57·7	60·0	61·16	1
59·4	57·0	56·5	61·0	64·0	63·6	64·0	60·5	60·3	58·0	55·0	54·9	59·08	2
52·7	55·2	54·7	57·6	60·5	61·7	61·8	61·0	58·7	57·0	53·0	49·8	56·92	3
50·6	49·0	49·0	57·2	62·6	66·0	71·7	69·7	64·4	60·5	58·0	57·0	53·34	4
57·0	56·8	57·0	58·0	58·8	59·5	60·0	61·0	61·0	59·7	58·0	57·3	58·71	5
56·0	56·0	55·5	56·0	56·9	57·6	57·4	57·6	56·4	55·0	55·5	55·7	56·22	6
55·0	54·7	54·6	54·5	55·7	58·0	57·4	58·0	56·4	55·5	55·0	55·0	55·74	7
54·6	54·5	54·5	55·5	57·5	59·7	58·4	60·3	59·5	57·0	56·1	57·0	57·16	8
57·5	57·5	57·0	59·7	63·3	66·2	69·3	71·6	70·4	64·0	61·0	59·7	63·04	9
....	59·6	60·0	62·0	68·0	73·4	....	74·8	74·0	66·0	62·0	60·4	66·02	10
....	57·7	57·0	60·0	68·0	70·0	....	71·0	67·8	65·0	59·0	58·5	63·40	11
....	58·2	58·8	61·0	68·8	75·0	....	74·0	70·0	62·0	60·0	59·0	64·68	12
....	57·1	56·7	60·0	64·6	68·0	....	69·5	65·0	61·0	59·0	58·0	61·89	13
....	57·6	56·0	56·0	58·8	62·8	....	67·0	64·0	60·0	58·2	59·2	59·96	14
....	58·2	59·8	59·0	60·4	62·4	....	66·0	65·0	64·0	62·4	63·2	62·04	15
....	60·0	58·0	61·0	68·0	69·0	....	71·6	70·0	62·0	62·0	60·7	64·23	16
....	59·8	57·0	60·0	64·0	65·0	....	68·0	66·0	63·0	62·0	61·5	62·63	17
....	62·4	63·0	65·0	71·6	75·0	....	73·7	69·0	64·0	63·5	62·2	66·94	18
....	62·0	59·4	60·0	64·8	72·8	....	72·0	69·0	65·0	58·0	55·0	63·80	19
....	55·0	54·4	59·0	63·7	62·8	....	63·0	62·0	56·7	53·0	52·4	58·20	20
....	49·4	50·6	54·0	61·0	63·0	....	64·0	61·7	58·3	56·3	54·8	57·31	21
....	53·4	54·0	55·8	56·4	55·7	....	53·7	53·6	53·4	58·5	57·5	55·20	22
....	57·0	56·4	57·8	61·0	63·3	....	63·4	61·8	59·0	56·0	54·0	59·02	23
....	52·0	51·0	54·0	57·4	58·2	....	62·4	61·7	60·0	59·0	58·4	57·41	24
....	56·8	58·0	58·0	65·1	68·3	....	68·2	67·8	62·4	58·2	56·0	61·93	25
....	56·0	57·0	57·5	59·0	60·0	....	63·3	64·0	60·0	56·4	54·0	58·72	26
....	54·0	55·0	58·0	62·6	59·6	....	66·0	64·0	62·1	62·0	62·0	60·53	27
....	62·0	62·6	62·5	63·4	64·1	....	63·7	63·0	61·0	58·8	58·0	61·91	28
....	55·5	55·0	55·5	58·0	62·6	...	62·8	61·0	57·0	55·5	55·0	57·79	29
....	54·0	53·3	56·0	62·4	68·0	....	69·3	67·0	62·0	59·4	58·0	60·94	30
....	54·1	53·0	55·5	59·0	67·4	....	73·0	69·0	65·0	55·6	50·0	60·11	31
....	56·60	54·71	58·31	62·21	66·20	....	65·81	64·08	60·55	58·20	57·23	60·39	

TABLE LXXXI—*Registered Bi-Hourly Temperature at Sydney, N. S., Sept., 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 A.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	60·0	61·8	61·3	62·5	68·0	72·6	69·3	67·0	67·0	65·0	64·0	65·0	65·29
2	65·0	65·0	65·4	65·5	66·0	66·5	65·7	68·1	66·0	64·3	62·0	58·3	64·90
3	56·2	54·2	55·0	56·3	61·0	64·0	67·3	65·0	62·0	56·4	52·4	51·0	58·40
4	48·0	47·2	45·7	49·5	56·0	65·0	66·0	65·0	61·4	57·5	56·5	56·6	56·20
5	56·8	57·4	56·4	56·8	50·2	61·4	64·3	66·0	65·6	63·0	61·0	59·0	60·57
6	56·2	52·8	50·4	50·8	55·2	56·0	62·3	64·4	54·0	49·6	46·2	45·0	53·57
7	44·1	41·0	40·3	44·2	52·6	54·0	55·0	54·3	52·4	46·5	45·3	43·0	47·73
8	42·0	42·0	44·7	46·6	56·8	61·5	63·0	63·0	58·4	56·0	55·7	56·6	53·86
9	56·7	58·3	61·0	62·0	63·7	64·4	66·0	67·0	67·0	64·0	62·8	63·0	63·00
10	62·4	62·0	61·2	61·0	63·0	66·0	66·0	64·8	65·4	63·0	60·6	60·0	62·95
11	58·8	58·4	60·0	59·6	63·0	62·4	64·0	64·0	62·2	56·8	59·9	53·3	59·87
12	52·0	49·0	47·0	50·5	59·4	67·0	70·6	66·0	62·0	59·0	59·5	61·0	58·58
13	61·5	62·8	63·4	62·8	66·0	68·6	70·0	72·0	67·0	62·8	61·8	61·0	64·97
14	60·5	59·0	58·0	56·8	60·0	59·7	60·5	54·0	54·4	53·3	54·0	53·9	57·01
15	53·6	53·1	53·0	53·6	57·0	56·0	56·5	56·0	54·5	52·7	52·0	52·2	54·18
16	51·4	50·8	51·0	51·7	55·6	59·2	61·3	61·0	60·0	56·0	54·2	54·0	55·52
17	54·0	54·0	55·3	57·0	59·0	60·6	60·5	60·9	59·4	57·0	55·5	55·0	57·35
18	53·6	51·7	51·0	53·0	55·7	58·3	59·5	59·0	57·0	53·0	51·0	50·2	54·42
19	50·5	50·7	51·0	51·4	55·8	61·0	62·9	63·6	58·6	55·0	54·6	54·3	55·73
20	54·3	50·0	51·3	52·7	55·0	57·8	59·2	58·0	53·3	49·1	44·9	43·6	52·43
21	42·0	40·2	40·0	43·3	52·5	59·3	63·4	61·4	58·3	52·2	49·0	46·0	50·63
22	44·3	43·0	41·0	44·2	52·0	58·0	60·0	56·0	55·0	52·5	51·7	51·4	50·76
23	51·5	51·0	50·0	50·0	49·0	50·0	50·5	49·0	48·0	44·0	40·6	42·1	47·97
24	41·7	43·6	47·0	49·3	53·8	57·0	60·4	59·9	58·4	54·0	49·6	48·5	51·93
25	47·0	46·0	43·6	45·0	53·0	70·3	71·2	70·0	67·3	58·6	53·0	51·0	56·83
26	48·0	46·5	45·7	46·8	56·2	63·2	66·6	62·0	58·0	55·5	54·6	54·2	54·78
27	54·6	55·8	55·0	56·0	57·7	62·0	64·7	64·9	61·7	55·6	52·5	54·9	57·91
28	55·4	55·3	55·0	55·4	58·8	61·9	61·6	59·9	58·0	56·7	56·0	57·0	57·58
29	57·6	58·0	57·0	57·4	58·0	61·7	62·4	61·0	58·4	52·0	48·0	45·0	56·37
30	42·0	40·0	38·9	40·0	49·1	55·2	55·2	53·0	51·0	48·3	47·4	47·0	47·26
..	....	....	....	....	....	....	....	....	....	....	....	....	.....
	52·72	52·00	51·85	53·06	57·80	61·35	62·86	61·87	59·39	55·66	53·72	53·12	56·29

TABLE LXXXII.—*Registered Bi-Hourly Temperature at Sydney, N. S., October, 1888.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
48·2	49·0	49·0	47·1	47·5	48·6	49·0	48·0	48·6	47·0	46·0	46·2	47·85	1
44·7	45·7	43·6	45·6	47·6	51·0	52·0	54·4	58·7	60·0	60·0	60·4	58·97	2
60·8	60·0	58·6	60·4	66·0	67·6	68·0	66·4	62·6	62·6	62·6	61·4	63·08	3
61·0	55·0	51·0	48·7	49·0	50·0	53·2	53·0	50·0	48·0	46·3	45·0	50·85	4
44·3	43·4	42·6	43·2	48·5	52·3	54·4	53·3	50·0	47·0	47·6	47·9	47·88	5
49·4	50·0	51·5	52·5	56·0	57·0	56·3	57·0	56·4	55·7	56·0	55·0	54·48	6
55·1	55·0	55 0	55·0	58·0	63·1	62·9	61·7	59·3	58·0	56·5	55·4	58·00	7
55·0	54·1	54·5	53·7	55·0	56·6	57·5	58·0	57·0	58·0	56·0	54 3	55·82	8
54·6	54·2	53·4	53·0	57·3	59·2	61·0	59·2	56·0	55·0	56·0	56·0	56·32	9
55·0	53·1	51·6	48·6	53·6	55·0	55·6	54·9	50·0	46·0	45·7	44·1	51·10	10
44·0	43·9	43·8	43·0	47·4	48·5	49·5	50·4	50·0	46·2	45·3	45·0	46·42	11
43·3	45·4	47·0	49·0	51·0	52·4	51·6	50·0	48·0	45·0	44·3	43·3	47 53	12
42·4	39·6	39·6	38·0	43·0	44·4	45·0	44·6	43·0	40·0	39·0	40·0	41·55	13
41·4	40·0	40·3	38·2	42·9	44·0	45·5	45·3	43·0	39·0	37·7	37·0	41·19	14
35·6	34·7	33·6	32·7	42·6	46·7	47·1	47·0	45·4	44·6	44·0	44·4	41·53	15
44·8	44·4	44·0	43·5	44·5	47·0	48·9	50·0	48·0	43·0	44·8	45·0	45·66	16
45·7	45·8	45·0	45·0	48·0	52·0	55·0	54·0	52·0	51·0	50·6	50·8	49·57	17
51·4	52·0	53·0	53·5	55·0	55·8	55·0	54·0	52·6	49·4	48·5	48·0	52·35	18
47·4	45·3	46·0	45·9	47·0	48·0	48·0	48·0	46·0	45·0	44·0	43·8	46·20	19
41·6	40·0	37·0	36·3	40·5	48·0	49·0	46·4	45·0	46·0	46 6	49·2	43·80	20
52·5	50·3	51·7	50·0	51·0	50·6	50·6	50·0	48·2	46·7	45·4	45·0	49·33	21
43·4	41·7	39·5	41·5	44·6	45·6	46·0	44·6	41·4	40·0	38 5	38·0	42·07	22
37·3	37·0	36·0	36·8	39·0	40·0	43·0	39·5	37·3	37·0	37·5	38·5	38·24	23
39·5	39·6	38·0	39·0	43 0	46·0	46·1	46·0	43·0	41 0	42·0	44·0	42·27	24
42·9	44·0	44·0	43·6	45·8	48·0	47·6	46·0	45·8	46·4	46·3	47·0	45·62	25
47·4	47·0	46·5	46·5	46·6	46·6	46·8	46·0	45·0	44·0	43·5	43·0	45·74	26
42·4	41·0	41·3	41·0	42·5	44·0	46·0	46·0	45·0	43·0	37·4	37·0	42·22	27
38·0	40·5	42·3	43·6	47·2	53·0	55·0	54·0	52·0	50·7	51·6	53·0	48·41	28
54·4	55·4	55·7	59·6	55·5	56·6	50·0	50·0	48·0	45·8	44·0	43·0	51·23	29
42·0	40·0	40·7	40·0	39·6	40·0	40·6	40·0	39·3	38·4	37·5	36·0	39 51	30
36·0	34·0	34·0	34·0	37·4	41·7	41·4	41.0	38·8	36·4	40·0	42·3	38·08	31
46·50	45·84	45·48	45·35	48·15	50·28	50·89	50·28	48·56	46·99	46·49	46·48	47·61	....

TABLE LXXXIII.—*Registered Bi-Hourly Temperature at Sydney, N.S., November, 1888.*

Day.	1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	44·0	45·0	46·7	47·5	48·8	51·6	53·5	53 0	49·8	46·0	42·0	39·6	47·29
2	36·9	35·0	33·7	33·0	38·0	50·0	56·1	52·7	50·0	50·4	51·2	52·0	44·92
3	53·0	53·4	54·0	54·0	56·8	61·0	61·3	58·0	58·0	56·7	57·5	57·0	56·73
4	56·5	55·8	54·0	48·0	46·5	45·0	43·0	39·8	36·6	36·5	37.8	38·0	44·79
5	37·5	37·0	37·0	35·0	37·4	42·0	43·8	44·0	42·0	43·0	42·7	42·0	40·28
6	42·6	43·8	44·5	43 5	45·0	49·0	50·5	50·0	54·0	55·0	55·0	55·5	49·03
7	54·6	54·9	55·1	55·3	57·9	55·2	58·4	59·0	44·0	41·0	40·0	38·5	51·16
8	37·3	36·0	35·9	35·6	35 9	37·2	38·4	38·9	36·0	34·0	31·9	31·0	35·67
9	30·8	31·6	33·3	34·0	33·7	34·5	34·0	33·6	33·5	33·7	33·8	35·6	33·51
10	36·3	36·0	36·0	35·0	36·6	39·3	39·0	37·6	36·4	36·0	37·4	39·4	37·08
11	40·6	42·0	42·0	51·0	55·4	55·4	54·0	51·3	46·0	42·5	42·0	45·0	47·27
12	41·9	39·0	37·5	36·5	35·5	37·7	36·6	34·8	32·0	30·0	30·8	31·2	35·29
13	31·0	21·0	29·0	27·3	29·0	31·0	32·1	31·3	31·0	30·0	28·9	31·0	29·38
14	31·3	30·8	32·0	31·2	32·0	36·0	37·8	40·3	37·0	34·0	37·4	39·0	34·90
15	41·0	42·0	41·0	38·0	42·0	48·4	50·0	53·0	49·0	45·8	47·0	48·0	45·39
16	49·0	49·9	51·8	54·0	55·0	55·0	53·5	51·9	49·5	47·6	46·0	44·7	50·66
17	41·6	39·5	41·0	43·0	44·7	45·8	45·4	43 6	34·6	33·8	33·0	32·4	39·87
18	31·0	30·7	32·0	31·5	28·6	32·0	34·4	33·0	30·0	28·2	25·9	24·6	30·16
19	24·0	23·0	22·4	23·0	26·4	32·3	38·0	38·4	38·4	39·0	40·0	42·0	32·24
20	43·4	43·0	45·0	46·7	46·6	43·0	37·4	33·7	28·0	26·0	23·8	23·3	36·66
21	22·5	21·2	20·2	20·2	19·4	21·0	22·4	22·2	22·0	22·0	21·3	22·0	21·35
22	22·0	21·7	21·6	21·5	22·2	24·0	26·3	24·3	23·0	22·0	20·0	18 9	22·29
23	17·1	17·1	17·5	18·4	19·2	21·0	21·6	22·0	21·0	21·3	22·6	22·7	20·13
24	23·8	23·2	23·9	24·4	26·0	28·5	29·4	29·0	26·0	24·0	23·0	23·7	25·41
25	21·9	20·0	17·4	15·4	21·0	30·5	31·8	30·0	28·2	28·0	28·0	29·0	25·10
26	31·0	33·0	35·0	35·8	37·0	39·2	39·0	39·3	39·0	38·2	37·8	38·6	36·91
27	39·3	39·8	39·4	39·9	40·0	40·7	40·9	40·0	39·4	39·0	38·5	38·4	39·61
28	37 5	38·0	38·7	38·0	39·3	41·0	42·5	44·0	46·0	44·0	43·2	43·0	41·27
29	42·7	41·0	42·0	41·5	43·0	45·0	46·5	46·3	45·6	45·0	42·3	41·0	43·49
30	41·0	40·0	38·6	38·3	38·0	37·5	37·6	37·0	37·0	37·9	37·0	36·4	38·03
..	....	....	....	....	....	....	....	....	....	....	....	....	....
	36·77	36·15	36·61	36 54	37·90	40·33	41·17	40·40	38·10	37·00	36·59	36·78	37·85

TABLE LXXXIV—*Registered Bi-Hourly Temperature at Sydney, N. S., Dec., 1888.*

1.00 A.	3.00 A.	5.00 A.	7.00 A.	9.00 A.	11.00 A.	1.00 P.	3.00 P.	5.00 P.	7.00 P.	9.00 P.	11.00 P.	Means.	Day.
°	°	°	°	°	°	°	°	°	°	°	°	°	
34·4	33·4	33·5	33·5	35·0	38·5	40·0	38·0	34·8	33·0	32·4	33·2	34·97	1
33·6	33·4	33·5	33·8	34·2	36·0	39·2	38·0	35·0	34·3	33·0	33·0	34·75	2
32·0	31·4	31·3	31·0	31·0	31·0	31·4	31·0	31·0	31·8	32·0	32·2	31·42	3
32·5	33·0	33·2	33·2	33·7	36·3	36·0	34·9	33·0	33·0	33·4	33·5	33·81	4
32 3	31·0	31·5	31·0	31·6	35·6	36·0	34·9	33·8	32·3	30·7	31·7	32·70	5
32·3	31·0	29·7	27·6	30·0	36·0	36·6	34·0	35·6	38·0	38·9	41·0	34·23	6
44 3	43·0	39·4	37·4	37·5	37·4	37·0	37·4	37·0	35·8	34·0	33·0	37·77	7
32·7	31·0	30·0	28·0	28·5	29·0	28·9	29·0	27·6	27·0	26·3	26·9	28·74	8
26·0	25·4	25·6	25·7	26·0	27·5	29·0	27·5	25·0	24·0	23·7	23 5	25·74	9
22·2	19·8	19·6	19·0	20·5	28·1	30·7	31·0	29·0	29·0	28·8	28·6	25·52	10
28·0	27·0	26·6	23·4	25·0	31·0	33·0	32·4	32·3	33·1	34·4	36·0	30·18	11
36·6	37·0	39·0	39·6	41·6	43·0	45·4	48·0	46·0	36·0	34·0	32·3	39·88	12
29·4	28·0	24·0	21·0	20·7	21·0	21·6	23·0	21·3	21·6	20·4	20·8	22·73	13
20·0	20·6	21·4	21·0	21·0	22·0	23·0	21·0	19·8	17·0	15·5	16·3	19·88	14
15·9	14·3	15·0	17·1	18·8	24·3	24·5	23·0	22·0	21·5	22·0	22·0	20·03	15
22·3	20·0	21·3	21·7	27·4	34·0	35·5	37·0	37·0	34·0	34·1	33·5	29·82	16
35·0	36·4	36·0	36·4	36·5	36·7	33·0	31·3	30·4	30·0	28·6	29·0	33·27	17
28·2	28·3	30·0	32·3	33·3	34·2	35·3	35·0	41·6	42·6	41·0	39·5	35·11	18
38·0	34·2	32·1	30·5	29·8	30·0	30·0	29·0	28·5	28·0	27·3	29·0	30·53	19
29·4	29·9	29·0	28·0	28·5	30·0	30·0	29·2	29·3	28·8	28·0	28·0	29·01	20
28·3	28·0	28·4	28·0	28·9	33·0	35·0	35·4	34·0	32·7	32·0	31·8	31·29	21
32·2	31·0	30·2	30·0	28·8	28·0	27·9	26·0	23·0	19·0	17·2	17·2	25·88	22
17·7	18·0	19·0	18·6	18·2	21·5	25·4	27·0	28·0	29·0	27·3	25·4	22·93	23
26·0	25·4	25·8	25·0	25·8	27·0	29·2	30·4	32·6	33·0	33·6	35·4	29·10	24
35·6	35·0	34·6	35·0	35 6	41·0	42·0	43·0	42·0	42·0	41·0	38·9	38·81	25
38·0	38·0	39·0	39·0	38·5	43·1	46·0	42·8	40·0	37·0	32·0	32·0	38·78	26
32·2	31·0	33·0	34·3	35·5	38·0	39·3	40·5	43·4	44·0	45·0	45·0	38·43	27
45·6	47·0	44·8	44·7	43·0	42·0	42·0	39·0	37·0	36·7	33·0	31·0	40·48	28
26·2	24·0	24·0	23·4	23·0	23·0	23·3	21·0	18·0	17·0	14·9	15·0	21·07	29
15·6	16·4	17·7	18·0	20·0	26·0	30·0	30·1	28·6	31·3	31·0	33·7	24·87	30
34·4	34·6	35·0	35·3	36·0	35·0	35·0	36·6	36·2	37·0	37·0	36·5	35·72	31
30·22	29.57	29·46	29·11	29·89	32·23	33·26	32·79	32.03	31.27	30·40	30·48	30·88	

$20\frac{1}{2}$

TABLE LXXXV.—*Temperature at Toronto Observatory for each Hour, from*

Day.	1.00 A.M.	2.00 A.M.	3.00 A.M.	4.00 A.M.	5.00 A.M.	6.00 A.M.	7.00 A.M.	8.00 A.M.	9.00 A.M.	10.00 A.M.	11.00 A.M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	31·5	32·2	33·2	34·3	35·2	36·0	36·5	36·8	37·3	38·8	39·5	40·1
2	21·9	20·8	19·8	19·0	18·9	18·2	17·9	17·6	17·4	18·1	18·0	19·5
3	11·9	12·0	11·8	12·3	13·9	13·0	11·8	11·9	15·0	19·1	22·7	23·4
4	18·7	19·1	19·3	19·2	19·0	19·1	19·7	20·0	20·4	22·6	23·1	24·3
5	17·9	17·4	17·0	16·7	17·9	15·4	14·1	13·4	13·2	14·4	15·9	17·0
6	17·0	21·2	22·9	22·8	22·1	22·0	22·8	23·3	24·9	26·6	28·7	29·1
7	21·0	21·9	22·4	23·9	28·4	29·0	29·9	28·9	29·0	30·5	32·0	33·6
8	20·7	20·1	19·9	19·0	18·9	19·0	18·9	19·0	19·8	21·0	22·1	22·7
9	15·2	12·0	10·1	9·5	8·1	7·2	7·8	7·1	10·0	12·2	15·0	18·6
10	19·6	18·4	17·6	17·0	17·7	17·6	17·9	18·0	19·2	23·0	24·7	25·6
11	9·9	9·3	8·9	8·7	9·8	10·3	10·5	7·1	5·4	6·2	11·8	14·5
12	4·6	4·0	1·2	− 0·9	− 1·2	− 0·7	− 2·8	− 2·2	4·3	7 5	11·9	18·0
13	23·0	24·1	26·0	29·5	32·1	33·0	33·8	34·8	35·3	35·9	36·8	37·9
14	18·1	18·1	18·2	18·1	16·5	15·0	14·0	13·0	15·7	17·9	20·0	20·4
15	27·0	27·0	27·8	28·3	27·7	26·1	27·0	27·4	27·0	24·3	23·0	19·7
16	8·3	8·7	9·0	11·0	11·9	10·8	8·4	7·6	9·0	10·3	11·9	12·0
17	4·2	5·9	7·9	9·8	17·6	18·9	19·9	19·9	19·9	19·9	20·0	19·2
18	12·0	10·0	9·1	10·5	12·9	12·8	10·2	8·2	8·9	10·7	11·9	13·8
19	10·8	9·0	6·7	7·0	7·2	5·9	6·0	6·8	8·0	11·1	15·0	16·3
20	10·2	10·0	9·6	6·9	7·0	5·0	3·0	2·1	1·4	3·3	5·0	7·4
21	2·0	1·9	− 1·0	− 3·2	− 4·9	− 7·0	− 9·3	−11·0	11·0	−10·2	− 9·0	− 7·7
22	−10·0	−11·7	−11·1	−10·9	− 8 8	− 7·0	− 6·0	− 5·2	− 3·1	1·3	6·8	7·9
23	2·0	0·0	− 1·1	1·3	1·1	3·1	5·1	5·9	7·9	9·5	11·1	13·6
24	15·9	13·0	10·9	9·3	6·6	4·0	2·0	0·7	1·3	1·4	1·3	2·4
25	2·2	11·5	13·3	13·9	14·1	15·3	16·8	18·0	19·9	21·0	22·4	23·2
26	22·8	20·2	16·1	14·4	13·0	10·7	8·3	7·2	7·9	9·1	11·0	12·3
27	9·0	7·0	5·1	3·0	− 1·0	− 2·5	− 3·1	− 3·3	− 2·1	− 1·9	0·0	1·6
28	− 2·1	− 2·9	− 2·9	− 3·0	− 3·8	− 3·9	− 4·4	− 4·9	− 3·2	− 1·6	0·0	2·2
29	− 0·1	− 1·0	− 0·1	0·2	2·0	2·0	2·1	3·8	5·9	8·0	10·6	13·8
30	11·2	12·7	12·0	15·0	17·0	16·9	16·8	17·0	18·2	20·3	22·0	23·8
31	22·1	21·9	21·3	21·0	22·2	23·8	24·1	24·9	26·0	27·7	28·0	28·0
	12 84	12 70	12·20	12·29	12 85	12·55	12·25	12·06	13·19	14·77	16·55	17·88

Self-Registering Photographic Instruments, during the Month of January, 1888.

1.00 P.M.	2.00 P.M.	3.00 P.M.	4.00 P.M.	5.00 P.M.	6.00 P.M.	7.00 P.M.	8.00 P.M.	9.00 P.M.	10.00 P.M.	11.00 P.M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	° ,
39·9	39·2	37 7	34·0	29·6	27·2	26·7	25·5	25·8	24·6	23·8	22·0	32·81
20·0	18·9	18·1	17·0	16·0	15·5	15·1	14·7	13·9	13·6	12·9	12·0	17·28
25·2	24·8	24·3	23·1	21·8	21·9	20·9	20·0	19·8	19·1	19·1	18·8	18·23
26·3	27·0	27·0	25·8	23·9	24·0	23·1	22·7	22·8	22·8	22·2	19·2	22·14
17·2	16·0	16·1	15·7	13·9	12·9	12·0	11·7	12·0	13·7	14·6	15·5	15·07
30·1	26·0	24·7	21·3	19·8	19·9	20·1	20·9	20·4	19·9	20·0	20·1	22·78
36·3	36·6	36·6	35·6	31·9	29·4	27·9	25·0	22·7	22·0	20·9	20·7	28·17
23·8	24·7	25·0	25·3	24·9	24·7	24·2	23·3	22·3	21·9	19·1	18·0	21·60
20·1	21·0	21·4	21·5	21·6	21·9	21·9	21·9	22·0	19·0	18·9	19·1	15·96
25·0	24·8	24·1	21·3	19·8	18·2	16·9	15·3	14·1	13·1	12·0	10·8	18·82
15·2	15·3	15·1	14·4	12·5	10·6	9·1	9·0	8·7	7·7	6·0	5·0	10·04
18·2	18·3	19·0	18·1	17·9	20·0	19·9	20·0	20·0	21·7	20·9	21·1	11·62
40·2	40·2	34·0	29·9	27·1	25·7	23·1	21·3	20·4	19·2	18·9	18·6	29·20
21·9	21·1	21·1	22·6	22·9	21·5	20·0	20·1	22·0	23·6	29·9	30·0	20·07
18·2	17·5	16·1	14·0	12·1	10·9	9·2	8·1	8·9	10·0	10·7	8·3	19·01
12·0	12·1	12·4	12·0	10·9	8·0	6·9	6·1	5·1	4·0	3 3	3·4	8·93
20·3	21·2	22·0	22·1	22·1	21·2	20·8	20·0	19·0	16·9	13·9	13·0	17·32
16·0	17·0	19·0	20·0	17·0	15·0	13·8	12·4	10·9	10·5	11·3	11·7	12·73
18·2	19·0	18·0	15·9	14·9	14·4	14·7	14·8	14·0	13·9	13·2	12·0	12·20
7·4	9·7	8·9	8·0	6·6	4·9	4·9	2·7	4·5	3·2	2·3	2·0	5·67
− 5·7	− 4·2	− 3·1	− 3·2	− 5·2	− 6·9	− 7·6	− 8·7	−11·0	− 9 0	− 8·6	− 9·0	− 6·36
7·9	8·2	8·6	8·0	7·0	3·0	1·0	− 0·8	− 0·2	1·4	2·2	1·0	− 0·44
15·9	15·4	15·2	15·9	15·9	16·5	17·4	17·0	17·7	17·9	17·1	16·9	10·65
3·1	4·1	4·9	5·0	3·1	2·8	1·3	0·1	− 1·0	− 1·2	− 0·1	1·0	3·83
23·2	24·3	25·5	26·3	27·9	29·2	30·8	29·0	27·1	25·9	25·8	23·7	21·26
14·4	14·7	14·1	13·1	12·4	12·1	11·3	11·7	11·1	10·0	10·1	10·4	12·41
2·5	2·9	2·7	2·2	1·0	− 0·9	− 1·2	− 1·3	− 1·0	− 1·0	− 1·1	− 1·5	0·63
4·0	5·0	5·8	6·0	5·1	3·0	2·7	2·0	0·9	1·0	2·6	4·5	0·50
16·0	16·8	17·0	17·1	17·1	17·0	16·6	16·2	16·9	16·9	15·9	12·3	10·13
24·9	26 6	26·9	26·7	25·9	25·0	23·6	22·8	21·9	21·7	20·9	21·2	20·46
28·1	27·7	27·2	26·9	26·1	26·1	26·5	26·8	26·3	26·0	25·9	26·0	25·44
18·90	19·09	18·88	18·12	16·89	15·96	15·28	14·53	14·13	13·87	13·70	13·15	14·78

TABLE LXXXVI.—*Temperature at Toronto Observatory for each hour from Self-*

Day.	1.00 A. M.	2.00 A. M.	3.00 A. M.	4.00 A. M.	5.00 A. M.	6.00 A. M.	7.00 A. M.	8.00 A. M.	9.00 A. M.	10.00 A. M.	11.00 A. M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	26·0	26·3	26·1	26·8	28·0	27·8	27·1	26·8	27·9	28·5	29·7	30·2
2	27·5	27·0	26·7	26·1	25·9	25·2	25·1	25·7	26·9	28·0	29·9	30·1
3	28·4	28·9	28·8	28·8	28·8	28·7	29·0	29·6	31·1	31·8	33·0	33·9
4	23·0	22·3	22·0	22·9	23·1	19·0	19·2	19·0	21·0	23·9	27·1	31·2
5	30·7	29·6	29·0	29·0	29·0	30·0	29·0	28·6	28·0	28·0	28·9	29·1
6	16·9	16·1	15·3	12·9	12·9	16·7	16·8	14·9	17·9	18·1	19·0	20·0
7	24·0	24·9	26·0	26·7	27·6	29·3	29·9	29·3	30·3	30·5	31·9	32·5
8	31·0	27·9	25·0	21·1	19 4	17·7	16·8	15·1	14·3	14·1	15·2	16·7
9	4·0	3·1	2·0	0·0	− 0·2	− 3·7	− 5·3	− 6·0	− 6·7	− 6·1	− 5·1	− 4·4
10	−11·0	−11·3	−11·0	−10·0	− 7·2	− 8·2	− 7·0	− 6·0	− 2·3	6·1	8·2	9·5
11	11·2	12·0	12·1	11·0	9·0	6 8	5 1	5·3	6·5	10·2	11·6	13·8
12	7·1	7·0	7·1	7·8	8 9	9·8	12·0	13·8	16·0	21·0	22·8	23·0
13	19·0	20·3	23·0	24·0	24·9	25·8	26·0	27·0	29·4	30·1	32·0	34·0
14	36·1	35·9	35·2	36·9	36·8	36·4	36·5	36·4	36 5	36·1	29·0	26·0
15	2·0	1·0	− 1·0	− 2·2	− 4·8	− 6·1	− 7·7	− 7·8	− 7·8	− 6·7	− 6·0	− 4·6
16	−10 9	−10·5	− 9·9	− 8·3	− 6·1	− 4·7	− 1·7	0·1	4·3	6·9	9·2	11·5
17	27·8	27·9	26·6	25·9	24·2	24·9	24·2	25·0	27·5	28·8	29·2	29·0
18	25·2	24·5	23·9	24·4	25·0	26·8	25·3	25·0	27·3	27·3	27·7	27·3
19	26 2	26·8	27·0	27·8	27·0	28·8	28·9	29·4	28·8	28·9	29·0	29·4
20	35·9	36·2	36·7	36·6	36·8	36·9	37·0	37·9	38·4	42·5	42·0	42·1
21	28·1	28·0	27·3	27·0	26·9	26·9	25·1	25·7	26·7	27·7	28·8	29·2
22	26·1	26·0	26·1	26·2	26·4	27·0	27·0	28·0	30·0	31·1	31·7	32·0
23	28·9	30·2	30·3	30·5	30·0	29·0	29·6	30·0	31·3	32·3	32·3	33·6
24	29·0	27·9	27·7	26·0	26·4	26·1	24·9	28·0	33·2	34·0	34·9	35·2
25	35·0	34·8	34·1	34·0	34·0	33·2	33·0	33·7	35·0	36·1	36·8	39·4
26	33·0	30·9	27·8	24·9	24·0	24·0	23·9	24·1	24·9	24·2	25·0	23·8
27	11·3	10·0	8·2	7·2	6·9	6·8	6 4	8·0	9·1	9·6	8·8	10·6
28	2·0	1·6	1·1	0·2	0·0	− 0·4	− 1·0	1·2	4·0	6·8	10·2	12·0
29	21·0	21·3	22·0	22·8	23·0	23·0	23·0	24·0	26·1	27·0	28·9	30·5
..	....	....	....	....	...	....	....	...	....	....	....	....
..	....	....	....	....	....	....	....	....	....	....	....	....
	20·50	20·23	19·83	19·55	19·54	19·43	19·24	19·72	21·23	22·65	23·51	24·37

Registering Photographic Instruments, during the Month of February, 1888.

1.00 P. M.	2.00 P. M.	3.00 P. M.	4.00 P. M.	5.00 P. M.	6.00 P. M.	7.00 P. M.	8.00 P. M.	9.00 P. M.	10.00 P. M.	11.00 P. M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
31·3	32·0	32·3	31·7	30·0	30·3	30·0	29·6	29·0	28·9	28·2	28·0	28·85
30·1	30·1	30·0	29·8	29·1	29·0	28·9	28·9	28·7	28·8	28·8	28·4	28·11
33·0	33·1	32·0	30·0	29·7	28·7	27·3	26·2	26·0	25·1	24·1	23·1	29·13
31·0	31·0	30·4	30·0	30·1	30·4	31·1	31·2	30·0	29·8	29·9	30·1	26·61
29·0	27·5	25·7	24 6	22·8	20·6	19·9	17·2	17·0	17·0	16·7	16·9	25·16
21·0	21·1	21·1	21·0	20·8	20·1	20·0	20·0	20·9	21·1	22·0	23·9	18·77
32·2	32·7	32·9	33·2	33·2	34·0	34·5	35·0	34·9	35·6	36·0	32·5	31·23
17·0	16·0	15·8	14·8	12·3	10·5	9·9	9·0	8·8	7·9	6·8	5·3	15·35
− 4·0	− 6·1	− 6·1	− 7·8	− 9·8	−11·9	−13·0	−13·9	15·0	−15·0	−13·7	−12·0	− 6·53
10·0	11·0	11·0	11·2	11·8	12·0	13·0	14·1	14·9	12·8	11·7	11·0	3·93
14·9	16·1	16·9	16·7	15·9	13·6	11·5	10·0	9·9	9·0	8·0	8·0	11·05
24·0	24·0	23·9	23·9	24·0	23·0	21·0	21·0	21·2	19·9	17·9	16·0	17·34
35·8	36·3	38·1	38·0	38·8	38·1	38·4	37·8	37·1	37·9	37·9	37·1	31·95
22·0	21·4	18·8	15·9	12·0	10·6	8·2	6·8	3·1	3·0	2·7	1·7	22·67
− 4·1	− 3·8	− 3·0	− 2·7	− 4·0	− 6·0	− 7·9	− 9·0	−10·1	−10·6	−10·8	−11·0	− 5·61
14·0	15·0	17·0	20·1	21·1	22·0	21·9	21·8	24·4	25·0	28·3	27·0	9·89
29·9	30·4	31·0	30·2	30·5	28·9	28·1	27·1	26·9	27·0	26·9	25·3	27·64
27·8	28·2	27·8	27·6	27·2	27·1	27·8	27·8	27·0	26·0	25·9	26·0	26·50
30·2	31·0	30·9	31·0	31·0	31·1	31·8	32·0	32·1	32·8	33·8	34·0	29·99
43·5	43·0	42·0	39·8	38·9	37·3	36·4	36·2	35·3	31·4	29·2	28·9	37·54
29·1	29·9	29·7	29·1	28·9	28·0	27·9	27·8	27·2	27·0	26·9	26·4	27·72
32·1	33·0	33·8	34·1	33·6	32·0	31·8	31·3	31·7	31·1	30·4	29·0	30·06
36·2	36·9	38·9	38·2	36·5	35·0	33·3	34·0	33·9	33·9	33·7	32·0	32·94
36·0	35 8	35·2	34·9	33·8	33·1	33·2	33·2	34·2	34·9	35·0	35·1	31·99
39·2	39·3	39·8	38·4	38·0	37·7	37·0	37·0	37·1	36·0	35·4	33·9	36·16
23·0	22·2	21·8	20·3	20·0	19·2	18·0	17·1	16·0	15·0	13·9	12 0	22·04
11·0	9·9	9·6	9·3	8·0	5·8	4·4	3·0	2·1	2·0	1·9	2·0	7·16
16·0	16·7	17·0	17·4	17·8	17·0	17·0	18·0	18·9	19·7	20·0	20·8	10·58
31·7	33·1	32·4	32·1	32·0	31·9	30·5	28·3	27·0	26·1	25·0	24·0	26 95
....	....	....	....	....	....	....	....	....	....	....	....	...
....	....	....	...	....	....	....	....	....	....	....	....	....
24·93	25·06	25·06	24·58	23·93	23·07	22·48	22·02	21·73	21·35	21·12	20·53	21 905

TABLE LXXXVII.—*Temperature at Toronto Observatory for each hour, from*

Day.	1.00 A.M.	2.00 A.M.	3.00 A.M.	4.00 A.M.	5.00 A.M.	6.00 A.M.	7.00 A.M.	8.00 A.M.	9.00 A.M.	10.00 A.M.	11.00 A.M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	23·8	24·2	26·3	24·0	21·7	20·2	21·0	21·5	22·9	23·9	24·4	24·0
2	20·0	20·8	20·1	20·0	20·0	20·0	20·1	20·8	22·7	22·7	23·0	23·0
3	27·0	22·9	19·9	18·9	17·3	15·2	14·3	15·0	14·1	13·0	12·6	13·9
4	4·9	4·7	8·0	6·8	6·7	5·8	4·9	6·0	6·9	7·7	9·0	10·2
5	— 0·7	— 0·9	— 1·0	— 0·2	1·0	1·4	2·4	3·2	4·0	4·5	6·0	6·6
6	4·0	5·0	6·3	5·8	5·8	7·9	8·9	10·0	11·0	12·3	14·9	15·7
7	14·1	14·1	14·0	13·0	11·7	11·0	10·9	16·0	18·9	21·0	23·0	24·0
8	19·3	19·0	18·2	17·1	17·1	17·9	17·9	18·8	20·9	23·0	24·1	25·6
9	16·5	15·0	14·6	13·8	12·8	14·1	15·7	19·0	22·1	24·8	26·9	28·6
10	29·0	28·8	29·0	29·9	30·2	30·0	30·1	31·7	33·4	35·1	36·0	37·3
11	37·1	36·1	36·1	36·8	36·7	35·3	35·2	36·0	36·2	36·0	35·1	25·0
12	13·4	12·0	11·0	10 1	9·7	9.0	8·3	7·0	7·0	7·8	8·1	10·3
13	2·7	1·1	0·9	0·7	0·0	— 0·7	— 0·9	— 1·1	— 0·9	0·1	1·8	2·7
14	10·4	10·9	11·8	11·8	10·2	10·7	10·8	11·0	12·0	13·6	15·0	16·1
15	13·1	12·9	11·9	13·9	16·7	15·3	16·8	19·1	21·4	23·2	25·6	25·8
16	34·2	35·0	35·0	35·1	34·9	33·4	33·0	33·0	33·7	33·1	34·4	36·0
17	20·9	18·6	16·8	13·4	10·5	8·3	7·1	8·8	9·0	10·9	12·2	15·0
18	10·8	10·1	9·1	9·0	8·6	8·6	10·1	16·0	20·9	24·1	24·9	25·0
19	26·0	26·9	27·2	27·9	28·3	28·0	30·0	31·8	34·0	36·2	38·0	38·6
20	42·7	43·0	43·0	43·4	42·6	42·1	42·0	42·1	42·8	43·1	43·1	44·1
21	35·8	35·0	35·2	34·2	34·2	33·1	33·0	33·0	33·0	31·0	32·9	35·2
22	25·0	22·9	20·9	18·4	16·8	15·1	14·2	15·4	17·0	17·0	16·2	17·2
23	6·9	5·1	4·0	3·3	3·0	2·2	2·7	5·0	6·2	7·9	9·7	10·2
24	2·9	2·2	2·0	2·0	2·0	1·0	2 0	4·3	6·0	7·2	9·0	10·4
25	6·9	6·1	5·2	5·2	5·0	4·7	7·3	10·0	18 0	18·9	20·3	21·0
26	28·3	28·8	29·4	29·9	30·2	31·0	30·9	31·2	31·8	32·1	32·0	32·2
27	39·0	39·0	39·1	38·0	38·2	39·1	39·3	39·0	39·0	40·0	41·5	42·3
28	36 0	36·0	36·9	36·3	35·9	35·2	35·8	35·0	34·9	35·0	36·2	35·6
29	29·0	29·0	28·8	28·0	26·9	25·8	26·9	30·8	32·1	34·1	35·4	37·4
30	31·3	30·0	28·0	27·4	26·8	25·4	28·1	32·0	33·9	33·9	33·2	33·1
31	34·7	34·1	32·7	32·0	32·0	30·9	31·0	31·2	32·0	34·0	36·9	38·0
	20·81	20·27	20·01	19·55	19·15	18·61	19·03	20·41	21·84	22·81	23·92	24·52

Self-Registering Photographic Instruments, during the month of March, 1888.

1.00 P.M.	2.00 P.M.	3.00 P.M.	4.00 P.M.	5.00 P.M	6.00 P.M.	7.00 P.M.	8.00 P.M.	9.00 P.M.	10.00 P.M.	11.00 P.M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
25·2	25·7	24·9	24·9	23·1	23·0	22·0	21·2	21·0	22·0	21·1	20·1	23·00
22·0	21·4	21·7	21·4	21·6	22·0	22·7	21·4	19·6	20·8	21·8	23·0	21·36
13·2	13·4	13·1	12·3	11·0	9·1	7·9	6·6	7·1	7·2	7·0	5.5	13·23
11·2	12·2	13·0	13·0	11·8	9·3	7·3	5·9	4·9	4·1	3·0	2·0	7·47
8·8	11·4	12·1	11·0	9·3	7·1	4·9	3·9	3·1	2·8	3·1	4·0	4·49
15·8	16·5	17·1	17·0	16·8	15·1	14·9	14·9	15·0	14·9	14.7	14·2	12·27
24·3	24·6	25·0	24·8	24·2	23·7	22·8	22·0	21·2	21·1	21·0	19·7	19·42
27·0	28·1	28·2	29·6	28·0	26·0	24·0	23·0	21·8	21·1	19·8	17·5	22·21
29·8	31·1	32·0	32·3	31·3	29·2	28·0	27·1	28·0	28·0	29·0	29·0	24·11
37·5	38·0	37·0	36·9	36·8	36·9	37·2	37·7	37·7	37·0	37·0	37·3	34·48
22·6	20·9	23·0	23·8	24·1	23·7	21·9	20·1	18·9	16·9	15·7	15·0	27·84
12·0	14·0	13·1	13·3	12·8	11·0	9·0	8·7	8·9	8·0	5·7	3·9	9·75
3·3	5·0	7·3	7·5	7·0	7·4	7·7	8·1	8·9	9·0	9·1	9·4	4·00
18·4	19·4	22·0	20·0	19·1	18·1	16·9	15·9	15·1	14·3	13·4	12·9	14·58
28·0	29·9	30·9	30·9	31·2	31·9	33·0	32·0	32·8	33·1	33·6	33·3	24.85
36·8	36·2	34·9	33·8	32·2	31·2	30·3	29·0	27·0	25·1	24·0	23·0	32·26
16·0	17·8	19·0	18·5	18·0	15·8	14·0	12·0	11·1	10·0	10·2	11·0	13·54
25·8	26·0	25·9	26,0	25·9	24·7	24·0	24·3	24·9	25·0	25·1	25·2	20·00
41·7	44·7	45·6	44·9	44·6	41·1	39·0	38·6	39·3	42·8	43·0	42·4	36·69
44·0	43·7	44·2	47·5	47·0	45·5	45·0	44·3	40·0	37·1	36·2	36·0	42·69
35·0	34·9	35·0	34·3	34·4	34·4	33·9	33·7	32·2	31·0	28·9	26·9	33·34
17·0	18·0	18·0	16·2	14·9	14·1	12·4	11·7	10·9	9·1	8·0	7·7	15·59
10·9	11·3	11·1	11·2	10·7	9·4	8·0	6·2	5·0	4·4	3·9	3·3	6·73
12·3	13·8	15·1	16·1	16·9	15·1	14·1	12·9	11·9	9·5	8·6	7·6	8·54
21·8	22·2	23·9	23·1	23·1	23·8	24·1	24·9	25·7	26·1	26·9	27·2	17·54
32·7	32·6	33·0	33·3	34·2	34·9	36·0	36·9	38·9	39·0	39·3	40·0	33·28
42·1	43·9	43·0	43·0	42·0	40·0	39·0	37·0	36·9	36·6	36·1	36·0	39·55
35·0	34·9	34·8	34·2	33·9	33·2	32·9	32·2	32·1	32·0	30·8	29·2	34·33
39·0	39·2	39·7	38·4	37·8	36·0	34·8	34·1	33·9	33·3	32·0	31·9	33·10
32·1	31·8	32·3	33·2	33·2	33·7	34·9	35·0	34·4	34·2	36·5	35·8	32·09
39·1	39·2	40·2	40·4	39·7	37·9	35·2	33·8	32·2	31·0	31·2	31·1	34·60
25·18	25·86	26·33	26·22	25·70	24·65	23·80	23·07	22·59	22·15	21·80	21·33	22·485

TABLE LXXXVIII.—*Temperature at Toronto Observatory for each Hour from*

Day.	1.00 A.M.	2.00 A.M.	3.00 A.M.	4.00 A.M.	5.00 A.M.	6.00 A.M.	7.00 A.M.	8.00 A.M.	9.00 A.M.	10.00 A.M.	11.00 A.M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	30·9	28·3	27·0	25·7	26·0	27·4	29·2	30·1	31·2	33·0	33·2	34·0
2	31·1	30·9	31·0	31·1	30·5	31·0	31·0	31·8	33·0	33·9	35·0	38·0
3	26·3	25·8	25·1	24·9	24·0	23·9	25·8	29·0	32·0	33·2	35·1	35·8
4	29·8	29·8	27·9	27·9	29·3	30·0	32·0	35·2	38·3	39·9	40·0	42·0
5	36·0	35 9	36·1	37·3	36·1	36·3	36·9	36·0	36·9	37·8	39·1	44·3
6	43·9	42·0	40·9	39·5	38·1	37·0	38·0	41·0	43·9	45·9	48·0	49·0
7	31·1	30·7	29·7	28·1	27·3	27·0	27·7	28·8	29·0	29·2	28·8	29·8
8	21·6	21·4	21·2	21·0	20·3	20·8	23·1	27·8	30·0	33·2	35·0	35·1
9	27·4	27·0	26·7	26·6	26·0	26·1	31·4	34·8	36·0	37·1	38·0	39·2
10	36·9	37·2	39·1	40·0	39·0	38·9	38·3	37 8	37·9	38·1	39·0	40·0
11	38·0	37·9	38·0	38·3	39·0	39·2	40·0	40·8	40·5	42·3	45·1	46·0
12	38·0	36·0	34·6	33·1	32·7	32·9	34·6	35·6	36·1	35·7	35·0	34·0
13	26·9	26·4	26·2	26·7	26·8	26·9	29·5	34·9	37·4	38·5	40·0	41·0
14	40·8	38·6	38·1	38·8	40·0	39·1	38·9	38·8	38·9	39·1	37·7	38·0
15	35·1	34·8	34·1	33·1	32 1	32·6	34·7	36·6	38·2	39·2	41·0	41·7
16	34·0	33·2	33·0	32·0	31·9	31·9	33·2	35·6	37·0	38·0	39·4	40·9
17	31·9	31·0	30·8	30·1	29·2	29·1	33·8	39·1	40·3	39·2	39·0	39·7
18	36·8	36·2	36·7	36·7	36·6	35·1	37·9	42·9	46·0	47·0	46·3	46·0
19	33·4	31·3	29·1	28·0	27·9	29·3	34·0	40·0	42·7	45·7	45·0	44·8
20	33·0	32·1	31·1	30·8	31·1	31·5	34·0	38·0	39·0	40·3	40·9	40·2
21	33·9	34·0	34·1	34·0	33·3	33·0	33·6	34·9	36·0	39·0	39·0	38·3
22	30·6	31·1	31·0	30·1	30·9	31·9	34·4	38·7	41·9	43·2	43·0	44·9
23	36·0	36·0	35·8	35·9	36·2	37·0	37·8	39·8	42·9	43·1	44 9	45·1
24	33·0	32·0	30·9	30·1	29·7	29·2	30·2	31·4	32·1	33·6	35·0	36·3
25	28·3	28·8	26·0	24·3	25·1	27·2	33·0	39·1	41·3	42·7	44·3	46·0
26	33·3	32·9	32·2	31 2	33·1	35·8	40·7	45·5	50·0	50·6	52·0	56·1
27	42·1	43·0	41·1	39·9	40·1	41·1	46·5	52·3	55·6	57·1	62·9	66·1
28	46·7	46·5	46·9	46·0	45·5	46·8	56·0	64 7	65·9	69·0	71·0	73·5
29	53·7	53·0	52·0	51·7	50·4	52 9	57·9	67·5	65·0	67·5	70·0	72·8
30	46·1	43·0	41·8	40·9	40·3	41·0	41·9	43·4	45·1	45·0	46·2	44·1
	.. .	....	....	....	...		....	....	....	....	....	....
	34 89	34·23	33·61	33·13	32·95	33·39	35·87	39·07	40·67	41·90	42·96	44·06

Self-Registering Photographic Instruments, during the Month of April, 1888.

1 P. M.	2 P. M.	3 P. M.	4 P. M.	5 P. M.	6 P. M.	7 P. M.	8 P. M.	9 P. M.	10 P. M.	11 P. M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
31·2	30·0	29·9	29·9	30·2	30·0	30·0	30·2	30·7	30·3	30·4	31·0	29·99
38·0	38·9	37·1	37·6	35·6	34·1	33·9	32·8	31·0	29·9	28·0	27·1	33·01
35·1	35·1	35·1	35·1	35·2	33·2	30·2	29·0	28·4	27·2	28·2	29·2	30·08
44·8	45·8	46·9	47·1	46·2	44·0	40·0	36·2	35·3	34·7	34·8	34·6	37·19
44·0	44·8	47·7	51·1	52·0	45·0	44·1	43·0	42·3	43·0	44·0	44·8	41·44
49·2	49·7	49·9	50·0	49·0	47·0	44·0	41·8	38·9	37·8	37·0	36·4	43·25
29·9	29·9	30·3	30·9	30·0	28·3	25·2	24·0	23·0	22·6	22·1	21·9	27·72
35·8	36·5	37·0	37·7	37·8	36·2	36·3	33·0	31·8	30·9	29·0	28·4	30·04
40·1	41·2	41·1	40·4	39·0	37·3	37·9	37·9	37·9	38·0	37·7	36·8	35·07
39·9	41·0	40·9	41·7	42·3	44·0	43·9	42·7	44·0	40·7	39·7	39·8	40·12
48·0	50·3	52·0	52·7	52·8	52·8	46·0	43·0	41·1	41·8	41·0	39·2	43·58
35·0	33·8	34·0	33·2	31·8	31·0	29·9	29·5	29·2	28·8	28·0	27·1	32·90
40·9	40·7	39·9	38·9	39·7	38·9	38·7	38·0	37·7	36·9	37·3	41·5	35·43
39·0	40·1	39·9	39·8	39·7	38·7	38·0	37·6	37·0	36·2	36·0	35·9	38·53
42·9	41·9	42·2	42·7	40·1	38·7	37·0	36·3	36·0	35·0	34·7	33·8	37·27
41·0	41·8	42·0	41·7	41·0	39·4	35·9	33·8	33·0	32·2	31·9	31·0	36·03
38·4	39·2	39·8	37·0	35·9	35·0	34·7	34·7	34·9	35·2	36·2	36·8	35·46
44·7	44·4	44·8	44·0	45·0	45·1	42·7	41·3	40·2	37·3	36·0	34·8	41·02
44·1	43·9	43·0	41·7	39·1	38·0	37·7	37·6	37·1	36·6	35·8	34·0	37·50
40·0	41·7	41·0	41·3	40·7	38·8	35·0	35·1	34·1	32·8	31·1	31·8	36·05
39·1	41·0	41·7	39·2	38·0	41·2	38·0	33·7	33·6	32·8	31·9	30·8	36·09
45·0	44·9	44·9	46·0	46·2	45·3	41·6	39·0	37·0	36·2	35·6	34·9	38·64
45·0	44·8	45·0	45·0	43·7	42·2	39·0	37·0	36·5	35·1	34·9	34·0	39·70
38·0	38·5	38·0	39·8	39·0	39·0	36·0	33·8	32·0	31·0	30·1	29·7	33·68
46·8	47·1	47·1	45·7	45·2	46·2	43·2	42·0	39·0	40·9	39·0	35·7	38·50
57·8	58·2	61·2	58·9	56·0	51·7	48·8	46·3	45·2	44·9	43·3	42·8	46·19
65·8	65·8	66·0	66·2	67·0	64·4	60·2	56·1	53·9	52·0	50·7	48·0	54·33
75·0	76·1	77·2	74·5	74·3	69·4	65·4	63·3	60·0	58·0	59·3	55·0	61·92
76·0	75·7	76·3	75·9	70·0	64·3	56·0	51·9	51·0	49·2	48·1	46·8	60 65
43·7	47·7	49·5	49·1	47·1	42·8	40·7	40·2	39·8	39·0	38·7	38·3	43·14
....	...	....	....	....	....	....	....	....	....	....	....	....
44·47	45·02	45·38	45·16	44·32	42·73	40·33	38·76	37·72	36·90	36·35	35·73	39·15

TABLE LXXXIX.—*Temperature at Toronto Observatory for each hour, from*

Day.	1.00 A.M.	2.00 A.M.	3.00 A.M.	4.00 A.M.	5.00 A.M.	6.00 A.M.	7.00 A.M.	8.00 A.M.	9.00 A.M.	10.00 A.M.	11.00 A.M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	37·7	37·1	36·8	36·6	36·0	35·8	36·0	36·1	37·8	38·9	40·1	40·3
2	35·7	34·3	34·0	33·9	33·1	34·8	37·6	41·5	45·2	46·9	49·0	47·2
3	35·1	35·0	35·0	35·6	35·6	36·9	40·0	42·6	49·0	49·3	49·6	51·9
4	41·2	42·0	41·9	40·9	40·1	41·0	43·0	46·0	47·9	49·0	51·9	52·8
5	50·1	49·0	48·7	47·8	47·0	46·5	47·0	47·3	47·3	50·1	50·0	50·9
6	41·6	38·0	36·4	35·0	34·0	38·3	43·9	50·8	53·1	53·4	56·0	61·0
7	41·3	40·1	39·9	40·3	40·2	41·4	41·8	41·9	44·0	47·0	48·6	50·0
8	44·9	44·2	44·2	45·0	45·4	45·9	46·9	47·2	47·9	44·7	46·7	45·9
9	45·7	45·7	45·6	44·4	44·6	45·0	46·7	48·4	49·3	50·2	54·0	58·7
10	52·4	52·0	49·8	48·0	47·3	48·0	49·2	53·2	59·0	61·7	62·8	64·7
11	51·9	51·0	51·7	50·8	51·0	54·0	56·0	63·2	66·7	69·5	68·0	70·6
12	60·0	59·9	59·9	59·2	57·5	57·4	59·2	63·5	62·6	65·1	65·8	67·0
13	43·2	42·0	40·0	40·1	39·2	41·8	43·0	44·4	47·0	49·0	50·9	51·0
14	39·0	39·6	39·6	39·7	39·0	40·0	40·2	41·2	44·4	44·2	44·8	44·0
15	40·1	38·7	36·9	36·1	35·8	35·9	36·9	36·0	37·1	38·7	42·4	45·9
16	41·0	40·7	38·1	38·9	38·0	39·1	38·9	40·0	41·1	43·0	44·6	44·2
17	35·1	33·6	35·9	33·8	36·0	39·8	43·0	46·2	49·9	52·1	50·0	53·0
18	45·2	44·8	44·0	44·7	44·2	44·7	45·9	46·5	48·0	47·0	47·0	47·0
19	44·0	43·9	43·9	43·9	43·9	44·0	45·0	47·6	47·9	49·2	50·2	51·9
20	38·0	35·3	34·4	34·9	35·5	40·0	43·0	48·6	51·7	53·2	55·8	56·3
21	45·0	45·1	44·3	43·8	42·8	44·3	48·0	51·8	52·6	53·4	53·0	54·7
22	45·7	45·0	45·0	43·8	44·1	50·1	51·1	55·2	58·3	60·1	60·0	57·5
23	48·0	46·0	45·0	43·8	43·6	51·4	54·9	54·7	56·2	58·7	65·7	64·2
24	56·4	56·0	54·7	53·2	52·8	57·1	59·8	63·8	66·3	67·5	70·0	71·2
25	53·2	52·0	51·7	51·7	50·9	55·4	56·8	61·1	64·2	64·8	66·0	63·2
26	54·8	56·7	56·0	55·7	56·0	56·0	56·0	56·4	60·2	64·0	66·0	67·7
27	51·1	51·0	50·2	50·9	51·6	54·6	56·9	55·6	58·2	65·5	62·2	64·7
28	57·7	55·7	54·2	53·9	52·9	55·3	56·7	62·4	63·8	61·0	68·2	68·2
29	58·0	57·2	57·0	53·9	52·8	55·7	58·0	61·5	64·0	63·1	65·7	67·4
30	57·0	56·9	55·0	51·4	49·0	49·9	52·0	54·6	58·7	60·0	62·0	62·0
31	48·9	48·0	48·0	48·0	48·3	48·6	49·7	50·9	52·3	54·0	52·7	51·1
	46·42	45·69	45·12	44·67	44·14	46·09	47·84	50·33	52·64	54·01	55·47	56·33

Self-Registering Photographic Instruments, during the month of May, 1888.

1.00 P. M.	2.00 P. M.	3.00 P. M.	4.00 P. M.	5.00 P. M.	6.00 P. M.	7.00 P. M.	8.00 P. M.	9.00 P. M.	10.00 P. M.	11.00 P. M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
40·3	39 9	39·3	39·0	40·0	40·9	40·0	39·6	38·7	38·3	37·4	36·9	38·31
48·0	47·3	49·4	48·1	48·5	46·4	42·7	39·4	39·0	37·0	38·1	36·2	41·39
50·2	48·0	48·1	48·9	47·0	46·9	47·9	47·3	44 0	43·1	42·7	42·1	43·83
54·8	56·0	60·0	53·8	47·6	45·3	45 9	46·5	48·3	50·5	49·3	49·0	47·70
52·0	54·3	55·4	58·0	56·9	56·0	52·9	47·0	46·2	44·8	44·7	43·0	49·70
63·4	62·8	64·0	63·2	61·4	60·0	55·7	52·9	49·8	47·0	44·8	42·0	50·35
50·0	48·8	49·8	48·2	46·6	45·7	45·3	45·1	44·3	43·6	44·0	44·1	44·67
45·8	44·1	44·8	46·1	45·8	45·9	46·8	46·9	48·1	48·0	47·8	46·0	46·04
59·6	61·9	60·2	55·9	59·0	57·4	53·5	53·1	54·1	54·8	53·6	52·8	52·26
66·9	66·1	68·4	67·0	65·9	65·3	60·9	57·7	55·4	54·0	53·9	51·0	57·53
71·9	73·3	73·0	73·2	72·1	65·0	61·0	60·1	60·7	61·6	61·1	60·9	62·42
68·9	64·4	69·9	69·7	66·2	64·8	62·9	56·8	52·6	50·0	47·0	44·7	60·63
47·9	47·0	50·5	51·4	49·1	47·8	46·9	45·9	45·0	44·2	43·0	41·2	45·52
44·2	44·6	43·3	43·9	43·6	43·9	43·9	42·8	41·9	41·8	41·2	41·0	42·16
44·2	44·5	45·0	44·5	43·4	43·0	41·9	41·3	41·3	42·0	41·6	41·1	40·60
43·8	44·0	46·0	46·2	47·4	45·0	44·1	41·9	40·6	37·3	37·0	36·7	41·57
52·8	55·3	52·4	54·2	55·7	55·1	53·7	51·0	49·2	48·0	46·0	45·3	47·17
47·0	46·7	44·0	43·3	43·0	42·4	42·8	43·2	44·0	44·3	44·1	44·2	44·92
51·1	49·2	52·0	50·0	49·3	47·6	46·1	45·7	44·0	42·4	40·1	39·0	46·33
55·0	55·3	56·0	57·0	58·3	56·6	53·5	48·9	45·1	43·7	46·0	45·0	47·80
55·9	55·4	56·0	56·2	56·0	54·1	50·1	48·1	47·6	47·6	47·0	46·4	49·97
63·7	66·0	64·0	64·8	64·1	63·0	59·8	56·8	52·2	50·0	49·9	51·4	55·07
64·1	61·2	63·0	66 1	64·0	63·2	61·0	59·8	59·8	57·9	57·0	56·4	56·90
69·3	68·1	67·1	65·9	67·0	64·1	64·8	61·0	58 2	57·6	57·0	56·2	61·88
64·8	63·2	61·0	60·0	61·0	59·6	58·0	56·8	56·0	54·6	52·7	53·1	57·99
66·9	64·5	60·0	61·8	60·3	60·4	59·0	57·9	59·1	57·7	53·4	52·0	59·10
67·0	64·8	60·3	59·9	55·0	55·6	56 5	57 0	57·8	58·1	58·7	58·8	57·58
71·0	70·1	70·3	65·9	63·9	60·0	58·0	58·6	58·0	57·9	61·0	59·0	60·99
69·0	68·7	65·0	68·1	67·0	64·8	61·1	59·0	59·8	59·0	57·6	57·6	61·29
63·0	63·4	61·9	62·4	64·8	64·1	59 4	55·9	52·7	50·0	49·9	49·3	56·89
52·2	53·1	53·9	56·3	56·0	57·0	54·0	51·2	47·0	46·2	47·1	47 6	50·92
56·93	56·52	56·58	56·42	55·67	54·42	52·58	58·81	49·69	48·81	48·22	47·42	50·95

TABLE LXXXX.—*Temperature at Toronto Observatory for each Hour, from*

Day.	1.00 A.M.	2.00 A.M.	3.00 A.M.	4.00 A.M.	5.00 A.M.	6.00 A.M.	7.00 A.M.	8.00 A.M.	9.00 A.M.	10.00 A.M.	11.00 A.M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	49·0	47·5	46·2	44·2	42·4	46·0	48·9	53·6	57·0	58·0	60·1	62·0
2	49·9	48·0	47·2	46·8	47·2	48·1	53·0	53·9	54·8	54·6	52·8	49·1
3	44·8	44·3	44·3	44·8	45·0	49·5	54·1	56·2	58·3	59·9	61·1	60·2
4	48·2	46·6	45·5	42·0	41·3	48·9	53·9	60·0	60·4	61·9	64·0	65·2
5	47·6	46·0	44·1	43·4	43·8	49·4	57·3	61·2	64·7	66·1	69·1	70·5
6	57·4	60·7	60·5	59·0	60·0	61·7	65·9	70·0	73·4	75·0	79·0	78·6
7	47·7	47·6	47·0	47·0	47·2	47·8	49·0	51·7	53·0	55·4	58·9	60·7
8	45·6	44·0	45·3	47·1	43·3	48·5	57·9	63·0	62·0	66·0	66·0	67·1
9	51·1	50·6	49·0	47·6	47·1	52·0	58·2	61·0	66·1	71·4	74·0	72·0
10	61·0	59·0	60·7	62·2	61·0	62·2	65·2	66·2	70·6	73·2	74·6	76·2
11	59·2	60·1	58·9	55·0	53·6	53·0	51·9	51·0	51·7	53·3	57·3	59·4
12	52·6	51·2	49·0	50·9	50·0	53·7	56·6	58·1	62·0	65·0	66·4	69·4
13	51·7	52·1	52·0	51·3	50·7	53·7	57·3	62·0	65·0	66·2	68·1	68·8
14	57·7	55·9	55·0	56·1	57·7	60·2	66·8	69·0	73·8	74·6	74·0	75·1
15	61·6	61·0	63·1	64·1	60·9	62·0	63·1	68·8	75·0	77·9	80·0	82·6
16	62·0	62·0	63·0	59·0	58·0	63·3	73·0	76·0	75·0	77 5	79·7	78·4
17	67·3	66·4	65·3	64·0	62·6	67·0	71·1	73·2	75·9	70·9	76·0	76·3
18	69·1	68·6	64·9	66·2	70·7	72·2	75·8	77·3	80·6	82·8	84·0	83·1
19	61·0	62·0	60·0	59·2	61·2	64·0	69·0	71·7	74·0	73·8	73·9	75·9
20	60·8	60·0	60·3	59·0	61·3	64·2	78·0	79·7	80·9	77·8	81·1	83·0
21	68 0	66·3	64·6	63·7	63·3	65·2	75·0	79·9	82·8	84·1	82·9	84·0
22	68·0	67·0	66·8	66·1	66·3	71 7	77·0	80·3	83·9	85·2	87·1	86·0
23	73·2	72·8	72·3	74·0	73·6	76·0	74·9	81·1	80·0	79·4	83·2	84 2
24	71·0	70·0	68·9	68·1	68·1	71·1	73·9	75·9	76·2	75·0	73·1	73·3
25	66·0	65·9	63·0	61·4	62·3	65 4	70·2	72·0	75·9	77·7	79·0	74·5
26	64·3	63·1	63·2	63·1	62·9	64·0	64·9	65·1	69·2	71·4	72 0	73·7
27	52·5	51·9	51·0	50·6	51·0	54·4	60·4	63·0	64·0	64·5	64·1	66·0
28	61·7	61·9	60·9	59·7	58·2	57·1	56·7	55·1	55·1	54·6	53·6	53·1
29	53·7	53·6	52·7	52·1	52·4	53·1	54·1	55 6	58·1	59·8	60·1	61·4
30	52·8	53·0	53 0	54·1	54·0	56·3	62·9	68·0	71·0	75·1	77·0	78·0
.	....	....	....	....	....	....	....	....	....	....	....	....
	57·88	57·30	56·59	56·06	55·90	58·72	63·20	65·99	68·35	69·60	71·07	71·59

Self-Registering Photographic Statements during the Month of June, 1888.

1.00 P.M.	2.00 P.M.	3.00 P.M.	4.00 P.M.	5.00 P.M	6.00 P.M.	7.00 P.M.	8.00 P.M.	9.00 P.M.	10.00 A.M.	11.00 P.M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
63·1	63·6	64·0	67·0	62·7	56·2	53·3	52·0	53·0	52·0	50·7	50·1	54·28
50·2	53·5	57·8	56·8	58·1	57·0	53·9	51·2	50 1	48·3	47·7	46·0	51·50
59·1	60·4	59·4	59·7	60·2	59·2	56·4	50·9	49·3	49·1	49·0	48·9	53·50
67·1	67·9	69·8	71·1	71·0	65·9	63·0	59·0	56·8	55·0	53·0	49·3	57·78
70·8	70·0	68·9	73·0	69·7	69·0	67·3	63·1	60·9	59·1	57·2	56·8	60·38
74·5	74·0	72·0	83·0	80·7	73·5	63·3	60·0	56·3	54·1	52·0	49·5	66·42
60·8	59·0	60·0	62·5	63·0	61·3	57·0	53·3	50·1	49·0	48 0	46·3	53·47
68·8	70·2	73·0	71·4	67·0	66·0	61·0	57·1	54·9	52·4	50·8	50·6	58·29
73·2	71·6	72·0	70·1	73·0	70·1	69·0	64·5	59·9	61·0	61·3	61·4	62·80
77·9	75·8	77·7	72·7	67·0	66·8	66·1	64·4	62·8	61·0	62·1	60·9	66·97
61·1	62·3	65·2	67·2	67·2	62·0	63·6	59 6	58·0	55·8	52·9	53·5	58·03
71·0	70·0	71·1	70·0	68·6	68·1	63·2	62·3	59·0	55·8	53·0	52·2	60·38
69·0	64·7	62·2	62·1	66·1	65·0	60·2	59·1	59·8	59·4	58·0	56·8	60·05
76·1	78·4	76·8	77·4	72·0	68·8	71·4	70·0	67·8	66·4	65·0	63·6	67·90
85·0	86·9	87·0	86·8	86·9	85·0	81·0	74·0	73·0	70·7	65·0	65·2	73·61
80·1	80·0	82·8	83·9	83·3	83·4	81·0	76·0	73·0	69·7	68·4	67·9	73·18
77·0	75·8	81·9	83·5	82·0	81·0	75·9	75·0	71·2	69·0	75·0	72·9	73·18
82 0	79·9	89·0	82·9	84·3	85·4	81·0	77·5	73·2	70·7	66·0	63·1	75·93
77·7	77·7	78·9	79·2	78·2	76·0	70·7	67·0	65·3	64 6	63·0	61·5	69·40
84·7	84·7	85·0	86·0	85·0	85·2	82·0	76·0	74·0	71·3	72·3	70·7	75·12
82·8	82·2	83·0	80·5	78·7	80·7	75·9	73·0	71·1	70·0	70·1	70·0	74·91
87·8	87·0	84·7	86·0	87·8	93·9	89·3	85·2	82·0	79·8	77·2	74·4	79·98
83·3	82·3	82·0	79·0	78·0	77·4	76·9	75·0	73·9	73·8	73·3	72·9	77·19
71·2	70·8	72·9	75·7	76·0	74·0	71·9	70·0	68·0	67·6	66·8	67·0	71·52
80·0	79·9	78·7	73·0	70·4	70·0	69·1	68 2	67·9	67·0	66·2	65·4	70·38
72·3	70·0	69·2	68·8	67 0	67·0	62·0	59·1	57·3	55·9	54·7	53·2	64·73
66·4	66·6	68·0	68·9	67·9	66·7	64·6	62·9	61·9	61·4	61·2	61·7	61·32
53 8	54·0	54·2	54·0	54·4	53·9	52·7	52 3	53·0	52·0	52·3	53·0	55·30
62·9	62·1	62·9	64·2	66·7	65·1	61·0	58 1	54 6	58·8	53 7	54·0	57·74
78·9	79·2	79·2	79·7	78·9	77·9	74·7	71·7	69·9	67·7	64·7	60·5	68·26
....	....	....	....	....	....	....	....	...	....	....	....	.....
72·29	72·02	72·71	73·20	72·39	71·02	67·95	64·92	62·93	61·45	60·35	59 31	65·12

TABLE LXXXXI.—*Temperature at Toronto Observatory for each Hour from*

Day.	1 A. M.	2 A. M.	3 A. M.	4 A. M.	5 A. M.	6 A. M.	7 A. M.	8 A. M.	9 A. M.	10 A. M.	11 A. M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	56·5	56·7	57·0	56·4	55·4	57·6	61·9	64·0	62·9	64·6	66·0	65·8
2	59·7	58·0	57·0	55·8	55·0	58·4	64·3	67·9	68·9	69·3	69·1	70·4
3	55·2	54·7	54·4	53·1	52·0	56·2	63·1	66·2	70·0	71·0	72·0	74·1
4	57·8	57·4	57·1	56·2	56·2	61·5	68·9	72·3	76·0	79·0	78·0	79·0
5	64·0	63·4	63·0	62·7	64·2	66·1	70·0	77·0	80·0	80·8	79·9	79·3
6	63·7	62·0	59·9	57·3	55·1	59·8	66·0	73·0	72·0	76·3	76·1	76·1
7	73·3	72·3	71·0	68·6	66·9	66·7	68·2	72·0	75·1	78·5	89·0	81·0
8	64 4	63·0	60·1	59·1	59·0	59·1	63.7	66·4	69·0	68 0	67·6	67·0
9	62·0	61·0	60·8	60·9	61·6	62·0	63·0	68·1	69·9	71·1	73·2	73·0
10	58·0	58·0	56·7	56·0	59·4	62·0	67·0	68·2	73·0	74·8	75·1	76·3
11	63·0	63·2	63·7	63·0	60·8	63·8	68·0	70·2	72·0	76·1	77·0	81·0
12	53·7	52·1	51·0	50·0	49·7	52·0	54·0	55·1	56·0	56·1	57·5	60·6
13	48·0	47·3	52·8	52·7	52·8	55·1	57·9	61·0	64·0	67·2	69·7	72·1
14	56·7	56·3	56·9	56·2	55·9	57·9	61·1	65·0	67·9	69·4	72·0	74·0
15	60·9	59·0	57·9	56·2	55·4	56·9	60·0	65·2	70·8	72·2	71·4	71·3
16	61·4	55·0	51·9	50·2	50·0	54·0	58·0	61·6	65·2	68·9	69·6	72·1
17	57·3	58·2	58·3	58·0	58·0	58·3	62·0	65·7	67·9	70·6	73·9	75·0
18	66·0	66·9	65·9	66·7	64·0	65·0	63·0	64·0	65·0	65·1	65·3	65·1
19	66·0	63·9	63·0	61·5	61·5	64·6	66·0	70·2	71·9	73·0	75·0	75·5
20	60·0	58·7	58·8	59·1	59·0	61·7	64·9	67·1	67·0	68·0	69·7	71·2
21	56·2	54·9	53·4	52·0	53·0	56·5	61·9	70·0	73·1	71·7	71·1	74·0
22	56·4	55·4	55·0	55·9	56·0	59·0	61·1	63·7	65·1	64·9	69·2	70·9
23	62·9	64·1	63·9	63·0	62·0	64·7	66·9	71·9	75·0	74·5	75·0	75·3
24	60·1	60·2	57·7	57·6	55·0	58·9	60·4	66·4	71·7	73·9	75·7	75·9
25	59·1	59·8	59·0	58·1	56·7	60·3	63·6	70·3	74·0	75·0	74 9	72·7
26	55·9	55·8	55·0	56·0	54·2	56·3	62·9	65·0	68·1	72·1	72 3	73·5
27	58·9	59·3	59·4	58·2	57·9	60·0	61·8	65·3	68·9	67·9	71·0	70·1
28	63·2	62·0	61·7	60·0	59·1	62·2	65·3	71·8	72·9	72·4	74·0	74·7
29	63·0	60·4	60·1	56·6	54·2	58·7	65·2	70·9	72·3	75·5	76·0	76·0
30	61·0	60·3	57·9	57·0	58·8	61·3	65·9	73·0	72·0	77·7	75·4	76·7
31	67·0	66 6	66·1	65·3	64·9	67·9	70·3	76·0	78·9	81·6	83·9	76·8
	60·36	59·55	58 92	58 05	57·54	60·15	63·75	67·89	70·21	71·85	72·76	73·44

Self-Registering Photographic Instruments, during the Month of July, 1888.

1.00 P.M.	2.00 P.M.	3.00 P.M.	4.00 P.M.	5.00 P.M.	6.00 P.M.	7.00 P.M.	8.00 P.M.	9.00 P.M.	10.00 P.M.	11.00 P.M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
66·9	67·0	68·4	66·2	67·9	67·9	66·0	62·8	63·0	63·4	62·3	60·1	62·78
71·0	71 8	73·0	73·7	71·1	70·2	65·0	60·0	67·0	56·0	56·7	56·1	63·98
75·2	75·1	77·0	78·0	79·2	77·5	72·4	66·8	63·7	61·9	60·0	59·0	66·16
85·0	84·1	79·1	80·5	89·0	87·1	82·8	75·7	73·7	71·0	66·9	65·1	72·48
79·2	80·7	82·0	84·8	82·9	80·0	75·1	71·3	68·9	67·3	65·6	64·1	73·01
79·1	80·5	76·2	77·9	78·0	76·1	76·1	75·7	73·9	73·0	73·9	74·0	71·32
81·6	80·0	79·2	79·7	75·9	74·3	71·1	68·9	66·9	65·1	63 9	65·9	72·71
66·1	65·0	65·1	66·9	65·0	64·6	63·9	64·1	63·0	62·7	62·4	62·3	64·06
71·2	70·4	70·0	70·0	71·2	70·3	67·6	64·3	61·8	59·8	59·4	57·8	65 85
77·8	78 0	77·7	75·7	74·2	78·0	76·4	74·0	66·9	67·1	64·8	62·7	69·08
83·9	82·0	79·2	79·0	81·8	75·9	70·8	67·7	62·3	59·9	57·0	55·0	69 85
62·3	64·3	66·9	66·5	63·8	61·0	58·6	56·1	54·4	53·9	52·8	49·7	56·59
72·4	73·0	73·7	74 0	73·0	72·8	68·2	66·0	63·9	61·4	58·9	58·3	63·18
74·7	74·6	73·7	73·2	71·6	69·7	67·1	65·1	64·4	64·0	62·9	62·7	65·54
72·5	72·7	72·6	72·0	71·9	70·8	66·8	63·9	61·4	59·8	58·0	58·8	64·93
73·0	72·9	73·0	72·7	71·4	67·8	65·2	62·1	62·6	59·3	58·9	57·9	63·11
75·3	75·3	76·2	76·1	76·0	73·8	71·2	68·1	66·0	66 0	63·9	65·8	67·37
68·0	67·1	69·7	70·9	68·9	68 3	67·0	66·7	64·8	63·1	66·0	65·4	66·16
78·2	79·9	80·9	81·0	81·0	76·6	74·9	70·4	67·9	65·0	63·3	61·3	70·52
72·3	73·7	72·0	71·4	72·0	72·0	68·0	63·2	61·5	60·9	58·9	58·9	65·33
75·0	75·2	73·2	74·0	75·9	73·0	71·7	68·0	66·0	63·4	59·0	58·1	65·85
68·0	68·2	71·3	71·2	68·0	69·0	68·0	66·7	66·0	66·0	64·6	62·9	64·27
73·3	74·1	73 9	71·1	69·4	71·7	71·9	65 0	64·0	62·0	62·7	61·2	68·31
77·1	77·0	77·9	77·4	79·0	78·8	74·0	65·7	62·9	62·0	59·7	61·1	67·75
74·2	75·3	74·9	76·1	76·0	75·3	72·2	67·0	66·8	63·8	62·8	58·2	67·75
73·8	69·2	68·6	66·6	66·9	67·7	64·5	62·0	61·2	61·0	59·8	59·1	63·65
70·1	71·9	73·0	72·5	72·3	70·8	69·0	64·2	61 7	61·3	63·3	64·1	65 54
74·0	74·0	74·8	72·9	74·0	74·0	70·1	65·8	65·0	65·8	65·9	65·8	68·39
77·0	77·2	77·8	77·8	75·7	75·4	72·3	67·4	67·0	63·8	61·0	59·4	68·36
78·0	80·1	80 0	80·3	78·0	78·1	76·2	74·2	73·2	72·0	71·9	69·0	71·17
78·0	76·2	80·1	83·0	80·9	78·0	75·7	73·4	71·0	67·9	64·3	62·2	73·17
74·33	74·40	74·55	74·62	74·26	73 05	70·32	66·85	64·93	63·54	62·31	61·35	67·04

TABLE LXXXXII.—*Temperature at Toronto Observatory for each Hour from*

Day.	1.00 A. M.	2.00 A. M.	3.00 A. M.	4.00 A. M.	5.00 A. M.	6.00 A. M.	7.00 A. M.	8.00 A. M.	9.00 A. M.	10.00 A. M.	11.00 A. M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	58·2	58·8	57·6	57·2	57·6	58·7	62·9	68·0	72·0	72·7	73·2	73·8
2	61·0	58·4	54·9	54·0	53·6	58·0	61 2	68·0	72·0	74·1	74·8	76·4
3	65·9	63·9	62·1	61·7	62·0	64·1	67·2	70·7	70·2	73·9	76·8	76·5
4	69·1	68·0	68·7	67·7	68·0	70·0	71·8	78·0	81·8	79·3	80·0	81·4
5	68·0	66·8	65·7	65·0	64·9	65·0	67·0	71·6	73·1	71·5	72·8	72·8
6	63·7	64·0	63·9	64·4	63·7	65·9	68·4	72·7	71·1	76·7	76·9	76·9
7	70·4	69·9	69·0	69·0	70·6	70·9	71·9	75·2	77·8	78·2	80·8	81·0
8	71·0	70·9	70·3	70·6	70·7	70·9	73·0	74·0	74·8	80·2	82·0	82·0
9	62·9	60·0	58·0	55·3	53·0	55·0	58·0	65·9	66·0	69·5	70·3	70·1
10	57·0	56·7	55·2	54 7	54·0	55·3	58·4	64·0	65·9	67 1	67·0	66·2
11	60·2	60·0	59·9	59·7	59·1	59·7	60·4	62·0	62·1	66·1	68·8	67·8
12	61·1	60·9	60·4	58·8	58·1	58·1	59·8	62·0	63·9	64·0	64·8	64·1
13	60·1	60·0	59·4	59·1	59·1	59·1	61·0	64·5	66·2	69·0	72·0	72·0
14	54·9	54·0	50·0	49·0	49 2	52·0	55·8	60·9	68·8	70·5	74·7	74·6
15	64·9	64·7	63·5	64·9	66·9	67·0	67 0	67·1	70·2	74·3	76·2	75·0
16	67·9	67·0	66·8	66·9	66·8	66·6	66·9	72·1	74·4	78·5	83·0	84·2
17	70·0	69·0	66·1	66·9	67·0	67·6	68·6	69·6	70·0	74 4	73·0	74·1
18	58·7	59·0	58·1	58·0	57·8	58·9	60·1	63·4	66·0	69·1	68·9	69·0
19	56·0	56·7	54·0	52·0	50·9	52·0	59·1	65·9	71·1	72·1	74·0	74·9
20	59·5	58·0	53·6	55 0	55·9	56·1	59·0	64·0	64·8	65·0	65·4	66·0
21	56·1	55·9	55·0	55·1	54·0	55·0	59·0	64·4	66·8	69 2	71·0	72·1
22	57·2	55·7	54·7	54·0	55·0	55·2	55·3	58·0	59·4	60·6	61·0	63·0
23	49·0	49·2	49·3	48·0	47·7	48·7	51·9	54·3	61·1	64·2	62·9	61·2
24	60·9	60 3	58·9	57·4	58·4	58·9	61·9	68·4	73·2	76·0	79·0	81·4
25	65 9	63·1	61·1	60·1	59·7	59·9	61·0	66·8	72·0	74·3	76·9	77·6
26	63 5	62·8	60·0	56·0	56·0	57·5	62·3	69·6	73·9	75·0	79·1	80·4
27	61·9	61·0	59·8	59·0	59·4	57·4	57·7	59·0	61·0	62·0	63·4	65·1
28	51 2	51·0	50·9	49·8	50·1	51·2	55·0	61·3	65·3	66·2	67·7	68·4
29	55·1	55·2	55·0	55·3	56·1	56·2	57·0	64·5	66·5	70·4	71·9	73·0
30	56·2	57·8	55·8	53.8	53·0	52·7	57·2	64·3	68·9	66·9	70·0	70·3
31	58·9	60 0	59·0	59·9	59·0	59·4	62·9	67·2	71·0	67·0	67·1	69·1
	61 17	60·60	59·25	58·65	58·62	59·45	61·89	66·37	69·14	70 90	72 43	72·92

Self-Registering Photographic Statements during the Month of August, 1888.

1.00 P.M.	2.00 P.M.	3.00 P.M.	4.00 P.M.	5.00 P.M.	6.00 P.M.	7.00 P.M.	8.00 P.M.	9.00 P.M.	10.00 A.M.	11.00 P.M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
74·5	76·1	75·9	74·9	72·7	73·0	71·0	71·0	68·4	66·6	64·0	63·0	67·58
77·4	76·6	80·0	78·1	80·0	75·4	73·5	71·4	70·8	69·0	68·1	68·0	68·95
78·0	79·0	75·0	72·8	71·1	71·2	71·8	71·7	73·1	70·8	70·8	70·8	70 46
81·3	83 3	84·0	84·0	83·3	84·4	80·1	75·7	72·1	70·9	70·9	69·1	75·95
71·4	71·0	73·1	73·7	74·0	73·8	70·2	67·3	65·1	64·0	63·4	63·8	68·96
79·0	77·4	78·0	77·6	75·0	73·2	72·4	72·0	73.0	72·5	71·9	71·0	71·80
81·0	81·8	82·0	83·7	80·0	78·7	76 7	76·0	75·0	72·0	70·9	70·9	75.56
80·7	77·5	76·2	78·8	78·0	81·0	75·2	74·4	75·0	73·0	71·0	69·7	75 04
70·8	72·7	73·1	74·0	73·9	71·2	67·7	64·3	60·7	57·0	55·1	56·9	64·23
67·2	69·0	68·1	69·0	67·9	67·0	64·9	63·6	62·1	61·3	61·0	62·0	62·69
69·7	71·0	70·0	68·8	67·2	66·0	64·9	63 7	62·9	62 0	61·7	61·4	63 96
64·9	66·0	66·0	65·3	65·1	64 0	63·0	62·3	61·9	60·7	60·0	60·0	62·30
73·0	71·0	71·5	75·1	74·9	73·8	68·9	61·7	60·9	59·1	57·1	56·8	65·22
77·0	75·7	75·0	73·7	74·0	71·0	70·1	68·7	67·0	66·0	64·0	64 7	65 05
77·0	76·0	76·1	76·9	73·0	72·0	71·0	71·0	70·0	69·2	68·2	68·0	70·42
82·1	85·8	85·0	82·7	79·4	80·0	78·7	75·9	73·1	75·9	73·1	70·2	75·13
75·8	77·0	77·9	78·1	77·9	74·0	69·9	66·9	64·5	62·4	60·8	59·6	70·05
68·0	67·1	68·7	69·1	69·2	69·3	63·9	60·4	65·0	62 6	58·7	57·0	63·53
75·7	77·0	82·0	81·2	80·9	77·9	74·1	68·0	67·8	66·8	65·0	62·6	67 49
66·8	66·2	66·0	66·7	65·2	65·3	62·7	59·6	58·1	58·9	57·0	57·0	61·33
73·0	73·0	73·1	72·7	71·8	70·9	68·0	66·8	62·8	61·0	59·9	59·0	64·40
63·9	63·3	63·8	63·0	61·9	60·2	58·0	55·0	53·9	52·0	51·2	50·0	57·72
63·0	66·7	66·0	73·2	74·3	73·0	70·0	66·6	63·7	62·0	61·0	60·8	60·33
82·9	83·0	81·1	80·1	82·0	72·2	68·0	65·8	63·8	64·1	65·7	66·4	69·58
79 2	78·8	78·1	78·4	73·6	71·0	70·0	68·9	67·0	68·0	65·9	64·0	69 22
79·2	78·6	76·0	76·0	73·1	70·3	81·7	80·1	70·3	69·8	66·9	65·1	70·13
67·0	68·0	68·9	68·8	65·9	64·1	60·3	58·0	56·0	55·0	54·7	52·9	61·10
67·0	66·2	68·0	67·0	67·0	66·1	60·0	57·0	56·1	55·2	54·2	54·8	59·45
74·0	73·6	74·3	79·8	80·2	77·9	74·0	70·0	67·0	64·7	60·0	58·0	66·24
70·8	70·9	72·2	69·1	69·0	68·0	65·9	63·8	62·0	62·0	61·0	59·2	63·37
70·1	70·2	70·8	68·1	67·0	64·2	62·0	61·6	61·9	59·9	59 8	59 0	63·96
73·59	73·85	74·06	74·21	73·18	71·62	69·31	67·07	65·52	64·34	63·00	62·31	66·81

TABLE LXXXXIII.—*Temperature at Toronto Observatory for each Hour, from*

Day.	1.00 A.M.	2.00 A.M.	3.00 A.M.	4.00 A.M.	5.00 A.M.	6.00 A.M.	7.00 A.M.	8.00 A.M.	9.00 A.M.	10.00 A.M.	11.00 A.M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	58·0	57·9	57·1	56·4	55·7	54·1	54·0	54·0	58·0	60·9	63·1	64·1
2	47·6	46·8	46·6	46·1	46·0	44·2	49·7	57·0	59·5	63·8	67·0	69·3
	51·9	50·1	49·3	46·2	48·1	48·0	52·0	60·0	61·9	61·7	63·8	65·9
4	53·8	52·0	50·0	50·0	51·1	50·3	53·7	63·2	67·2	67·8	70·9	72·9
5	51·7	52·2	52·8	51·0	49·1	48·7	50·8	54·7	57·0	58·4	59·5	60·3
6	48·8	48·7	47·0	45·8	48·4	49·0	48·1	54·0	56·0	56·7	57·2	57·4
7	54·0	54·0	54·0	53·8	53·2	51·7	53·0	56·2	57·9	58·4	60·2	61·3
8	54·2	55·0	55·6	56·1	56·9	57·7	58·0	58·8	61·0	62·1	64·6	66·4
9	57·9	54·2	52·7	53·0	55·9	54·4	57·1	64·0	69·8	70·4	73·9	75·7
10	55·9	52·0	51·4	50·8	48·1	51·3	57·6	63·0	65·9	67·3	69·0	69·9
11	54·3	54·1	54·0	51·7	52·2	51·9	54·0	58·4	62·9	64·6	66·0	66·3
12	62·9	60·6	60·0	59·0	61·0	62·3	63·0	67·3	71·1	73·0	74·0	74·0
13	49·0	49·8	50·7	49·1	48·9	47·4	50·0	53·2	55·8	57·4	58·9	60·9
14	43·8	42·6	43·0	42·0	39·1	38·8	43·0	53·8	57·0	58·9	59·6	59·0
15	50·0	49·3	49·3	49·0	49·9	49·9	52·0	58·2	61·0	62·3	63·6	61·4
16	62·6	61·0	60·7	60·6	59·9	59·6	59·1	58·7	58·0	58·6	58·9	59·7
17	55·6	55·3	53·8	54·0	53·3	53·1	55·6	61·2	63·7	66·4	66·0	64·4
18	60·7	60·2	60·7	60·7	60·0	59·8	60·7	62·0	62·9	66·2	66·1	67·6
19	55·2	54·0	53·6	54·1	56·6	56·1	57·1	60·7	63·9	64·0	66·0	62·9
20	57·8	57·0	54·6	55·0	54·3	53·2	54·0	58·7	60·9	62·5	64·0	63·8
21	52·8	53·2	53·8	52·0	52·7	53·7	53·8	58·2	59·0	61·6	63·2	64·8
22	55·0	54·4	54·4	53·1	53·0	54·0	56·0	59·0	61·0	63·6	66·2	68·3
23	56·0	56·1	55·7	53·2	54·0	54·7	57·1	60·9	63·8	66·0	66·8	65·3
24	50·0	49·9	49·0	50·0	49·0	48·3	54·0	61·0	65·0	67·7	66·6	67·0
25	52·3	52·0	51·8	51·9	52·0	51·7	52·0	54·0	56·8	59·0	62·2	61·0
26	50·3	50·0	48·7	48·8	48·2	48·0	48·8	54·0	59·3	60·0	60·1	61·3
27	51·2	49·9	50·2	50·7	49·2	49·1	50·1	53·9	55·2	56·0	55·8	56·0
28	43·4	43·9	43·0	41·2	42·3	41·3	40·0	45·1	46·9	48·3	51·0	52·0
29	36·2	37·0	37·4	37·8	38·0	38·0	40·4	42·0	44·1	46·1	47·0	47·0
30	36·3	35·6	34·0	33·0	34·2	33·9	35·0	38·7	40·9	42·9	45·2	47·9
	....	....	....	....	....	....	....	....	....	....	....	....
	52·31	51·63	51·16	50·54	50·68	50·47	52·32	56·79	59·45	61·09	62·55	63·13

Self-Registering Photographic Instruments, during the Month of September, 1888.

1 P. M.	2 P. M.	3 P. M.	4 P. M.	5 P. M.	6 P. M.	7 P. M.	8 P. M.	9 P. M.	10 P. M.	11 P. M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
65·5	65·0	66·0	64·0	63·2	62·0	57·2	57·1	56·1	54·3	52·2	48·4	58·51
69·6	71·0	71·8	73·2	71·9	68·2	63·4	59·7	57·0	53·9	53·8	53·1	58·76
65·0	65·2	66·0	68·9	64·1	63·0	57·7	55·6	53·9	55·0	55·4	54·6	57·64
74·0	74·1	74·9	75·8	67·2	66·0	63·8	62·2	58·9	54·8	52·0	50·9	61·56
60·3	59·9	60·3	60·0	60·0	59·3	55·4	53·0	51·0	50·0	48·7	48·0	54·67
57·7	58·0	58·0	58·0	56·7	54·7	53·0	52·8	52·7	53·0	54·0	54·3	53·33
63·1	62·0	61·9	63·0	61·1	60·1	60·0	57·0	54·8	54·0	53·9	54·0	57·19
67·7	69·8	69·9	69·9	67·1	66·7	67·1	65·0	64·1	61·7	59·6	59·4	62·27
77·1	78·0	77·8	77·1	75·0	71·8	68·0	65·3	62·9	60·9	59·1	57·3	65·39
69·9	69·2	69·0	68·6	68·0	65·0	59·4	57·1	56·8	57·3	56·7	56·1	60·64
71·0	70·0	69·0	69·1	68·0	65·9	61·9	59·4	57·9	57·0	61·1	63·1	60·99
72·1	73·1	71·0	69·2	66·0	62·8	59·3	56·3	53·9	52·5	51·0	50·0	63·56
60·3	61·1	61·0	60·0	57·2	54·0	51·8	50·0	49·0	45·8	44·1	45·3	52·95
60·0	61·0	62·0	62·1	60·2	57·0	52·6	50·2	49·3	50·0	49·4	51·2	51·90
63·0	63·9	66·0	66·9	66·3	66·0	66·0	65·9	64·9	63·8	65·0	64·1	59·90
60·3	60·8	61·0	61·9	62·3	63·0	62·4	62·9	62·8	62·0	60·6	59·0	60·68
65·3	64·3	65·4	65·3	65·6	63·1	62·6	62·0	61·9	61·2	61·0	60·9	60·88
69·4	68·8	67·0	67·5	66·2	65·1	64·0	64·4	64·0	62·0	60·7	57·8	63·52
65·9	65·6	63·7	63·5	64·0	62·9	63·0	62·0	59·8	58·6	58·9	58·6	60·45
65·7	66·0	66·0	65·2	64·0	63·0	59·2	57·0	55·2	53·7	51·6	52·7	58·96
65·5	66·0	66·0	66·1	65·6	62·8	60·2	58·8	57·3	56·7	55·9	55·9	58·98
66·1	66·6	65·0	64·3	64·1	64·0	61·2	60·7	59·9	58·4	57·0	57·0	60·10
64·2	62·8	62·0	61·1	60·8	58·0	54·9	53·4	52·6	51·8	51·1	51·4	58·07
67·1	68·0	68·0	68·0	66.0	58·9	55·8	55·0	56·0	54·2	54·8	53·4	58·45
61·9	62·3	61·0	60·8	61·1	60·0	56·3	54·3	52·5	51·9	50·9	49·4	55·80
62·0	61·0	61·0	61·0	60·0	59·6	56·1	54·9	55·1	53·3	53·0	52·9	55·31
58·0	57·3	57·8	54·4	52·9	50·6	48·7	46·7	46·2	45·8	44·1	42·0	51·33
52·5	53·8	52·2	51·3	49·0	46·0	43·4	42·0	41·6	40·5	38·0	36·9	45·23
41·9	44·2	46·0	45·1	44·9	43·0	40·9	39·7	39·0	39·3	39·9	38·9	41·41
47·0	47·0	45·9	44·9	45·2	43·0	43·7	43·9	43·9	43·6	43·1	43·9	41·36
....	...	....	....	....	....	....	....	....	....	....	....	....
63·64	63·86	63·75	63·54	62·12	60·18	57·63	56·14	55·03	53·90	53·22	52·68	56·99

TABLE LXXXXIV.—*Temperature at Toronto Observatory for each hour from Self-*

Day.	1.00 A. M.	2.00 A. M.	3.00 A. M.	4.00 A. M.	5.00 A. M.	6.00 A. M.	7.00 A. M.	8.00 A. M.	9.00 A. M.	10.00 A. M.	11.00 A. M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	45·6	45·4	46·0	46·8	47·1	48·8	49·0	50·0	52 0	53·1	54·0	55·1
2	39·7	39·7	39·6	39·4	39·0	39·0	38·0	38·9	38 3	40·0	42·4	44·1
3	35·0	35·0	34·7	34·1	33·9	33·0	33·4	37·0	38·8	38·6	40·3	41·5
4	36·9	36·3	36·0	36·0	36·3	37·0	38·7	41·9	42·9	44·7	46·0	49·0
5	54·3	54·8	54·1	53·0	52·0	49·1	50·6	50·7	51·1	51·8	51·6	51·4
6	44·9	44·6	44·0	43·8	43·1	42·8	42·8	43·1	44·9	46·3	48·2	48·9
7	40·1	40·0	39·0	37·0	36·0	35·0	36·7	42·0	46·9	46·9	49·9	51·0
8	46·2	46·0	45·7	45·1	44·8	42·8	44·7	47·0	44 8	45·7	44·0	42·0
9	33·7	33·4	32·6	33·0	32·5	33·0	33·7	35·0	37·2	38·3	39·8	40·4
10	29·1	29·9	30·0	30·0	30·6	30·0	31·0	35·5	40·0	42·4	46·0	48·2
11	39·9	38·7	38·0	37·9	37·0	35·8	37·0	42·3	46·2	48·3	49·9	50·0
12	44·8	45·8	45·4	45·0	45·8	45·1	46 6	45·9	43·7	43·6	43·9	46·3
13	44·0	43·9	43·8	43 1	42·7	42·1	42·7	44·0	46·7	48·4	49·0	50·0
14	44·9	44·0	42·9	41·9	41·2	41·6	41·8	42·0	42 5	43·8	44·3	45·1
15	34·0	33·1	34·0	33·7	34·1	33·0	34·0	39·3	46·0	48·1	48·9	49·2
16	45·9	47·2	47·3	47·1	47·3	48·0	48·0	50·0	49·0	52 2	54·0	54·1
17	45·7	44·0	42·2	41·7	43·0	42·8	43·0	46·4	47·7	50·1	51·0	51·2
18	37·9	37·8	36·9	37·0	36·8	37·0	36·5	39·6	41·4	43·0	44·1	45·7
19	36·7	42·9	43·9	44·7	43·2	42·9	42·9	42·9	43·9	44 1	44·6	45·4
20	40·8	39·2	38·9	38·9	39·1	38·9	40·0	40·6	42·9	43·5	44·0	44·0
21	32·3	32·1	21·9	31·9	31·8	31·2	31·2	32·2	33·0	34 0	34·7	35·6
22	30·1	30·2	30·0	30 7	30·9	30·9	31·2	33·0	34·0	36·2	39·1	39·4
23	39·9	40·8	40·2	39·8	40·0	40·0	40·8	41·1	42·0	43·2	43·9	44·1
24	43·9	44·0	44·4	44·6	44·8	44·2	44·5	45·4	46·9	47·5	49·0	50·0
25	35·9	33·9	34·9	34·0	35·9	36·1	40·1	41·3	44·9	47·3	50·8	51·4
26	46·0	45·0	44·0	43·7	43·9	44·0	44·0	45·8	49·3	51·3	52·5	52·9
27	48·2	48·0	48·1	48·4	48 4	48·6	48·9	49·0	49·1	49·9	51·9	55·0
28	51 8	51·0	50·1	49·2	46 2	44·0	43·0	44·7	45·8	48·3	50·5	49·8
29	39·0	40·0	39·4	39·9	39·9	40·5	40·0	40·0	42·0	44·2	47·2	45 2
30	36·9	36·4	36·7	36·0	35·2	34·2	33·6	36·5	38 6	40·0	41·3	41·1
31	42·0	43·7	44·8	44·9	45·2	45·1	45·9	48·0	51·0	54·5	55·8	57·0
	40·84	40·86	40·63	40·40	40·25	39·89	40·46	42·29	43·98	45·46	46·86	47·55

Registering Photographic Instruments, during the month of October, 1888.

1.00 P.M.	2.00 P.M.	3.00 P.M.	4.00 P.M.	5.00 P.M.	6.00 P.M.	7.00 P.M.	8.00 P.M.	9.00 P.M.	10.00 P.M.	11.00 P.M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
55·8	56·0	56·0	57·6	55·5	51·9	51·9	48·0	44·9	43·0	42·0	40·0	49·81
44·9	44·0	44·0	42·0	41·0	40·0	38·9	38·4	37·2	36·3	35·2	35·0	39·79
41·7	41·4	40·9	40·8	40·1	39·0	36·2	33·0	32·4	35·0	35·9	36·0	36·99
51·0	53·0	53·1	52·0	51·9	51·3	51·1	51·8	51·9	52·1	53·7	54·8	46·23
50·8	50·0	49·8	49·2	48·9	48·4	48·0	47·3	46·8	46·0	45·2	44·6	49·98
50·0	49·8	49·8	49·8	49·0	47·0	45·9	44·0	43·0	42·0	41·5	41·0	45·43
51·0	49·0	49·0	49·0	49·0	48·0	47·2	47·2	46·6	45·1	46·1	46·8	44·77
41·2	42·7	42·1	41·0	39·3	38·1	38·2	38·6	38·1	37·7	36·6	34·9	41·97
42·3	43·0	42·2	41·8	40·0	38·1	37·4	36·3	35·0	33·2	31·8	30·2	36·42
50·9	52·2	53·2	53·0	50·2	45·2	44·0	42·8	41·1	40·1	40·8	40·6	40·70
49·8	49·1	48·9	48·0	46·8	44·8	44·6	43·0	42·0	41·9	42·9	43·9	43·59
46·2	46·8	46·3	46·8	46·3	46·8	46·9	47·0	46·9	46·0	45·0	44·6	45·73
48·9	48·6	47·9	48·0	47·8	46·9	46·0	46·1	46·1	46·0	45·8	45·1	45·98
46·8	47·0	47·0	46·9	46·0	43·0	41·9	40·3	39·0	35·7	36·3	34·9	42·53
49·3	48·9	48·8	47·9	47·1	46·4	46·1	47·8	47·3	47·1	47·9	45·7	43·24
56·0	52·9	50·9	50·1	49·0	48·3	48·9	48·6	48·1	47·0	45·7	43·0	49·11
52·1	53·0	48·8	47·0	46·9	46·2	46·6	43·7	40·6	39·8	38·9	38·9	45·47
47·7	47·3	46·9	45·7	45·1	43·8	43·8	42·0	39·2	37·8	37·1	36·2	41·10
46·2	47·0	47·7	47·7	47·0	44·3	44·7	45·0	44·1	42·7	43·0	41·8	44·14
43·0	42·0	42·3	40·1	38·1	37·9	37·0	34·7	33·0	33·9	33·7	32·9	39·15
37·0	36·9	35·9	35·9	33·7	31·9	30·9	30·1	29·0	29·0	30·1	30·9	32·63
39·0	39·0	38·9	38·6	38·0	38·3	38·8	39·6	39·0	38·0	38·2	38·1	35·80
43·9	44·0	44·9	45·0	44·9	45·0	45·8	45·0	45·2	45·0	44·7	44·1	43·05
48·6	49·9	49·4	49·7	47·1	43·9	39·0	38·0	36·9	35·5	35·2	35·3	44·07
53·2	53·3	54·7	54·7	49·8	47·6	46·9	47·0	46·9	46·8	47·0	46·4	45·03
53·7	54·0	55·0	54·9	52·3	54·0	53·0	51·2	50·1	49·7	49·0	48·8	49·50
57·0	54·0	54·0	55·1	52·9	51·9	51·2	51·0	51·1	51·1	52·1	51·1	51·08
48·9	48·7	48·2	47·1	45·9	44·0	42·0	40·9	39·9	38·5	38·3	38·4	45·63
46·5	44·8	44·9	42·8	41·9	40·9	39·9	38·9	38·1	38·0	38·1	37·2	41·22
44·0	44·0	43·0	41·9	41·0	39·8	43·2	43·2	42·9	42·9	42·8	42·9	39·92
58·2	60·0	62·0	59·5	60·1	61·0	60·0	57·7	54·0	54·2	56·0	55·1	53·15
48·25	48·14	47·95	47·41	46·21	44·96	44·37	43·49	42·46	41·84	41·83	41·26	43·65

TABLE LXXXXV.—*Temperature at Toronto Observatory for each Hour, from*

Day.	1.00 A.M.	2.00 A.M.	3.00 A.M.	4.00 A.M.	5.00 A.M.	6.00 A.M.	7.00 A.M.	8.00 A.M.	9.00 A.M.	10.00 A.M.	11.00 A.M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	56·0	52·1	52·1	52·7	52·2	51·9	52·9	53·9	55·5	58 0	59·0	60·1
2	53·9	53·8	53·7	53·9	52·7	51·9	51·7	54·3	56·0	57·7	58·0	61·2
3	54·0	50·8	47·2	45·7	44·7	44·6	43·1	43·0	43·8	44·8	46·0	47·2
4	38·0	38·8	39·8	40·0	40·9	40·1	40·1	42·4	45·1	46·4	49·0	49·0
5	46·3	47·0	46·8	48·9	48·8	49·3	48·0	49·0	52·9	55·8	59·0	58·4
6	53·3	54·2	54·9	56·1	55·0	55·1	55·0	56·9	57·1	58·1	59·0	57·0
7	8·0	37·9	36·9	36·8	34·0	33·7	33·0	37·9	40·0	42·1	43·9	44·8
8	41·0	40·9	40·9	41·0	41·3	40·9	40·3	40·4	40·0	40·7	42·6	43·0
9	46·8	47·5	48·0	48·2	48·3	44·8	44·7	43·0	42·9	42·9	43·0	43·1
10	40·3	40·9	41·0	40·9	40·9	41·0	41·1	41·8	42·1	42·7	43·8	46·2
11	37·5	36·9	36·0	36·2	36·0	35·4	35·9	36·3	37·1	38·8	40·2	41·1
12	35·9	37·0	37·6	37·6	36·1	35·0	34·8	34·8	35·1	37·2	38·2	39·0
13	34·0	36·0	38·0	37·0	35·0	32·3	32·0	34·1	38·8	39·7	40·2	41·4
14	31·1	31·1	32·5	31·0	32·5	34·1	34·2	35·0	41·2	46·1	48·9	52·7
15	48·3	46·8	45·9	46·7	47·1	46·4	45·5	46·5	48·9	50·0	50·0	52·0
16	40·6	40·0	37·9	36·9	35·9	36·0	35·8	34·8	35·3	35·7	36·8	36·3
17	32·0	31·4	31·1	29·4	28·8	28·0	26·9	27·0	28·0	28·4	25·2	27·2
18	19·5	20·0	19·3	19·0	18·8	18·9	19·2	29·0	31·2	32·7	33·0	32·0
19	37·2	38·0	38·8	39·1	40·2	41·0	40·2	41·0	40·1	40·2	41·0	41·0
20	33·8	30·4	29·2	27·8	24·8	23·0	21·9	21·0	21·2	23·0	24·2	25·3
21	17·4	17·0	16·8	16·8	16·0	17·0	17·0	18·9	20·0	22·1	24·2	26·2
22	19·9	18·9	18·3	18·8	18·0	20·4	23·0	24·1	26·0	27·1	27·7	28·0
23	14·1	14·0	15·0	16·0	16·9	18·0	18·2	20·2	22·2	27·4	29·4	29·4
24	22·9	23·0	24·7	24·1	25·0	24·0	24·2	25·6	29·0	33·3	36·1	38·7
25	27·2	26·0	25·0	24·1	23·0	21·1	21·9	23·3	28·0	28·9	30·0	31·1
26	24·8	25·2	26·0	26·0	24·0	23·3	24·3	24·5	26·1	28·3	31·0	32·2
27	30·9	30·7	30·1	30·1	30·2	30·9	31·0	31·8	33·0	33·9	35·0	35·1
28	34·0	34·0	34·0	34·0	33·9	33·9	34·0	34·3	35·1	36·2	37·9	37·2
29	34·8	34·3	34·6	34·6	34·6	34·4	34·5	34·8	35·1	35·9	36·9	38·1
30	34·9	34·0	33·1	33·3	34·0	34·0	34·2	35·0	36·9	38·1	39 2	40·8
	....	....	....	....	....	....	....	....	....	...	...	....
	35·95	35·62	35·51	35·42	34·99	34·68	34·62	35·82	37·46	39·07	40·28	41·16

Self-Registering Photographic Instruments, during the month of November, 1888.

1.00 P. M.	2.00 P. M.	3.0 P. M.	4.00 P. M.	5.00 P. M.	6.00 P. M.	7.00 P. M.	8.00 P. M.	9.00 P. M.	10.00 P. M.	11.00 P. M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
60·0	61·7	60·8	58·8	55·0	53·6	53·3	54·1	53·2	53·2	56·0	55·9	55·50
61·0	60·6	58·5	58·7	58·1	61·0	61·9	59·9	57·1	57·0	59·1	58·2	57·08
50·1	50·1	51·0	50·9	49·0	47·4	44·7	41·2	37·9	40·0	38·7	37·8	45·57
50·9	50·9	51·2	51·9	51·0	52·0	51·9	50·1	48·0	44·9	44·9	44·8	45·92
58·2	59·7	60·0	59·7	57·1	56·8	55·0	53·6	52·2	52·9	52·9	53·1	53·39
55·0	52·7	51·9	51·5	49·9	48·6	47·3	46·0	43·7	43 0	41·6	40·0	51·79
45·6	44·1	45·9	43·1	42·8	41·3	40·8	40·0	41·9	42·9	43·0	41·8	40·51
43·7	43·4	43·0	43·2	43·8	44·7	45·0	45·0	44·8	45·0	45·8	46·1	42·77
43·2	43·0	43·0	42·8	42·6	42·3	42·2	41·8	40·9	40·0	39·4	39·9	43·51
47·6	49·2	47·1	45·3	43·7	43·9	42 8	42·2	43·2	43·1	39·2	38·0	42·83
41·0	42·1	42·2	41 7	40·1	39·2	39·0	37·9	37·8	37·2	36·5	36·4	38·27
37·9	37·0	37·1	36·0	35·9	35·1	35·1	35·0	35·0	34·4	34·3	34·3	36 01
42·1	46·0	40·9	39·6	38·2	37·1	34·1	33·6	33·0	32·0	30·8	31·9	36·58
55·9	54·7	53·5	52·0	51·0	49·0	49·8	49·0	48·0	47·9	47·1	47·9	44·01
52·0	53·0	51·0	50·0	49·1	49·6	49·3	49·0	48·9	49·0	46·1	41·7	48·45
36·9	36·6	36·1	35·8	34·0	32·8	32·0	33·2	33·0	31·8	32·0	32·0	35·34
27·9	27·7	29·1	26·1	24·8	23·0	22·0	20·2	19·9	19·0	18·9	19·1	25·88
32·3	33·5	34·0	34·3	34·4	33·0	32·9	32·9	33·1	33·9	34·0	36·7	29·03
42·0	43·3	41·8	41·0	39·0	38·3	37·8	35·2	35·9	36·0	35·1	35·0	39·09
26·0	26·2	26·1	25·0	23·0	21·8	20·9	20 1	19·4	19·0	18·9	18·2	23·76
26·9	26·8	27·0	26·3	24·9	24·0	24·1	23·0	21·2	20·3	20·2	19·3	21·39
27·9	27·0	25·0	24 3	23·1	21·2	20·0	17·8	15·9	15·0	16·0	15·3	21·61
28·8	28·9	29·0	29·0	29·0	28·9	26·4	25·0	24·2	24·0	23·9	23·0	23·37
38·7	39·0	38·0	37·0	35·0	34·2	34·1	33·9	33·1	33·0	31·3	28·8	31·11
30·9	30·6	30·8	30·3	29·9	27·8	26·9	26·0	25·1	23·9	23·9	23·9	26·65
32·3	31·9	32·9	32·8	32·0	32·6	33·0	33·1	33·0	32·2	32·0	31·0	29·35
35·3	35·0	34·6	34·0	34·0	34·0	33·7	33·7	33·9	34·0	34·0	34·0	33·04
37·8	37·9	37·9	37·1	35·9	35·7	34·8	34·4	34·0	34·1	34·2	34·5	35·28
38·9	38·2	38·1	37·5	37·0	36·2	36·0	35·0	34·1	34·1	34·7	35·0	35·73
40·0	37·6	38·0	38·0	37·3	35·8	34·4	34·0	32·8	32·0	31·4	30·8	35·40
....	....	...	....	....	....	....	....	....	....	....	....	....
41·56	41·61	41·18	40·46	39 35	38·69	38·04	37·20	36·47	36·16	35·86	35·48	37·61

TABLE LXXXXVI.—*Temperature at Toronto Observatory for each hour, from*

Day.	1.00 A.M.	2.00 A.M.	3.00 A.M.	4.00 A.M.	5.00 A.M.	6.00 A.M.	7.00 A.M.	8.00 A.M.	9.00 A.M.	10.00 A.M.	11.00 A.M.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	29·9	28·1	28·0	27·2	27·0	26·0	25·9	26·8	29·0	29·1	30·0	31·0
2	28·1	28·1	28·2	28·2	28·3	27·7	27·9	28·2	31·3	34·0	34·9	35·3
3	32·8	32·3	32·0	32·0	31·9	31·9	31·9	31·8	31·9	32·2	33·3	34·0
4	31·8	30·9	30·9	30·9	30·0	28·7	28·9	30·0	31·3	33·6	34·7	35·9
5	38·0	37·4	37·8	37·7	37·6	36·9	36·7	36·9	37·0	37·8	38·0	38·3
6	25·7	25·1	25·0	25·6	25·3	24·5	23·2	23·0	23·2	24·8	25·7	26·7
7	32·1	31·9	32·0	32·7	32·9	33·0	32·9	32·8	35·5	37·6	39·0	39·2
8	36·2	36·1	36·1	35·0	33·8	32·8	32·0	32·4	33·8	35·7	35·0	34·0
9	30·9	31·1	31·1	31·0	31·0	31·0	30·3	30·1	30·1	29·8	30·0	31 0
10	32·9	33·3	32·9	34·0	34·0	32·7	35·1	36·7	38·0	38·6	38·2	39·1
11	36·2	36·1	35·1	34·8	36·2	35·8	36·0	36·0	36·9	37·8	38·1	39·5
12	26·0	23 9	23·1	23·0	22·7	20·3	20·6	21·2	22·2	23·3	23·8	24·2
13	11·3	10·2	11·0	11·1	10·9	10·0	8·1	8·0	10 0	13·0	16·0	19·5
14	9·2	9·9	8·0	8·2	8·8	9·0	8·7	10·3	13·3	15·1	15·2	16·6
15	15·0	13·4	14·0	17·9	16·3	24·0	27·8	28·7	30·0	31·3	32·0	34·4
16	38·8	38·9	38·3	36·9	37·3	39·0	40·2	41·0	42·0	40·6	40·0	40·0
17	42·9	43·0	43·0	43·1	43·2	43·0	42·7	42·2	42·9	43·1	43·9	44·6
18	24·7	23·5	23·0	21·4	19·9	18·8	18·5	17·1	17·7	15·9	17·0	17·3
19	10·0	9·1	8·8	8·5	8·0	8·0	8·8	7 9	7·4	7·6	8·8	11·5
20	10·1	9·0	7·1	6·0	4·0	3·9	9·7	13·0	17·2	20·0	23·0	24·3
21	31·2	31·1	30·8	29·8	29·7	29·0	28·9	27·6	21·9	19·4	15·1	13·5
22	1·9	1 8	0·9	0·2	0 0	— 0·2	— 0·8	— 0·6	3·0	7·9	11·0	13·7
23	26·4	26·9	27·1	28·0	29·0	29·1	29·6	30·0	31·2	33·2	35·9	37·8
24	37·2	37 8	37·0	36·8	36·2	36·0	35·2	36·2	38·3	40·1	41·1	41·4
25	42·0	41·4	43·3	44·0	42·7	41·7	41·0	41·9	42·6	43·3	43·4	44·1
26	37·9	37·2	37·0	36·9	36·1	35·9	35·1	34·9	35·1	36·6	36·9	37·2
27	44·0	44·0	44·1	43·7	42·0	38·0	35·8	34·2	34 7	34·6	34·1	32·8
28	30·1	30·4	29 8	27·9	27·7	27·7	27·7	27·5	29·0	29·9	30·7	30·2
29	28 9	29·0	28·0	28·6	28·1	28·9	29·2	29·2	30·0	32·0	32·5	33·9
30	28 7	28·7	28·2	27·7	26·1	27·0	26·9	26·0	27·7	29·9	34·8	38·0
31	35 8	35·7	34·2	34·0	34·3	34·7	34·1	34·0	34·8	35·9	37·8	38·8
	28·60	28·24	27·93	27·83	27·45	27·25	27·37	27·58	28 68	29·80	30·64	31·54

Self-Registering Photographic Instruments, during the Month of December, 1888.

1.00 P. M.	2.00 P. M.	3.00 P. M.	4.00 P. M.	5.00 P. M.	6.00 P. M.	7.00 P. M.	8.00 P. M.	9.00 P. M.	10.00 P. M.	11.00 P. M.	Midnight.	Means.
°	°	°	°	°	°	°	°	°	°	°	°	°
32·2	33·0	33·7	32·3	31·6	31·0	30·0	30·0	29·2	28 7	28·2	28·4	29·43
36·1	36·0	35·4	35·0	34·5	33·7	33·3	33·5	33·7	33·3	32·9	33·0	32·11
34·0	34·2	34·0	34·0	34·0	33·9	34·0	33·6	33·2	33·1	33·0	32·2	32·97
35·8	34·3	34·2	32·0	32·0	34·0	35·9	36·0	35·6	38·0	37·8	38·1	33·39
38·6	37·9	34·8	33·7	33·0	31·9	30·3	31·0	30 9	28 5	26·4	26·0	34·71
27·8	28·3	28·7	28·3	29·0	29·9	30·9	31·1	31·9	31·5	31·9	32·0	27·46
40·0	40·1	39·1	38 8	38·0	37·7	37·1	37·0	37·0	36·9	36·8	36·4	36·10
33·9	34·0	33·9	33·8	33·8	33·8	33·0	32·3	33·2	31·2	31·0	31·0	33·66
31·4	33·2	32·9	31·8	30·0	28·8	29·0	31·8	32 9	32·1	33·2	33·9	31·18
39·2	39·0	38·7	38·0	37·9	38·0	37·0	37·0	36·6	36·0	36·1	36·1	36·46
39·0	37·8	36·2	35·3	34·9	34·1	32·2	31·0	29·9	29·0	27·9	27·0	34·70
24·1	24·9	24·8	24·2	23·8	23·7	23·7	22·9	22·0	20·2	17·0	14·0	22·48
20·3	21·1	21·4	21·0	20·1	16 0	13·3	12·0	10·0	9·1	8·9	9·0	13·39
19·0	20·0	20·6	21·0	20·2	19 1	17·0	16·0	16·0	15·2	14·9	15·0	14·43
35·0	38·0	38·7	38·1	38·8	38·7	39·5	39·8	39·9	40·0	39·9	39·0	31·26
40·2	41·0	41·0	41·0	41·9	42·1	42·0	42·1	42·3	42·7	42·6	43·0	40·62
40·2	38·4	36·5	36·1	33·7	32·0	31·4	30·3	29·4	27·0	26·0	25·3	37·66
17·8	16·9	15·9	15·2	15·0	15·1	15·2	15·9	14·7	13·9	13·4	11·2	17·29
13·3	15·0	16·4	15·0	15·0	14·9	14·9	15·4	13·9	11·1	11·0	10·0	11·26
25·0	26·0	27·0	27·3	29·1	30·0	30·1	30·1	30·0	30·9	31·6	31·3	20·65
12·0	11·0	10·9	10·3	9·6	8·9	8·0	7·1	6·4	5·0	4 0	2·8	16·83
17·0	20·9	21·1	23·4	23·0	23·3	24·7	25·0	25·5	25·6	26·0	26·2	13·35
37·8	38·0	38·1	37·9	37·0	37·3	37·9	38·2	38·8	38·7	37·9	37·3	34·13
41·8	42·0	41·3	41·3	41·9	42·0	41·2	41·8	41·9	41·9	42·0	42·2	39·78
46·8	45·1	45·0	43·8	43·9	44·2	43·9	42·4	41·0	40·0	39·0	38·1	42·69
37·4	37·3	37·7	37·4	37·8	38·0	39·0	41·0	42·7	43·3	45·5	44·1	38·25
32·1	32·3	32·0	31·9	30·6	30·7	30·9	30·3	32·0	31 7	30·9	30·0	34·89
30·7	30·9	31·2	31·1	31·0	31·0	31·0*	30·9	30·3	30·0	29·1	29·0	29·78
33·0	33·4	32·8	31·9	31·0	30·7	30·1	30·2	30·1	29·9	29·9	29·1	30·43
40·0	40·1	39·1	38·0	37·8	37·8	37·1	37·0	36·9	36·7	35·1	35·3	33·36
38·0	37·8	36·8	35·8	34·8	34·0	33·8	33·6	33·5	33·0	32·9	32·2	35·01
31·92	32·19	31·93	31·44	31·12	30·85	30·56	30·53	30·37	29·81	29·45	28·97	29·67

13249

P
Astron.
C

Author Canada. Meteorological Service.

Title Report. 1887-88.

DATE. NAME OF BORROWER.

University of Toronto
Library

DO NOT
REMOVE
THE
CARD
FROM
THIS
POCKET

STORAGE

Acme Library Card Pocket
LOWE-MARTIN CO. LIMITED